

## 2006 Jail Physical Task JTA Statistics

### 11. Run on flat surface

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	25	32.5%	32.5%
Weekly	21	27.3%	59.7%
Monthly	20	26.0%	85.7%
Daily	7	9.1%	94.8%
Once or less in past year	4	5.2%	100.0%
Never	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	2	Std. Dev.	0.7880
Max	6	Variance	0.6210
Range	4	Skewness	1.9697
Mode	3	Kurtosis	1.2721
Median	4.00	95% Conf.	3.85 to 4.20
Mean	4.03		

Scale 2 - Maximum Distance in Feet			
Response (n = 77)	Frequency	Percent	
50	4	5.2%	
1000	3	3.9%	
100	12	15.6%	
300	10	13.0%	
637.5	0	0.0%	
150	4	5.2%	
500	7	9.1%	
400	5	6.5%	
600	0	0.0%	
30	3	3.9%	
60	1	1.3%	
1500	0	0.0%	
250	3	3.9%	
2000	0	0.0%	
75	1	1.3%	
200	7	9.1%	
20	1	1.3%	
800	2	2.6%	
528	1	1.3%	
0	1	1.3%	
350	1	1.3%	
415	1	1.3%	
70	1	1.3%	
900	2	2.6%	
720	2	2.6%	
700	1	1.3%	
788	1	1.3%	
750	2	2.6%	
No Response	1	1.3%	
Min	0	Std. Dev.	222.5390
Max	1000	Variance	49523.6087
Range	1000	Skewness	2.3440
Mode	100	Kurtosis	2.9335
Median	275.00	95% Conf.	280.05 to 380.11
Mean	330.08		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	37	48.1%	48.1%
Moderate	15	19.5%	67.5%
Mild to Moderate	8	10.4%	77.9%
Disastrous	8	10.4%	88.3%
Mild	7	9.1%	97.4%
None	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.6934
Max	6	Variance	0.4808
Range	5	Skewness	1.7625
Mode	5	Kurtosis	0.6096
Median	5.00	95% Conf.	4.21 to 4.52
Mean	4.37		

### 12. Walk continuously

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	63	81.8%	81.8%
Weekly	8	10.4%	92.2%
Never	2	2.6%	94.8%
Several times per year	2	2.6%	97.4%
Once or less in past year	1	1.3%	98.7%
Monthly	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.3547
Max	6	Variance	0.1258
Range	5	Skewness	1.0985
Mode	6	Kurtosis	-1.7934
Median	6.00	95% Conf.	5.53 to 5.69
Mean	5.61		

Scale 2 - Maximum Time in Hours			
Response (n = 77)	Frequency	Percent	
2	8	10.4%	
7	1	1.3%	
4	15	19.5%	
5	3	3.9%	
6	9	11.7%	
3	4	5.2%	
8	12	15.6%	
16	0	0.0%	
1	9	11.7%	
3.5	0	0.0%	
7.5	0	0.0%	
0.5	2	2.6%	
12	3	3.9%	
20	2	2.6%	
0.15	1	1.3%	
10	4	5.2%	
14	0	0.0%	
9.5	1	1.3%	
No Response	3	3.9%	
Min	0	Std. Dev.	3.2206
Max	20	Variance	10.3723
Range	20	Skewness	3.2324
Mode	4	Kurtosis	9.8434
Median	4.00	95% Conf.	4.61 to 6.08
Mean	5.35		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	26	33.8%	33.8%
Moderate	19	24.7%	58.4%
Mild to Moderate	16	20.8%	79.2%
Disastrous	6	7.8%	87.0%
Mild	5	6.5%	93.5%
None	4	5.2%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.8165
Max	6	Variance	0.6667
Range	5	Skewness	1.8126
Mode	5	Kurtosis	0.6599
Median	4.00	95% Conf.	3.82 to 4.18
Mean	4.00		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	22	28.6%	28.6%
Moderately High	21	27.3%	55.8%
Mild to Moderate	19	24.7%	80.5%
Mild	7	9.1%	89.6%
Disastrous	4	5.2%	94.8%
None	3	3.9%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.8025
Max	6	Variance	0.6440
Range	5	Skewness	1.9291
Mode	4	Kurtosis	1.1276
Median	4.00	95% Conf.	3.65 to 4.01
Mean	3.83		

13. Stand continuously

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	59	76.6%	76.6%
Weekly	10	13.0%	89.6%
Several times per year	5	6.5%	96.1%
Never	1	1.3%	97.4%
Monthly	1	1.3%	98.7%
Once or less in past year	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.3735
Max	6	Variance	0.1395
Range	5	Skewness	1.1274
Mode	6	Kurtosis	-1.7289
Median	6.00	95% Conf.	5.49 to 5.66
Mean	5.58		

14. Walk up/down stairs

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	55	71.4%	71.4%
Weekly	15	19.5%	90.9%
Several times per year	4	5.2%	96.1%
Never	1	1.3%	97.4%
Once or less in past year	1	1.3%	98.7%
Monthly	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.4057
Max	6	Variance	0.1646
Range	5	Skewness	1.1673
Mode	6	Kurtosis	-1.6370
Median	6.00	95% Conf.	5.44 to 5.62
Mean	5.53		

Scale 2 - Maximum Time in Hours			
Response (n = 77)	Frequency	Percent	
8	12	15.6%	
16	0	0.0%	
1	6	7.8%	
2	21	27.3%	
7	2	2.6%	
5	2	2.6%	
3	5	6.5%	
2.5	1	1.3%	
6	8	10.4%	
4	9	11.7%	
0.5	2	2.6%	
3.5	0	0.0%	
7.5	0	0.0%	
20	1	1.3%	
12	2	2.6%	
0.1	1	1.3%	
10	3	3.9%	
14	0	0.0%	
9.5	1	1.3%	
No Response	1	1.3%	
Min	0	Std. Dev.	2.8557
Max	20	Variance	8.1550
Range	20	Skewness	3.1285
Mode	2	Kurtosis	10.1848
Median	4.00	95% Conf.	4.02 to 5.30
Mean	4.66		

Scale 2 - Maximum Number of Flights			
Response (n = 77)	Frequency	Percent	
2	19	24.7%	
3	18	23.4%	
1	13	16.9%	
8	0	0.0%	
4	4	5.2%	
5	2	2.6%	
6	1	1.3%	
15	0	0.0%	
32	0	0.0%	
20	3	3.9%	
10	4	5.2%	
16	3	3.9%	
24	1	1.3%	
40	1	1.3%	
30	1	1.3%	
12	1	1.3%	
50	1	1.3%	
36	1	1.3%	
No Response	4	5.2%	
Min	1	Std. Dev.	8.8380
Max	50	Variance	78.1094
Range	49	Skewness	3.4933
Mode	2	Kurtosis	10.8815
Median	3.00	95% Conf.	4.51 to 5.56
Mean	6.53		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	26	33.8%	33.8%
Moderate	21	27.3%	61.0%
Mild to Moderate	9	11.7%	72.7%
Disastrous	9	11.7%	84.4%
Mild	7	9.1%	93.5%
None	3	3.9%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.8122
Max	6	Variance	0.6597
Range	5	Skewness	1.8028
Mode	5	Kurtosis	0.6055
Median	4.00	95% Conf.	3.98 to 4.34
Mean	4.16		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Mild to Moderate	23	29.9%	29.9%
Moderate	18	23.4%	53.2%
Mild	17	22.1%	75.3%
Moderately High	10	13.0%	88.3%
None	6	7.8%	96.1%
Disastrous	2	2.6%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.8929
Max	6	Variance	0.7973
Range	5	Skewness	2.0960
Mode	3	Kurtosis	1.9596
Median	3.00	95% Conf.	3.00 to 3.40
Mean	3.20		

15. Sit continuously (car, desk, etc.)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	63	81.8%	81.8%
Weekly	13	16.9%	98.7%
Never	1	1.3%	100.0%
Once or less in past year	0	0.0%	100.0%
Several times per year	0	0.0%	100.0%
Monthly	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.2128
Max	6	Variance	0.0453
Range	5	Skewness	1.0994
Mode	6	Kurtosis	-1.7921
Median	6.00	95% Conf.	5.72 to 5.81
Mean	5.77		

16. Run up/down stairs

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Weekly	23	29.9%	29.9%
Several times per year	22	28.6%	58.4%
Monthly	12	15.6%	74.0%
Once or less in past year	11	14.3%	88.3%
Daily	5	6.5%	94.8%
Never	3	3.9%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.9176
Max	6	Variance	0.8419
Range	5	Skewness	1.8041
Mode	5	Kurtosis	0.5696
Median	4.00	95% Conf.	3.53 to 3.94
Mean	3.74		

Scale 2 - Maximum Number of Hours			
Response (n = 77)	Frequency	Percent	
7	2	2.6%	
16	0	0.0%	
1	8	10.4%	
2	18	23.4%	
8	10	13.0%	
6	9	11.7%	
1.5	0	0.0%	
4	12	15.6%	
5	2	2.6%	
0.5	1	1.3%	
3	6	7.8%	
7.5	0	0.0%	
12	2	2.6%	
10	3	3.9%	
6.5	1	1.3%	
9	1	1.3%	
14	0	0.0%	
9.5	1	1.3%	
No Response	1	1.3%	
Min	1	Std. Dev.	2.2929
Max	12	Variance	5.2573
Range	12	Skewness	2.1795
Mode	2	Kurtosis	2.3862
Median	4.00	95% Conf.	4.06 to 5.09
Mean	4.57		

Scale 2 - Maximum Number of Flights			
Response (n = 77)	Frequency	Percent	
2	22	28.6%	
3	19	24.7%	
1	18	23.4%	
8	1	1.3%	
4	2	2.6%	
5	3	3.9%	
15	1	1.3%	
32	0	0.0%	
10	3	3.9%	
6	2	2.6%	
30	1	1.3%	
20	1	1.3%	
No Response	4	5.2%	
Min	1	Std. Dev.	4.1996
Max	30	Variance	17.6369
Range	29	Skewness	4.7819
Mode	2	Kurtosis	23.2787
Median	2.00	95% Conf.	2.56 to 4.48
Mean	3.52		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	41	53.2%	53.2%
Moderate	15	19.5%	72.7%
Disastrous	12	15.6%	88.3%
Mild to Moderate	5	6.5%	94.8%
None	2	2.6%	97.4%
Mild	2	2.6%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5952
Max	6	Variance	0.3543
Range	5	Skewness	1.9551
Mode	5	Kurtosis	1.2512
Median	5.00	95% Conf.	4.52 to 4.78
Mean	4.65		

17. Walk/run on irregular, potentially hazardous surfaces (slick, muddy, rocky, etc.)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	31	40.3%	40.3%
Once or less in past year	21	27.3%	67.5%
Weekly	11	14.3%	81.8%
Never	7	9.1%	90.9%
Daily	4	5.2%	96.1%
Monthly	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0329
Max	6	Variance	1.0669
Range	5	Skewness	2.2997
Mode	3	Kurtosis	2.5792
Median	3.00	95% Conf.	2.80 to 3.26
Mean	3.03		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	25	32.5%	32.5%
Moderately High	21	27.3%	59.7%
Mild to Moderate	14	18.2%	77.9%
Disastrous	7	9.1%	87.0%
None	6	7.8%	94.8%
Mild	4	5.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8411
Max	6	Variance	0.7075
Range	5	Skewness	1.9237
Mode	4	Kurtosis	1.0557
Median	4.00	95% Conf.	3.75 to 4.12
Mean	3.94		

18. Climb or pull oneself over a vertical obstacle

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	34	44.2%	44.2%
Never	33	42.9%	87.0%
Several times per year	7	9.1%	96.1%
Monthly	1	1.3%	97.4%
Weekly	1	1.3%	98.7%
Daily	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.7713
Max	6	Variance	0.5949
Range	5	Skewness	3.8041
Mode	2	Kurtosis	14.2859
Median	2.00	95% Conf.	1.61 to 1.95
Mean	1.78		

Scale 2 - Max. Height of Obstacle in Feet			
Response (n = 77)	Frequency	Percent	
8	1	1.3%	
3	7	9.1%	
6	6	7.8%	
2	2	2.6%	
4	13	16.9%	
0	2	2.6%	
5	10	13.0%	
10	1	1.3%	
15	0	0.0%	
9	0	0.0%	
30	1	1.3%	
12	1	1.3%	
20	1	1.3%	
No Response	32	41.6%	
Min	0	Std. Dev.	4.5024
Max	30	Variance	20.2718
Range	30	Skewness	4.5825
Mode	4	Kurtosis	19.8992
Median	4.00	95% Conf.	4.08 to 6.72
Mean	5.40		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
None	23	29.9%	29.9%
Moderate	13	16.9%	46.8%
Moderately High	13	16.9%	63.6%
Mild to Moderate	10	13.0%	76.6%
Mild	8	10.4%	87.0%
Disastrous	4	5.2%	92.2%
No Response	6	7.8%	100.0%
Min	1	Std. Dev.	1.2270
Max	6	Variance	1.5055
Range	5	Skewness	1.8413
Mode	1	Kurtosis	0.6818
Median	3.00	95% Conf.	2.67 to 3.24
Mean	2.96		

19. Crawl under an obstacle

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	35	45.5%	45.5%
Never	24	31.2%	76.6%
Several times per year	10	13.0%	89.6%
Monthly	4	5.2%	94.8%
Weekly	2	2.6%	97.4%
Daily	2	2.6%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9566
Max	6	Variance	0.9151
Range	5	Skewness	3.0262
Mode	2	Kurtosis	7.3658
Median	2.00	95% Conf.	1.89 to 2.32
Mean	2.10		

Scale 2 - Lowest Distance in Inches			
Response (n = 77)	Frequency	Percent	
12	5	6.5%	
24	16	20.8%	
30	1	1.3%	
10	1	1.3%	
18	9	11.7%	
20	4	5.2%	
36	8	10.4%	
16	1	1.3%	
42	0	0.0%	
25	0	0.0%	
15	1	1.3%	
17	1	1.3%	
28	1	1.3%	
No Response	29	37.7%	
Min	10	Std. Dev.	5.6891
Max	36	Variance	32.3664
Range	26	Skewness	2.2366
Mode	24	Kurtosis	2.1458
Median	24.00	95% Conf.	21.10 to 24.32
Mean	22.71		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
None	17	22.1%	22.1%
Moderately High	16	20.8%	42.9%
Mild	12	15.6%	58.4%
Mild to Moderate	12	15.6%	74.0%
Moderate	12	15.6%	89.6%
Disastrous	1	1.3%	90.9%
No Response	7	9.1%	100.0%
Min	1	Std. Dev.	1.1011
Max	6	Variance	1.2125
Range	5	Skewness	1.7737
Mode	1	Kurtosis	0.3477
Median	3.00	95% Conf.	2.76 to 3.27
Mean	3.01		

20. Climb steps, railings, or over other external features/obstacles

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	23	29.9%	29.9%
Daily	15	19.5%	49.4%
Never	14	18.2%	67.5%
Several times per year	14	18.2%	85.7%
Monthly	7	9.1%	94.8%
Weekly	4	5.2%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.3780
Max	6	Variance	1.8990
Range	5	Skewness	1.9662
Mode	2	Kurtosis	0.9811
Median	3.00	95% Conf.	2.81 to 3.42
Mean	3.12		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Mild to Moderate	17	22.1%	22.1%
Moderate	17	22.1%	44.2%
Moderately High	15	19.5%	63.6%
None	12	15.6%	79.2%
Mild	10	13.0%	92.2%
Disastrous	3	3.9%	96.1%
No Response	3	3.9%	100.0%
Min	1	Std. Dev.	1.0054
Max	6	Variance	1.0109
Range	5	Skewness	1.8759
Mode	3 (b)	Kurtosis	0.8919
Median	3.00	95% Conf.	3.07 to 3.53
Mean	3.30		

21. Climb up/down ladder

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	29	37.7%	37.7%
Never	18	23.4%	61.0%
Several times per year	17	22.1%	83.1%
Monthly	8	10.4%	93.5%
Daily	3	3.9%	97.4%
Weekly	2	2.6%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0052
Max	6	Variance	1.0104
Range	5	Skewness	2.6541
Mode	2	Kurtosis	5.0689
Median	2.00	95% Conf.	2.20 to 2.65
Mean	2.43		

Scale 2 - Max. Height of Ladder in Feet		
Response (n = 77)	Frequency	Percent
8	3	3.9%
15	9	11.7%
20	5	6.5%
12	9	11.7%
6	9	11.7%
10	12	15.6%
17	0	0.0%
24	0	0.0%
5	1	1.3%
16	1	1.3%
18	0	0.0%
9	0	0.0%
30	1	1.3%
25	3	3.9%

Response (n = 77)	Frequency	Percent
14	1	1.3%
4	3	3.9%
7	0	0.0%
No Response	20	26.0%
Min	4	Std. Dev. 4.6511
Max	30	Variance 21.6329
Range	26	Skewness 2.6115
Mode	10	Kurtosis 4.7333
Median	12.00	95% Conf. 10.95 to 13.37
Mean	12.16	

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Mild to Moderate	18	23.4%	23.4%
None	15	19.5%	42.9%
Mild	15	19.5%	62.3%
Moderate	11	14.3%	76.6%
Moderately High	8	10.4%	87.0%
Disastrous	4	5.2%	92.2%
No Response	6	7.8%	100.0%
Min	1	Std. Dev. 1.1077	
Max	6	Variance 1.2269	
Range	5	Skewness 2.1430	
Mode	3	Kurtosis 2.0133	
Median	3.00	95% Conf. 2.66 to 3.17	
Mean	2.92		

#### 22. Climb up/down from elevated surface

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Never	27	35.1%	35.1%
Once or less in past year	26	33.8%	68.8%
Several times per year	15	19.5%	88.3%
Monthly	4	5.2%	93.5%
Daily	3	3.9%	97.4%
Weekly	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev. 1.0164	
Max	6	Variance 1.0331	
Range	5	Skewness 2.9221	
Mode	1	Kurtosis 6.8029	
Median	2.00	95% Conf. 1.92 to 2.37	
Mean	2.14		

Scale 2 - Max. Distance in Feet		
Response (n = 77)	Frequency	Percent
10	7	9.1%
15	4	5.2%
12	3	3.9%
3	3	3.9%
20	3	3.9%
8	2	2.6%
5	6	7.8%
6	10	13.0%
2	1	1.3%
30	0	0.0%
7	0	0.0%

Response (n = 77)	Frequency	Percent
4	6	7.8%
0	4	5.2%
No Response	28	36.4%
Min	0	Std. Dev. 4.0845
Max	20	Variance 16.6830
Range	20	Skewness 2.4319
Mode	6	Kurtosis 3.5665
Median	6.00	95% Conf. 6.35 to 8.63
Mean	7.49	

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
None	18	23.4%	23.4%
Mild to Moderate	16	20.8%	44.2%
Mild	14	18.2%	62.3%
Moderate	12	15.6%	77.9%
Moderately High	6	7.8%	85.7%
Disastrous	4	5.2%	90.9%
No Response	7	9.1%	100.0%
Min	1	Std. Dev. 1.1288	
Max	6	Variance 1.2742	
Range	5	Skewness 2.1747	
Mode	1	Kurtosis 2.2211	
Median	3.00	95% Conf. 2.54 to 3.06	
Mean	2.80		

#### 23. Lift objects up off the ground

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	27	35.1%	35.1%
Weekly	23	29.9%	64.9%
Several times per year	18	23.4%	88.3%
Monthly	6	7.8%	96.1%
Once or less in past year	2	2.6%	98.7%
Never	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev. 0.8095	
Max	6	Variance 0.6553	
Range	5	Skewness 1.5764	
Mode	6	Kurtosis -0.4444	
Median	5.00	95% Conf. 4.49 to 4.86	
Mean	4.68		

Scale 2 - Max. Lift-Height in Inches		
Response (n = 77)	Frequency	Percent
48	13	16.9%
36	28	36.4%
24	8	10.4%
2	0	0.0%
72	2	2.6%
4	1	1.3%
25	0	0.0%
80	0	0.0%
30	9	11.7%
28	0	0.0%
70	0	0.0%
5	0	0.0%
40	4	5.2%
32	0	0.0%
12	0	0.0%
45	0	0.0%
42	0	0.0%
67	0	0.0%
3	2	2.6%
6	0	0.0%

Response (n = 77)	Frequency	Percent
60	6	7.8%
35	2	2.6%
50	1	1.3%
52	0	0.0%
No Response	1	1.3%
Min 3	Std. Dev. 9.4347	
Max 72	Variance 89.0133	
Range 69	Skewness 2.4967	
Mode 36	Kurtosis 4.1165	
Median 36.00	95% Conf. 35.88 to 40.12	
Mean 38.00		

Scale 3 - Max. Weight of Object in Pounds			
Response (n = 77)	Frequency	Percent	
20	2	2.6%	
25	3	3.9%	
50	25	32.5%	
70	1	1.3%	
35	1	1.3%	
60	4	5.2%	
30	5	6.5%	
10	1	1.3%	
65	0	0.0%	
15	0	0.0%	
40	9	11.7%	
75	5	6.5%	
200	1	1.3%	
5	1	1.3%	
150	2	2.6%	
100	4	5.2%	
7	0	0.0%	
80	1	1.3%	
160	1	1.3%	
175	1	1.3%	
85	1	1.3%	
4	1	1.3%	
250	1	1.3%	
2	1	1.3%	
No Response	6	7.8%	
Min 2	Std. Dev. 38.4714		
Max 250	Variance 1480.0513		
Range 248	Skewness 3.4756		
Mode 50	Kurtosis 10.6943		
Median 50.00	95% Conf. 51.14 to 69.03		
Mean 60.08			

Scale 4 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Mild to Moderate	25	32.5%	32.5%
Moderate	22	28.6%	61.0%
Mild	14	18.2%	79.2%
Moderately High	9	11.7%	90.9%
Disastrous	4	5.2%	96.1%
None	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min 1	Std. Dev. 0.8647		
Max 6	Variance 0.7477		
Range 5	Skewness 2.2230		
Mode 3	Kurtosis 2.5950		
Median 3.00	95% Conf. 3.22 to 3.61		
Mean 3.42			

24. Push/pull objects			
Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	22	28.6%	28.6%
Weekly	18	23.4%	51.9%
Several times per year	12	15.6%	67.5%
Never	10	13.0%	80.5%
Once or less in past year	8	10.4%	90.9%
Monthly	6	7.8%	98.7%
No Response	1	1.3%	100.0%
Min 1	Std. Dev. 1.1523		
Max 6	Variance 1.3278		
Range 5	Skewness 1.5493		
Mode 6	Kurtosis -0.4975		
Median 5.00	95% Conf. 3.79 to 4.31		
Mean 4.05			

Scale 2 - Max. Distance in Inches		
Response (n = 77)	Frequency	Percent
120	3	3.9%
96	0	0.0%
24	5	6.5%
200	3	3.9%
3600	0	0.0%
36	12	15.6%
48	4	5.2%
25	1	1.3%
100	2	2.6%
1	0	0.0%
30	0	0.0%
40	2	2.6%
6	0	0.0%
65	0	0.0%
300	1	1.3%
72	8	10.4%
500	0	0.0%
60	4	5.2%
5	1	1.3%
37	0	0.0%
1200	1	1.3%
12	1	1.3%
2700	0	0.0%
2400	0	0.0%
0	1	1.3%
20	1	1.3%
240	1	1.3%
144	2	2.6%
50	3	3.9%
180	1	1.3%
1600	1	1.3%
1800	1	1.3%
2340	1	1.3%
75	1	1.3%
720	1	1.3%
No Response	15	19.5%
Min 0	Std. Dev. 415.3641	
Max 2340	Variance 172527.3080	
Range 2340	Skewness 4.1425	
Mode 36	Kurtosis 15.2782	
Median 55.00	95% Conf. 86.20 to 292.99	
Mean 189.60		

Scale 3 - Max. Weight in Pounds		
Response (n = 77)	Frequency	Percent
15	1	1.3%
50	6	7.8%
20	0	0.0%
250	5	6.5%
60	1	1.3%
30	0	0.0%
65	0	0.0%
100	8	10.4%
40	6	7.8%
150	6	7.8%
10	2	2.6%
70	1	1.3%
25	3	3.9%
200	7	9.1%
75	3	3.9%
80	0	0.0%
0	1	1.3%
120	0	0.0%
275	1	1.3%
230	1	1.3%
350	1	1.3%
45	2	2.6%
300	2	2.6%
85	2	2.6%
160	1	1.3%
35	1	1.3%
180	2	2.6%
No Response	14	18.2%
Min	0	Std. Dev. 68.6729
Max	350	Variance 4715.9709
Range	350	Skewness 2.1515
Mode	100	Kurtosis 2.2139
Median	100.00	95% Conf. 104.07 to 137.99
Mean	121.03	

Scale 4 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	20	26.0%	26.0%
Mild to Moderate	19	24.7%	50.6%
Mild	13	16.9%	67.5%
Moderately High	10	13.0%	80.5%
None	6	7.8%	88.3%
Disastrous	4	5.2%	93.5%
No Response	5	6.5%	100.0%
Min	1	Std. Dev. 0.9328	
Max	6	Variance 0.8702	
Range	5	Skewness 2.0849	
Mode	4	Kurtosis 1.8871	
Median	3.00	95% Conf. 3.16 to 3.59	
Mean	3.38		

25. Assisted carry of an unresisting inmate

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	34	44.2%	44.2%
Monthly	14	18.2%	62.3%
Weekly	14	18.2%	80.5%
Once or less in past year	11	14.3%	94.8%
Never	2	2.6%	97.4%
Daily	0	0.0%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev. 0.7657	
Max	5	Variance 0.5863	
Range	4	Skewness 1.9694	
Mode	3	Kurtosis 1.0738	
Median	3.00	95% Conf. 3.19 to 3.53	
Mean	3.36		

Scale 2 - Maximum Weight in Pounds		
Response (n = 77)	Frequency	Percent
220	1	1.3%
300	11	14.3%
200	18	23.4%
185	0	0.0%
250	11	14.3%
175	5	6.5%
350	3	3.9%
125	0	0.0%
150	2	2.6%
400	3	3.9%
165	0	0.0%
110	0	0.0%
275	1	1.3%
225	0	0.0%
230	1	1.3%
180	5	6.5%
290	0	0.0%
130	0	0.0%
285	1	1.3%
160	1	1.3%
500	1	1.3%
260	2	2.6%
190	2	2.6%
100	3	3.9%
No Response	6	7.8%
Min	100	Std. Dev. 58.1212
Max	500	Variance 3378.0744
Range	400	Skewness 2.7865
Mode	200	Kurtosis 6.4315
Median	200.00	95% Conf. 223.73 to 250.77
Mean	237.25	

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	36	46.8%	46.8%
Moderate	16	20.8%	67.5%
Mild to Moderate	12	15.6%	83.1%
Mild	5	6.5%	89.6%
Disastrous	5	6.5%	96.1%
None	1	1.3%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.6724
Max	6	Variance	0.4521
Range	5	Skewness	1.7282
Mode	5	Kurtosis	0.5325
Median	5.00	95% Conf.	4.13 to 4.43
Mean	4.28		

Response (n = 77)	Frequency	Percent	
180	1	1.3%	
600	1	1.3%	
2340	1	1.3%	
80	1	1.3%	
10	1	1.3%	
12	1	1.3%	
64	1	1.3%	
No Response	9	11.7%	
Min	10	Std. Dev.	559.0000
Max	3600	Variance	312480.9978
Range	3590	Skewness	4.7548
Mode	36	Kurtosis	21.7080
Median	72.00	95% Conf.	94.10 to 359.84
Mean	226.97		

26. Carry and place objects

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	34	44.2%	44.2%
Weekly	15	19.5%	63.6%
Several times per year	12	15.6%	79.2%
Monthly	8	10.4%	89.6%
Never	5	6.5%	96.1%
Once or less in past year	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9167
Max	6	Variance	0.8403
Range	5	Skewness	1.4418
Mode	6	Kurtosis	-0.8878
Median	5.00	95% Conf.	4.44 to 4.85
Mean	4.65		

Scale 3 - Max. Weight in Pounds			
Response (n = 77)	Frequency	Percent	
20	4	5.2%	
25	8	10.4%	
50	25	32.5%	
30	3	3.9%	
10	2	2.6%	
60	2	2.6%	
65	0	0.0%	
40	9	11.7%	
15	0	0.0%	
150	1	1.3%	
5	4	5.2%	
75	2	2.6%	
70	0	0.0%	
200	0	0.0%	
100	2	2.6%	
45	1	1.3%	
175	1	1.3%	
160	1	1.3%	
35	2	2.6%	
90	1	1.3%	
80	1	1.3%	
3	1	1.3%	
No Response	7	9.1%	
Min	3	Std. Dev.	27.1819
Max	175	Variance	738.8583
Range	172	Skewness	3.7190
Mode	50	Kurtosis	12.2283
Median	50.00	95% Conf.	40.25 to 52.98
Mean	46.61		

Scale 2 - Max. Distance in Inches		
Response (n = 77)	Frequency	Percent
36	11	14.3%
96	0	0.0%
5	0	0.0%
3600	1	1.3%
72	10	13.0%
60	8	10.4%
25	0	0.0%
200	1	1.3%
100	3	3.9%
30	0	0.0%
120	5	6.5%
500	0	0.0%
40	1	1.3%
65	0	0.0%
50	0	0.0%
48	6	7.8%
24	2	2.6%
720	0	0.0%
92	0	0.0%
1200	0	0.0%
150	0	0.0%
240	4	5.2%
15	0	0.0%
2700	0	0.0%
42	0	0.0%
300	1	1.3%
360	0	0.0%
20	2	2.6%
144	4	5.2%
1800	2	2.6%

Scale 4 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Mild to Moderate	22	28.6%	28.6%
Moderate	21	27.3%	55.8%
Mild	19	24.7%	80.5%
Moderately High	7	9.1%	89.6%
None	6	7.8%	97.4%
Disastrous	0	0.0%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.7828
Max	5	Variance	0.6128
Range	4	Skewness	1.9568
Mode	3	Kurtosis	1.2250
Median	3.00	95% Conf.	2.88 to 3.23
Mean	3.05		

27. Lift objects down from elevated surface (waist high or above) and place on ground or floor

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Weekly	22	28.6%	28.6%
Daily	18	23.4%	51.9%
Several times per year	17	22.1%	74.0%
Once or less in past year	8	10.4%	84.4%
Monthly	7	9.1%	93.5%
Never	5	6.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0235
Max	6	Variance	1.0475
Range	5	Skewness	1.6226
Mode	5	Kurtosis	-0.2090
Median	5.00	95% Conf.	3.90 to 4.36
Mean	4.13		

Scale 2 - Maximum Weight in Pounds			
Response (n = 77)	Frequency	Percent	
20	4	5.2%	
50	27	35.1%	
25	4	5.2%	
30	5	6.5%	
10	8	10.4%	
60	2	2.6%	
40	9	11.7%	
5	1	1.3%	
15	1	1.3%	
70	0	0.0%	
75	4	5.2%	
29	0	0.0%	
200	0	0.0%	
0	0	0.0%	
100	2	2.6%	
45	2	2.6%	
175	1	1.3%	
160	1	1.3%	
35	1	1.3%	
No Response	5	6.5%	
Min	5	Std. Dev.	24.1062
Max	175	Variance	581.1070
Range	170	Skewness	4.2258
Mode	50	Kurtosis	17.3047
Median	50.00	95% Conf.	39.15 to 50.29
Mean	44.72		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Mild to Moderate	26	33.8%	33.8%
Mild	19	24.7%	58.4%
Moderate	16	20.8%	79.2%
Moderately High	7	9.1%	88.3%
None	6	7.8%	96.1%
Disastrous	0	0.0%	96.1%
No Response	3	3.9%	100.0%
Min	1	Std. Dev.	0.7836
Max	5	Variance	0.6140
Range	4	Skewness	2.1011
Mode	3	Kurtosis	1.7936
Median	3.00	95% Conf.	2.81 to 3.17
Mean	2.99		

28. Jump/vault over ditch, hole, or other depression

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Never	43	55.8%	55.8%
Once or less in past year	22	28.6%	84.4%
Several times per year	7	9.1%	93.5%
Monthly	4	5.2%	98.7%
Daily	1	1.3%	100.0%
Weekly	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8441
Max	6	Variance	0.7125
Range	5	Skewness	3.1950
Mode	1	Kurtosis	9.4611
Median	1.00	95% Conf.	1.50 to 1.88
Mean	1.69		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
None	28	36.4%	36.4%
Moderately High	13	16.9%	53.2%
Mild to Moderate	11	14.3%	67.5%
Moderate	8	10.4%	77.9%
Mild	7	9.1%	87.0%
Disastrous	0	0.0%	87.0%
No Response	10	13.0%	100.0%
Min	1	Std. Dev.	1.2024
Max	5	Variance	1.4458
Range	4	Skewness	1.8443
Mode	1	Kurtosis	0.5481
Median	2.00	95% Conf.	2.28 to 2.86
Mean	2.57		

29. Jump/vault over raised barrier

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Never	37	48.1%	48.1%
Once or less in past year	31	40.3%	88.3%
Several times per year	6	7.8%	96.1%
Monthly	3	3.9%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.6284
Max	4	Variance	0.3949
Range	3	Skewness	2.7943
Mode	1	Kurtosis	5.9813
Median	2.00	95% Conf.	1.53 to 1.82
Mean	1.68		

Scale 2 - Maximum Height in Inches		
Response (n = 77)	Frequency	Percent
12	0	0.0%
96	0	0.0%
36	7	9.1%
72	2	2.6%
48	14	18.2%
24	6	7.8%
45	0	0.0%
40	3	3.9%
60	3	3.9%
30	3	3.9%
18	1	1.3%
0	0	0.0%
62	1	1.3%
6	1	1.3%

Response (n = 77)	Frequency	Percent
16	1	1.3%
No Response	35	45.5%
Min	6	Std. Dev. 10.2881
Max	72	Variance 105.8460
Range	66	Skewness 2.2324
Mode	48	Kurtosis 2.7307
Median	40.00	95% Conf. 37.46 to 43.68
Mean	40.57	

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
None	24	31.2%	31.2%
Moderately High	14	18.2%	49.4%
Mild to Moderate	13	16.9%	66.2%
Moderate	12	15.6%	81.8%
Mild	6	7.8%	89.6%
Disastrous	0	0.0%	89.6%
No Response	8	10.4%	100.0%
Min	1	Std. Dev. 1.1235	
Max	5	Variance 1.2623	
Range	4	Skewness 1.7697	
Mode	1	Kurtosis 0.2751	
Median	3.00	95% Conf. 2.53 to 3.06	
Mean	2.80		

### 30. Jump up/down from elevated surface

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Never	27	35.1%	35.1%
Once or less in past year	22	28.6%	63.6%
Several times per year	15	19.5%	83.1%
Monthly	8	10.4%	93.5%
Weekly	3	3.9%	97.4%
Daily	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev. 0.9775	
Max	6	Variance 0.9555	
Range	5	Skewness 2.4255	
Mode	1	Kurtosis 3.8155	
Median	2.00	95% Conf. 2.00 to 2.44	
Mean	2.22		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
None	18	23.4%	23.4%
Mild to Moderate	18	23.4%	46.8%
Moderate	14	18.2%	64.9%
Mild	10	13.0%	77.9%
Moderately High	9	11.7%	89.6%
Disastrous	0	0.0%	89.6%
No Response	8	10.4%	100.0%
Min	1	Std. Dev. 0.9752	
Max	5	Variance 0.9511	
Range	4	Skewness 1.9144	
Mode	1 (b)	Kurtosis 0.9233	
Median	3.00	95% Conf. 2.57 to 3.03	
Mean	2.80		

### 31. Grip and hold an inmate to maintain physical control

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Weekly	27	35.1%	35.1%
Several times per year	23	29.9%	64.9%
Monthly	19	24.7%	89.6%
Daily	5	6.5%	96.1%
Once or less in past year	2	2.6%	98.7%
Never	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	2	Std. Dev. 0.7101	
Max	6	Variance 0.5042	
Range	4	Skewness 1.8728	
Mode	5	Kurtosis 1.0005	
Median	4.00	95% Conf. 3.97 to 4.29	
Mean	4.13		

Scale 2 - Max. Time in Minutes		
Response (n = 77)	Frequency	Percent
5	31	40.3%
30	1	1.3%
2	9	11.7%
15	2	2.6%
1	2	2.6%
12	0	0.0%
3	15	19.5%
10	12	15.6%
0	0	0.0%
20	2	2.6%
7	0	0.0%
4	2	2.6%
35	0	0.0%
No Response	1	1.3%
Min	1	Std. Dev. 4.2380
Max	30	Variance 17.9605
Range	29	Skewness 3.8466
Mode	5	Kurtosis 14.9369
Median	5.00	95% Conf. 4.94 to 6.85
Mean	5.89	

Scale 3 - Max. Weight in Pounds		
Response (n = 77)	Frequency	Percent
220	0	0.0%
300	12	15.6%
200	22	28.6%
225	1	1.3%
150	1	1.3%
175	2	2.6%
350	3	3.9%
160	2	2.6%
250	17	22.1%
100	1	1.3%
180	2	2.6%
400	4	5.2%
155	0	0.0%
275	1	1.3%
230	1	1.3%
185	0	0.0%
450	0	0.0%
240	0	0.0%
290	1	1.3%
140	0	0.0%
210	0	0.0%
500	1	1.3%
260	1	1.3%

Response (n = 77)	Frequency	Percent
190	2	2.6%
165	1	1.3%
280	1	1.3%
No Response	1	1.3%
Min 100	Std. Dev.	54.9604
Max 500	Variance	3020.6444
Range 400	Skewness	2.8599
Mode 200	Kurtosis	6.7940
Median 250.00	95% Conf.	234.81 to 259.53
Mean 247.17		

Scale 4 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	35	45.5%	45.5%
Disastrous	31	40.3%	85.7%
Moderate	6	7.8%	93.5%
Mild to Moderate	4	5.2%	98.7%
Mild	1	1.3%	100.0%
None	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min 2	Std. Dev.	0.5226	
Max 6	Variance	0.2731	
Range 4	Skewness	1.5654	
Mode 5	Kurtosis	-0.5492	
Median 5.00	95% Conf.	5.07 to 5.30	
Mean 5.18			

32. Extract/place a struggling inmate in/from a cell

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	34	44.2%	44.2%
Monthly	20	26.0%	70.1%
Weekly	14	18.2%	88.3%
Once or less in past year	4	5.2%	93.5%
Daily	2	2.6%	96.1%
Never	1	1.3%	97.4%
No Response	2	2.6%	100.0%
Min 1	Std. Dev.	0.7318	
Max 6	Variance	0.5355	
Range 5	Skewness	2.1530	
Mode 3	Kurtosis	2.1959	
Median 3.00	95% Conf.	3.47 to 3.81	
Mean 3.64			

Scale 2 - Max. Time in Minutes		
Response (n = 77)	Frequency	Percent
5	25	32.5%
10	16	20.8%
25	0	0.0%
20	4	5.2%
15	7	9.1%
3	9	11.7%
4	1	1.3%
2	8	10.4%
8	1	1.3%
1	2	2.6%
6	1	1.3%
No Response	3	3.9%
Min 1	Std. Dev.	4.0654
Max 20	Variance	16.5274
Range 19	Skewness	2.4572
Mode 5	Kurtosis	3.7269
Median 5.00	95% Conf.	6.28 to 8.13
Mean 7.20		

Scale 3 - Max. Weight in Pounds		
Response (n = 77)	Frequency	Percent
220	1	1.3%
300	13	16.9%
200	22	28.6%
225	1	1.3%
250	16	20.8%
175	2	2.6%
350	3	3.9%
450	0	0.0%
180	2	2.6%
400	4	5.2%
275	1	1.3%
230	1	1.3%
240	0	0.0%
290	1	1.3%
140	0	0.0%
210	0	0.0%
160	2	2.6%
500	1	1.3%
260	1	1.3%
190	2	2.6%
165	1	1.3%
280	1	1.3%
No Response	2	2.6%
Min 160	Std. Dev.	53.9575
Max 500	Variance	2911.4131
Range 340	Skewness	2.8715
Mode 200	Kurtosis	6.9126
Median 250.00	95% Conf.	238.52 to 262.95
Mean 250.73		

Scale 4 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	36	46.8%	46.8%
Disastrous	29	37.7%	84.4%
Moderate	7	9.1%	93.5%
Mild	2	2.6%	96.1%
Mild to Moderate	2	2.6%	98.7%
None	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min 1	Std. Dev.	0.5535	
Max 6	Variance	0.3064	
Range 5	Skewness	1.6192	
Mode 5	Kurtosis	-0.3786	
Median 5.00	95% Conf.	4.98 to 5.23	
Mean 5.10			

33. Hold/restrain a struggling inmate

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	32	41.6%	41.6%
Monthly	20	26.0%	67.5%
Weekly	17	22.1%	89.6%
Once or less in past year	3	3.9%	93.5%
Daily	3	3.9%	97.4%
Never	0	0.0%	97.4%
No Response	2	2.6%	100.0%
Min 2	Std. Dev.	0.7333	
Max 6	Variance	0.5378	
Range 4	Skewness	2.1070	
Mode 3	Kurtosis	1.9333	
Median 4.00	95% Conf.	3.63 to 3.97	
Mean 3.80			

Scale 2 - Max. Time in Minutes			
Response (n = 77)		Frequency	Percent
1		2	2.6%
20		1	1.3%
2		8	10.4%
15		4	5.2%
4		0	0.0%
3		11	14.3%
10		16	20.8%
5		28	36.4%
7		0	0.0%
30		1	1.3%
8		1	1.3%
No Response		5	6.5%
Min	1	Std. Dev.	4.1422
Max	30	Variance	17.1575
Range	29	Skewness	3.6728
Mode	5	Kurtosis	14.2449
Median	5.00	95% Conf.	5.56 to 7.47
Mean	6.51		

Scale 3 - Max. Weight in Pounds			
Response (n = 77)		Frequency	Percent
220		1	1.3%
300		12	15.6%
200		20	26.0%
225		1	1.3%
150		0	0.0%
175		2	2.6%
350		3	3.9%
250		17	22.1%
180		2	2.6%
165		1	1.3%
400		4	5.2%
275		1	1.3%
230		1	1.3%
170		0	0.0%
450		0	0.0%
240		0	0.0%
290		1	1.3%
140		0	0.0%
210		0	0.0%
185		1	1.3%
160		2	2.6%
260		1	1.3%
190		2	2.6%
280		1	1.3%
No Response		4	5.2%
Min	160	Std. Dev.	47.5497
Max	400	Variance	2260.9753
Range	240	Skewness	2.5154
Mode	200	Kurtosis	4.1180
Median	250.00	95% Conf.	236.22 to 258.03
Mean	247.12		

Scale 4 - Consequences of Inadequate Performance				
Response (n = 77)		Frequency	Percent	Cumulation
Moderately High		37	48.1%	48.1%
Disastrous		27	35.1%	83.1%
Moderate		6	7.8%	90.9%
Mild		2	2.6%	93.5%
Mild to Moderate		2	2.6%	96.1%
None		0	0.0%	96.1%
No Response		3	3.9%	100.0%
Min	2	Std. Dev.	0.5178	
Max	6	Variance	0.2681	
Range	4	Skewness	1.6442	
Mode	5	Kurtosis	-0.2965	
Median	5.00	95% Conf.	5.03 to 5.27	
Mean	5.15			

34. Physically defend against and control an attacking inmate

Scale 1 - Frequency				
Response (n = 77)		Frequency	Percent	Cumulation
Once or less in past year		41	53.2%	53.2%
Several times per year		15	19.5%	72.7%
Monthly		8	10.4%	83.1%
Weekly		7	9.1%	92.2%
Never		5	6.5%	98.7%
Daily		1	1.3%	100.0%
No Response		0	0.0%	100.0%
Min	1	Std. Dev.	0.9278	
Max	6	Variance	0.8608	
Range	5	Skewness	2.4109	
Mode	2	Kurtosis	3.3742	
Median	2.00	95% Conf.	2.46 to 2.87	
Mean	2.66			

Scale 2 - Max. Time in Minutes			
Response (n = 77)		Frequency	Percent
5		20	26.0%
10		13	16.9%
2		13	16.9%
3		12	15.6%
4		0	0.0%
20		2	2.6%
0		0	0.0%
1		4	5.2%
15		3	3.9%
8		2	2.6%
No Response		8	10.4%
Min	1	Std. Dev.	3.6520
Max	20	Variance	13.3370
Range	19	Skewness	2.7694
Mode	5	Kurtosis	5.9777
Median	5.00	95% Conf.	4.89 to 6.62
Mean	5.75		

Scale 3 - Max. Weight in Pounds			
Response (n = 77)		Frequency	Percent
220		0	0.0%
300		11	14.3%
200		18	23.4%
225		1	1.3%
175		2	2.6%
350		3	3.9%
250		17	22.1%
450		0	0.0%
180		2	2.6%
0		0	0.0%
400		3	3.9%

Response (n = 77)	Frequency	Percent
275	1	1.3%
230	1	1.3%
240	0	0.0%
290	1	1.3%
140	0	0.0%
160	2	2.6%
195	1	1.3%
260	1	1.3%
190	2	2.6%
165	1	1.3%
280	1	1.3%
No Response	9	11.7%
Min 160	Std. Dev. 45.7086	
Max 400	Variance 2089.2758	
Range 240	Skewness 2.5325	
Mode 200	Kurtosis 4.3028	
Median 250.00	95% Conf. 235.17 to 256.89	
Mean 246.03		

Response (n = 77)	Frequency	Percent
275	1	1.3%
230	1	1.3%
240	0	0.0%
290	1	1.3%
140	0	0.0%
210	1	1.3%
160	2	2.6%
195	1	1.3%
260	1	1.3%
190	2	2.6%
165	1	1.3%
280	1	1.3%
No Response	2	2.6%
Min 160	Std. Dev. 44.7292	
Max 400	Variance 2000.6973	
Range 240	Skewness 2.5736	
Mode 200	Kurtosis 4.5914	
Median 250.00	95% Conf. 234.34 to 254.59	
Mean 244.47		

Scale 4 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	51	66.2%	66.2%
Moderately High	19	24.7%	90.9%
None	2	2.6%	93.5%
Mild to Moderate	2	2.6%	96.1%
Moderate	2	2.6%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min 1	Std. Dev. 0.4232		
Max 6	Variance 0.1791		
Range 5	Skewness 1.2126		
Mode 6	Kurtosis -1.5295		
Median 6.00	95% Conf. 5.39 to 5.58		
Mean 5.49			

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	38	49.4%	49.4%
Disastrous	34	44.2%	93.5%
Mild to Moderate	3	3.9%	97.4%
Moderate	2	2.6%	100.0%
None	0	0.0%	100.0%
Mild	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min 3	Std. Dev. 0.4429		
Max 6	Variance 0.1962		
Range 3	Skewness 1.4959		
Mode 5	Kurtosis -0.7630		
Median 5.00	95% Conf. 5.24 to 5.44		
Mean 5.34			

35. Take down and subdue a resisting inmate

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	36	46.8%	46.8%
Weekly	16	20.8%	67.5%
Monthly	14	18.2%	85.7%
Once or less in past year	10	13.0%	98.7%
Daily	1	1.3%	100.0%
Never	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min 2	Std. Dev. 0.7722		
Max 6	Variance 0.5963		
Range 4	Skewness 2.0142		
Mode 3	Kurtosis 1.4071		
Median 3.00	95% Conf. 3.33 to 3.68		
Mean 3.51			

36. Handcuff - mechanically restrain an inmate

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	33	42.9%	42.9%
Weekly	27	35.1%	77.9%
Several times per year	11	14.3%	92.2%
Monthly	4	5.2%	97.4%
Once or less in past year	2	2.6%	100.0%
Never	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min 2	Std. Dev. 0.6504		
Max 6	Variance 0.4230		
Range 4	Skewness 1.5174		
Mode 6	Kurtosis -0.6972		
Median 5.00	95% Conf. 4.87 to 5.16		
Mean 5.01			

Scale 2 - Maximum Weight in Pounds		
Response (n = 77)	Frequency	Percent
220	1	1.3%
300	12	15.6%
200	22	28.6%
225	1	1.3%
150	0	0.0%
175	1	1.3%
350	3	3.9%
180	2	2.6%
250	18	23.4%
450	0	0.0%
400	3	3.9%

Scale 2 - Maximum Weight in Pounds		
Response (n = 77)	Frequency	Percent
220	1	1.3%
300	15	19.5%
200	20	26.0%
225	1	1.3%
150	0	0.0%
350	3	3.9%
250	15	19.5%
450	0	0.0%
180	1	1.3%
400	4	5.2%

Response (n = 77)	Frequency	Percent	
165	1	1.3%	
275	1	1.3%	
230	1	1.3%	
240	0	0.0%	
375	0	0.0%	
290	1	1.3%	
140	0	0.0%	
160	2	2.6%	
25	1	1.3%	
210	1	1.3%	
175	1	1.3%	
260	1	1.3%	
190	2	2.6%	
280	1	1.3%	
No Response	4	5.2%	
Min	25	Std. Dev.	48.0677
Max	400	Variance	2310.5007
Range	375	Skewness	2.4080
Mode	200	Kurtosis	3.6119
Median	250.00	95% Conf.	237.40 to 259.45
Mean	248.42		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	39	50.6%	50.6%
Disastrous	20	26.0%	76.6%
Moderate	12	15.6%	92.2%
Mild	3	3.9%	96.1%
Mild to Moderate	3	3.9%	100.0%
None	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	2	Std. Dev.	0.5634
Max	6	Variance	0.3174
Range	4	Skewness	1.9125
Mode	5	Kurtosis	0.6994
Median	5.00	95% Conf.	4.78 to 5.03
Mean	4.91		

37. Tackle a fleeing inmate to stop flight

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	37	48.1%	48.1%
Never	32	41.6%	89.6%
Several times per year	3	3.9%	93.5%
Monthly	2	2.6%	96.1%
Weekly	2	2.6%	98.7%
Daily	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.7141
Max	5	Variance	0.5100
Range	4	Skewness	3.5837
Mode	2	Kurtosis	11.4522
Median	2.00	95% Conf.	1.59 to 1.91
Mean	1.75		

Scale 2 - Maximum Weight in Pounds			
Response (n = 77)	Frequency	Percent	
220	0	0.0%	
300	6	7.8%	
200	11	14.3%	
225	1	1.3%	
150	0	0.0%	
350	2	2.6%	
250	11	14.3%	
450	0	0.0%	
180	1	1.3%	
400	2	2.6%	
275	1	1.3%	
230	1	1.3%	
0	0	0.0%	
160	2	2.6%	
290	0	0.0%	
210	1	1.3%	
175	1	1.3%	
190	2	2.6%	
165	1	1.3%	
280	1	1.3%	
No Response	33	42.9%	
Min	160	Std. Dev.	46.9325
Max	400	Variance	2202.6629
Range	240	Skewness	2.5648
Mode	200 (b)	Kurtosis	4.4089
Median	250.00	95% Conf.	229.09 to 256.82
Mean	242.95		

Scale 3 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	27	35.1%	35.1%
Disastrous	23	29.9%	64.9%
None	16	20.8%	85.7%
Moderate	4	5.2%	90.9%
Mild	0	0.0%	90.9%
Mild to Moderate	0	0.0%	90.9%
No Response	7	9.1%	100.0%
Min	1	Std. Dev.	1.0302
Max	6	Variance	1.0614
Range	5	Skewness	1.4470
Mode	5	Kurtosis	-0.7847
Median	5.00	95% Conf.	4.12 to 4.60
Mean	4.36		

38. Use hand weapon(s) (other than firearm) to subdue inmate in physical confrontation

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	32	41.6%	41.6%
Once or less in past year	23	29.9%	71.4%
Never	12	15.6%	87.0%
Monthly	6	7.8%	94.8%
Daily	2	2.6%	97.4%
Weekly	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.7991
Max	6	Variance	0.6385
Range	5	Skewness	3.0244
Mode	3	Kurtosis	8.1117
Median	3.00	95% Conf.	2.39 to 2.75
Mean	2.57		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	35	45.5%	45.5%
Moderately High	29	37.7%	83.1%
None	4	5.2%	88.3%
Moderate	3	3.9%	92.2%
Mild	2	2.6%	94.8%
Mild to Moderate	2	2.6%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.6327
Max	6	Variance	0.4003
Range	5	Skewness	1.4541
Mode	6	Kurtosis	-0.8856
Median	5.00	95% Conf.	4.94 to 5.22
Mean	5.08		

39. Use chemical weapon to subdue an inmate in a physical confrontation

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	29	37.7%	37.7%
Once or less in past year	24	31.2%	68.8%
Monthly	12	15.6%	84.4%
Never	6	7.8%	92.2%
Weekly	5	6.5%	98.7%
Daily	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8038
Max	6	Variance	0.6461
Range	5	Skewness	2.4892
Mode	3	Kurtosis	4.0446
Median	3.00	95% Conf.	2.68 to 3.04
Mean	2.86		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	35	45.5%	45.5%
Disastrous	22	28.6%	74.0%
Moderate	9	11.7%	85.7%
None	3	3.9%	89.6%
Mild	2	2.6%	92.2%
Mild to Moderate	0	0.0%	92.2%
No Response	6	7.8%	100.0%
Min	1	Std. Dev.	0.6022
Max	6	Variance	0.3626
Range	5	Skewness	1.7658
Mode	5	Kurtosis	0.1373
Median	5.00	95% Conf.	4.79 to 5.07
Mean	4.93		

Scale 3 - Maximum weight of inmate		
Response (n = 77)	Frequency	Percent
220	2	2.6%
165	1	1.3%
200	18	23.4%
100	0	0.0%
150	0	0.0%
175	0	0.0%
300	12	15.6%
350	3	3.9%
250	18	23.4%
450	0	0.0%
180	1	1.3%
400	3	3.9%
275	1	1.3%
225	1	1.3%
230	1	1.3%

Response (n = 77)	Frequency	Percent	
240	0	0.0%	
375	0	0.0%	
320	0	0.0%	
270	0	0.0%	
290	1	1.3%	
140	0	0.0%	
210	1	1.3%	
160	2	2.6%	
260	1	1.3%	
190	1	1.3%	
280	1	1.3%	
No Response	9	11.7%	
Min	160	Std. Dev.	44.0631
Max	400	Variance	1941.5541
Range	240	Skewness	2.5552
Mode	200 (b)	Kurtosis	4.4616
Median	250.00	95% Conf.	239.75 to 260.69
Mean	250.22		

40. Use weapon (firearm, other) after pursuit, running, fighting-defending, or other strenuous physical activity

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Never	34	44.2%	44.2%
Once or less in past year	34	44.2%	88.3%
Several times per year	4	5.2%	93.5%
Monthly	2	2.6%	96.1%
Weekly	0	0.0%	96.1%
Daily	0	0.0%	96.1%
No Response	3	3.9%	100.0%
Min	1	Std. Dev.	0.5560
Max	4	Variance	0.3091
Range	3	Skewness	2.9767
Mode	1 (b)	Kurtosis	7.7509
Median	2.00	95% Conf.	1.52 to 1.78
Mean	1.65		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	45	58.4%	58.4%
Moderately High	15	19.5%	77.9%
None	7	9.1%	87.0%
Mild	1	1.3%	88.3%
Moderate	1	1.3%	89.6%
Mild to Moderate	0	0.0%	89.6%
No Response	8	10.4%	100.0%
Min	1	Std. Dev.	0.6602
Max	6	Variance	0.4359
Range	5	Skewness	1.2294
Mode	6	Kurtosis	-1.4886
Median	6.00	95% Conf.	5.03 to 5.34
Mean	5.19		

41. Use firearms in physical confrontation with inmate

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Never	51	66.2%	66.2%
Once or less in past year	25	32.5%	98.7%
Several times per year	0	0.0%	98.7%
Monthly	0	0.0%	98.7%
Weekly	0	0.0%	98.7%
Daily	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.3874
Max	2	Variance	0.1501
Range	1	Skewness	1.7329
Mode	1	Kurtosis	0.0019
Median	1.00	95% Conf.	1.24 to 1.42
Mean	1.33		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	50	64.9%	64.9%
None	11	14.3%	79.2%
Moderately High	7	9.1%	88.3%
Mild	0	0.0%	88.3%
Mild to Moderate	0	0.0%	88.3%
Moderate	0	0.0%	88.3%
No Response	9	11.7%	100.0%
Min	1	Std. Dev.	0.7877
Max	6	Variance	0.6204
Range	5	Skewness	1.1575
Mode	6	Kurtosis	-1.6602
Median	6.00	95% Conf.	4.90 to 5.28
Mean	5.09		

42. Continue to function effectively after exposure to chemical weapons

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	33	42.9%	42.9%
Several times per year	27	35.1%	77.9%
Never	7	9.1%	87.0%
Monthly	7	9.1%	96.1%
Weekly	2	2.6%	98.7%
Daily	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.7504
Max	6	Variance	0.5631
Range	5	Skewness	2.8489
Mode	2	Kurtosis	6.8692
Median	2.00	95% Conf.	2.40 to 2.74
Mean	2.57		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	42	54.5%	54.5%
Disastrous	25	32.5%	87.0%
Moderate	6	7.8%	94.8%
None	2	2.6%	97.4%
Mild	0	0.0%	97.4%
Mild to Moderate	0	0.0%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.4960
Max	6	Variance	0.2460
Range	5	Skewness	1.7202
Mode	5	Kurtosis	-0.0407
Median	5.00	95% Conf.	5.03 to 5.26
Mean	5.15		

43. Physically intervene to break up inmate fights/physical confrontations

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	31	40.3%	40.3%
Once or less in past year	19	24.7%	64.9%
Monthly	10	13.0%	77.9%
Never	8	10.4%	88.3%
Weekly	6	7.8%	96.1%
Daily	1	1.3%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.8263
Max	6	Variance	0.6827
Range	5	Skewness	2.4825
Mode	3	Kurtosis	3.8747
Median	3.00	95% Conf.	2.68 to 3.05
Mean	2.87		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	41	53.2%	53.2%
Disastrous	22	28.6%	81.8%
Mild to Moderate	5	6.5%	88.3%
Moderate	5	6.5%	94.8%
None	3	3.9%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.5793
Max	6	Variance	0.3356
Range	5	Skewness	1.8275
Mode	5	Kurtosis	0.3609
Median	5.00	95% Conf.	4.80 to 5.06
Mean	4.93		

44. Dodge/evade blows, thrown objects

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	39	50.6%	50.6%
Several times per year	19	24.7%	75.3%
Never	9	11.7%	87.0%
Monthly	6	7.8%	94.8%
Weekly	3	3.9%	98.7%
Daily	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8271
Max	6	Variance	0.6841
Range	5	Skewness	2.7739
Mode	2	Kurtosis	5.9940
Median	2.00	95% Conf.	2.27 to 2.64
Mean	2.45		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	35	45.5%	45.5%
Disastrous	31	40.3%	85.7%
Moderate	5	6.5%	92.2%
None	4	5.2%	97.4%
Mild to Moderate	1	1.3%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.5752
Max	6	Variance	0.3309
Range	5	Skewness	1.5555
Mode	5	Kurtosis	-0.5804
Median	5.00	95% Conf.	4.98 to 5.23
Mean	5.11		

45. Exposure to hazardous materials (drugs, chemicals, infectious diseases, etc.)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	34	44.2%	44.2%
Several times per year	17	22.1%	66.2%
Monthly	10	13.0%	79.2%
Weekly	6	7.8%	87.0%
Never	5	6.5%	93.5%
Once or less in past year	5	6.5%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0724
Max	6	Variance	1.1500
Range	5	Skewness	1.4555
Mode	6	Kurtosis	-0.8615
Median	5.00	95% Conf.	4.18 to 4.66
Mean	4.42		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	41	53.2%	53.2%
Moderately High	26	33.8%	87.0%
Mild to Moderate	4	5.2%	92.2%
Moderate	3	3.9%	96.1%
None	2	2.6%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.5254
Max	6	Variance	0.2760
Range	5	Skewness	1.3519
Mode	6	Kurtosis	-1.1718
Median	6.00	95% Conf.	5.17 to 5.41
Mean	5.29		

46. Pursue fleeing inmate on foot, negotiating barriers and hazards (running, jumping, climbing, etc.), struggle with and subdue after pursuit/evasion

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Never	39	50.6%	50.6%
Once or less in past year	31	40.3%	90.9%
Several times per year	7	9.1%	100.0%
Monthly	0	0.0%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5050
Max	3	Variance	0.2550
Range	2	Skewness	2.2561
Mode	1	Kurtosis	2.8741
Median	1.00	95% Conf.	1.47 to 1.70
Mean	1.58		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	30	39.0%	39.0%
Moderately High	24	31.2%	70.1%
None	7	9.1%	79.2%
Moderate	4	5.2%	84.4%
Mild to Moderate	2	2.6%	87.0%
Mild	0	0.0%	87.0%
No Response	10	13.0%	100.0%
Min	1	Std. Dev.	0.7366
Max	6	Variance	0.5426
Range	5	Skewness	1.4719
Mode	6	Kurtosis	-0.8236
Median	5.00	95% Conf.	4.73 to 5.09
Mean	4.91		

47. Subdue and physically/mechanically restrain, lift/carry/drag inmate to/from cell or holding area

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	35	45.5%	45.5%
Once or less in past year	15	19.5%	64.9%
Monthly	11	14.3%	79.2%
Weekly	11	14.3%	93.5%
Daily	3	3.9%	97.4%
Never	2	2.6%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8822
Max	6	Variance	0.7782
Range	5	Skewness	2.2440
Mode	3	Kurtosis	2.5297
Median	3.00	95% Conf.	3.10 to 3.50
Mean	3.30		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	42	54.5%	54.5%
Disastrous	20	26.0%	80.5%
Moderate	8	10.4%	90.9%
Mild to Moderate	4	5.2%	96.1%
None	2	2.6%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.5450
Max	6	Variance	0.2970
Range	5	Skewness	1.9217
Mode	5	Kurtosis	0.7106
Median	5.00	95% Conf.	4.82 to 5.07
Mean	4.95		

48. Transport inmate (resisting, not resisting) within the facility, maintaining physical control, negotiating stairs, doorways, obstacles and other features

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	37	48.1%	48.1%
Several times per year	17	22.1%	70.1%
Weekly	13	16.9%	87.0%
Monthly	6	7.8%	94.8%
Once or less in past year	3	3.9%	98.7%
Never	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8471
Max	6	Variance	0.7176
Range	5	Skewness	1.4137
Mode	6	Kurtosis	-0.9874
Median	5.00	95% Conf.	4.60 to 4.98
Mean	4.79		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	43	55.8%	55.8%
Disastrous	14	18.2%	74.0%
Moderate	12	15.6%	89.6%
Mild to Moderate	5	6.5%	96.1%
Mild	2	2.6%	98.7%
None	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5579
Max	6	Variance	0.3113
Range	5	Skewness	2.0341
Mode	5	Kurtosis	1.4237
Median	5.00	95% Conf.	4.64 to 4.89
Mean	4.77		

49. Being struck by, and/or striking inmates (physical altercations)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	43	55.8%	55.8%
Several times per year	21	27.3%	83.1%
Never	9	11.7%	94.8%
Monthly	2	2.6%	97.4%
Weekly	1	1.3%	98.7%
Daily	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.6988
Max	6	Variance	0.4883
Range	5	Skewness	3.3743
Mode	2	Kurtosis	11.4989
Median	2.00	95% Conf.	2.14 to 2.45
Mean	2.30		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	35	45.5%	45.5%
Moderately High	32	41.6%	87.0%
Mild to Moderate	3	3.9%	90.9%
Moderate	3	3.9%	94.8%
None	2	2.6%	97.4%
Mild	0	0.0%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.5227
Max	6	Variance	0.2732
Range	5	Skewness	1.4539
Mode	6	Kurtosis	-0.8861
Median	5.00	95% Conf.	5.12 to 5.36
Mean	5.24		

50. Physically struggling with multiple inmates

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	41	53.2%	53.2%
Never	32	41.6%	94.8%
Several times per year	4	5.2%	100.0%
Monthly	0	0.0%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.4113
Max	3	Variance	0.1692
Range	2	Skewness	2.2906
Mode	2	Kurtosis	3.6881
Median	2.00	95% Conf.	1.54 to 1.73
Mean	1.64		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	51	66.2%	66.2%
Moderately High	16	20.8%	87.0%
None	5	6.5%	93.5%
Moderate	1	1.3%	94.8%
Mild	0	0.0%	94.8%
Mild to Moderate	0	0.0%	94.8%
No Response	4	5.2%	100.0%
Min	1	Std. Dev.	0.4957
Max	6	Variance	0.2457
Range	5	Skewness	1.1883
Mode	6	Kurtosis	-1.5880
Median	6.00	95% Conf.	5.30 to 5.52
Mean	5.41		

51. Falling/being knocked down in struggle or pursuit - recovering to feet - resuming struggle/pursuit

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	51	66.2%	66.2%
Never	21	27.3%	93.5%
Several times per year	4	5.2%	98.7%
Monthly	0	0.0%	98.7%
Weekly	0	0.0%	98.7%
Daily	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.3375
Max	3	Variance	0.1139
Range	2	Skewness	2.7402
Mode	2	Kurtosis	6.3485
Median	2.00	95% Conf.	1.70 to 1.85
Mean	1.78		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	44	57.1%	57.1%
Moderately High	20	26.0%	83.1%
None	5	6.5%	89.6%
Moderate	4	5.2%	94.8%
Mild to Moderate	1	1.3%	96.1%
Mild	0	0.0%	96.1%
No Response	3	3.9%	100.0%
Min	1	Std. Dev.	0.5875
Max	6	Variance	0.3452
Range	5	Skewness	1.2884
Mode	6	Kurtosis	-1.3403
Median	6.00	95% Conf.	5.11 to 5.38
Mean	5.24		

52. Operating, servicing and maintaining agricultural equipment and tools (powered and unpowered)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Never	47	61.0%	61.0%
Once or less in past year	16	20.8%	81.8%
Daily	5	6.5%	88.3%
Several times per year	4	5.2%	93.5%
Weekly	3	3.9%	97.4%
Monthly	2	2.6%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.3034
Max	6	Variance	1.6989
Range	5	Skewness	2.7888
Mode	1	Kurtosis	5.1613
Median	1.00	95% Conf.	1.58 to 2.16
Mean	1.87		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
None	20	26.0%	26.0%
Moderate	14	18.2%	44.2%
Moderately High	10	13.0%	57.1%
Mild to Moderate	9	11.7%	68.8%
Disastrous	8	10.4%	79.2%
Mild	5	6.5%	85.7%
No Response	11	14.3%	100.0%
Min	1	Std. Dev.	1.2673
Max	6	Variance	1.6060
Range	5	Skewness	1.8295
Mode	1	Kurtosis	0.6105
Median	3.00	95% Conf.	2.89 to 3.50
Mean	3.20		

53. Loading, unloading, driving transport vehicles (cars, vans, buses), while maintaining control of inmates

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Weekly	26	33.8%	33.8%
Daily	24	31.2%	64.9%
Several times per year	13	16.9%	81.8%
Monthly	8	10.4%	92.2%
Once or less in past year	4	5.2%	97.4%
Never	2	2.6%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8134
Max	6	Variance	0.6617
Range	5	Skewness	1.6121
Mode	5	Kurtosis	-0.2921
Median	5.00	95% Conf.	4.43 to 4.79
Mean	4.61		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	34	44.2%	44.2%
Disastrous	26	33.8%	77.9%
Moderate	11	14.3%	92.2%
Mild to Moderate	4	5.2%	97.4%
None	1	1.3%	98.7%
Mild	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5849
Max	6	Variance	0.3421
Range	5	Skewness	1.7097
Mode	5	Kurtosis	-0.0770
Median	5.00	95% Conf.	4.87 to 5.13
Mean	5.00		

54. Participate in Defensive Tactics Training (DT's)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	45	58.4%	58.4%
Several times per year	32	41.6%	100.0%
Never	0	0.0%	100.0%
Monthly	0	0.0%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	2	Std. Dev.	0.3792
Max	3	Variance	0.1438
Range	1	Skewness	1.5412
Mode	2	Kurtosis	-0.6248
Median	2.00	95% Conf.	2.33 to 2.50
Mean	2.42		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	43	55.8%	55.8%
Moderate	12	15.6%	71.4%
Disastrous	9	11.7%	83.1%
Mild to Moderate	8	10.4%	93.5%
Mild	4	5.2%	98.7%
None	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	2	Std. Dev.	0.5773
Max	6	Variance	0.3333
Range	4	Skewness	1.9428
Mode	5	Kurtosis	1.3877
Median	5.00	95% Conf.	4.46 to 4.72
Mean	4.59		

55. Continuing to function in a physical confrontation after being struck/injured

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	50	64.9%	64.9%
Never	13	16.9%	81.8%
Several times per year	13	16.9%	98.7%
Daily	1	1.3%	100.0%
Monthly	0	0.0%	100.0%
Weekly	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5991
Max	6	Variance	0.3589
Range	5	Skewness	4.4437
Mode	2	Kurtosis	22.8894
Median	2.00	95% Conf.	1.92 to 2.19
Mean	2.05		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Disastrous	38	49.4%	49.4%
Moderately High	33	42.9%	92.2%
None	2	2.6%	94.8%
Moderate	2	2.6%	97.4%
Mild to Moderate	1	1.3%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.4683
Max	6	Variance	0.2193
Range	5	Skewness	1.4048
Mode	6	Kurtosis	-1.0264
Median	5.50	95% Conf.	5.24 to 5.45
Mean	5.34		

56. Maintain a state of hypervigilance (acute sensory awareness over protracted period of time (hours))

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	35	45.5%	45.5%
Several times per year	14	18.2%	63.6%
Once or less in past year	10	13.0%	76.6%
Never	6	7.8%	84.4%
Monthly	6	7.8%	92.2%
Weekly	6	7.8%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.1619
Max	6	Variance	1.3501
Range	5	Skewness	1.4293
Mode	6	Kurtosis	-0.9373
Median	5.00	95% Conf.	4.05 to 4.57
Mean	4.31		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	36	46.8%	46.8%
Disastrous	23	29.9%	76.6%
Moderate	13	16.9%	93.5%
Mild to Moderate	2	2.6%	96.1%
None	1	1.3%	97.4%
Mild	0	0.0%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.5426
Max	6	Variance	0.2944
Range	5	Skewness	1.7939
Mode	5	Kurtosis	0.2178
Median	5.00	95% Conf.	4.90 to 5.15
Mean	5.03		

57. Cope with the physical effects of acute emotional stress (fear, anger, etc) (self)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	24	31.2%	31.2%
Daily	22	28.6%	59.7%
Once or less in past year	15	19.5%	79.2%
Weekly	8	10.4%	89.6%
Monthly	5	6.5%	96.1%
Never	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.2117
Max	6	Variance	1.4681
Range	5	Skewness	1.6896
Mode	3	Kurtosis	-0.0850
Median	3.00	95% Conf.	3.59 to 4.13
Mean	3.86		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	44	57.1%	57.1%
Moderate	15	19.5%	76.6%
Disastrous	12	15.6%	92.2%
Mild to Moderate	3	3.9%	96.1%
None	1	1.3%	97.4%
Mild	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.5103
Max	6	Variance	0.2604
Range	5	Skewness	2.1769
Mode	5	Kurtosis	2.0831
Median	5.00	95% Conf.	4.67 to 4.90
Mean	4.79		

58. Cope with physical effects of acute emotional stress (others)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	25	32.5%	32.5%
Daily	22	28.6%	61.0%
Once or less in past year	10	13.0%	74.0%
Weekly	10	13.0%	87.0%
Monthly	7	9.1%	96.1%
Never	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.1356
Max	6	Variance	1.2895
Range	5	Skewness	1.6712
Mode	3	Kurtosis	-0.1359
Median	4.00	95% Conf.	3.75 to 4.25
Mean	4.00		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	38	49.4%	49.4%
Moderate	20	26.0%	75.3%
Disastrous	10	13.0%	88.3%
Mild to Moderate	7	9.1%	97.4%
None	1	1.3%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.5643
Max	6	Variance	0.3184
Range	5	Skewness	2.0423
Mode	5	Kurtosis	1.7026
Median	5.00	95% Conf.	4.50 to 4.76
Mean	4.63		

59. Cope with the physical effects of chronic (cumulative) emotional stress (self)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	21	27.3%	27.3%
Daily	17	22.1%	49.4%
Several times per year	13	16.9%	66.2%
Weekly	13	16.9%	83.1%
Monthly	7	9.1%	92.2%
Never	6	7.8%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.2406
Max	6	Variance	1.5390
Range	5	Skewness	1.7129
Mode	2	Kurtosis	0.0518
Median	3.00	95% Conf.	3.39 to 3.94
Mean	3.66		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	39	50.6%	50.6%
Moderate	14	18.2%	68.8%
Disastrous	13	16.9%	85.7%
Mild to Moderate	7	9.1%	94.8%
Mild	2	2.6%	97.4%
None	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.6020
Max	6	Variance	0.3624
Range	5	Skewness	1.9493
Mode	5	Kurtosis	1.1622
Median	5.00	95% Conf.	4.54 to 4.81
Mean	4.67		

60. Cope with the chronic (cumulative) emotional stress (others)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Several times per year	23	29.9%	29.9%
Daily	21	27.3%	57.1%
Once or less in past year	11	14.3%	71.4%
Weekly	10	13.0%	84.4%
Monthly	7	9.1%	93.5%
Never	4	5.2%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	1.1605
Max	6	Variance	1.3468
Range	5	Skewness	1.6827
Mode	3	Kurtosis	-0.0937
Median	3.50	95% Conf.	3.67 to 4.20
Mean	3.93		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	36	46.8%	46.8%
Moderate	18	23.4%	70.1%
Mild to Moderate	12	15.6%	85.7%
Disastrous	9	11.7%	97.4%
None	1	1.3%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.6156
Max	6	Variance	0.3790
Range	5	Skewness	1.9280
Mode	5	Kurtosis	1.2709
Median	5.00	95% Conf.	4.37 to 4.65
Mean	4.51		

61. Cope with the chronic physical effects of shift-work

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	37	48.1%	48.1%
Several times per year	17	22.1%	70.1%
Weekly	9	11.7%	81.8%
Monthly	8	10.4%	92.2%
Once or less in past year	3	3.9%	96.1%
Never	2	2.6%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.9113
Max	6	Variance	0.8304
Range	5	Skewness	1.4016
Mode	6	Kurtosis	-1.0210
Median	5.00	95% Conf.	4.51 to 4.92
Mean	4.71		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	34	44.2%	44.2%
Moderate	25	32.5%	76.6%
Mild to Moderate	9	11.7%	88.3%
Disastrous	8	10.4%	98.7%
None	0	0.0%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	3	Std. Dev.	0.5689
Max	6	Variance	0.3237
Range	3	Skewness	2.0452
Mode	5	Kurtosis	1.8279
Median	5.00	95% Conf.	4.41 to 4.67
Mean	4.54		

62. Cope with the emotional and physical results of being struck by - exposed to bodily fluids

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	36	46.8%	46.8%
Several times per year	24	31.2%	77.9%
Daily	6	7.8%	85.7%
Never	5	6.5%	92.2%
Monthly	3	3.9%	96.1%
Weekly	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.0546
Max	6	Variance	1.1121
Range	5	Skewness	2.7548
Mode	2	Kurtosis	4.9839
Median	2.00	95% Conf.	2.52 to 2.99
Mean	2.75		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	42	54.5%	54.5%
Disastrous	19	24.7%	79.2%
Moderate	13	16.9%	96.1%
None	1	1.3%	97.4%
Mild to Moderate	1	1.3%	98.7%
Mild	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.5033
Max	6	Variance	0.2533
Range	5	Skewness	1.9871
Mode	5	Kurtosis	0.9481
Median	5.00	95% Conf.	4.89 to 5.11
Mean	5.00		

63. Cope with the emotional and physical impact of being subjected to verbal threats of violence

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Weekly	24	31.2%	31.2%
Several times per year	21	27.3%	58.4%
Daily	18	23.4%	81.8%
Monthly	12	15.6%	97.4%
Never	1	1.3%	98.7%
Once or less in past year	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8208
Max	6	Variance	0.6737
Range	5	Skewness	1.7204
Mode	5	Kurtosis	0.1453
Median	5.00	95% Conf.	4.26 to 4.62
Mean	4.44		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	27	35.1%	35.1%
Mild to Moderate	20	26.0%	61.0%
Moderately High	17	22.1%	83.1%
Mild	6	7.8%	90.9%
Disastrous	6	7.8%	98.7%
None	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	2	Std. Dev.	0.7605
Max	6	Variance	0.5783
Range	4	Skewness	2.1219
Mode	4	Kurtosis	1.9292
Median	4.00	95% Conf.	3.79 to 4.13
Mean	3.96		

64. Cope with the emotional impact witnessing sexual acts among inmates

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	41	53.2%	53.2%
Never	21	27.3%	80.5%
Several times per year	11	14.3%	94.8%
Monthly	4	5.2%	100.0%
Weekly	0	0.0%	100.0%
Daily	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.6073
Max	4	Variance	0.3688
Range	3	Skewness	2.6521
Mode	2	Kurtosis	4.6983
Median	2.00	95% Conf.	1.84 to 2.11
Mean	1.97		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	23	29.9%	29.9%
Mild to Moderate	20	26.0%	55.8%
Mild	11	14.3%	70.1%
Moderately High	11	14.3%	84.4%
None	7	9.1%	93.5%
Disastrous	2	2.6%	96.1%
No Response	3	3.9%	100.0%
Min	1	Std. Dev.	0.8569
Max	6	Variance	0.7343
Range	5	Skewness	2.0187
Mode	4	Kurtosis	1.6685
Median	3.00	95% Conf.	3.16 to 3.55
Mean	3.35		

65. Cope with the emotional impact of coping with seriously mentally ill inmates

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	45	58.4%	58.4%
Weekly	13	16.9%	75.3%
Several times per year	10	13.0%	88.3%
Monthly	7	9.1%	97.4%
Never	1	1.3%	98.7%
Once or less in past year	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.6595
Max	6	Variance	0.4350
Range	5	Skewness	1.2997
Mode	6	Kurtosis	-1.3109
Median	6.00	95% Conf.	5.00 to 5.29
Mean	5.14		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	30	39.0%	39.0%
Moderate	29	37.7%	76.6%
Mild to Moderate	10	13.0%	89.6%
Mild	5	6.5%	96.1%
Disastrous	2	2.6%	98.7%
None	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	2	Std. Dev.	0.5951
Max	6	Variance	0.3541
Range	4	Skewness	1.7880
Mode	5	Kurtosis	0.7241
Median	4.00	95% Conf.	4.05 to 4.32
Mean	4.18		

66. Cope with the emotional impact of verbal abuse from inmates

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	30	39.0%	39.0%
Weekly	23	29.9%	68.8%
Several times per year	16	20.8%	89.6%
Monthly	5	6.5%	96.1%
Never	2	2.6%	98.7%
Once or less in past year	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.7857
Max	6	Variance	0.6174
Range	5	Skewness	1.5365
Mode	6	Kurtosis	-0.5974
Median	5.00	95% Conf.	4.59 to 4.94
Mean	4.77		

Scale 2 - Impact/Importance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	25	32.5%	32.5%
Mild to Moderate	21	27.3%	59.7%
Moderately High	16	20.8%	80.5%
Mild	9	11.7%	92.2%
Disastrous	3	3.9%	96.1%
None	2	2.6%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.7776
Max	6	Variance	0.6046
Range	5	Skewness	2.0611
Mode	4	Kurtosis	1.7630
Median	4.00	95% Conf.	3.52 to 3.87
Mean	3.70		

67. Kneel, squat and recover to feet repeatedly

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	21	27.3%	27.3%
Weekly	15	19.5%	46.8%
Several times per year	13	16.9%	63.6%
Once or less in past year	12	15.6%	79.2%
Never	9	11.7%	90.9%
Monthly	7	9.1%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.2015
Max	6	Variance	1.4437
Range	5	Skewness	1.6040
Mode	6	Kurtosis	-0.3317
Median	4.00	95% Conf.	3.64 to 4.18
Mean	3.91		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	29	37.7%	37.7%
Moderately High	19	24.7%	62.3%
Mild to Moderate	12	15.6%	77.9%
Mild	8	10.4%	88.3%
Disastrous	5	6.5%	94.8%
None	3	3.9%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.7806
Max	6	Variance	0.6093
Range	5	Skewness	2.0280
Mode	4	Kurtosis	1.5458
Median	4.00	95% Conf.	3.72 to 4.07
Mean	3.89		

68. Repetitive hand movement (e.g., typing, writing, car code scanning, etc.) for up to several hours per day.

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	57	74.0%	74.0%
Weekly	9	11.7%	85.7%
Several times per year	4	5.2%	90.9%
Monthly	3	3.9%	94.8%
Never	2	2.6%	97.4%
Once or less in past year	2	2.6%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.5061
Max	6	Variance	0.2561
Range	5	Skewness	1.1547
Mode	6	Kurtosis	-1.6666
Median	6.00	95% Conf.	5.30 to 5.53
Mean	5.42		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	23	29.9%	29.9%
Mild	19	24.7%	54.5%
Moderately High	19	24.7%	79.2%
Mild to Moderate	12	15.6%	94.8%
Disastrous	2	2.6%	97.4%
None	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.8328
Max	6	Variance	0.6935
Range	5	Skewness	1.8566
Mode	4	Kurtosis	0.8313
Median	4.00	95% Conf.	3.42 to 3.79
Mean	3.61		

69. Bending over from waist at or below waist level

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	53	68.8%	68.8%
Weekly	9	11.7%	80.5%
Several times per year	6	7.8%	88.3%
Monthly	5	6.5%	94.8%
Never	1	1.3%	96.1%
Once or less in past year	1	1.3%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.5190
Max	6	Variance	0.2694
Range	5	Skewness	1.1818
Mode	6	Kurtosis	-1.6034
Median	6.00	95% Conf.	5.27 to 5.50
Mean	5.39		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	24	31.2%	31.2%
Moderately High	18	23.4%	54.5%
Mild to Moderate	17	22.1%	76.6%
Mild	15	19.5%	96.1%
Disastrous	2	2.6%	98.7%
None	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	2	Std. Dev.	0.7766
Max	6	Variance	0.6031
Range	4	Skewness	1.9460
Mode	4	Kurtosis	1.2247
Median	4.00	95% Conf.	3.50 to 3.85
Mean	3.67		

70. Crawling on hands and knees

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	33	42.9%	42.9%
Never	20	26.0%	68.8%
Several times per year	15	19.5%	88.3%
Weekly	5	6.5%	94.8%
Monthly	3	3.9%	98.7%
Daily	1	1.3%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.9517
Max	6	Variance	0.9058
Range	5	Skewness	2.7036
Mode	2	Kurtosis	5.1750
Median	2.00	95% Conf.	2.05 to 2.47
Mean	2.26		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Mild	18	23.4%	23.4%
Mild to Moderate	17	22.1%	45.5%
Moderate	17	22.1%	67.5%
Moderately High	11	14.3%	81.8%
None	6	7.8%	89.6%
Disastrous	4	5.2%	94.8%
No Response	4	5.2%	100.0%
Min	1	Std. Dev.	0.9881
Max	6	Variance	0.9764
Range	5	Skewness	2.0326
Mode	2	Kurtosis	1.5956
Median	3.00	95% Conf.	3.06 to 3.51
Mean	3.29		

71. Cardio-vascular endurance (sustained high-demand physical exertion for longer than three minutes)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Once or less in past year	37	48.1%	48.1%
Several times per year	24	31.2%	79.2%
Monthly	6	7.8%	87.0%
Never	5	6.5%	93.5%
Weekly	3	3.9%	97.4%
Daily	2	2.6%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8470
Max	6	Variance	0.7174
Range	5	Skewness	2.9060
Mode	2	Kurtosis	6.6566
Median	2.00	95% Conf.	2.43 to 2.81
Mean	2.62		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	36	46.8%	46.8%
Disastrous	16	20.8%	67.5%
Moderate	13	16.9%	84.4%
Mild to Moderate	9	11.7%	96.1%
None	1	1.3%	97.4%
Mild	0	0.0%	97.4%
No Response	2	2.6%	100.0%
Min	1	Std. Dev.	0.6089
Max	6	Variance	0.3708
Range	5	Skewness	1.9205
Mode	5	Kurtosis	0.8954
Median	5.00	95% Conf.	4.61 to 4.88
Mean	4.75		

72. Accurately visually detect and resolve images, facial and body features, and movement of persons and objects in varying light conditions, at distances up to 100 feet

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	47	61.0%	61.0%
Weekly	9	11.7%	72.7%
Once or less in past year	8	10.4%	83.1%
Several times per year	6	7.8%	90.9%
Never	4	5.2%	96.1%
Monthly	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8688
Max	6	Variance	0.7549
Range	5	Skewness	1.2688
Mode	6	Kurtosis	-1.3881
Median	6.00	95% Conf.	4.70 to 5.09
Mean	4.90		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	27	35.1%	35.1%
Moderate	19	24.7%	59.7%
Mild to Moderate	12	15.6%	75.3%
Disastrous	9	11.7%	87.0%
Mild	6	7.8%	94.8%
None	3	3.9%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.8139
Max	6	Variance	0.6625
Range	5	Skewness	1.7900
Mode	5	Kurtosis	0.5614
Median	4.00	95% Conf.	3.97 to 4.34
Mean	4.16		

73. Accurately determine full-range colors (clothing, substances, skin tones, etc) in varying light conditions

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	48	62.3%	62.3%
Once or less in past year	11	14.3%	76.6%
Several times per year	6	7.8%	84.4%
Weekly	6	7.8%	92.2%
Monthly	3	3.9%	96.1%
Never	2	2.6%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.8848
Max	6	Variance	0.7828
Range	5	Skewness	1.2478
Mode	6	Kurtosis	-1.4414
Median	6.00	95% Conf.	4.70 to 5.09
Mean	4.89		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderate	25	32.5%	32.5%
Moderately High	19	24.7%	57.1%
Mild to Moderate	18	23.4%	80.5%
Mild	7	9.1%	89.6%
Disastrous	5	6.5%	96.1%
None	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	0.8048
Max	6	Variance	0.6477
Range	5	Skewness	2.0074
Mode	4	Kurtosis	1.4511
Median	4.00	95% Conf.	3.66 to 4.02
Mean	3.84		

74. Resolve and understand faint auditory signals (whispers, transients, air movement, etc.)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	44	57.1%	57.1%
Several times per year	10	13.0%	70.1%
Weekly	8	10.4%	80.5%
Monthly	7	9.1%	89.6%
Once or less in past year	5	6.5%	96.1%
Never	2	2.6%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.8268
Max	6	Variance	0.6836
Range	5	Skewness	1.3037
Mode	6	Kurtosis	-1.2990
Median	6.00	95% Conf.	4.74 to 5.11
Mean	4.92		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	23	29.9%	29.9%
Moderate	22	28.6%	58.4%
Mild to Moderate	21	27.3%	85.7%
Mild	8	10.4%	96.1%
Disastrous	3	3.9%	100.0%
None	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	2	Std. Dev.	0.7393
Max	6	Variance	0.5466
Range	4	Skewness	1.9180
Mode	5	Kurtosis	1.0934
Median	4.00	95% Conf.	3.73 to 4.06
Mean	3.90		

75. Resolve and understand speech in the presence of a wide range of environmental surrounds, including high levels of ambient background noise

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	55	71.4%	71.4%
Several times per year	10	13.0%	84.4%
Weekly	6	7.8%	92.2%
Once or less in past year	3	3.9%	96.1%
Never	1	1.3%	97.4%
Monthly	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.6198
Max	6	Variance	0.3841
Range	5	Skewness	1.1674
Mode	6	Kurtosis	-1.6369
Median	6.00	95% Conf.	5.14 to 5.42
Mean	5.28		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	26	33.8%	33.8%
Moderate	25	32.5%	66.2%
Mild to Moderate	18	23.4%	89.6%
Mild	4	5.2%	94.8%
Disastrous	2	2.6%	97.4%
None	0	0.0%	97.4%
No Response	2	2.6%	100.0%
Min	2	Std. Dev.	0.6460
Max	6	Variance	0.4173
Range	4	Skewness	1.8454
Mode	5	Kurtosis	0.8493
Median	4.00	95% Conf.	3.91 to 4.20
Mean	4.05		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	31	40.3%	40.3%
Moderate	16	20.8%	61.0%
Mild to Moderate	15	19.5%	80.5%
Mild	8	10.4%	90.9%
Disastrous	5	6.5%	97.4%
None	1	1.3%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.7638
Max	6	Variance	0.5834
Range	5	Skewness	1.7332
Mode	5	Kurtosis	0.4206
Median	4.00	95% Conf.	3.92 to 4.26
Mean	4.09		

76. Detect and resolve faint and/or odd odors

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	29	37.7%	37.7%
Weekly	19	24.7%	62.3%
Several times per year	12	15.6%	77.9%
Once or less in past year	10	13.0%	90.9%
Monthly	7	9.1%	100.0%
Never	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	2	Std. Dev.	0.8988
Max	6	Variance	0.8078
Range	4	Skewness	1.5155
Mode	6	Kurtosis	-0.6406
Median	5.00	95% Conf.	4.38 to 4.79
Mean	4.58		

78. Three-dimensional vision, sufficient for accurate depth perception, image placement and location sufficient for complex visual tasks (driving a vehicle in emergency conditions, pursuit of inmate over complex surfaces in unpredictable conditions, stairs, steps, obstacles, weapons use, etc.)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	27	35.1%	35.1%
Once or less in past year	20	26.0%	61.0%
Weekly	12	15.6%	76.6%
Several times per year	8	10.4%	87.0%
Never	7	9.1%	96.1%
Monthly	3	3.9%	100.0%
No Response	0	0.0%	100.0%
Min	1	Std. Dev.	1.2835
Max	6	Variance	1.6475
Range	5	Skewness	1.5081
Mode	6	Kurtosis	-0.6695
Median	5.00	95% Conf.	3.67 to 4.25
Mean	3.96		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Mild to Moderate	24	31.2%	31.2%
Moderately High	24	31.2%	62.3%
Moderate	20	26.0%	88.3%
Mild	5	6.5%	94.8%
Disastrous	4	5.2%	100.0%
None	0	0.0%	100.0%
No Response	0	0.0%	100.0%
Min	2	Std. Dev.	0.7407
Max	6	Variance	0.5486
Range	4	Skewness	1.9164
Mode	3 (b)	Kurtosis	1.1086
Median	4.00	95% Conf.	3.81 to 4.14
Mean	3.97		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	33	42.9%	42.9%
Moderate	15	19.5%	62.3%
Disastrous	13	16.9%	79.2%
Mild to Moderate	7	9.1%	88.3%
Mild	4	5.2%	93.5%
None	2	2.6%	96.1%
No Response	3	3.9%	100.0%
Min	1	Std. Dev.	0.7075
Max	6	Variance	0.5005
Range	5	Skewness	1.7987
Mode	5	Kurtosis	0.5714
Median	5.00	95% Conf.	4.35 to 4.67
Mean	4.51		

77. Accurately resolve visual images in low-light conditions

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	46	59.7%	59.7%
Several times per year	11	14.3%	74.0%
Weekly	10	13.0%	87.0%
Once or less in past year	4	5.2%	92.2%
Never	3	3.9%	96.1%
Monthly	2	2.6%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.8038
Max	6	Variance	0.6461
Range	5	Skewness	1.2767
Mode	6	Kurtosis	-1.3699
Median	6.00	95% Conf.	4.79 to 5.15
Mean	4.97		

79. Accurately visually detect and resolve transitory and subtle changes in "body language" (pupil constriction/dilation, skin color, respiration changes, etc.)

Scale 1 - Frequency			
Response (n = 77)	Frequency	Percent	Cumulation
Daily	32	41.6%	41.6%
Monthly	14	18.2%	59.7%
Weekly	12	15.6%	75.3%
Once or less in past year	8	10.4%	85.7%
Several times per year	8	10.4%	96.1%
Never	2	2.6%	98.7%
No Response	1	1.3%	100.0%
Min	1	Std. Dev.	0.9246
Max	6	Variance	0.8549
Range	5	Skewness	1.4769
Mode	6	Kurtosis	-0.7857
Median	5.00	95% Conf.	4.40 to 4.81
Mean	4.61		

Scale 2 - Consequences of Inadequate Performance			
Response (n = 77)	Frequency	Percent	Cumulation
Moderately High	39	50.6%	50.6%
Moderate	18	23.4%	74.0%
Disastrous	9	11.7%	85.7%
Mild to Moderate	6	7.8%	93.5%
Mild	4	5.2%	98.7%
None	0	0.0%	98.7%
No Response	1	1.3%	100.0%
Min	2	Std. Dev.	0.5873
Max	6	Variance	0.3449
Range	4	Skewness	1.9577
Mode	5	Kurtosis	1.4229
Median	5.00	95% Conf.	4.43 to 4.70
Mean	4.57		