

OFFICE OF THE SECRETARY OF STATE

TOBIAS READ
SECRETARY OF STATE

MICHAEL KAPLAN
DEPUTY SECRETARY OF STATE



ARCHIVES DIVISION

STEPHANIE CLARK
DIRECTOR

800 SUMMER STREET NE
SALEM, OR 97310
503-373-0701

NOTICE OF PROPOSED RULEMAKING
INCLUDING STATEMENT OF NEED & FISCAL IMPACT

CHAPTER 259
DEPARTMENT OF PUBLIC SAFETY STANDARDS AND TRAINING

FILED
02/26/2025 11:57 AM
ARCHIVES DIVISION
SECRETARY OF STATE

FILING CAPTION: Adopting the 2024 NFPA 1010 Standard for DPSST-issued Firefighter I and II certifications

LAST DAY AND TIME TO OFFER COMMENT TO AGENCY: 03/31/2025 5:00 PM

The Agency requests public comment on whether other options should be considered for achieving the rule's substantive goals while reducing negative economic impact of the rule on business.

A public rulemaking hearing may be requested in writing by 10 or more people, or by a group with 10 or more members, within 21 days following the publication of the Notice of Proposed Rulemaking in the Oregon Bulletin or 28 days from the date the Notice was sent to people on the agency mailing list, whichever is later. If sufficient hearing requests are received, the notice of the date and time of the rulemaking hearing must be published in the Oregon Bulletin at least 14 days before the hearing.

CONTACT: Jennifer Howald
503-551-3258
jennifer.howald@dpsst.oregon.gov

DPSST
4190 Aumsville Hwy SE
Salem ,OR 97317

Filed By:
Jennifer Howald
Rules Coordinator

NEED FOR THE RULE(S)

The Fire Policy Committee is recommending that the Board adopt the current standards provided by the NFPA (National Fire Protection Association) as the standards used by DPSST for Oregon certifications as NFPA Firefighter I and Firefighter II, and adding certification as NFPA Support Person. This recommendation is based upon a review of the current NFPA 1010 standard by the DPSST NFPA Firefighter Task Force to ensure that the certifications and requirements remain relevant and sustainable for Oregon fire service professionals. The Board will review this recommendation and the proposed rule changes during their scheduled meeting on April 24, 2025.

Adoption of the 2024 Edition of the NFPA Standard 1010 as a standard for Support Person, Firefighter I, and Firefighter II certifications will require amendments to the fire service professional certification requirements in OAR 259-009-0062. OAR 259-009-0005 and OAR 259-009-0065 include conforming amendments.

DOCUMENTS RELIED UPON, AND WHERE THEY ARE AVAILABLE

The Fire Policy Committee (FPC) and the Board on Public Safety Standards and Training (Board) meeting minutes are available on the Department of Public Safety Standards and Training website, www.oregon.gov/dpsst. The DPSST staff memos prepared for each entity are available by submitting a records request to DPSST.

STATEMENT IDENTIFYING HOW ADOPTION OF RULE(S) WILL AFFECT RACIAL EQUITY IN THIS STATE

These rule changes are not expected to affect racial equity in this state.

FISCAL AND ECONOMIC IMPACT:

To summarize, there were no fiscal impacts identified for these rule changes. The following factors were considered for this determination.

This rule change includes amendments to the definitions and certification requirements for DPSST-issued NFPA Firefighter I and NFPA Firefighter II certifications. This rule change also adds a new level of DPSST certification for NFPA Support Person.

The proposed rule changes are the result of a recent review of the current training and professional qualifications completed by the DPSST NFPA 1010 Firefighter Task Force to ensure that the certifications and requirements remain relevant and sustainable for Oregon fire service professionals.

The DPSST NFPA 1010 Firefighter Task Force recommends adoption of the 2024 edition of the NFPA 1010 Standard on Professional Qualifications for Firefighters. While the 2024 NFPA 1010 consolidates several NFPA standards (1001, 1002, 1003, 1005), this Task Force and these rule changes are specific to updating DPSST certification standards for NFPA Firefighter I and II from the 2019 NFPA 1001 Standard to the 2024 NFPA 1010 Standard.

The 2024 NFPA 1010 changes to Firefighter I and II for knowledge, skills, and job performance requirements (JPRs) will be reflected in an updated task book and application for certification. The Task Force did not find any changes to the knowledge, skills, or JPRs that would result in a fiscal impact for the completion of the task books toward DPSST certifications. Fire service professionals who are currently working to complete task books initiated under the 2019 NFPA 1001 Standard will be allowed a grace period to complete their task book. DPSST-approved task performance evaluations will continue to be accepted in place of task books.

The NFPA 1010 Standard now uses the terms "Firefighter I and Firefighter II" in place of "Fire Fighter I and Fire Fighter II." DPSST will not re-issue certificates to show the title change.

Oregon fire service certifications are voluntary. Individuals are not required to obtain a certification and fire service agencies are not required to employ or utilize fire service professionals who have obtained certification.

COST OF COMPLIANCE:

(1) Identify any state agencies, units of local government, and members of the public likely to be economically affected by the rule(s). (2) Effect on Small Businesses: (a) Estimate the number and type of small businesses subject to the rule(s); (b) Describe the expected reporting, recordkeeping and administrative activities and cost required to comply with the rule(s); (c) Estimate the cost of professional services, equipment supplies, labor and increased administration required to comply with the rule(s).

There were no fiscal or economic impacts identified for the Department of Public Safety Standards and Training or the Board on Public Safety Standards and Training.

There were no state agencies (OSFM – Oregon State Fire Marshal), members of the public, or units of local government, including fire service agencies, that were identified as likely to be economically affected by the rule changes.

There were no fiscal impact changes identified for small businesses. The Department estimates that there are five or fewer Oregon fire service agencies that are private safety agencies that are subject to these rules and potentially considered small businesses. There were no changes for projected reporting, recordkeeping, professional services, equipment, supplies, labor, or other administrative activities identified for compliance with the proposed rule for the identified small businesses.

DESCRIBE HOW SMALL BUSINESSES WERE INVOLVED IN THE DEVELOPMENT OF THESE RULE(S):

Potentially affected entities were involved through their representation on the DPSST NFPA Firefighter Task Force, the Fire Policy Committee, and the Board on Public Safety Standards and Training. Small businesses, as well as state

agencies, units of local government, and the public are invited to submit written comments to the agency rules coordinator during the public comment period on whether other options should be considered for achieving the rule's substantive goals while reducing the negative economic impact on business.

WAS AN ADMINISTRATIVE RULE ADVISORY COMMITTEE CONSULTED? NO IF NOT, WHY NOT?

These proposed rule changes affect the fire service professionals certifications that are issued by DPSST. The proposed rules were reviewed and approved by the Fire Policy Committee (FPC). After the public comment period, the proposed rule changes will be reviewed by the Board on Public Safety Standards and Training (Board) to be approved as permanent rule changes. The FPC and the Board include representatives of the organizations or associations that represent the fire service professionals and fire service agencies who are subject to the administrative rules. The membership of the FPC and the Board is found in Oregon Revised Statutes (ORS) 181A.360 and 181A.375.

RULES PROPOSED:

259-009-0005, 259-009-0062, 259-009-0065

AMEND: 259-009-0005

RULE SUMMARY: OAR 259-009-0005 maintains the definitions for each of the Oregon DPSST fire service professional certifications. This proposed rule change amends the existing definitions for the NFPA Firefighter I and II certifications (see sections 43 and 44) and adds a definition for NFPA Support Person (see section 67, all subsequent definitions renumbered accordingly). The amendments are based on recommended adoption of the 2024 Edition of the NFPA 1010 Standard.

These rule changes are limited to implementation of the NFPA 1010 as a standard for Support Person, Firefighter I, and Firefighter II certifications. There are other DPSST certifications that still include references to NFPA 1001 for Fire Fighter I and II. DPSST recommends postponing conforming amendments to the other certifications until they can be reviewed and there are opportunities to determine if application of NFPA 1010 has an impact on those certifications.

CHANGES TO RULE:

259-009-0005

Definitions ¶¶

- (1) "Agency Head" means the chief officer of a fire service agency directly responsible for the administration of that unit.¶¶
- (2) "Archived Certification" means an Oregon fire service professional certification that has been made inactive by the Board for a period of time in which no new certifications will be issued by the Department and any current certifications will lapse after the conclusion of the maintenance period that follows the effective date in which the certification became archived.¶¶
- (3) "Authority Having Jurisdiction" or "AHJ" means a fire service agency, Agency Head or Training Officer.¶¶
- (4) "Board" means the Board on Public Safety Standards and Training.¶¶
- (5) "Chief Officer" means an individual of an emergency fire agency at a higher level of responsibility than a company officer. A chief officer supervises two or more fire companies in operations or manages and supervises a particular fire service agency program such as training, communications, logistics, prevention, emergency medical services provisions and other staff related duties.¶¶
- (6) "Community College" means a public institution operated by a community college district for the purpose of providing courses of study limited to not more than two years full-time attendance and designed to meet the needs of a geographical area by providing educational services, including but not limited to vocational or technical education programs or lower division collegiate programs.¶¶
- (7) "Company Officer" means a fire officer who supervises a company of fire fighters assigned to an emergency response apparatus.¶¶
- (8) "Content Expert" means a person who documents their experience, knowledge, training and education for the purposes of course instruction.¶¶

- (9) "Content Level Course" is a course that includes an identifiable block of learning objectives or outcomes that are required for certification at one or more levels.¶
- (10) "Department" and "DPSST" means the Department of Public Safety Standards and Training.¶
- (11) "Director" means the Director of the Department of Public Safety Standards and Training.¶
- (12) "Field Training Officer" means an individual who is authorized by a fire service agency or by the Department to sign as verifying completion of tasks required by task books.¶
- (13) "Fire and Life Safety Educator I" means a person who has demonstrated the ability to coordinate and deliver existing education programs and information.¶
- (14) "Fire and Life Safety Educator II" means a person who has demonstrated the ability to prepare educational programs and information to meet identified needs.¶
- (15) "Fire and Life Safety Educator III" means a person who has demonstrated the ability to create, administer, and evaluate educational programs and information.¶
- (16) "Fire Company" means a group of fire fighters, usually three or more, who staff and provide the essential emergency duties of a particular emergency response apparatus.¶
- (17) "Fire Fighter" is a term used to describe an individual who renders a variety of emergency response duties primarily to save lives and protect property. This applies to career and volunteer personnel.¶
- (18) "Fire Ground Leader" means a Fire Service Professional who is qualified to lead emergency scene operations.¶
- (19) "Fire Inspector" means an individual whose primary function is the inspection of facilities in accordance with the specific jurisdictional fire codes and standards.¶
- (20) "Fire Service Agency" means any unit of state or local government, a special purpose district or a private firm which provides, or has authority to provide, fire protection services.¶
- (21) "Fire Service Professional" means a paid (career) or volunteer fire fighter, an officer or a member of a public or private fire protection agency who is engaged primarily in fire investigation, fire prevention, fire safety, fire control or fire suppression or providing emergency medical services, light and heavy rescue services, search and rescue services or hazardous materials incident response. "Fire service professional" does not include forest fire protection agency personnel.¶
- (22) "Fire Training Officer" means a fire service member assigned the responsibility for administering, providing, and managing or supervising a fire service agency training program.¶
- (23) "First Responder" means an "NFPA Operations Level Responder."¶
- (24) "Maritime Fire Service Basic Awareness" means a person who possesses the basic knowledge and skills necessary to perform water self-rescue, execute emergency procedures on the fire service agency's boat and operate emergency equipment on the fire service agency's boat.¶
- (25) "Maritime Fire Service Boat Operator" means a person who possesses the knowledge and skills necessary to proficiently and safely operate the fire service agency's boat in the service area, under varying environmental conditions and with understanding of the performance limits of the boat and the crew.¶
- (26) "Maritime Fire Service Deck Hand" means a person who possesses the knowledge and skills necessary to aid the boat operator in navigation and operation of the fire service agency's boat.¶
- (27) "Maritime Fire Service Fire Boat Operator" means a person who possesses the knowledge and skills necessary to operate and control the fire service agency's boat when the boat is a marine-based firefighting vessel.¶
- (28) "Maritime Fire Service Rescue Boat Operator" means a person who possesses the knowledge and skills necessary to operate and control the fire service agency's boat during rescuer deployment and victim search and retrieval.¶
- (29) "NFPA" stands for National Fire Protection Association which is a body of individuals representing a wide variety of professions, including fire protection, who develop consensus standards and codes for fire safety by design and fire protection agencies. "NFPA" preceding a certification title denotes that the certification is based upon the training and certification requirements established by the NFPA that may have been adopted in part or in whole by the Board and the Department for Oregon fire service professional certifications.¶
- (30) "NFPA Aircraft Rescue and Fire-Fighting Apparatus" means a Fire Service Professional who has met the requirements of Fire Fighter II as specified in NFPA 1001, Fire Apparatus Driver/Operator as specified in NFPA 1002 Chapter 4, NFPA Airport Fire Fighter as specified in NFPA 1003 and the job performance requirements defined in NFPA 1002 Sections 9.1 and 9.2.¶
- (31) "NFPA Airport Fire Fighter" means a person who, in addition to meeting NFPA Fire Fighter II qualifications, has demonstrated the skills and knowledge necessary to function as an integral member of an aircraft rescue and fire-fighting team.¶
- (32) "NFPA Apparatus Equipped with a Tiller" means a Fire Service Professional who has met the requirements of Fire Fighter I as specified in NFPA 1001, Fire Apparatus Driver/Operator as specified in NFPA 1002 Chapter 4, Apparatus Equipped with an Aerial Device as specified in NFPA 1002 Chapter 6 and the job performance

requirements defined in NFPA 1002 Sections 7.2.¶

(33) "NFPA Apparatus Equipped with an Aerial Device" means a Fire Service Professional who has met the requirements of Fire Fighter I as specified in NFPA 1001, Fire Apparatus Driver/Operator as specified in NFPA 1002 Chapter 4 and the job performance requirements defined in NFPA 1002 Sections 6.1 and 6.2.¶

(34) "NFPA Apparatus Equipped with Fire Pump" means a person who has met the requirements of Fire Apparatus Driver/Operator as specified in NFPA 1002 Chapter 4 and the job performance requirements defined in NFPA 1002 Sections 5.1 and 5.2.¶

(35) "NFPA Common Passenger Vehicle Rescue Operations Level" means a person who has met the job performance requirements defined in NFPA 1006, chapter 8, sections 8.1 and 8.2.¶

(36) "NFPA Common Passenger Vehicle Rescue Technician Level" means a person who is certified as NFPA Common Passenger Vehicle Rescue Operations Level and has met the job performance requirements defined in NFPA 1006, chapter 8, section 8.3.¶

(37) "NFPA Confined Space Rescue" means a person who is certified as NFPA Rope Rescue Operations Level and has met the job performance requirements defined in NFPA 1006, chapter 7.¶

(38) "NFPA Dive Rescue" means a person who has met the job performance requirements defined in NFPA 1006, chapter 19.¶

(39) "NFPA Fire and Emergency Services Instructor I" means a person who has demonstrated the knowledge and ability to deliver instruction effectively from a prepared lesson plan, including instructional aids and evaluation instruments; adapt lesson plans to the unique requirements of the students and the AHJ; organize the learning environment so that learning and safety are maximized; and meet the record-keeping requirements of the AHJ.¶

(40) "NFPA Fire and Emergency Services Instructor II" means a person who, in addition to meeting NFPA Fire and Emergency Services Instructor I qualifications, has demonstrated the knowledge and ability to develop individual lesson plans for a specific topic including learning objectives, instructional aids, and evaluation instruments; schedule training sessions based on overall training plan of AHJ; and supervise and coordinate the activities of other instructors.¶

(41) "NFPA Fire and Emergency Services Instructor III" means a person who, in addition to meeting NFPA Fire and Emergency Services Instructor II qualifications, has demonstrated the knowledge and ability to develop comprehensive training curricula and programs for use by single or multiple organizations; conduct organization needs analysis; design record keeping and scheduling systems; and develop training goals and implementation strategies.¶

(42) "NFPA Fire Apparatus Driver/Operator" means a person who has met the job performance requirements defined in NFPA 1002, Chapter 4 sections 4.2 through 4.4.¶

(43) "NFPA Fire-Ffighter I" means a person, at the first level of progression as defined in NFPA 1010 Chapter 6, who has demonstrated the knowledge and skills to function as an integral member of a firefighting team under direct supervision in hazardous conditions.¶

(44) "NFPA Fire-Ffighter II" means a person, at the second level of progression as defined in NFPA 1010 Chapter 7, who has demonstrated the skills and depth of knowledge to function under general supervision.¶

(45) "NFPA Fire Inspector I" means an individual who conducts basic fire code inspections and has met the Level I job performance requirements of NFPA Standard 1031.¶

(46) "NFPA Fire Inspector II" means an individual who conducts complicated fire code inspections, reviews plans for code requirements, and recommends modifications to codes and standards. This individual has met the Level II job performance requirements of NFPA standard 1031.¶

(47) "NFPA Fire Inspector III" means an individual at the third and most advanced level of progression who has met the job performance requirements specified in this standard for Level III. The Fire Inspector III performs all types of fire inspections, plans review duties, and resolves complex code-related issues.¶

(48) "NFPA Fire Investigator" means a person who has demonstrated the skills and knowledge necessary to conduct, coordinate, and complete a fire investigation.¶

(49) "NFPA Fire Officer I" means a fire officer, at the supervisory level, who has met the job performance requirements defined in NFPA 1021 sections 4.1 through 4.7.¶

(50) "NFPA Fire Officer II" means a fire officer, at the supervisory/managerial level, who has met the job performance requirements defined in NFPA 1021 sections 5.1 through 5.7.¶

(51) "NFPA Fire Officer III" means a fire officer, at the managerial/administrative level, who has met the job performance requirements defined in NFPA 1021 sections 6.1 through 6.8.¶

(52) "NFPA Fire Officer IV" means a fire officer, at the administrative level, who has met the job performance requirements defined in NFPA 1021 sections 7.1 through 7.7.¶

(53) "NFPA Hazardous Materials Awareness" means personnel who, in the course of their normal duties, could encounter an emergency involving hazardous materials/weapons of mass destruction (WMD) and who are expected to recognize the presence of the hazardous material/WMD, protect themselves, call for trained personnel, and secure the scene.¶

- (54) "NFPA Hazardous Materials Incident Commander" means a person who is responsible for all incident activities, including the development of strategies and tactics and the ordering and release of resources.¶
- (55) "NFPA Hazardous Materials Operations" means a person who responds to hazardous materials or WMD incidents for the purpose of implementing or supporting actions to protect nearby persons, the environment, or property from the effects of the release.¶
- (56) "NFPA Hazardous Materials Operations Mission-Specific" means responders assigned mission-specific responsibilities at hazardous materials/WMD incidents.¶
- (57) "NFPA Hazardous Materials Technician" means a person who responds to hazardous materials or WMD incidents using a risk-based response process where they analyze a problem involving hazardous materials or WMD, select applicable decontamination procedures, and control a release using specialized protective and control equipment.¶
- (58) "NFPA Heavy Vehicle Rescue" means a person who is certified as NFPA Common Passenger Vehicle Rescue Technician Level and has met the job performance requirements defined in NFPA 1006, chapter 9.¶
- (59) "NFPA Live Fire Instructor" means a person who, in addition to meeting NFPA Fire and Emergency Services Instructor I qualifications, has demonstrated the knowledge and ability to supervise students through a live fire training event following the NFPA 1403 Standard on Live Fire Training Evolutions with the live fire structure or prop utilized by the AHJ.¶
- (60) "NFPA Live Fire Instructor in Charge" means a person who, in addition to meeting NFPA Fire and Emergency Services Instructor II qualifications, has demonstrated the knowledge and ability to organize and manage a live fire training event following the NFPA 1403 Standard on Live Fire Training Evolutions with the live fire structure or prop utilized by the AHJ.¶
- (61) "NFPA Machinery Rescue" means a person who has met the job performance requirements defined in NFPA 1006, chapter 13.¶
- (62) "NFPA Marine Land-Based Fire Fighter" means a person who has met the job performance requirements defined in NFPA 1005 sections 4.1 through 4.5.¶
- (63) "NFPA Mobile Water Supply Apparatus" means a Fire Service Professional who has met the requirements of Fire Apparatus Driver/Operator as specified in NFPA 1002 Chapter 4 and the job performance requirements defined in NFPA 1002 Sections 10.1 and 10.2.¶
- (64) "NFPA Rope Rescue Operations Level" means a person who has met the job performance requirements defined in NFPA 1006, chapter 5, sections 5.1 and 5.2.¶
- (65) "NFPA Rope Rescue Technician Level" means a person who is certified as NFPA Rope Rescue Operations Level and has met the job performance requirements defined in NFPA 1006, chapter 5, section 5.3.¶
- (66) "NFPA Structural Collapse Rescue" means a person who has met the job performance requirements defined in NFPA 1006, chapter 6.¶
- (67) "NFPA Support Person" means a person who has met the requirements defined in NFPA 1010 Chapter 5 and assists the fire department with support operations in non-hazardous atmospheres or protected work zones.¶
- (68) "NFPA Surf Rescue" means a person who has met the job performance requirements defined in NFPA 1006, chapter 21.¶
- (689) "NFPA Surface Water Rescue" means a person who has met the job performance requirements defined in NFPA 1006, chapter 17.¶
- (6970) "NFPA Swiftwater Rescue" means a person who is certified as NFPA Surface Water Rescue and has met the job performance requirements defined in NFPA 1006, chapter 18.¶
- (701) "NFPA Tower Rescue" means a person who has met the job performance requirements defined in NFPA 1006, chapter 4.¶
- (712) "NFPA Trench Rescue" means a person who has met the job performance requirements defined in NFPA 1006, chapter 12.¶
- (723) "NFPA Watercraft Rescue" means a person who has met the job performance requirements defined in NFPA 1006, chapter 22.¶
- (734) "NFPA Wildland Fire Apparatus" means a Fire Service Professional who has met the requirements of Fire Apparatus Driver/Operator as specified in NFPA 1002 Chapter 4 and the job performance requirements defined in NFPA 1002 Sections 8.1 and 8.2.¶
- (745) "NWCG" stands for the National Wildfire Coordinating Group. "NWCG" preceding a certification title denotes that the certification is based upon the training and certification requirements established by the NWCG that may have been adopted in part or in whole by the Board and the Department for Oregon fire service professional certifications.¶
- (756) "NWCG Firefighter Type 2 (FFT2)" means a person who is the basic resource used in the control and extinguishment of wildland fires and works either as an individual or as a member of a crew under the supervision of a higher qualified individual.¶
- (767) "NWCG Firefighter Type 1 (FFT1)" means a person who leads assigned personnel (usually seven or fewer) to

accomplish established mission objectives in a rapidly changing, high-risk wildland fire environment. The FFT1 reports to the Crew Boss (CRWB) or other Single Resource Boss.¶

(778) "NWCG Single Resource Boss" means a person who is responsible for supervising and directing a fire suppression module, such as a hand crew, engine, helicopter, heavy equipment, firing team, or one or more fallers. "NWCG Single Resource Boss" includes NWCG Crew Boss, Single Resource (CRWB); NWCG Engine Boss, Single Resource (ENGB); NWCG Felling Boss, Single Resource (FELB); NWCG Firing Boss, Single Resource (FIRB); and NWCG Heavy Equipment Boss, Single Resource (HEQB).¶

(789) "NWCG Strike Team Leader Engine (STEN)" and "NWCG Task Force Leader (TFLD)" means a person who reports to a Division/Group Supervisor and is responsible for performing tactical missions as assigned on a division or segment of a division. The Leader reports work progress, resource status, and other important information to his or her supervisor and maintains work records on assigned personnel.¶

(7980) "NWCG Division/Group Supervisor (DIVS)" means a person who is responsible for implementing the assigned portion of the IAP (Incident Action Plan).¶

(801) "Public Information Officer" means a person who has demonstrated the ability to conduct media interviews and prepare news releases and media advisories.¶

(812) "Service Delivery" means to be able to adequately demonstrate, through job performance, the knowledge, skills, and abilities of a certification level.¶

(823) "Staff" means employees occupying full-time, part-time, or temporary positions with the Department.¶

(834) "Task Performance" means to demonstrate the ability to perform tasks of a certification level, in a controlled environment, while being evaluated.¶

(845) "The Act" refers to the Public Safety Standards and Training Act (ORS 181A.355 to 181A.689).¶

(856) "Topical Level Course" is a course that does not include an identifiable block of learning objectives or outcomes that are required for certification at one or more levels.¶

(867) "Track" means a field of study required for certification.¶

(878) "US&R" means Urban Search and Rescue.¶

(889) "US&R Medical Technician" means a Fire Service Professional who is responsible for performing basic and advanced life support medical care for task force members and rescue victims during a US&R incident operation.¶

(890) "US&R Rescue Technician" means a Fire Service Professional who is responsible for performing the rescue function of a US&R incident operation.¶

(901) "US&R Rigging Technician" means a Fire Service Professional who is responsible for performing various assessments and construction-related liaison for the task force during a US&R incident operation.¶

(912) "US&R Search Technician" means a Fire Service Professional who is responsible for performing the search function of a US&R incident operation.¶

(923) "Waiver" means to refrain from pressing or enforcing a rule.¶

(934) "Youth Firesetter Intervention Specialist" means a person who has demonstrated the ability to conduct an intake/interview with a firesetter and his or her family using prepared forms and guidelines and who, based on program policies and procedures, determines the need for referral and/or implements educational intervention strategies to mitigate effects of firesetting behavior.¶

(945) "Youth Firesetter Program Manager" means a person who has demonstrated the ability to manage a youth firesetting intervention program and the activities of Youth Firesetter Intervention Specialist.

Statutory/Other Authority: ORS 181A.410

Statutes/Other Implemented: ORS 181A.410

AMEND: 259-009-0062

RULE SUMMARY: OAR 259-009-0062 maintains the requirements for each of the Oregon DPSST fire service professional certifications. This proposed rule change shows recommended adoption of the 2024 Edition of the NFPA 1010 Standard for DPSST certification requirements for the NFPA Firefighter I and NFPA Firefighter II certifications, formerly under NFPA 1001. This rule change also adds a new level of DPSST certification for NFPA Support Person. The rule changes are found in section (2)(a)(A-C).

These rule changes are limited to implementation of the NFPA 1010 as a standard for Support Person, Firefighter I, and Firefighter II certifications. There are other DPSST certifications that still include references to NFPA 1001 for Fire Fighter I and II. DPSST recommends postponing conforming amendments to the other certifications until they can be reviewed and there are opportunities to determine if application of NFPA 1010 has an impact on those certifications.

CHANGES TO RULE:

259-009-0062

Fire Service Professional Certification ¶¶

- (1) A fire service professional affiliated with an Oregon fire service agency may be certified by:¶¶
- (a) Satisfactorily completing the requirements specified in section (2) of this rule;¶¶
 - (b) Through participation in a fire service agency training program accredited by the Department;¶¶
 - (c) Through a course certified by the Department; or¶¶
 - (d) By evaluation of experience as specified in OAR 259-009-0063.¶¶
 - (e) The Department may certify a fire service professional who has satisfactorily completed the requirements for certification as prescribed in section (2) of this rule, including the Task Performance Evaluations (TPE) if applicable.¶¶
- (2) The following standards for fire service professionals are adopted by reference:¶¶
- (a) The provisions of the NFPA Standard ~~1001~~, 2024 Edition, entitled "Standard for Fire Fighter on Professional Qualifications for Firefighters," are adopted.¶¶
 - ~~(A) For certification as NFPA Fire Fighter I the candidate must:¶¶~~
 - ~~(i) Meet the job performance requirements defined in Sections 4.1 through 4.5 of the NFPA 1001 Standard~~Support Person, NFPA Firefighter I, and NFPA Firefighter II.¶¶
 - (A) For certification as NFPA Support Person the candidate must:¶¶
 - (i) Meet the job performance requirements defined in Chapter 5;¶¶
 - (ii) Meet the minimum requirements for Emergency Medical Services defined in Chapter 10 for the level of service as determined by the AHJ; ¶¶
 - (iii) Successfully complete a DPSST-approved task performance evaluation or a DPSST-approved task book for NFPA Support Person. The evaluation or task book must be approved by the Agency Head or Training Officer; and¶¶
 - (iv) Have a minimum of three months of experience as determined by the AHJ.¶¶
 - (B) For certification as NFPA Firefighter I the candidate must:¶¶
 - (i) Meet the job performance requirements defined in Chapter 6;¶¶
 - (ii) Meet the minimum requirements for Emergency Medical Services defined in Chapter 10 for the level of service as determined by the AHJ;¶¶
 - (iii) Successfully complete a ~~DPSST-approved~~ task performance evaluation or a ~~Department~~PSST-approved task book for NFPA Fire-Ffighter I. The evaluation or task book must be approved by the Agency Head or Training Officer; and¶¶
 - (iiiiv) Have a minimum of six months of experience as determined by the AHJ.¶¶
 - (BC) For certification as NFPA Fire-Ffighter II the candidate must:¶¶
 - (i) Be certified as NFPA Fire-Ffighter I;¶¶
 - (ii) Meet the job performance requirements defined in ~~Sections 5.1 through 5.5 of the NFPA 1001 Standard~~Chapter 7;¶¶
 - (iii) Meet the minimum requirements for Emergency Medical Services defined in Chapter 10 for the level of service as determined by the AHJ;¶¶
 - (iiiiv) Successfully complete a ~~DPSST-approved~~ task performance evaluation or a ~~Department~~PSST-approved task book for NFPA Fire-Ffighter II. The evaluation or task book must be approved by the Agency Head or Training Officer; and¶¶

- (iv) Have a minimum of one year of experience as determined by the AHJ.¶
- (b) The provisions of the NFPA Standard 1002, 2017 Edition, entitled "Standard for Fire Apparatus Driver/Operator Professional Qualifications," are adopted subject to the following definitions and modifications:¶
 - (A) 4.1 General. The requirements and job performance requirements defined in Sections 4.2 through 4.4 must be met prior to certification as a Fire Service Agency Driver/Operator.¶
 - (B) 5.1 General. The job performance requirements defined in Sections 5.1 and 5.2 must be met prior to certification as a Fire Service Agency Driver/Operator-Pumper.¶
 - (C) 6.1 General. The requirements of NFPA 1001 Fire Fighter I and NFPA 1002 Fire Apparatus Driver/Operator, as specified by the Department and the job performance requirements defined in Sections 6.1 and 6.2, must be met prior to certification as a Fire Service Agency Driver/Operator-Aerial.¶
 - (D) 7.1 General. The requirements of NFPA 1001 Fire Fighter I and NFPA 1002 Fire Apparatus Driver/Operator, as specified by the Department and the job performance requirements defined in Sections 7.1 and 7.2 must be met prior to certification as a Fire Service Agency Driver/Operator-Tiller.¶
 - (E) 8.1 General. The requirements of NFPA 1002 Fire Apparatus Driver/Operator, as specified by the Department and the job performance requirements defined in Sections 8.1 and 8.2, must be met prior to certification as a Fire Service Agency Driver/Operator-Wildland Fire Apparatus.¶
 - (F) 9.1 General. The requirements of NFPA 1001 Fire Fighter II, NFPA 1003 Airport Fire Fighter and NFPA 1002 Fire Apparatus Driver/Operator, as specified by the Department and the job performance requirements defined in Sections 9.1 and 9.2, must be met prior to certification as a Fire Service Agency Driver/Operator-Aircraft Rescue and Fire Fighting Apparatus (ARFF).¶
 - (G) 10.1 General. The requirements of NFPA 1002 Fire Apparatus Driver/Operator, as specified by the Department and the job performance requirements defined in Sections 10.1 and 10.2, must be met prior to certification as a Fire Service Agency Driver/Operator-Mobile Water Supply Apparatus.¶
 - (H) Delete "the requirements of NFPA 1500, Standard on Fire Department Occupational Safety and Health Program".¶
 - (I) All applicants for certification must complete a task performance evaluation or a Department-approved task book for: NFPA Fire Apparatus Driver/Operator, NFPA Apparatus Equipped with Fire Pump, NFPA Apparatus Equipped with an Aerial Device, NFPA Apparatus Equipped with a Tiller, NFPA Wildland Fire Apparatus, NFPA Aircraft Rescue and Firefighting Apparatus or NFPA Mobile Water Supply Apparatus. The task books must be approved by the Agency Head or Training Officer before an applicant can qualify for certification.¶
- (c) The provisions of the NFPA Standard 1003, 2019 Edition, entitled "Standard for Airport Fire Fighter Professional Qualifications," are adopted. For certification as NFPA Airport Fire Fighter the candidate must:¶
 - (A) Be certified as NFPA Fire Fighter II;¶
 - (B) Meet the job performance requirements defined in Sections 4.1 through 4.4 of the NFPA 1003 Standard; and ¶
 - (C) Complete a Department-approved task book for Airport Fire Fighter. The task book must be approved by the Agency Head or Training Officer.¶
- (d) The provisions of NFPA Standard 1005, 2019 Edition, entitled "Standard for Professional Qualifications for Marine Fire Fighting for Land Based Fire Fighters," are adopted.¶
 - (A) For certification as NFPA Marine Land-Based Fire Fighter, the candidate must:¶
 - (i) Be certified as NFPA Fire Fighter II, or be both an Advanced Exterior Facility Fire Brigade Member and an Interior Structural Facility Fire Brigade Member as defined by Chapters 5 and 6 of NFPA 1081;¶
 - (ii) Meet the job performance requirements defined in Sections 4.1 through 4.5 of the NFPA 1005 Standard; and ¶
 - (iii) Complete a Department-approved task book for Marine Land-Based Fire Fighter. The task book must be approved by the Agency Head or Training Officer.¶
 - (B) Historical Recognition and Transition from the 2007 Edition to the 2019 Edition. Prior to adoption of the 2019 Edition of NFPA Standard 1005, this standard was administered as two separate certifications titled NFPA Marine Fire Fighting for Land-Based Fire Fighter I and NFPA Marine Fire Fighting for Land-Based Fire Fighter II.¶
 - (i) Any person who holds active Department-issued NFPA Marine Fire Fighting for Land-Based Fire Fighter I and II certifications will be recognized as equivalent to holding the NFPA Marine Land-Based Fire Fighter certification.¶
 - (ii) Any person who holds active Department-issued NFPA Marine Fire Fighting for Land-Based Fire Fighter I and II certifications may keep the certifications active by completing the certification maintenance requirements.¶
 - (iii) Effective January 1, 2023, no new certifications will be issued for NFPA Marine Fire Fighting for Land-Based Fire Fighter I and NFPA Marine Fire Fighting for Land-Based Fire Fighter II. After January 1, 2023, DPSST will permanently lapse any Level I certifications without a Level II certification.¶
- (e) The provisions of the NFPA Standard 1031, 2014 Edition, entitled "Professional Qualifications for Fire Inspector and Plan Examiner" are adopted subject to the following definitions and requirements:¶
 - (A) All applicants for certification as an NFPA Fire Inspector I must:¶
 - (i) Successfully complete a Department-approved task book;¶
 - (ii) Furnish proof that they have passed an exam demonstrating proficiency in the model fire code adopted by the

State of Oregon or an equivalent; and¶

(iii) Furnish proof that they have successfully completed all required course work or have provided equivalent training documents.¶

(B) All applicants for certification as an NFPA Fire Inspector II must:¶

(i) Hold a certification as a NFPA Fire Inspector I;¶

(ii) Successfully complete a Department-approved task book; and¶

(iii) Furnish proof that they have successfully completed all required course work or have provided equivalent training documents.¶

(C) All applicants for certification as an NFPA Fire Inspector III must:¶

(i) Hold a certification as a NFPA Fire Inspector II; and¶

(ii) Successfully complete a Department-approved task book.¶

(f) The provisions of the NFPA Standard 1033, 2022 Edition, entitled "Standard for Professional Qualifications for Fire Investigator," are adopted. Applicants for certification as NFPA Fire Investigator may obtain certification through one of the following options:¶

(A) Complete training to meet the job performance requirements defined in chapter 4 of the NFPA Standard 1033, complete a Department-approved task book for Fire Investigator, and achieve a passing score of 75% or better on the DPSST Fire Investigator Examination. ¶

(B) Complete the Oregon State Fire Marshal's Fire Origin and Cause Investigator course and complete a Department-approved task book for Fire Investigator. This option does not require the completion of the DPSST Fire Investigator Examination.¶

(C) Hold current certification as International Association of Arson Investigators (IAAI) Fire Investigation Technician (FIT) and complete a Department-approved task book for Fire Investigator. This option does not require the completion of the DPSST Fire Investigator Examination.¶

(D) Hold current certification as International Association of Arson Investigators (IAAI) Certified Fire Investigator (CFI) or National Association of Fire Investigators (NAFI) Certified Fire and Explosion Investigator (CFEI). This option does not require the completion of a task book or the DPSST Fire Investigator Examination.¶

(g) The provisions of the 2015 Edition of NFPA Standard 1035 entitled "Fire and Life Safety Educator, Public Information Officer, Youth Firesetter Intervention Specialist and Youth Firesetter Program Manager Professional Qualifications" are adopted.¶

(A) All applicants for certification as an NFPA Fire & Life Safety Educator I must:¶

(i) Successfully complete a Department-approved task book; and¶

(ii) Furnish proof that they have successfully completed all required course work or have provided equivalent training documentation.¶

(B) All applicants for certification as an NFPA Fire & Life Safety Educator II must:¶

(i) Hold a certification as an NFPA Fire & Life Safety Educator I;¶

(ii) Successfully complete a Department-approved task book; and¶

(iii) Furnish proof that they have successfully completed all required course work or have provided equivalent training documentation.¶

(C) All applicants for certification as an NFPA Fire & Life Safety Educator III must:¶

(i) Hold a certification as an NFPA Fire & Life Safety Educator II;¶

(ii) Successfully complete a Department-approved task book; and¶

(iii) Furnish proof that they have successfully completed all required course work or have provided equivalent training documentation.¶

(D) All applicants for certification as an NFPA Public Information Officer must:¶

(i) Successfully complete a Department-approved task book; and¶

(ii) Furnish proof that they have successfully completed all required course work or have provided equivalent training documentation.¶

(E) All applicants for certification as an NFPA Youth Firesetter Intervention Specialist must:¶

(i) Successfully complete a Department-approved task book; and¶

(ii) Furnish proof that they have successfully completed all required course work or have provided equivalent training documentation.¶

(F) All applicants for certification as an NFPA Youth Firesetter Intervention Program Manager must:¶

(i) Hold a certification as a Youth Firesetter Intervention Specialist;¶

(ii) Successfully complete a Department-approved task book; and¶

(iii) Furnish proof that they have successfully completed all required course work or have provided equivalent training documentation.¶

(G) Task books must be monitored by a Field Training Officer approved by the Department. The Field Training Officer must be certified at or above the level being monitored.¶

(h) The provisions of the NFPA Standard 1041, 2019 Edition, entitled "Standard for Fire and Emergency Services

Instructor Professional Qualifications," are adopted.¶

(A) For certification as NFPA Fire and Emergency Services Instructor I the candidate must:¶

- (i) Meet the job performance requirements defined in Sections 4.2 through 4.5 of the NFPA 1041 Standard; and¶
- (ii) Complete a Department-approved task book for Fire and Emergency Services Instructor I. The task book must be approved by the Agency Head or Training Officer.¶

(B) For certification as NFPA Fire and Emergency Services Instructor II the candidate must:¶

- (i) Be certified as NFPA Fire and Emergency Services Instructor I;¶
- (ii) Meet the job performance requirements defined in Sections 5.2 through 5.5 of the NFPA 1041 Standard; and¶
- (iii) Complete a Department-approved task book for Fire and Emergency Services Instructor II. The task book must be approved by the Agency Head or Training Officer.¶

(C) For certification as NFPA Fire and Emergency Services Instructor III the candidate must:¶

- (i) Be certified as NFPA Fire and Emergency Services Instructor II;¶
- (ii) Meet the job performance requirements defined in Sections 6.2 through 6.5 of the NFPA 1041 Standard; and¶
- (iii) Complete a Department-approved task book for Fire and Emergency Services Instructor III. The task book must be approved by the Agency Head or Training Officer.¶

(D) For certification as NFPA Live Fire Instructor the candidate must:¶

- (i) Be certified as NFPA Fire and Emergency Services Instructor I;¶
- (ii) Be certified as NFPA Fire Fighter II or be an Interior Structural Fire Brigade Member as defined by NFPA 1081;¶
- (iii) Meet the job performance requirements defined in Sections 7.2 through 7.3 of the NFPA 1041 Standard; and¶
- (iv) Complete a Department-approved task book for Live Fire Instructor. The task book must be approved by the Agency Head or Training Officer.¶

(E) For certification as NFPA Live Fire Instructor in Charge the candidate must:¶

- (i) Be certified as NFPA Fire and Emergency Services Instructor II;¶
- (ii) Be certified as NFPA Live Fire Instructor;¶
- (iii) Meet the job performance requirements defined in Sections 8.2 through 8.4 of the NFPA 1041 Standard; and¶
- (iv) Complete a Department-approved task book for Live Fire Instructor in Charge. The task book must be approved by the Agency Head or Training Officer.¶

(i) The provisions of the NFPA Standard 1021, 2020 Edition, entitled "Standards for Fire Officer Professional Qualifications," are adopted.¶

(A) For certification as NFPA Fire Officer I, the candidate must:¶

- (i) Be certified as NFPA Fire Fighter II;¶
- (ii) Be certified as NFPA Fire and Emergency Services Instructor I;¶
- (iii) Meet the job performance requirements defined in Sections 4.1 through 4.7 of the NFPA 1021 Standard; and¶
- (iv) Complete a task performance evaluation or a Department-approved task book for NFPA Fire Officer I. The evaluation or task book must be approved by the Agency Head or Training Officer.¶

(B) For certification as NFPA Fire Officer II, the candidate must:¶

- (i) Be certified as NFPA Fire Officer I;¶
- (ii) Meet the job performance requirements defined in Sections 5.1 through 5.7 of the NFPA 1021 Standard; and¶
- (iii) Complete a task performance evaluation or a Department-approved task book for NFPA Fire Officer II. The evaluation or task book must be approved by the Agency Head or Training Officer.¶

(C) For certification as NFPA Fire Officer III, the candidate must:¶

- (i) Be certified as NFPA Fire Officer II;¶
- (ii) Meet the job performance requirements defined in Sections 6.1 through 6.8 of the NFPA 1021 Standard; and¶
- (iii) Complete a task performance evaluation or a Department-approved task book for NFPA Fire Officer III. The evaluation or task book must be approved by the Agency Head or Training Officer.¶

(D) For certification as NFPA Fire Officer IV, the candidate must:¶

- (i) Be certified as NFPA Fire Officer III;¶
- (ii) Meet the job performance requirements defined in Sections 7.1 through 7.7 of the NFPA 1021 Standard; and¶
- (iii) Complete a task performance evaluation or a Department-approved task book for NFPA Fire Officer IV. The evaluation or task book must be approved by the Agency Head or Training Officer.¶

(j) Hazardous Materials Responder (DPSST-P-12 1/96).¶

(k) Fire Ground Leader.¶

(A) This is a standard that is Oregon-specific.¶

(B) An applicant applying for Fire Ground Leader must first be certified as an NFPA Fire Fighter II.¶

(C) An applicant applying for Fire Ground Leader must document training in all of the following areas:¶

- (i) Building Construction: Non-Combustible and Combustible;¶
- (ii) Emergency Service Delivery;¶

(iii) Fire Behavior;¶

(iv) Fire Ground Safety; and¶

(v) Water Supply Operations.¶

(D) All applicants for certification must complete a task performance evaluation or a Department-approved task book for Fire Ground Leader. The evaluation or task book must be approved by the Agency Head or Training Officer before an applicant can qualify for certification.¶

(E) Effective December 31, 2019, no new certifications will be issued for Fire Ground Leader. All active certifications for Fire Ground Leader will lapse after December 31, 2022.¶

(I) NWCG Wildland Fire Operations Certifications.¶

(A) The Department recognizes completion of the NWCG National Incident Management System: Wildland Qualification System Guide (PMS 310-1) as meeting the minimum requirements for the following certifications:¶

(i) NWCG Firefighter Type 2 (FFT2);¶

(ii) NWCG Firefighter Type 1(FFT1);¶

(iii) NWCG Engine Boss, Single Resource (ENGB);¶

(iv) NWCG Crew Boss, Single Resource (CRWB);¶

(v) NWCG Heavy Equipment Boss, Single Resource (HEQB);¶

(vi) NWCG Felling Boss, Single Resource (FELB);¶

(vii) NWCG Firing Boss, Single Resource (FIRB);¶

(viii) NWCG Strike Team Leader Engine (STEN);¶

(ix) NWCG Task Force Leader (TFLD); and¶

(x) NWCG Division/Group Supervisor (DIVS).¶

(B) The NWCG PMS 310-1 and the task books required for each certification are available online at <https://www.nwcg.gov/>.¶

(C) Training completed after January 1, 2019 to satisfy a requirement for certification as identified in the NWCG PMS 310-1 must have been instructed under the prescribed guidelines of the NWCG Field Manager Course Guide (PMS 901-1) publication.¶

(D) All applicants for certification must complete, and submit documentation for, the required training and meet the required experience for each certification as outlined in the NWCG PMS 310-1. When determining eligibility for a Wildland Fire Operations Certification, the Department will review the NWCG standards in place at the time of application for certification.¶

(m) Maritime Fire Service Operator Professional Qualifications. The following Maritime Fire Service Operator Certifications are Oregon-specific standards:¶

(A) For certification in Maritime Fire Service Basic Awareness the candidate must demonstrate aquatic stability as defined in the Maritime Fire Service Operator Standards Professional Qualifications and be trained and certified in Basic First Aid and CPR (cardiopulmonary resuscitation).¶

(i) All applicants for certification must complete a Department-approved task book for Maritime Fire Service Basic Awareness.¶

(ii) The task book must be approved by a certified Maritime Fire Service Operator of the same or a higher Maritime Fire Service Operator certification.¶

(B) For certification in Maritime Fire Service Deck Hand the candidate must be certified as a Maritime Fire Service Basic Awareness and possess a current Oregon Boater Education Card.¶

(i) All applicants for certification must complete a Department-approved task book for Maritime Fire Service Deck Hand.¶

(ii) The task book must be approved by a certified Maritime Fire Service Operator of the same or a higher Maritime Fire Service Operator certification.¶

(C) For certification in Maritime Fire Service Boat Operator the candidate must be certified as a Maritime Fire Service Deck Hand.¶

(i) All applicants for certification must complete a Department-approved task book for Maritime Fire Service Boat Operator.¶

(ii) The task book must be approved by a certified Maritime Fire Service Operator of the same or a higher Maritime Fire Service Operator certification.¶

(D) For certification in Maritime Fire Service Rescue Boat Operator the candidate must be certified as a Maritime Fire Service Boat Operator.¶

(i) All applicants for certification must complete a Department-approved task book for Maritime Fire Service Rescue Boat Operator.¶

(ii) The task book must be approved by a certified Maritime Fire Service Operator of the same or a higher Maritime Fire Service Operator certification.¶

(E) For certification in Maritime Fire Service Fire Boat Operator the candidate must be certified as a Maritime Fire Service Boat Operator.¶

- (i) All applicants for certification must complete a Department-approved task book for Maritime Fire Service Fire Boat Operator.¶
- (ii) The task book must be approved by a certified Maritime Fire Service Operator of the same or a higher Maritime Fire Service Operator certification.¶
- (n) The provisions of the 2021 Edition of NFPA 1006 entitled "Standard for Technical Rescue Personnel Professional Qualifications" are adopted subject to the following modifications:¶
 - (A) For certification as NFPA Common Passenger Vehicle Rescue Operations Level, the candidate must:¶
 - (i) Meet the job performance requirements defined in chapter 8, sections 8.1 and 8.2; and¶
 - (ii) Complete a Department-approved task book for the NFPA Common Passenger Vehicle Rescue Operations Level. The task book must be approved by the Agency Head or Training Officer.¶
 - (B) For certification as NFPA Common Passenger Vehicle Rescue Technician Level, the candidate must:¶
 - (i) Be certified as NFPA Common Passenger Vehicle Rescue Operations Level;¶
 - (ii) Meet the job performance requirements defined in chapter 8, section 8.3; and¶
 - (iii) Complete a Department-approved task book for the NFPA Common Passenger Vehicle Rescue Technician Level. The task book must be approved by the Agency Head or Training Officer.¶
 - (C) For certification as NFPA Confined Space Rescue, the candidate must:¶
 - (i) Be certified as NFPA Rope Rescue Operations Level; ¶
 - (ii) Meet the job performance requirements defined in chapter 7; and¶
 - (iii) Complete a Department-approved task book for the NFPA Confined Space Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
 - (D) For certification as NFPA Dive Rescue, the candidate must:¶
 - (i) Meet the job performance requirements defined in chapter 19; and¶
 - (ii) Complete a Department-approved task book for the NFPA Dive Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
 - (E) For certification as NFPA Heavy Vehicle Rescue, the candidate must:¶
 - (i) Be certified as NFPA Common Passenger Vehicle Rescue Technician Level;¶
 - (ii) Meet the job performance requirements defined in chapter 9; and¶
 - (iii) Complete a Department-approved task book for the NFPA Heavy Vehicle Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
 - (F) For certification as NFPA Machinery Rescue, the candidate must:¶
 - (i) Meet the job performance requirements defined in chapter 13; and¶
 - (ii) Complete a Department-approved task book for the NFPA Machinery Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
 - (G) For certification as NFPA Rope Rescue Operations Level, the candidate must:¶
 - (i) Meet the job performance requirements defined in chapter 5, sections 5.1 and 5.2; and¶
 - (ii) Complete a Department-approved task book for the NFPA Rope Rescue Operations Level. The task book must be approved by the Agency Head or Training Officer.¶
 - (H) For certification as NFPA Rope Rescue Technician Level, the candidate must:¶
 - (i) Be certified as NFPA Rope Rescue Operations Level;¶
 - (ii) Meet the job performance requirements defined in chapter 5, section 5.3; and¶
 - (iii) Complete a Department-approved task book for the NFPA Rope Rescue Technician Level. The task book must be approved by the Agency Head or Training Officer.¶
 - (I) For certification as NFPA Structural Collapse Rescue, the candidate must:¶
 - (i) Meet the job performance requirements defined in chapter 6; and¶
 - (ii) Complete a Department-approved task book for the NFPA Structural Collapse Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
 - (J) For certification as NFPA Surf Rescue, the candidate must:¶
 - (i) Meet the job performance requirements defined in chapter 21; and¶
 - (ii) Complete a Department-approved task book for the NFPA Surf Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
 - (K) For certification as NFPA Surface Water Rescue, the candidate must:¶
 - (i) Meet the job performance requirements defined in chapter 17; and¶
 - (ii) Complete a Department-approved task book for the NFPA Surface Water Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
 - (L) For certification as NFPA Swiftwater Rescue, the candidate must:¶
 - (i) Be certified as NFPA Surface Water Rescue;¶
 - (ii) Meet the job performance requirements defined in chapter 18; and¶
 - (iii) Complete a Department-approved task book for the NFPA Swiftwater Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶

- (M) For certification as NFPA Tower Rescue, the candidate must:¶
- (i) Meet the job performance requirements defined in chapter 4; and¶
 - (ii) Complete a Department-approved task book for the NFPA Tower Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
- (N) For certification as NFPA Trench Rescue, the candidate must:¶
- (i) Meet the job performance requirements defined in chapter 12; and¶
 - (ii) Complete a Department-approved task book for the NFPA Trench Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
- (O) For certification as NFPA Watercraft Rescue, the candidate must:¶
- (i) Meet the job performance requirements defined in chapter 22; and¶
 - (ii) Complete a Department-approved task book for the NFPA Watercraft Rescue Technician. The task book must be approved by the Agency Head or Training Officer.¶
- (P) Historical Recognition for NFPA Vehicle Rescue. Any person who holds a DPSST-issued NFPA Vehicle Rescue certification may keep the certification active by completing the certification maintenance requirements. Any person who holds an active DPSST-issued NFPA Vehicle Rescue certification will be recognized as NFPA Common Passenger Vehicle Rescue Operations Level, NFPA Common Passenger Vehicle Rescue Technician Level, and NFPA Heavy Vehicle Rescue.¶
- (o) US&R Rescue Technician.¶
- (A) This is a standard that is Oregon-specific.¶
- (B) An individual applying for US&R Rescue Technician must be certified as NFPA Structural Collapse Rescue, NFPA Confined Space Rescue, NFPA Vehicle Rescue, NFPA Trench Rescue, NFPA Rope Rescue Operations Level, NFPA Rope Rescue Technician Level, and NFPA Machinery Rescue prior to applying for US&R Rescue Technician and must document training in I-200 Basic ICS at the time of application.¶
- (p) US&R Medical Technician.¶
- (A) This is a standard that is Oregon-specific.¶
- (B) An individual applying for US&R Medical Technician must be certified as US&R Rescue Technician prior to applying for US&R Medical Technician, must document training in the FEMA Medical Specialist Course at the time of application, and must be a licensed active Oregon Health Authority Paramedic or equivalent at the time of application.¶
- (q) US&R Rigging Technician.¶
- (A) This is a standard that is Oregon-specific.¶
- (B) An individual applying for US&R Rigging Technician must be certified as US&R Rescue Technician prior to applying for US&R Rigging Technician, must document training in the FEMA Rigging Specialist Course at the time of application, and must be qualified at the time of application, by showing safety and use competency, on specific pieces of heavy equipment as determined by local jurisdiction.¶
- (r) US&R Search Technician¶
- (A) This is a standard that is Oregon-specific.¶
- (B) An individual applying for US&R Search Technician must be certified as US&R Rescue Technician prior to applying for US&R Search Technician and must document training in the FEMA Technical Search Specialist Course at the time of application.¶
- (s) US&R Historical Recognition. Effective July 1, 2017, the following seven US&R certifications are archived certifications:¶
- (A) US&R Logistics Manager;¶
 - (B) US&R Rescue Company Officer;¶
 - (C) US&R Rescue Team Manager;¶
 - (D) US&R Safety Officer;¶
 - (E) US&R Search Company Officer;¶
 - (F) US&R Search Team Manager; and¶
 - (G) US&R Task Force Leader.¶
- (t) The provisions of the NFPA Standard 1072, 2017 Edition, entitled "Standard for Hazardous Materials/Weapons of Mass Destruction Emergency Response Personnel Professional Qualifications" are adopted subject to the following definitions and modifications:¶
- (A) For certification in NFPA Hazardous Materials Awareness, the candidate must complete the job performance requirements defined in sections 4.2 through 4.4.¶
- (i) All applicants for certification must complete a task performance evaluation or a Department-approved task book for the NFPA Hazardous Materials Awareness.¶
 - (ii) The evaluation or task book must be approved by the Agency Head or Training Officer before an applicant can qualify for certification.¶
- (B) For certification in NFPA Hazardous Materials Operations, the candidate must be certified in NFPA Hazardous

Materials Awareness and complete the job performance requirements defined in sections 5.2 through 5.6.¶

(i) All applicants for certification must complete a task performance evaluation or a Department-approved task book for the NFPA Hazardous Materials Operations.¶

(ii) The evaluation or task book must be approved by the Agency Head or Training Officer before an applicant can qualify for certification.¶

(C) For certification in NFPA Hazardous Materials Operations Mission-Specific, the candidate must be certified in NFPA Hazardous Materials Awareness and NFPA Hazardous Materials Operations, and complete the job performance requirements defined in section 6.1.5.¶

(i) All applicants for certification must complete a task performance evaluation or a Department-approved task book for the NFPA Hazardous Materials Operations Mission-Specific.¶

(ii) The evaluation or task book must be approved by the Agency Head or Training Officer before an applicant can qualify for certification.¶

(D) For certification in NFPA Hazardous Materials Technician, the candidate must be certified in NFPA Hazardous Materials Awareness and NFPA Hazardous Materials Operations, and complete the job performance requirements defined in sections 7.2 through 7.6.¶

(i) All applicants for certification must complete a task performance evaluation or a Department-approved task book for the NFPA Hazardous Materials Technician.¶

(ii) The evaluation or task book must be approved by the Agency Head or Training Officer before an applicant can qualify for certification.¶

(E) For certification in NFPA Hazardous Incident Commander, the candidate must be certified in NFPA Hazardous Materials Awareness and NFPA Hazardous Materials Operations, and complete the job performance requirements defined in sections 8.2 through 8.6.¶

(i) All applicants for certification must complete a task performance evaluation or a Department-approved task book for the NFPA Hazardous Incident Commander.¶

(ii) The evaluation or task book must be approved by the Agency Head or Training Officer before an applicant can qualify for certification.¶

(F) Historical Recognition of NFPA 472 Certifications.¶

(i) Effective February 1, 2018, no new certifications will be issued for NFPA 472 Operations Level Responder. Any person who holds a Department-issued NFPA Operations Level Responder certification may keep the certification active by completing the certification maintenance requirements. Any person who holds an active Department-issued NFPA Operations Level Responder certification will be recognized as equivalent to holding NFPA 1072 certifications in Hazardous Materials Awareness, Hazardous Materials Operations and Hazardous Materials Operations Mission-Specific.¶

(ii) Effective February 1, 2018, no new certifications will be issued for the following NFPA 472 certifications: Hazardous Materials Safety Officer; Tank Car Specialty; Cargo Tank Specialty; Intermodal Tank Specialty; and Marine Tank Vessel Specialty. All currently active certifications for these Department-issued NFPA 472 certifications will lapse after December 31, 2018.¶

(3) Task performance evaluations, where prescribed, will be required prior to certification. Such examinations will be conducted in the following manner:¶

(a) Task performance competency will be evaluated by three people nominated by the employing fire service agency's Chief Officer for approval by the Department or its designated representative.¶

(b) The employing fire service agency's equipment and operational procedures must be used in accomplishing the task performance to be tested.¶

(c) Specific minimum testing procedures, as provided by the Department, will be used for administration of the evaluation.¶

(d) The training officer for an accredited fire service agency training program must notify the Department or its designated representative prior to performing a task performance evaluation.¶

(e) At the request of the fire chief, a representative of the Department will be designated to monitor the task performance evaluation for fire service professionals from a fire service agency whose training program is not accredited.

Statutory/Other Authority: ORS 181A.410

Statutes/Other Implemented: ORS 181A.410

AMEND: 259-009-0065

RULE SUMMARY: OAR 259-009-0065 identifies maintenance training requirements for recertification of the DPSST fire service professional certifications. This proposed rule change updates the certification titles for the 2024 NFPA 1010 Firefighter I and NFPA Firefighter II certifications, and adds a new level of DPSST certification for NFPA Support Person. The amendments are located in section (6) (a). No other changes.

CHANGES TO RULE:

259-009-0065

Maintenance ¶¶

(1) Fire service professionals are required to successfully perform the essential functions for each certification they hold in order to maintain the certification.¶¶

(2) The Fire Training Officer, or the Agency Head, is responsible for verifying completion of the maintenance requirements by submitting each fire service professional's maintenance re-certification form to the Department by December 31st of every even year.¶¶

(3) Maintenance requirements for a certification may be demonstrated through:¶¶

(a) Service delivery, as defined in OAR 259-009-0005;¶¶

(b) Task performance, as defined in OAR 259-009-0005; or¶¶

(c) Completion of education or training hours related to the certification track, as defined by section (5) of this rule.¶¶

(4) Any certification that is not verified by the agency is subject to lapse after the certification expiration date. Certification titles may have changed since their original issuance. If a fire service professional wants to maintain a certification, they must continue to complete maintenance for their certification, regardless of the title on the original certificate, in order to prevent the certification from lapsing.¶¶

(5) If a Fire Training Officer chooses to verify maintenance requirements through training or education, the fire service professional must satisfy the minimum number of hours identified for the certification track.¶¶

(a) The minimum number of hours may be satisfied through any combination of service delivery, task performance and education or training as determined by the Fire Training Officer, unless otherwise noted.¶¶

(b) Satisfying the minimum hours for a certification track will satisfy the maintenance re-certification requirements for all of the certifications the fire service professional currently holds within the certification track.¶¶

(c) A fire service professional certified and performing duties in more than one certification track must complete the maintenance requirements for each certification track.¶¶

(6) Certification Tracks and Minimum Hour Requirements.¶¶

(a) Operations Track. The Operations certification track requires a minimum of 60 hours completed annually and includes the following certifications:¶¶

Fire Ground Leader;¶¶

Maritime Fire Service Basic Awareness;¶¶

Maritime Fire Service Boat Operator;¶¶

Maritime Fire Service Deck Hand;¶¶

Maritime Fire Service Fire Boat Operator;¶¶

Maritime Fire Service Rescue Boat Operator;¶¶

NFPA Aircraft Rescue and Fire-Fighting Apparatus;¶¶

NFPA Airport Fire Fighter;¶¶

NFPA Apparatus Equipped with a Tiller (Tiller);¶¶

NFPA Apparatus Equipped with an Aerial Device (Aerial);¶¶

NFPA Apparatus Equipped with Fire Pump (Pumper);¶¶

NFPA Common Passenger Vehicle Rescue Operations Level;¶¶

NFPA Common Passenger Vehicle Rescue Technician Level;¶¶

NFPA Confined Space Rescue;¶¶

NFPA Dive Rescue;¶¶

NFPA Fire Apparatus Driver/Operator (Driver);¶¶

NFPA Fire-Fighter I;¶¶

NFPA Fire-Fighter II;¶¶

NFPA Fire Officer I;¶¶

NFPA Fire Officer II;¶¶

NFPA Hazardous Materials Awareness;¶¶

NFPA Hazardous Materials Incident Commander;¶
 NFPA Hazardous Materials Operations Mission-Specific;¶
 NFPA Hazardous Materials Operations;¶
 NFPA Hazardous Materials Technician;¶
 NFPA Heavy Vehicle Rescue;¶
 NFPA Machinery Rescue;¶
 NFPA Marine Land-Based Fire Fighter;¶
 NFPA Mobile Water Supply Apparatus;¶
 NFPA Rope Rescue Operations Level;¶
 NFPA Rope Rescue Technician Level;¶
 NFPA Structural Collapse Rescue;¶
NFPA Support Person¶
 NFPA Surf Rescue;¶
 NFPA Surface Water Rescue;¶
 NFPA Swiftwater Rescue;¶
 NFPA Tower Rescue;¶
 NFPA Trench Rescue;¶
 NFPA Watercraft Rescue;¶
 NFPA Wildland Fire Apparatus;¶
 NWCG Crew Boss, Single Resource (CRWB);¶
 NWCG Division/Group Supervisor (DIVS);¶
 NWCG Engine Boss, Single Resource (ENGB);¶
 NWCG Felling Boss, Single Resource (FELB);¶
 NWCG Firefighter Type 1 (FFT1);¶
 NWCG Firefighter Type 2 (FFT2);¶
 NWCG Firing Boss, Single Resource (FIRB);¶
 NWCG Heavy Equipment Boss, Single Resource (HEQB);¶
 NWCG Strike Team Leader Engine (STEN);¶
 NWCG Task Force Leader (TFLD);¶
 US&R Medical Technician;¶
 US&R Rescue Technician;¶
 US&R Rigging Technician; and¶
 US&R Search Technician.¶

(b) Instructor Track. The Instructor certification track requires a minimum of four hours completed annually and includes the following certifications:¶

NFPA Fire and Emergency Services Instructor I;¶
 NFPA Fire and Emergency Services Instructor II;¶
 NFPA Fire and Emergency Services Instructor III;¶
 NFPA Live Fire Instructor; and¶
 NFPA Live Fire Instructor in Charge.¶

(c) Prevention/Public Education/Administration Track. The Prevention/Public Education/Administration certification track requires a minimum of 12 hours completed annually and includes the following certifications:¶

NFPA Fire and Life Safety Educator I;¶
 NFPA Fire and Life Safety Educator II;¶
 NFPA Fire and Life Safety Educator III;¶
 NFPA Fire Inspector I;¶
 NFPA Fire Inspector II;¶
 NFPA Fire Inspector III;¶
 NFPA Fire Investigator (through December 31, 2022);¶
 NFPA Fire Officer III;¶
 NFPA Fire Officer IV;¶
 NFPA Public Information Officer;¶
 NFPA Youth Firesetter Intervention Specialist; and¶
 NFPA Youth Firesetter Program Manager.¶

(d) Fire Investigator Track. The Fire Investigator certification track requires a minimum of 40 hours of continuing education training every five years. ¶

(A) The Fire Investigator certification track is established effective January 1, 2023, and includes the NFPA Fire Investigator certification. ¶

(B) The continuing education must satisfy the requisite knowledge requirements defined in section 4.1.7 of the

NFPA Standard 1033 (2022 Edition). This track must be completed through continuing education training. This track is not eligible for combination with service delivery or task performance. ¶

(7) Failure to notify the Department that the fire service professional's maintenance requirements have been completed may result in lapse of the fire service professional's certifications.¶

(8) The Department may grant a time extension for completion of the maintenance requirements upon receipt of a written request from the Agency Head or the Training Officer. Fire service professional certifications will not lapse during an approved time extension.¶

(9) The fire service agency may request re-certification of a fire service professional's lapsed certifications by verifying completion of the maintenance requirements and submitting a certification reinstatement form.

Statutory/Other Authority: ORS 181A.410

Statutes/Other Implemented: ORS 181A.410