

CAFO RECORDKEEPING CALENDAR 2026

LARGE TIER 1 CAFOs AND
LARGE TIER 2 CAFOs

NAME OF OPERATION _____

JANUARY 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
A WATER SUPPLY PLAN WILL BE REQUIRED FOR NEW, EXPANDING AND WHEN RENEWING TO A CAFO PERMIT. PLEASE CONTACT YOUR LOCAL WATERMASTER TO DISCUSS YOUR WATER RIGHTS. THE WATER SUPPLY PLAN DOCUMENTS CAN BE FOUND ON THE ODA CAFO PROGRAM WEBSITE. HTTPS://ODA.DIRECT/CAFO				1 <input type="checkbox"/> WATERLINES MAINTENANCE	2 <input type="checkbox"/> WATERLINES MAINTENANCE	3 <input type="checkbox"/> WATERLINES MAINTENANCE
4 <input type="checkbox"/> WATERLINES MAINTENANCE	5 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	6 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	7 <input type="checkbox"/> WATERLINES MAINTENANCE	8 <input type="checkbox"/> WATERLINES MAINTENANCE	9 <input type="checkbox"/> WATERLINES MAINTENANCE	10 <input type="checkbox"/> WATERLINES MAINTENANCE
11 <input type="checkbox"/> WATERLINES MAINTENANCE	12 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	13 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	14 <input type="checkbox"/> WATERLINES MAINTENANCE	15 <input type="checkbox"/> WATERLINES MAINTENANCE	16 <input type="checkbox"/> WATERLINES MAINTENANCE	17 <input type="checkbox"/> WATERLINES MAINTENANCE
18 <input type="checkbox"/> WATERLINES MAINTENANCE	19 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	20 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	21 <input type="checkbox"/> WATERLINES MAINTENANCE	22 <input type="checkbox"/> WATERLINES MAINTENANCE	23 <input type="checkbox"/> WATERLINES MAINTENANCE	24 <input type="checkbox"/> WATERLINES MAINTENANCE
25 <input type="checkbox"/> WATERLINES MAINTENANCE	26 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	27 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	28 <input type="checkbox"/> WATERLINES MAINTENANCE	29 <input type="checkbox"/> WATERLINES MAINTENANCE	30 <input type="checkbox"/> WATERLINES MAINTENANCE	31 <input type="checkbox"/> WATERLINES MAINTENANCE

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/ AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

FEBRUARY 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
1 <input type="checkbox"/> WATERLINES MAINTENANCE	2 <input type="checkbox"/> WATERLINES MAINTENANCE	3 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	4 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	5 <input type="checkbox"/> WATERLINES MAINTENANCE	6 <input type="checkbox"/> WATERLINES MAINTENANCE	7 <input type="checkbox"/> WATERLINES MAINTENANCE
8 <input type="checkbox"/> WATERLINES MAINTENANCE	9 <input type="checkbox"/> WATERLINES MAINTENANCE	10 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	11 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	12 <input type="checkbox"/> WATERLINES MAINTENANCE	13 <input type="checkbox"/> WATERLINES MAINTENANCE	14 <input type="checkbox"/> WATERLINES MAINTENANCE
15 <input type="checkbox"/> WATERLINES MAINTENANCE	16 <input type="checkbox"/> WATERLINES MAINTENANCE	17 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	18 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	19 <input type="checkbox"/> WATERLINES MAINTENANCE	20 <input type="checkbox"/> WATERLINES MAINTENANCE	21 <input type="checkbox"/> WATERLINES MAINTENANCE
22 <input type="checkbox"/> WATERLINES MAINTENANCE	23 <input type="checkbox"/> WATERLINES MAINTENANCE	24 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	25 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	26 <input type="checkbox"/> WATERLINES MAINTENANCE	27 <input type="checkbox"/> WATERLINES MAINTENANCE	28 <input type="checkbox"/> WATERLINES MAINTENANCE

2025 ANNUAL REPORT FORMS ARE DUE NEXT MONTH. IF YOU WERE REGISTERED TO THE NPDES PERMIT FOR ANY PART OF 2025 YOU NEED TO COMPLETE AN ANNUAL REPORT FORM.

THE REPORT FORMS WERE MAILED IN DECEMBER WITH THIS CALENDAR.
BLANK FORMS CAN BE FOUND ON THE CAFO WEBSITE: [HTTPS://ODA.DIRECT/CAFO](https://oda.direct/cafo)

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/ AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

MARCH 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
1 <input type="checkbox"/> WATERLINES MAINTENANCE	2 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	3 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	4 <input type="checkbox"/> WATERLINES MAINTENANCE	5 <input type="checkbox"/> WATERLINES MAINTENANCE	6 <input type="checkbox"/> WATERLINES MAINTENANCE	7 <input type="checkbox"/> WATERLINES MAINTENANCE
8 <input type="checkbox"/> WATERLINES MAINTENANCE	9 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	10 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	11 <input type="checkbox"/> WATERLINES MAINTENANCE	12 <input type="checkbox"/> WATERLINES MAINTENANCE	13 <input type="checkbox"/> WATERLINES MAINTENANCE	14 <input type="checkbox"/> WATERLINES MAINTENANCE
15 <input type="checkbox"/> WATERLINES MAINTENANCE	16 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	17 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	18 <input type="checkbox"/> WATERLINES MAINTENANCE	19 <input type="checkbox"/> WATERLINES MAINTENANCE	20 <input type="checkbox"/> WATERLINES MAINTENANCE	21 <input type="checkbox"/> WATERLINES MAINTENANCE
	2025 ANNUAL REPORTS DUE					
22 <input type="checkbox"/> WATERLINES MAINTENANCE	23 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	24 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	25 <input type="checkbox"/> WATERLINES MAINTENANCE	26 <input type="checkbox"/> WATERLINES MAINTENANCE	27 <input type="checkbox"/> WATERLINES MAINTENANCE	28 <input type="checkbox"/> WATERLINES MAINTENANCE
29 <input type="checkbox"/> WATERLINES MAINTENANCE	30 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	31 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	ACTIVITIES WITHIN THE CAFO PROGRAM REQUIRE PUBLIC NOTICE AND PARTICIPATION OPPORTUNITIES. YOU CAN SIGN UP TO BE NOTIFIED BY EMAIL WHEN A CAFO PUBLIC NOTICE IS ISSUED. GO TO THE ODA CAFO PAGE AT: HTTPS://ODA.DIRECT/CAFO AND CLICK ON THE SIGN-UP LINK			

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/ AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)
MANURE EXPORTATION							MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS	
DATE	VOLUME/AMOUNT		RECIPIENT (NAME & ADDRESS)		NUTRIENT ANALYSIS		DRY STACK			
							SEPARATED SOLIDS			
							RECEPTION TANK			
							STORAGE TANK/POND			

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

APRIL 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
ACTIVITIES WITHIN THE CAFO PROGRAM REQUIRE PUBLIC NOTICE AND PARTICIPATION OPPORTUNITIES. YOU CAN SIGN UP TO BE NOTIFIED BY EMAIL WHEN A CAFO PUBLIC NOTICE IS ISSUED. GO TO THE ODA CAFO PAGE AT: HTTPS://ODA.DIRECT/CAFO AND CLICK ON THE SIGN-UP LINK			1 <input type="checkbox"/> WATERLINES MAINTENANCE	2 <input type="checkbox"/> WATERLINES MAINTENANCE	3 <input type="checkbox"/> WATERLINES MAINTENANCE	4 <input type="checkbox"/> WATERLINES MAINTENANCE
5 <input type="checkbox"/> WATERLINES MAINTENANCE	6 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	7 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	8 <input type="checkbox"/> WATERLINES MAINTENANCE	9 <input type="checkbox"/> WATERLINES MAINTENANCE	10 <input type="checkbox"/> WATERLINES MAINTENANCE	11 <input type="checkbox"/> WATERLINES MAINTENANCE
12 <input type="checkbox"/> WATERLINES MAINTENANCE	13 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	14 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	15 <input type="checkbox"/> WATERLINES MAINTENANCE	16 <input type="checkbox"/> WATERLINES MAINTENANCE	17 <input type="checkbox"/> WATERLINES MAINTENANCE	18 <input type="checkbox"/> WATERLINES MAINTENANCE
19 <input type="checkbox"/> WATERLINES MAINTENANCE	20 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	21 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	22 <input type="checkbox"/> WATERLINES MAINTENANCE	23 <input type="checkbox"/> WATERLINES MAINTENANCE	24 <input type="checkbox"/> WATERLINES MAINTENANCE	25 <input type="checkbox"/> WATERLINES MAINTENANCE
26 <input type="checkbox"/> WATERLINES MAINTENANCE	27 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	28 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	29 <input type="checkbox"/> WATERLINES MAINTENANCE	30 <input type="checkbox"/> WATERLINES MAINTENANCE	ALL MANURE APPLICATION EQUIPMENT MUST BE CALIBRATED. CONSULT YOUR NMP FOR MORE INFORMATION ABOUT CALIBRATING EQUIPMENT.	

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

MAY 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
<p align="center">REMINDER</p> <p>THE CAFO ANNUAL LICENSE (RENEWAL) FEE IS DUE ON JUNE 30, 2026, FOR 2026/2027. IN MAY YOU SHOULD RECEIVE A POST CARD OR EMAIL WITH INSTRUCTIONS ON HOW TO PAY YOUR CAFO ANNUAL FEE ONLINE AT: HTTP://MYLICENSE.ODA.STATE.OR.US</p>					<p>1</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>2</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>3</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>4</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>5</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>6</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>7</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>8</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>9</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>10</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>11</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>12</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>13</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>14</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>15</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>16</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>17</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>18</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>19</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>20</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>21</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>22</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>23</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>24</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>25</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>26</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>27</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>28</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>29</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>30</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>31</p> <input type="checkbox"/> WATERLINES MAINTENANCE						

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

JUNE 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
	1 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	2 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	3 <input type="checkbox"/> WATERLINES MAINTENANCE	4 <input type="checkbox"/> WATERLINES MAINTENANCE	5 <input type="checkbox"/> WATERLINES MAINTENANCE	6 <input type="checkbox"/> WATERLINES MAINTENANCE
7 <input type="checkbox"/> WATERLINES MAINTENANCE	8 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	9 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	10 <input type="checkbox"/> WATERLINES MAINTENANCE	11 <input type="checkbox"/> WATERLINES MAINTENANCE	12 <input type="checkbox"/> WATERLINES MAINTENANCE	13 <input type="checkbox"/> WATERLINES MAINTENANCE
14 <input type="checkbox"/> WATERLINES MAINTENANCE	15 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	16 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	17 <input type="checkbox"/> WATERLINES MAINTENANCE	18 <input type="checkbox"/> WATERLINES MAINTENANCE	19 <input type="checkbox"/> WATERLINES MAINTENANCE	20 <input type="checkbox"/> WATERLINES MAINTENANCE
21 <input type="checkbox"/> WATERLINES MAINTENANCE	22 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	23 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	24 <input type="checkbox"/> WATERLINES MAINTENANCE	25 <input type="checkbox"/> WATERLINES MAINTENANCE	26 <input type="checkbox"/> WATERLINES MAINTENANCE	27 <input type="checkbox"/> WATERLINES MAINTENANCE
28 <input type="checkbox"/> WATERLINES MAINTENANCE	29 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	30 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p align="center">REMINDER</p> <p>ENSURE MANURE STORAGE FACILITIES ARE OPERATING AT DESIGN CAPACITY. WOODY VEGETATION, AN ACCUMULATION OF CRUST ON TOP OF, OR SOLIDS ACCUMULATED IN THE BOTTOM OF, THE LIQUID MANURE STORAGE FACILITY ARE POTENTIAL PERMIT VIOLATIONS. TRACK FRESH WATER/IRRIGATION ADDITIONS MADE TO THE MANURE SYSTEM.</p>			

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

JULY 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
REMINDER CONTROL UNDESIRABLE VEGETATION ON LAGOONS BY SPRAYING OR MOWING LAGOON BERMS. GRAZING IS ALSO AN ACCEPTABLE METHOD ON SOME OPERATIONS. REFER TO YOUR NMP.			1 <input type="checkbox"/> WATERLINES MAINTENANCE	2 <input type="checkbox"/> WATERLINES MAINTENANCE	3 <input type="checkbox"/> WATERLINES MAINTENANCE	4 <input type="checkbox"/> WATERLINES MAINTENANCE
5 <input type="checkbox"/> WATERLINES MAINTENANCE	6 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	7 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	8 <input type="checkbox"/> WATERLINES MAINTENANCE	9 <input type="checkbox"/> WATERLINES MAINTENANCE	10 <input type="checkbox"/> WATERLINES MAINTENANCE	11 <input type="checkbox"/> WATERLINES MAINTENANCE
12 <input type="checkbox"/> WATERLINES MAINTENANCE	13 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	14 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	15 <input type="checkbox"/> WATERLINES MAINTENANCE	16 <input type="checkbox"/> WATERLINES MAINTENANCE	17 <input type="checkbox"/> WATERLINES MAINTENANCE	18 <input type="checkbox"/> WATERLINES MAINTENANCE
19 <input type="checkbox"/> WATERLINES MAINTENANCE	20 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	21 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	22 <input type="checkbox"/> WATERLINES MAINTENANCE	23 <input type="checkbox"/> WATERLINES MAINTENANCE	24 <input type="checkbox"/> WATERLINES MAINTENANCE	25 <input type="checkbox"/> WATERLINES MAINTENANCE
26 <input type="checkbox"/> WATERLINES MAINTENANCE	27 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	28 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	29 <input type="checkbox"/> WATERLINES MAINTENANCE	30 <input type="checkbox"/> WATERLINES MAINTENANCE	31 <input type="checkbox"/> WATERLINES MAINTENANCE	

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/ AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

AUGUST 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
<p>PLEASE MAKE SURE YOU HAVE PAID YOUR CAFO ANNUAL (RENEWAL) FEE THAT WAS DUE ON JUNE 30TH. LATE FEES WILL BE ASSESSED AT THE BEGINNING OF SEPTEMBER. THE ONLINE RENEWAL PORTAL CLOSES AT THE END OF SEPTEMBER. IF YOU HAVE QUESTIONS, PLEASE CONTACT YOUR CAFO INSPECTOR OR THE CAFO PROGRAM AT (503) 986-4699.</p>						<p>1</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>2</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>3</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>4</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>5</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>6</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>7</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>8</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>9</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>10</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>11</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>12</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>13</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>14</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>15</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>16</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>17</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>18</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>19</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>20</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>21</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>22</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>23</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MAINTENANCE	<p>24</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>25</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>26</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>27</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>28</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>29</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>30</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MAINTENANCE	<p>31</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>ALL MANURE APPLICATIONS MUST COMPLY WITH YOUR CAFO PERMIT AND YOUR ODA-APPROVED NMP. MANURE APPLICATIONS TO SATURATED SOIL ARE PROHIBITED AND APPLICATION TO FROZEN SOIL CAN ONLY BE DONE IF ALLOWED IN YOUR ODA-APPROVED NMP. REVIEW YOUR ODA-APPROVED NMP TO DETERMINE APPROPRIATE MANURE APPLICATION AREAS, RATES AND BUFFER WIDTHS FOR THE TIME OF YEAR YOU ARE MAKING APPLICATIONS.</p>				

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/ AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

SEPTEMBER 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
REMINDER MANURE SAMPLES FROM 20% OF LAND APPLICATION AREAS ARE DUE EACH YEAR. SEE PERMIT FOR SAMPLE FREQUENCY AND TIMING DEPENDING ON CAFO LOCATION AND SIZE		1 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	2 <input type="checkbox"/> WATERLINES MAINTENANCE	3 <input type="checkbox"/> WATERLINES MAINTENANCE	4 <input type="checkbox"/> WATERLINES MAINTENANCE	5 <input type="checkbox"/> WATERLINES MAINTENANCE
6 <input type="checkbox"/> WATERLINES MAINTENANCE	7 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	8 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	9 <input type="checkbox"/> WATERLINES MAINTENANCE	10 <input type="checkbox"/> WATERLINES MAINTENANCE	11 <input type="checkbox"/> WATERLINES MAINTENANCE	12 <input type="checkbox"/> WATERLINES MAINTENANCE
13 <input type="checkbox"/> WATERLINES MAINTENANCE	14 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	15 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	16 <input type="checkbox"/> WATERLINES MAINTENANCE	17 <input type="checkbox"/> WATERLINES MAINTENANCE	18 <input type="checkbox"/> WATERLINES MAINTENANCE	19 <input type="checkbox"/> WATERLINES MAINTENANCE
20 <input type="checkbox"/> WATERLINES MAINTENANCE	21 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	22 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	23 <input type="checkbox"/> WATERLINES MAINTENANCE	24 <input type="checkbox"/> WATERLINES MAINTENANCE	25 <input type="checkbox"/> WATERLINES MAINTENANCE	26 <input type="checkbox"/> WATERLINES MAINTENANCE
27 <input type="checkbox"/> WATERLINES MAINTENANCE	28 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	29 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	30 <input type="checkbox"/> WATERLINES MAINTENANCE	REMINDER THE END OF THE YEAR IS APPROACHING. PLEASE MAKE SURE YOUR 2025 ANNUAL REPORT WAS SUBMITTED, AND YOUR 2026/2027 ANNUAL FEE WAS PAID. IF YOU HAVE QUESTIONS OR CONCERNS PLEASE CONTACT YOUR CAFO INSPECTOR OR THE CAFO PROGRAM AT (503) 986-4699.		

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			

DRY STACK		
SEPARATED SOLIDS		
RECEPTION TANK		
STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

OCTOBER 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
ALL MANURE APPLICATIONS MUST COMPLY WITH YOUR CAFO PERMIT AND YOUR ODA-APPROVED NMP. MANURE APPLICATIONS TO SATURATED SOIL ARE PROHIBITED REVIEW YOUR ODA-APPROVED NMP TO DETERMINE APPROPRIATE MANURE APPLICATION AREAS, RATES AND BUFFER WIDTHS FOR THE TIME OF YEAR YOU ARE MAKING APPLICATIONS.				1 <input type="checkbox"/> WATERLINES MAINTENANCE	2 <input type="checkbox"/> WATERLINES MAINTENANCE	3 <input type="checkbox"/> WATERLINES MAINTENANCE
4 <input type="checkbox"/> WATERLINES MAINTENANCE	5 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	6 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	7 <input type="checkbox"/> WATERLINES MAINTENANCE	8 <input type="checkbox"/> WATERLINES MAINTENANCE	9 <input type="checkbox"/> WATERLINES MAINTENANCE	10 <input type="checkbox"/> WATERLINES MAINTENANCE
11 <input type="checkbox"/> WATERLINES MAINTENANCE	12 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	13 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	14 <input type="checkbox"/> WATERLINES MAINTENANCE	15 <input type="checkbox"/> WATERLINES MAINTENANCE	16 <input type="checkbox"/> WATERLINES MAINTENANCE	17 <input type="checkbox"/> WATERLINES MAINTENANCE
18 <input type="checkbox"/> WATERLINES MAINTENANCE	19 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	20 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	21 <input type="checkbox"/> WATERLINES MAINTENANCE	22 <input type="checkbox"/> WATERLINES MAINTENANCE	23 <input type="checkbox"/> WATERLINES MAINTENANCE	24 <input type="checkbox"/> WATERLINES MAINTENANCE
25 <input type="checkbox"/> WATERLINES MAINTENANCE	26 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	27 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	28 <input type="checkbox"/> WATERLINES MAINTENANCE	29 <input type="checkbox"/> WATERLINES MAINTENANCE	30 <input type="checkbox"/> WATERLINES MAINTENANCE	31 <input type="checkbox"/> WATERLINES MAINTENANCE

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

NOVEMBER 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
1 <input type="checkbox"/> WATERLINES MAINTENANCE	2 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	3 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	4 <input type="checkbox"/> WATERLINES MAINTENANCE	5 <input type="checkbox"/> WATERLINES MAINTENANCE	6 <input type="checkbox"/> WATERLINES MAINTENANCE	7 <input type="checkbox"/> WATERLINES MAINTENANCE
8 <input type="checkbox"/> WATERLINES MAINTENANCE	9 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	10 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	11 <input type="checkbox"/> WATERLINES MAINTENANCE	12 <input type="checkbox"/> WATERLINES MAINTENANCE	13 <input type="checkbox"/> WATERLINES MAINTENANCE	14 <input type="checkbox"/> WATERLINES MAINTENANCE
15 <input type="checkbox"/> WATERLINES MAINTENANCE	16 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	17 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	18 <input type="checkbox"/> WATERLINES MAINTENANCE	19 <input type="checkbox"/> WATERLINES MAINTENANCE	20 <input type="checkbox"/> WATERLINES MAINTENANCE	21 <input type="checkbox"/> WATERLINES MAINTENANCE
22 <input type="checkbox"/> WATERLINES MAINTENANCE	23 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	24 <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	25 <input type="checkbox"/> WATERLINES MAINTENANCE	26 <input type="checkbox"/> WATERLINES MAINTENANCE	27 <input type="checkbox"/> WATERLINES MAINTENANCE	28 <input type="checkbox"/> WATERLINES MAINTENANCE
29 <input type="checkbox"/> WATERLINES MAINTENANCE	30 <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p align="center">REMINDER</p> <p>THE FOLLOWING RECORDS ARE TO BE MAINTAINED ON-SITE AND READILY AVAILABLE UPON REQUEST: NMP, OREGON NPDES CAFO PERMIT OR WPCF CAFO PERMIT, PERMIT SUMMARY, INSPECTIONS OF FACILITY MADE BY OPERATOR, LAND APPLICATION OF MANURE AND/OR WASTEWATER, MANURE EXPORT AND SOIL SAMPLE RESULTS. THE CAFO PERMIT REQUIRES THAT ALL RECORDS BE KEPT FOR A MINIMUM OF FIVE YEARS.</p>				

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

DECEMBER 2026

IN THE EVENT OF A DISCHARGE, CONTACT YOUR LOCAL LIVESTOCK WATER
QUALITY SPECIALIST OR CAFO PROGRAM AT (503) 986-4699 AS SOON AS
POSSIBLE AND NO LATER THAN 24 HOURS AFTER DISCOVERY OF THE EVENT.

SUNDAY	MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY
<p>THANK YOU FOR YOUR CONTINUED EFFORTS TO STAY IN COMPLIANCE WITH YOUR CAFO PERMIT.</p> <p>HAPPY HOLIDAYS!</p>		<p>1</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>2</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>3</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>4</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>5</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>6</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>7</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>8</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>9</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>10</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>11</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>12</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>13</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>14</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>15</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>16</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>17</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>18</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>19</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>20</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>21</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>22</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>23</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>24</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>25</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>26</p> <input type="checkbox"/> WATERLINES MAINTENANCE
<p>27</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>28</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> STORM WATER DIVERSION DEVICES MAINTENANCE	<p>29</p> <input type="checkbox"/> WATERLINES <input type="checkbox"/> MANURE STORAGE DEPTH____FT____IN MAINTENANCE	<p>30</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>31</p> <input type="checkbox"/> WATERLINES MAINTENANCE	<p>FOR THE MOST UPDATED INFORMATION PLEASE CHECK THE CAFO WEBSITE AT: HTTPS://ODA.DIRECT/CAFO </p>	

MANURE AND PROCESS WASTEWATER APPLICATIONS										
DATE	LOCATION	TYPE OF MANURE	METHOD OF APPLICATION	CONDITION OF MANURE APPLICATION EQUIPMENT	VOLUME/AMOUNT APPLIED	TOTAL NITROGEN APPLIED	TOTAL PHOSPHORUS APPLIED	WEATHER (24 HOURS BEFORE APPLICATION)	WEATHER (DURING APPLICATION)	WEATHER (24 HOURS AFTER APPLICATION)

MANURE EXPORTATION				MANURE TYPE	TOTAL NITROGEN	TOTAL PHOSPHORUS
DATE	VOLUME/AMOUNT	RECIPIENT (NAME & ADDRESS)	NUTRIENT ANALYSIS			
				DRY STACK		
				SEPARATED SOLIDS		
				RECEPTION TANK		
				STORAGE TANK/POND		

MANURE MUST BE ANALYZED AT LEAST ONE TIME PER YEAR.

NOTE: WHEN CALCULATING THE AMOUNT OF NUTRIENTS APPLIED OR EXPORTED, LARGE CAFOS MUST USE MANURE TEST VALUES, NOT BOOK VALUES.

LIQUID MANURE APPLICATION CHART

TOTAL NITROGEN (POUNDS OF N PER ACRE - INCH)

LBS OF N/1000 GALLONS	APPLICATION RATE (ACRE - INCH)							
	0.25	0.5	0.75	1	1.25	1.5	1.75	2
1	7	14	20	27	34	41	48	54
2	14	27	41	54	68	81	95	109
3	20	41	61	81	102	122	143	163
4	27	54	81	109	136	163	190	217
5	34	68	102	136	170	204	238	272
6	41	81	122	163	204	244	285	326
7	48	95	143	190	238	285	333	380
8	54	109	163	217	272	326	380	434
9	61	122	183	244	305	367	428	489
10	68	136	204	272	339	407	475	543
11	75	149	224	299	373	448	523	597
12	81	163	244	326	407	489	570	652
13	88	176	265	353	441	529	618	706
14	95	190	285	380	475	570	665	760
15	102	204	305	407	509	611	713	815
16	109	217	326	434	543	652	760	869
17	115	231	346	462	577	692	808	923
18	122	244	367	489	611	733	855	977
19	129	258	387	516	645	774	903	1032

SUMMARY OF REQUIRED INSPECTION TO BE DONE BY THE OPERATOR:	
ITEMS	LARGE CAFOS
STORM WATER DIVERSION DEVICES, RUN-OFF DIVERSION STRUCTURES, ANIMAL WASTE STORAGE STRUCTURES, DEVICES CHANNELING CONTAMINATED STORM WASTEWATER, MANURE STORAGE AND CONTAINMENT STRUCTURES.	WEEKLY AND RECORD RESULTS
WATER LINES, INCLUDING DRINKING WATER OR COOLING WATER LINES.	DAILY AND RECORD RESULTS
EQUIPMENT USED FOR LAND APPLICATION OF MANURE, LITTER OR PROCESS WASTEWATER.	DAILY WHEN EQUIPMENT IS IN USE AND RECORD RESULTS
LIQUID IMPOUNDMENTS FOR MANURE AND PROCESS WASTEWATER.	WEEKLY AND RECORD DEPTH OF MANURE AND PROCESS WASTEWATER ACCORDING TO DEPTH MARKER

SUMMARY OF RECORDKEEPING REQUIREMENTS:
DATE AND AMOUNT OF MANURE, LITTER OR PROCESS WASTEWATER APPLIED.
TOTAL NITROGEN AND PHOSPHORUS APPLIED TO EACH FIELD.
WEATHER CONDITIONS AT TIME OF APPLICATION AND 24 HOURS BEFORE AND AFTER APPLICATION.
TOTAL AMOUNT OF MANURE OR WASTEWATER TRANSFERRED OR EXPORTED OFF THE FARM. INCLUDE NAME AND ADDRESS OF RECIPIENT AS WELL AS NUTRIENT ANALYSIS OF THE MANURE.
DESCRIPTION OF ACTIONS TAKEN TO CORRECT ANY DEFICIENCIES DURING INSPECTIONS.

VISIT [HTTPS://ODA.DIRECT/CAFO](https://oda.direct/cafo) FOR MORE CAFO PROGRAM RESOURCES INCLUDING:

MANURE SPREADING ADVISORY - A TOOL TO ASSIST OPERATORS WITH MANURE APPLICATION DECISIONS BASED UPON PROJECTED WEATHER DATA. VISIT THE CAFO WEBSITE TO SEE THE PROJECTED WEATHER CONDITIONS FOR YOUR AREA.

CAFO GENERAL NPDES PERMIT

CAFO GENERAL WPCF PERMIT

CAFO PROGRAM ANNUAL REPORT

2026 CAFO RECORDKEEPING CALENDAR

IF YOU HAVE ANY QUESTIONS ABOUT THE CAFO PROGRAM, PLEASE CONTACT YOUR
LOCAL LIVESTOCK WATER QUALITY SPECIALIST OR THE CAFO PROGRAM MANAGER AT (503) 986-4699.

AREA	LIVESTOCK WATER QUALITY SPECIALIST	PHONE NUMBER	EMAIL
1	ARMANDO MACIAS	(503) 801-1630	ARMANDO.MACIAS@ODA.OREGON.GOV
2	CHARLENE OLSON	(503) 931-7778	CHARLENE.OLSON@ODA.OREGON.GOV
3	BEN KRAHN	(503) 510-8213	BEN.KRAHN@ODA.OREGON.GOV
4	CHRISTOPHER ANDERSON	(541) 660-9611	CHRISTOPHER.ANDERSON@ODA.OREGON.GOV
HYBRID	KATIE KEARNEY	(971) 707-8386	KATIE.KEARNEY@ODA.OREGON.GOV
6	HILARY COLLINSWORTH	(541) 881-6020	HILARY.COLLINSWORTH@ODA.OREGON.GOV

THIS CALENDAR IS TO HELP DOCUMENT INFORMATION REQUIRED BY THE CAFO PERMIT. IT IS NOT A REPLACEMENT FOR THE CAFO PERMIT.