# Bystander Pesticide Exposure

Chlorpyrifos Work Group Oregon Department of Agriculture December 17, 2019

Theodore R Bunch

Team Lead - Pesticide Analytical and Response Center (PARC)

### **Bystanders**

People who are not involved in the pesticide application but who live, work, or are located nearby the site of application.

- Ag workers in nearby fields
- Adults/children/infants in residential homes, including pregnant women
- Adults/children in schools/daycare
- Other non-ag workers

# **Existing Protections**

- Pesticide handlers (mixers/loaders, applicators)
- Agricultural workers (nursery stock, repotting, production of agricultural plants)

- Agricultural UseRequirements box
- Worker Protection Standard
- Restricted entry intervals (REIs)
- Personal Protective Equipment (PPE)

#### How bystander exposure may occur

- Spray drift at time of application
- ► Volatilization after application
- Surface deposits
- Entry into treated areas



# Chlorpyrifos Application Methods

- Aerial
- Air blast Sprayer
- Backpack or Handheld Sprayer
- Baiting
- Boom Sprayer
- Broadcast
- Chemigation
- Dipping

- Fogger
- Granular Spreader
- Ground
- Boomless nozzle sprayer
- Power sprayer
- Hose sprayer
- Soil drench
- **ULV**

# Chlorpyrifos Pesticide Formulations

- ► Aerosol (Ultra-low-volume 1)\*
- ▶ Bait (2)\*
- ► Cattle ear tag (1)\*
- ► Granular (6)\*
- ► Liquid (30/31)\*\*
- ► TRF (1)\*\*
- Water Dispersible Granule (2)\*
- ► Water Soluble Packet (1)\*, \*\*

```
* = General use
**= RUPs
```

# Questions?

