ODF Incident Resource Agreement (IRA)

2024 Resource Rate Guidance Information

The resource rates in this guidance have been identified as 2024 median 'Wet' Rates for the ODF Incident Resource Agreement (IRA) resource types in the Oregon/Washington region. 2024 rates reflect a 3.5% increase across the board for all resources based on the Consumer Price Index (West Region) All Items Index, annual percent change from July 2022 – July 2023.

Purpose

It is strongly encouraged that vendors review this guidance when determining rates to be offered under the IRA.

IRA resources with rates that more than 10% above the ODF median rates as stated herein, may be subject to being offered assignments only after all other resources (including available federal resources) are depleted.

Rates for Resources that are not listed in this guidance will be reviewed by ODF for appropriateness and may require a discussion with ODF and the vendor prior to execution of an IRA.

Page 1 of 7 2024 IRA Rate Guide

| | RESOURCE | Median Rate | Median | Additional |
|-------------------------|--|---------------|------------|-------------|
| | | Hourly/Person | Daily Rate | Information |
| Type 2 Crews/Camp Crews | | 58 | | |
| Single Faller | | | 1582 | |
| Faller Module | | | 2967 | |
| Faller/Swamper Module | | | 2146 | |
| Radio Operator | | | 461 | |
| ATV 4X4 | | | 483 | .68/mile |
| ATV 6X6 (Gator) | | | 500 | .68/mile |
| Backhoe Type 1 | 230+ HP | | 4269 | |
| Backhoe Type 2 | 111-229 HP | | 2807 | |
| Backhoe Type 3 | 61-110 HP | | 1967 | |
| Backhoe Type 4 | 50-60 HP | | 1687 | |
| Chipper Type 1 | 18" Minimum Diameter Stump Capacity | | 2660 | |
| Chipper Type 2 | 13" to 17" Minimum Diameter Stump Capacity | | 2451 | |
| Chipper Type 3 | 9" to 12" Minimum Diameter Stump Capacity | | 2437 | |
| Dozer Type 1 | 240+ HP / 60,000 LB Weight | | 3195 | |
| Dozer Type 2 | 150-250 HP / 35,000 LB Weight | | 2280 | |
| Dozer Type 3 | 99-165 HP / 20,000 LB Weight | | 2013 | |

Page 2 of 7 2024 IRA Rate Guide

| Dozer Type 4 | 50-110 HP / 10,000 LB Weight | 1668 | |
|--|--|------|--|
| Excavator Type 1 | 160 HP / 50,000 LB Weight | 2755 | |
| Excavator Type 2 | 111 HP / 30,000 LB Weight | 2067 | |
| Excavator Type 3 | 81 HP / 20,000 LB Weight | 1820 | |
| Excavator Type 4 | 60 HP / 15,000 LB Weight | 1783 | |
| Feller Buncher Type 1 | 226+ HP | 4072 | |
| Feller Buncher Type 2 | 160-225 HP | 3793 | |
| Forwarder Type 1 | =/> 200 HP / 1500 Gallon Tank Capacity | 4248 | |
| Forwarder Type 2 | 140-199 HP / 1200 Gallon Tank Capacity | 4024 | |
| Forwarder Type 3 | 100-139 HP / 1000 Gallon Tank Capacity | 3608 | |
| Forwarder Type 4 | < 100 HP / 850 Gallon Tank Capacity | 3367 | |
| Fuel Tender Type 1 | =/> 3500 Gallon Tank Capacity | 3268 | |
| Fuel Tender Type 2 | 2501-3500 Gallon Tank Capacity | 2968 | |
| Fuel Tender Type 3 | 500-2500 Gallon Tank Capacity | 3030 | |
| Mulcher/Masticator – Boom Mounted Type 1 | =/> 156 HP | 3375 | |
| Mulcher/Masticator – Boom Mounted Type 2 | 111-155 HP | 3017 | |
| Mulcher/Masticator – Boom Mounted Type 3 | 81-110 HP | 2395 | |
| Mulcher/Masticator – Boom Mounted Type 4 | 60 -80 HP | 2487 | |

Page 3 of 7 2024 IRA Rate Guide

| Road Grader Type 1 | 200-250 HP | 2551 |
|--|------------------------|------|
| Road Grader Type 2 | 145-199 HP | 2263 |
| Road Grader Type 3 | 115-144 HP | 1991 |
| Road Grader Type 4 | 75-114 HP | 1783 |
| Skidder Type 1 | =/> 176 HP | 3480 |
| Skidder Type 2 | 100-175 HP | 2439 |
| Skidder Type 3 | 60-99 HP | 2058 |
| Skidgine (Pump & Roll) Type 1 1200 Gallon Tank Capacity / 50 GPM (| @ 100 PSI Pump Rating | 3859 |
| Skidgine (Pump & Roll) Type 2 800-1199 Gallon Tank Capacity / 50 GPM (| @ 100 PSI Pump Rating | 2695 |
| Skidgine (Pump & Roll) Type 3 400-799 Gallon Tank Capacity / 30 GPM | @ 70 PSI Pump Rating | 2447 |
| Skidgine (Pump & Roll) Type 4 200-399 Gallon Tank Capacity / 30 GPM | @ 70 PSI Pump Rating | 2044 |
| Softtrack Type 1 =/> 170 HP / 600 |) Gallon Tank Capacity | 3164 |
| Strip Mulcher/Masticator Type 1 | 200-350 HP | 2972 |
| Strip Mulcher/Masticator Type 2 | 100-199 HP | 2746 |
| Strip Mulcher/Masticator Type 3 | 50-99 HP | 2297 |
| Tractor Plow Type 1 | =/> 165 HP | 2582 |
| Tractor Plow Type 2 | 140-164 HP | 2283 |
| Tractor Plow Type 3 | 120-139 HP | 1989 |

Page 4 of 7 2024 IRA Rate Guide

| | WITH | WITHOUT |
|--|------------------|-------------------------------|
| | Operator Rate | <mark>Operator</mark> Rate |
| Truck/Tractor with Transport 50+ Tons | 2746 | 2305 |
| Trucky Tractor with Transport 501 Tons | 2740 | 2505 |
| Truck/Tractor with Transport 40-49 Tons | 2298 | 1857 |
| Truck/Tractor with Transport 30-39 Tons | 2026 | 1585 |
| Truck/Tractor with Transport 20-29 Tons | 1546 | 1104 |
| Truck/Tractor with Transport 10-19 Tons | 1274 | 832 |
| Truck/Tractor with Transport under 10 Tons | 1233 | 791 |
| Dump Truck w/Tilt Bed | 1578 | 1136 |
| Emergency Medical Technician (Fireline Qualified) EMTF | 1363 | |
| Emergency Fireline Paramedic (EMPF) | 1706 | |
| Basic Life Support Ambulance (BLS) 2WD with EMPF/EMTF | 3215 | |
| Basic Life Support Ambulance (BLS) 4WD with EMPF/EMTF | 3272 | |
| Advanced Life Support Ambulance (ALS) 2WD with EMPF/EMTF | 3329 | |
| Advanced Life Support Ambulance (ALS) 4WD with EMPF/EMTF | 3373 | |
| Base Camp Medical Unit | unavailable | |
| Rapid Extraction Module (EMS) Unit | 7297 | |
| Medical Unit Leader | 1943 | |

Page 5 of 7 2024 IRA Rate Guide

| | | | Per Mile Limitation |
|--|--------------------------------|------|------------------------|
| Pickup Type 3 (<6,001 lbs GVWR; smaller 1/2 ton) 'RUNN | IER' | 634 | 2.60 |
| Pickup Type 2 (6,001-8,500 lbs GVWR; 1/2 ton) 'RUNNER | 3′ | 667 | 2.60 |
| Pickup Type 1 (8,501-19,500 lbs GVWR; 3/4 & 1 ton) | | 673 | 2.86 |
| Stakeside Type 2 (10,001-14,000 lbs GVWR) | | 679 | 2.86 |
| Stakeside Type 1 (14,001-26,000 lbs GVWR) | | 685 | 2.86 |
| Security Specialist | | 767 | |
| Security Specialist with Vehicle | | 1142 | |
| Security Manager with Vehicle | | 1389 | |
| Handwash (Trailer Mounted) Type 1 | 12+ Sinks | 1042 | |
| Handwash (Trailer Mounted) Type 2 | 8-11 Sinks | 1014 | |
| Refrigerated Trailer Type 1 | =/> 43 Feet | 499 | |
| Refrigerated Trailer Type 2 | 29-42 Feet | 528 | |
| Refrigerated Trailer Type 3 | 24-28 Feet | 556 | |
| Gray Water Truck Type 1 | =/> 4000 Gallon Tank Capacity | 1815 | |
| Gray Water Truck Type 2 | 2500-3999 Gallon Tank Capacity | 1715 | |
| Gray Water Truck Type 3 | 1000-2499 Gallon Tank Capacity | 1551 | |
| Potable Water Truck Type 1 | =/> 4000 Gallon Tank Capacity | 2455 | |

Page 6 of 7 2024 IRA Rate Guide

| Potable Water Truck Type 2 | 2500-3999 Gallon Tank Capacity | 2359 |
|--|--------------------------------|------|
| Potable Water Truck Type 3 | 1000-2499 Gallon Tank Capacity | 1815 |
| Potable Water Truck Type 4 | 400-999 Gallon Tank Capacity | 1591 |
| Water Tender (Support) Type 1 4 X 4 | =/> 4000 Gallon Tank Capacity | 2359 |
| Water Tender (Support) Type 2 4 X 4 | 2500-3999 Gallon Tank Capacity | 2151 |
| Water Tender (Support) Type 3 4 X 4 | 1000-2499 Gallon Tank Capacity | 2023 |
| Engine Type 3 4 X 4 500-1500 Gallon Tank Capacity/ | 150 GPM @250 PSI Pump Rating | 3616 |
| Engine Type 4 4 X 4 750-1500 Gallon Tank Capacity/ | '50 GPM @ 100 PSI Pump Rating | 3278 |
| Engine Type 5 4 X 4 400-749 Gallon Tank Capacity/ | 50 GPM @ 100 PSI Pump Rating | 3032 |
| Engine Type 6 4 X 4 150-399 Gallon Tank Capacity/ | 50 GPM @ 100 PSI Pump Rating | 2733 |

Page 7 of 7 2024 IRA Rate Guide