



## Appendix 2: Examples

### Paving in Lane




**Project:** Paving between fog lines through intersections.

**Existing Conditions:** Roadway with paved shoulder. Bridge with sidewalks (width  $\geq 32''$ ).




**Required:** Compliant curb ramps at all street crossings. Curb ramps are not required to be upgraded for the sidewalk on the bridge.

### Full-width Paving Near Bridge Approach




**Project:** Full-width paving on highway surrounding bridge.

**Existing Conditions:** Roadway with paved shoulder. Bridge with sidewalks (width  $\geq 32''$ ).




**Required:** Compliant curb ramps to the sidewalks on the bridge.

## Full-width Paving to Bridge




**Project:** Full-width paving to edge of concrete bridge deck.

**Existing Conditions:** Roadway with paved shoulder. Bridge with sidewalks (width  $\geq 32''$ ).




**Required:** ADA ramps to bridge sidewalks.

## Rail Retrofit




**Project:** Rail retrofit that would reduce the clear width of the existing sidewalk below 4 feet.

**Existing Conditions:** Roadway with paved shoulder. Sidewalk width insufficient to accommodate wheelchairs and rail retrofit.




**Required:** Curb ramps installed along highway to sidewalks or shoulders with increased sidewalk clear width to 4 feet min. Lane width decreased to allow for increased sidewalk width. 5 foot by 5 foot sidewalk passing spaces on bridges over 200 feet long. Design Exception may be required for lane width.

## Full-width Paving Over Bridge with Brush Curb




**Project:** Full-width paving over bridge.  
**Existing Conditions:** Roadway with paved shoulder. Bridge without sidewalk (<32" width).




**Required:** Ensure the pedestrian access route is maintained along shoulder.

## Rail Retrofit – Brush Curb



**Project:** Rail retrofit on bridge with brush curb (width <32").  
**Existing Conditions:** Roadway with paved shoulder. Bridge without sidewalk (<32" width).



**Required:** Ensure that existing pedestrian access route is maintained along shoulder.