

2018 TRANSPORTATION VOLUME TABLES

OREGON DEPARTMENT OF TRANSPORTATION

TRANSPORTATION DATA SECTION
TRANSPORTATION SYSTEMS MONITORING UNIT
555 13TH STREET N.E., SUITE #2
SALEM, OR. 97301-4178

October 2019




TABLE OF CONTENTS

	Page
Contact Information and Internet Access	3
Introduction	5
2018 Trend Data	11

Section I

Introduction to the Traffic Volumes on the State Highway System	13
Cross Reference Table I – ODOT State Highway Numbers, Highway Names, and Highway Route Numbers	13
Cross Reference Table II – Interstate Route Numbers, Highway Names, and State Highway Numbers	17
Cross Reference Table III – US Route Numbers, Highway Names, and State Highway Numbers	18
Cross Reference Table IV – Oregon Route Numbers, Highway Names, and State Highway Numbers	19
Table V – Highway Count Schedule	24
Map of State Highway System and Principle Routes	27

Section II

Tabulation of Traffic Volumes on State Highways.....	29
---	-----------

Section III

Introduction to Interchange Ramp Volume Diagrams	147
Pacific Highway No. 1 (I-5)	149
Columbia River Highway No. 2 and Old Oregon Trail No. 6 (I-84)	169
The Dalles-California Highway No. 4 (US97), the Bend Parkway section in Bend	185
Sunset Highway No. 47 (US26) from Wilson River Highway No. 37 (OR 6) east to Stadium Freeway Highway No. 61 (I-405) in Portland	189

TABLE OF CONTENTS (Continued)

Stadium Freeway Highway No. 61 (I-405).....	193
East Portland Freeway Highway No. 64 (I-205)	197
Belt Line Highway No. 69 (OR569).....	203
McNary Highway No. 70 (I-82)	207
Beaverton – Tigard Highway No. 144 (OR217)	211
North Santiam Highway No. 162 (OR22) (from I-5 to Stayton/Sublimity Exit).....	215
Eugene – Springfield Highway No. 227 (I-105& OR126).....	219

Section IV

Introduction to Traffic Trends at Automatic Traffic Recorder Stations	223
Map of Automatic Traffic Recorder Stations.....	225
Summary of Traffic Trends at Automatic Traffic Recorder Stations and Automatic Vehicle Classification Stations.....	227
Glossary.....	319

CONTACT INFORMATION

INTERNET ACCESS

The 1986 through 2018 publication of the Transportation Volume Tables can be viewed and downloaded online at:

<http://www.oregon.gov/ODOT/Data/Pages/Traffic-Counting.aspx>

(Then click on link: Traffic Volume Tables)

The individual pdf sections and maps are also available for download. Starting in 2016, an Excel version of the Traffic Tables for State Highways is available with additional data columns including Linear Reference Method (LRM), milepoint range and vehicle classification percentages. The sections, maps, and Excel version can be viewed and downloaded at:

<http://www.oregon.gov/ODOT/Data/Pages/Traffic-Counting.aspx>

(Then click on desired document link)

Beginning with the 2017 publication, the Transportation Volume Tables will only be available for viewing and download.

To have your name or organization added to the email publication notification list, please email trafficcounts@odot.state.or.us or call (503)-986-4147.

INTRODUCTION

About the Transportation Volume Tables

This publication is updated annually by the Transportation Systems Monitoring (TSM) Unit and contains statewide volume and class data.

General Data Attributes Common to All Tables

The *Annual Average Daily Traffic (AADT)* volumes provided in this publication are applicable for a given **range of milepoints** that are available in the Excel download.

The *Automatic Traffic Recorder (ATR)* locations provide volume traffic data all year round and include all days. Some ATR locations provide class data (*the Automatic Vehicle Classifier (AVC)*) or speed and length data.

Each *Vehicle Classification* breakdown was derived from a twenty-four hour manual count, forty-eight hour tube count, or permanent Automatic Vehicle Classifier.

The Vehicle Classification terminology in this publication is in accordance with those defined by the Federal Highway Administration (FHWA) and is as follows:

FHWA'S 13 VEHICLE CATEGORY CLASSIFICATION

Class 1 Motorcycles		Class 7 Four or more axle, single unit	
Class 2 Passenger cars		Class 8 Four or less axle, single trailer	
			
			
			
Class 3 Four tire, single unit		Class 9 5-Axle tractor semitrailer	
			
			
Class 4 Buses		Class 10 Six or more axle, single trailer	
		Class 11 Five or less axle, multi trailer	
			
Class 5 Two axle, six tire, single unit			
		Class 12 Six axle, multi-trailer	
			
Class 6 Three axle, single unit		Class 13 Seven or more axle, multi-trailer	
			
			
			

Source: Federal Highway Administration.

Class 1: Motorcycles-Scooters -- All two or three-wheeled motorized vehicles. Typical vehicles in this category have saddle type seats and are steered by handle bars rather than a wheel. This category includes motorcycles, motor scooters, mopeds, motor-powered bicycles, and three-wheel motorcycles.

Class 2: Passenger Cars -- All sedans, coupes, station wagons, and minivans manufactured primarily for the purpose of carrying passengers. This includes passenger cars pulling recreational or other light trailers.

Class 3: Other Two-Axle, Four-Tire Single Unit Vehicles -- All two-axle, four-tire vehicles, other than passenger cars. Included in this classification are pickups, panels, vans, and other vehicles such as campers, motor homes, ambulances, hearses, and carryalls. Other two-axle, four-tire single unit vehicles pulling recreational or other light trailers are included in this classification.

Class 4: Buses -- All vehicles manufactured and licensed as traditional passenger-carrying buses with two axles and six tires or three or more axles. This category includes only traditional buses (including school buses) functioning as passenger-carrying vehicles. All two-axle, four-tire minibuses should be classified as other two-axle, four-tire single unit vehicles. Modified buses should be considered to be a truck and be appropriately classified.

Class 5: Two-Axle, Six-tire, Single Unit Trucks -- All vehicles on a single frame, including trucks, camping and recreation vehicles, motor homes, etc., having two axles and dual rear wheels.

Class 6: Three-Axle Single Unit Trucks -- All vehicles on a single frame, including trucks, camping and recreational vehicles, motor homes, etc., having three axles.

Class 7: Four or More Axle Single Unit Trucks -- All trucks on a single frame with four or more axles.

Class 8: Four or Less Axle Single Trailer Trucks -- All vehicles with four or less axles consisting of two units, one of which is a tractor or straight truck power unit.

Class 9: Five-Axle Single Trailer Trucks -- All five-axle vehicles consisting of two units, one of which is a tractor or straight truck power unit.

Class 10: Six or More Axle Single Trailer Trucks -- All vehicles with six or more axles consisting of two units, one of which is a tractor or straight truck power unit.

Class 11: Five or Less Axle Multi - Trailer Trucks -- All vehicles with five or less axles consisting of at least three units, one of which is a tractor or straight truck power unit.

Class 12: Six-Axle Multi - Trailer Trucks -- All six-axle vehicles consisting of at least three units, one of which is a tractor or straight truck power unit.

Class 13: Seven or More Axle Multi - Trailer Trucks -- All vehicles with seven or more axles consisting of at least three units, one of which is a tractor or straight truck power unit.

In reporting information regarding trucks and their configuration, the following additional criteria are used:

- Truck tractor units traveling without a trailer are considered single unit trucks.
- Vehicles are defined by the number of axles in contact with the roadway. Therefore, "floating" axles are counted only when in the down position.
- The term "trailer" includes both semi- and full trailers.

Section I
Introduction to the Traffic Volumes on the State Highway System

This section contains general information regarding the State Highway numbering systems. The highway numbers shown throughout this publication are the Oregon Department of Transportation (ODOT) internal highway numbers called the ODOT Highway Number. These numbers are not what you see on road signs when driving on our state highways.

The following are the Highway Cross Reference and other tables provided in Section I:

Table I.....	ODOT Highway Number, Highway Name, and Route Numbers (OR, US and Interstate)
Table II	Interstate Route Number, Highway Name, and ODOT Highway Number
Table III.....	US Route Number, Highway Name, and ODOT Highway Number
Table IV.....	Oregon Route Number, Highway Name, and ODOT Highway Number
Table V	Highway Count Schedule

Section II
Traffic Volumes on State Highways

This section contains a listing of Annual Average Daily Traffic (AADT) volumes at various milepoints along the highways, and includes all vehicle totals in both directions, unless identified as one-way traffic.

One third of State Highways were counted in 2018 and adjusted to a 2018 AADT. The AADTs for the remaining two thirds of the State Highways were adjusted to reflect area traffic growth trends. AADTs were derived from permanent count station data, or forty-eight hour tube count data, or twenty-four hour manual count data.

When a new highway is completed and opens to traffic for only part of the year, the AADT as given in this tabulation is presented as if the facility was open to traffic for the entire year.

Section III **Ramp Volume Diagrams**

This section contains Interchange Ramp Diagrams with AADT volumes for the Highway Main Line and Interchange Ramps for the following highways:

<u>ODOT Hwy. No.</u>	<u>Route</u>	<u>Highway Name</u>
1	(I-5)	Pacific Highway
2	(I-84)	Columbia River Highway
6	(I-84)	Old Oregon Trail
4	(US 97)	The Dalles-California Highway
47	(US 26)	Sunset Highway
61	(I-405)	Stadium Freeway Highway
64	(I-205)	East Portland Freeway
69	(OR569)	Beltline Highway
70	(I-82)	McNary Highway
144	(OR 217)	Beaverton–Tigard Highway
162	(OR 22)	North Santiam Highway
227	(I-105 & OR 126)	Eugene–Springfield Highway

Section IV **Traffic Trends at Automatic Traffic Recorder Stations**

This section contains a Summary of Traffic Data collected at Automatic Traffic Recorder Stations during the past ten years. Stations with less than ten years of historical data are shown from the date of installation to the present date. The data includes yearly comparisons of AADT, seasonal variation by months, peak days, and peak hours. When a new highway is completed and opens to traffic for only part of the year, or an existing ATR is operational for only part of the year, only certain table information is provided. As of 2015, the vehicle classes no longer appear in this document. Instead, links are provided for web sites with vehicle class information for all the state traffic locations instead of only at the ATRs.

Each vehicle classification breakdown was derived from a twenty-four hour manual count, forty-eight hour tube count, or permanent Automatic Vehicle Classifier.

Asterisks (*) are used to indicate items that were out of the norm or unavailable. Some ATRs were under construction for too much of the year to have critical hour data or to be reasonably used for seasonal factoring. Others have data, but are inappropriate for use because of events such as fires or landslide closures.

2018 TREND DATA

Gasoline distributed to retail dealers during 2018 increased 0.2 percent as compared to 2017.

Diesel Fuel distributed to retail dealers during 2018 increased 1.2 percent as compared to 2017.

The motor vehicle registrations during 2018 increased 2.0 percent as compared to 2017. Historical motor vehicle registration data may also be found on the web at:

http://www.oregon.gov/odot/dmv/pages/news/vehicle_stats.aspx

The Vehicle Miles of Travel (VMT) during 2018 increased 1.7% percent on State Highways as compared to 2017. Historical VMT data may also be found on the web at:

<http://www.oregon.gov/ODOT/Data/Pages/Traffic-Counting.aspx>

(Then click on link: Vehicle Miles Travelled)

Oregon State Highway Vehicle Miles Traveled		
Year	VMT	% Change
2018	21,771,800,000	1.7%
2017	21,403,600,000	0.2%
2016	21,369,100,000	3.3%
2015	20,678,200,000	4.5%
2014	19,781,900,000	1.0%
2013	19,583,800,000	0.9%
2012	19,416,500,000	-0.1%
2011	19,431,700,000	-1.5%
2010	19,731,200,000	-0.5%
2009	19,830,600,000	1.7%
2008	19,504,300,000	-5.2%
2007	20,584,500,000	-0.4%
2006	20,664,000,000	-0.3%
2005	20,723,100,000	-0.2%
2004	20,754,300,000	-0.3%
2003	20,819,400,000	-0.6%
2002	20,940,700,000	2.0%
2001	20,529,100,000	0.4%
2000	20,450,700,000	0.6%
1999	20,320,700,000	3.1%
1998	19,716,000,000	1.8%
1997	19,376,500,000	3.0%
1996	18,809,300,000	2.2%
1995	18,406,900,000	2.4%
1994	17,975,400,000	2.7%

(Rounded to the nearest 100,000)

SECTION I

INTRODUCTION TO **TRAFFIC VOLUMES ON THE STATE HIGHWAY SYSTEM**

Section I contains a tabulation of vehicular traffic at various locations on the State Highway System. This tabulation is designed for use with the State Highway Numbering System.

This section includes:

- Cross Reference Table I: ODOT State Highway Numbers, Highway Names, and Highway Route Numbers, beginning on page 13.
- Cross Reference Table II: Interstate Route Numbers, Highway Names, and ODOT Highway Numbers, beginning on page 17.
- Cross Reference Table III: US Route Numbers, Highway Names, and ODOT Highway Numbers, beginning on page 18.
- Cross Reference Table IV: Oregon Route Numbers, Highway Names, and ODOT Highway Numbers, beginning on page 19.
- Table V: Tabular list of the year each highway was last counted, beginning on page 24.
- A map showing the State Highway Numbering System with accompanying Highway Route Numbers, on page 27 and 28.

This publication lists each highway in the order of its State Highway Numbers. The following reference lists the State Highway Number, Highway Name, and Highway Route Numbers that traverse all or a portion of each State Highway. A route common with another for less than one mile is not shown.

October 2018

CROSS REFERENCE TABLE I **ODOT Highway Numbers, Highway Names, and Route Numbers**

HWY #	HIGHWAY NAME	ROUTE NUMBER(S)
1	Pacific	I-5, US30, OR99, OR99E, OR138
2	Columbia River	I-84, US30, US395, US730
3	Oswego	OR43
4	The Dalles-California	US26, US30, US97, US197, OR216
5	John Day	US26, US395, OR19, OR206, OR207

CROSS REFERENCE TABLE I (CONTINUED)		
HWY #	HIGHWAY NAME	ROUTE NUMBER(S)
6	Old Oregon Trail	I-84, US30, US395
7	Central Oregon	US20, US26, US395, OR201
8	Oregon-Washington	US30, OR11
9	Oregon Coast	US101, OR255
10	Wallowa Lake	OR82
11	Enterprise-Lewiston	OR3
12	Baker-Copperfield	OR7, OR86, OR86S
14	Crooked River	OR27
15	McKenzie	US20, OR126, OR126Bus, OR242
16	Santiam	US20, OR126
17	McKenzie-Bend	US20, US97Bus
18	Willamette	OR58
19	Fremont	US395, OR31, OR140
20	Klamath Falls-Lakeview	US97Bus, OR39, OR140
21	Green Springs	OR66, OR140
22	Crater Lake	OR62
23	Dairy-Bonanza	OR70
25	Redwood	US199, OR99
26	Mt. Hood	US26, OR35
27	Alsea	OR34
28	Pendleton-John Day	US395, OR37
29	Tualatin Valley	OR8, OR47
30	Willamina-Salem	OR22
31	Albany-Corvallis	US20
32	Three Rivers	OR22
33	Corvallis-Newport	US20, OR34
35	Coos Bay-Roseburg	OR42, OR99
36	Pendleton-Cold Springs	OR37
37	Wilson River	OR6
38	Oregon Caves	OR46
39	Salmon River	OR18, OR22, OR233
40	Beaverton-Hillsdale	OR10
41	Ochoco	US26, OR126
42	Sherman	US97
43	Monmouth-Independence	OR51
44	Wapinitia	OR216
45	Umpqua	OR38, OR99
46	Necanicum	OR53
47	Sunset	US26, OR47
48	John Day-Burns	US395
49	Lakeview-Burns	US395
50	Klamath Falls-Malin	US97Bus, OR39, OR140
51	Wilsonville-Hubbard	OR551
52	Heppner	OR74, OR207
53	Warm Springs	US26
54	Umatilla-Stanfield	US395
58	Albany-Junction City	US20, OR99E
60	Rogue River	OR99
61	Stadium	I-405, US26, US30
62	Florence-Eugene	OR126
63	Rogue Valley	OR99

CROSS REFERENCE TABLE I (CONTINUED)		
HWY #	HIGHWAY NAME	ROUTE NUMBER(S)
64	East Portland Freeway	I-205, OR213, OR224
66	LaGrande-Baker	US30, OR7, OR203, OR237
67	Pendleton	US30, OR37
68	Cascade Highway North	OR213
69	Beltline	OR126, OR569
70	McNary	I-82, US395
71	Whitney	OR7
72	Salem	OR22, OR99E Bus
75	Sunrise Expressway	OR2122
81	Pacific Highway East	OR99E, OR214
91	Pacific Highway West	US20, OR10, OR99, OR99W, OR126, OR126Bus, OR219
92	Lower Columbia River	US30
100	Historic Columbia River	US30, OR35
102	Nehalem	US101Bus, OR47, OR202
103	Fishhawk Falls	OR103
104	Ft. Stevens	OR104
105	Warrenton-Astoria	US101Bus
110	Mist-Clatskanie	OR47
120	Swift	OR120
123	Northeast Portland	US30 Bypass
130	Little Nestucca	OR130
131	Netarts	OR131
138	North Umpqua	OR99, OR138
140	Hillsboro-Silverton	OR214, OR219
141	Beaverton-Tualatin	OR141
142	Farmington	OR10
143	Scholls	OR210
144	Beaverton-Tigard	OR217
150	Salem-Dayton	OR221
151	Yamhill-Newberg	OR240
153	Bellevue-Hopewell	OR153
154	Lafayette	OR154, OR233
155	Amity-Dayton	OR233
157	Willamina-Sheridan	OR18Bus
160	Cascade Highway South	OR213
161	Woodburn-Estacada	OR211
162	North Santiam	OR22
163	Silver Creek Falls	OR214
164	Jefferson	OR164
171	Clackamas	OR211, OR212, OR213, OR224
172	Eagle Creek-Sandy	OR211
173	Timberline	OR173
174	Clackamas-Boring	OR212
180	Eddyville-Blodgett	OR180
181	Siletz	OR229
189	Dallas-Rickreall	OR223
191	Kings Valley	OR223
193	Independence	OR51
194	Monmouth	OR194
200	Territorial	OR200
201	Alsea-Deadwood	OR501

CROSS REFERENCE TABLE I (CONTINUED)		
HWY #	HIGHWAY NAME	ROUTE NUMBER(S)
210	Corvallis-Lebanon	US20, OR34
211	Albany-Lyons	OR226
212	Halsey-Sweet Home	OR228
215	Clear Lake-Belknap Springs	OR126
222	Springfield-Creswell	OR222
225	McVay	OR225
226	Goshen-Divide	OR99
227	Eugene-Springfield	I-105, OR126
228	Springfield	OR528
229	Mapleton-Junction City	OR36
230	Tiller-Trail	OR227
231	Elkton-Sutherlin	OR138
233	West Diamond Lake	OR230
240	Cape Arago	OR540
241	Coos River	OR241
242	Powers	OR542
244	Coquille-Bandon	OR42S
250	Cape Blanco	OR250
251	Port Orford	OR251
255	Carpenterville	OR255
260	Rogue River Loop	OR260
270	Lake of the Woods	OR140
271	Sams Valley	OR99, OR234
272	Jacksonville	OR238
273	Siskiyou	OR273
281	Hood River	OR281
282	Odell	OR282
290	Sherars Bridge	OR216
291	Shaniko-Fossil	OR218
292	Mosier-The Dalles	US30
293	Antelope	OR293
300	Wasco-Heppner	OR206, OR207
301	Celilo-Wasco	OR206
320	Lexington-Echo	OR207
321	Heppner-Spray	OR207
330	Weston-Elgin	OR204
331	Umatilla Mission	OR331
332	Sunnyside-Umapine	OR332
333	Hermiston	OR207
334	Athena-Holdman	OR334
335	Havana-Helix	OR335
339	Freewater	OR339
340	Medical Springs	OR203
341	Ukiah-Hilgard	OR244
342	Cove	OR237
350	Little Sheep Creek	OR350
351	Joseph-Wallowa Lake	OR351
360	Madras-Prineville	US26
361	Culver	OR361
370	O'Neil	OR370
372	Century Drive	None

CROSS REFERENCE TABLE I (CONTINUED)		
HWY #	HIGHWAY NAME	ROUTE NUMBER(S)
380	Paulina	OR380
390	Service Creek-Mitchell	OR207
402	Kimberly-Long Creek	OR402
410	Sumpter	OR410
413	Halfway-Cornucopia	OR413
414	Pine Creek	OR414
415	Dooley Mountain	OR245
420	Midland	None
422	Chiloquin	OR422
424	South Klamath Falls	OR140
426	Hatfield	OR39
429	Crescent Lake	OR429
431	Warner	OR140
440	Frenchglen	OR205
442	Steens	OR78
449	Huntington	US30
450	Succor Creek	OR201
451	Vale-West	OR451
453	Adrian-Arena Valley	OR453
454	Adrain-Caldwell	OR454
455	Olds Ferry-Ontario	US30Bus, OR201
456	I.O.N.	US95
481	Baker-Copperfield Spur	OR86S
482	Redwood Spur	None
483	McMinnville Spur	OR18
484	Esplanade Spur	US97Bus
485	Fort Stevens Spur	OR104S
486	Gold Hill Spur	OR99, OR234
487	Celilo-Wasco Spur	None
488	Chiloquin Spur	OR422S
489	Parma Spur	OR452
490	Homedale Spur	OR201
491	Weiser Spur	US95S
492	Payette Spur	OR52
493	Ontario Spur	US30, US30Bus

CROSS REFERENCE TABLE II

Interstate Route Numbers, Highway Names, and State Highway Numbers

INTERSTATE ROUTE NUMBERS TO STATE HIGHWAY NUMBERS

INTERSTATE #	HIGHWAY NAME	HWY #
I-5	Pacific	1
I-82	McNary	70
I-84	Columbia River	2
I-84	Old Oregon Trail	6
I-105	Eugene-Springfield Highway	227
I-205	East Portland Freeway	64
I-405	Stadium Freeway	61

CROSS REFERENCE TABLE III
US Route Numbers, Highway Names, and State Highway Numbers

The following cross reference lists the US Route Number, Highway Name, and State Highway Number. A State Highway may traverse all or a portion of the Route Number. A route common with another for less than one mile is not shown.

US Route Numbers, Highway Names, and State Highway Numbers		
US ROUTE	HIGHWAY NAME	HWY #
US20	Albany-Corvallis	31
US20	Albany-Junction City	58
US20	Central Oregon	7
US20	Corvallis-Lebanon	210
US20	Corvallis-Newport	33
US20	McKenzie	15
US20	McKenzie-Bend	17
US20	Pacific Highway West	91
US20	Santiam	16
US26	Central Oregon	7
US26	John Day	5
US26	Madras-Prineville	360
US26	Mt. Hood	26
US26	Ochoco	41
US26	Stadium Freeway	61
US26	Sunset	47
US26	The Dalles-California	4
US26	Warm Springs	53
US26	Nehalem	102
US30	Columbia River	2
US30	Historic Columbia River	100
US30	Huntington	449
US30	LaGrande-Baker	66
US30	Lower Columbia River	92
US30	Mosier-The Dalles	292
US30	Old Oregon Trail	6
US30	Ontario Spur	493
US30	Oregon-Washington	8
US30	Pacific	1
US30	Pendleton	67
US30	Stadium Freeway	61
US30	The Dalles-California	4
US30Bus	Olds Ferry-Ontario	455
US30Bus	Ontario Spur	493
US30 Bypass	Northeast Portland	123
US95	I.O.N	456
US95S	Weiser Spur	491
US97	Sherman	42
US97	The Dalles-California	4
US97Bus	Esplanade Spur	484
US97Bus	Klamath Falls-Lakeview	20
US97Bus	Klamath Falls-Malin	50
US97Bus	McKenzie-Bend	17

CROSS REFERENCE TABLE III – US Routes (CONTINUED)		
US ROUTE	HIGHWAY NAME	HWY #
US101	Oregon Coast	9
US101Bus	Nehalem	102
US101Bus	Warrenton-Astoria	105
US197	The Dalles-California	4
US199	Redwood	25
US395	Central Oregon	7
US395	Columbia River	2
US395	Fremont	19
US395	John Day	5
US395	John Day-Burns	48
US395	Lakeview-Burns	49
US395	McNary	70
US395	Old Oregon Trail	6
US395	Pendleton-John Day	28
US395	Umatilla-Stanfield	54
US730	Columbia River	2

CROSS REFERENCE TABLE IV
Oregon Route Numbers, Highway Names, and State Highway Numbers

The following cross reference lists the Oregon Route Number, Highway Name, and State Highway Number. A State Highway may traverse all or a portion of the Oregon Route Number. A route common with another for less than one mile is not shown.

Oregon Route Numbers, Highway Names, and State Highway Numbers		
OR ROUTE	HIGHWAY NAME	HWY#
OR3	Enterprise-Lewiston	11
OR6	Wilson River	37
OR7	Baker-Copperfield	12
OR7	La Grande-Baker	66
OR7	Whitney	71
OR8	Tualatin Valley	29
OR10	Beaverton-Hillsdale	40
OR10	Farmington	142
OR10	Pacific Highway West	91
OR11	Oregon-Washington	8
OR18	McMinnville Spur	483
OR18	Salmon River	39
OR18Bus	Willamina-Sheridan	157
OR19	John Day	5
OR22	North Santiam	162
OR22	Salem	72
OR22	Salmon River	39
OR22	Three Rivers	32
OR22	Willamina-Salem	30
OR27	Crooked River	14
OR31	Fremont	19

CROSS REFERENCE TABLE IV – Oregon Routes (CONTINUED)		
OR ROUTE	HIGHWAY NAME	HWY #
OR34	Alsea	27
OR34	Corvallis-Lebanon	210
OR34	Corvallis-Newport	33
OR34	Pacific Highway West	91
OR35	Historic Columbia River	100
OR35	Mt. Hood	26
OR36	Mapleton-Junction City	229
OR37	Pendleton	67
OR37	Pendleton-Cold Springs	36
OR37	Pendleton-John Day	28
OR38	Umpqua	45
OR39	Hatfield	426
OR39	Klamath Falls-Lakeview	20
OR39	Klamath Falls-Malin	50
OR42	Coos Bay-Roseburg	35
OR42S	Coquille-Bandon	244
OR43	Oswego	3
OR46	Oregon Caves	38
OR47	Mist-Clatskanie	110
OR47	Nehalem	102
OR47	Sunset	47
OR47	Tualatin Valley	29
OR51	Independence	193
OR51	Monmouth-Independence	43
OR52	Payette Spur	492
OR53	Necanicum	46
OR58	Willamette	18
OR62	Crater Lake	22
OR66	Green Springs	21
OR70	Dairy-Bonanza	23
OR74	Heppner	52
OR78	Steens	442
OR82	Wallowa Lake	10
OR86	Baker-Copperfield	12
OR86S	Baker-Copperfield	12
OR86S	Baker-Copperfield Spur	481
OR99	Coos Bay-Roseburg	35
OR99	Gold Hill Spur	486
OR99	Goshen-Divide	226
OR99	North Umpqua	138
OR99	Pacific	1
OR99	Pacific Highway West	91
OR99	Redwood	25
OR99	Rogue River	60
OR99	Rogue Valley	63
OR99	Sams Valley	271
OR99	Umpqua	45
OR99	Willamette	18
OR99E	Albany-Junction City	58
OR99E	Pacific	1
OR99E	Pacific Highway East	81

CROSS REFERENCE TABLE IV – Oregon Routes (CONTINUED)		
OR ROUTE	HIGHWAY NAME	HWY #
OR99E Bus	Salem	72
OR99W	Pacific Highway West	91
OR103	Fishhawk Falls	103
OR104	Ft. Stevens	104
OR104S	Ft. Stevens Spur	485
OR120	Swift	120
OR126	Beltline	69
OR126	Clear Lake-Belknap Springs	215
OR126	Eugene-Springfield	227
OR126	Florence-Eugene	62
OR126	McKenzie	15
OR126	Ochoco	41
OR126	Pacific Highway West	91
OR126	Santiam	16
OR126Bus	McKenzie	15
OR126Bus	Pacific Highway West	91
OR130	Little Nestucca	130
OR131	Netarts	131
OR138	Elkton-Sutherlin	231
OR138	North Umpqua	138
OR138	Pacific	1
OR140	Fremont	19
OR140	Green Springs	21
OR140	Klamath Falls-Lakeview	20
OR140	Klamath Falls-Malin	50
OR140	Lake of the Woods	270
OR140	South Klamath Falls	424
OR140	Warner	431
OR141	Beaverton-Tualatin	141
OR153	Bellevue-Hopewell	153
OR154	Lafayette	154
OR164	Jefferson	164
OR173	Timberline	173
OR180	Eddyville-Blodgett	180
OR194	Monmouth	194
OR200	Territorial	200
OR201	Central Oregon	7
OR201	Homedale Spur	490
OR201	Olds Ferry-Ontario	455
OR201	Succor Creek	450
OR202	Nehalem	102
OR203	LaGrande-Baker	66
OR203	Medical Springs	340
OR204	Weston-Elgin	330
OR205	Frenchglen	440
OR206	Celilo-Wasco	301
OR206	Wasco-Heppner	300
OR207	Heppner	52
OR207	Heppner-Spray	321
OR207	Hermiston	333
OR207	John Day	5

CROSS REFERENCE TABLE IV – Oregon Routes (CONTINUED)		
OR ROUTE	HIGHWAY NAME	HWY #
OR207	Lexington-Echo	320
OR207	Service Creek-Mitchell	390
OR207	Wasco-Heppner	300
OR210	Scholls	143
OR211	Clackamas	171
OR211	Eagle Creek-Sandy	172
OR211	Woodburn-Estacada	161
OR212	Sunrise Expressway	75
OR212	Clackamas	171
OR212	Clackamas-Boring	174
OR213	Cascade Highway South	160
OR213	Cascade Highway North	68
OR213	Clackamas	171
OR213	East Portland Freeway	64
OR214	Hillsboro-Silverton	140
OR214	Pacific Highway East	81
OR214	Silver Creek Falls	163
OR216	Sherars Bridge	290
OR216	The Dalles-California	4
OR216	Wapinitia	44
OR217	Beaverton-Tigard	144
OR218	Shaniko-Fossil	291
OR219	Hillsboro-Silverton	140
OR221	Salem-Dayton	150
OR222	Springfield-Creswell	222
OR223	Dallas-Rickreall	189
OR223	Kings Valley	191
OR224	Clackamas	171
OR224	East Portland Freeway	64
OR225	McVay	225
OR226	Albany-Lyons	211
OR227	Tiller-Trail	230
OR228	Halsey-Sweet Home	212
OR229	Siletz	181
OR230	West Diamond Lake	233
OR233	Amity-Dayton	155
OR233	Lafayette	154
OR233	Salmon River	39
OR234	Gold Hill Spur	486
OR234	Sams Valley	271
OR237	Cove	342
OR237	LaGrande-Baker	66
OR238	Jacksonville	272
OR240	Yamhill-Newberg	151
OR241	Coos River	241
OR242	McKenzie	15
OR244	Ukiah-Hilgard	341
OR245	Dooley Mountain	415
OR250	Cape Blanco	250
OR251	Port Orford	251
OR255	Carpenterville	255

CROSS REFERENCE TABLE IV – Oregon Routes (CONTINUED)		
OR ROUTE	HIGHWAY NAME	HWY #
OR260	Rogue River Loop	260
OR273	Siskiyou	273
OR281	Hood River	281
OR282	Odell	282
OR293	Antelope	293
OR331	Umatilla Mission	331
OR332	Sunnyside-Umapine	332
OR334	Athena-Holdman	334
OR335	Havana-Helix	335
OR339	Freewater	339
OR350	Little Sheep Creek	350
OR351	Joseph-Wallowa Lake	351
OR361	Culver	361
OR370	O'Neil	370
OR380	Paulina	380
OR402	Kimberly-Long Creek	402
OR410	Sumpter	410
OR413	Halfway-Cornucopia	413
OR414	Pine Creek	414
OR422	Chiloquin	422
OR422S	Chiloquin Spur	488
OR429	Crescent Lake	429
OR451	Vale-West	451
OR452	Parma Spur	489
OR453	Adrian-Arena Valley	453
OR454	Adrian-Caldwell	454
OR501	Alsea-Deadwood	201
OR528	Springfield	228
OR540	Cape Arago	240
OR542	Powers	242
OR551	Wilsonville-Hubbard	51
OR569	Beltline	69

TABLE V - HIGHWAY COUNT SCHEDULE

The traffic counting program on the state highway system is conducted over a three year period. The tabulation below lists the year that each highway was last counted.


HWY NO.	HIGHWAY NAME	YEAR COUNTED
1	Pacific	17
2	Columbia River	17
3	Oswego	18
4	The Dalles-California	17
5	John Day	18
6	Old Oregon Trail	17
7	Central Oregon	18
8	Oregon-Washington	16
9	Oregon Coast	18
10	Wallowa Lake	16
11	Enterprise-Lewiston	16
12	Baker-Copperfield	16
14	Crooked River	18
15	McKenzie	16
16	Santiam	16
17	McKenzie-Bend	17
18	Willamette	16
19	Fremont	16
20	Klamath Falls-Lakeview	16
21	Green Springs	16
22	Crater Lake	16
23	Dairy-Bonanza	16
25	Redwood	18
26	Mt. Hood	18
27	Alsea	18
28	Pendleton-John Day	18
29	Tualatin Valley	18
30	Willamina-Salem	17
31	Albany-Corvallis	17
32	Three Rivers	18
33	Corvallis-Newport	18
35	Coos Bay-Roseburg	18
36	Pendleton-Cold Springs	16
37	Wilson River	18
38	Oregon Caves	18
39	Salmon River	18
40	Beaverton-Hillsdale	18
41	Ochoco	18
42	Sherman	16
43	Monmouth-Independence	17
44	Wapinitia	18
45	Umpqua	18
46	Necanicum	18
47	Sunset	17
48	John Day-Burns	17
49	Lakeview-Burns	16

HWY NO.	HIGHWAY NAME	YEAR COUNTED
50	Klamath Falls-Malin	16
51	Wilsonville-Hubbard	17
52	Heppner	18
53	Warm Springs	17
54	Umatilla-Stanfield	18
58	Albany-Junction City	18
60	Rogue River	16
61	Stadium	17
62	Florence-Eugene	18
63	Rogue Valley	16
64	East Portland Freeway	17
66	La Grande-Baker	16
67	Pendleton	17
68	Cascade (N. Section)	18
69	Beltline	17
70	McNary	17
71	Whitney	16
72	Salem	18
75	Sunrise Expressway	17
81	Pacific Highway E	16
91	Pacific Highway W	16
92	Lower Columbia River	16
100	Historic Columbia River	16
102	Nehalem	18
103	Fishhawk Falls	18
104	Ft. Stevens	18
105	Warrenton-Astoria	18
110	Mist Clatskanie	18
120	Swift	17
123	Northeast Portland	17
130	Little Nestucca	18
131	Netarts	18
138	North Umpqua	16
140	Hillsboro-Silverton	16
141	Beaverton-Tualatin	18
142	Farmington	18
143	Scholls	18
144	Beaverton-Tigard	17
150	Salem-Dayton	17
151	Yamhill-Newberg	17
153	Bellevue-Hopewell	17
154	Lafayette	17
155	Amity-Dayton	17
157	Willamina-Sheridan	18
160	Cascade (S. Section)	16

TABLE V - HIGHWAY COUNT SCHEDULE (CONTINUED)

HWY NO.	HIGHWAY NAME	YEAR COUNTED
161	Woodburn-Estacada	16
162	North Santiam	17
163	Silver Creek Falls	18
164	Jefferson	17
171	Clackamas	16
172	Eagle Creek-Sandy	16
173	Timberline	16
174	Clackamas-Boring	16
180	Eddyville-Blodgett	18
181	Siletz	18
189	Dallas-Rickreall	18
191	Kings Valley	18
193	Independence	17
194	Monmouth	18
200	Territorial	18
201	Alsea-Deadwood	18
210	Corvallis-Lebanon	16
211	Albany-Lyons	16
212	Halsey-Sweet Home	16
215	Clear Lake-Belknap Springs	16
222	Springfield-Creswell	16
225	McVay	16
226	Goshen-Divide	18
227	Eugene-Springfield	17
228	Springfield	16
229	Mapleton-Junction City	18
231	Elkton-Sutherlin	18
233	West Diamond Lake	16
240	Cape Arago	18
241	Coos River	18
242	Powers	18
244	Coquille-Bandon	18
250	Cape Blanco	18
251	Port Orford	18
255	Carpenterville	18
260	Rogue River Loop	16
270	Lake of the Woods	16
271	Sams Valley	16
272	Jacksonville	16
273	Siskiyou	17
281	Hood River	16
282	Odell	16
290	Sherars Bridge	18
291	Shaniko-Fossil	18
292	Mosier-The Dalles	17
293	Antelope	18
300	Wasco-Heppner	18
301	Celilo-Wasco	16
320	Lexington-Echo	18
321	Heppner-Spray	18
330	Weston-Elgin	16

HWY NO.	HIGHWAY NAME	YEAR COUNTED
331	Umatilla Mission	16
332	Sunnyside-Umapine	16
333	Hermiston	18
334	Athena-Holdman	16
335	Havana-Helix	16
339	Freewater	16
340	Medical Springs	16
341	Ukiah-Hilgard	17
342	Cove	16
350	Little Sheep Creek	16
351	Joseph-Wallowa Lake	16
360	Madras-Prineville	18
361	Culver	18
370	O'Neil	18
372	Century Drive	18
380	Paulina	18
390	Service Creek-Mitchell	18
402	Kimberly-Long Creek	18
410	Sumpter	16
413	Halfway-Cornucopia	16
414	Pine Creek	16
415	Dooley Mountain	16
420	Midland	16
422	Chiloquin	16
424	South Klamath Falls	16
426	Hatfield	16
429	Crescent Lake	16
431	Warner	16
440	Frenchglen	18
442	Steens	18
449	Huntington	17
450	Succor Creek	18
451	Vale-West	18
453	Adrian-Arena Valley	18
454	Adrian-Caldwell	18
455	Olds Ferry-Ontario	17
456	I.O.N.	18
481	Baker-Copperfield Spur	16
482	Redwood Spur	18
483	McMinnville Spur	18
484	Esplanade Spur	16
485	Fort Stevens Spur	18
486	Gold Hill Spur	16
487	Celilo-Wasco Spur	16
488	Chiloquin Spur	16
489	Parma Spur	18
490	Homedale Spur	18
491	Weiser Spur	16
492	Payette Spur	17
493	Ontario Spur	17



STATE OF OREGON
STATE HIGHWAY SYSTEM

PREPARED BY THE
OREGON DEPARTMENT OF TRANSPORTATION
TRANSPORTATION DEVELOPMENT DIVISION
TRANSPORTATION DATA SECTION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SEE
ENLARGEMENT
OTHER SIDE

332 State Highway Number

5 Interstate Route

101 US Route

11 Oregon Route



OREGON
DEPARTMENT OF
TRANSPORTATION
SEPTEMBER 2018

0 25 50
Miles

DISCLAIMER:
This product is for informational purposes only and may not have been prepared for or be suitable for legal, engineering or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.

STATE OF OREGON
STATE HIGHWAY SYSTEM
PORTLAND AREA ENLARGEMENT

PREPARED BY THE
OREGON DEPARTMENT OF TRANSPORTATION
TRANSPORTATION DEVELOPMENT DIVISION
TRANSPORTATION DATA SECTION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SEPTEMBER 2018


100

State Highway Number

Interstate Route

U.S. Route

OR Route



DISCLAIMER:
This product is for informational purposes only and may not have been prepared for or be suitable for legal, engineering or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.

SECTION II

TRAFFIC VOLUMES ON STATE HIGHWAYS

An asterisk (*) appearing to the left of a count location description indicates an Automatic Traffic Recorder (ATR) Station or Automatic Vehicle Classification (AVC) Station. See Section IV of this book for 2018 monthly traffic volumes, high hour volumes and historical trends at these stations.

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY NO. 1
			<i>Milepoint indicates distance from Oregon-California State Line</i>
0.00	16500		At Oregon-California State Line
5.02	16500		0.30 mile south of Siskiyou Interchange
11.03	16900	*	Neil Creek Automatic Traffic Recorder, Sta. 15-002, 0.86 mile south of Rogue Valley Highway No. 63 Interchange (OR99)
13.67	16300		0.50 mile south of Green Springs Highway Interchange (OR66)
18.11	27900	*	North Ashland Automatic Traffic Recorder, Sta. 15-021, 0.98 mile south of North Ashland Interchange
19.87	38900		0.77 mile north of North Ashland Interchange
23.90	41600		0.50 mile south of Fern Valley Road Interchange
26.91	43400		0.30 mile south of South Medford Interchange
28.33	54000	*	Medford Viaduct Automatic Traffic Recorder, Sta. 15-019, 1.96 miles southeast of the South Medford Interchange
30.59	43400		0.30 mile north of Crater Lake Highway Interchange (OR62)
34.94	39400		0.50 mile south of Seven Oaks Interchange
36.04	41700		0.60 mile north of Seven Oaks Interchange
42.84	40500	*	Gold Hill Automatic Traffic Recorder, Sta. 15-001, 2.77 miles south of the Valley of the Rogue Bridge Interchange
44.97	40800		0.50 mile east of Rogue River Highway (OR99), Homestead Interchange
45.61	39800		On Rogue River Bridge
48.32	39500		0.50 mile east of Rogue River Interchange
55.38	38100		0.40 mile south of East Grants Pass Interchange (US199)
57.56	28600		0.50 mile south of Redwood Highway (OR99), North Grants Pass Interchange
61.05	31900		0.40 mile south of Louse Creek Interchange
64.20	23300	*	Grave Creek Automatic Traffic Recorder, Sta. 17-001, 2.08 miles south of Monument Drive (Jump Off Joe) Interchange
71.29	21900		0.10 mile south of Sunny Valley Interchange
75.73	21400		0.30 mile south of South Wolf Creek Interchange
76.50	20400		0.10 mile south of North Wolf Creek Interchange
77.91	20900		0.20 mile south of Speaker Road Interchange
80.30	21000		0.50 mile south of Glendale Junction Interchange
83.09	21100		0.20 mile south of Barton Road Interchange
85.84	20600		0.30 mile south of Quines Creek Road Interchange
87.72	20900		0.40 mile south of Azalea Interchange
95.52	21000		0.30 mile south of Canyon Creek Interchange
97.68	21200		0.60 mile south of Canyonville Interchange
98.82	21900	*	Canyonville Automatic Traffic Recorder, Sta. 10-008, 0.54 mile north of Canyonville/Days Creek Interchange (Fifth Street)
101.10	24400		0.30 mile south of Riddle (Yokum Road) Interchange
101.60	24500		0.30 mile south of Gazley Road Interchange
103.65	24800		0.30 mile south of Riddle Road Interchange
106.41	27200		0.30 mile south of Weaver Road Interchange
107.91	28100		0.40 mile south of Myrtle Creek Interchange
109.86	30000		0.50 mile south of Boomer Hill Road Interchange
112.03	30000		0.50 mile south of Dillard Junction Interchange
113.14	28000		0.30 mile south of Clarks Branch Road Interchange
119.01	27000		0.50 mile south of Coos Bay-Roseburg Highway Interchange (OR99)
120.01	45400		0.50 mile north of Coos Bay-Roseburg Highway Interchange (OR99)
120.79	44800		0.30 mile north of Oakland-Shady Highway Interchange (OR99)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY NO. 1 (Continued)
122.71	45100		0.30 mile south of Fairgrounds Interchange
123.84	46200		0.30 mile south of West Harvard Avenue Interchange
124.78	51000		0.30 mile south of Garden Valley Road Interchange
126.83	37100		0.40 mile south of North Roseburg Interchange
129.12	36100		0.10 mile south of Winchester Interchange
130.15	34600	*	Roseburg Automatic Traffic Recorder, Sta. 10-005, 0.70 mile north of Winchester Interchange
136.02	30300		0.50 mile south of Elkton-Sutherlin Highway Interchange (OR138)
136.72	25000		0.20 mile north of Elkton-Sutherlin Highway Interchange (OR138)
138.46	24000		0.10 mile north of South Oakland Interchange
140.77	24800		0.50 mile north of North Oakland Interchange
145.39	24500	*	Oakland Automatic Traffic Recorder, Sta. 10-007, 5.06 miles north of OR99
148.11	24400		0.10 mile south of North Rice Hill Interchange
149.94	23600		0.40 mile south of Yoncalla Interchange
151.57	22400		Yoncalla Automatic Traffic Recorder, Sta. 10-010, 0.20 miles south of Wilson Road overpass
155.54	22500		1.00 mile north of Elkhead Road Interchange
159.94	22700		0.20 mile south of Salt Springs Road Interchange
161.61	22700		0.10 mile south of Buck Creek Road Connection
162.06	22700		0.30 mile south of Umpqua Highway Interchange (OR99)
163.13	26700		0.30 mile south of Curtin Interchange
168.01	27200		0.36 mile south of Goshen-Divide Interchange at Lane-Douglas County Line
170.25	25700	*	Martin Creek Automatic Traffic Recorder Sta. 20-020, 2.24 miles northeast of Douglas-Lane County Line
174.64	28600		0.10 mile south of Cottage Grove Interchange
176.46	37700		0.30 mile south of Saginaw Interchange
182.53	37800		0.30 mile south of Springfield-Creswell Highway Interchange
183.13	43400		0.30 mile north of Springfield-Creswell Highway Interchange
187.83	43000		1.00 mile south of Willamette Highway Interchange (OR58)
189.03	58400		0.20 mile south of Bonneville Power Interchange (30th Avenue Connection)
190.07	51400		0.20 mile south of McVay Highway Connection
190.92	61200	*	Eugene-Glenwood Automatic Traffic Recorder, Sta. 20-025, 1.06 miles south of Glenwood Interchange
192.15	66200		0.10 mile south of Pacific Highway West (OR99)
193.44	60800		0.50 mile south of Eugene-Springfield Highway Interchange (I-105)
195.10	77700		0.35 mile south of Belt Line Road Interchange (OR569)
198.85	47900		0.30 mile south of Van Duyn Road Interchange
208.76	42700		0.30 mile south of Diamond Hill Interchange
214.56	42600	*	Lake Creek Automatic Traffic Recorder, Sta. 22-016, 2.01 miles south of Halsey-Sweet Home Highway No. 212 Interchange (OR228)
227.69	44100		0.40 mile south of Corvallis-Lebanon Highway Interchange (OR34)
232.93	55000		0.30 mile south of Santiam Highway Interchange (US20)
233.73	55100		0.50 mile south of Albany-Junction City Highway Interchange (OR99E)
234.80	70600	*	North Albany Automatic Traffic Recorder, Sta. 22-005, 0.41 mile north of Albany-Junction City Highway No. 58 (OR99E)
237.37	69000		0.30 mile south of Viewcrest Interchange
238.12	69500		0.10 mile south of Jefferson Highway Overcrossing (South Jct.)
239.47	68400		0.20 mile south of Dever Interchange
240.10	68500		0.59 mile south of Santiam River
241.83	68500		0.30 mile south of Talbot Interchange
243.33	68600		0.20 mile south of Ankeny Hill Road Interchange

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY NO. 1 (Continued)
244.26	68200		0.20 mile south of Jefferson Highway Interchange (North Jct.)
248.01	70800		0.40 mile south of Battle Creek-Sunnyside Interchange
248.56	70400		0.80 mile south of Commercial Street Connection
251.03	68600		0.50 mile south of Kuebler Interchange
252.20	85100	*	Salem-Kuebler Automatic Traffic Recorder, Sta. 24-021, 0.02 mile north of Turner Road overcrossing
255.98	102100		0.30 mile south of Market Street Interchange
258.10	101100		0.40 mile south of Hayesville Interchange
259.50	92400		0.70 mile south of Chemawa Road Interchange (OR99E Bus)
263.09	100200		0.40 mile south of Brooks Interchange
271.55	94100		0.30 mile south of Hillsboro-Silverton Highway Interchange (OR214)
278.27	97600		0.40 mile south of Aurora-Donald Interchange (Ehlen Road)
281.20	99700	*	Wilsonville Automatic Traffic Recorder, Sta. 03-011, 1.38 miles south of Wilsonville-Hubbard Highway No. 51 Interchange (OR551)
283.58	131700		0.30 mile south of Wilsonville Interchange
285.88	130500		0.30 mile south of Stafford Road Interchange
287.91	143300		0.60 mile south of East Portland Freeway Interchange (I-205)
289.20	150800		0.30 mile south of Nyberg Road Interchange
290.14	166700	*	Tigard Automatic Traffic Recorder, Sta. 34-008, 0.34 mile south of Boones Ferry Road Interchange
290.99	164600		0.30 mile south of Upper Boones Ferry Road Interchange
291.80	162800		0.40 mile south of Beaverton-Tigard Highway Interchange (OR217)
292.80	111700		0.25 mile south of Haines Street Interchange
293.30	108600		0.30 mile south of Pacific Highway West (OR99W), Haines Street Undercrossing (Tigard Jct.)
294.74	121400		0.30 mile south of Capitol Highway Interchange
295.43	121000		0.10 mile south of Taylors Ferry Road Connection
296.24	118400		0.10 mile south of Spring Garden Road undercrossing
296.45	121900		0.10 mile south of Multnomah Boulevard undercrossing
297.08	126600		0.10 mile south of Terwilliger Boulevard undercrossing
298.24	142000	*	Iowa Street Automatic Traffic Recorder, Sta. 26-016, 1.07 miles north of SW Terwilliger Boulevard
299.13	138000		0.10 mile south of Macadam and Hood Avenue connections
299.87	123400		0.10 mile south of Stadium Freeway Interchange (I-405)
300.37	139800	*	Marquam Bridge Automatic Traffic Recorder, Sta. 26-026, 0.34 mile northeast of Stadium Freeway No. 61 Interchange (I-405)
301.09	83700		At SE Morrison Street Bridge undercrossing
301.50	64500		At Burnside Bridge undercrossing
301.70	79200		At Columbia River Highway (I-84) eastbound undercrossing
301.99	118400		Overcrossing, Northeast Holladay Street
302.70	119500		0.40 mile south of Stadium Freeway Interchange (I-405)
303.68	148100		0.30 mile south of N Going Street Interchange
304.23	125800		0.20 mile south of N Killingsworth Street overcrossing
304.66	134700	*	Minnesota Freeway Automatic Traffic Recorder, Sta. 26-019, 0.03 mile south of N Ainsworth Street undercrossing
305.14	130900		0.30 mile south of NE Portland Highway Interchange (US30 Bypass)
305.64	114900		0.20 mile north of NE Portland Highway Interchange (US30 Bypass)
306.36	100800		0.50 mile south of overcrossing Pacific Highway West (OR99W)
307.08	99500		0.38 mile south of Pacific Highway East (OR99E)
307.66	135700		0.20 mile north of Pacific Highway East (OR99E)
307.97	135700	*	Interstate Bridge Automatic Traffic Recorder, Sta. 26-004, 0.41 mile south of Oregon-Washington State Line

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			COLUMBIA RIVER HIGHWAY NO. 2
			<i>Milepoint indicates distance from Pacific Highway (I-5), in Portland</i>
0.49	143300	*	West Banfield Automatic Traffic Recorder, Sta. 26-015, 0.49 mile east of Pacific Highway No. 1 Interchange (I-5)
0.76	151300		0.24 mile east of Pacific Highway East (OR99E, Grand Avenue) Undercrossing
1.43	175400		0.57 mile west of NE 33rd Avenue Interchange
2.27	151700		0.27 mile east of NE 33rd Avenue Interchange
3.35	165900	*	Hoyt Automatic Traffic Recorder, Sta. 26-014, at the NE 53rd Avenue undercrossing
3.96	158200		0.30 mile west of NE Halsey Street ramp connection
4.81	154800		0.20 mile west of 82nd Avenue, Cascade Highway North Interchange (OR213)
5.31	145200		0.10 mile west of East Portland Freeway/I-205 connection (South Jct.)
5.99	75900		0.30 mile south of East Portland Freeway/I-205 connection (North Jct.)
6.45	57500		0.10 mile west of NE 102nd Avenue Interchange
6.75	51600		0.20 mile east of NE 102nd Avenue Interchange
			Equation: MP 7.37 BK = MP 9.70 AH
9.78	115200		0.30 mile west of NE 122nd Avenue Interchange
11.45	110900	*	Fairview Automatic Traffic Recorder, Sta. 26-028, 1.59 miles west of NE 181st Avenue Interchange
13.44	89100		0.40 mile east of NE 181st Avenue Interchange
15.20	70700		0.20 mile west of 223rd Avenue
16.46	54900		0.50 mile east of NE 238th Drive Interchange
17.32	29200		0.05 mile west of overcrossing for Troutdale connection
17.71	35100	*	Troutdale Automatic Traffic Recorder, Sta. 26-001, 0.04 mile west of Sandy River, east of Troutdale
18.12	32200		0.30 mile east of Jordan Interchange
22.40	29900		0.30 mile east of Corbett Interchange
25.19	29700		0.20 mile east of Rooster Rock State Park Interchange
28.16	28900		0.30 mile east of Bridal Veil connection
31.89	28300		0.50 mile east of Multnomah Falls Interchange
35.73	28000		0.10 mile east of Historic Columbia Highway (US30)
40.07	28000		0.20 mile west of Bonneville Dam Interchange
42.88	28100		0.50 mile west of West Cascade Locks Interchange
43.58	23300		0.20 mile east of West Cascade Locks Interchange
45.53	25100	*	Cascade Locks Automatic Traffic Recorder, Sta. 14-004, 0.20 mile east of East Cascade Locks Interchange
47.61	25600		0.30 mile east of Herman Creek Interchange
51.29	25600		0.30 mile east of Wyeth Interchange
56.34	25500		0.30 mile east of Viento Interchange
61.86	25600		0.20 mile west of West Hood River Interchange
62.92	26900		1.00 mile west of 2nd Street Interchange
64.24	32600		0.20 mile west of Hood River Bridge Interchange
69.59	26000		0.20 mile west of Mosier Interchange
75.93	24800	*	Rowena Automatic Traffic Recorder, Sta. 33-001, 0.72 mile west of the Rowena Interchange
77.15	24800		0.50 mile east of Rowena Interchange
82.62	23400		At Hostetler Way Overcrossing
83.68	24000		At Webber Street Undercrossing
85.27	25300		0.24 mile west of Brewery Grade Interchange
85.81	25200		0.30 mile east of Brewery Grade Interchange
87.31	19600		0.30 mile east of The Dalles-California Highway (US197)
89.13	19300		0.30 mile east of The Dalles Dam Interchange

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			COLUMBIA RIVER HIGHWAY NO. 2 (Continued)
97.44	18500		0.30 mile east of Celilo-Wasco Highway (OR206)
109.51	13300	*	Rufus Automatic Vehicle Classifier, Sta. 28-002, 0.44 mile west of Rufus/John Day Dam Interchange
110.25	13100		0.30 mile east of Rufus Interchange
114.55	13100		0.32 mile east of West John Day Interchange, Sherman-Gilliam County Line
123.61	13100		0.30 mile east of Philippi Canyon Interchange
129.73	13100		0.30 mile east of Blalock Interchange
137.02	13100		0.80 mile west of Arlington Interchange, John Day Highway (OR19)
146.16	13100		8.34 miles east of Arlington Interchange
147.78	13100	*	Heppner Junction Automatic Vehicle Classifier, Sta. 11-009, 0.43 mile east of Heppner Highway No. 52 (OR74)
159.00	13600		0.30 mile west of Tower Road Interchange
163.86	16600		0.30 mile west of Boardman Interchange
165.46	19200		0.30 mile west of Port of Morrow Interchange
167.18	22200		0.40 mile west of Old Oregon Trail Interchange (I-84)
168.54	3500		0.96 mile northeast of Old Oregon Trail Interchange (I-84)
173.23	4200		0.05 mile east of West Eighth Street
174.48	4300		0.02 mile east of West Fourth Street
174.78	4500		0.02 mile east of West Third Street
175.44	5500		0.02 mile east of Third Street
175.76	6400		0.02 mile east of Eighth Street
182.60	8200		0.06 mile east of Powerline Road, west city limits of Umatilla
182.89	8300		0.02 mile east of "E" Street
183.10	8800		0.02 mile east of "I" Street
183.27	9100		0.02 mile east of "L" Street
183.55	9500		0.02 mile west of Jane Avenue
183.63	9600		0.40 mile west of McNary Highway Interchange (I-82)
184.63	12400		0.50 mile east of McNary Highway Interchange (I-82)
184.97	8400		0.10 mile east of Umatilla-Stanfield Highway (US395)
186.08	3700		0.34 mile east of Willamette Avenue
191.24	1700		0.10 mile west of Hermiston Highway (OR207)
191.44	3500		0.10 mile east of Hermiston Highway (OR207)
193.70	3300	*	Cold Springs Automatic Traffic Recorder, Sta. 30-002, 0.24 mile east of Pendleton-Cold Springs Highway No. 36 (OR37)
			OSWEGO HIGHWAY NO. 3
			<i>Milepoint indicates distance from Mt. Hood Highway (US26), in Portland</i>
			SOUTHBOUND - ONE-WAY TRAFFIC
			<i>On SW Hood Avenue</i>
0.02	2100		0.02 mile south of US26
0.22	2900		0.02 mile west of SW Hood Avenue
0.41	12600		0.18 mile south of connection to Pacific Highway (I-5)
			NORTHBOUND - ONE-WAY TRAFFIC
			<i>On SW Macadam Avenue</i>
0.43	20500		0.06 mile south of SW Curry Street
0.63	15800		0.01 mile south of SW Thomas Street
			RESUME TWO-WAY TRAFFIC
1.00	20600		0.02 mile north of SW Julia Street
2.15	22000		0.05 mile north of SW Taylors Ferry Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OSWEGO HIGHWAY NO. 3 (Continued)
2.54	26700		0.05 mile north of Sellwood Ferry Road
3.64	15200		At south city limits of Portland
4.02	15900		0.02 mile north of SW Riverwood Road
5.69	15400		0.02 mile north of Terwilliger Boulevard
5.80	20300		0.06 mile south of Terwilliger Boulevard
6.11	19700		0.02 mile north of South "A" Avenue
6.17	29400		0.04 mile south of South "A" Avenue
6.40	27400		0.02 mile south of North Shore Road
6.65	26900		0.05 mile north of S McVey Avenue
6.77	17700		On Oswego Creek Bridge
7.54	16800		0.04 mile south of S Glenmorrie Road
8.04	16200		0.03 mile north of South Arbor Drive, south city limits of Lake Oswego/north city limits of West Linn
9.52	17000		0.02 mile north of Jolie Pointe Road
10.27	16900		0.02 mile south of West "A" Street
11.07	19900		0.10 mile north of East Portland Freeway (I-205)
11.31	14500		0.01 mile north of S Willamette Falls Drive
11.43	13600		On Willamette River Bridge, south city limits of West Linn and north city limits of Oregon City
			THE DALLES-CALIFORNIA HIGHWAY NO. 4
			<i>Milepoint indicates distance from Washington-Oregon State Line</i>
0.00	7400		Washington-Oregon State Line, The Dalles Bridge
0.79	6100		0.15 mile south of Columbia River Highway Interchange (I-84)
1.01	6000		0.10 mile south of Mosier-The Dalles Highway (US30)
1.24	3700		0.02 mile south of NE Fremont Street
10.30	2900	*	Dufur Automatic Traffic Recorder, Sta. 33-005, 0.84 mile south of Boyd Market Road (North Jct)
13.27	1400		0.05 mile south of Boyd Loop Road
16.08	1400		On Mays Canyon Creek Bridge
			Equation: MP 23.00 BK = MP 27.88 AH
22.87	1500		0.02 mile south of Dufur Gap Road
33.84	1500		0.05 mile north of Sherars Bridge Highway (OR216)
33.94	1200		0.05 mile south of Sherars Bridge Highway (OR216)
			Equation: MP 37.77 BK = MP 39.33 AH
42.36	1200		0.07 mile north of Wapinitia Highway (OR216)
42.48	1200		0.05 mile south of Wapinitia Highway (OR216)
43.96	1300		0.30 mile south of Deschutes Avenue, west city limits of Maupin
45.84	1300		On Deschutes River Bridge
45.98	940		0.02 mile south of Bakeoven Road
46.40	560		0.32 mile south of Deschutes River Road, south city limits of Maupin
67.00	570		0.17 mile north of Sherman Highway (US97)
67.22	2100		0.05 mile south of Sherman Highway (US97)
81.00	3800		0.02 mile south of Old Highway 97
87.78	3800		0.50 mile south of NE Elm Lane
89.60	4000		0.05 mile north of NE Cherry Lane
91.17	4900		0.05 mile north of NE Meadowlark Lane
91.43	5800		0.03 mile south of NE Loucks Road
91.98	7500		0.10 mile north of Warm Springs Highway (US26)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			THE DALLES-CALIFORNIA HIGHWAY NO. 4 (Continued)
			SOUTHBOUND - ONE-WAY TRAFFIC
			On 4th Street
92.13	10100		0.02 mile north of Pine Street
92.44	11400		0.02 mile north of Culver Highway
92.76	10500		0.02 mile north of "G" Street
93.06	10200		0.02 mile south of "J" Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On 5th Street
92.12	10600		0.02 mile north of Pine Street
92.43	11000		0.02 mile north of Culver Highway
92.47	10500		0.02 mile south of Culver Highway
92.73	10300		0.02 mile north of "G" Street
93.06	8800		0.02 mile south of "J" Street
			RESUME TWO-WAY TRAFFIC
			Equation: MP 93.12 BK = MP 96.04 AH
96.46	18100		0.02 mile north of SW Fairgrounds Road
97.11	15200	*	Madras Automatic Traffic Recorder, Sta. 16-002, 0.18 mile north of Madras-Prineville Highway No. 360 (US26)
97.31	10700		0.02 mile south of Madras-Prineville Highway (US26)
103.61	11800		0.02 mile north of SW Iris Lane
105.63	11300		0.10 mile north of Culver Highway
105.83	10400		0.10 mile south of Culver Highway
112.83	13200		At Jefferson-Deschutes County Line
115.86	17900		0.02 mile north of "A" Avenue at Terrebonne
118.50	18500		0.02 mile north of O'Neil Highway
119.09	23400	*	North Redmond Automatic Traffic Recorder, Sta. 09-023, 0.57 mile south of O'Neil Highway No. 370
			Equation: MP 118.96 BK = MP 2119.14 AH
120.92	24700	*	Redmond-Hemlock Automatic Traffic Recorder, Sta. 09-022, 0.04 mile north of SW Antler Avenue
121.06	23600		0.10 mile south of SW Antler Avenue
121.31	28100		0.10 mile south of SW Evergreen Avenue
121.56	28300		0.10 mile south of SW Glacier Avenue
122.08	29200		0.10 mile south of SW Veterans Way
123.30	29100		0.30 mile north of Yew Avenue Interchange
124.39	36000	*	Redmond Automatic Traffic Recorder, Sta. (09-020), 0.79 mile south of Yew Avenue
126.22	40300		0.02 mile south of SW Quarry Avenue
130.28	27700		0.10 mile south of Bend-Deschutes Market Road
134.16	39600		0.05 mile south of Cooley Road
134.70	37100		0.05 mile north of Nels Anderson Place and entrance to Mt. View Mall
134.80	40800		0.05 mile south of Nels Anderson Place and entrance to Mt. View Mall
135.16	42400		0.30 mile north of Empire Avenue Interchange
135.95	55100	*	Bend-Empire Automatic Traffic Recorder, Sta. 09-007, 0.49 mile south of Empire Avenue
136.20	49900		0.19 mile south of Butler Market Road Interchange
136.62	50200		0.51 mile north of Revere Avenue Interchange
137.36	54700	*	Bend-Revere Automatic Traffic Recorder, Sta. 09-009, 0.23 mile south of Revere Avenue
137.69	52600		0.16 mile south of NW Lafayette Avenue
138.00	50900		0.08 mile north of Colorado Interchange

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			THE DALLES-CALIFORNIA HIGHWAY NO. 4 (Continued)
138.60	40000		0.15 mile north of SE Truman Avenue
138.90	41300		0.27 mile north of Reed Market Road Interchange
139.61	29700		0.44 mile south of Reed Market Road Interchange
139.80	29600		0.17 mile north of Powers Road Interchange
140.22	22400		0.08 mile north of Badger Road
140.45	21800	*	Bend-Pinebrook Automatic Traffic Recorder, Sta. 09-025, 0.07 mile north of Pinebrook Boulevard
140.65	16800		0.13 mile south of Pinebrook Boulevard
			Equation: MP 141.12 BK = MP 141.86 AH
142.41	26500	*	Lava Butte Automatic Traffic Recorder, Sta. 09-003, 0.17 mile south of China Hat Road
144.20	18900		0.75 mile south of Galen Baker Road
153.83	12000		0.75 mile south of South Century Drive
155.60	11000		0.10 mile south of Vandever Road
161.84	9900		0.10 mile south of Paulina Lake Road
167.48	9900		0.02 mile north of 1st Street in La Pine
169.58	8200		0.10 mile north of Fremont Highway (OR31)
169.88	6200		0.20 mile south of Fremont Highway (OR31)
183.84	5500		0.20 mile north of Mississippi Drive at Gilchrist
185.35	5800		0.02 mile north of Jones Street
194.75	4300		0.40 mile north of Willamette Highway (OR58)
195.55	5200		0.40 mile south of Willamette Highway (OR58)
204.65	6000	*	Chemult Automatic Vehicle Classifier, Sta. 18-006, 0.40 mile south of Chemult Dump Road
212.79	5200		0.30 mile north of North Umpqua Highway (OR138)
213.29	4700		0.20 mile south of North Umpqua Highway (OR138)
231.91	6200		0.02 mile north of Fuego Road
243.22	4700	*	Chiloquin Automatic Traffic Recorder, Sta. 18-023, 4.32 miles north of Chiloquin Highway No. 422
247.04	6300		0.50 mile north of Chiloquin Highway (North Jct.)
248.98	5800		0.10 mile north of Chiloquin Highway (South Jct.)
249.18	6200		0.10 mile south of Chiloquin Highway (South Jct.)
254.30	6600	*	Modoc Point Automatic Traffic Recorder, Sta. 18-022, 3.53 miles north of Modoc Point Road
258.03	6600		0.20 mile south of Old Modoc Point Road
265.76	6900		0.10 mile south of Algoma Road
268.95	7000		0.10 mile south of Shady Pine Road
271.27	7400		0.02 mile south of Wocus Road
272.28	9400		0.30 mile north of Klamath Falls-Malin Highway (OR39/US97 Bus./Crater Lake Parkway)
273.08	6000		0.50 mile south of Klamath Falls-Malin Highway (OR39/US97 Bus./Crater Lake Parkway)
273.92	7400		0.30 mile south of Nevada Avenue Interchange
276.48	8700		0.40 mile north of Green Springs Highway (OR66) and South Klamath Falls Highway (OR140)
277.43	6500		0.30 mile south of Green Springs Highway (OR66) and South Klamath Falls Highway (OR140)
			Equation: MP 277.61 BK = MP 278.03 AH
278.69	5100		On Klamath River Bridge
280.06	5100		0.10 mile north of Miller Island Road
282.82	5300		0.05 mile north of Cross Road
289.44	4300	*	Midland Automatic Vehicle Classifier, Sta. 18-019, 2.30 miles north of the Oregon-California State Line

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			JOHN DAY HIGHWAY NO. 5
			<i>Milepoint indicates distance from Columbia River Highway (I-84), in Arlington</i>
0.32	790		0.02 mile north of Beech Street
0.48	940		0.03 mile northwest of Main Street
0.53	960		0.02 mile southeast of Main Street
0.62	990		0.02 mile southeast of Columbia Street
			Equation: MP 1.13 BK = MP 20.97 AH
1.62	1100		0.02 mile northwest of Rhea Lane (Airport Road)
1.66	970		0.02 mile south of Rhea Lane (Airport Road)
3.89	870		0.10 mile north of Fourmile Road
6.81	760	*	Shutler Automatic Traffic Recorder, Sta. 11-007, 6.81 miles south of Columbia River Highway No. 2 (I-84/US30)
7.20	280		0.02 mile south of Cedar Springs Road
11.95	250		0.02 mile north of Cameron Road (The Tree Lane)
15.39	250		0.02 mile north of Baseline Road
16.81	190		0.02 mile north of Upper Rock Creek Road
19.83	180		0.02 mile north of Mikkalo Road
19.87	180		0.02 mile south of Mikkalo Road
23.13	190		0.02 mile south of Clem Road
29.48	190		0.30 mile south of Cayuse Canyon Road at Gwendolen
			On Washington Street
37.45	350		0.05 mile north of Cottonwood Road
37.52	430		0.02 mile south of Cottonwood Road
37.90	510		0.02 mile north of Walnut Street
			On Walnut Street
37.94	550		0.02 mile west of Washington Street
38.05	680		0.02 mile east of Wasco-Heppner Highway (OR206/Main Street)
			On Main Street
38.09	1300		0.02 mile south of Wasco-Heppner Highway (OR206/Walnut Street)
38.25	1200		0.02 mile north of Wasco-Heppner Highway (OR206/Park Street)
38.37	590		0.09 mile south of Wasco-Heppner Highway (OR206/Park Street)
38.40	510		0.02 mile south of Bayard Street
38.64	450		0.13 mile south of Trimble Street
39.54	410		0.02 mile south of Shannon Road
43.81	430		0.20 mile south of Trail Fork Road
			Equation: MP 44.51 BK = MP 44.99 AH
45.39	370		0.10 mile south of Wehrli Canyon Loop
50.41	360		0.60 mile north of Carter Hill Road
52.06	360		At Gilliam-Wheeler County Line
57.31	390		0.02 mile northwest of Butte Creek Road
57.57	400		0.03 mile northwest of W 1st Street
57.62	400		0.02 mile southeast of W 1st Street
58.13	460		0.02 mile west of Shaniko-Fossil Highway (OR218)
58.17	530		0.02 mile east of Shaniko-Fossil Highway (OR218)
			Equation: MP 58.21 BK = MP 59.18 AH
59.20	400		0.04 mile west of Jay Street
59.64	460		0.40 mile east of Jay Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			JOHN DAY HIGHWAY NO. 5 (Continued)
62.65	280		0.10 mile south of Kinzua Road
69.37	240		0.30 mile south of Rowe Creek Road
72.95	220		0.90 mile south of Winlock Road
78.46	240		0.10 mile northwest of Service Creek-Mitchell Highway (OR207)
79.06	310		0.50 mile east of Service Creek-Mitchell Highway (OR207)
80.95	260		0.05 mile east of Alder Creek Road
			Equation: MP 86.71 BK = MP 88.13 AH
92.17	380		0.10 mile north of Asher Drive
92.58	300		0.02 mile west of Main Street
95.06	260		0.50 mile southwest of Heppner-Spray Highway (OR207)
95.66	220		0.10 mile northeast of Heppner-Spray Highway (OR207)
104.73	200		At Wheeler-Grant County Line
105.33	230		0.10 mile south of Kimberly-Long Creek Highway
			Equation: MP 123.69 BK = MP 123.98 AH
124.07	350		0.10 mile north of Ochoco Highway (US26)
124.27	850		0.10 mile south of Ochoco Highway (US26)
130.05	730		0.30 mile north of Franks Creek Road
130.45	930		0.10 mile south of Franks Creek Road
130.91	1000		0.10 mile west of Schoolhouse Road
131.04	1100		0.03 mile east of Schoolhouse Road
131.40	960	*	Dayville Automatic Traffic Recorder, Sta. 12-003, 1.05 miles east of Franks Creek Road in Dayville
133.59	890		0.10 mile south of Cheechacko Ranch Road
143.23	910		0.02 mile west of Dry Creek Road
			Equation: MP 143.91 BK = MP 143.98 AH
148.22	990		0.02 mile west of Moon Creek Road
152.43	1100		0.10 mile west of Happy Valley Lane
153.65	1200		0.20 mile east of Roper Road
154.01	1700		0.02 mile west of Pendleton-John Day Highway (US395)
154.05	2200		0.02 mile east of Pendleton-John Day Highway (US395)
154.27	2100		0.10 mile east of SE Park Avenue
155.99	2100		0.10 mile west of Laycock Creek Road (Pleasant Hill Road)
159.11	2400		0.02 mile west of Luce Creek Road
161.09	3900		0.05 mile west of Old John Day Highway (Screech Alley Loop)
161.30	4100		0.16 mile east of Old John Day Highway (Screech Alley Loop)
161.98	4700		0.10 mile east of NW 3rd Avenue
162.10	4900		0.08 mile west of Bridge Street
162.27	5000		0.02 mile west of John Day-Burns Highway (US395)
162.31	3100		0.02 mile east of John Day-Burns Highway (US395)
162.42	2700		0.02 mile east of Elm Street
162.50	2600		0.02 mile east of SE Hillcrest Avenue
162.82	1900		0.20 mile east of SE Gunther Road
168.49	1700		0.02 mile west of Pine Creek Road
168.53	1600		0.02 mile east of Pine Creek Road
173.34	1500		0.02 mile east of Art Morgan Road
175.11	1400		0.02 mile east of Johnson Avenue

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			JOHN DAY HIGHWAY NO. 5 (Continued)
175.24	1300		0.02 mile west of Main Street
175.28	950		0.02 mile east of Main Street
175.79	910	*	Prairie City Automatic Traffic Recorder, Sta. 12-009, 0.53 mile east of Main Street in Prairie City
190.65	720		0.02 mile west of Whitney Highway (OR7)
190.77	330		0.10 mile east of Whitney Highway (OR7)
193.65	260		0.10 mile west of Crawford Creek Road
199.61	250		At Grant-Baker County Line
			Equation: MP 203.19 BK = MP 203.82 AH
210.28	270		0.26 mile west of Dooley Mountain Highway (OR245)
210.59	590		0.05 mile east of Dooley Mountain Highway (OR245)
212.35	370		0.10 mile northwest of South Fork Road
212.89	270		0.02 mile east of Job Creek Road at Unity
222.90	230		At Baker-Malheur County Line
230.80	260		0.10 mile east of South Willow Creek Road
231.21	250		0.10 mile east of Ironside Post Office
238.13	300		0.05 mile east of Bonita Road
240.13	320		0.10 mile east of Indian Creek Road
254.14	390		0.02 mile west of 5th Avenue at Brogan
			Equation: MP 254.17 BK = MP 254.60 AH
254.72	380		0.02 mile east of 6th Avenue at Brogan
260.57	450		0.02 mile west of Main Street at Jamieson
260.89	530		0.01 mile east of "13 1/2" Avenue West at Jamieson
265.40	700		0.15 mile south of 10th Avenue West
266.98	920		0.10 mile southeast of 9th Avenue
270.64	950		0.10 mile southeast of Road "D"
273.40	1100		0.40 mile northwest of 4th Avenue East (Kondo Road)
273.95	1300		0.10 mile southeast of 4th Avenue West
277.66	1700		0.05 mile north of Ellsworth Street
277.86	2000		0.02 mile north of Oregon Street
278.13	1600		0.02 mile north of Central Oregon Highway (US20-WBD)
278.19	1700		0.02 mile north of Central Oregon Highway (US20-EBD)
			OLD OREGON TRAIL NO. 6
			Milepoint indicates distance from Pacific Highway (I-5), in Portland
168.55	17700	*	Boardman Jct Automatic Traffic Recorder, Sta. 25-008, 0.60 mile southeast of Columbia River Highway No. 2 Interchange (US730)
171.53	18200		0.40 mile east of Paterson Ferry Interchange
178.28	19000		0.30 mile east of Ordnance Interchange
180.05	16100		0.60 mile east of McNary Interchange (I-82)
180.71	16100		0.30 mile east of Westland Interchange
183.16	14000		0.30 mile east of Hermiston Highway Interchange (OR207)
191.40	17300	*	Echo Automatic Traffic Recorder, Sta. 30-027, 2.56 miles east of Umatilla-Stanfield Highway No. 54 Interchange (US395)
193.83	17400		0.30 mile east of Lexington-Echo Highway Interchange
198.84	17400		0.30 mile east of McClintock-Lorenzen Road, Rew Elevator Interchange
199.93	17400		0.40 mile east of Yoakum Interchange
203.34	17500	*	Pendleton Automatic Traffic Recorder, Sta. 30-004, 4.13 miles west of Pendleton Highway No. 67 Interchange (US30)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OLD OREGON TRAIL NO. 6 (Continued)
207.97	17600		0.50 mile east of Pendleton Highway (US30), West Pendleton Interchange
209.84	17200		0.30 mile east of Pendleton-John Day Highway (US395), Emigrant Avenue Interchange
211.36	14800		0.40 mile east of Oregon-Washington Highway (OR11), South Pendleton Interchange
213.45	16100		0.40 mile southeast of Pendleton Highway (US30), East Pendleton Interchange
216.81	11800	*	Mission Jct. Automatic Traffic Recorder, Sta. 30-026, 0.76 mile southeast of Umatilla-Mission Highway No. 331 Interchange
228.44	11700		0.50 mile west of Deadman's Pass Interchange
233.45	11700		0.50 mile west of West Emigrant Park Interchange
234.55	11500		0.50 mile west of East Emigrant Park Interchange
238.27	11500		0.50 mile west of Meacham Interchange
239.27	11500		0.50 mile east of Meacham Interchange
244.12	11500		0.30 mile east of Kamela-Mt. Emily Road Interchange
249.34	11500		0.40 mile east of Glover Interchange
253.43	11900		0.60 mile east of Ukiah-Hilgard Highway Interchange (OR244)
256.41	11900		0.01 mile east of Upper Perry Interchange
257.56	12000		0.30 mile east of Lower Perry Interchange
260.12	10700	*	North LaGrande Automatic Traffic Recorder, Sta. 31-007, 1.05 miles east of La Grande-Baker Highway No. 66 (US30), North La Grande Interchange
262.34	10500		0.50 mile southeast of Wallowa Lake Highway Interchange (OR82)
265.42	11600		0.50 mile south of La Grande-Baker Highway (US30), South La Grande Interchange
268.56	11600		0.30 mile south of Foothill Road Interchange
272.19	11500	*	Ladd Summit Automatic Traffic Recorder, Sta. 31-008, 1.72 miles northwest of Ladd Canyon Road
274.21	11500		0.30 mile south of Ladd Canyon Interchange
278.94	11500		0.30 mile south of Clover Creek Interchange
285.38	11500		0.30 mile north of La Grande-Baker Highway Interchange (US30), in North Powder
286.65	11100	*	Baker Valley Automatic Traffic Recorder, Sta. 01-011, 0.45 mile south of Union-Baker County Line
302.41	11300		0.30 mile north of Baker-Copperfield Highway Interchange (OR86)
303.74	11200		0.40 mile north of Campbell Street Interchange (OR7)
306.23	10000		0.30 mile north of South Baker City Interchange (US30)
309.02	10500	*	South Baker Automatic Traffic Recorder, Sta. 01-013, 4.27 miles north of Encina Interchange
313.94	10400		0.30 mile south of Encina Interchange
317.87	10400		0.40 mile south of Pleasant Valley Interchange
327.83	10100		0.40 mile south of Durkee Interchange
331.67	10500		1.00 mile south of Nelson Point Interchange
336.29	10500	*	Weatherby Automatic Traffic Recorder, Sta. 01-014, 0.53 mile south of Weatherby Interchange
338.41	10600		0.30 mile south of Jordan Creek Interchange
342.12	10600		0.40 mile north of Huntington Highway Interchange (US30)
345.23	10600		0.60 mile north of North Huntington Interchange
352.00	10500		1.04 miles north of Benson Creek Interchange, Baker-Malheur County Line
353.47	11800	*	Huntington Automatic Traffic Recorder, Sta. 23-016, 1.47 miles south of Baker-Malheur County Line
356.67	11500		0.50 mile south of Olds Ferry-Ontario Highway Interchange (OR201)
362.45	11600		0.30 mile south of Moore's Hollow Interchange
371.85	12700		0.40 mile south of Stanton Boulevard Interchange
374.85	16900		0.32 mile south of Olds Ferry-Ontario Highway, North Ontario Interchange (US30 Bus./OR201)
376.98	21500	*	Snake River Automatic Traffic Recorder, Sta. 23-014, 1.03 miles northwest of Oregon-Idaho State Line

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CENTRAL OREGON HIGHWAY NO. 7
			<i>Milepoint indicates distance from Wall Street (US20 Bus. and US97 Bus.), in Bend</i>
0.72	24200		0.04 mile east of 5th Street
1.18	25000		0.02 mile west of Summit Drive
2.53	17800		0.02 mile west of 27th Street
2.57	13900		0.02 mile east of 27th Street
4.55	9300		0.02 mile west of Erickson Road
4.77	9000		0.02 mile west of Powell Butte Highway
4.89	3900		0.10 mile east of Powell Butte Highway
6.28	3000	*	Pilot Butte Automatic Traffic Recorder, Sta. 09-005, 1.49 miles east of Powell Butte Road
			Equation: MP 17.60 BK = MP 18.01 AH
			Equation: MP 20.97 BK = MP 21.69 AH
25.80	1500		0.39 mile west of Pine Mountain Road
35.63	1800		0.02 mile west of Crooked River Highway (OR27)
35.80	1900		0.15 mile east of Crooked River Highway (OR27)
42.99	1800		0.25 mile east of Camp Creek Road
63.45	1800	*	Hampton Automatic Vehicle Classifier, Sta. 09-024, 5.80 miles northwest of Deschutes-Lake County Line
83.79	1800		At Lake-Harney County Line
104.60	1600		0.09 mile west of Lakeview-Burns Highway (US395)
104.79	1900		0.10 mile east of Lakeview-Burns Highway (US395/US20)
126.60	2700	*	Hines Automatic Traffic Recorder, Sta. 13-003, 0.04 mile northeast of Greenhouse Lane, southwest of Hines
128.09	2600		0.03 mile north of Hotchkiss Lane
129.14	5000		0.02 mile north of Barnes Avenue
129.58	5800		0.02 mile north of Conley Avenue
130.10	6300		0.12 mile north of W Roe Davis Avenue, on S Oregon Avenue
131.07	7300		0.02 mile southwest of W Monroe Street, on Hines Boulevard
131.32	6800		0.01 mile west of Court Avenue, on W Monroe Street
131.48	5600		0.02 mile west of Steens Highway (OR78), on W Monroe Street
			On North Broadway
131.52	3800		0.02 mile north of Steens Highway (OR78)
131.67	4000		0.02 mile north of Adams Street
131.78	3800		0.02 mile north of "A" Street
131.98	3500		0.02 mile south of Foley Drive
132.05	2500		0.05 mile north of Foley Drive
132.51	2200		0.40 mile north of Park Street, on Seneca Drive (north city limit of Burns)
133.89	1800		0.40 mile west of John Day-Burns Highway (US395)
134.49	1800		0.20 mile east of John Day-Burns Highway (US395)
144.22	1500		0.02 mile west of Old Lawen-Harney Road
154.98	1400		0.10 mile east of Crane-Buchanan Road
173.22	1300		0.02 mile west of Drewsey Road
180.15	1300		At Harney-Malheur County Line
189.00	1400		0.27 mile west of Beulah Road
189.38	1600	*	Juntura Automatic Traffic Recorder, Sta. 23-013, 0.11 mile east of Juntura-Riverside Road
189.51	1400		0.02 mile east of Frances Street
200.96	1400		0.50 mile east of Pole Creek Road
213.36	1400		0.02 mile east of road to Harper Dam

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CENTRAL OREGON HIGHWAY NO. 7 (Continued)
223.06	1400		0.10 mile west of Harper-Westfall Road
223.26	1600		0.10 mile east of Harper-Westfall Road
224.91	1600		0.50 mile west of Coleman Road
230.08	1600		0.10 mile east of Little Valley Road
			Equation: MP 237.23 BK = MP 238.28 AH
238.62	2000		0.16 mile west of Vale-West Highway
238.88	2000		0.10 mile east of Vale-West Highway
240.17	2000		0.02 mile east of Hope Road
244.26	2300		0.05 mile west of Bench Road
245.61	2300		0.10 mile west of "A" Street East
			EASTBOUND - ONE-WAY TRAFFIC
			On "A" Street
245.73	1600		0.03 mile east of Vale-West Highway
246.01	2800		0.02 mile west of West Street
246.19	2900		0.02 mile west of Bryant Street
246.23	3100		0.02 mile east of Bryant Street
246.37	3000		0.02 mile west of John Day Highway (US26)
246.41	2700		0.02 mile east of John Day Highway (US26)
246.52	2300		0.02 mile east of Short Street South
			WESTBOUND - ONE-WAY TRAFFIC
			On Washington Street
245.80	2300		0.05 mile east of Vale-West Highway
246.02	2800		0.02 mile west of West Street
246.18	3000		0.02 mile west of Bryant Street
246.22	3100		0.02 mile east of Bryant Street
246.39	3100		0.02 mile west of John Day Highway (US26)
246.43	2900		0.02 mile east of John Day Highway (US26)
246.56	2300		0.02 mile east of 10th Street
			RESUME TWO-WAY TRAFFIC
251.31	4600		0.20 mile east of Halliday Road
255.09	4700		0.10 mile west of Lincoln Drive
257.86	5300	*	Cairo Junction Automatic Traffic Recorder, Sta. 23-006, 0.26 mile west of Olds Ferry-Ontario Highway No. 455 (OR201)
258.30	4100		0.10 mile south of Olds Ferry-Ontario Highway (OR201)
259.69	3900		0.02 mile south of Morgan Avenue
260.69	3800		0.02 mile south of King Avenue
262.69	3700		0.02 mile south of Gem Avenue
264.68	3600		0.02 mile south of Columbia Avenue
265.48	3400		0.02 mile north of Walnut Avenue
265.66	3400		0.02 mile north of Park Avenue
265.70	3900		0.02 mile south of Park Avenue
265.95	4000		0.02 mile north of Succor Creek Highway (OR201)
265.98	4800		0.01 mile east of Succor Creek Highway (OR201)
266.29	4400		0.02 mile west of South 1st Street
266.32	4600		0.01 mile east of S 1st Street
266.54	4200		0.02 mile east of E 2nd Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CENTRAL OREGON HIGHWAY NO. 7 (Continued)
266.63	4500		0.02 mile west of E 4th Street
266.82	4100		Oregon-Idaho State Line
			OREGON-WASHINGTON HIGHWAY NO. 8
			<i>Milepoint indicates distance from Pendleton Highway (US30), in Pendleton</i>
-1.37	6300		0.40 mile north of Old Oregon Trail (I-84)
-1.09	4100		0.10 mile north of Isaac Avenue
-0.75	4700		0.02 mile east of 9th Street
-0.33	11300		0.02 mile east of 16th Street
0.25	6900		0.25 mile northeast of Pendleton Highway (US30)
0.35	4600		0.02 mile northeast of Riverside Drive
0.48	4500		0.02 mile northeast of Lindell Lane
0.77	3700		0.06 mile northeast of Riverside School Road
6.09	5300		0.10 mile southwest of Havana-Helix Highway
6.21	4900		0.02 mile northeast of Havana-Helix Highway
11.56	4500		0.08 mile south of Mann Road
12.14	4300		At east city limits of Adams
16.05	4300		0.02 mile west of Pambrun Road
17.27	3300		0.05 mile south of Athena-Holdman Highway
17.37	4200		0.05 mile north of Athena-Holdman Highway
20.23	4000		0.22 mile southwest of Weston-Elgin Highway (OR204)
20.65	4700		0.20 mile northeast of Weston-Elgin Highway (OR204)
21.77	5200		0.02 mile northeast of Steen Road (old highway alignment)
23.47	5000		0.02 mile north of Blue Mt. Station Road
26.59	5600		0.39 mile north of Steen Road
26.90	8200		0.02 mile north of SE 14th Avenue
			Equation: MP 26.93 BK = MP 29.92 AH
30.57	12400		0.02 mile south of Freewater Highway (S Main Street)
30.65	11200		0.03 mile north of Freewater Highway (S Main Street)
31.18	11700		0.02 mile south of NE 5th Avenue
31.22	10900		0.02 mile north of NE 5th Avenue
31.64	12200		0.28 mile south of Elizabeth Street
32.62	13500		0.02 mile south of Sunnyside-Umapine Highway
32.66	12900		0.02 mile north of Sunnyside-Umapine Highway
34.46	15700	*	Milton Automatic Traffic Recorder, Sta. 30-021, 0.86 mile south of Oregon-Washington State Line
35.30	13800		0.02 mile south of State Line Road, Oregon-Washington State Line
			OREGON COAST HIGHWAY NO. 9
			<i>Milepoint indicates distance from Washington-Oregon State Line</i>
3.79	9000	*	Astoria Bridge Automatic Traffic Recorder, Sta. 04-004, 0.01 mile north of Lower Columbia River Highway No. 92 (US30)
			On Marine Drive
3.90	21600		0.10 mile southwest of Lower Columbia River Highway (US30)
4.27	21700		0.05 mile northeast of Nehalem Highway (OR202)
4.97	20500		At south city limits of Astoria on Youngs Bay Bridge
7.05	14600		0.02 mile northeast of Warrenton-Astoria Highway, (US101 Bus.)
7.30	15300		0.20 mile northeast of Fort Stevens Highway Spur and connection to Warrenton-Astoria Highway (US101)
7.63	14300		0.10 mile south of Fort Stevens Highway Spur and connection to Warrenton-Astoria Highway (US101 Bus)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
8.72	13200		At south city limits of Warrenton
9.58	15600		0.10 mile south of Fort Stevens Highway
			Equation: MP 10.16 BK = MP 12.15 AH
15.90	16200	*	Gearhart Automatic Traffic Recorder, Sta. 04-001, 2.09 miles north of Dellmoor Loop Road
18.36	16000		0.10 mile north of Cutler Lane
18.85	17000		0.02 mile south of Pacific Way
19.32	17700		0.02 mile north of Airport Road
19.58	18000		0.10 mile north of Wahanna Road
19.72	16100		At Neawanna Creek Bridge
			On Roosevelt Drive
19.89	15500		0.10 mile south of 24th Avenue
20.42	15500		0.02 mile north of 12th Avenue
20.46	14000		0.01 mile south of 12th Avenue
21.03	16800		0.02 mile north of Broadway
21.07	15500		0.02 mile south of Broadway
21.34	14000		0.02 mile south of Avenue "G"
21.51	13600		0.03 mile north of Avenue "M"
21.83	15200		0.02 mile north of Avenue "S"
21.88	15200		0.02 mile south of Avenue "S"
22.19	13300		0.02 mile south of Avenue "U"
24.83	12000		0.10 mile north of Sunset Highway (US26)
25.53	9300		0.10 mile south of Sunset Highway (US26)
28.40	6300		0.23 mile north of Cannon Beach Frontage Road overcrossing
28.86	6500		At north city limits of Cannon Beach
29.68	5800		0.15 mile south of Sunset Boulevard Interchange, south city limits of Cannon Beach
30.82	5000		0.20 mile south of Warren overcrossing
31.67	5500		0.30 mile south of S Hemlock Street
35.57	4900		On Arch Cape Creek Bridge
37.11	4900		At Clatsop-Tillamook County Line
43.08	5200		0.02 mile north of Manzanita Avenue
43.20	6600		0.02 mile south of Laneda Avenue
43.98	7100		0.02 mile east of Bayside Gardens Lane
44.73	7100		At west city limits of Nehalem
44.96	6600		0.02 mile west of 7th Street
45.00	8300		0.02 mile south of "H" Street
45.53	6000		At south city limits of Nehalem
46.48	5800		0.02 mile north of Necanicum Highway (OR53)
46.52	5500		0.02 mile south of Necanicum Highway (OR53)
47.08	5300		At the north city limits of Wheeler
47.32	5500		0.02 mile north of Rector Street
47.36	5300		0.02 mile south of Rector Street
47.42	5100		0.02 mile north of Hall Street
47.50	4900		0.02 mile south of Hospital Road
47.78	4900		0.05 mile west of Dubois Street
48.66	4400		At west city limits of Wheeler

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
			Equation: MP Z49.57 BK = MP Z45.37 AH
Z 46.53	4300		0.02 mile south of Glenn Avenue
Z 49.26	4900		0.05 mile north of NW 23rd Avenue
49.99	5500		0.02 mile north of NW 9th Avenue
50.86	6400		0.04 mile north of S 2nd Avenue
50.94	6400		0.04 mile south of S 2nd Avenue
51.77	6400		At south city limits of Rockaway Beach
53.55	7100	*	Rockaway Automatic Traffic Recorder, Sta. 29-001, 2.08 miles south of Washington Street
54.97	6900		At west city limits of Garibaldi
55.54	7600		0.02 mile west of 7th Street
55.58	8000		0.02 mile east of 7th Street
55.73	7700		0.02 mile west of 3rd Street
55.77	7800		0.02 mile east of 3rd Street
56.60	7800		At east city limits of Garibaldi
56.80	8500		0.03 mile east of Miami River Road
57.50	8500		0.02 mile north of Hobsonville Point Drive
57.54	8500		0.02 mile south of Hobsonville Point Drive, south city limits of Garibaldi
60.07	8400		0.02 mile north of 5th Street (old highway alignment)
60.11	9600		0.02 mile south of 5th Street
			Equation: MP 60.86 BK = MP 61.07 AH
61.19	10200		0.02 mile north of Alderbrook Loop Road (North Jct.)
61.31	10100		0.10 mile south of Alderbrook Loop Road (North Jct.)
63.14	10500		0.02 mile north of Alderbrook Loop Road (South Jct.)
63.22	11800		0.06 mile south of Alderbrook Loop Road (South Jct.)
64.23	12100		On Wilson River Bridge, north city limits of Tillamook
64.59	16200		0.02 mile south of Wilson River Loop Road
65.04	17600		0.02 mile north of Blue Heron Drive
65.23	17500		0.02 mile north of Hadley Road
			On Main Avenue
65.50	17900		0.09 mile north of Front Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Main Avenue
65.62	9800		0.02 mile north of 1st Street
65.66	11000		0.02 mile south of 1st Street
65.72	9900		0.02 mile north of Wilson River Highway (OR6-EB) and Netarts Highway
65.76	6900		0.02 mile south of Wilson River Highway (OR6-EB) and Netarts Highway
65.86	6400		0.02 mile south of 5th Street
66.26	4600		At south city limits of Tillamook
			NORTHBOUND - ONE-WAY TRAFFIC
			On 1st Street
			On Pacific Avenue
65.63	8400		0.05 mile north of Wilson River Highway (OR6-Westbound, 1st Street) (NB)
65.70	5600		0.02 mile south of Wilson River Highway (OR6-WB, 1st Street)
65.75	5900		0.02 mile north of Wilson River Highway (OR6-EB, 3rd Street)
65.79	5400		0.02 mile south of Wilson River Highway (OR6-EB, 3rd Street)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
65.89	5900		0.02 mile south of 5th Street
66.28	4600		At south city limits of Tillamook
			RESUME TWO-WAY TRAFFIC
67.62	8700		0.02 mile north of McCormick Loop Road
68.14	9400		0.02 mile north of Long Prairie Road
68.18	8300		0.01 mile south of Long Prairie Road
69.40	8100		0.02 mile north of Tillamook River Loop Road
71.80	6400		0.02 mile north of Simmons Creek Road
73.21	6100		0.04 mile north of Cedar Springs Place
74.30	5700		0.02 mile south of Yellow Fir Road
76.82	5600		0.02 mile north of Sand Lake Road
76.86	4900		0.02 mile south of Sand Lake Road
77.44	4800		0.02 mile south of East Beaver Creek Road
80.32	5300		0.02 mile west of Blaine Road at Beaver
84.91	5600		0.03 mile north of Three Rivers Highway (OR22)
84.99	4600		0.05 mile southwest of Three Rivers Highway (OR22)
89.75	4300		0.02 mile north of Resort Drive
89.89	3500		0.12 mile south of Resort Drive
91.27	5000		0.10 mile north of Little Nestucca Highway
91.47	4400		0.10 mile south of Little Nestucca Highway
93.66	4200		0.02 mile northeast of Winema Road
			Equation: MP 96.15 BK = MP 96.76 AH
97.60	4500		0.10 mile north of Summit Road at Neskowin
102.80	4300		At Tillamook-Lincoln County Line
104.05	5100		0.11 mile south of Three Rocks Road
105.01	4800		0.20 mile north of Salmon River Highway (OR18)
105.61	14600		0.40 mile south of Salmon River Highway (OR18)
			Equation: MP 105.64 BK = MP 110.75 AH
111.00	15900	*	North Lincoln City Automatic Traffic Recorder, Sta. 21-010, 0.30 mile north of East Devils Lake Road
112.35	16600	*	West Devils Lake Automatic Traffic recorder, Sta. 21-007, At West Devils Lake Road
112.80	15700		0.02 mile south of Northwest Logan Road
113.16	21900		0.02 mile north of N 34th Street
113.38	20500		0.02 mile south of Holmes Road
113.95	20900		0.02 mile north of N 21st Street
113.99	21200		0.02 mile south of N 21st Street
114.31	21900		0.02 mile north of N 14th Street
114.54	23400		0.02 mile south of N 10th Street
114.91	25400	*	D River Wayside Automatic Traffic Recorder, Sta. 21-008, 0.07 mile north of "D" River State Wayside
115.33	22100		0.01 mile south of SW Galley Street
115.58	21700		0.02 mile south of East Devils Lake Road
116.12	19700		0.02 mile south of SE 23rd Drive
117.03	18100		0.02 mile north of High School Drive
117.48	16400		0.02 mile south of S Coast Avenue
117.98	15500		0.02 mile north of SE 51st Street
118.17	14800		On Schooner Creek Bridge

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
118.70	13700		0.03 mile south of SW 63rd Avenue
119.15	14000	*	South Lincoln City Automatic Traffic Recorder, Sta. 21-011, 0.01 mile south of South Drift Creek Road
120.16	12400		On Siletz River Bridge
121.97	12300		0.30 mile north of Tom Robertson Boulevard
122.49	10900		0.06 mile north of Wessler Street
124.38	11000		0.02 mile south of Willow Street at Lincoln Beach
126.45	13200		At north city limits of Depoe Bay
127.16	10600		0.30 mile north of Collins Street
128.57	9500		0.39 mile north of SW Oceana Street
132.43	8900		0.02 mile north of Otter Rock Highway
136.53	10500		0.02 mile north of Iron Mountain Beach Road, north city limits of Newport
137.29	12600		0.03 mile north of NE 58th Street
138.48	15600		0.10 mile south of NW Ocean View Drive
139.11	18600	*	North Newport Automatic Traffic Recorder, Sta. 21-009, at 25th Street, in Newport
139.56	24300		0.02 mile south of NW 15th Street
140.07	25100		0.02 mile north of NE 6th Street
140.14	25300		0.05 mile south of NE 6th Street
140.26	25900		0.01 mile south of NE 3rd Street
140.34	23500		0.02 mile north of Corvallis-Newport Highway (US20)
140.40	21700		0.04 mile south of Corvallis-Newport Highway (US20)
140.54	19400		0.02 mile southwest of Angle Street
140.64	18700		0.02 mile northeast of Hurbert Street
140.68	18500		0.02 mile southwest of Hurbert Street
140.91	20100		0.02 mile north of Abbey Street
140.95	19100		0.02 mile south of Abbey Street
141.37	19200		0.02 mile south of SW Waterline Drive
142.16	16500		0.05 mile south of SE Pacific Way
142.28	15000		0.06 mile north of Ferry Slip Road
142.45	14800		0.05 mile south of Ferry Slip Road
144.40	11900		0.10 mile south of Airport Road
145.74	11100		0.10 mile south of SE 98th Street
146.46	10900		0.04 mile north of SE 116th Street, south city limits of Newport
148.98	9200		0.02 mile south of Beaver Creek Road
154.05	8900		0.02 mile south of Legion Road
155.07	9800		0.02 mile south of Bayview Road
155.92	8700		0.02 mile south of Alsea Highway (OR34)
156.36	8000		At south city limits of Waldport
157.24	6500		On Patterson Creek Bridge
158.99	6100		0.02 mile south of Wakonda Beach Road
162.24	6000		On Vingie Creek Bridge
163.41	5900		At north city limits of Yachats
164.10	5600		0.02 mile north of 7th Street
164.45	4900		0.01 mile northwest of Yachats River Road
164.48	4000		0.02 mile southeast of Yachats River Road
165.48	3300		At south city limits of Yachats

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
167.61	3100		At Lincoln-Lane County Line
171.40	3000		0.02 mile south of Tenmile Creek Road
174.40	3100		On Rock Creek Bridge
178.36	3200		0.20 mile south of entrance to Devils Elbow State Park
184.78	4500		On Sutton Creek Bridge
186.46	7200	*	Florence Automatic Traffic Recorder, Sta. 20-026, 0.77 mile north of Heceta Beach Road
187.58	8600		0.18 mile north of Munsel Lake Road
187.79	9500		0.03 mile south of Munsel Lake Road
188.64	12500		0.02 mile south of 36th Street
189.05	14100		0.02 mile south of 29th Street
189.46	15700		0.02 mile south of 22nd Street
189.75	16400		0.02 mile south of 17th Street
189.99	16200		0.02 mile south of 13th Street
190.14	12700		0.02 mile north of connection to Florence-Eugene Highway (OR126/10th Street)
190.25	14900		0.01 mile south of Florence-Eugene Highway (OR126/9th Street)
190.51	12800		0.02 mile north of Rhododendron Drive
190.55	13600		0.02 mile south of Rhododendron Drive
190.65	10000		0.02 mile south of Maple Street
190.76	10500		0.02 mile south of 2nd Street
190.98	10300		At south city limits of Florence
191.37	10200		0.02 mile south of Glenada Road
193.45	8100		0.02 mile north of entrance to Honeyman State Park and Cleawox Lake
193.51	6200		0.04 mile south of entrance to Honeyman State Park and Cleawox Lake
196.00	4400		0.02 mile south of Clear Lake Road
196.73	4600		0.02 mile south of Pacific Avenue
198.58	4300		At Lane-Douglas County Line
202.72	4200		On Tahkenitch Creek Bridge
209.06	4300		0.10 mile north of Old Highway 101
209.48	4600		0.02 mile north of Spring Street
209.51	4700		0.01 mile south of Spring Street
209.66	4900		0.02 mile south of Pitt Street
211.11	5600		At the north city limits of Reedsport
211.65	9100		0.07 mile south of Umpqua Highway (OR38)
212.02	10300		0.03 mile northeast of Winchester Avenue
212.08	11900		0.03 mile southwest of Winchester Avenue
212.51	12200		0.02 mile northeast of 20th Street
212.76	9500		0.03 mile west of Bowman Drive
213.40	8300		At west city limits of Reedsport
215.17	9000		0.60 mile northeast of 8th Street at Winchester Bay
215.94	7600		0.02 mile southwest of Broadway Avenue
216.81	7700		0.10 mile south of Umpqua Lighthouse Road
220.58	7700		At Douglas-Coos County Line
221.67	8600	*	Lakeside Automatic Traffic Recorder, Sta. 06-001, 1.09 miles south of Douglas-Coos County Line
222.71	7700		0.02 mile north of Airport Way
222.75	9000		0.02 mile south of Airport Way

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
228.78	9200		0.10 mile north of Wildwood Road
229.25	11100		0.02 mile north of Hauser Depot Road
229.29	11000		0.02 mile south of Hauser Depot Road
233.09	13400		On Haynes Inlet Bridge
233.22	14600		0.02 mile south of North Bay Drive
234.03	16300		At north city limits of North Bend
235.02	17800		0.02 mile north of Florida Avenue
235.06	15800		0.02 mile south of Florida Avenue
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Sherman Avenue
235.29	9300		0.02 mile north of California Avenue
235.39	9700		0.02 mile north of Cape Arago Highway (Virginia Avenue)
235.43	9700		0.02 mile south of Cape Arago Highway (Virginia Avenue)
			NORTHBOUND - ONE-WAY TRAFFIC
			On Sheridan Avenue
235.31	7800		0.02 mile north of California Avenue
235.40	8100		0.02 mile north of Cape Arago Highway (Virginia Avenue)
235.44	9700		0.02 mile south of Cape Arago Highway (Virginia Avenue)
			RESUME TWO-WAY TRAFFIC
235.60	16200		0.01 mile south of Sheridan Avenue
236.77	21900		At south city limits of North Bend/north city limits of Coos Bay
			On Bayshore Drive
237.58	23400		0.02 mile north of Hemlock Avenue
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Broadway
237.79	12900		0.02 mile south of Fir Avenue
238.19	12600		0.02 mile north of Commercial Avenue
238.33	13800		0.02 mile south Anderson Avenue
238.52	15000		0.02 mile south of Elrod Avenue
238.81	15900		0.02 mile north of Ingersoll Avenue
238.85	15800		0.02 mile south of Ingersoll Avenue
			NORTHBOUND - ONE-WAY TRAFFIC
			On Bayshore Drive
237.82	12400		0.02 mile south of Front Street
238.21	12300		0.02 mile north of Commercial Avenue
238.34	14400		0.02 mile south of Anderson Avenue
			On 1st Street
238.54	14700		0.02 mile south of Elrod Avenue
238.83	15200		0.02 mile north of Ingersoll Avenue
238.87	15200		0.02 mile south of Ingersoll Avenue
			RESUME TWO-WAY TRAFFIC
			On Evans Boulevard
239.22	27300		At south city limits of Coos Bay
239.68	17900		0.20 mile southeast of Coos River Highway (OR241)
240.40	16900		0.03 mile south of Lorain Avenue

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
241.93	15300		0.16 mile south of Shingle House Road
243.55	16600		0.02 mile north of Coos City-Sumner Road
244.02	15100	*	Coos Bay Automatic Traffic Recorder, Sta. 06-009, 0.28 mile north of Coos Bay-Roseburg Highway No. 35 (OR42)
244.97	6000		0.70 mile south of Coos Bay-Roseburg Highway (OR42)
253.12	6900		0.10 mile south of Beaver Hill Road (South Jct.)
257.53	7300		0.15 mile south of Seven Devils Road
259.65	7700		On Bullards Bridge at Coquille River
260.64	7500		0.51 mile south of Prosper Junction Road, north city limits of Bandon
261.51	7100		0.06 mile north of Coquille-Bandon Highway (OR42S)
			Equation: MP 261.57 BK = MP 273.36 AH
273.47	10800		0.03 mile west of Michigan Avenue
273.87	11100		0.02 mile east of Fillmore Avenue
273.91	9700		0.02 mile west of Fillmore Avenue
273.96	8800		0.02 mile southwest of 2nd Street East
274.31	10000		0.02 mile south of Oregon Avenue
274.46	8200		0.02 mile north of 11th Street
274.62	8300		0.02 mile south of 13th Street
274.84	8200		0.01 mile north 18th SW Street
275.87	6900	*	Bandon Automatic Traffic Recorder, Sta. 06-004, 1.02 miles south of 18th SW Street
277.56	5600		0.02 mile north of Beach Loop Road
281.74	4100		0.02 mile north of Lower Fourmile Road
282.09	3900		0.02 mile south of Upper Fourmile Road
285.78	3800		At Coos-Curry County Line
287.88	4100		0.01 mile south of Kane Street
295.54	3700		0.02 mile north of Sixes River Road
295.75	3700		On Sixes River Bridge
296.50	3900		0.02 mile south of Cape Blanco Highway
297.75	4000		0.02 mile south of Elk River Road
299.83	4300		0.01 mile south of Paradise Point Road, north city limits of Port Orford
300.48	5200		0.02 mile south of 19th Street
300.76	5200		0.02 mile north of 13th Street
300.97	4900		0.02 mile north of Port Orford Highway
301.00	4300		0.01 mile south of Port Orford Highway
301.22	3500		0.01 mile west of Jackson Street
301.25	3500		0.02 mile east of Jackson Street
301.32	3200		0.02 mile west of Jefferson Street
301.45	3000	*	Port Orford Automatic Traffic Recorder Sta. 08-009, 0.11 mile southeast of Jefferson Street (Battle Rock Wayside)
307.73	2500		0.03 mile north of Humbug Mountain State Park Picnic Area
307.78	2500		0.02 mile south of entrance to Humbug Mountain State Park Picnic Area
316.94	2500		0.01 mile north of Euchre Creek Road
316.98	2500		0.02 mile south of Euchre Creek Road
320.70	2600		0.25 mile north of Nesika Beach Connection
321.20	3000		0.25 mile south of Nesika Beach Connection
322.22	3400		0.10 mile south of Nesika Beach Road
327.39	4000		0.10 mile north of Wedderburn Junction

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OREGON COAST HIGHWAY NO. 9 (Continued)
327.85	6400		At north city limits of Gold Beach
327.92	7200		0.02 mile south of Jerrys Flat Road
328.50	8000		0.02 mile south of Moore Street
328.62	9000		0.02 mile south of Caughell Street
328.75	7600		0.01 mile south of 1st Street
328.90	8700		0.02 mile south of 4th Street
329.21	7800		0.02 mile south of 8th Street
329.93	5900		0.29 mile south of Kerber Street
330.34	4800		0.05 mile south of Hunter Creek Loop
331.12	4500		0.05 mile south of Hunter Creek Road
334.77	3900		0.10 mile north of Cape View Loop Road (Carpenterville Highway)
336.94	3800		0.08 mile north of Meyers Creek Road
339.10	3600		On Pistol River Bridge
341.31	3600		0.30 mile north of Byrdies Road
347.78	3800		On Thomas Creek Bridge
354.73	5400		0.10 mile north of Dawson Road
355.38	8900		0.02 mile south of Harris Heights Road, north city limits of Brookings
356.13	10600		0.02 mile south of Ransom Avenue
356.51	10700		0.02 mile northwest of Arnold Lane
357.06	17300		0.02 mile west of Pacific Avenue
357.10	16600		0.02 mile east of Pacific Avenue
357.35	17300		0.02 mile east of Fern Avenue
357.59	19500		0.02 mile east of Alder Street
357.98	20800		On Chetco River Bridge, south city limits of Brookings
358.15	17100		0.02 mile southeast of South Bank Chetco River Road
358.70	16400		0.06 mile north of Hoffeldt Lane
358.82	17100		0.06 mile south of Hoffeldt Lane
359.37	10700		0.05 mile south of Benham Lane
359.58	10100		0.02 mile south of Pedrioli Road
362.00	10000	*	Winchuck Automatic Vehicle Classifier, Sta. 08-005, 1.11 miles north of Oregon-California State Line
362.61	8300		At Winchuck River Bridge
363.11	7900		Oregon-California State Line
			WALLOWA LAKE HIGHWAY NO. 10
			<i>Milepoint indicates distance from La Grande-Baker Highway (US30), in La Grande</i>
0.20	13300		0.02 mile southwest of Monroe Avenue
0.30	14600		0.06 mile northeast of N Pine Street
0.74	17200		0.15 mile southwest of Old Oregon Trail (I-84)
1.04	18100		0.15 mile northeast of Old Oregon Trail (I-84)
1.18	15900		0.02 mile northeast of Riddle Road
1.74	12200	*	Island City Automatic Traffic Recorder, Sta. 31-003, 0.82 mile east of Old Oregon Trail Highway No. 6 (I-84)
2.39	8500		0.02 mile west of Cove Highway (OR237)
2.43	8200		0.02 mile north of Cove Highway (OR237)
			North city limits of Island City
2.71	5600		0.02 mile east of Hunter Lane
8.35	4500		0.02 mile south of Stanley Lane at Alicel

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			WALLOWA LAKE HIGHWAY NO. 10 (Continued)
10.93	4500		0.02 mile south of Woodell Lane
			South city limits of Imbler
12.36	4400		0.02 mile north of 6th Street
12.52	4000		0.02 mile north of Striker Lane, north city limits of Imbler
19.48	4200		0.14 mile south of Hemlock Street, south city limits of Elgin
			Equation: MP 19.73 BK = MP 19.96 AH
20.23	3800		0.02 mile south of Weston-Elgin Highway (OR204)
20.27	2800		0.02 mile north of Weston-Elgin Highway (OR204)
20.32	2200		0.02 mile east of 8th Avenue
20.41	2100		0.02 mile east of N 6th Avenue
20.70	2000	*	Elgin Automatic Traffic Recorder, Sta. 31-005, 0.45 mile northeast of Weston-Elgin Highway No. 330 (OR204)
24.59	1600		0.02 mile west of Good Road
28.38	1400		0.10 mile west of Merritt Lane
			Union-Wallowa County Line, MP 33.00
			Equation: MP 41.73 BK = MP 42.09 AH
46.47	1700		0.02 mile southeast of 7th Street
46.83	1800		0.05 mile south of 2nd Street
47.46	2300		0.15 mile southeast of Ellen Street
47.67	2200		0.09 mile south of Winema Street, south city limits of Wallowa
54.11	2300		On Lostine River Bridge
			North city limits of Lostine
54.93	2400		0.04 mile south of Wallowa Street
			East city limits of Lostine
63.99	2900		0.04 mile south of Tejaka Lane
64.94	4700		0.02 mile west of W 2nd Street
65.00	4900		0.02 mile west of Enterprise-Lewiston Highway (OR3)
65.07	4300		0.05 mile east of Enterprise-Lewiston Highway (OR3)
65.19	5900		0.02 mile north of Greenwood Street
65.23	6000		0.02 mile south of Greenwood Street
65.33	5500		0.04 mile north of Hogan Street (Litch Street)
65.81	3700		0.06 mile west of SE Florence Street
			East city limits of Enterprise
68.22	2900		0.25 mile west of Crow Creek Road (Eggleston Lane)
			North city limits of Joseph
71.40	3600		0.02 mile north of Little Sheep Creek Highway
			ENTERPRISE-LEWISTON HIGHWAY NO. 11
			Milepoint indicates distance from Washington-Oregon State Line
0.00	220		At Washington-Oregon State Line
28.49	350		0.02 mile south of Charolais Road (Wellamotkin Drive USFS Road #46)
36.85	360		0.02 mile north of Dunham Loop
42.67	720		0.16 mile north of NW Flora Street, north city limits of Enterprise
42.92	1800		0.02 mile north of NW Silver Street
43.17	2500		0.02 mile north of Wallowa Lake Highway (OR82)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			BAKER-COPPERFIELD HIGHWAY NO. 12
			<i>Milepoint indicates distance from La Grande-Baker Highway (US30), in Baker City</i>
			<i>On Main Street</i>
0.02	6300		0.02 mile north of La Grande-Baker Highway (US30)
0.22	6300		0.02 mile south of Campbell Street
			<i>On Campbell Street</i>
0.29	11200		0.02 mile east of Resort Street
0.59	10200		0.02 mile west of Cedar Street
0.62	9700		0.01 mile east of Cedar Street
1.09	6200		0.10 mile west of Old Oregon Trail (I-84)
2.50	1300		0.01 mile east of West Airport Road
7.44	1000		0.02 mile west of Ruckles Creek Road
10.00	850		0.02 mile west of Keating Cutoff Road
14.31	760		0.02 mile west of Ruckles Creek Road
23.22	590		0.05 mile east of Sparta Road
			<i>Equation: MP 31.73 BK = MP 32.01 AH</i>
37.55	620	*	Richland Automatic Traffic Recorder, Sta. 01-010, 2.21 miles northwest of Dry Gulch Road
39.89	700		0.02 mile east of Foothill Road
41.04	690		0.02 mile south of New Bridge Road connection
			<i>West city limits of Richland</i>
			<i>Equation: MP 41.37 BK = MP 42.00 AH</i>
42.06	980		0.02 mile west of 2nd Street
42.27	790		0.12 mile east of 1st Street, east city limits of Richland
42.92	680		0.10 mile west of Robinette Road (Hewitt Park)
43.12	540		0.10 mile northeast of Robinette Road (Hewitt Park)
53.53	540		0.02 mile south of Pine Town Road, Baker-Copperfield Spur
53.60	130		0.05 mile north of Pine Town Road, Baker-Copperfield Spur
54.41	390		0.02 mile east of Pine Creek Highway
63.48	500		0.02 mile west of North Pine Creek Road
70.38	230		0.10 mile south of road to Oxbow & Brownlee Dam
70.52	330		0.04 mile south of road to Homestead
70.80	250		Oregon-Idaho State Line
			CROOKED RIVER HIGHWAY NO. 14
			<i>Milepoint indicates distance from Ochoco Highway No. 41 (US26), in Prineville</i>
1.92	410		1.92 miles south of Ochoco Highway No. 41 (US26)
12.55	100		On Hoffman's Irrigation Dam
22.98	130		0.02 mile north of SE Reservoir Road
			<i>Equation: MP 27.39 BK = MP 225.04 AH</i>
42.21	19		0.30 mile north of Central Oregon Highway (US20)
			MCKENZIE HIGHWAY NO. 15
			<i>Milepoint indicates distance from Pacific Highway West (OR99), in Eugene</i>
			<i>MP 0.24 to MP 1.23 Transferred to city of Springfield</i>
			EASTBOUND - ONE-WAY TRAFFIC
			<i>On "A" Street</i>
1.34	16600		On Willamette River Bridge, west city limits of Springfield
1.55	11500		0.02 mile west of Springfield Highway (OR528-SB)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			MCKENZIE HIGHWAY NO. 15 (Continued)
1.59	17100		0.02 mile east of Springfield Highway (OR528-SB)
1.65	10100		0.02 mile east of Springfield Highway (OR528-NB)
2.44	13100		0.02 mile west of 14th Street
2.89	12300		0.02 mile west of 19th Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Main Street
1.33	15600		On Willamette River Bridge, west city limits of Springfield
1.58	11200		0.02 mile west of Springfield Highway (OR528-SB)
1.62	11200		0.02 mile east of Springfield Highway (OR528-SB)
1.68	10200		0.02 mile east of Springfield Highway (OR528-NB)
2.47	10800		0.02 mile west of 14th Street
2.89	10100		0.02 mile west of 19th Street
			RESUME TWO-WAY TRAFFIC
3.02	19700		0.02 mile east of 20th Street
3.68	19400		0.05 mile west of 32nd Street
3.75	21400		0.02 mile east of 32nd Street
4.59	21900		0.02 mile west of Springfield-Creswell Highway (42nd Street)
4.63	23300		0.02 mile east of Springfield-Creswell Highway (42nd Street)
6.01	17100		0.22 mile west of Eugene-Springfield Highway (OR126)
6.38	26500		0.15 mile east of Eugene-Springfield Highway (OR126)
7.60	15500		0.02 mile east of 69th Street
8.44	13100		0.10 mile west of 79th Street
9.75	10900		0.02 mile east of Thurston Road
10.89	10300		0.02 mile east of Cedar Flat Road
11.53	10000		East end of the Hendricks Bridge at the McKenzie River
11.85	8300		0.02 mile east of Millican Road
15.37	7400		0.02 mile east of Twin Firs Drive
19.04	6100		0.02 mile east of Holden Creek Lane (East Jct.)
21.40	5400		0.02 mile east of Greenwood Drive (West Jct.)
26.38	4400		0.02 mile west of South Gate Creek Road at Vida
29.14	3800	*	Vida Automatic Traffic Recorder, Sta. 20-010, 2.74 miles east of S Gate Creek Road
36.00	3500		0.90 mile east of Nimrod
45.37	3000		0.02 mile west of Cougar Reservoir Road
49.80	2700		0.02 mile east of road to McKenzie Bridge Campground
54.12	4400		0.02 mile west of Paradise Forest Camp Road
54.24	2100		0.10 mile east of Paradise Forest Camp Road
54.92	2100		0.05 mile west of Clear Lake-Belknap Springs Highway (OR126)
			Equation: MP 54.97 BK = MP 55.46 AH
61.91	320		At the McKenzie Highway west snow gate (OR242)
			Linn - Deschutes County Line, MP 77.14
89.40	550		On Trout Creek Bridge, 2.83 miles west of Sisters
91.29	1900		0.02 mile east of Edgington Road
			Equation: MP 92.05 BK = MP 92.85 AH
Z 91.96	1600		0.07 mile west of Santiam Highway (US20)
92.07	11800		0.05 mile east of Hood Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			MCKENZIE HIGHWAY NO. 15 (Continued)
92.52	12300		0.01 mile east of Elm Street
92.85	15200		0.02 mile east of Locust Street
93.09	5300		0.02 mile east of McKenzie-Bend Highway (US20)
97.48	4700		0.02 mile east of Goodrich Road
107.23	6100		0.20 mile west of Cline Falls Highway
107.53	9400		0.10 mile east of Cline Falls Highway
108.27	10700	*	Cline Falls Automatic Traffic Recorder, Sta. 09-021, 1.38 miles west of SW Helmholtz Way (SW 43rd Street)
			On SW Highland Avenue
110.13	11000		0.02 mile west of SW 35th Street
110.92	21700		0.02 mile east of SW 23rd Street
111.39	19900		0.02 mile west of SW 15th Street
			EASTBOUND - ONE-WAY TRAFFIC
			On SW Highland Avenue
111.61	10200		0.02 mile west of SW 11th Street
111.72	6800		0.02 mile west of SW 9th Street
111.76	7600		0.02 mile east of SW 9th Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Glacier Avenue
111.57	9500		0.02 mile west of SW 13th Street
111.67	10300		0.02 mile east of SW 11th Street
111.77	6900		0.02 mile east of SW 9th Street
			SANTIAM HIGHWAY NO. 16
			Milepoint indicates distance from Albany-Junction City Highway (OR99E)
0.06	8800		0.09 mile west of Burkhart Street SE
0.13	14200		0.02 mile west of Burkhart St SE (OR99E)
0.47	21000		0.02 mile west of Waverly Drive
0.79	20300		0.08 mile west of southbound Pacific Highway (I-5) ramps
1.37	17300		0.07 mile east of northbound Pacific Highway (I-5) ramps
2.63	9500		0.02 mile east of Scrael Hill Road
6.40	10900		0.15 mile west of Albany-Lyons Highway (OR226)
6.65	6900		0.10 mile southeast of Albany-Lyons Highway (OR226)
8.58	7000		0.05 mile south of Bohlken Drive
10.92	8600		0.02 mile south of KGAL Drive
12.27	10100		0.02 mile south of Reeves Parkway
			On Main Street
12.85	10200		0.05 mile south of Corvallis-Lebanon Highway (OR34/Morton Street)
			SOUTHBOUND - ONE-WAY TRAFFIC
0.00	8700		0.04 mile east of Geary Street SE
0.09	8300		0.03 mile northwest of 9th Avenue SE (OR99E)
			On Main Street
12.98	6200		0.05 mile south of Carolina Street
13.16	4800		0.02 mile south of Vine Street
13.30	7000		0.02 mile north of E Grant Street
13.35	7800		0.02 mile south of W Grant Street
13.47	8900		0.02 mile south of Oak Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			SANTIAM HIGHWAY NO. 16 (Continued)
			NORTHBOUND - ONE-WAY TRAFFIC
			On Carolina Street
12.98	5300		0.05 mile east of Main Street
			On Park Street
13.23	4500		0.02 mile south of E Vine Street
13.37	6100		0.02 mile north of E Grant Street
13.41	7600		0.02 mile south of E Grant Street
13.54	7600		0.02 mile south of E Oak Street
			RESUME TWO-WAY TRAFFIC
13.64	17100		0.05 mile south of Elmore Street
14.06	23500		0.06 mile north of Airport Road at Lebanon Ditch
14.45	22000		0.07 mile southeast of S Main Road
14.85	21900		0.04 mile southeast of Market Drive
15.64	15400		0.23 mile northwest of Crowfoot Road
16.04	15500		0.02 mile southeast of Weirich Road
19.05	13500	*	Waterloo Automatic Traffic Recorder, Sta. 22-013, 0.38 mile southeast of Sodaville-Waterloo Drive, southeast of Lebanon
22.84	10500		0.02 mile south of Fairview Road
26.60	11800		0.07 mile north of Osage Street, west city limits of Sweet Home
26.79	12400		0.08 mile east of 1st Avenue
27.10	13700		0.03 mile east of Halsey-Sweet Home Highway (OR228-Holley Road)
27.44	13500		0.02 mile east of 13th Avenue
27.74	14500		0.02 mile east of 18th Avenue
28.07	11900		0.02 mile west of 23rd Avenue
28.61	10300		0.02 mile east of Clark Mill Road
29.82	8200		0.02 mile west of 47th Avenue
30.27	6800		0.02 mile west of Wiley Creek Drive
30.31	6800		0.02 mile east of Wiley Creek Drive
31.33	2900		0.15 mile east of Riggs Hill Road
33.00	1700		0.02 mile east of Quartzville Road
35.08	1600		2.10 miles east of Quartzville Drive
43.16	990		0.02 mile east of Canyon Creek Road
51.47	820		0.91 mile west of Soda Fork Road
71.42	810		0.10 mile west of Clear Lake-Belknap Springs Highway (OR126)
71.72	2600		0.20 mile east of Clear Lake-Belknap Springs Highway (OR126)
74.50	2500		0.40 mile west of North Santiam Highway (OR22)
75.05	5400		0.15 mile east of North Santiam Highway (OR22)
			Linn - Jefferson County Line, MP 80.77
90.89	6400		0.02 mile west of Camp Sherman Road
90.93	7100		0.02 mile east of Camp Sherman Road
93.12	9200	*	Sisters Automatic Traffic Recorder, Sta. 09-014, 0.31 mile south of Black Butte Ranch Road
100.05	12200		0.10 mile south of Barclay Drive
			MCKENZIE-BEND HIGHWAY NO. 17
			Milepoint indicates distance from McKenzie Highway (OR126), east of Sisters
0.25	8800		0.25 mile southeast of McKenzie Highway (OR126)
9.25	11400	*	Three Sisters Viewpoint Automatic Traffic Recorder, Sta. 09-015, 0.47 mile northwest of Innes Market Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			MCKENZIE-BEND HIGHWAY NO. 17 (Continued)
14.70	13600		0.02 mile northwest of Cline Falls Highway (O.B. Riley Road)
16.72	14600		0.02 mile northwest of Redmond-Bend Highway
18.01	22100		0.50 mile northwest of The Dalles-California Highway (US97)
18.78	16900		0.02 mile north of Empire Avenue
19.33	19100		0.02 mile north of River Mall Avenue
19.47	19800		0.02 mile north of O.B. Riley Road
19.64	24500		0.02 mile north of Butler Market Road
19.80	12000		0.14 mile south of Butler Market Road
			On East 3rd Street
20.45	17300		0.02 mile north of Revere Avenue
20.49	18800		0.02 mile south of Revere Avenue
20.75	21300		0.02 mile south of NE Norton Avenue
20.97	18300		0.02 mile north of Central Oregon Highway (US20, Greenwood Avenue)
			WILLAMETTE HIGHWAY NO. 18
			<i>Milepoint indicates distance from Pacific Highway (I-5), near Goshen</i>
0.75	15900		0.25 mile east of Seavey Loop (Mathews Road)
2.66	17600		0.02 mile east of Cloverdale Road
5.68	15900		0.05 mile west of Parkway Rd (Jasper Jct.)
5.83	14000		0.10 mile east of Parkway Rd (Jasper Jct.)
8.57	10700		0.02 mile east of Rattlesnake Road
9.63	9600		0.10 mile east of Dexter Road
13.17	7700		0.02 mile west of Jasper-Lowell Road
13.21	7100		0.02 mile east of Jasper-Lowell Road
34.11	6000		0.02 mile west of McAtee Lane
34.33	6700		0.02 mile east of River Road
34.85	8400		0.02 mile west of Rainbow Street
35.43	9200		0.05 mile west of Crestview Street
35.50	6000		0.02 mile east of Crestview Street
35.83	5600		0.02 mile west of Hills Street
35.96	5700		0.07 mile east of Margaret Street
37.36	3300	*	Oakridge Automatic Traffic Recorder, Sta. 20-017, 0.10 mile east of Kitson Springs Road
45.20	3500		0.02 mile southeast of McCredie Springs Ranger Station Road
			Lane - Klamath County Line, MP 62.07
69.31	2700		0.10 mile north of Crescent Lake Highway
69.51	2900		0.10 mile south of Crescent Lake Highway
86.00	2100		0.45 mile northwest of The Dalles-California Highway (US97)
			FREMONT HIGHWAY NO. 19
			<i>Milepoint indicates distance from The Dalles - California Highway (US97), south of LaPine</i>
0.20	1100		0.20 mile east of The Dalles-California Highway (US97)
			Deschutes - Klamath County Line, MP 2.31
18.21	940		0.59 mile south of Mowich Spring Road (NF-2516), Klamath-Lake County Line
49.60	830	*	Silver Lake Automatic Vehicle Classifier, Sta. 19-010, 2.25 miles southeast of 1st Street
62.95	520		At Picture Rock Pass Summit
			North city limits of Paisley
97.60	500		0.02 mile north of Red House Lane

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			FREMONT HIGHWAY NO. 19 (Continued)
98.34	730		0.02 mile north of Mill Street
98.38	860		0.02 mile south of Mill Street
98.89	560		0.11 mile south of Murphy Lane, east city limits of Paisley
120.37	530		0.20 mile north of Lakeview-Burns Highway (US395)
120.83	780	*	Valley Falls Automatic Vehicle Classifier, Sta. 19-004, 0.26 mile south of Lakeview-Burns Highway No. 49 (US395)
138.29	830		0.05 mile north of Warner Highway (OR140)
138.39	1200		0.05 mile south of Warner Highway (OR140)
140.71	1400		0.02 mile north of Goldmohr Terrace Road (Sunnyslope Lane)
142.60	1900		0.02 mile north of N 10th Street
142.88	1700		0.02 mile north of N 6th Street
143.01	2200		0.02 mile north of Klamath Falls-Lakeview Highway (OR140)
143.06	4000		0.03 mile southeast of Klamath Falls-Lakeview Highway (OR140)
143.32	4000		0.02 mile south of Center Street
143.65	3300		0.02 mile north of 4th Street South
143.86	2900		0.02 mile north of 7th Street South
144.08	1800		0.02 mile south of "F" Street South
144.22	1700		0.02 mile south of 10th Street South
144.47	1200		0.02 mile south of 12th Street South
148.63	910		0.02 mile north of Crane Creek Road
157.43	850	*	New Pine Creek Automatic Traffic Recorder, Sta. 19-008, 0.30 mile north of Oregon-California State Line
			KLAMATH FALLS-LAKEVIEW HIGHWAY NO. 20
			<i>Milepoint indicates distance from The Dalles - California Highway (US97), in Klamath Falls</i>
0.14	4900		0.04 mile west of Ewauna Street
			MP 0.19 to MP 2.50 Transferred to the City of Klamath Falls
2.70	17300		0.02 mile west of Altamont Drive
2.74	17800		0.02 mile east of Altamont Drive
3.26	20100		0.02 mile west of Klamath Falls-Malin Highway (OR39)
3.30	18800		0.02 mile east of Klamath Falls-Malin Highway (OR39)
3.72	18800		0.02 mile west of Wiard Street
3.98	18700		0.02 mile west of Homedale Road
4.02	18600		0.02 mile east of Homedale Road
4.27	14000		0.02 mile east of Madison Street
5.34	12100		0.20 mile west of Western Street (OR140/OR39 Interchange)
5.74	6300		0.20 mile east of Western Street (OR140/OR39 Interchange)
10.08	4200		0.02 mile west of S Poe Valley Road
10.12	3700		0.02 mile east of S Poe Valley Road
19.00	3000		0.02 mile west of Dairy-Bonanza Highway (OR70)
19.12	2200		0.10 mile east of Dairy-Bonanza Highway (OR70)
27.32	1300		0.02 mile west of Bly Mountain Cutoff
40.88	1000		0.10 mile east of Godowa Springs Road at Beatty
44.92	1100	*	Beatty Automatic Vehicle Classifier, Sta. 18-017, 4.14 miles east of Yellow Jacket Springs Road at Beatty
50.36	1100		0.02 mile west of Ivory Pine Road
53.85	1300		0.02 mile west of Elder Street at Bly
53.88	1000		0.01 mile east of Elder Street at Bly
			Klamath - Lake County Line, MP 63.42

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			KLAMATH FALLS-LAKEVIEW HIGHWAY NO. 20 (Continued)
70.73	700		4.00 miles southeast of Quartz Mountain Pass Summit
88.96	1000		0.10 mile west of Tunnel Hill Road
89.16	1200		0.10 mile east of Tunnel Hill Road
92.43	1500		0.70 mile east of Westside Road at Maddock Corner
93.88	1900		0.02 mile west of road to Airport
95.39	2100		0.02 mile east of Roberta Avenue
95.72	2600		0.02 mile east of N "R" Street
			West city limits of Lakeview
96.03	3300		0.02 mile west of "L" Street
96.35	3600		0.02 mile west of Fremont Highway (US395)
			GREEN SPRINGS HIGHWAY NO. 21
			Milepoint indicates distance from OR99, in Ashland
1.02	12300		0.02 mile west of Tolman Creek Road
1.22	13400		0.12 mile west of Pacific Highway (I-5)
1.42	6600		0.08 mile east of Pacific Highway (I-5)
1.80	7300		0.07 mile east of E Main Street
2.04	5400		0.06 mile southeast of Dead Indian Memorial Road
2.49	4100		0.04 mile southeast of Crowson Road
4.61	2300		0.02 mile southeast Emigrant Lake Road
6.44	1500		0.02 mile northwest of Siskiyou Highway
6.61	1100	*	Siskiyou Junction Automatic Traffic Recorder, Sta. 15-007, 0.15 mile east of Siskiyou Highway No. 273 (OR273)
9.28	580		0.10 mile east of Buckhorn Spring Road
			Equation: MP 13.66 BK = MP 213.00 AH
17.51	440		0.02 mile east of Eastside Hyatt Lake access road
23.42	340		On Jenny Creek Bridge
			Jackson - Klamath County Line, MP 27.87
48.73	500		0.02 mile east of Hamaker Mountain Road
49.89	1500		0.02 mile west of Keno-Worden Road (to US97)
49.93	2400		0.02 mile east of Keno-Worden Road (to US97)
50.68	3000		0.02 mile east of Clover Creek Road
54.46	5000		0.02 mile east of Round Lake Road
56.64	4400		0.10 mile southwest of Weyerhaeuser Corporation Road
56.79	5100		0.05 mile northeast of Weyerhaeuser Corporation Road
58.17	5700		0.10 mile west of Granite Street
58.84	7200		0.02 mile west of Lake of the Woods Highway (OR140)
			CRATER LAKE HIGHWAY NO. 22
			Milepoint indicates distance from Rogue Valley Highway (OR99), in Medford
0.20	35600		0.15 mile north of Rogue Valley Highway (OR99), Siskiyou Boulevard
0.84	31800		0.05 mile west of Poplar Drive
1.11	43300	*	North Medford Automatic Traffic Recorder, Sta. 15-017, 0.64 mile east of Pacific Highway No. 1 (I-5)
1.38	39200		0.02 mile southwest of Whittle Avenue
2.02	24200		0.15 mile south of Owen Drive
3.63	31700		0.02 mile south of East Vilas Road
3.67	29300		0.02 mile north of East Vilas Road
5.41	20000		Equation: MP 29.18 BK = MP 229.16 AH

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CRATER LAKE HIGHWAY NO. 22 (Continued)
5.42	29300		0.02 mile south of Agate Road
5.98	27800		0.05 mile south of Lake of the Woods Highway (OR140)
6.08	20800		0.05 mile north of Lake of the Woods Highway (OR140)
7.34	15500		0.02 mile south of Avenue "H", entrance to Camp White
7.38	15300		0.02 mile north of Avenue "H", entrance to Camp White
9.40	13700		0.02 mile south of Nick Young Road
9.44	10700		0.02 mile north of Nick Young Road
13.58	9300		0.05 mile south of Sams Valley Highway (OR234)
13.73	7300		0.10 mile north of Sams Valley Highway (OR234)
14.55	7300		0.01 mile south of Butte Falls Road
15.46	8500	*	Shady Cove Automatic Traffic Recorder, Sta. 15-013, 1.83 miles north of Sams Valley Highway No. 271 (OR234)
18.35	6200		0.06 mile south of Brophy Way
19.81	6800		0.03 mile north of Indian Creek Road
20.11	6800		0.02 mile north of Rogue River Drive
21.10	4700		0.07 mile north of Train Lane, north city limits of Shady Cove
22.37	4100		0.05 mile south of Tiller-Trail Highway (OR227)
22.60	2900		0.18 mile east of Tiller-Trail Highway (OR227)
25.54	2300		0.02 mile west of Elk Creek Road
			Equation: MP 26.65 BK = MP 26.91 AH
29.30	2200		0.05 mile south of Crowfoot Road
			Equation: MP 35.70 BK = MP 36.64 AH
44.19	1300		0.02 mile south of Mill Creek Drive
			Equation: MP 44.29 BK = MP 45.31 AH
51.46	1100		0.10 mile east of Woodruff Bridge Road
57.29	1000		0.02 mile south of West Diamond Lake Highway (OR230)
57.81	350		0.50 mile east of West Diamond Lake Highway (OR230)
			Jackson - Klamath County Line, MP 65.45
65.45	330		At west boundary of Crater Lake National Forest
			National Park Jurisdiction, MP 65.45 to MP 83.63
89.75	570		0.02 mile north of Nicholson Road
89.79	600		0.02 mile south of Nicholson Road
91.10	610	*	Fort Klamath Automatic Traffic Recorder, Sta. 18-021, 0.28 mile northwest of Sun Mountain Road
97.30	1100		0.01 mile north of Modoc Point Road
98.53	1200		0.02 mile north of Chiloquin Highway (North Jct.)
102.37	870		0.10 mile north of South Chiloquin Highway
103.67	1100		0.28 mile northwest of The Dalles-California Highway (US97)
			DAIRY-BONANZA HIGHWAY NO. 23
			Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR140), at Dairy
0.10	840		0.10 mile east of Klamath Falls-Lakeview Highway (OR140)
2.96	850		0.02 mile east of Burgdorf Road
5.94	1000		0.24 mile west of Bowne Avenue, west city limits of Bonanza
6.43	1400		0.05 mile west of Carroll Avenue
6.50	2000		0.02 mile east of Carroll Avenue
6.81	1900		0.01 mile east of 2nd Avenue
6.95	1200		0.02 mile southwest of Central Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			REDWOOD HIGHWAY NO. 25
			<i>Milepoint indicates distance from Rogue River Highway (OR99), at Redwood Jct. in Grants Pass</i>
			SOUTHBOUND - ONE-WAY TRAFFIC
			On 6th Street
-2.61	5000		On southbound off-ramp from I-5 to NW 6th Street, at the North Grants Pass exit
-2.18	13200		0.02 mile north of Hillcrest Drive
-1.97	13800		0.02 mile north of Midland Avenue
-1.69	14900		0.02 mile south of Savage Street
-1.17	15300		0.02 mile north of NE "A" Street
-1.13	18700		0.02 mile south of NE "A" Street
-0.96	16500		0.02 mile north of "E" Street
-0.89	17100		0.02 mile north of "F" Street
-0.81	17200		0.02 mile north of "G" Street
-0.65	14800		0.02 mile north of "J" Street
-0.41	16700		0.02 mile north of "M" Street
-0.37	21100		0.02 mile south of "M" Street
-0.14	21100		On Rogue River Bridge
			NORTHBOUND - ONE-WAY TRAFFIC
			On 7th Street
-2.57	5800		0.02 mile north of NW Morgan Lane
-2.29	13200		0.10 mile north of Hillcrest Drive
-2.07	13900		0.02 mile north of Midland Avenue
-1.79	15000		0.02 mile south of Savage Street
-1.23	17600		0.02 mile north of NE "A" Street
-1.19	16400		0.02 mile south of NE "A" Street
-1.02	16900		0.02 mile north of "E" Street
-0.96	16900		0.02 mile north of "F" Street
-0.88	16200		0.02 mile north of "G" Street
-0.72	16800		0.02 mile north of "J" Street
-0.49	16800		0.02 mile north of "M" Street
-0.45	21400		0.02 mile south of "M" Street
-0.24	21200		On Rogue River Bridge
			RESUME TWO-WAY TRAFFIC
0.75	33400		0.04 mile east of Fairgrounds Road
0.89	25700		0.10 mile west of Fairgrounds Road
1.22	20400		0.02 mile east of Allen Creek Road
2.03	21700		0.02 mile east of Dowell Road
2.58	22900		0.02 mile west of Willow Lane
4.68	13200	*	Timber Ridge Automatic Traffic Recorder, Sta. 17-005, 0.50 mile east of Redwood Avenue
5.20	10400		0.02 mile west of Redwood Avenue
6.33	9500		0.02 mile east of Helms Road
6.97	10400		0.12 mile east of Rogue River Loop Highway
7.14	7400		0.05 mile west of Rogue River Loop Highway
8.81	8300		0.02 mile south of Fish Hatchery Road
			Equation: MP 9.03 BK = MP 9.33 AH
16.10	7400		At Hayes Hill Summit

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			REDWOOD HIGHWAY NO. 25 (Continued)
17.87	7400		0.08 mile north of Circle West Drive
19.60	7800		0.04 mile north of Squaw Mountain Road
20.08	7900		0.10 mile north of Illinois River Road
20.24	8100		0.02 mile north of North Jct. of Hogue Drive and Highway 25
20.37	7800		0.37 mile north of Deer Creek Bridge
20.81	7300		0.02 mile south of Lakeshore Drive
21.44	7500		0.08 mile south of South Jct. of Hogue Drive and Highway 25
26.32	8000		0.09 mile north of 5th Street
26.81	8600		0.10 mile south of Finch Road
27.71	8700		0.04 mile south of Laurel Road, north city limits of Cave Junction
28.65	9200		0.02 mile south of Lister Street
28.93	10100		0.02 mile north of Oregon Caves Highway (OR46)
29.27	7000		0.14 mile south of Hamilton Avenue, south city limits of Cave Junction
29.65	5400		0.02 mile south of Rockydale Road
32.34	4500		0.02 mile north of Westside Road
36.22	5000		0.02 mile north of O'Brien Road
36.71	3800		0.02 mile north of Gene Brown Road
41.32	3700	*	O'Brien Automatic Vehicle Classifier, Sta. 17-003, 0.37 mile north of Oregon-California State Line
			MT. HOOD HIGHWAY NO. 26
			<i>Milepoint indicates distance from Pacific Highway West (OR99W), in Portland</i>
0.05	20200		0.04 mile south of connection from Arthur Street
0.85	65300		On the east side of Ross Island Bridge, 0.77 mile east of Pacific Highway West Overcrossing (OR99W)
1.08	60100		0.07 mile east of Pacific Highway East overcrossing (OR99E)
1.17	39400		0.02 mile east of SE 8th Avenue
1.36	41700		0.04 mile east of SE Milwaukie Avenue
1.79	37200		0.02 mile west of SE 21st Avenue
1.83	35200		0.02 mile east of SE 21st Avenue
2.09	34900		0.02 mile east of SE 26th Avenue
2.89	33900		0.02 mile west of SE Cesar E Chavez Boulevard
2.93	37100		0.02 mile east of SE Cesar E Chavez Boulevard
3.23	39400		0.02 mile east of SE 45th Avenue
3.41	43700		0.05 mile west of SE Foster Road
3.55	25200		0.02 mile west of SE 52nd Avenue
3.59	26200		0.02 mile east of SE 52nd Avenue
4.06	27100		0.02 mile east of SE 62nd Avenue
4.56	26800		0.02 mile east of SE 72nd Avenue
5.02	27100		0.02 mile west of Cascade Highway North (OR213)
5.16	26900		0.05 mile west of SE 84th Avenue
5.67	39600		0.07 mile west of East Portland Freeway (I-205)
5.82	22200		0.08 mile east of East Portland Freeway (I-205)
6.69	19400		0.02 mile west of SE 112th Avenue
6.73	20300		0.02 mile east of SE 112th Avenue
7.19	16200		0.02 mile west of SE 122nd Avenue
7.23	21500		0.02 mile east of SE 122nd Avenue
7.92	21500		0.02 mile east of SE 136th Avenue

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			MT. HOOD HIGHWAY NO. 26 (Continued)
8.34	21200		0.02 mile west of SE 144th Avenue
8.42	20200		0.02 mile east of SE 145th Avenue
9.37	20800		0.02 mile east of SE 164th Avenue
9.96	20100		0.09 mile east of SE 174th Avenue, west city limits of Gresham
			MP 9.96 to MP 14.22 Transferred to City of Gresham
14.36	33400	*	Gresham Automatic Traffic Recorder, Sta. 26-003, 0.18 mile southeast of SE Powell Valley Road
14.80	28500		0.05 mile south of SE Palmquist Road
18.30	25600		0.05 mile northwest of SE Haley Road
19.24	25500		0.30 mile northwest of Clackamas-Boring Highway (OR212)
20.60	30300		0.50 mile northwest of SE Kelso Road
21.40	30300		0.30 mile southeast of SE Kelso Road
22.72	33700		0.02 mile northwest of SE 362nd Drive, west city limits of Sandy
23.85	33300		0.02 mile west of Bluff Road
			EASTBOUND - ONE-WAY TRAFFIC
			On Pioneer Boulevard
23.89	15700		0.02 mile east of Bluff Road
24.02	16200		0.02 mile west of Beers Avenue
24.35	16000		0.05 mile west of Eagle Creek-Sandy Highway (OR211)
24.42	12400		0.02 mile east of Eagle Creek-Sandy Highway (OR211)
24.59	12500		0.02 mile west of Ten Eyck Road
			WESTBOUND - ONE-WAY TRAFFIC
			On Proctor Boulevard
23.89	16600		0.02 mile east of Bluff Road
24.04	18300		0.02 mile west of Beers Avenue
24.36	15900		0.05 mile west of Eagle Creek-Sandy Highway (OR211)
24.40	13700		0.02 mile east of Eagle Creek-Sandy Highway (OR211)
24.61	12600		0.02 mile west of Ten Eyck Road
			RESUME TWO-WAY TRAFFIC
			Equation: MP 24.70 BK = MP 24.92 AH
25.10	20700		0.02 mile west of Langensand Road
25.66	23500		0.10 mile east of Vista Loop Drive
26.76	19000		0.10 mile west of SE Firwood Road
26.93	17800		0.07 mile east of SE Firwood Road
29.66	16500		0.23 mile west of Wagoneer Loop Drive (East Jct.)
34.87	15000		0.10 mile west of E Sleepy Hollow Drive
35.07	17400		0.10 mile east of E Sleepy Hollow Drive
38.54	12800		0.10 mile west of E Brightwood Loop Road (East Jct.)
41.19	13200		0.02 mile west of Vine Maple Drive
			Equation: MP 41.60 BK = MP 42.25 AH
			Equation: MP 44.57 BK = MP 44.79 AH
46.38	10300	*	Rhododendron Automatic Traffic Recorder, Sta. 03-006, 0.30 mile east of Camp Creek Road (USFS 28)
52.78	10500		0.10 mile west of road to Government Camp (West Jct.)
54.13	8300		0.10 mile west of Timberline Highway
56.00	8900		0.50 mile west of Warm Springs Highway (US26)
			Equation: MP 56.11 BK = MP 57.20 AH

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			MT. HOOD HIGHWAY NO. 26 (Continued)
57.79	2500	*	Mt. Hood Meadows Automatic Traffic Recorder, Sta. 03-007, 0.02 mile east of Warm Springs Highway No. 53 (US26)
70.64	1600		0.10 mile south of Lookout Mountain Loop Road
80.06	1600		0.02 mile south of Base Line Road
			Equation: MP 80.59 BK = MP 82.62 AH
82.91	1700	*	Mt. Hood Automatic Traffic Recorder, Sta. 14-003, 2.12 miles south of Hood River Highway No. 281
85.00	2100		0.02 mile south of Hood River Highway
88.34	4000		0.07 mile north of Hood River Highway
88.74	4800		0.02 mile north of Woodworth Road
90.57	4900		0.20 mile north of Miller Road
93.40	6000		0.07 mile south of Central Vale Road
			Equation: MP 94.17 BK = MP 94.43 AH
95.15	6300		0.10 mile south of Odell Highway
95.30	6800		0.05 mile north of Odell Highway
95.86	6600		0.02 mile south of Neal Creek Road
95.90	7700		0.02 mile north of Neal Creek Road
			Equation: MP 96.87 BK = MP 97.08 AH
97.57	7000		0.02 mile south of Dethman Ridge Drive
97.61	9300		0.02 mile north of Dethman Ridge Drive
97.81	9200		0.02 mile north of Van Horn Drive
101.72	9600		0.10 mile south of Historic Columbia River Highway (US30) and connection to Columbia River Highway (I-84)
			ALSEA HIGHWAY NO. 27
			Milepoint indicates distance from Oregon Coast Highway (US101), in Waldport
0.08	6600		0.02 mile east of Verbena Street
0.30	5700		0.02 mile northeast of Bay Street
0.52	3900		0.02 mile east of Mill Street
1.62	4100		0.22 mile east of Meadowlark Lane, southeast city limits of Waldport
1.80	3700		0.02 mile west of SE Clover Lane
2.40	2300		On Eckman Slough Bridge
2.63	2100		0.02 mile east of Eckman Creek Road
5.21	1300		At Siuslaw Forest Boundary
7.15	1100		0.02 mile east of Risley Creek Road
9.82	890		0.02 mile west of Roe Lane
10.49	890		0.02 mile west of Little Switzerland Road
14.22	620		On Scott Creek Bridge
20.09	510		0.02 mile south of Five Rivers Road to Denzer
20.13	480		0.02 mile north of Five Rivers Road to Denzer
27.52	540		At Lincoln-Benton County Line
33.11	600		0.02 mile east of Salmonberry Road
38.15	860		0.04 mile east of Hayden Road
39.71	920		0.10 mile west of Alsea-Deadwood Highway
39.85	1600		0.04 mile east of Alsea-Deadwood Highway
40.00	1700		0.04 mile east of 3rd Street
40.06	1500		0.02 mile east of Alder Street
40.99	1500		0.02 mile northeast of Honey Grove Road
43.01	1500		0.02 mile east of Fish Hatchery Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			ALSEA HIGHWAY NO. 27 (Continued)
47.87	1500		0.02 mile west of road to Marys Peak
			Equation: MP 48.65 BK = MP 50.43 AH
52.19	1500		0.10 mile west of Schreiber Road
53.89	2100	*	Alsea Automatic Traffic Recorder, Sta. 02-003, 4.67 miles southwest of Corvallis-Newport Highway No. 33 (US20/OR34)
54.26	2100		0.02 mile northeast of Greasy Creek Road
54.58	2500		0.02 mile northeast of Rock Creek Road
55.43	2200		0.01 mile northeast of Henkle Way
57.96	3200		0.02 mile northeast of Gellatly Way
58.08	3400		0.02 mile northeast of Old Peak Road
58.46	3600		0.10 mile southwest of Corvallis-Newport Highway (US20/OR34)
			PENDLETON-JOHN DAY HIGHWAY NO. 28
			Milepoint indicates distance from Oregon - Washington Highway (OR11), at 10th Street in Pendleton
			SOUTHBOUND - ONE-WAY TRAFFIC
			On SE Emigrant Avenue
0.06	2200		0.01 mile west of 10th Street, Oregon-Washington Highway (OR11)
0.10	2000		0.02 mile west of SE 9th Street
0.30	2300		0.08 mile west of SE 6th Street
0.35	2500		0.02 mile east of SE 3rd Street
0.39	2900		0.02 mile west of SE 3rd Street
0.45	3100		0.02 mile east of SE 1st Street
0.52	3500		0.02 mile east of S Main Street
0.55	4300		0.01 mile west of S Main Street
0.68	5200		0.02 mile east of SW 4th Street
0.72	5800		0.02 mile west of SW 4th Street
1.15	7100		0.02 mile east of SW 13th Street
1.19	7500		0.02 mile west of SW 13th Street
1.29	8000		0.02 mile west of SW 15th Street
1.45	8600		0.07 mile east of SW 20th Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On SE 10th Street
0.05	2000		0.02 mile south of Oregon-Washington Highway (OR11)
			On SE Frazer Avenue
0.12	1900		0.02 mile east of SE 9th Street
0.48	2800		0.04 mile west of SE 3rd Street
0.52	3000		0.02 mile east of SE 1st Street
0.57	3400		0.02 mile east of S Main Street
0.61	4100		0.02 mile west of S Main Street
0.71	3800		0.09 mile east of SW 4th Street
0.82	4900		0.02 mile west of SW 4th Street
1.22	4600		0.02 mile east of SW 13th Street
1.26	7100		0.02 mile west of SW 13th Street
1.36	7300		0.02 mile west of SW 15th Street
1.57	7200		0.02 mile east of SW 20th Street
			RESUME TWO-WAY TRAFFIC
1.66	23800		Old Oregon Trail (I-84) undercrossing on SW Pendleton-John Day Highway (US395/OR37)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PENDLETON-JOHN DAY HIGHWAY NO. 28 (Continued)
1.75	29500		0.02 mile north of Tutuilla Creek Road
1.77	25900	*	South Pendleton Automatic Traffic Recorder, Sta. 30-008, 0.09 mile south of Old Oregon Trail Highway No. 6 (I-84)
2.24	16800		0.02 mile north of SW 30th Street
2.34	14300		0.02 mile south of SW Ladow Avenue
2.74	8700		0.07 mile south of SW Southgate Place (North Jct.), south city limits of Pendleton
3.27	5400		0.02 mile south of Southgate Place (South Jct.)
5.38	4300		0.10 mile south of SW Gateway Avenue
6.70	3600		0.02 mile south of Coombs Canyon Road
11.49	3100		0.02 mile south of Stewart Creek Frontage Road
12.98	3100		0.05 mile south of Stewart Creek
14.64	3000		0.09 mile south of Old Highway 395
15.12	3300		0.10 mile south of NE 4th Street
15.27	3200		On East Fork Birch Creek Bridge
15.38	2800		0.02 mile south of W Main Street
15.56	2000		0.02 mile north of SW Birch Street
15.59	1400		0.02 mile southwest of SW Birch Street
			Equation: MP 15.68 BK = MP 16.00 AH
16.70	810	*	Pilot Rock Automatic Traffic Recorder, Sta. 30-007, 1.34 miles southwest of W Main Street
17.26	590		0.20 mile southwest of Yellow Jacket Road
23.55	570		0.10 mile east of Heppner Highway (OR74)
23.75	520		0.10 mile southwest of Heppner Highway (OR74)
38.58	480		0.02 mile south of road to Battle Mountain State Park
41.26	450		0.70 mile north of Albee Road (South Jct.)
42.06	470		0.10 mile south of Albee Road (South Jct.)
49.47	470		0.10 mile north of Ukiah-Hilgard Highway (OR244)
49.67	370		0.10 mile south of Ukiah-Hilgard Highway (OR244)
55.66	360		On Fivemile Creek Bridge
60.93	320		On Camas Creek Bridge
62.41	320		At the 45th Parallel
63.96	330		At Umatilla-Grant County Line
65.14	320		0.89 mile south of Desolation Road
70.26	310		0.20 mile south of Ritter-Dale Road
77.18	330		0.10 mile north of Long Creek Road
81.02	330		0.02 mile north of Old Ritter Road
89.80	370	*	Long Creek Automatic Traffic Recorder, Sta. 12-006, 0.62 mile south of bridge over Long Creek
90.24	460		0.02 mile north of Kimberly-Long Creek Highway
90.28	530		0.02 mile south of Kimberly-Long Creek Highway
90.35	440		0.02 mile south of 2nd Street
90.83	420		0.46 mile south of 3rd Street
91.92	440		1.10 miles south of Long Creek
			Equation: MP 97.18 BK = MP 98.30 AH
98.31	420		At Smith Creek
100.39	440		0.02 mile north of Beech Creek Road
104.18	500		0.01 mile south of Donaldson Creek Road
110.04	530		0.01 mile north of East Beech Creek Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PENDLETON-JOHN DAY HIGHWAY NO. 28 (Continued)
			<i>Equation: MP 114.90 BK = MP 115.32 AH</i>
119.78	580		0.40 mile north of Rim Rock Lane
120.49	790		0.02 mile north of John Day Highway (US26)
			TUALATIN VALLEY HIGHWAY NO. 29
			<i>Milepoint indicates distance from Sunset Highway (US26), northeast of Beaverton</i>
0.26	17900		0.21 mile southwest of Sunset Highway (US26)
0.40	16400		0.02 mile southwest of Canyon Lane
1.53	16600		0.02 mile east of SW 87th Avenue
1.79	21900		0.02 mile west of SW 91st Avenue
2.22	23400		0.02 mile east of SW Walker Road
2.26	17500		0.02 mile west of SW Walker Road
2.79	21900		0.11 mile east of Beaverton-Tigard Highway (OR217)
3.04	32300		0.05 mile east of SW 115th Avenue
3.23	30500		0.05 mile west of SW 117th Avenue
3.47	31400		0.03 mile east of SW Hall Boulevard (Beaverton-Tualatin Highway)
3.52	28800		0.02 mile west of SW Hall Boulevard (Beaverton-Tualatin Highway)
3.80	27600		0.02 mile east of SW Cedar Hills Boulevard
3.84	27300		0.02 mile west of SW Cedar Hills Boulevard
3.97	29400		0.02 mile west of SW Broadway Street
4.12	31200		0.10 mile west of SW Hocken Avenue
4.68	32700		0.10 mile west of SW Murray Boulevard
5.82	40500		0.02 mile east of SW 170th Avenue
5.96	33600		0.12 mile west of SW 170th Avenue
6.50	33000		0.10 mile east of SW 185th Avenue at Aloha
6.62	34200		0.02 mile west of SW 185th Avenue at Aloha
7.78	32400		0.02 mile east of SW 209th Avenue
8.30	33500		0.02 mile east of SW 219th Avenue
8.34	32800		0.02 mile west of SW 219th Avenue
8.79	32700		0.02 mile east of SW 229th Avenue
9.31	32100		0.02 mile east of SE Imlay Avenue
9.84	28700		0.02 mile east of SE 48th Avenue
11.26	25200		0.02 mile east of SE 21st Avenue
11.70	25900		0.02 mile east of SE 13th Avenue
11.74	30100		0.02 mile west of SE 13th Avenue
			On Tenth Avenue
12.16	30900		0.02 mile south of SE Maple Street
12.39	32400		0.05 mile south of SE Oak Street
12.51	25300		0.02 mile south of SE Baseline Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Baseline Street
12.58	15700		0.02 mile east of SE 9th Avenue
12.91	16900		0.02 mile east of SE 5th Avenue
12.95	16200		0.02 mile west of SE 5th Avenue
13.27	15800		0.02 mile east of Hillsboro-Silverton Highway (OR219)
13.31	14500		0.02 mile west of Hillsboro-Silverton Highway (OR219)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			TUALATIN VALLEY HIGHWAY NO. 29 (Continued)
13.60	14500		0.02 mile west of SW Dennis Avenue
			EASTBOUND - ONE-WAY TRAFFIC
			On Oak Street
12.50	17200		0.02 mile east of SE 9th Avenue
12.84	17500		0.02 mile east of SE 5th Avenue
12.88	16700		0.02 mile west of SE 5th Avenue
13.19	16300		0.02 mile east of Hillsboro-Silverton Highway (OR219)
13.23	16700		0.02 mile west of Hillsboro-Silverton Highway (OR219)
13.52	16400		0.02 mile west of SW Dennis Avenue
			RESUME TWO-WAY STREET
14.25	31600		0.10 mile west of SW 17th Avenue
14.84	35200	*	Cornelius Automatic Traffic Recorder, Sta. 34-009, 0.28 mile west of NW 334th Avenue
15.17	31000		0.05 mile west of NW 341st Avenue
15.70	30500		0.02 mile east of W 26th Avenue
			WESTBOUND - ONE-WAY TRAFFIC
			On Adair Street
16.11	15500		0.02 mile east of 19th Avenue
16.46	15200		0.02 mile west of 14th Avenue
16.64	15500		0.02 mile west of 11th Avenue
16.69	15200		0.02 mile west of 10th Avenue
17.05	15600		0.01 mile west of 4th Avenue
17.37	15500		0.02 mile west of Yew Street
			EASTBOUND - ONE-WAY TRAFFIC
			On Baseline Street
16.05	14700		0.02 mile east of 20th Avenue
16.46	15400		0.02 mile west of 14th Avenue
16.63	17400		0.02 mile west of 11th Avenue
16.69	16100		0.02 mile west of 10th Avenue
17.05	15800		0.02 mile west of 4th Avenue
17.36	15700		0.02 mile west of Yew Street
			RESUME TWO-WAY TRAFFIC
17.58	30600		0.10 mile west of Mt. View Lane
18.54	14000		0.02 mile east of Maple Street
19.20	12500		0.02 mile west of Elm Street
20.01	14600		0.05 mile south of Old Nehalem Highway ("B" Street)
			Equation: MP 20.40 BK = MP 21.08 AH
21.52	13500		0.05 mile north of Dudley Avenue at Dilley
21.62	11700		0.05 mile south of Dudley Avenue at Dilley
22.33	9200		0.02 mile south of Springhill Road
23.68	11900		0.05 mile south of Seghers Road
24.83	10200		0.02 mile south of Patton Road
25.43	11100		0.02 mile north of Main Street at Gaston
25.47	9800		0.02 mile south of Main Street at Gaston
25.72	7800		At Washington-Yamhill County Line, south city limits of Gaston
			Equation: MP 25.73 BK = MP 26.52 AH

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			TUALATIN VALLEY HIGHWAY NO. 29 (Continued)
28.79	6300		0.02 mile south of Wapato-Newberg Road (Flett Road)
31.02	5500		0.02 mile north of Roosevelt Drive
34.14	5200		0.03 mile east of Pike Road
34.22	5900		0.05 mile south of Pike Road
34.45	6100		0.02 mile north of Yamhill-Newberg Highway (OR240)
34.49	6100		0.02 mile south of Yamhill-Newberg Highway (OR240)
34.60	5400		0.02 mile north of W 3rd Street
34.94	6000		0.32 mile south of W 3rd Street
37.37	5800		0.13 mile north of Lincoln Street
37.56	6000		0.02 mile north of Johnson Street
37.85	6100		0.02 mile north of Main Street
37.89	6100		0.02 mile east of Yamhill Street
37.97	5700		0.02 mile west of S Pine Street
38.01	5700		0.02 mile south of Main Street
38.18	5700		0.02 mile north of Taft Street
38.51	4700		0.05 mile south of W Arthur Street
42.33	4800		0.10 mile north of Pacific Highway West (OR99W)
			WILLAMINA-SALEM HIGHWAY NO. 30
			<i>Milepoint indicates distance from Salmon River Highway (OR18), at Wallace Bridge</i>
0.27	8700		0.27 mile southeast of Salmon River Highway (OR18)
4.67	8200		0.03 mile southeast of Mill Creek Road
5.91	10100		0.05 mile southeast of Red Prairie Road
8.43	10000		0.02 mile southeast of Enterprise Road
8.60	9900		0.02 mile southeast of Salt Creek Church Road
11.65	10600		0.14 mile west of Perrydale Road at Dolph Corner
11.94	9900		0.15 mile east of Perrydale Road at Dolph Corner
14.73	10700		1.00 mile west of Dallas-Rickreall Highway (OR223) Interchange
17.14	26100		1.00 mile east of Pacific Highway West (OR99W) overcrossing
19.47	29400	*	Oak Knoll Automatic Traffic recorder, Sta. 27-006, 0.90 mile west of Independence Highway No. 193 (OR51)
20.12	26900		0.02 mile east of Oak Grove Road at Brunks Corner
20.87	36700		0.50 mile east of Independence Highway (OR51)
22.14	33800		0.10 mile east of Doaks Ferry Road
23.61	34000		0.06 mile west of College Drive, west city limits of Salem
24.03	35900		0.05 mile west of Salem-Dayton Road
24.87	30200		0.01 mile west of Rosemont Avenue connection
			EASTBOUND - ONE-WAY TRAFFIC
			On Center Street
25.15	24200		0.24 mile east of Rosemont Avenue connection
25.90	47900	*	Salem Bridges Automatic Traffic Recorder (Eastbound), Sta. 24-014, Polk-Marion County Line
			WESTBOUND - ONE-WAY TRAFFIC
			On Marion Street
25.20	23600		0.05 mile west of connection to Salem-Dayton Highway (OR221/Wallace Road)
25.15	47600	*	Salem Bridges Automatic Traffic Recorder (Westbound), Sta. 24-014, Polk-Marion County Line

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			ALBANY-CORVALLIS HIGHWAY NO. 31
			<i>Milepoint indicates distance from Corvallis - Lebanon Highway (OR34), in Corvallis</i>
			<i>On North 2nd Street</i>
0.12	6000		0.02 mile north of Corvallis-Lebanon Highway (OR34-EB)
0.17	9200		0.02 mile north of Corvallis-Lebanon Highway (OR34-WB)
			<i>On NE 2nd Street</i>
0.25	9100		0.02 mile north of NW Tyler Avenue
2.19	6700		0.02 mile southwest of Circle Boulevard
2.44	12400		0.02 mile south of NE Seavy Avenue
5.50	13900		0.05 mile south of Granger Road
6.39	16100		0.02 mile west of NW Independence Road
8.51	16900		0.02 mile west of NW Scenic Drive
9.08	18200		0.02 mile west of NW Rainwater Lane
9.89	16000		0.09 mile west of North Albany Road
10.00	22100		0.02 mile east of North Albany Road
			SOUTHBOUND - ONE-WAY TRAFFIC
			<i>On SW Ellsworth Street</i>
10.44	17200		On Willamette River Bridge, Benton-Linn County Line
10.59	19100		0.02 mile south of 1st Avenue
10.74	14100		0.02 mile south of 4th Avenue
10.99	14800		0.02 mile north of 9th Avenue
			<i>On SW 9th Street</i>
11.03	11800		0.02 mile east of Ellsworth Street
11.22	11400		0.06 mile southwest of Albany-Junction City Highway (OR99E)
			NORTHBOUND - ONE-WAY TRAFFIC
			<i>On SW Lyons Street</i>
10.45	16800		On Willamette River Bridge, Benton-Linn County Line
10.60	13200		0.02 mile south of 1st Avenue
10.76	13400		0.02 mile south of 4th Avenue
10.94	13400		0.02 mile north of 8th Avenue
11.15	9400		0.04 mile west of Albany-Junction City Highway (OR99E), on Lyon Street ramp
			THREE RIVERS HIGHWAY NO. 32
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), at Hebo</i>
0.10	2500		0.10 mile southeast of Oregon Coast Highway (US101)
0.29	2100		0.02 mile southeast of Mt. Hebo Road
1.26	2000		0.02 mile southeast of Cedar Creek Road
4.15	1700		0.32 mile northwest of Castle Rock Camp Road
10.58	1700		0.05 mile north of Little Nestucca Highway
10.96	2600		At Tillamook-Yamhill County Line
17.79	2700		0.02 mile west of Arch Cedar Creek Bridge
21.99	3100		0.02 mile west of Grand Ronde Road
22.03	2400		0.01 mile east of Grand Ronde Road
23.84	2200		At Yamhill-Polk County Line
24.87	2600		0.10 mile north of Salmon River Highway (OR18)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CORVALLIS-NEWPORT HIGHWAY NO. 33
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), in Newport</i>
			<i>On Olive Street</i>
0.04	15800		0.04 mile east of Oregon Coast Highway (US101)
0.07	14100		0.02 mile east of Avery Street
0.30	18300		0.02 mile west of Eads Street
0.34	14600		0.02 mile east of Eads Street
0.76	12400		At east city limits of Newport
1.74	12700		0.02 mile east of Benson Road
5.00	13600		0.02 mile west of Christiansen Road
5.49	14700		0.10 mile west of Toledo Frontage Road (West Jct.)
5.61	8000		0.20 mile east of Toledo Frontage Road (West Jct.)
5.80	6400		0.06 mile east of Siletz Highway (OR229)
7.45	5800		0.15 mile west of Toledo Frontage Road (East Jct.)
7.62	6800		0.02 mile east of Toledo Frontage Road (East Jct.)
9.46	6000		0.02 mile north of Pioneer Mountain Road
			Equation: MP 11.92 BK = MP 14.50 AH
14.87	6000		0.02 mile west of Sams Creek Road
15.67	6600		0.02 mile north of Elk City Road
15.71	6000		0.02 mile south of Elk City Road
16.96	5700		0.50 mile east of intersection with old Highway US20
			Equation: MP 28.23 BK = MP 28.69 AH
32.76	5700		0.05 mile west of Spout Creek Road at Burnt Woods
34.24	6800	*	Burnt Woods Automatic Traffic Recorder, Sta. 21-006, 0.11 mile west of Lincoln-Benton County Line
			Equation: MP 36.63 BK = MP 37.20 AH
39.37	6300		0.02 mile west of Eddyville-Blodgett Highway
39.49	6700		0.10 mile east of Eddyville-Blodgett Highway
			Equation: MP 42.18 BK = MP 42.07 AH
42.21	6800		0.15 mile east of Lilly Hill Road
43.63	6500		0.02 mile southeast of Priest Road
44.59	7900		0.02 mile east of Kings Valley Highway (OR223)
			Equation: MP 44.68 BK = MP 45.66 AH
46.25	7100		0.30 mile west of Garrett Lane
48.01	9200		0.02 mile southeast of Woods Creek Road
49.63	10100		0.10 mile west of Alsea Highway (OR34)
49.80	13000		0.07 mile east of Alsea Highway
			EASTBOUND - ONE-WAY TRAFFIC
			<i>On Applegate Street</i>
50.13	6900		0.05 mile west of S Seventh Street
50.61	8100		0.02 mile west of 13th Street
50.65	8000		0.02 mile east of 13th Street
Z 50.74	8100		0.01 mile north of 15th Street
			Equation: MP 50.72 BK = MP 50.79 AH
			WESTBOUND - ONE-WAY TRAFFIC
			<i>On Main Street</i>
50.11	6900		At west city limits of Philomath

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CORVALLIS-NEWPORT HIGHWAY NO. 33 (Continued)
50.56	6600		0.02 mile west of 13th Street
50.60	7700		0.02 mile east of 13th Street
			RESUME - TWO-WAY TRAFFIC
50.83	16900		0.02 mile east of 16th Street
51.35	18800		0.02 mile east of Green Street
52.10	16200		0.12 mile west of SW 77th Street
52.56	14700		0.02 mile west of Country Club Drive
53.51	16200		0.02 mile east of SW 53rd Street
54.63	17100		0.02 mile west of SW 35th Street
54.67	19800		0.02 mile east of SW 35th Street
55.43	23100		0.02 mile west of SW 15th Street
55.56	26800		0.30 mile west of Pacific Highway West (OR99W)
56.70	16900		0.10 mile south of Corvallis-Lebanon Highway (OR34)
			COOS BAY-ROSEBURG HIGHWAY NO. 35
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), near Davis Slough</i>
0.70	8700		0.70 mile south of Oregon Coast Highway (US101)
4.14	8400		Southern Pacific overcrossing at Delmar
6.66	8400		0.10 mile north of North Bank Lane
9.56	9400		0.05 mile northwest of Cedar Point Road
9.85	9900		0.12 mile west of W Central Boulevard
10.15	8400		0.18 mile southeast of W Central Boulevard
10.87	9500		0.02 mile east of Coquille-Bandon Highway (OR42S)
11.31	9100		0.02 mile south of N Adams Street
			Equation: MP 11.42 BK = MP 12.13 AH
12.80	8300		At south city limits of Coquille
13.20	7200		0.02 mile north of Rink Creek Lane
13.24	6500		0.02 mile south of Rink Creek Lane
15.27	6600		0.09 mile south of Finley Loop (South Jct.)
17.35	6200		0.27 mile north of road to Norway Cemetery
17.85	6400		0.23 mile south of road to Norway Cemetery
19.30	6500		0.02 mile north of North Fork Lane
19.65	6400		0.02 mile north of Robison Lane
20.01	6000		At north city limits of Myrtle Point
20.54	6800		0.02 mile north of Spruce Street
20.58	6300		0.02 mile south of Spruce Street
20.63	6700		0.02 mile south of Maple Street
20.80	6000		0.02 mile south of Harris Street
21.11	5500		0.02 mile south of Maryland Avenue
21.81	4400		0.02 mile north of Carlisle Lane
23.03	4400		0.40 mile west of Powers Highway
23.83	3400		0.40 mile east of Powers Highway
26.72	3200		On Endicott Creek Bridge
29.13	3100		0.02 mile west of King Creek Road
30.48	3000		0.02 mile west of Myrtle Creek Road
			Equation: MP 39.04 BK = MP 40.53 AH

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			COOS BAY-ROSEBURG HIGHWAY NO. 35 (Continued)
37.29	2700		0.02 mile east of Sandy Creek Road
44.95	2600		At Coos-Douglas County Line
52.39	2700		0.02 mile west of Westside Road
54.82	3100		0.12 mile southwest of E Camas Road
55.02	3200		0.08 mile northeast of E Camas Road
			Equation: MP 60.14 BK = MP 61.72 AH
63.67	3500		0.07 mile southwest of Benedict Road
64.18	3900		0.02 mile southwest of Reston Road
65.66	4200		On Porter Creek Bridge
66.37	5500		0.02 mile east of Tenmile Valley Road
70.20	6100	*	Brockway Automatic Vehicle Classifier, Sta. 10-006, 1.53 miles west of Brockway Road
71.90	4800		At west city limits of Winston
73.06	8400		0.02 mile west of Civil Bend Avenue
73.10	8700		0.02 mile east of Civil Bend Avenue
73.27	9300		0.10 mile west of Main Street (OR99)
73.42	14700		0.05 mile north of Main Street (OR99)
73.74	15000		0.02 mile south of Brosi Orchard Road
73.86	15000		0.02 mile south of Safari Road
74.41	18300		0.06 mile south of Umpqua River
75.70	19300		0.02 mile southwest of Southwest Carnes Road (Kelley's Corner)
76.05	19200		0.02 mile southwest of Winery Lane
76.40	22600		0.25 mile southwest of Pacific Highway (I-5)
			PENDLETON-COLD SPRINGS HIGHWAY NO. 36
			Milepoint indicates distance from Cold Springs
0.74	70		At Columbia River Highway Undercrossing
0.94	700		0.20 mile south of Columbia River Highway (US395 and US730)
			Equation: MP 6.59 BK = MP 6.90 AH
8.83	350		0.02 mile west of South Cold Springs Road
13.23	270		0.02 mile west of Holdman Road at Holdman
18.84	270		0.11 mile west of Eggers Road
20.08	280		0.05 mile west of Athena-Holdman Highway
20.27	430		0.14 mile south of Athena-Holdman Highway
23.37	540		0.02 mile south of South Cold Springs Road
26.11	640		0.10 mile south of Despain Gulch Road
			North city limits of Pendleton
30.66	1700		0.02 mile north of NW Carden Avenue
30.73	4400		0.02 mile north of Pendleton Highway (US30)
			WILSON RIVER HIGHWAY NO. 37
			Milepoint indicates distance from Oregon Coast Highway (US101), in Tillamook
			EASTBOUND - ONE-WAY TRAFFIC
			On 3rd Street
0.01	6800		0.01 mile east of Oregon Coast Highway (US101-SB)
0.05	6800		0.02 mile east of Oregon Coast Highway (US101-NB)
0.16	6200		0.02 mile east of Madrona Avenue
0.24	2400		0.02 mile east of Ocean Place

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			WILSON RIVER HIGHWAY NO. 37 (Continued)
			WESTBOUND - ONE-WAY TRAFFIC
			On 1st Street
-0.02	7000		0.02 mile east of Main Avenue
0.02	6500		0.02 mile east of Oregon Coast Highway (US101-NB)
0.13	5800		0.02 mile east of Madrona Avenue
0.20	4400		0.01 mile east of Ocean Place
			RESUME TWO-WAY TRAFFIC
0.48	5200		At east city limits of Tillamook
1.91	7400		0.11 mile east of Wilson River Loop
2.51	4400		0.02 mile west of Olson Road
2.55	6700		0.02 mile east of Olson Road
4.20	5700		0.02 mile west of Fairview Road
4.24	5800		0.02 mile east of Fairview Road
			Equation: MP 4.63 BK = MP 5.00 AH
5.71	5500		0.02 mile east of Mills Bridge Road
10.82	5100		0.02 mile west of Kansas Creek Road
10.89	5100		0.05 mile east of Kansas Creek Road
22.63	5000		0.02 mile west of Northfork Road
32.88	4800		At Tillamook-Washington County Line
38.55	5800	*	Gales Creek Automatic Traffic Recorder, Sta. 34-004, 0.75 mile west of Glenwood Lane
39.05	5400		0.10 mile east of Timber Road
42.13	5400		0.15 mile northwest of Gales Creek Road
42.38	6100		0.10 mile east of Gales Creek Road
43.34	5700		0.10 mile northeast of Parson Road
48.59	6100		0.50 mile west of Nehalem Highway (OR47)
49.59	9100		0.50 mile east of Nehalem Highway (OR47)
51.12	9400		0.50 mile west of Sunset Highway (US26)
			OREGON CAVES HIGHWAY NO. 38
			Milepoint indicates distance from Redwood Highway (US199), in Cave Junction
0.11	5500		0.02 mile east of Caves Avenue
0.29	5400		0.06 mile west of Old Stage Road
0.37	4700		0.02 mile east of Old Stage Road
0.51	4200		0.10 mile east of Frederick Court
1.74	4700		0.02 mile west of Holland Loop Road (West Jct.)
2.41	1700		0.02 mile west of White School House Road
3.15	1200		0.02 mile west of Smith Sawyer Road
3.75	1000		0.02 mile east of White School House Road
6.15	650		0.03 mile west of Holland Loop Road (East Jct.)
6.53	520		On Arch Bear Creek Bridge
11.02	100		0.43 mile west of Grayback Forest Camp Road
11.97	120		0.20 mile east of French Peak Road
19.09	100		0.10 mile west of Oregon Caves National Monument
			Milepoint indicates distance from Oregon Coast Highway (US101), near Otis Jct.
0.40	11600		0.40 mile east of Oregon Coast Highway (US101)
1.36	9700		0.05 mile east of Old Scenic Highway 101 (North Bank Road)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			SALMON RIVER HIGHWAY NO. 39
3.96	9500		On Bear Creek Bridge
5.28	9800		0.02 mile west of North Bank Road at Rose Lodge
5.32	9300		0.02 mile east of North Bank Road at Rose Lodge
10.26	8100		At Lincoln-Tillamook County Line
14.90	8300		At Tillamook-Polk County Line
20.65	8900		0.02 mile west of Fire Hall Road
21.16	9600		0.02 mile west of Grand Ronde Road
21.20	11800		0.02 mile east of Grand Ronde Road
22.96	14500		0.10 mile west of Three Rivers Highway (OR22)
23.23	18200	*	Valley Junction Automatic Traffic Recorder, Sta. 27-001, 0.19 mile east of Three Rivers Highway No. 32 (OR22)
23.97	17000		0.70 mile west of Fort Hill Frontage Road overcrossing
26.67	17000		0.10 mile west of Willamina-Sheridan Highway (OR18 Bus.)
27.91	6700		0.03 mile east of connection to Willamina-Salem Highway (OR22)
29.76	6800		At Polk-Yamhill County Line
30.65	7000		0.02 mile east of Harmony Road
32.30	7800		0.30 mile west of Sheridan Interchange (Ballston Road)
32.90	7200		0.30 mile east of Sheridan Interchange (Ballston Road)
34.01	8100		0.10 mile west of Willamina-Sheridan Highway (OR18 Bus.)
34.21	13600		0.10 mile east of Willamina-Sheridan Highway (OR18 Bus.)
36.91	13000		0.02 mile west of Bellevue-Hopewell Highway
36.95	12900		0.02 mile east of Bellevue-Hopewell Highway
41.00	14300	*	Salmon River Automatic Traffic Recorder, Sta. 36-006, 3.36 miles south of Pacific Highway West No. 91 (OR99W)
43.04	13700		0.02 mile northeast of Durham Lane
43.76	13500		0.60 mile west of undercrossing Pacific Highway West (OR99W)
44.71	15600		0.35 mile east of Pacific Highway West (OR99W)
46.79	22100		0.10 mile east of Norton Lane
48.54	20100		0.05 mile west of Cruickshank Road
48.61	16100		0.02 mile east of Cruickshank Road
49.96	15700		0.05 mile east of Lafayette Highway (OR233)
51.03	15300		0.20 mile west of Salem-Dayton Highway (OR221)
52.56	17100		0.15 mile southwest of Pacific Highway West (OR99W)
57.55	11800		On Newberg-Dundee Bypass, 0.16 mile west of Chehalem Creek
60.29	13900		On S Springbrook Road, 0.07 mile south of E 2nd Street/E. Fernwood Road
60.64	12800		On N Springbrook Road, 0.03 mile south of Hayes Street
60.72	13300		On N Springbrook Road, 0.06 mile north of Hayes Street
			BEAVERTON-HILLSDALE HIGHWAY NO. 40
			<i>Milepoint indicates distance from Tualatin Valley Highway (OR8), in Beaverton</i>
1.09	33000		0.05 mile west of SW 110th Avenue
1.45	28100		0.05 mile west of SW Western Avenue
1.55	27300		0.05 mile east of SW Western Avenue
1.88	25100		0.02 mile west of SW Jamieson Road
2.03	24100		0.04 mile west of SW 91st Avenue
2.54	22600		0.02 mile west of SW Laurelwood Avenue
2.58	23900		0.02 mile east of SW Laurelwood Avenue
3.08	24700		0.05 mile west of Scholls Ferry Road (OR210)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			BEAVERTON-HILLSDALE HIGHWAY NO. 40 (Continued)
3.39	22000		0.02 mile west of west city limits of Portland, at Washington-Multnomah County Line
			MP 3.41 to MP 6.87 Transferred to the City of Portland
			OCHOCO HIGHWAY NO. 41
			<i>Milepoint indicates distance from The Dalles - California Highway (US97), in Redmond</i>
			On Evergreen Avenue
0.40	7900		0.02 mile east of S Franklin Street
0.51	7400		0.01 mile east of S Jackson Street
0.91	7000		0.07 mile southeast of 9th Street on Ochoco Way
2.32	10000		At east city limits of Redmond
3.23	10400	*	Powell Butte Automatic Vehicle Classifier, Sta. 07-002, 0.35 mile west of Deschutes-Crook County Line
6.82	9800		0.02 mile west of Powell Butte Highway
6.86	11800		0.02 mile east of Powell Butte Highway
7.82	11700		0.02 mile west of S Reif Road
7.86	11500		0.02 mile east of S Reif Road
9.37	11000		0.02 mile east of Minson Road
15.75	12900		0.01 mile west of Tom McCall Road
15.86	13100		0.02 mile east of Tom McCall Road
17.90	13600		0.02 mile west of O'Neil Highway
17.94	15400		0.02 mile east of O'Neil Highway, 0.23 mile west of Madras-Prineville Highway (US26)
18.30	13700		0.05 mile west of Harwood Street
18.57	12000		0.02 mile east of Deer Street
18.73	12500		0.02 mile west of N Main Street
18.77	10400		0.02 mile east of N Main Street
18.94	10600		0.04 mile west of Elm Street
19.02	11000		0.02 mile west of Fairview Street
19.06	11200		0.02 mile east of Fairview Street
19.40	11500		On Ochoco Creek Bridge
19.73	10200		0.02 mile west of Paulina Highway
19.77	7600		0.02 mile east of Paulina Highway
20.75	4700		0.24 mile west of Barnes Butte Road
21.01	2800		0.02 mile east of Barnes Butte Road
22.85	2900	*	Ochoco Automatic Traffic Recorder, Sta. 07-001, 2.03 miles west of Ochoco Dam
28.13	1300		0.02 mile east of Mill Creek Road
31.16	1100		0.02 mile east of Keystone Ranch Road
34.84	930		0.02 mile east of Ochoco Ranger Station Road
50.03	810		At Crook-Wheeler County Line
56.90	900		0.02 mile east of West Branch Road
62.56	970		0.02 mile west of Burnt Ranch Road
65.80	950		At west city limits of Mitchell
65.96	930		0.02 mile east of Service Creek-Mitchell Highway (OR207)
66.88	670		At east city limits of Mitchell
			Equation: MP 72.52 BK = MP 73.52 AH
75.21	670		0.02 mile west of Parrish Creek-Waterman Flat Road
75.25	670		0.02 mile east of Parrish Creek-Waterman Flat Road
79.86	620		0.02 mile west of Buck Point Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			OCHOCO HIGHWAY NO. 41 (Continued)
81.61	540		0.02 mile east of Antone Road
98.33	560		0.03 mile west of John Day Highway (OR19)
			SHERMAN HIGHWAY NO. 42
			<i>Milepoint indicates distance from Columbia River Highway (I-84), east of Biggs</i>
-0.43	5400		Oregon-Washington State Line, Samuel Hill Memorial Bridge
-0.06	7800		0.07 mile south of Columbia River Highway (I-84)
0.05	3300		0.02 mile south of Celilo-Wasco Highway Spur
7.80	2700		0.30 mile south of Wasco-Heppner Highway (OR206)
9.22	2600		0.40 mile south of Celilo-Wasco Highway (OR206)
			Equation: MP 13.01 BK = MP 13.27 AH
17.36	3100	*	Wasco Automatic Traffic Recorder, Sta.28-001, 0.83 mile northwest of 1st Street
18.21	3000		0.02 mile southwest of 1st Street
			North city limits of Grass Valley
27.68	2700		0.02 mile south of North Street
27.91	2700		0.02 mile north of Union Street
28.34	2400		0.02 mile north of Sherars Bridge Highway (OR216)
28.45	2300		0.02 mile south of South Street, south city limits of Grass Valley
			Sherman - Wasco County Line, MP 48.81
56.51	2300		0.02 mile northeast of Shaniko-Fossil Highway (OR218)
			West city limits of Shaniko
68.46	2300		0.20 mile east of The Dalles-California Highway (US197)
			MONMOUTH-INDEPENDENCE HIGHWAY NO. 43
			<i>Milepoint indicates distance from Pacific Highway West (OR99W), in Monmouth</i>
0.09	9900		0.02 mile east of High Street
0.80	11400		0.02 mile east of Boyd Lane
1.28	12200		0.02 mile west of Gun Club Road
2.05	9800		0.02 mile west of S 5th Street
2.19	8600		0.02 mile west of S 3rd Street
2.34	7900		0.01 mile west of Independence Highway (OR51)
			WAPINITIA HIGHWAY NO. 44
			<i>Milepoint indicates distance from Warm Springs Highway (US26), at Warm Springs Jct.</i>
0.28	270		0.07 mile southeast of Warm Springs Highway (US26)
4.23	270		0.02 mile east of Bear Springs Campground
4.33	270		0.02 mile east of Bear Springs Ranger Station Road
13.13	390		0.02 mile west of Kelly Spring Road at Pine Grove
13.17	390		0.02 mile east of Kelly Spring Road at Pine Grove
18.69	420		0.10 mile west of Old Wapinitia Road
18.89	520		0.10 mile east of Old Wapinitia Road
25.77	620		0.40 mile west of The Dalles-California Highway (US197)
			UMPQUA HIGHWAY NO. 45
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), in Reedsport</i>
0.10	5000		0.10 mile east of Oregon Coast Highway (US101)
0.26	4500		0.02 mile east of East Railroad Avenue
0.36	4500		0.02 mile west of 5th Street
0.48	4300		0.02 mile east of 4th Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			UMPQUA HIGHWAY NO. 45 (Continued)
0.61	3700		0.02 mile west of Winchester Avenue
0.65	4100		0.02 mile east of Winchester Avenue
2.22	3900		0.02 mile east of Scholfield Road
13.15	2700		0.05 mile west of Loon Lake Road
13.22	3600		0.02 mile east of Loon Lake Road
16.35	3900		At the west end of the Umpqua River Bridge
17.63	3400		0.75 mile east of Main Street at Scottsburg
23.65	3800	*	Scottsburg Automatic Traffic Recorder, Sta. 10-003, 7.08 miles east of Scottsburg West Road
28.42	3400		0.19 mile south of Paradise Creek Road
35.52	3900		0.10 mile west of Elkton West Road
35.87	3800		At west city limits of Elkton
36.19	4000		0.02 mile west of 2nd Street
36.29	4200		0.02 mile east of 1st Street
36.39	4200		At east city limits of Elkton
36.46	2700		0.02 mile east of Elkton-Sutherlin Highway (OR138)
40.14	2700		0.10 mile east of Tom Folley Road
43.78	3000		At Parker Creek
47.49	3300		0.02 mile east of Hardscrabble Road
50.20	3400		0.05 mile west of 4th Street, west city limits of Drain
50.27	5000		0.02 mile east of 4th Street
50.38	4900		0.02 mile west of 1st Street
50.42	4800		0.02 mile north of "B" Avenue
50.46	5000		0.02 mile north of "C" Avenue
50.56	4800		0.02 mile north of "E" Avenue
51.20	4700		At north city limits of Drain
52.41	4500		0.02 mile south of Upper Smith River Road
52.45	4500		0.02 mile north of Upper Smith River Road
56.35	4500		0.02 mile west of Curtin Road
56.78	4300		0.35 mile west of Pacific Highway (I-5)
			NECANICUM HIGHWAY NO. 46
			<i>Milepoint indicates distance from Sunset Highway (US26), at Necanicum Jct.</i>
0.14	780		0.10 mile south of Sunset Highway (US26)
0.82	550		0.10 mile south of Hamlet Road
7.71	560		On North Fork Nehalem River Bridge
11.38	710		At Clatsop-Tillamook County Line
12.71	720		0.10 mile north of North Fork Road (South Jct.)
12.91	560		0.10 mile south of North Fork Road (South Jct.)
13.52	580		0.02 mile south of God's Valley Road
16.18	750		0.11 mile north of McDonald Road
16.69	760		0.40 mile south of McDonald Road
16.84	850		0.02 mile south of McKimmens Road
18.93	1800		0.10 mile north of Oregon Coast Highway (US101)
			SUNSET HIGHWAY NO. 47
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), north of Cannon Beach</i>
0.60	8500		0.70 mile east of Oregon Coast Highway (US101)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			SUNSET HIGHWAY NO. 47 (Continued)
4.40	7500		On Black Bridge
9.47	7600		0.05 mile east of Necanicum Highway (OR53)
10.19	8000		0.02 mile east of Saddle Mountain Road
21.81	7800		0.05 mile west of Fishhawk Falls Highway
30.75	7200		At Clatsop-Tillamook County Line
34.16	7200		At Tillamook-Washington County Line
37.60	8600	*	Timber Jct Automatic Traffic Recorder, Sta. 34-005, 0.03 mile west of Vernonia Road
40.74	7900		0.10 mile west of the Sunset Tunnel
45.32	8400		0.09 mile west of Nehalem Highway/OR47 (Staleys Jct.)
45.72	12600		0.05 mile west of Fisher/Buxton Road
47.54	13000		0.05 mile east of Hayward Road
49.51	12000		0.20 mile east of Nehalem Highway/OR47 (Davies Jct.)
52.83	10700		0.50 mile west of Wilson River Highway (OR6)
53.73	23500		0.40 mile east of Wilson River Highway (OR6)
56.23	24600	*	North Plains Automatic Vehicle Classifier, Sta. 34-007, 0.93 mile northwest of North Plains (Glencoe Road) Interchange
57.46	41400		0.30 mile east of North Plains (Glencoe Road) Interchange
59.24	50400		0.50 mile east of Jackson Road Interchange
62.07	69200		0.39 mile west of Cornelius Pass Interchange
63.89	90100		0.40 mile west of NW 185th Avenue Interchange
65.02	119900	*	Beaverton-Bethany Automatic Traffic Recorder, Sta. 34-010, 0.73 mile east of 185th Avenue overcrossing
66.30	141700		0.39 mile east of Cornell Road Interchange
67.58	142800		0.44 mile east of Murray Road Interchange
68.98	147400		0.64 mile east of Cedar Hills Boulevard Interchange
70.39	146000		1.20 miles east of Beaverton-Tigard Highway (OR217) Interchange
70.83	127300		At Tualatin Valley Highway (OR8) Undercrossing
71.60	161400		0.30 mile east of Sylvan undercrossing
72.47	155800		0.30 mile east of Highlands Interchange
			EASTBOUND - ONE-WAY TRAFFIC
73.75	71600	*	Vista Ridge Tunnel Automatic Traffic Recorder, Sta. 26-002, 0.20 mile west of Stadium Freeway No. 61 (I-405), at the Vista Ridge Tunnels (eastbound)
73.90	13900		0.07 mile west of SE 13th Avenue
			MP 73.97 to MP 74.62 Transferred to the City of Portland
			WESTBOUND - ONE-WAY TRAFFIC
73.75	78100	*	Vista Ridge Tunnel Automatic Traffic Recorder, Sta. 26-002, 0.20 mile west of Stadium Freeway No. 61 (I-405), at the Vista Ridge Tunnel (westbound)
			On SW Clay Street
73.98	12000		0.02 mile west of SW 13th Avenue
			JOHN DAY-BURNS HIGHWAY NO. 48
			Milepoint indicates distance from John Day Highway (US26), in John Day
0.20	5700		0.02 mile south of SW 2nd Avenue
0.57	4800		0.02 mile south of SW 6th Avenue, south city limits of John Day
0.95	4500		0.11 mile south of Blue Gulch Road, north city limits of Canyon City
1.60	3200		0.05 mile north of Washington Street
1.76	2800		0.02 mile south of Clark Street
1.96	2300		0.02 mile south of Main Street
2.09	1600		0.02 mile south of Izee Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			JOHN DAY-BURNS HIGHWAY NO. 48 (Continued)
2.53	1100		At south city limits of Canyon City
9.98	880		0.10 mile north of Canyon Creek Lane
15.50	720		0.02 mile north of Star Ridge Road
17.70	710		0.02 mile north of Izee Paulina Road
21.93	660		0.02 mile north of Lemke Road
24.73	700		0.02 mile north of N Bridge Road
25.00	670		0.02 mile north of 4th Street in Seneca
25.52	480		At south city limits of Seneca
36.14	480		0.10 mile north of Bridge Creek Road (Silvies Landing Road)
40.38	400		At Grant-Harney County Line
49.28	390		0.02 mile south of Call Meadows Road
66.30	510	*	Burns Automatic Traffic Recorder, Sta. 13-001, 1.31 miles north of Central Oregon Highway No. 7 (US20)
			LAKEVIEW-BURNS HIGHWAY NO. 49
			<i>Milepoint indicates distance from Central Oregon Highway (US20), west of Riley</i>
0.20	230		0.19 mile south of Central Oregon Highway (US20)
89.52	270		0.50 mile north of Fremont Highway (OR31)
			KLAMATH FALLS-MALIN HIGHWAY NO. 50
			<i>Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR39/OR140), in Klamath Falls</i>
			<i>On Crater Lake Parkway</i>
-6.50	9700		0.09 mile north of Campus Way and Biehn Street
-6.31	16700		0.10 mile south of Campus Way and Biehn Street
-4.99	17500		0.02 mile northwest of Esplanade Street
			<i>On Alameda Avenue</i>
-4.87	17100		0.10 mile southeast of Esplanade Street
-4.48	17800		0.02 mile northwest of Main Street
-4.08	23000	*	Klamath Falls Automatic Traffic Recorder, Sta. 18-018, 0.46 mile south of Main Street
-3.83	12100		0.10 mile east of Washburn Way
-2.91	13400		0.02 mile northwest of Shasta Way
-2.87	10000		0.02 mile southeast of Shasta Way
			<i>On 6th Street</i>
-2.26	10100		0.02 mile north of Klamath Falls-Lakeview Highway (OR39/OR140/S 6th Street)
0.10	6900		0.10 mile south of Klamath Falls-Lakeview Highway (OR39/OR140)
1.76	7800		0.02 mile north of South Klamath Falls Highway (OR140)
1.80	8400		0.02 mile south of South Klamath Falls Highway (OR140)
2.30	7400		0.02 mile south of Short Road
3.07	7100		0.02 mile south of Henley Road
8.10	5100		0.02 mile north of Matney Road
12.41	4600		0.05 mile south of Anderson Road
			<i>West city limits of Merrill</i>
13.75	4900		0.02 mile east of Polk Street
13.97	5200		0.02 mile west of Main Street
14.01	5200		0.02 mile east of Main Street
14.22	4900		0.02 mile west of Lincoln Street
14.49	4700		0.03 mile east of N Elm Street
16.15	4600	*	Merrill Automatic Traffic Recorder, Sta. 18-020, 0.36 mile west of Hatfield Highway No. 426 (OR39)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			KLAMATH FALLS-MALIN HIGHWAY NO. 50 (Continued)
16.59	1700		0.08 mile east of Hatfield Highway (OR39)
23.55	1300		0.02 mile west of Drazil Road
23.78	1500		0.21 mile east of Drazil Road
24.13	1200		0.02 mile south of Railroad Avenue
24.33	510		0.02 mile east of S Malin Road
			East city limits of Malin
25.69	390		0.02 mile west of Stastny Road (Tule Lake Road)
27.08	190		0.02 mile north of Oregon-California State Line (Loveness Road)
			WILSONVILLE-HUBBARD HIGHWAY NO. 51
			<i>Milepoint indicates distance from Pacific Highway (I-5), south of Wilsonville</i>
0.50	23100		0.44 mile south of Pacific Highway (I-5) Overcrossing
1.49	12500		0.02 mile south of Arndt Road, Clackamas-Marion County Line
3.46	12100		0.02 mile north of Ehlen Road
3.70	9500	*	Hubbard Automatic Traffic Recorder, Sta. 24-016, 0.22 mile south of Ehlen Road
			HEPPNER HIGHWAY NO. 52
			<i>Milepoint indicates distance from Columbia River Highway (I-84), at Heppner Jct.</i>
0.30	190		0.30 mile south of Columbia River Highway (I-84)
3.93	190		On Willow Creek Bridge
8.44	190		At Gilliam-Morrow County Line
13.88	180		0.10 mile north of Fairview Road at Cecil
14.12	160		0.02 mile south of Immigrant Road
19.29	150		0.10 mile north of E Morgan Road
19.61	150		0.22 mile south of E Morgan Road
20.43	170		0.02 mile south of Ely Canyon Road
24.58	180		0.05 mile northwest of McNab West Road
24.73	280		0.10 mile east of McNab West Road
27.49	310		0.02 mile west of Main Street
27.61	240		At west city limits of Lone
27.91	560		0.02 mile east of Green Street
28.32	570		0.02 mile west of Ella Road
28.72	760		0.03 mile west of Emert Road
29.09	780		0.34 mile east of Emert Road
30.85	560		0.02 mile west of Rhea Creek Road
30.89	600		0.02 mile east of Rhea Creek Road
36.12	620		0.02 mile east of Tom Street, north city limits of Lexington
36.40	920		0.02 mile northwest of Lexington-Echo Highway (OR207)
36.47	1500		0.02 mile southeast of Lexington-Echo Highway (OR207)
36.62	1400		0.02 mile southeast of "C" Street
37.83	1400	*	Lexington Automatic Traffic Recorder, Sta. 25-007, 1.38 miles southeast of Lexington-Echo Highway No. 320 (OR207)
41.58	1400		0.02 mile southeast of Bunker Hill Lane
44.27	1500		0.02 mile northwest of Dee Cox Road
44.70	1600		0.07 mile northwest of Fuller Canyon Road
45.00	1400		At north city limits of Heppner
45.52	2100		0.02 mile north of Quaid Street
45.56	2000		0.02 mile south of Quaid Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HEPPNER HIGHWAY NO. 52 (Continued)
45.72	2300		0.02 mile north of Center Street
45.76	2300		0.02 mile south of Center Street
45.87	2000		0.02 mile north of Wasco-Heppner Highway (OR206/OR207)
45.91	1700		0.02 mile east of Wasco-Heppner Highway (OR206/OR207)
46.04	900		0.02 mile north of May Street
46.34	470		At east city limits of Heppner
49.43	240		0.02 mile west of Sand Hollow Road
49.50	140		0.05 mile east of Sand Hollow Road
53.93	110		0.02 mile east of Hanna-Arbuckle Road
62.10	50		0.02 mile east of Little Butter Creek Road
72.70	50		At Morrow-Umatilla County Line
76.82	80		0.05 mile southeast of North Fork Butter Creek Road
83.05	90		0.10 mile west of Pendleton-John Day Highway (US395)
			WARM SPRINGS HIGHWAY NO. 53
			<i>Milepoint indicates distance from Pacific Highway West (OR99W), in Portland</i>
57.77	6300	*	Warm Springs Jct Automatic Traffic Recorder, Sta. 03-009, 0.32 mile south of Mt. Hood Highway No. 26 (OR35)
62.16	4700		At Clackamas-Wasco County Line
71.02	4600		0.25 mile northwest of Wapinitia Highway (OR216)
71.67	4400		0.40 mile southeast of Wapinitia Highway (OR216)
81.96	4200		0.10 mile south of Beaver Butte Road at 45th Parallel
96.48	4500		At Wasco-Jefferson County Line
103.25	4500		0.02 mile northwest of Agency-Hot Springs Road
103.29	6900		0.02 mile southeast of Agency-Hot Springs Road
107.30	6900		0.52 mile north of NW Pelton Dam Road
111.76	7000		0.02 mile northwest of NW Columbia Drive
113.17	8400	*	Warm Springs Automatic Traffic Recorder, Sta. 16-006, 4.54 miles northwest of The Dalles-California Highway No. 4 (US97)
113.93	7300		0.02 mile northwest of NW Boise Drive
113.97	7600		0.02 mile southeast of NW Boise Drive
115.91	9200		0.05 mile southeast of NW Cherry Lane
116.42	11200		0.02 mile southeast of NW Earl Street
117.10	12100		0.02 mile north of NE Jefferson Street
117.15	11600		0.02 mile north of NE Lee Street
117.69	12900		0.02 mile north of The Dalles-California Highway (US97)
			UMATILLA-STANFIELD HIGHWAY NO. 54
			<i>Milepoint indicates distance from Columbia River Highway (US730), in Umatilla</i>
0.20	11300		0.16 mile south of Columbia River Highway (US730)
0.49	12000		0.02 mile south of Margaret Avenue
1.77	11400		0.02 mile south of Bensel Road
3.30	12600		0.02 mile south of Joy Lane
4.32	14100		0.02 mile north of Theater Lane, north city limits of Hermiston
4.85	18600		0.02 mile south of Elm Avenue (OR207)
5.11	18700		0.02 mile south of Jennie Avenue
5.38	19100		0.02 mile north of Gladys Avenue, Hermiston Highway (OR207)
5.42	19100		0.02 mile south of Gladys Avenue
5.48	16300		0.02 mile south of Hermiston Highway (OR207), W Main Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			UMATILLA-STANFIELD HIGHWAY NO. 54 (Continued)
5.85	14500		0.02 mile north of E Highland Avenue
6.01	13300		0.02 mile northwest of SE 4th Street
8.70	8100	*	Stanfield Automatic Vehicle Classifier, Sta. 30-019, 0.12 mile northwest of Feedville Road (Northwest of Stanfield)
9.25	7000		At north city limits of Stanfield
10.76	8200		0.02 mile north of Harding Avenue
10.80	7500		0.02 mile south of Harding Avenue
11.01	7200		0.02 mile north of Coe Avenue
11.22	6500		0.02 mile north of Tuttle Avenue
			South city limits of Stanfield
12.40	8500		0.50 mile north of Old Oregon Trail (I-84)
			ALBANY-JUNCTION CITY HIGHWAY NO. 58
			<i>Milepoint indicates distance from Pacific Highway (I-5), at North Albany Interchange</i>
			On Pacific Boulevard
0.35	26900		0.04 mile northeast of Airport Road
0.78	25000		0.10 mile east of Waverly Drive
0.90	22600		0.02 mile west of Waverly Drive
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Pacific Boulevard
1.32	7900		0.10 mile east of Santiam Highway (US20)
1.48	18700		0.06 mile west of Santiam Highway (US20)
1.78	18300		0.02 mile east of Main Street
1.91	17500		0.02 mile east of Madison Street
1.95	18900		0.02 mile west of Madison Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On 9th Avenue
1.33	11400		0.03 mile east of Santiam Highway (US20)
1.39	12100		0.03 mile west of Santiam Highway (US20)
1.80	19000		0.02 mile east of Main Street
1.91	17800		0.02 mile east of Madison Street
1.95	18900		0.02 mile west of Madison Street
			RESUME TWO-WAY TRAFFIC
2.14	39500	*	Central Albany Automatic Vehicle Classifier, Sta. 22-022, 0.28 mile northeast of Albany-Corvallis Highway No. 31 (US20)
2.47	16600		0.07 mile north of Ellsworth Street SW
2.69	24700		0.05 mile southwest of 12th Avenue
2.95	21300		0.06 mile north of Queen Avenue
3.03	21500		0.02 mile south of Queen Avenue
3.67	21300		0.02 mile north of 29th Avenue
4.26	14900		0.02 mile south of 37th Avenue
5.79	12200		0.02 mile north of Allen Lane
7.66	14700		0.15 mile north of Corvallis-Lebanon Highway (OR34)
7.96	5500		0.15 mile south of Corvallis-Lebanon Highway (OR34)
8.68	4900		0.02 mile north of Tangent Drive
8.79	4100		0.02 mile north of Birdfoot Drive
9.32	3100		South city limits of Tangent, 0.18 mile south of Glass Drive
14.73	3000		0.02 mile north of "F" Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			ALBANY-JUNCTION CITY HIGHWAY NO. 58 (Continued)
19.29	2700		At north city limits of Halsey
19.38	4600		0.02 mile south of Halsey-Sweet Home Highway (OR228)
19.87	3800		0.02 mile south of "J" Street
20.31	3700		At south city limits of Halsey
21.64	4100	*	Halsey Automatic Traffic Recorder, Sta. 22-012, 2.28 miles south of Halsey-Sweet Home Highway No. 212 (OR228)
28.17	4300		At north city limits of Harrisburg
28.46	6200		0.02 mile north of Territorial Street
28.50	8000		0.02 mile south of Territorial Street
28.66	9400		0.02 mile south of Moore Street
29.09	10100		At Linn-Lane County Line, at south city limits of Harrisburg
30.69	6100		0.02 mile south of Noraton Road
32.32	9300		0.05 mile northeast of Pacific Highway West (OR99W), north city limits of Junction City
			ROGUE RIVER HIGHWAY NO. 60
			<i>Milepoint indicates distance from Redwood Highway (US199), at south city limits of Grants Pass</i>
0.06	9700		0.06 mile south of E Park Street
0.28	11900		0.07 mile south of Redwood Highway Spur (US199)
0.50	10200		0.02 mile east of Maple Lane
0.77	6000		0.02 mile east of Parkdale Drive
1.43	4400		0.10 mile east of Hamilton Lane
2.37	3500		0.02 mile west of Fruitdale Drive
3.73	5200		0.02 mile east of Gordon Way
			Josephine - Jackson County Line, MP 5.51
6.19	4700		0.10 mile east of Savage Creek Road
8.80	5600		0.03 mile west of Depot Street in Rogue River
8.89	2800		0.06 mile east of Depot Street in Rogue River
11.45	2200		0.02 mile east of Foothills Creek Road
12.45	2100		0.15 mile south of Pacific Highway (I-5), Homestead Interchange
14.40	1200		0.10 mile west of Sams Valley Highway (OR234)
14.55	1800		0.05 mile south of Sams Valley Highway (OR234)
			STADIUM FREEWAY HIGHWAY NO. 61
			<i>Milepoint indicates distance from Pacific Highway (I-5), South Jct., in Portland</i>
0.60	95800	*	Stadium Freeway Automatic Traffic Recorder, Sta. 26-005, 0.64 mile northwest of Pacific Highway No. 1 (I-5)
0.88	91400		At SW 4th Avenue Undercrossing
1.11	84400		At SW Broadway Undercrossing
1.18	127600		At SW Park Avenue Undercrossing
2.02	114800		At SW Yamhill Street Undercrossing
2.45	105400		At NW Glisan Street Undercrossing
2.65	117300		At NW Kearney Street Overcrossing
3.05	131400	*	Burnside Street Undercrossing
			FLORENCE-EUGENE HIGHWAY NO. 62
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), in Florence</i>
0.22	9000		0.02 mile west of Spruce Street
0.68	7400		0.10 mile east of Xylo Street
0.95	4300		0.05 mile west of North Fork Siuslaw Road
1.05	5900		0.05 mile east of North Fork Siuslaw Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			FLORENCE-EUGENE HIGHWAY NO. 62 (Continued)
2.31	3600		0.02 mile east of Skunk Hollow Road
2.99	5900		0.30 mile east of Rose Hill Road
9.15	5500		0.03 mile west of Tiernan Road North
9.20	5700		0.02 mile east of Tiernan Road North
14.09	5900		0.13 mile east of Rice Road
14.32	5600		0.13 mile north of Riverview Avenue
14.48	5300		0.10 mile east of Sweet Creek Road
14.67	4900		0.02 mile east of East Mapleton Road
17.01	4500		0.50 mile east of Archie Knowles Forest Camp
19.83	5900		0.02 mile east of Knowles Creek Tunnel
23.29	4700		0.02 mile west of Richardson Road (Stage Coach Road)
26.55	4700		0.06 mile east of Siuslaw River Road
29.57	4500		0.08 mile west of Keith Road
32.46	4600		0.02 mile east of Nelson Mountain Road
			Equation: MP 34.90 BK = MP 34.95 AH
34.98	5100		0.02 mile east of Penn Road
40.95	5400		0.02 mile east of Poodle Creek Road
42.34	6400		0.05 mile east of Knight Road
			Equation: MP 42.72 BK = MP 42.88 AH
43.86	6900	*	Noti Automatic Traffic Recorder, Sta. No. 20-005, 3.06 miles west of Territorial Highway No. 200 (OR200)
46.56	7500		0.05 mile east of 8th Street
47.02	10600		0.10 mile east of Territorial Highway
			Equation: MP 47.46 BK = MP 47.27 AH
47.97	12100		0.13 mile east of Huston Road
49.73	12800		0.02 mile west of Central Road
49.77	14500		0.02 mile east of Central Road
52.20	13100		0.10 mile east of Fisher Road
52.48	13300		0.10 mile east of Richmond Street
			ROGUE VALLEY HIGHWAY NO. 63
			Milepoint indicates distance from Pacific Highway (I-5), at Seven Oaks Interchange
0.50	6500		0.16 mile south of the southbound Pacific Highway (I-5) ramps
1.43	6800		0.02 mile south of Scenic Avenue
			MP 1.64 to MP 3.60 Transferred to the City of Medford
3.72	16000		0.05 mile south of Beall Lane
4.56	15000		0.05 mile south of Sage Road
4.84	14700		0.02 mile southeast of Howard Avenue
5.30	15400		0.02 mile east of Elm Street
			On Rogue Valley Boulevard
			MP 5.48 to MP 8.13 Transferred to the City of Medford
8.18	16800		0.05 mile south of Stewart Avenue
9.74	14600		0.05 mile north of South Stage Road
9.81	15200		0.02 mile south of South Stage Road
			North city limits of Phoenix
11.13	15100		0.02 mile north of Fern Valley Road
11.27	12900		0.02 mile south of Bolz Lane

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			ROGUE VALLEY HIGHWAY NO. 63 (Continued)
			<i>MP 11.37 to 12.00 Transferred to City of Phoenix</i>
12.37	9100		0.22 mile north of Cabbage Lane, south city limits of Phoenix
13.76	8100		0.10 mile north of Suncrest Road
14.40	9400		0.20 mile south of West Valley View Road
14.92	8700		0.02 mile south of Arnos Street, south city limits of Talent
15.93	8400	*	Talent Automatic Traffic Recorder, Sta. 15-014, 0.33 mile northwest of Talent Avenue
17.04	16100		0.02 mile south of Valley View Road
			<i>North city limits of Ashland</i>
18.63	16400		0.03 mile north of Hersey Street
18.71	15200		0.02 mile south of Van Ness Street
18.98	13900		0.05 mile north of Helman Street
			<i>SOUTHBOUND - ONE-WAY TRAFFIC</i>
			<i>On East Main Street</i>
19.06	9300		0.01 mile south of Church Street
19.25	9100		0.02 mile south of Pioneer Street
19.42	10000		0.02 mile south of 2nd Street
			<i>NORTHBOUND - ONE-WAY TRAFFIC</i>
			<i>On "C" Street</i>
19.15	9500		0.02 mile north of Oak Street
19.23	9400		0.02 mile south of Pioneer Street
			<i>MP 19.46 to MP 20.84 Transferred to the City of Ashland</i>
			<i>RESUME TWO-WAY TRAFFIC</i>
			<i>On Siskiyou Boulevard</i>
20.86	7300		0.02 mile south of Walker Avenue
21.55	5500		0.02 mile north of Clay Street
21.97	2800		0.10 mile south of Tolman Creek Road
22.48	1500		0.08 mile south of Crowson Road
			EAST PORTLAND FREEWAY NO. 64
			<i>Milepoint indicates distance from Pacific Highway (I-5), in Tualatin</i>
0.76	88000	*	Stafford Automatic Vehicle Classifier, Sta. 03-016, 1.99 miles east of Pacific Highway No. 1 (I-5)
3.66	86800		0.50 mile east of Wankers Corner Interchange (Stafford Road)
7.00	89300		0.60 mile east of 10th Street, South West Linn Interchange
9.12	103100		On Willamette River Bridge, 0.30 mile east of Oswego Highway (OR43), West Linn Interchange
9.69	114500		0.40 mile east of Pacific Highway East (OR99E), Oregon City Interchange
10.75	142500		On Clackamas River Bridge, 0.30 mile south of SE 82nd Drive (OR213 South Jct.), Gladstone Interchange
12.27	130000		0.40 mile south of Clackamas Highway (OR224), South Clackamas Interchange
12.97	134800		0.30 mile north of Clackamas Highway (OR224), South Clackamas Interchange
13.38	134100		0.20 mile north of SE 82nd Drive/OR213 (North Jct.), Lake Road Interchange
13.88	114800		0.70 mile south of Sunnyside Road Interchange
15.84	144000		0.40 mile south of Johnson Creek Boulevard Interchange
17.45	150100		0.40 mile south of Foster Road Interchange
18.25	156300	*	Lents Automatic Traffic Recorder, Sta. 26-022, 0.87 mile south of Mt. Hood Highway No. 26 (US26)
20.11	170900		0.50 mile north of Division Street Interchange
20.35	153000	*	Yamhill Automatic Traffic Recorder, Sta. 26-018, 0.22 mile south of SE Washington Street undercrossing
20.87	137800		At Burnside Street Undercrossing

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			EAST PORTLAND FREEWAY NO. 64 (Continued)
21.77	144300		0.20 mile north of Columbia River Highway (I-84) Interchange
22.99	168900		0.40 mile north of connections to Columbia River Highway (I-84)
24.15	156600		0.50 mile south of Airport Way Interchange
25.50	160000	*	Glenn Jackson Automatic Traffic Recorder, Sta. 26-024, 1.06 miles south of Oregon-Washington State Line
			LA GRANDE-BAKER HIGHWAY NO. 66
			<i>Milepoint indicates distance from Old Oregon Trail (I-84), west of La Grande</i>
0.93	1400		0.30 mile west of Terrace Avenue
			On Adams Avenue
1.25	1900		0.02 mile west of Walnut Street
1.41	4500		0.02 mile east of Cedar Street
1.63	6000		0.02 mile west of 4th Street
1.67	5400		0.02 mile east of 4th Street
1.80	6100		0.02 mile southeast of Depot Street
2.04	7700		0.02 mile southeast of Greenwood Street
2.17	8300		0.02 mile northwest of Wallowa Lake Highway (OR82)
2.21	7400		0.02 mile southeast of Wallowa Lake Highway (OR82)
2.63	5700		0.02 mile northwest of Willow Street
2.67	6000		0.02 mile southeast of Willow Street
2.88	4000		0.02 mile northwest of Jefferson Avenue
2.95	3600		0.03 mile southeast of Jefferson Avenue, southeast city limits of La Grande
5.24	6700		0.15 mile west of Old Oregon Trail (I-84)
6.04	3400		0.40 mile east of Old Oregon Trail (I-84)
10.90	2400		0.02 mile east of Curtis Road
15.58	2200		At north city limits of Union
15.88	2200		0.05 mile northwest of Cove Highway (OR237)
15.95	2500		0.02 mile south of Cove Highway (OR237)
16.10	2400		0.02 mile south of Fir Street
16.49	2500		0.02 mile north of Medical Springs Highway (OR203)
16.53	2300		0.02 mile south of Medical Springs Highway (OR203)
16.63	1600		0.02 mile south of Dearborn Street
16.73	1100		0.02 mile south of Fulton Street
16.88	820		0.02 mile south of Iowa Street
17.44	370		0.04 mile west of Ramo Flat Road
29.29	400		0.02 mile south of Jimmy Creek Road
31.74	670		0.02 mile northeast of Center Street
31.93	960		0.02 mile southwest of "E" Street
32.19	1500		0.10 mile east of Old Oregon Trail (I-84)
32.33	1200		0.04 mile west of Old Oregon Trail (I-84), west city limits of North Powder
37.70	830	*	North Powder Automatic Traffic Recorder, Sta. 01-001, 4.84 miles south of Union-Baker County Line
39.97	760		0.02 mile north of Neill-Peck Lane
40.67	1400		0.02 mile north of Anthony Lakes Highway
			South city limits of Haines
46.54	1900		0.10 mile south of Wingville Lane
49.85	2100		0.10 mile north of Pocahontas Road (Hughes Lane)
49.97	4100		0.02 mile south of Pocahontas Road (Hughes Lane)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			LA GRANDE-BAKER HIGHWAY NO. 66 (Continued)
			On 10th Street
50.50	5700		0.02 mile south of "H" Street
50.96	5600		0.02 mile north of Campbell Avenue
51.00	4400		0.02 mile south of Campbell Avenue
51.21	4000		0.02 mile north of Broadway Avenue
			On Broadway Avenue
51.25	4100		0.02 mile east of 10th Street
51.54	4600		0.02 mile west of 4th Street
51.58	4600		0.02 mile east of 4th Street
51.77	3700		0.02 mile west of Baker-Copperfield Highway (OR86)
			On Main Street
51.81	5600		0.02 mile south of Baker-Copperfield Highway (OR86)
52.02	5100		0.02 mile north of Whitney Highway (OR7)
52.09	2500		0.05 mile east of Whitney Highway (OR7), on Bridge Street
52.44	2000		0.02 mile north of Myrtle Avenue on Elm Street
53.10	1000		0.05 mile northwest of S Bridge Street
			South city limits of Baker City
54.06	680		0.40 mile west of Old Oregon Trail Highway (I-84)
			PENDLETON HIGHWAY NO. 67
			Milepoint indicates distance from Old Oregon Trail (I-84), west of Pendleton
			On SW Westgate Avenue
1.17	4600		0.02 mile east of Old Airport Road
1.65	5500		0.02 mile west of Clopton Road
1.93	6100		0.15 mile west of Pendleton-Cold Springs Highway (OR37)
2.10	10000		0.02 mile east of Pendleton-Cold Springs Highway (OR37)
2.50	5500		0.02 mile east of SW 18th Street
			EASTBOUND - ONE-WAY TRAFFIC
			On SW Dorion Avenue
2.89	7800		0.02 mile west of SW 10th Street
2.93	6500		0.02 mile east of SW 10th Street
3.22	6000		0.02 mile east of SW 4th Street
3.37	5800		0.02 mile west of S Main Street
			On SE Dorion Avenue
3.41	5600		0.02 mile east of S Main Street
3.52	6600		0.02 mile west of SE 3rd Street
3.66	5300		0.02 mile west of SE 6th Street
			WESTBOUND - ONE-WAY TRAFFIC
			On SW Court Avenue
2.86	6700		0.02 mile west of SW 10th Street
2.90	6100		0.02 mile east of SW 10th Street
3.19	6000		0.02 mile east of SW 4th Street
3.35	5800		0.02 mile west of S Main Street
			On SE Court Avenue
3.39	5700		0.02 mile east of S Main Street
3.50	7000		0.02 mile west of SE 3rd Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PENDLETON HIGHWAY NO. 67 (Continued)
3.65	5200		0.02 mile west of SE 6th Street
			RESUME TWO-WAY TRAFFIC
3.89	8900		0.03 mile west of Oregon-Washington Highway (OR11), and Pendleton-John Day Highway (US395)
4.96	5000		0.34 mile east of Oregon-Washington Highway (OR11), east city limits of Pendleton
5.80	1300		0.80 mile north of Old Oregon Trail (I-84)
			CASCADE HIGHWAY NORTH NO. 68
			<i>Milepoint indicates distance from NE Columbia Boulevard, in Portland</i>
			On NE 82nd Avenue
0.15	14300		0.05 mile south of NE Columbia Boulevard
0.46	20200		0.23 mile south of NE Portland Highway (US30 Bypass-NE Killingsworth Street)
0.70	23000		0.05 mile north of NE Prescott Street
0.90	20100		0.05 mile north of Sandy Boulevard
1.00	20300		0.05 mile south of Sandy Boulevard
1.30	24200		0.05 mile south of NE Fremont Street
2.13	25600		0.13 mile north of Columbia River Highway (I-84)
2.46	27200		0.20 mile south of Columbia River Highway (I-84)
2.85	29300		0.10 mile south of NE Glisan Street
			On SE 82nd Avenue
3.42	31900		0.02 mile south of SE Morrison Street
4.13	29100		0.11 mile north of SE Division Street
4.30	26900		0.06 mile south of SE Division Street
4.70	29600		0.05 mile north of Powell Boulevard, Mt. Hood Highway (US26)
4.77	26300		0.02 mile south of Powell Boulevard, Mt. Hood Highway (US26)
5.29	22700		0.05 mile south of SE Holgate Boulevard
5.58	21800		0.18 mile north of SE Foster Road
5.87	20300		0.11 mile south of SE Foster Road
6.68	21300		0.05 mile north of SE Flavel Street
6.76	20000		0.03 mile south of SE Flavel Street
			Multnomah - Clackamas County Line, MP 7.23
7.52	22700		0.02 mile north of Johnson Creek Boulevard
7.57	27400		0.03 mile south of Johnson Creek Boulevard
8.32	28600		0.02 mile south of King Road
9.17	30300		0.02 mile north of Sunnyside Road
9.72	37200		0.46 mile north of Clackamas Highway (OR224)
			BELT LINE HIGHWAY NO. 69
			<i>Milepoint indicates distance from Florence - Eugene Highway (OR126), west of Eugene</i>
0.10	14800		0.42 mile west of Goble Lane
1.33	18400		0.05 mile east of Green Hill Road
2.85	21000		0.02 mile east of Danebo Avenue
3.20	18100		0.10 mile north of W 11th Avenue
5.20	27600	*	West Beltline Automatic Traffic Recorder, Sta. 20-028, 0.42 mile south of Barger Drive Interchange
6.00	41800		0.58 mile southwest of Pacific Highway West (OR99) Interchange
6.68	46100		0.10 mile east of Pacific Highway West (OR99) Interchange
7.07	57300		0.24 mile east of Prairie Road Interchange
7.84	59600		0.75 mile east of Northwest Expressway Interchange

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			BELT LINE HIGHWAY NO. 69 (Continued)
8.97	72400		0.50 mile east of River Road Interchange
9.65	86700		0.40 mile west of Delta Highway Interchange
10.96	59200		0.70 mile west of Coburg Road Interchange
12.00	56100	*	Beltline Automatic Traffic Recorder, Sta. 20-011, 0.76 mile west of Pacific Highway No. 1 (I-5)
12.97	36700		0.22 mile east of Pacific Highway (I-5) Interchange
			McNARY HIGHWAY NO. 70
			<i>Milepoint indicates distance from Washington - Oregon State Line</i>
0.58	21500	*	Umatilla Bridge Automatic Traffic Recorder, Sta. 30-025, 0.58 mile south of Oregon-Washington State Line
1.30	15900		0.30 mile south of Columbia River Highway (US730)
5.13	15500		0.30 mile south of Powerline Road
10.40	17100		0.30 mile north of Old Oregon Trail Highway (I-84)
			WHITNEY HIGHWAY NO. 71
			<i>Milepoint indicates distance from John Day Highway (US26), at Austin Junction</i>
0.07	410		0.07 mile north of John Day Highway (US26)
1.91	370		0.02 mile east of Austin Road
			Grant - Baker County Line, MP 7.56
15.76	380		At Camp Creek, 0.22 mile east of Whitney Road
24.24	400		0.02 mile west of Huckleberry Loop Road
24.88	410		0.35 mile west of Sumpter Highway
25.50	680		0.27 mile east of Sumpter Highway
29.05	670		0.02 mile west of Hudspeth Lane
34.66	670		0.02 mile east of Black Mountain Road
40.09	770		0.02 mile west of Denny Creek Road
41.75	890		0.10 mile west of Dooley Mountain Highway (OR245)
41.95	1200		0.10 mile north of Dooley Mountain Highway (OR245)
48.40	1500	*	Whitney Automatic Traffic Recorder. Sta. 01-012, 0.20 mile south of Griffin Gulch Lane
49.49	1800		0.02 mile south of David Eccles Road
49.90	2300		0.02 mile north of Colorado Street
50.81	4700		0.02 mile south of Estes Avenue
50.90	5100		0.02 mile north of Place Avenue
50.94	5100		0.02 mile south of La Grande-Baker Highway (US30)
			SALEM HIGHWAY NO. 72
			<i>Milepoint indicates distance from Pacific Highway (I-5), north of Salem</i>
0.67	25300	*	Salem Parkway Automatic Traffic Recorder, Sta. 24-022, 0.87 mile north of Hyacinth Street NE
1.64	27300		0.10 mile south of Verda Lane
2.51	30600		0.10 mile northeast of Cherry Avenue
3.06	25600		0.10 mile northeast of Broadway Street
3.21	19700		0.05 mile southwest of Broadway Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			<i>On Commercial Street</i>
3.62	15300		0.02 mile north of Pine Street at SB Salem Highway
3.66	17100		0.02 mile south of Pine Street at SB Salem Highway
4.34	17100		0.02 mile north of Market Street
4.38	17700		0.02 mile south of Market Street
			NORTHBOUND - ONE-WAY TRAFFIC

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			SALEM HIGHWAY NO. 72 (Continued)
			<i>On Liberty Street</i>
3.60	13700		0.02 mile north of Pine Street at NB Salem Highway
3.64	14400		0.02 mile south of Pine Street at NB Salem Highway
4.34	14700		0.02 mile north of Market Street
4.38	14900		0.02 mile south of Market Street
			RESUME TWO-WAY TRAFFIC
4.70	33800		0.02 mile north of Division Street
4.78	15100		0.02 mile northeast of Front Street
4.86	26000		0.02 mile south of Union Street
5.22	33600		0.03 mile south of Court Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			<i>On Front Street</i>
5.41	17100		0.02 mile west of Commercial Street
			<i>On Trade Street</i>
5.50	10700		0.02 mile west of Liberty Street
5.67	13900		0.02 mile west of Church Street
			NORTHBOUND - ONE-WAY TRAFFIC
			<i>On Front Street</i>
5.37	15200		0.02 mile west of Commercial Street
			<i>On Ferry Street</i>
5.45	16800		0.02 mile west of Liberty Street
5.63	11500		0.02 mile west of Church Street
			RESUME TWO-WAY TRAFFIC
			<i>On Pringle Creek Parkway</i>
5.95	20200		0.02 mile east of Winter Street
6.18	19800		0.02 mile west of 12th Street
6.74	35100		0.03 mile west of 17th Street
			<i>On Mission Street</i>
7.12	32700		0.02 mile west of 22nd Street
7.50	31900		0.02 mile west of 25th Street
7.82	44800		0.10 mile west of Turner Road
8.02	45600		0.10 mile east of Turner Road
8.28	52000		0.02 mile east of Hawthorne Avenue
			PACIFIC HIGHWAY NO. 75
5.46	20200	*	Sunrise Automatic Traffic Recorder, Sta. 03-021, 0.80 mile north of Clackamas Highway
			PACIFIC HIGHWAY EAST NO. 81
			<i>Milepoint indicates distance from East Burnside, in Portland</i>
			<i>On Martin Luther King Jr. Boulevard</i>
-5.53	15600		0.20 mile southeast of ramp to Delta Park (Marine Drive East)
-4.70	14700		0.02 mile north of Vancouver Avenue (SB connection)
-4.05	21500		0.04 mile north of NE Columbia Boulevard
-3.77	17600		0.02 mile north of Northeast Portland Highway (US30 Bypass)
			MP -3.75 to MP 1.00 Transferred to the City of Portland
			<i>On McLoughlin Boulevard</i>
1.69	71600		0.20 mile south of Ross Island Bridge

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY EAST NO. 81 (Continued)
2.68	47000		0.05 mile north of SE 17th Avenue
3.02	49500		0.05 mile north of SE Harold Street
4.29	48700		0.01 mile north of SE Tacoma Street
4.59	47200		0.10 mile south of SE Umatilla Street (Multnomah-Clackamas County Line)
5.10	44300		0.10 mile north of SE Milport Road
5.21	33400		0.25 mile north of Clackamas Highway (OR224)
5.67	34200		0.05 mile north of Harrison Street
5.90	31000		0.02 mile south of Jefferson Street
6.55	25800		0.25 mile south of River Road
7.36	26900		0.05 mile north of Courtney Road
7.46	27200		0.05 mile south of Courtney Road
8.47	30400		0.05 mile south of Concord Road
10.51	30100		0.24 mile north of Gloucester Street
10.97	30500		0.05 mile north of River Road
11.20	39900		On McLoughlin Bridge at Clackamas River (south city limits of Gladstone/north city limits of Oregon City)
11.92	37000		0.19 mile south of East Portland Freeway (I-205)
12.17	28100		0.02 mile north of 10th Street
12.21	21300		0.02 mile south of 10th Street
12.35	20500		0.02 mile south of 8th Street
12.54	20900		0.02 mile northwest of Main Street (OR43)
12.58	28500		0.02 mile southeast of Main Street (OR43)
13.02	19000		0.02 mile south of S 2nd Street
13.75	18400		0.15 mile south of Apperson Street
20.56	25600		0.06 mile east of Pine Street
21.12	25300		0.02 mile north of Canby-Marquam Road (Ivy Street)
21.44	21100		0.02 mile south of SW Elm Street
22.03	23900		At Molalla River, west city limits of Canby
22.84	23100		0.05 mile north of Barlow-Monitor Road
22.94	13100		0.05 mile south of Barlow-Monitor Road
24.83	16500		0.05 mile northeast of Ehlen Road and Liberty Street, east city limits of Aurora
25.03	7900		0.02 mile south of Main Street
25.70	7200		0.14 mile south of Ottoway Avenue, south city limits of Aurora
27.74	16000		0.20 mile south of Wilsonville-Hubbard Highway (OR551)
28.85	16500		0.05 mile north of Elm Street
29.39	15600		0.02 mile north of "G" Street
			South city limits of Hubbard
30.87	16200		0.02 mile south of Carl Road NE, north city limits of Woodburn
31.65	18600		0.05 mile north of Woodburn-Estacada Highway (OR211) and Hillsboro-Silverton Highway (OR214)
31.80	19700		0.10 mile south of Woodburn-Estacada Highway (OR211)
32.46	20800		0.05 mile south of E Lincoln Street
32.82	19800		0.05 mile north of Hillsboro-Silverton Highway (OR214)
32.90	14800		0.03 mile south of Hillsboro-Silverton Highway (OR214)
			South city limits of Woodburn
34.03	12500	*	Woodburn Automatic Traffic Recorder, Sta. 24-001, 0.11 mile south of NE Belle Passi Road
36.17	12200		0.05 mile north of Mt. Angel-Gervais Road NE

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY EAST NO. 81 (Continued)
39.12	12100		0.05 mile south of Waconda Road
41.29	10200		0.05 mile south of Brooklake Road
44.41	11000		0.05 mile north of Chemawa Road
44.51	16900		0.05 mile south of Chemawa Road
45.34	11400		0.10 mile south of Lancaster Drive NE
45.59	11200		0.05 mile north of Hayesville Drive NE
45.84	18500		0.05 mile north of Ward Drive NE
46.44	28400		0.05 mile north of Hyacinth Street
			PACIFIC HIGHWAY WEST NO. 91
			<i>Milepoint indicates distance from West Burnside, in Portland</i>
			<i>On North Denver Avenue</i>
-5.25	11700		0.10 mile north of Schmeer Road
-4.81	14300		0.34 mile south of Schmeer Road
			MP -4.75 to MP -0.44 Transferred to the City of Portland
-0.36	11600		On the Steel Bridge
			On SW Naito Parkway
			MP -0.29 to MP 0.85 Transferred to the City of Portland
1.41	13800		At the Arthur Street overcrossing
1.73	23800		0.24 mile north of Barbur Boulevard undercrossing
2.23	32300		0.11 mile north of Hamilton Street
3.00	29900		0.20 mile north of SW Capitol Highway (WB connection)
3.39	15800		0.20 mile south of SW Capitol Highway (WB connection)
4.03	18400		0.05 mile north of SW Terwilliger Boulevard
4.13	32100		0.05 mile south of SW Terwilliger Boulevard
4.47	22100		0.02 mile south of SW 13th Avenue
4.92	21100		0.05 mile south of Multnomah Boulevard overcrossing
5.71	22800		0.07 mile north of Taylors Ferry Road
6.41	14300		0.20 mile south of Capitol Highway (South Jct.)
7.07	20000		0.10 mile south of SW 53rd Street
8.08	45600		0.20 mile east of SW Pfaffle Road
8.50	47500		0.05 mile east of Beaverton-Tigard Highway (OR217-NB ramps)
8.72	47900		0.03 mile west of Beaverton-Tigard Highway (OR217-SB ramps)
8.84	44100		0.02 mile west of Beaverton-Tualatin Highway
9.21	39200		Southern Pacific overcrossing at Tigard
9.52	39500		0.06 mile southwest of SW Main Street
9.69	41500		0.05 mile west of Walnut Avenue
9.84	43100		0.01 mile southwest of Garrett Street
11.00	40200		0.05 mile south of SW Beef Bend Road
11.51	40600		0.05 mile south of Durham Road
12.71	30800		0.05 mile south of 124th Avenue
			North city limits of Sherwood
14.90	31100		0.10 mile northeast of Tualatin-Sherwood Road
15.25	38500		0.25 mile southwest of Tualatin-Sherwood Road
			South city limits of Sherwood
16.77	38700		0.10 mile southwest of Sunset Boulevard

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY WEST NO. 91 (Continued)
19.79	37800		0.05 mile northeast of Haugen Road
			East city limits of Newberg
21.81	37100	*	Newberg Automatic Traffic Recorder, Sta. 36-004, 0.01 mile west of Brutscher Street
22.15	33500		0.10 mile west of Springbrook Road
22.78	33100		0.02 mile east of N Everest Road
22.94	39000		0.05 mile west of Villa Road
23.10	45200		0.05 mile west of Hillsboro-Silverton Highway (OR219) connection and Parkview Drive, on 1st Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Hancock Street
23.22	19900		0.02 mile north of 1st Street
23.43	19200		0.02 mile east of Hillsboro-Silverton Highway (OR219)
23.47	18900		0.02 mile west of Hillsboro-Silverton Highway (OR219)
23.74	18400		0.02 mile east of Yamhill-Newberg Highway (OR240)
23.78	14800		0.02 mile west of Yamhill-Newberg Highway (OR240)
			EASTBOUND - ONE-WAY TRAFFIC
			On First Street
23.39	20700		0.02 mile east of Hillsboro-Silverton Highway (OR219)
23.43	18800		0.02 mile west of Hillsboro-Silverton Highway (OR219)
23.69	18400		0.02 mile east of Yamhill-Newberg Highway (OR240)
23.73	14800		0.02 mile west of Yamhill-Newberg Highway (OR240)
			RESUME TWO-WAY TRAFFIC
			West city limits of Newberg
			Equation: MP 24.58 BK = MP 224.49 AH
25.51	29800		0.03 mile southwest of Bienz Road
26.09	26400		0.02 mile northeast of 9th Street
26.44	24800		0.02 mile north of Niederberger Road
28.88	24000		0.02 mile north of Riverwood Road
29.59	25400		0.20 mile north of Salmon River Highway (OR18)
29.99	10200		0.20 mile west of Salmon River Highway (OR18)
			East city limits of Lafayette
32.34	14300		0.02 mile west of Madison Street
32.75	16500		0.04 mile east of Mineral Springs Road
34.75	16200		0.10 mile east of Tualatin Valley Highway (OR47)
34.95	23600		0.10 mile west of Tualatin Valley Highway (OR47)
35.21	21600		0.03 mile west of Riverside Drive
35.50	18300		0.02 mile west of Lafayette Avenue
36.34	23000		0.02 mile east of McDonald Lane
36.98	23400		0.02 mile northeast of NE 17th Street
37.02	22800		0.02 mile southwest of NE 17th Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Adams Street
37.14	13600		0.02 mile south of 15th Street (Walnut Way)
37.34	13500		0.02 mile north of 10th Street
37.70	13800		0.02 mile north of 3rd Street
37.73	14200		0.01 mile south of 3rd Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY WEST NO. 91 (Continued)
37.79	13400		0.03 mile south of 2nd Street
			NORTHBOUND - ONE-WAY TRAFFIC
			On Baker Street
37.14	13500		0.02 mile south of 15th Street (Walnut Way)
37.34	14000		0.02 mile north of 10th Street
37.68	14300		0.02 mile north of 3rd Street
37.72	13200		0.02 mile south of 3rd Street
37.77	13300		0.02 mile south of 2nd Street
			RESUME TWO-WAY TRAFFIC
38.28	24500		0.01 mile north of Linfield College Entrance (Blaine Street)
38.97	20900		0.02 mile north of connection to Salmon River Highway (OR18) and Old Sheridan Road
			Equation: MP 29.05 BK = MP 239.01 AH
39.04	15500		0.05 mile south of connection to Salmon River Highway (OR18) and Old Sheridan Road
39.44	11800		0.20 mile south of Salmon River Highway (OR18) overcrossing
43.40	9000		0.10 mile north of Amity-Dayton Highway (OR233)
43.60	10700		0.10 mile south of Amity-Dayton Highway (OR233)
			North city limits of Amity
44.67	9700		0.01 mile north of Bellevue-Hopewell Highway (North Jct.)
44.73	8300		0.02 mile north of Bellevue-Hopewell Highway (south junction)
44.89	7700		0.09 mile south of Church Street
47.45	7500	*	Amity Automatic Traffic Recorder, Sta. 36-005, 0.07 mile north of Yamhill-Polk County Line
49.74	5000		0.02 mile south of Bethel Road
57.18	5300		0.10 mile north of westbound Willamina-Salem Highway (OR22) ramps
57.61	11900		0.05 mile south of eastbound Willamina-Salem Highway (OR22) ramps
57.89	11900		At Rickreall Creek Bridge
59.24	12800		0.10 mile south of Orrs Corner Road
60.13	14800		0.10 mile south of Clow Corner Road
62.41	12800		0.10 mile south of Hoffman Road
			North city limits of Monmouth
63.40	13400		0.02 mile north of Monmouth-Independence Highway (OR51)
63.44	12200		0.02 mile south of Monmouth-Independence Highway (OR51)
63.85	9500		0.06 mile south of Gwinn Street East
66.58	9300		0.02 mile south of Parker Road
70.65	8800		0.02 mile north of Airlie Road (Suver Road)
70.90	8400	*	Monmouth Automatic Traffic Recorder, Sta. 27-005, 1.43 miles north of Polk-Benton County Line
73.90	7600		0.15 mile south of Camp Adair Road
75.75	9100		0.02 mile south of Arnold Avenue
			Equation: MP 77.94 BK = MP 277.90 AH
78.91	11200		0.02 mile north of Lewisburg Road
78.95	13400		0.02 mile south of Lewisburg Road
80.62	15100		0.85 mile south of NE Elliott Circle
81.24	15200		0.05 mile south of NE Conifer Boulevard
81.47	15900		0.05 mile south of Walnut Boulevard
81.82	21300		0.05 mile south of Circle Boulevard
			SOUTHBOUND - ONE-WAY TRAFFIC

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY WEST NO. 91 (Continued)
			On Fourth Street
83.00	10800		0.05 mile south of NW Buchanan Avenue
83.26	10300		0.02 mile north of NW Tyler Avenue
83.33	10100		0.02 mile north of Corvallis-Lebanon Highway (OR34-WB)
83.37	12600		0.02 mile south of Corvallis-Lebanon Highway (OR34-WB)
83.44	12400		0.02 mile south of Corvallis-Lebanon Highway (OR34-EB)
83.54	8700		0.02 mile north of SW Monroe Avenue
83.69	13300		0.02 mile north of SW Jefferson Avenue
83.91	14300		0.02 mile north of Western Boulevard
83.95	14100		0.02 mile south of Western Boulevard
84.23	12900		On Marys River Bridge
			NORTHBOUND - ONE-WAY TRAFFIC
			On Third Street
82.90	10700		0.05 mile north of NW Buchanan Avenue
83.26	12000		0.02 mile north of NW Tyler Avenue
83.33	14300		0.02 mile north of Corvallis-Lebanon Highway (OR34-WB)
83.38	14300		0.03 mile south of Corvallis-Lebanon Highway (OR3-WB)
83.44	16600		0.02 mile south of Corvallis-Lebanon Highway (OR34-EB)
83.54	17100		0.02 mile north of SW Monroe Street
83.73	14700		0.02 mile south of SW Jefferson Avenue
83.91	13900		0.02 mile north of Western Boulevard
83.95	13200		0.02 mile south of Western Boulevard
84.14	10600		On Marys River Bridge
			RESUME TWO-WAY TRAFFIC
84.44	25200		0.05 mile north of SW Avery Avenue and Crystal Lake Drive
84.54	23900		0.05 mile south of SW Avery Avenue and Crystal Lake Drive
84.85	22700		0.11 mile north of SE Alexander Avenue
85.01	18800		0.05 mile south of SE Alexander Avenue
85.57	11400		0.02 mile south of SE Goodnight Avenue
86.20	7800		0.10 mile north of SE Kiger Island Drive
87.55	5600		0.02 mile south of SW Airport Avenue (Corvallis Airport)
94.90	5600	*	Monroe Automatic Traffic Recorder, Sta. 02-007, 5.47 miles north of Monroe Cemetery Road
100.35	6000		0.02 mile north of Monroe Cemetery Road
101.10	7100		0.05 mile north of Territorial Highway
			East city limits of Monroe
101.68	5400		0.02 mile south of West Ingram Island Road
			Benton - Lane County Line, MP 104.36
106.51	5300		0.02 mile south of Lingo Lane
108.71	6900		0.05 mile north of Albany-Junction City Highway (OR99E)
			On Ivy Street
108.83	14600		0.07 mile south of Albany-Junction City Highway (OR99E)
			Equation: MP 108.92 BK = MP Z108.89 AH
109.23	16700		0.02 mile north of 10th Avenue
109.45	17400		0.02 mile north of 6th Avenue
109.74	17300		0.02 mile north of 1st Avenue

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PACIFIC HIGHWAY WEST NO. 91 (Continued)
109.86	16700		0.10 mile south of 1st Avenue
			South city limits of Junction City
111.18	16700		0.10 mile north of Mapleton-Junction City Highway (OR36)
111.38	15300		0.10 mile south of Mapleton-Junction City Highway (OR36)
115.28	17100	*	Eugene-Meadowview Automatic Vehicle Classifier, Sta 20-024, 1.00 mile south of Meadowview Road
115.89	15300		0.05 mile south of Awbrey Lane
116.94	16300		0.10 mile north of Airport Road
117.79	22200		0.10 mile north of Irving Road
117.99	22900		0.10 mile south of Irving Road
			EASTBOUND - ONE-WAY TRAFFIC
			On 7th Avenue
			MP 123.37 to MP 125.48 Transferred to the City of Eugene
			WESTBOUND - ONE-WAY TRAFFIC
			On 6th Avenue
			MP 123.30 to MP 125.48 Transferred to the City of Eugene
			RESUME TWO-WAY TRAFFIC
			On Franklin Boulevard
			LOWER COLUMBIA RIVER HIGHWAY NO. 92
			Milepoint indicates distance from Stadium Freeway (I-405), at West Fremont Bridge Interchange in Portland
1.45	78200		At west end of ramp structure
			On NW Yeon Street
1.87	40200		0.10 mile south of NW Nicolai Street
2.38	35500		0.05 mile southeast of NW 26th Avenue
2.63	35300		0.05 mile southeast of NW 29th Avenue
3.07	33200		0.05 mile southeast of NW 35th Avenue
3.76	27200		0.05 mile southeast of NW 44th Avenue
3.97	33600		0.05 mile northwest of Kittridge Avenue
			Equation: MP 4.13 BK = MP 4.52 AH
6.31	30000		0.10 mile southeast of south approach to St. Johns Bridge, Northeast Portland Highway (US30 Bypass)
7.42	29000		0.10 mile northwest of north approach to St. Johns Bridge, NE Portland Highway (US30 Bypass)
			West city limits of Portland
10.75	22700		0.08 mile south of Sauvie Island Road
10.95	18300		0.12 mile north of Sauvie Island Road
13.12	18500		0.10 mile south of Cornelius Pass Road
17.34	27200		0.05 mile south of Rocky Point Road
			Columbia - Multnomah County Line, MP 18.37
19.35	25100		0.30 mile north of Johnsons Landing Road
20.58	31700		0.05 mile north of SW Em Watts Road
21.24	33100		0.03 mile south of Scappoose-Vernonia Road
21.32	25100		0.05 mile north of Scappoose-Vernonia Road
23.30	25700		0.05 mile south of Fullerton Road
23.40	24900		0.05 mile north of Fullerton Road
24.86	24600		0.05 mile south of Berg Road
25.53	24400		0.05 mile north of Church Road
27.01	21800		0.05 mile north of Millard Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			LOWER COLUMBIA RIVER HIGHWAY NO. 92 (Continued)
27.54	24600		0.05 mile south of Firlock Park Boulevard
27.64	23700		0.05 mile south of Gable Road
27.74	24900		0.05 mile north of Gable Road
28.58	21500		0.02 mile north of Columbia Boulevard
			North city limits of St. Helens
29.47	14900		0.05 mile north of Deer Island Road
30.46	14900		0.07 mile south of "L" Street
30.58	14100		0.05 mile north of "L" Street
30.97	14100		0.05 mile south of "E" Street
32.00	11000		0.39 mile north of Pacific Street
33.77	11100		0.20 mile south of Deer Island Frontage Road
36.58	9000		0.05 mile north of Tide Creek Road (Shiloh Basin)
40.56	8600		0.09 mile north of Nicolai Road (Moorage Road)
43.07	9000		0.05 mile south of Graham Road
45.88	8000		0.49 mile north of Spring Lane
			On B Street
46.89	9200		0.02 mile east of 2nd Street
46.99	10300		0.02 mile west of 1st Street
47.25	11500		0.02 mile east of W 5th Street
48.11	12500		0.02 mile east of Mill Street
48.42	17600		0.04 mile west of Rockcrest Street
48.97	13100		0.30 mile west of Lewis & Clark Bridge Interchange
51.42	11600		0.10 mile west of Heath Road
53.33	11400	*	Rainier Automatic Traffic Recorder, Sta. 05-006, 1.03 miles west of Rainier Road
			Equation: MP 53.42 BK = MP 54.50 AH
60.62	9500		0.20 mile east of Swedetown Road overcrossing
60.96	9300		0.22 mile west of Swedetown Road overcrossing
61.65	8700		0.05 mile south of Mist-Clatskanie Highway (OR47)
			North city limits of Clatskanie
65.94	6700		0.05 mile east of Marshland District Road
66.04	6600		0.05 mile west of Marshland District Road
68.00	6200		0.05 mile west of Woodson Road
69.95	6900		At Clatsop-Columbia County Line
70.58	7000		0.02 mile east of Westport Ferry Road
70.62	6400		0.02 mile west of Westport Ferry Road
72.49	6300		0.20 mile east of Taylorville Road Overcrossing (Wauna)
72.89	5400		0.20 mile west of Taylorville Road Overcrossing (Wauna)
81.38	5500		On Fertile Valley Creek Bridge
82.52	7000		On Big Creek Bridge
			Equation: MP 89.13 BK = MP 91.01 AH
92.74	8400		0.03 mile west of John Day Road
95.16	10600		0.05 mile west of Nimitz Road
			On Leif Erickson Drive
96.17	11700		0.02 mile east of 44th Street
96.98	12900		0.02 mile east of 33rd Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			LOWER COLUMBIA RIVER HIGHWAY NO. 92 (Continued)
			<i>On Marine Drive</i>
97.10	17300		0.03 mile west of 32nd Street
97.39	18200		0.02 mile east of 27th Street
97.94	18200		0.02 mile east of 16th Street
			WESTBOUND - ONE-WAY TRAFFIC
			<i>On Marine Drive</i>
98.11	8800		0.02 mile east of 14th Street
98.39	10200		0.02 mile east of 8th Street
			EASTBOUND - ONE-WAY TRAFFIC
			<i>On Commercial Street</i>
98.08	10200		0.02 mile east of 14th Street
98.37	12200		0.02 mile east of 8th Street
			<i>On 8th Street</i>
98.42	11400		0.02 mile south of Bond Street
			RESUME TWO-WAY TRAFFIC
98.48	22400		0.02 mile east of 6th Street
99.31	22800		0.03 mile northeast of Oregon Coast Highway (US101)
			HISTORIC COLUMBIA RIVER HIGHWAY NO. 100
			<i>Milepoint indicates distance from the west end of the Sandy River Bridge, east of Troutdale</i>
0.03	1500		On Sandy River Bridge
0.18	2500		0.10 mile south of Jordan Road
			East city limits of Troutdale
2.50	1600		0.05 mile west of Baseline Road (SE Stark Street)
2.75	4000		0.20 mile east of Baseline Road (SE Stark Street)
4.02	3800		0.05 mile west of Lucas Road at Springdale
4.22	3500		0.05 mile west of E Bell Road
4.32	2500		0.05 mile southeast of E Bell Road
4.49	1400		0.10 mile east of SE Hurlbert Road (Bull Run)
5.30	1200		0.15 mile north of Smith Road
6.72	1500		0.05 mile west of NE Evans Road (NE Corbett Hill Road) at Corbett
6.87	2700		0.13 mile east of NE Evans Road (NE Corbett Hill Road) at Corbett
7.54	1900		0.10 mile west of NE Littlepage Road
8.71	1700		0.05 mile west of Larch Mountain Road
8.81	1100		0.05 mile east of Larch Mountain Road
11.61	790		0.01 mile west of Latourell Road
12.13	830		0.02 mile west of Alex Barr Road
13.94	850	*	Bridal Veil Automatic Traffic Recorder, Sta. 26-012, 0.10 mile west of Bridal Veil Falls State Park
14.82	1000		0.02 mile west of connection with Columbia River Highway (I-84)
21.60	1200		0.04 mile west of split to connections with Columbia River Highway (I-84)
30.41	3300		0.02 mile southwest of ramp to Bridge of the Gods, 0.24 mile north of Cascade Locks south city limits
30.48	3400		0.02 mile north of ramp to Bridge of the Gods
30.66	3600		0.02 mile northeast of SE Venture Street
31.26	3200		0.02 mile west of Forest lane
48.93	8500		0.05 mile east of Columbia River Highway (I-84), 0.01 mile northwest of Country Club Road
49.19	8000		0.11 mile east of Mt. Adams Avenue

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HISTORIC COLUMBIA RIVER HIGHWAY NO. 100 (Continued)
			<i>On Cascade Avenue</i>
49.49	8200		0.05 mile east of Rand Road (Wasco Street)
49.80	9500		0.02 mile east of 20th Street
			<i>On Oak Street</i>
50.07	8000		0.05 mile west of 13th Street, Hood River Highway
50.17	5800		0.05 mile east of 13th Street, Hood River Highway
50.38	5500		0.02 mile east of 9th Street
50.72	4900		0.02 mile west of 2nd Street, connection to Columbia River Highway (I-84)
50.76	2600		0.02 mile east of 2nd Street, connection to Columbia River Highway (I-84)
			<i>On State Avenue</i>
50.93	5500		0.05 mile east of Front Street
51.05	5500		0.21 mile west of Mt. Hood Highway (OR35), east city limits of Hood River
51.31	610		0.05 mile east of Mt. Hood Highway (OR35), and connection overcrossing to Columbia River Highway (I-84)
51.86	330		0.05 mile east of Riverview Drive
52.00	110		0.02 mile east of Highline Road
57.28	150		0.15 mile west of connection overcrossing to Columbia River Highway (I-84), west city limits of Mosier
			<i>On 1st Avenue</i>
57.61	1900		0.02 mile west of Washington Street
57.72	610		0.02 mile west of Oregon Street
57.84	590		On Mosier Creek Bridge
			<i>East city limits of Mosier</i>
66.14	250		0.02 mile west of Rowena Ferry Road
66.47	270		0.05 mile west of connection to Columbia River Highway (I-84)
66.54	450		0.05 mile east of connection to Columbia River Highway (I-84)
70.32	700		0.03 mile north of Pauld Road (The Dalles Country Club entrance)
70.39	880		0.02 mile south of Pauld Road (The Dalles Country Club entrance)
70.86	1400		0.03 mile south of Taylor-Frantz Road (Discovery Drive)
72.15	1600		0.05 mile north of connection from Columbia River Highway (I-84)
72.37	6700		0.06 mile south of Division Street, west city limits of The Dalles
			NEHALEM HIGHWAY NO. 102
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), in Astoria</i>
			<i>On West Marine Drive</i>
0.24	9500		0.02 mile south of Florence Avenue
0.50	9500		0.06 mile south of Antwerp Street
0.71	8400		0.02 mile southeast of Denver Street
1.40	8400		0.02 mile west of Warrenton-Astoria Highway (US101 Bus.)
			<i>On Olney Avenue</i>
1.59	10500		0.02 mile west of 7th Street
1.63	4600		0.02 mile east of 7th Street
2.62	3600		0.02 mile west of Williamsport Road
2.78	3800		0.10 mile north of Dybille Road
4.34	3700		0.02 mile north of Walluski Loop Road (North Jct.)
4.58	2800		On Walluski River Bridge
7.05	1800		0.10 mile north of Walluski Loop Road (south junction)
7.18	1700		0.03 mile south of Walluski Loop Road (South Jct.)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			NEHALEM HIGHWAY NO. 102 (Continued)
9.46	960		0.02 mile east of Youngs River Loop Road
12.26	680		0.02 mile west of Norlund-McCoy Road
25.43	370		On Hamilton Creek Bridge
29.07	410		0.02 mile west of Beneke Road
29.18	430		0.02 mile west of Fishhawk Falls Highway at Jewell
29.25	570		0.05 mile east of Fishhawk Falls Highway at Jewell
29.84	550		On Nehalem River Bridge
39.13	450		At Clatsop-Columbia County Line
40.79	500		0.02 mile east of Neverstill Road at Birkenfeld
46.08	1200		0.08 mile west of Mist-Clatskanie Highway (OR47)
46.19	970		0.05 mile east of Mist-Clatskanie Highway (OR47)
53.17	1200		0.02 mile north of Apiary Road
53.29	1700		0.10 mile south of Apiary Road
57.09	1500		0.02 mile north of Scappoose-Vernonia Road
57.16	1600		0.05 mile south of Scappoose-Vernonia Road
59.23	2000		0.02 mile south of Stoney Point Road
60.40	1100		0.25 mile north of Knott Street
61.25	3800		0.02 mile north of Pebble Creek Road
61.29	3900		0.02 mile south of Pebble Creek Road
61.72	5200		0.01 mile west of Texas Avenue
62.11	6200		0.02 mile west of State Avenue
62.27	6700		On Rock Creek Bridge
62.51	5100		0.03 mile east of Rose Avenue
62.58	4500		0.04 mile south of Bridge Street
62.79	4500		0.02 mile south of River Street
64.27	4300		0.10 mile east of Timber Road
64.51	3700		0.10 mile southwest of Adams Road
69.14	3600		At Columbia-Washington County Line
71.44	3600		0.02 mile north of Pebble Creek Road
76.47	4400		0.12 mile north of Strassel Road-Fisher Road
76.80	4200		0.16 mile north of Sunset Highway (US26)
81.23	3600		0.40 mile south of Sunset Highway (US26)
82.75	3800		0.10 mile north of NW Banks Road/Cedar Canyon Road
82.90	3800		0.05 mile south of NW Banks Road/Cedar Canyon Road
83.10	6600		0.02 mile north of Sunset Street
83.14	7200		0.02 mile south of Sunset Street
83.53	6700		0.19 mile north of Wilson River Highway (OR6)
83.92	8200		0.20 mile south of Wilson River Highway (OR6)
87.85	7800		0.20 mile north of Verboort Road
88.17	7800		0.12 mile south of Verboort Road
88.95	8500		0.02 mile south Sunset Drive
90.62	15000		0.02 mile north of Tualatin Valley Highway (OR8)
			Milepoint indicates distance from Nehalem Highway (OR202), at Jewell
0.05	660		0.05 mile south of Nehalem Highway (OR202)
0.60	660		0.20 mile south of Meadow Lane

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			FISHHAWK FALLS HIGHWAY NO. 103
5.25	730		On Nehalem River (Vinemaple Bridge)
6.23	760		0.02 mile east of Cow Creek Road
6.90	1000		0.02 mile south of Bay Road
8.97	1100		0.05 mile north of Sunset Highway (US26)
			FORT STEVENS HIGHWAY NO. 104
			<i>Milepoint indicates distance from west city limits of Warrenton</i>
0.00	1000		At west city limits of Warrenton
0.12	2400		0.02 mile east of Lake Drive
0.72	3400		0.02 mile northwest of Fleet Street
0.76	3300		0.02 mile southeast of Fleet Street
1.25	4100		0.10 mile west of NW 17th Place
2.35	5500		0.02 mile north of NW 7th Place
3.11	6400		0.02 mile north of NW 1st Street
3.22	6900		0.10 mile north of Warrenton-Astoria Highway (US101 Bus.)
3.40	6600		0.01 mile south of Warrenton-Astoria Highway (US101 Bus.)
3.46	6100		0.02 mile south of SE 2nd Street
3.92	6300		0.02 mile south of SE 9th Street
4.36	6700		0.07 mile north of Fort Stevens Highway Spur
4.45	4900		0.02 mile south of Fort Stevens Highway Spur
4.95	3200		0.10 mile south of Whiskey Road (North Jct.)
5.98	3800		0.05 mile north of Oregon Coast Highway (US101)
			WARRENTON-ASTORIA HIGHWAY NO. 105
			<i>Milepoint indicates distance from Fort Stevens Highway, in Warrenton</i>
0.04	9800		0.04 mile east of Fort Stevens Highway
0.71	10800		0.02 mile west of SE King Avenue
0.75	10700		0.02 mile east of SE King Avenue
1.02	2800		0.08 mile south of SE 2nd Street
1.25	4900		0.02 mile north of Oregon Coast Highway (US101)
1.31	3600		0.04 mile south of Oregon Coast Highway (US101)
1.75	2100		At south city limits of Warrenton
3.63	5200		0.10 mile east of Airport Lane
5.23	5600		0.02 mile west of "G" Street
5.60	5900		0.10 mile west of Youngs River Loop Road at Miles Crossing
5.80	7200		0.10 mile north of Youngs River Loop Road at Miles Crossing
7.05	7500		0.20 mile south of OR202
			MIST-CLATSKANIE HIGHWAY NO. 110
			<i>Milepoint indicates distance from Lower Columbia River Highway (US30), in Clatskanie</i>
0.05	1500		0.05 mile west of Lower Columbia River Highway (US30)
0.39	1300		0.02 mile northwest of Norman Street
0.65	1200		At west city limits of Clatskanie
1.48	1100		0.02 mile south of Palm Hill Road
6.61	860		0.10 mile south of Clatskanie Mountain Road
11.79	840		0.10 mile north of Nehalem Highway (OR202)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			SWIFT HIGHWAY NO. 120
			<i>Milepoint indicates distance from U.P.R.R. Overcrossing</i>
0.40	13700		On Columbia Slough Bridge
2.51	26400		0.20 mile west of southbound I-5 on-ramp
			NORTHEAST PORTLAND HIGHWAY NO. 123
			<i>Milepoint indicates distance from Lower Columbia River Highway (US30), at St. Johns Bridge, in Portland</i>
			<i>On North Philadelphia Avenue</i>
1.25	22800		At the northeast end of the St. Johns Bridge
1.30	18600		0.01 mile south of N Ivanhoe Street
			<i>On North Ivanhoe Street</i>
1.44	10200		0.02 mile east of N John Avenue
			<i>On North Richmond Avenue</i>
1.54	9200		0.02 mile north of N Ivanhoe Street
			<i>On North Lombard Street</i>
1.64	10000		0.03 mile west of N Oswego Avenue
1.83	11200		0.02 mile west of N Tyler Avenue
2.74	16000		0.02 mile east of N Wall Avenue
3.92	18400		0.02 mile east of N Chautauqua Boulevard
4.48	22100		0.02 mile west of N Greeley Avenue
4.88	20600		0.04 mile west of N Denver Avenue
4.93	20300		0.01 mile east of N Denver Avenue
5.20	22600		0.06 mile west of southbound on-ramp to Pacific Highway (I-5)
5.81	24800		0.02 mile west of N Vancouver Avenue
5.85	24200		0.02 mile east of N Vancouver Avenue
6.13	24300		0.02 mile west of Pacific Highway East (OR99E)
6.17	26700		0.02 mile east of Pacific Highway East (OR99E)
6.71	25200		0.02 mile west of NE 15th Avenue
7.81	25400		0.10 mile east of NE 33rd Avenue undercrossing
8.59	25000		0.02 mile east of NE 47th Place
9.22	24700		0.02 mile east of NE 60th Avenue
9.66	24900		0.02 mile east of NE Cully Boulevard
			<i>On Columbia Boulevard</i>
9.85	33200		0.02 mile west of NE 72nd Avenue
10.31	32800		0.10 mile west of Cascade Highway North (OR213, NE 82nd Avenue)
10.51	28800		0.10 mile east of Cascade Highway North (OR213, NE 82nd Avenue)
10.97	47600		0.15 mile west of East Portland Freeway (I-205)
11.32	28100		0.03 mile west of NE 100th Avenue
			<i>On NE Sandy Boulevard</i>
			Equation: MP 11.32 BK = MP 211.30 AH
11.47	23400		0.02 mile east of NE 102nd Avenue
11.97	19000		0.02 mile east of NE 112th Avenue
12.33	17700		0.10 mile west of NE 122nd Avenue overcrossing
12.53	17700		0.10 mile east of NE 122nd Avenue overcrossing
13.74	16900		0.02 mile west of NE 147th Avenue
13.82	13700		0.02 mile east of NE 148th Avenue
14.50	15600		0.02 mile west of NE 162nd Avenue

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			NORTHEAST PORTLAND HIGHWAY NO. 123 (Continued)
14.54	11200		0.02 mile east of NE 162nd Avenue
			MP 14.76 to MP 18.75 Transferred to Multnomah County
			LITTLE NESTUCCA HIGHWAY NO. 130
			Milepoint indicates distance from Oregon Coast Highway (US101), north of Oretown
-0.05	1300		0.05 mile east of Oregon Coast Highway (US101)
1.55	1300		0.02 mile west of Meda Loop Road
3.12	1000		0.02 mile east of entrance to Little Nestucca Park
7.55	1000		On Weed Bridge at Little Nestucca River
9.20	1000		0.01 mile west of Three Rivers Highway (OR22)
			NETARTS HIGHWAY NO. 131
			Milepoint indicates distance from Ocean Street, at Oceanside
0.05	710		0.05 mile south of Rosenberg Loop
0.26	1400		0.02 mile south of Cape Meares Loop Road
2.14	1700		0.02 mile north of Happy Camp Road
2.45	2500		0.02 mile south of 5th Street Loop (South Jct.)
2.89	2500		0.02 mile southeast of Park Avenue at Netarts
4.16	3500		0.02 mile east of Whiskey Creek Road
6.36	3900		0.05 mile west of Burton-Fraser Road
7.26	3700		0.04 mile south of Bayocean Road
7.32	4000		0.02 mile north of Bayocean Road
8.56	4600		At west city limits of Tillamook
8.70	4700		0.02 mile west of Cedar Avenue
8.81	4700		0.02 mile west of Elm Avenue
8.96	5100		0.02 mile west of Stillwell Avenue
9.06	3900		0.02 mile west of Oregon Coast Highway, (US101-SB) and Wilson River Highway (OR6-EB)
			NORTH UMPQUA HIGHWAY NO. 138
			Milepoint indicates distance from Stephens Street, in Roseburg
-0.89	22600		At Pacific Highway (I-5) overcrossing on Harvard Avenue
-0.70	18900		0.02 mile west of Madrone Street
			EASTBOUND - ONE-WAY TRAFFIC
			On Oak Street
-0.63	12100		0.05 mile east of Madrone Street
			WESTBOUND - ONE-WAY TRAFFIC
			On Washington Street
-0.52	13400		0.05 mile east of Madrone Street
			RESUME TWO-WAY TRAFFIC
-0.14	18300		0.02 mile north of Douglas Avenue
0.02	9200		0.02 mile east of Stephens Street
0.12	17300		0.02 mile east of Winchester Street
0.19	15200		0.02 mile east of Fowler Street
0.39	14500		0.02 mile east of Casper Street
1.07	12600		0.02 mile west of Rifle Range Road
1.61	9300		0.14 mile east of NE Patterson Street
2.77	8200		0.02 mile east of NE Douglas Avenue
3.33	6700		0.02 mile east of Sunshine Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			NORTH UMPQUA HIGHWAY NO. 138 (Continued)
5.71	4100		0.02 mile northeast of Hatfield Drive
14.07	2800		0.02 mile west of Wild River Drive (Old N Umpqua Highway)
16.23	3700		0.02 mile west of Little River Road
16.35	3400		0.02 mile east of Glide Loop Drive
21.99	1400		0.02 mile west of Rock Creek Road
22.11	1100		0.10 mile east of Rock Creek Road
28.41	1100	*	Glide Automatic Traffic Recorder, Sta. 10-004, 0.10 mile west of Susan Creek Road
38.86	770		0.02 mile west of Steamboat Creek Road
39.08	780		0.14 mile east of Steamboat Creek Road
72.89	690		0.02 mile west of Lemolo Falls Road
78.83	630		0.02 mile south of Diamond Lake Road (East Shore Road)
83.06	620		0.02 mile north of West Diamond Lake Highway (OR230)
85.90	1300		0.10 mile west of north entrance to Crater Lake National Park
86.24	1400		0.10 mile east of north entrance to Crater Lake National Park
100.71	1600		0.10 mile west of The Dalles-California Highway (US97)
			HILLSBORO-SILVERTON HIGHWAY NO. 140
			<i>Milepoint indicates distance from Tualatin Valley Highway (OR8), in Hillsboro</i>
			<i>On South 1st Avenue</i>
0.02	10200		0.02 mile south of Tualatin Valley Highway (OR8-WB)
0.11	8800		0.02 mile south of Tualatin Valley Highway (OR8-EB)
0.20	11600		0.02 mile south of Walnut Street
0.53	8500		0.02 mile south of Wood Street
			South city limits of Hillsboro
2.53	10000		0.02 mile south of Tongue Lane
5.43	9200		0.02 mile north of Farmington Highway (OR10)
5.47	4700		0.02 mile south of Farmington Highway (OR10)
5.64	4800		0.10 mile south of Bald Peak Road
7.68	4300		0.05 mile north of E Laurel Road
8.11	4700		0.10 mile north of Midway Road
10.03	4200		0.02 mile west of Scholls Highway (OR210)
10.07	4300		0.02 mile south of Scholls Highway (OR210)
10.15	3300		0.02 mile south of Scholls-Mountain Home Road
10.90	3200		0.02 mile south of Mountain Home Road
			Washington - Yamhill County Line, MP 15.61
16.46	3000		0.02 mile south of Bald Peak Road (South Jct.)
17.94	3600		0.02 mile south of North Valley Road
18.45	4000		0.07 mile north of E Foothills Drive, north city limits of Newberg
			On College Street
19.07	7000		0.02 mile north of Melody Lane
19.35	6600		0.02 mile south of Columbia Drive
19.72	8200		0.02 mile south of Mission Drive
19.90	6100		0.02 mile south of Vermillion Street
20.13	6400		0.02 mile north of Pacific Highway West (OR99W-WB)
20.17	4700		0.02 mile north of Pacific Highway West (OR99W-EB)
20.68	8500		0.03 mile south of Pacific Highway West (OR99W)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HILLSBORO-SILVERTON HIGHWAY NO. 140 (Continued)
21.15	12600		0.05 mile northwest of 2nd Street
21.55	12200		0.05 mile northwest of S Springbrook Road
22.00	13700		0.17 mile north of Wynooski Road
			Yamhill - Marion County Line, MP 23.46
25.03	4500		0.02 mile southwest of McKay Road NE
			North city limits of St. Paul
28.09	4900		0.02 mile north of Church Street
28.13	1600		0.02 mile east of Main Street
31.88	3200	*	St. Paul Automatic Traffic Recorder, Sta. 24-020, 1.85 miles south of Street Paul Highway NE
33.08	2000		0.02 mile east of Mahoney Road
35.89	4900		0.12 mile south of W Woodburn-Butteville Road and 0.13 mile north of W Butteville Road
36.20	6100		0.20 mile east of W Butteville Road, west city limits of Woodburn
36.68	15300		0.10 mile west of Pacific Highway (I-5)
36.88	22200		0.10 mile east of Pacific Highway (I-5)
37.82	19500		0.05 mile west of Settlemier Avenue
37.92	15300		0.05 mile east of Settlemier Avenue
39.24	14000		0.05 mile west of Pacific Highway East (OR99E)
39.37	7500		0.06 mile east of Pacific Highway East (OR99E)
39.66	7200		0.07 mile west of Serres Lane NE, east city limits of Woodburn
41.42	6400		0.02 mile west of Union School Road
41.61	5900		0.10 mile south of Elliott Prairie Road NE
43.13	5500		0.02 mile south of Bonney Road
45.49	6000		0.02 mile north of Industrial Way NE, 0.01 mile north of Mt. Angel City Limits
45.92	6900		0.02 mile south of Marquam Street
46.14	6000		0.02 mile south of Charles Street
46.19	5800		0.02 mile south of Church Street
			South city limits of Mt. Angel
47.97	6400		0.02 mile south of Downs Road NE
49.64	8400		0.02 mile south of Jefferson Street
50.22	9000		0.02 mile north of "C" Street
			WESTBOUND - ONE-WAY TRAFFIC
			On C Street
50.26	11800		0.02 mile west of 1st Street
50.31	11600		0.02 mile west of Front Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On Water Street
50.37	4000		0.02 mile south of "C" Street
50.62	5200		0.02 mile north of Cascade Highway South (OR213)
50.70	4300		0.02 mile north of Silver Creek Falls Highway (OR214-Lewis Street)
			NORTHBOUND - ONE-WAY TRAFFIC
			On 1st Street
50.26	4300		0.02 mile south of "C" Street
50.40	4200		0.02 mile north of Park Street
50.48	4200		0.02 mile north of Cascade Highway South (OR213)
			EASTBOUND - ONE-WAY TRAFFIC

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HILLSBORO-SILVERTON HIGHWAY NO. 140 (Continued)
			<i>On Lewis Street</i>
50.62	5800		0.02 mile east of Silver Creek Falls Highway (OR214)
			BEAVERTON-TUALATIN HIGHWAY NO. 141
			<i>Milepoint indicates distance from Tualatin Valley Highway (OR8), in Beaverton</i>
2.57	25200		0.14 mile west of Beaverton-Tigard Highway (OR217)
2.82	23000		0.02 mile west of Scholls Highway (OR210), at Progress
2.86	26900		0.02 mile east of Scholls Highway (OR210), at Progress
3.33	14400		0.02 mile east of SW Oleson Road
4.07	11600		0.02 mile north of SW Locust Street
4.23	12700		0.02 mile north of SW Oak Street
4.67	13100		0.02 mile north of SW Pfaffle Road
4.95	13400		0.02 mile north of Pacific Highway West (OR99W)
4.99	12400		0.02 mile south of Pacific Highway West (OR99W)
5.29	11500		0.02 mile south of Scoffins Street
5.42	11800		0.02 mile south of SW Commercial Street
5.55	13200		0.02 mile south of SW Burnham Street
5.82	12600		0.02 mile south of SW Omara Street
6.31	17000		0.02 mile north of SW Bonita Road
6.35	13300		0.02 mile south of SW Bonita Road
			MP 7.07 to MP 7.69 Transferred to the City of Tigard
7.85	14600		At south city limits of Tigard/north city limits of Durham
8.64	23000		0.02 mile south of Lower Boones Ferry Road
			MP 8.91 to MP 11.52 Transferred to the City of Tualatin
			MP 11.52 to MP 12.47 Transferred to Washington County
12.51	22900		0.05 mile south of Day Street
12.67	33500		0.04 mile east of Commercial Circle
			FARMINGTON HIGHWAY NO. 142
			<i>Milepoint indicates distance from Hillsboro - Silverton Highway (OR219), west of Farmington</i>
			MP -0.06 to MP 5.88 Transferred to Washington County
5.90	15000		0.02 mile east of SW 198th Avenue
6.64	18000		0.03 mile west of SW 185th Avenue
6.77	16700		0.10 mile east of SW 185th Avenue
7.13	19300		0.02 mile east of Rosa Road
			MP 7.38 to MP 8.68 Transferred to Washington County
			SCHOLLS HIGHWAY NO. 143
			<i>Milepoint indicates distance from Hillsboro - Silverton Highway (OR219), at Scholls</i>
			MP 5.50 to MP 9.03 Transferred to Washington County
9.07	45300		0.13 mile southwest of Beaverton-Tigard Highway (OR217)
9.52	20200		0.08 mile south of Beaverton-Tualatin Highway, east city limits of Beaverton
			MP 9.61 to MP 12.40 Transferred to Washington County
			BEAVERTON-TIGARD HIGHWAY NO. 144
			<i>Milepoint indicates distance from Sunset Highway (US26), north of Beaverton</i>
0.50	100300		0.50 mile south of Sunset Highway (US26)
1.21	107700		0.30 mile north of Tualatin Valley Highway (OR8) overcrossing
2.16	118100		0.40 mile south of Beaverton-Hillsdale Highway (OR10) overcrossing

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			BEAVERTON-TIGARD HIGHWAY NO. 144 (Continued)
2.73	115900		0.25 mile south of SW Allen Boulevard Interchange
3.32	115400		0.30 mile south of SW Denney Road Interchange
4.02	98000		0.20 mile south of Beaverton-Tualatin Highway Interchange
4.57	111100		0.30 mile south of Scholls Highway (OR210) Interchange
5.60	114000		0.30 mile northwest of Pacific Highway West (OR99W)
6.30	96700		0.40 mile southeast of Pacific Highway West (OR99W)
6.96	96000		0.10 mile northwest of southbound Pacific Highway (I-5) ramps
			SALEM-DAYTON HIGHWAY NO. 150
			<i>Milepoint indicates distance from Salmon River Highway (OR18), north of Dayton</i>
0.25	4200		0.25 mile southeast of Salmon River Highway (OR18)
0.50	4000		0.02 mile southeast of Amity-Dayton Highway (OR233)
0.56	3900		0.02 mile southeast of Alder Street
0.87	2900		0.03 mile south of Palmer Lane, south city limits of Dayton
3.60	2600		0.02 mile south of Palmer Creek Road
7.15	2300		0.02 mile north of Grand Island Road
9.20	2100		0.06 mile north of Bellevue-Hopewell Highway
9.31	3500		0.05 mile south of Bellevue-Hopewell Highway
10.98	3400		At Yamhill-Polk County Line
13.61	6500		0.02 mile north of Oak Knoll Road
14.96	7000		0.02 mile north of Zena Road
15.00	9500		0.02 mile south of Zena Road
			On Wallace Road
17.71	10500		0.05 mile north of Rogers Lane NW, north city limits of Salem
17.99	11800		0.02 mile north of NW Doaks Ferry Road
18.60	14200	*	Brush College Automatic Traffic Recorder, Sta. 27-002, 0.09 mile north of Brush College Road NW
18.71	16700		0.02 mile southeast of NW Brush College Road
19.05	19100		0.02 mile south of NW River Bend Road
20.11	23200		0.02 mile north of NW Orchard Heights Road
20.15	30800		0.02 mile south of NW Orchard Heights Road
20.41	41200		0.02 mile south of NW Glen Creek Road
20.72	41300		0.06 mile north of NW Edgewater Street
			YAMHILL-NEWBERG HIGHWAY NO. 151
			<i>Milepoint indicates distance from Tualatin Valley Highway (OR47), in Yamhill</i>
0.02	2200		0.02 mile east of Tualatin Valley Highway (OR47)
0.20	2000		0.02 mile west of Hemlock Street
0.47	2200		0.02 mile west of Balm Street
1.13	2400		0.02 mile east of Yamhill Road
2.03	1900		0.02 mile east of Morelli Road
3.01	1800		0.02 mile east of Stag Hollow Road
5.49	6800		0.02 mile east of Kuehne Road
6.12	7200		0.05 mile east of Ribbon Ridge Road
7.12	7200		0.02 mile east of Dopp Road
9.86	8000		0.02 mile east of Tangen Road
10.86	8700		0.02 mile west of Chehalem Drive
11.02	8800		0.02 mile west of N Morton Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			YAMHILL-NEWBERG HIGHWAY NO. 151 (Continued)
11.17	10100		0.02 mile south of Main Street
11.37	10500		0.02 mile north of Sheridan Street
11.43	10500		0.02 mile north of Pacific Highway West (OR99W-WB)
11.48	7400		0.02 mile north of Pacific Highway West (OR99W-EB)
			BELLEVUE-HOPEWELL HIGHWAY NO. 153
			<i>Milepoint indicates distance from Salmon River Highway (OR18), at Bellevue</i>
0.05	1000		0.05 mile east of Salmon River Highway (OR18)
3.88	810		0.10 mile west of Broadmead Road
4.08	1200		0.10 mile east of Broadmead Road
4.59	1400		0.02 mile east of Briedwell Road
6.13	1600		0.02 mile east of Stanley Street
6.32	2400		0.02 mile east of Pacific Highway West (OR99W)
6.51	2200		0.02 mile east of Jellison Avenue
6.76	1800		0.31 mile west of Old Bethel Road
7.09	1300		0.02 mile east of Old Bethel Road
10.94	980		0.02 mile west of Lafayette Highway (OR233)
10.98	4600		0.02 mile south of Lafayette Highway (OR233)
13.00	4300		0.02 mile west of Hopewell Road
14.26	1500		0.10 mile west of Salem-Dayton Highway (OR221)
			LAFAYETTE HIGHWAY NO. 154
			<i>Milepoint indicates distance from Salmon River Highway (OR18), east of McMinnville</i>
0.10	3400		0.10 mile south of Salmon River Highway (OR18)
0.54	2100		0.02 mile south of Amity-Dayton Highway (OR233)
1.36	4700		0.20 mile south of Stringtown Road
3.29	4700		0.02 mile south of Stockhoff Road
4.09	4200		0.02 mile south of Alderman Road
6.24	4200		0.02 mile north of Bellevue-Hopewell Highway
			AMITY-DAYTON HIGHWAY NO. 155
			<i>Milepoint indicates distance from Pacific Highway West (OR99W), north of Amity</i>
0.15	1600		0.15 mile east of Pacific Highway West (OR99W)
2.24	1600		0.02 mile west of Whiteson Road
2.28	1800		0.02 mile east of Whiteson Road
4.30	1500		0.02 mile east of Airport Road
6.56	2400		0.10 mile south of Stringtown Road
6.76	5200		0.10 mile north of Stringtown Road
7.42	2300		0.02 mile southwest of Lafayette Highway (OR233)
7.46	1400		0.02 mile northeast of Lafayette Highway (OR233)
8.30	1700		0.02 mile east of Flower Lane
8.68	2500		0.02 mile west of 8th Street
9.03	3100		0.02 mile west of 5th Street
9.17	3500		0.02 mile west of Salem-Dayton Highway (OR221)
			WILLAMINA-SHERIDAN HIGHWAY NO. 157
			<i>Milepoint indicates distance from Salmon River Highway (OR18), at Wallace Bridge</i>
0.55	5000		0.06 mile north of Willamina-Salem Highway (OR22)
1.56	3700		0.08 mile south of Hill Drive, south city limits of Willamina

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			WILLAMINA-SHERIDAN HIGHWAY NO. 157 (Continued)
2.03	4000		0.02 mile south of Polk Street
2.24	5100		0.04 mile south of W Main Street
2.31	5600		0.02 mile west of "B" Street
2.40	5700		0.02 mile east of "C" Street
2.54	5100		0.02 mile east of "E" Street
2.78	4700		0.11 mile east of Oaken Hills Drive
5.59	4400		0.08 mile east of Rock Creek Road
6.53	5000		0.02 mile west of Western Street
7.11	5600		0.02 mile west of Bridge Street
7.15	6000		0.02 mile east of Bridge Street
7.26	4900		0.02 mile east of Hill Street
8.10	5200		0.50 mile west of Salmon River Highway (OR18)
			CASCADE HIGHWAY SOUTH NO. 160
			<i>Milepoint indicates distance from East Portland Freeway (I-205), at Park Place Interchange</i>
0.05	71100		0.02 mile north of Washington Street
0.16	50600		0.02 mile south of Washington Street
0.50	39000		0.02 mile south of Redland Road
3.21	27400		0.02 mile south of Beaver Creek Road
3.69	19400		0.10 mile south of Molalla Avenue (entrance to Clackamas Community College)
			Equation: MP 4.00 BK = MP 23.69 AH
4.38	19300		0.02 mile north of S Henrici Road
5.71	16000		0.02 mile north of S Leland Road
7.14	15400		0.02 mile south of S Carus Road
8.90	15200	*	Mulino Automatic Traffic Recorder, Sta. 03-020, 0.94 mile south of S Spangler Road
11.03	15000		0.05 mile south of S Mulino Road at Mulino
12.30	15300		0.05 mile north of S Union Mills Road
13.76	13000		0.02 mile north of S Molalla Road
13.80	10400		0.02 mile south of S Molalla Road
15.69	10700		0.02 mile north of S Toliver Road
16.08	11100		0.02 mile north of Woodburn-Estacada Highway (OR211)
16.12	5600		0.02 mile south of Woodburn-Estacada Highway (OR211)
20.30	4800		0.02 mile south of S Monte Cristo Road
22.15	5500	*	Marquam Automatic Traffic Recorder, Sta. 03-013, 2.05 miles northeast of Clackamas-Marion County Line
24.20	5000		At Clackamas-Marion County Line
26.45	4500		0.02 mile north of Abiqua Road NE
26.49	5300		0.02 mile south of Abiqua Road NE
27.30	6200		0.02 mile south of S Abiqua Road NE
			On Oak Street
28.76	5900		0.05 mile west of Meridian Road NE (Monitor Road)
29.57	7300		0.02 mile east of N 2nd Street
29.63	7600		0.02 mile east of Hillsboro-Silverton Highway (OR214-NB)
29.69	3600		0.02 mile east of Hillsboro-Silverton Highway (OR214-SB)
			WOODBURN-ESTACADA HIGHWAY NO. 161
			<i>Milepoint indicates distance from Pacific Highway East (OR99E), in Woodburn</i>
0.15	8900		0.15 mile east of Pacific Highway East (OR99E) and Hillsboro-Silverton Highway (OR214)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			WOODBURN-ESTACADA HIGHWAY NO. 161 (Continued)
2.63	7800		Marion-Clackamas County Line, 1.15 miles west of S Meridian Road
5.20	5900		0.05 mile east of Barlow Road
7.69	6000		0.10 mile east of S Canby-Marquam Road
11.26	6200		0.05 mile west of Cascade Highway South (OR213)
11.36	12600		0.05 mile east of Cascade Highway South (OR213)
			On Main Street
12.25	13700		0.09 mile east of LeRoy Avenue
13.27	8500		0.02 mile west of Stowers Lane
13.67	5900		0.24 mile northeast of S Mathias Road
15.41	6100		On Meadowbrook Bridge at Molalla River
16.34	6300		0.03 mile north of Meadowbrook Road
18.23	5500		At Cedardale, 0.19 mile east of S Paveletz Road
21.20	4500		0.02 mile east of Wall Street at Colton
21.69	2900		0.02 mile northeast of Schieffer Road
24.23	3100	*	Colton Automatic Traffic Recorder, Sta. 03-014, 3.05 miles northeast of Wall Street
26.43	2900		0.02 mile north of S Highland Road
28.79	3200		0.02 mile north of Hillock Burn Road
30.73	3300		0.02 mile north of Day Hill Road (South Jct.)
32.55	6500		0.02 mile north of Hayden Road
33.20	7300		0.02 mile east of Day Hill Road (North Jct.)
33.40	7500		0.09 mile south of Clackamas Highway (OR224), south city limits of Estacada
			NORTH SANTIAM HIGHWAY NO. 162
			<i>Milepoint indicates distance from East State Street and Airport Road, in Salem</i>
1.17	52000		0.25 mile west of Pacific Highway (I-5)
1.61	46500		0.30 mile west of Lancaster Drive Interchange
2.82	28700	*	North Santiam Automatic Traffic Recorder, Sta. 24-004, 0.91 mile east of Lancaster Drive Interchange
4.13	28100		0.10 mile east of Deer Park Drive Interchange
5.84	27900		0.40 mile east of Joseph Street Interchange
7.17	25400		0.50 mile east of Silver Creek Falls Highway (OR214) Interchange
10.02	22700	*	Aumsville Automatic Traffic Recorder, Sta. No. 24-005, 1.08 miles east of Shaw Highway Interchange
12.03	14900		0.50 mile east of Golf Club Road Interchange
13.63	8700		0.40 mile east of Cascade Highway
14.50	10700		0.20 mile east of Fern Ridge Road
15.78	11300		0.10 mile east of Old Mehama Road (West Jct.)
22.40	10900		0.02 mile west of Albany-Lyons Highway (OR226), at Mehama
22.44	8700		0.02 mile east of Albany-Lyons Highway (OR226), at Mehama
23.25	7200		0.02 mile east of North Fork Road
			West city limits of Mill City
30.05	6600		0.02 mile east of NW 2nd Avenue, connection to Santiam River Bridge
30.39	6500		0.02 mile east of NE 4th Avenue
32.09	6200		At west city limits of Gates
33.09	5900		0.02 mile west of Horeb Street
33.69	5600	*	Gates Automatic Traffic Recorder, Sta. No. 24-013, 0.95 mile west of Railroad Avenue SE (Entrance to Minto County Park)
43.03	4600		0.30 mile east of Detroit Dam
			West city limits of Detroit

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			NORTH SANTIAM HIGHWAY NO. 162 (Continued)
50.12	4700		0.05 mile east of Breitenbush Road
51.30	4900	*	Detroit Automatic Traffic Recorder, Sta. 24-015, 1.20 miles east of Detroit Avenue
52.56	4800		At west city limits of Idanha
54.56	4700		0.02 mile east of Main Street
			Marion - Linn County Line, MP 60.79
65.48	4300		On Minto Creek Bridge
69.44	4200		0.02 mile west of Downing Creek Falls Road
81.51	4200		0.40 mile northwest of Santiam Highway (US20)
			SILVER CREEK FALLS HIGHWAY NO. 163
			<i>Milepoint indicates distance from Center Street in Salem, via OR22</i>
9.16	2600		0.15 mile east of North Santiam Highway (OR22)
10.64	1800		0.02 mile west of Howell Prairie Road at Shaw
11.08	800		0.02 mile east of Shaw Highway SE
15.49	1600		0.10 mile west of Cascade Highway SE
15.69	1700		0.10 mile east of Cascade Highway SE
17.56	1400		0.10 mile east of Victor Point Road
19.45	1100		0.10 mile east of Drift Creek Road
27.98	840		0.02 mile south of Hult Road
31.09	1100		0.05 mile south of Drakes Road SE
31.19	1400		0.05 mile north of Drakes Road SE
37.48	2400		0.02 mile east of Forest Ridge Road
38.96	3300		0.02 mile west of Quall Road
39.45	5400		0.02 mile east of Ike Mooney Road
			On Water Street
40.01	7700		0.02 mile southeast of Peach Street
40.34	9000		0.02 mile northwest of Central Street
40.54	9800		0.02 mile northwest of Koons Street
40.79	11600		0.02 mile southeast of Jersey Street
40.83	11600		0.01 mile southeast of Hillsboro-Silverton Highway (OR214)
			JEFFERSON HIGHWAY NO. 164
			<i>Milepoint indicates distance from Pacific Highway (I-5), south of Salem</i>
0.37	3400		0.02 mile southeast of Enchanted Way SE
2.05	3500		0.02 mile north of Winter Creek Road
3.65	2700		0.02 mile south of Robison Road
4.90	3100		0.02 mile north of Talbot Road
5.47	5000		0.02 mile north of North Avenue
5.51	7000		0.02 mile south of North Avenue
5.74	7200		0.02 mile south of Santiam Street
5.98	6700		0.02 mile south of Union Street
6.37	7700		0.20 mile west of Mill Street
7.30	6900		0.01 mile west of Scrael Hill Road
8.12	7500		0.02 mile east of Mason Road
			CLACKAMAS HIGHWAY NO. 171
			<i>Milepoint indicates distance from River Road, in Milwaukie</i>
0.04	8000		0.05 mile east of SE 17th Avenue

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CLACKAMAS HIGHWAY NO. 171 (Continued)
0.31	27700		0.20 mile east of Pacific Highway East (OR99E)
0.70	26800		0.02 mile south of Harrison Street
0.80	26100		0.02 mile south of Monroe Street
0.95	28600		0.02 mile southeast of Oak Street
1.94	23400		0.05 mile east of SE Freeman Way
2.71	23400		0.01 mile west of Rusk Road
3.30	28900		0.10 mile east of SE Lake Road
3.60	38400	*	Milwaukie Automatic Traffic Recorder, Sta. 03-018, 0.13 mile west of Johnson Road
3.94	35600		0.02 mile west of southbound ramps to Cascade Highway North (OR213)
5.17	17700		On SE Dawson Street at I-205 Overcrossing
			Equation: MP 3.96 BK = MP 23.82 AH
			Equation: MP 5.18 BK = MP 24.89 AH
Z 4.94	54800		0.11 miles west of SE 82nd Drive
Z 5.01	41500		0.02 mile west of SE 82nd Drive
Z 5.10	54700		0.05 mile east of SE 82nd Drive
5.58	30700		0.04 mile east of Evelyn Street
6.80	40100	*	Clackamas Automatic Traffic Recorder, Sta. 03-017, 0.14 mile west of SE 130th Avenue
7.62	36500		0.05 mile east of SE 142nd Avenue
8.11	37400		0.05 mile west of Clackamas-Boring Highway (OR212)
8.26	24800		0.10 mile south of Clackamas-Boring Highway (OR212)
9.35	9300		0.05 mile east of Springwater Road
14.56	11800		0.05 mile west of Bakers Ferry Road
17.82	13500		0.10 mile north of Eagle Creek-Sandy Highway (OR211)
18.02	14000		0.10 mile south of Eagle Creek-Sandy Highway (OR211)
20.30	12700		0.05 mile north of Heiple Road
21.71	7800		0.05 mile south of River Mill Road
			North city limits of Estacada
22.88	9000		0.11 mile northwest of Wade Street
23.16	8200		0.01 mile northwest of Main Street
23.28	11000		0.01 mile east of Acacia Road
23.46	4000		0.10 mile east of Woodburn-Estacada Highway (OR211)
			Equation: MP 23.51 BK = MP 23.84 AH
24.80	3300		0.02 mile east of Faraday Road
			Equation: MP 29.18 BK = MP 30.02 AH
30.82	1200		0.10 mile northwest of Ladee Road
39.10	750		0.14 mile north of Fish Creek Road
39.34	620		0.10 mile east of Fish Creek Road
44.47	570		0.10 mile north of Pipeline Road
45.83	470		At Clackamas River (Cripple Creek Bridge)
49.93	310		0.02 mile west of Ripple Creek Road
			EAGLE CREEK-SANDY HIGHWAY NO. 172
			Milepoint indicates distance from Eagle Creek Road, at Eagle Creek
-0.13	6100		0.10 mile east of Clackamas Highway (OR224)
1.45	6300		0.10 mile southwest of Judd Road
1.65	6800		0.10 mile northeast of Judd Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			EAGLE CREEK-SANDY HIGHWAY NO. 172 (Continued)
3.65	8200		0.05 mile west of 362nd Drive
3.75	5700		0.05 mile east of 362nd Drive
5.07	4600		0.10 mile west of Bornstedt Road
5.29	7000		0.10 mile south of Dubarko Road
5.50	6200		0.11 mile north of Dubarko Road
5.83	6200		0.05 mile south of Mt. Hood Highway (US26-EB)
5.92	5400		0.02 mile south of Mt. Hood Highway (US26-WB)
			TIMBERLINE HIGHWAY NO. 173
			<i>Milepoint indicates distance from Timberline Lodge</i>
5.45	2000	*	Timberline Automatic Traffic Recorder, Sta. 03-008, 0.04 mile north of Mt. Hood Highway No. 26 (US26)
			CLACKAMAS-BORING HIGHWAY NO. 174
			<i>Milepoint indicates distance from Clackamas Highway (OR224), at Rock Creek Corner</i>
0.30	24800		0.27 mile east of Clackamas Highway (OR224)
1.44	19700		0.03 mile west of SE Tong Road
2.44	19500		0.06 mile west of SE Sunnyside Road
2.59	26300		0.02 mile west of SE Foster Road
2.63	28700		0.02 mile east of SE Foster Road
3.72	24500		0.02 mile east of SE 222nd Drive
4.67	22400		0.02 mile west of SE 242nd Drive
5.71	19800		0.02 mile east of connection to SE 257th Avenue
6.88	20800		0.02 mile south of SE Wally Road
7.10	13900		0.03 mile east of SE 282nd Avenue
8.27	13600		0.10 mile west of Mt. Hood Highway (US26), EB onramp
			EDDYVILLE-BLODGETT HIGHWAY NO. 180
			<i>Milepoint indicates distance from Corvallis - Newport Highway (US20), near Eddyville</i>
0.02	110		0.02 mile east of Crystal Creek Loop (old Corvallis-Newport Highway (US20))
3.86	70		0.02 mile east of Hutchcroft Road
6.10	60		0.04 mile east of Norton Peak Lookout Road
11.55	160		0.15 mile west of Logsden Road
12.53	280		At Lincoln-Benton County Line
14.16	350		0.02 mile north of Summit Street
14.36	410		0.02 mile north of Marys River Road
14.70	480		On Marys River Bridge
19.00	640		0.18 mile north of Corvallis-Newport Highway (US20)
			SILETZ HIGHWAY NO. 181
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), at Kernville</i>
-0.11	1400		0.10 mile east of Oregon Coast Highway (US101)
1.21	1300		0.21 mile east of Gorton Road
2.44	880		At National Forest Boundary
4.25	720		0.02 mile west of Siletz Street
5.69	540		0.20 mile east of Euchre Mountain Road
7.95	450		0.10 mile east of S Siletz River Drive
13.67	450		0.02 mile south of Mowery's Landing Road
17.47	480		At Chitwood Creek
20.66	610		At Siletz River, on Ojalla Bridge

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			SILETZ HIGHWAY NO. 181 (Continued)
21.13	670		0.02 mile south of Ojalla Road
23.48	1100		At north city limits of Siletz
23.74	2900		0.02 mile north of Metcalf Road
23.77	2400		0.01 mile south of Metcalf Road
23.80	4600		0.01 mile north of W Buford Avenue
23.83	4600		0.02 mile south of W Buford Avenue
24.10	4400		At south city limits of Siletz
27.40	4500		0.04 mile north of Little Depot Creek
31.18	5100		0.06 mile north of Corvallis-Newport Highway (US20)
			DALLAS-RICKREALL HIGHWAY NO. 189
			<i>Milepoint indicates distance from Kings Valley Highway (OR223), in Dallas</i>
0.05	16400		0.05 mile east of Kings Valley Highway (OR223)
0.34	14600		0.02 mile west of Polk Station Road
0.62	13000		0.02 mile east of La Creole Drive
1.05	12700		0.02 mile west of Oak Villa Road
1.57	13800		0.02 mile east of Fir Villa Road
2.66	14600		0.02 mile west of Bowersville Road
3.15	13300		0.10 mile west of Rickreall Road
3.37	10700		0.12 mile east of Rickreall Road
			KINGS VALLEY HIGHWAY NO. 191
			<i>Milepoint indicates distance from Willamina - Salem Highway (OR22), at Polk Station</i>
0.10	3500		0.10 mile south of Willamina-Salem Highway (OR22)
0.60	3700		0.10 mile south of Fir Villa Road
1.91	3600		0.22 mile northeast of Polk Station Road, north city limits of Dallas
2.15	3700		0.02 mile southwest of Polk Station Road
2.58	8700		0.05 mile north of Dallas-Rickreall Highway (OR223)
2.70	14300		0.07 mile south of Dallas-Rickreall Highway (OR223)
			SOUTHBOUND - ONE-WAY TRAFFIC
			<i>On Main Street</i>
3.07	7400		0.02 mile north of Academy Street
3.11	7100		0.02 mile south of Academy Street
3.24	6700		0.02 mile north of Mill Street
3.31	6400		0.02 mile north of Court Street
3.35	6200		0.02 mile south of Court Street
			NORTHBOUND - ONE-WAY TRAFFIC
			<i>On Jefferson Street</i>
3.05	8600		0.02 mile north of Academy Street
3.09	7300		0.02 mile south of Academy Street
3.21	10500		0.02 mile north of Mill Street
3.28	5400		0.02 mile north of Court Street
3.36	7800		0.02 mile north of Washington Street
			<i>On Washington Street</i>
3.43	10400		0.02 mile east of Main Street
			RESUME TWO-WAY TRAFFIC
3.42	9200		0.02 mile west of Main Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			KINGS VALLEY HIGHWAY NO. 191 (Continued)
3.54	8500		0.02 mile east of Levens Street
3.58	9300		0.02 mile west of Levens Street
3.75	9100		0.02 mile east of Fairview Avenue
			On Fairview Avenue
3.88	8200		0.02 mile south of Clay Street
4.13	6600		0.02 mile south of Birch Street
4.56	5400		At south city limits of Dallas
5.44	3900		0.02 mile south of Liberty Road
7.32	4000		0.02 mile north of Cooper Hollow Road
8.40	3300		0.02 mile north of Strong Road
8.93	3200		0.05 mile north of Falls City Road
9.03	2200		0.05 mile south of Falls City Road
9.90	3000		0.05 mile north of Monmouth Highway
10.00	1700		0.05 mile south of Monmouth Highway
10.96	960		0.02 mile south of Gardner Road
12.63	980		0.02 mile south of McTimmonds Road
14.68	790		0.02 mile south of Fir Grove Road
16.81	840		0.02 mile south of Maple Grove Road
17.55	780		0.11 mile south of Pedee
21.57	590		At Polk-Benton County Line
23.54	710		0.02 mile north of Maxfield Creek Road
23.58	1100		0.02 mile south of Maxfield Creek Road
26.43	1300	*	Kings Valley Automatic Traffic Recorder, Sta. 02-005, 1.41 miles south of Hoskins-Summit Road
30.70	1500		0.02 mile south of Priest Road
31.35	1700		0.05 mile north of Corvallis-Newport Highway (US20)
			INDEPENDENCE HIGHWAY NO. 193
			<i>Milepoint indicates distance from Willamina - Salem Highway (OR22), near Brunks Corner</i>
0.06	7700		0.06 mile south of Willamina-Salem Highway (OR22)
3.13	8200		0.02 mile south of Greenwood Road
5.20	7500		0.02 mile south of Hanna Road
5.91	7700		0.02 mile north of N Grand Street
6.33	8300		0.01 mile north of Monmouth-Independence Highway (OR51)
			MONMOUTH HIGHWAY NO. 194
			<i>Milepoint indicates distance from Kings Valley Highway (OR223), near Bridgeport</i>
0.02	950		0.02 mile east of Kings Valley Highway (OR223)
1.28	830		0.30 mile east of Smith Road
2.43	890		0.02 mile east of Cooper Hollow Road
4.73	1300		0.02 mile east of Fishback Hill Road
6.44	1300		At south city limits of Monmouth
7.00	1500		0.02 mile south of Main Street
			On Main Street
7.04	2600		0.02 mile east of Whitman Street
7.15	3000		0.02 mile west of Monmouth Avenue
7.19	6300		0.02 mile east of Monmouth Avenue
7.34	8000		0.02 mile east of Knox Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			MONMOUTH HIGHWAY NO. 194 (Continued)
7.54	8600		0.02 mile west of Pacific Highway West (OR99W)
			TERRITORIAL HIGHWAY NO. 200
			<i>Milepoint indicates distance from Pacific Highway West (OR99W), in Monroe</i>
0.04	2200		0.07 mile south of Pacific Highway West (OR99W)
0.23	1700		At south city limits of Monroe
2.03	1600		At Benton-Lane County Line
			ALSEA-DEADWOOD HIGHWAY NO. 201
			<i>Milepoint indicates distance from Alsea Highway (OR34), at Alsea</i>
0.02	700		0.02 mile south of Alsea Highway (OR34)
0.93	630		0.02 mile north of South Fork Road
1.11	540		On south end of Alsea River Bridge
1.33	430		0.02 mile south of Overman Road
2.55	370		0.02 mile south of Fudge Road
3.73	200		0.02 mile south of Van Horn Road
6.31	140		At Little Lobster Summit
9.41	110		0.02 mile north of Hazel Glen Road
			CORVALLIS-LEBANON HIGHWAY NO. 210
			<i>Milepoint indicates distance from Albany - Corvallis Highway (US20), in Corvallis</i>
			EASTBOUND - ONE-WAY TRAFFIC
			<i>On Van Buren Street</i>
-0.08	10200		0.02 mile east of Pacific Highway West (OR99W-SB)
-0.03	12000		0.02 mile east of Pacific Highway West (OR99W-NB)
0.02	10600		0.02 mile east of Albany-Corvallis Highway (US20)
0.13	11300		On Willamette River Bridge, east city limits of Corvallis
0.33	26400		0.03 mile east of the end the Corvallis-Newport Highway couplet
			WESTBOUND - ONE-WAY TRAFFIC
			<i>On Harrison Street</i>
-0.08	13400		0.02 mile east of Pacific Highway West (OR99W-SB)
-0.04	11600		0.01 mile east of Pacific Highway West (OR99W-NB)
0.13	10400		On Willamette River Bridge, east city limits of Corvallis
			RESUME TWO-WAY TRAFFIC
0.36	35500		0.02 mile east of Corvallis-Newport Highway No. 33 (OR34)
1.09	35500		0.10 mile west of Peoria Road
1.29	32300		0.10 mile east of Peoria Road
3.92	33700	*	Riverside Drive Automatic Traffic Recorder, Sta. 22-020, 0.89 mile east of Riverside Drive
5.38	27300		0.02 mile east of Oakville Road
7.15	26100		0.50 mile west of Albany-Junction City Highway (OR99E)
7.85	24100		0.20 mile east of Albany-Junction City Highway (OR99E)
9.74	19600		0.30 mile west of Pacific Highway (I-5)
10.24	17900		0.20 mile east of Pacific Highway (I-5)
10.79	18900		0.02 mile east of Seven Mile Lane
13.99	20000		0.02 mile west of Red Bridge Road
14.03	19400		0.02 mile east of Red Bridge Road
15.90	6200		0.02 mile east of Langmack Road
			<i>West city limits of Lebanon</i>

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CORVALLIS-LEBANON HIGHWAY NO. 210 (Continued)
17.28	6600		0.02 mile east of 12th Street
17.44	6600		0.04 mile east of 10th Street
17.62	7100		0.02 mile west of 7th Street
17.78	7200		0.02 mile west of 5th Street
17.93	7300		0.02 mile west of S 2nd Street
18.11	5300		0.02 mile west of Santiam Highway (US20)
			ALBANY-LYONS HIGHWAY NO. 211
			<i>Milepoint indicates distance from Santiam Highway (US20), at Crabtree Corner</i>
0.43	5800	*	Crabtree Automatic Traffic Recorder, Sta. 22-010, 0.43 mile east of Santiam Highway No. 16 (US20)
4.01	4700		0.02 mile east of Brewster Road
4.79	3300		0.10 mile north of Fish Hatchery Drive
			Equation: MP 4.31 BK = MP 4.70 AH
9.57	3700		0.02 mile north of SW 6th Avenue
9.67	3900		0.02 mile north of SW 4th Avenue
9.78	4800		0.02 mile south of SE 1st Avenue
9.82	2100		0.02 mile east of Main Street
9.88	2000		0.02 mile west of Birch Street
9.98	2000		0.08 mile east of SE Cedar Street, east city limits of Scio
11.99	1600		0.02 mile west of Richardson Gap Road
16.49	1500		0.02 mile east of Camp Morrison Drive
18.68	1500		0.10 mile east of Kingston-Jordan Road
23.63	1400		0.02 mile west of road to N McCully Mountain Road
			South city limits of Lyons
24.39	1800		0.02 mile south of Main Street
24.43	4000		0.02 mile west of 6th Street
25.45	4600		At the North Santiam River Bridge
25.69	4000		0.02 mile south of North Santiam Highway (OR22)
			HALSEY-SWEET HOME HIGHWAY NO. 212
			<i>Milepoint indicates distance from Albany - Junction City Highway (OR99E), in Halsey</i>
0.02	4400		0.02 mile east of Albany-Junction City Highway (OR99E)
1.45	4400		0.02 mile west of Bond Road
2.30	6000		0.10 mile west of Pacific Highway (I-5)
2.50	7800		0.10 mile east of Pacific Highway (I-5)
4.71	4600		0.02 mile east of Fisher Road
			West city limits of Brownsville
6.14	4900		0.02 mile west of Washburn Street
6.21	5600		0.02 mile west of Main Street
6.24	4300		0.01 mile east of Main Street
6.56	3600		0.07 mile east of Moyer Street
6.60	3500		0.02 mile east of Hume Street
8.30	3100		0.02 mile east of Courtney Creek Road
13.57	3600		0.02 mile east of Brush Creek Road
16.64	3500		0.10 mile west of Upper Calapooia Drive
16.76	3700		0.02 mile east of Upper Calapooia Drive
18.86	4100		0.02 mile north of Greenville Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HALSEY-SWEET HOME HIGHWAY NO. 212 (Continued)
			<i>West city limits of Sweet Home</i>
20.61	5200		0.02 mile east Fern Ridge Road
21.02	5700		0.02 mile west of 1st Avenue
21.16	4600		0.02 mile east of 3rd Avenue
21.36	4600		0.02 mile west of Long Street
			CLEAR LAKE-BELKNAP SPRINGS HIGHWAY NO. 215
			<i>Milepoint indicates distance from Santiam Highway (US20), west of Santiam Junction</i>
0.10	1700		0.10 mile south of Santiam Highway (US20)
			<i>Linn - Lane County Line, MP 13.02</i>
19.71	1800		0.10 mile north of McKenzie Highway (OR126)
			SPRINGFIELD-CRESWELL HIGHWAY NO. 222
			<i>Milepoint indicates distance from McKenzie Highway (OR126 Bus.), in Springfield</i>
14.39	7900		0.20 mile east of Pacific Highway (I-5)
14.83	12500		0.05 mile east of Goshen-Divide Highway (OR99)
			MCVAY HIGHWAY NO. 225
			<i>Milepoint indicates distance from McKenzie Highway (OR126 Bus.), west of Springfield</i>
1.01	10400		At McVay overcrossing (SPRR)
1.75	9900		0.20 mile south of Pacific Highway (I-5) overcrossing
2.17	9900		0.02 mile north of 30th Avenue
			GOSHEN-DIVIDE HIGHWAY NO. 226
			<i>Milepoint indicates distance from Willamette Highway (OR58), at Goshen</i>
0.18	4900		0.02 mile west of 1st Street on Goshen Avenue
0.25	6500		0.02 mile south of Goshen Avenue
0.41	5800		0.02 mile south of "B" Street
0.57	5600		0.02 mile south of "D" Street
2.08	4400		0.05 mile north of connection to Pacific Highway (I-5) Frontage Road
2.27	4400		0.02 mile south of Dillard Road
5.39	2600		0.24 mile south of W Martin Road
5.69	5200		0.05 mile north of E Oregon Ave
5.76	12200		0.02 mile west of E Oregon Ave
5.80	4400		0.02 mile south of Oregon Avenue
5.85	4800		0.01 mile south of "C" Avenue
6.53	4300		0.02 mile north of Market Road
6.57	3400		0.02 mile south of Market Road
8.69	2900		0.02 mile north of Tate Road
8.73	3000		0.02 mile south of Tate Road
10.38	2700		0.02 mile south of Lynx Hollow Road
10.70	3100		0.02 mile south of Davison Road at Walker
11.99	3200		0.02 mile north of Saginaw East Road
12.03	3200		0.02 mile south of Saginaw East Road
13.79	3200		On Coast Fork Willamette River Bridge
14.05	3800		0.02 mile north of connection to Pacific Highway (I-5)
14.11	11200		0.04 mile south of connection to Pacific Highway (I-5)
14.40	7400		0.02 mile north of Thayer Avenue
14.68	9000		0.02 mile north of Whiteaker Avenue

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			GOSHEN-DIVIDE HIGHWAY NO. 226 (Continued)
14.77	10200		0.02 mile north of Main Street
14.81	8700		0.02 mile south of Main Street
14.86	7500		0.02 mile south of Washington Street
15.09	5900		0.02 mile south of 6th Street
15.32	6700		0.04 mile north of Harrison Avenue, south city limits of Cottage Grove
15.46	4200		0.10 mile south of Harrison Avenue
16.02	3400		0.20 mile south of South River Road
16.82	2600		0.02 mile south of Dugan Lane
17.32	2800		0.02 mile south of Latham Road
19.55	1800		0.39 mile north of Pacific Highway (I-5)
			EUGENE-SPRINGFIELD HIGHWAY NO. 227
			<i>Milepoint indicates distance from Pacific Highway West (OR99/OR126 Bus.), in Eugene</i>
0.31	57500		0.10 mile north of connection from W 6th Avenue (OR99/OR126 Bus.-WB)
1.29	59800		0.40 mile east of Delta Highway Interchange
2.82	64900	*	Willakenzie Automatic Traffic Recorder, Sta. 20-008, 0.66 mile west of Pacific Highway No. 1 (I-5) in Eugene
4.08	71200		0.60 mile east of Pacific Highway (I-5) Interchange
5.17	61300		0.50 mile east of Springfield Highway Interchange (OR528)
6.59	47600		0.50 mile east of Mohawk Boulevard Interchange
8.66	33900	*	East Springfield Automatic Traffic Recorder, Sta. 20-027, 0.39 mile north of 52nd Street
9.76	22700		0.20 mile north of McKenzie Highway (OR126 Bus.)
			SPRINGFIELD HIGHWAY NO. 228
			<i>Milepoint indicates distance from Eugene - Springfield Highway (OR126), in Springfield</i>
0.50	19300		0.50 mile south of Eugene-Springfield Highway (OR126)
0.74	14000		0.10 mile south of Centennial Boulevard
			SOUTHBOUND - ONE-WAY TRAFFIC
			<i>On Pioneer Parkway West</i>
1.15	6000		0.02 mile south of "D" Street
1.35	5100		0.02 mile north of McKenzie Highway (OR126 Bus.-WB)
1.39	3600		0.01 mile north of McKenzie Highway (OR126 Bus.-EB)
			NORTHBOUND - ONE-WAY TRAFFIC
			<i>On Pioneer Parkway East</i>
1.15	5900		0.02 mile south of "D" Street
1.35	5300		0.02 mile north of McKenzie Highway (OR126 Bus.-WB)
1.39	3500		0.01 mile north of McKenzie Highway (OR126 Bus.-EB)
			MAPLETON-JUNCTION CITY HIGHWAY NO. 229
			<i>Milepoint indicates distance from Florence - Eugene Highway (OR126), at Mapleton</i>
0.05	930		0.06 mile north of Florence-Eugene Highway (OR126)
3.35	780		0.02 mile northeast of North Fork Road
4.70	730		0.02 mile east of Thompson Creek Road
6.93	730		0.29 mile west of Village Loop Road
7.24	650		0.02 mile east of Village Loop Road
7.95	600		0.05 mile east of First Street at Swisshome
8.37	500		0.02 mile west of Stagecoach Road
8.44	470		0.05 mile east of Stagecoach Road
10.60	410		0.02 mile east of Indian Creek Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			MAPLETON-JUNCTION CITY HIGHWAY NO. 229 (Continued)
13.23	430		0.02 mile west of Lower Deadwood Creek Road
16.41	340		On Chappell Creek Bridge
18.33	410		On Wheeler Creek Bridge
19.77	400		0.02 mile east of road to Windy Peak Lookout
22.74	380		0.02 mile east of State Forest Road
26.09	490		0.02 mile west of Little Lake Road
26.13	470		0.02 mile north of Little Lake Road
28.41	570		0.02 mile north of Rust Road
29.38	690		0.02 mile east of Jay Road
30.50	780		0.01 mile west of Pope Road
31.40	850		0.02 mile east of Horton Road
33.99	1200		0.02 mile west of entrance to Blachly Forest Wayside
38.08	980		0.02 mile west of Alderwood Drive (Hall Road)
41.04	2100	*	Goldson Automatic Traffic Recorder, Sta. 20-004, 2.36 miles southwest of Goldson Road
45.93	1800		0.02 mile west of Territorial Highway
46.10	2400		0.02 mile east of Allen and Bales Road (Valley View Drive)
47.43	3100		0.02 mile east of Territorial Highway
47.81	3800		On Long Tom River Bridge
49.66	3800		0.02 mile east of Alvadore Road
51.49	3800		0.10 mile west of Pacific Highway West (OR99)
			ELKTON-SUTHERLIN HIGHWAY NO. 231
			<i>Milepoint indicates distance from Umpqua Highway (OR38), in Elkton</i>
0.02	2400		0.02 mile south of Umpqua Highway (OR38)
0.11	2200		0.02 mile south of Azalea Drive, south city limits of Elkton
0.21	2000		0.02 mile south of Mehl Creek Road
1.68	1900		0.01 mile south of Wells Road
3.82	1900		On Smith Bridge (Umpqua River)
6.20	1900		0.02 mile north of Bullock Road
6.32	1900		On Kellogg Bridge (Umpqua River)
6.48	1800		0.02 mile south of Madison Road
13.27	2000		0.02 mile north of Bullock Bridge Road
13.31	2400		0.02 mile south of Bullock Bridge Road
13.73	2400		0.04 mile southeast of Tyee Road
16.79	2400		0.02 mile southeast of Green Valley Road
21.47	2700		0.02 mile north of Rolling Ridge Road
22.10	3000		On Rochester Bridge (Calapooya Creek)
22.81	3500		0.02 mile southeast of Stearns Lane
23.53	4600		0.36 mile northwest of Fort McKay Road
23.91	8300		0.02 mile east of Fort McKay Road
24.11	12300		0.10 mile west of Pacific Highway (I-5)
24.39	10800		0.18 mile east of Pacific Highway (I-5)
			WEST DIAMOND LAKE HIGHWAY NO. 233
			<i>Milepoint indicates distance from Crater Lake Highway (OR62), north of Union Creek</i>
0.02	820		0.02 mile northeast of Crater Lake Highway (OR62)
5.86	660		0.15 mile south of County Line Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			WEST DIAMOND LAKE HIGHWAY NO. 233 (Continued)
23.78	830		0.02 mile west of North Umpqua Highway (OR138)
			CAPE ARAGO HIGHWAY NO. 240
			<i>Milepoint indicates distance from Oregon Coast Highway (US101) in North Bend</i>
			<i>On Virginia Avenue</i>
-0.03	5600		0.02 mile west of Sheridan Avenue, Oregon Coast Highway (US101-NB)
0.02	11400		0.02 mile west of Sherman Avenue, Oregon Coast Highway (US101-SB)
0.09	11900		0.02 mile east of McPherson Avenue
0.18	16800		0.02 mile west of Meade Avenue
0.42	17000		On Pony Creek Bridge
			<i>On Broadway Street</i>
0.75	15100		0.02 mile east of Broadway
0.79	11400		0.02 mile south of Virginia Avenue on Broadway Avenue
1.29	14100		0.02 mile north of 16th Street
			<i>On Newmark Avenue</i>
1.33	15200		0.02 mile south of 16th Street
2.10	20400		0.02 mile east of S Oak Street
2.22	20900		0.02 mile east of Fir Street
			MP 2.24 to MP 4.49 Transferred to the City of Coos Bay
4.49	9100		At south city limits of Coos Bay
5.09	8500		0.02 mile south of Spaw Lane
5.95	7300		0.02 mile south of Tarheel Lane
7.03	6100		0.02 mile north of Henderson Lane
7.52	5200		0.02 mile north of Wilshire Boulevard
8.11	5200		0.02 mile west of Libby Lane
8.47	5100		0.02 mile east of Boat Basin Road at Charleston
8.76	1700		0.02 mile west of Shore Edge Drive
8.99	1700		0.02 mile west of Walker Road
9.78	1300		0.50 mile west of Coos Head Road
			COOS RIVER HIGHWAY NO. 241
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), at Bunker Hill</i>
0.10	10200		0.02 mile west of Edwards Road
0.51	11900		On Isthmus Slough Bridge
			MP 0.72 to MP 2.23 Transferred to the City of Coos Bay
2.31	3300		0.02 mile west of Catching Slough Road
3.37	2500		0.02 mile west of South Fork Coos River Road
3.73	1700		On Coos River (Chandler Bridge)
3.91	870		0.02 mile east of East Bay Drive
7.33	740		On Mart Davis Creek Bridge
14.07	570		On Allegany Bridge
14.21	410		0.05 mile east of West Fork Millicoma Road at Allegany
15.10	370		0.20 mile east of Marlow Creek
19.13	190		0.02 mile west of East Fork Millicoma Road
			POWERS HIGHWAY NO. 242
			<i>Milepoint indicates distance from Coos Bay - Roseburg Highway (OR42), south of Myrtle Point</i>
0.30	1600		0.30 mile south of Coos Bay-Roseburg Highway (OR42)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			POWERS HIGHWAY NO. 242 (Continued)
2.43	1300		0.02 mile north of Dement Creek Road
2.47	1100		0.02 mile south of Dement Creek Road
3.54	1100		On Robbins Creek Bridge
9.73	700		0.02 mile south of Gaylord Road
10.73	680		0.12 mile south of Yellow Creek Road
17.14	770		On White Bridge
17.86	910		0.02 mile south of Alder Street
18.22	1300		On Powers Bridge
18.38	1100		0.02 mile south of Spruce Street
18.56	790		0.02 mile west of 2nd Avenue
18.70	680		0.02 mile west of 4th Avenue
18.74	570		0.02 mile south of Poplar Street on 4th Avenue
18.89	530		0.10 mile south of Hemlock Street
			COQUILLE-BANDON HIGHWAY NO. 244
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), in Bandon</i>
0.04	4700		0.03 mile east of Oregon Coast Highway (US101)
0.19	3300		0.02 mile east of Ohio Street, east city limits of Bandon
1.57	2200		0.02 mile west of Prosper Junction Road
1.61	1700		0.02 mile east of Prosper Junction Road
3.12	1300		0.02 mile east of Parkersburg Road
7.24	1100		0.02 mile east of Myrtle Point-Lampa Road
10.80	1100		0.05 mile south of Riverton Road
11.14	1200		0.02 mile north of Main Street at Riverton
11.23	1300		0.02 mile north of Myrtle Street
14.69	1500		0.02 mile west of Fat Elk Road
14.73	1700		0.02 mile east of Fat Elk Road
16.50	1800		0.10 mile west of Fishtrap Road
16.78	2500		On Coquille River Bridge, south city limits of Coquille
16.89	3300		0.01 mile west of Coos Bay-Roseburg Highway (OR42)
			CAPE BLANCO HIGHWAY NO. 250
			<i>Milepoint indicates distance from Cape Blanco Lighthouse Parking Area</i>
5.28	440		0.15 mile west of Dewey Road
5.55	470		0.02 mile west of Oregon Coast Highway (US101)
			PORT ORFORD HIGHWAY NO. 251
			<i>Milepoint indicates distance from Coast Guard Station Gate</i>
0.02	150		0.02 mile east of Coast Guard Station
0.31	280		0.02 mile west of Spy Glass Hill Road
0.60	320		0.02 mile south of 9th Street
0.64	470		0.02 mile east of Arizona Street
0.74	520		0.02 mile west of Oregon Coast Highway (US101)
			CARPENTERVILLE HIGHWAY NO. 255
			<i>Milepoint indicates distance from Washington - Oregon State Line</i>
334.91	90		0.04 mile east of Oregon Coast Highway, (US101) at the entrance to Cape Sebastian State Park
339.55	160		0.02 mile south of Pistol River Loop
341.24	230		0.02 mile east of Oregon Coast Highway (US101)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CARPENTERVILLE HIGHWAY NO. 255 (Continued)
343.44	80		0.02 mile east of Mack Arch Road (US101 connection)
349.16	70		0.10 mile south of S Fork Pistol River Road at Carpenterville
356.90	250		0.02 mile south of Cape Ferrel Road
361.98	1100		0.02 mile north of Rainbow Rock Road
362.17	2700		0.10 mile northeast of Oregon Coast Highway (US101)
			ROGUE RIVER LOOP HIGHWAY NO. 260
			<i>Milepoint indicates distance from Redwood Highway, 6th Street, in Grants Pass</i>
1.32	4100		0.02 mile south of Upper River Road
1.68	5300		0.02 mile south of SW Bridge Street
1.86	3500		0.07 mile west of Lincoln Road
2.10	2700		0.02 mile west of Roguelea Lane
2.41	2000		0.02 mile west of Summer Lane
4.52	1100		0.01 mile east of Sycamore Drive
5.73	790		0.02 mile east of Upper River Road
5.85	2200		0.10 mile west of Upper River Road
8.42	970		0.02 mile north of Gunnell Road
17.74	1300		0.10 mile south of Limpy Creek Road
20.11	1800		0.02 mile northwest of Marcy Loop Road
22.19	2400		0.05 mile north of Redwood Highway (US199)
			LAKE OF THE WOODS HIGHWAY NO. 270
			<i>Milepoint indicates distance from Crater Lake Highway (OR62), south of White City</i>
-7.97	7800		0.10 mile northwest of Dean Creek Frontage Road
-6.88	5800		0.05 mile north of Blackwell Road
-5.23	6900		0.05 mile east of High Banks Road
-3.60	5000		0.05 mile east of W Antelope Road
-2.67	4600		0.05 mile west of Pacific Avenue
			MP -2.71 to MP -2.55 Under Jurisdiction of Jackson County
-2.50	4700		0.12 mile east of south leg of Pacific Avenue
-1.90	4500		0.05 mile east of 5th Street
-1.59	3400		0.05 mile east of 8th Street
-1.21	4400		0.05 mile west of Agate Road
-0.55	3500		0.05 mile north of Antelope Road
-0.25	5300		0.05 mile north of Leigh Way
-0.05	3600		0.05 mile west of Crater Lake Highway No. 22 (OR62)
0.12	7000		0.12 mile east of Crater Lake Highway (OR62)
2.31	6900		0.02 mile east of Kershaw Road
3.69	4400		0.10 mile east of Riley Road
7.96	3500		0.02 mile southwest of Brownsboro-Eagle Point Road
12.46	3400		0.10 mile west of Lake Creek Loop (West Jct.)
14.74	3100		0.02 mile west of Lake Creek Loop (East Jct.)
16.03	3300	*	Lake of the Woods Automatic Traffic Recorder, Sta. 15-020, 1.27 miles east of Lake Creek Loop (east junction)
30.42	3200		0.01 mile west of road to Fish Lake Resort
			Jackson - Klamath County Line, MP 32.25
37.60	2800		0.10 mile west of Dead Indian Memorial Road
44.42	3000		0.10 mile east of Rocky Point Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			LAKE OF THE WOODS HIGHWAY NO. 270 (Continued)
50.39	2900		0.02 mile east of road to Aspen Creek Trail
61.58	3100		0.10 mile west of Running Y Road
68.74	4000		0.02 mile north of Green Springs Highway (OR66)
			SAMS VALLEY HIGHWAY NO. 271
			<i>Milepoint indicates distance from Rogue River Highway (OR99), at Rock Point Interchange</i>
-0.20	2800		0.10 mile east of Rogue River Highway (OR99)
0.09	2600		On Rock Point Bridge
0.19	3400		0.02 mile east of North River Road
0.80	3100		On Sardine Creek Bridge
			On 2nd Avenue
1.55	3800		0.03 mile east of Kenneth Way
2.14	4400		0.02 mile west of Gustaf Street
2.34	5000		0.02 mile west of Dardanelles Street and Gold Hill Spur (OR99)
			On 4th Street
2.38	3300		0.02 mile north of 2nd Avenue and Gold Hill Spur (OR99)
			On 4th Avenue
2.46	2700		0.02 mile east of Dardanelles Street
2.60	2700		0.02 mile east of Beeman Street
			North city limits of Gold Hill
4.76	2300		0.05 mile west of road to Gold Nugget Wayside
7.24	2200		0.02 mile southwest of Ramsey Road
7.28	2000		0.02 mile east of Ramsey Road
10.58	2900		0.10 mile west of Table Rock Road
10.83	2800		0.15 mile east of Table Rock Road
17.38	3200		0.10 mile west of Crater Lake Highway (OR62)
			JACKSONVILLE HIGHWAY NO. 272
			<i>Milepoint indicates distance from Redwood Highway (US199), in Grants Pass</i>
0.20	27400		0.02 mile north of Union Avenue
0.24	17300		0.02 mile south of Union Avenue
0.85	16900		0.05 mile north of W Harbeck Road
1.51	16500		0.02 mile north of New Hope Road
1.55	10800		0.02 mile south of New Hope Road
2.86	8800		0.02 mile south of Espey Road
5.20	8300		0.02 mile south of Cloverlawn Drive
6.08	6200		0.02 mile south of N Applegate Road
7.20	4800		0.02 mile west of Grays Creek Road
9.76	4100		At Johnson Creek, 0.07 mile east of Crystal Drive
11.93	2000		0.10 mile east of Water Gap Road
			Josephine - Jackson County Line, MP 13.79
13.88	2400		0.10 mile east of Williams Highway
18.02	2700		0.02 mile east of Thompson Creek Road
24.10	3100		0.02 mile west of Hamilton Road
24.94	3400	*	Ruch Automatic Traffic Recorder, Sta. 15-011, 0.68 mile west of Applegate Road at Ruch
25.64	5500		0.02 mile east of Applegate Road
30.50	5600		0.02 mile east of Cady Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			JACKSONVILLE HIGHWAY NO. 272 (Continued)
32.41	6100		0.03 mile west of Mary Ann Drive, west city limits of Jacksonville
33.21	6900		0.02 mile west of Oregon Street
33.25	7300		0.02 mile east of Oregon Street
33.36	9000		0.02 mile west of 5th Street
33.40	6800		0.02 mile north of California Street
33.60	8800		0.02 mile north of "F" Street
			North city limits of Jacksonville
34.82	10400		0.05 mile south of W Main Street
34.97	8000		0.10 mile north of W Main Street
36.22	7600		0.02 mile east of Hanley Street
37.76	17400		0.04 mile east of Ross Lane North, west Medford city limits
38.13	18200		0.05 mile east of Sage Road
38.44	14500		0.02 mile east of Central Avenue
			SISKIYOU HIGHWAY NO. 273
			<i>Milepoint indicates distance from Green Springs Highway (OR66), southeast of Ashland</i>
0.02	580		0.02 mile south of Green Springs Highway (OR66)
3.51	250		0.02 mile north of Steinman Drive
3.55	160		0.02 mile south of Steinman Drive
7.00	520		0.49 mile north of Mt. Ashland Ski Road
12.00	30		0.16 mile northeast of Pacific Highway (I-5)
			HOOD RIVER HIGHWAY NO. 281
			<i>Milepoint indicates distance from Historic Columbia River Highway (US30), in Hood River</i>
			On 13th Street
0.02	13000		0.02 mile south of Historic Columbia River Highway (US30)
0.31	12500		0.02 mile north of May Street
			SOUTHBOUND - ONE-WAY TRAFFIC
			On 13th Street
0.35	9500		0.02 mile south of May Street
0.64	10100		0.02 mile north of Belmont Road
			NORTHBOUND - ONE-WAY TRAFFIC
			On May Street
0.35	9100		0.02 mile east of 13th Street
			On 12th Street
0.42	9400		0.02 mile south of May Street
0.70	10300		0.02 mile north of Belmont Road
			RESUME TWO-WAY TRAFFIC
0.81	21700		0.02 mile north of Nix Drive
1.19	10300		0.02 mile south of Brookside Drive, south city limits of Hood River
2.33	7200		0.02 mile north of Orchard Road
3.18	8600		0.05 mile south of Barrett Drive
4.16	8600		0.02 mile south of Portland Drive
5.11	8100		0.02 mile west of Odell Highway
7.38	2700		0.05 mile west of Summit Drive
11.42	2500		0.02 mile north of Lost Lake Road
14.23	1800		0.02 mile north of Alexander Drive

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HOOD RIVER HIGHWAY NO. 281 (Continued)
15.65	1400		0.02 mile north of Bassler Drive
16.75	2200		0.02 mile west of Clear Creek Road at Parkdale
16.81	2500		0.02 mile east of 2nd Street
17.18	2500		0.02 mile east of Allen Road
19.02	2000		0.05 mile west of Mt. Hood Highway (OR35)
			ODELL HIGHWAY NO. 282
			<i>Milepoint indicates distance from Hood River Highway, north of Odell</i>
0.02	6100		0.02 mile south of Hood River Highway
0.72	5100		0.02 mile south of Wyeast Road
1.78	5600		0.04 mile north of Summit Drive
1.84	5100		0.02 mile south of Summit Drive
2.25	3700		0.02 mile east of "A.G.A." Road
2.67	3400		0.05 mile north of Davis Road
2.74	4200		0.02 mile east of Davis Road
3.34	4800		0.11 mile west of Mt. Hood Highway No. 26 (OR35)
			SHERARS BRIDGE HIGHWAY NO. 290
			<i>Milepoint indicates distance from The Dalles - California Highway (US197), at Tygh Valley</i>
0.05	320		0.10 mile east of The Dalles-California Highway (US197)
4.72	170		0.02 mile east of Conroy Road
6.97	170		At Sherar Station railroad undercrossing
8.30	150		At Wasco-Sherman County Line
16.06	70		0.02 mile west of Payne Road (East Jct.)
18.61	70		0.07 mile north of Finnegan Road (Ball Lane/South Jct.)
21.33	70		0.02 mile north of Davis Lane
24.76	90		0.02 mile east of Stradley Road
25.81	100		0.02 mile east of Finnegan Road
28.23	110		0.02 mile south of South Street
28.40	120		0.02 mile west of Sherman Highway (US97)
			SHANIKO-FOSSIL HIGHWAY NO. 291
			<i>Milepoint indicates distance from Sherman Highway (US97), in Shaniko</i>
0.03	130		0.03 mile south of Sherman Highway (US97)
0.56	90		0.46 mile south of 3rd Street, south city limits of Shaniko
4.39	90		At the Summit, 0.66 mile south of Rooper Road
7.79	130		0.02 mile northwest of Union Street
7.95	160		0.01 mile north of Antelope Highway
			Equation: MP 8.04 BK = MP 8.11 AH
8.24	270		At east city limits of Antelope
11.81	180		0.02 mile east of Cold Camp Road
			Equation: MP 17.11 BK = MP 17.21 AH
23.07	180		At Wasco-Wheeler County Line
			Equation: MP 24.93 BK = MP 25.30 AH
33.83	150		0.01 mile west of Pine Creek Road
39.24	170		0.01 mile south of Cottonwood Creek Road
			Equation: MP 39.25 BK = MP 39.31 AH
			Equation: MP 40.61 BK = MP 40.91 AH

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			SHANIKO-FOSSIL HIGHWAY NO. 291 (Continued)
42.61	270		0.02 mile south of road to cemetery
42.74	280		At south city limits of Fossil
42.97	290		0.02 mile south of John Day Highway (OR19)
			MOSIER-THE DALLES HIGHWAY NO. 292
			<i>Milepoint indicates distance from Columbia River Highway (I-84), in Mosier</i>
18.99	5900		0.25 mile east of connection to Columbia River Highway (I-84)
20.14	5900		0.10 mile west of The Dalles-California Highway (US197)
			ANTELOPE HIGHWAY NO. 293
			<i>Milepoint indicates distance from The Dalles - California Highway (US97), at Willowdale</i>
0.10	310		0.10 mile east of The Dalles-California Highway (US97)
0.89	310		0.10 mile east of connection to The Dalles-California Highway (US97)
8.28	280		0.02 mile west of Tub Springs Road
			<i>Equation: MP 8.95 BK = MP 28.86 AH</i>
13.41	260		0.11 mile west of Shaniko-Fossil Highway (OR218)
			WASCO-HEPPNER HIGHWAY NO. 300
			<i>Milepoint indicates distance from Old Sherman Highway, in Wasco</i>
-1.67	590		0.30 mile east of Sherman Highway (US97)
-0.28	610		0.02 mile west of Clark Street
-0.11	1100		0.02 mile north of Celilo-Wasco Highway (OR206)
-0.07	1300		0.02 mile south of Celilo-Wasco Highway (OR206)
0.02	670		0.02 mile east of Clark Street
0.58	580		At east city limits of Wasco
0.88	390		0.02 mile southeast of Klondike Road
6.63	400		At Hay Canyon Bridge
9.40	290		0.02 mile west of Fairview Road
9.44	280		0.02 mile east of Fairview Road
14.95	240		At Sherman-Gilliam County Line
24.37	240		0.02 mile east of Ajax Road
35.67	260		0.02 mile north of Ferry Canyon Road
36.08	320		0.15 mile northwest of Richmond Road
36.25	390		0.02 mile southeast of Richmond Road
40.15	410		At west city limits of Condon
40.51	660		0.02 mile west of Lincoln Street
40.61	740		0.02 mile west of Oregon Street
40.66	770		0.02 mile west of John Day Highway (OR19)
40.92	440		0.04 mile east of John Day Highway (OR19)
41.00	340		0.02 mile east of Ward Street at Wasco-Heppner Highway,
41.19	180		0.02 mile east of Jefferson Street
41.74	190	*	Condon Automatic Traffic Recorder, Sta. 11-004, 0.86 mile east of John Day Highway No. 5 (OR19)
45.58	130		0.02 mile west of Lonerock Highway
54.84	60		At Gilliam-Morrow County Line
61.74	70		0.02 mile east of Lone-Gooseberry Road
73.31	90		0.02 mile west of Heppner-Spray Highway (OR207)
73.35	270		0.02 mile east of Heppner-Spray Highway (OR207)
78.25	260		0.02 mile southwest of Clarks Canyon Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			WASCO-HEPPNER HIGHWAY NO. 300 (Continued)
78.29	270		0.02 mile northeast of Clarks Canyon Road
82.38	370		0.02 mile north of Shobe Canyon Road
83.58	960		At south city limits of Heppner
84.08	1000		0.04 mile south of Heppner Highway (OR74)
			CELILO-WASCO HIGHWAY NO. 301
			<i>Milepoint indicates distance from Columbia River Highway (I-84), at Celilo</i>
0.30	670		0.30 mile east of Columbia River Highway (I-84)
			Wasco - Sherman County Line, MP 2.92
4.78	690		0.02 mile southwest of Celilo-Wasco Highway Spur and Fulton Canyon Road
4.82	540		0.02 mile southeast of Celilo-Wasco Highway Spur and Biggs-Rufus Highway
12.45	570		0.02 mile west of Van Gilder Road
14.53	310		0.20 mile west of Sherman Highway (US97)
15.07	470		0.26 mile west of Church Street, west city limits of Wasco
15.55	510		0.02 mile west of Wasco-Heppner Highway (OR206)
			LEXINGTON-ECHO HIGHWAY NO. 320
			<i>Milepoint indicates distance from Heppner Highway (OR74), in Lexington</i>
0.02	1100		0.02 mile northeast of Heppner Highway (OR74)
0.08	1000		0.02 mile northeast of East Street
0.25	1000		At north city limits of Lexington
2.35	940		0.02 mile south of Lexington Grange Road
2.48	880		0.11 mile east of Lexington Grange Road
3.89	870		0.02 mile north of Turner Lane
10.15	790		0.02 mile northeast of Kilkenney Road
13.62	850		0.10 mile southwest of Grieb Lane
19.48	860		On Butter Creek Bridge
19.89	1000		0.13 mile west of Gordon Creek Road
27.19	1100		0.05 mile south of Hermiston Highway (OR207)
27.29	320		0.05 mile east of Hermiston Highway (OR207)
34.40	330		0.02 mile west of Echo Meadows Road
34.44	470		0.02 mile east of Echo Meadows Road
35.49	610		0.02 mile east of Front Street
35.68	630		0.02 mile west of Thielson Street
35.72	1200		0.02 mile north of Main Street
36.23	2100		0.90 mile south of Umatilla-Stanfield Highway (US395)
			HEPPNER-SPRAY HIGHWAY NO. 321
			<i>Milepoint indicates distance from Wasco - Heppner Highway (OR206), at Ruggs</i>
0.02	220		0.02 mile south of Wasco-Heppner Highway (OR206)
2.85	200		0.02 mile north of Porcupine Road
2.89	170		0.02 mile south of Porcupine Road
8.65	160		0.02 mile north of Tall Rock Road
11.46	140		0.02 mile south of Deadman Hill Road
14.80	110		0.02 mile south of Sunflower Flat Road
16.07	90		At Chapin Creek
19.45	90		0.01 mile south of Deadman Hill Road
24.65	100		At Morrow-Wheeler County Line

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HEPPNER-SPRAY HIGHWAY NO. 321 (Continued)
36.87	80		0.68 mile south of Haystack Creek
40.86	100		0.10 mile north of John Day Highway (OR19)
			WESTON-ELGIN HIGHWAY NO. 330
			<i>Milepoint indicates distance from Winn Road, northeast of Weston</i>
-0.63	1500		0.69 mile south of Oregon-Washington Highway (OR11), at Hay Creek
-0.05	740		0.05 mile west of Winn Road at Hay Creek
0.12	1200	*	Weston Automatic Traffic Recorder, Sta. 30-012, 1.44 miles east of Oregon-Washington Highway No. 8 (OR11)
			Equation: MP 6.69 BK = MP 7.00 AH
14.45	730		0.02 mile west of McDougall Camp Road
19.87	630		0.02 mile west of Kendall Skyline Road
20.01	600		0.12 mile east of Kendall Skyline Road
			Umatilla - Union County Line, MP 21.19
26.54	570		0.16 mile south of Skyline Road
37.49	750		0.02 mile east of Summerville Road
39.54	790		0.01 mile west of Valley View Road
40.27	1900		0.02 mile east of S 19th Street, west city limits of Elgin
40.40	2100		0.02 mile east of S 17th Street
40.51	2900		0.02 mile east of 14th Avenue
40.82	3400		0.02 mile west of Wallowa Lake Highway (OR82)
			UMATILLA-MISSION HIGHWAY NO. 331
			<i>Milepoint indicates distance from Oregon Washington Highway (OR11), northeast of Pendleton</i>
0.02	1600		0.02 mile south of Oregon-Washington Highway (OR11)
1.84	2200		0.02 mile south of Kirkpatrick Road
2.50	2100		0.02 mile north of Mission Road
2.54	3400		0.02 mile south of Mission Road
4.39	8000		0.05 mile north of Old Oregon Trail (I-84) westbound ramps
			SUNNYSIDE-UMAPINE HIGHWAY NO. 332
			<i>Milepoint indicates distance from Oregon - Washington State Line</i>
0.02	380		0.02 mile south of State Line Road
1.68	370		0.02 mile north of Umapine Road
2.19	930		0.02 mile west of Grabner Road
3.49	970		0.02 mile east of Edwards Road
5.62	1100		0.12 mile north of Pleasant View Road
5.76	1700		0.02 mile east of Pleasant View Road
7.16	2100		0.02 mile west of Freewater Highway
7.40	2000		0.22 mile east of Freewater Highway
7.91	2000		0.02 mile west of Oregon-Washington Highway (OR11)
			HERMISTON HIGHWAY NO. 333
			<i>Milepoint indicates distance from Columbia River Highway (US395/US730), near Cold Springs</i>
0.08	2500		0.08 mile south of Columbia River Highway (US395/US730)
1.56	2700		0.10 mile southwest of Spearman Road
2.19	2900		0.02 mile southwest of Walls Road
3.48	3000		0.10 mile northeast of Punkin Center Road
3.78	3800		0.10 mile southwest of Canal Road
4.95	5800		0.02 mile northeast of Ott Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HERMISTON HIGHWAY NO. 333 (Continued)
5.55	6100		0.02 mile northeast of Hooker Road
			<i>On Elm Street</i>
5.59	6900		0.02 mile southwest of Hooker Road
6.07	7100		0.02 mile west of 10th Street
7.03	9100		0.02 mile east of Umatilla-Stanfield Highway (US395)
7.07	10400		0.02 mile west of Umatilla-Stanfield Highway (US395)
7.44	11100		0.02 mile west of Umatilla River Road
			<i>On 11th Avenue</i>
8.09	12700		0.02 mile south of NW 11th Street
			<i>Equation: MP 8.68 BK = MP 28.28 AH</i>
Z 8.33	9900		0.01 mile south of Hermiston Avenue
Z 8.44	7200		0.02 mile south of SW Orchard Avenue
9.17	5600		At south city limits of Hermiston
9.69	4600		0.02 mile south of Minnehaha Road
10.84	5500		0.02 mile south of Feedville Road
11.86	4900		At Umatilla River Bridge
12.42	7000		0.08 mile north of Old Oregon Trail (I-84)
12.60	1700		0.10 mile south of Old Oregon Trail (I-84)
17.71	1500		0.10 mile north of Lexington-Echo Highway
			ATHENA-HOLDMAN HIGHWAY NO. 334
			<i>Milepoint indicates distance from Pendleton - Cold Springs Highway (OR37), north of Pendleton</i>
0.10	270		0.10 mile east of Pendleton-Cold Springs Highway (OR37)
2.95	110		0.02 mile east of Campbell Road
8.34	130		0.10 mile west of Havana-Helix Highway
9.62	230		0.05 mile east of Havana-Helix Highway
14.75	430		0.75 mile west of Mansfield Road
16.59	870		0.02 mile west of Grandview Avenue
17.17	1200		0.03 mile west of 1st Street
17.32	1500		0.02 mile west of 3rd Street
17.36	1900		0.02 mile east of 3rd Street
17.57	1900		0.08 mile east of 5th Street, east city limits of Athena
18.10	1500		0.02 mile west of Oregon-Washington Highway (OR11)
			HAVANA-HELIX HIGHWAY NO. 335
			<i>Milepoint indicates distance from Columbia and Main Streets, in Helix</i>
0.10	440		0.10 mile south of Helix Road (Helix Cemetery Road)
2.42	520		0.05 mile south of Athena Junction
3.57	360		0.04 mile south of Athena-Holdman Highway (South Jct.)
7.55	460		0.02 mile north of Shafer Road
9.77	410		0.02 mile north of Oregon-Washington Highway (OR11)
			FREEWATER HIGHWAY NO. 339
			<i>Milepoint indicates distance from Oregon - Washington State Line</i>
0.02	1200		0.02 mile south of State Line Road
2.65	1400		0.02 mile north of Sunnyside-Umapine Highway
2.69	1700		0.02 mile south of Sunnyside-Umapine Highway
3.16	1800		0.02 mile north of Cobb Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			FREEWATER HIGHWAY NO. 339 (Continued)
			<i>MP 3.43 to MP 5.25 Transferred to the City of Milton - Freewater</i>
			MEDICAL SPRINGS HIGHWAY NO. 340
			<i>Milepoint indicates distance from La Grande - Baker Highway (OR237), in Union</i>
0.02	630		0.02 mile east of La Grande-Baker Highway (OR237)
0.12	530		0.02 mile east of Bellwood Avenue
0.55	460		At east city limits of Union
8.00	160		0.31 mile west of entrance to Catherine Creek State Park (Day Use Area)
8.91	140		0.60 mile east of entrance to Catherine Creek State Park (Day Use Area)
11.38	100		0.02 mile northwest of Catherine Creek Lane
22.90	120		At Union-Baker County Line
36.86	230	*	Medical Springs Automatic Traffic Recorder, Sta. 01-007, 2.08 miles east of Old Oregon Trail Highway No. 6 (I-84)
38.45	240		0.02 mile east of W Airport Road
38.49	330		0.11 mile east of Old Oregon Trail (I-84)
			UKIAH-HILGARD HIGHWAY NO. 341
			<i>Milepoint indicates distance from Pendleton - John Day Highway (US395), west of Ukiah</i>
0.20	430		0.20 mile east of Pendleton-John Day Highway (US395)
1.26	460		0.02 mile east of Camas Street
1.31	440		0.02 mile east of Albee Street
1.45	200		0.05 mile east of Mill Street, east city limits of Ukiah
2.25	190		0.02 mile east of Camas Creek Road
6.21	190		0.02 mile east of Cable Creek Road
14.54	190		0.02 mile east of Pearson Road
23.54	160		At Umatilla-Union County Line
30.90	250		0.10 mile west of Starkey Road
31.10	230		0.10 mile northeast of Starkey Road
33.47	280		0.10 mile northeast of McIntyre Road
43.56	360		0.60 mile west of Rankin Road
46.82	520		0.40 mile south of Old Oregon Trail (I-84)
			COVE HIGHWAY NO. 342
			<i>Milepoint indicates distance from Wallowa Lake Highway (OR82), in Island City</i>
0.02	3300		0.02 mile east of Wallowa Lake Highway (OR82)
0.14	2800		0.02 mile east of S Sterling Street
4.18	2100		0.02 mile west of Peach Lane
9.44	1900		At Catherine Creek Bridge
12.19	1300		0.16 mile west of Lower Cove Road
			North city limits of Cove
13.50	1400		0.02 mile east of French Street
13.63	1100		0.02 mile east of Orchard Street
13.85	820		0.11 mile east of High Valley Road, west city limits of Cove
15.98	600		0.02 mile west of Phys Point Road
20.31	620		0.02 mile east of Hutchinson Lane
			North city limits of Union
21.81	750		0.02 mile north of Bryan Avenue
21.85	920		0.02 mile west of Cove Street
22.05	1000		0.02 mile east of La Grande-Baker Highway (OR203)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			LITTLE SHEEP CREEK HIGHWAY NO. 350
			<i>Milepoint indicates distance from Wallowa Lake Highway (OR82), in Joseph</i>
0.02	1500		0.02 mile east of Wallowa Lake Highway (OR82) and Joseph-Wallowa Lake Highway
0.26	1100		East city limits of Joseph, 0.06 mile east of N East Street
1.99	840		0.10 mile west of Dobbin Road
4.41	590		0.02 mile west of Tenderfoot Valley Road
6.39	330		At Sheep Creek Hill Summit
8.09	190		0.02 mile northeast of Wallowa Mountain Loop
23.28	180		0.02 mile southwest of Bear Gulch Road
29.34	180		0.02 mile southwest of Upper Imnaha Road
			JOSEPH-WALLOWA LAKE HIGHWAY NO. 351
			<i>Milepoint indicates distance from Wallowa Lake Highway (OR82), in Joseph</i>
0.02	4700		0.02 mile south of Wallowa Lake Highway (OR82) and Little Sheep Creek Highway
0.15	3700		0.02 mile south of McCully Avenue
0.29	3000		0.02 mile south of 2nd Street
0.67	1500		0.02 mile west of 8th Street
0.80	1300		0.03 mile east of S College Street, south city limits of Joseph
2.05	980		0.42 mile south of boat ramp access to Wallowa Lake
6.06	740		0.15 mile south of entrance to Wallowa Lake State Park
6.70	190		0.24 mile north of Power House at end of highway
			MADRAS-PRINEVILLE HIGHWAY NO. 360
			<i>Milepoint indicates distance from The Dalles - California Highway (US97), south of Madras</i>
0.23	2400		0.02 mile southeast of The Dalles-California Highway (US97)
1.17	1900		0.02 mile south of SW Dover Lane
1.57	2100		0.02 mile south of Adams Drive
9.88	2000		0.02 mile north of Ramms Road
9.92	1900		0.02 mile south of Ramms Road
16.30	2100		At Jefferson-Crook County Line
19.40	2100		0.10 mile northwest of Gerke Road
			MADRAS-PRINEVILLE HIGHWAY NO. 360 (Continued)
19.60	2100		0.10 mile southeast of Gerke Road
21.95	2500		0.02 mile northwest of Elliot Lane
22.07	2800		0.10 mile southeast of Elliot Lane
23.75	2800		0.02 mile southeast of Gumpert Road
26.00	5200		0.02 mile northwest of NW Richland Lane
			CULVER HIGHWAY NO. 361
			<i>Milepoint indicates distance from The Dalles - California Highway, (US26/US97), in Madras</i>
0.02	3400		0.02 mile west of The Dalles-California Highway (US26/US97-NB)
0.07	4400		0.02 mile west of The Dalles-California Highway (US26/US97-SB)
0.35	4400		0.02 mile southwest of Madison Street
0.90	5100		0.02 mile south of SW Belmont Lane
2.25	4000		0.02 mile northeast of SW Colfax Lane
2.89	4100		0.02 mile north of SW Bear Drive
2.93	4000		0.02 mile southwest of SW Bear Drive
3.82	3600		0.02 mile south of SW Dover Lane
4.33	3200		0.02 mile north of 7th Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			CULVER HIGHWAY NO. 361 (Continued)
4.38	3100		0.03 mile south of 7th Street
4.61	3100		0.02 mile south of 9th Street, south city limits of Metolius
5.08	2700		0.02 mile southwest of SW Eureka Lane
7.01	2600		0.02 mile northeast of SW Ford Lane
7.05	2900		0.02 mile south of SW Ford Lane
8.81	2600		0.02 mile north of "A" Street
8.85	2400		0.02 mile south of "A" Street
9.30	2300		0.02 mile north of SW Iris Drive, south city limits of Culver
9.44	2100		0.12 mile south of SW Iris Drive
11.58	2200		0.04 mile west of The Dalles-California Highway (US97)
			O'NEIL HIGHWAY NO. 370
			<i>Milepoint indicates distance from The Dalles - California Highway (US97), north of Redmond</i>
0.02	1400		0.02 mile east of The Dalles-California Highway No. 4 (US97)
0.19	3300		0.05 mile east of Canal Boulevard
0.84	3000		0.02 mile south of NE 5th Street
1.52	2400		0.11 mile west of NE 17th Street
2.51	3400		0.10 mile west of NE 33rd Street
3.84	2800		At Deschutes-Crook County Line
5.01	1900		0.02 mile east of Lone Pine Road at O'Neil
13.65	1400		0.02 mile east of Elliot Lane
16.70	1900		0.02 mile west of Westview Road
17.65	2200		0.02 mile west of Ochoco Highway (OR126)
			CENTURY DRIVE HIGHWAY NO. 372
			<i>Milepoint indicates distance from The Dalles - California Highway (US97), in Bend</i>
7.01	3800		0.12 mile north of road to Inn at 7th Mountain
7.25	2700		0.12 mile south of road to Inn at 7th Mountain
7.61	2100		0.02 mile south of road to Conklin Road
11.96	1900		0.20 mile west of Kiwa Butte Road
19.28	2000		0.50 mile west of Edison Ice Cave Road
21.96	950		0.02 mile south of Cascade Lakes Highway
			PAULINA HIGHWAY NO. 380
			<i>Milepoint indicates distance from Ochoco Highway (US26), in Prineville</i>
0.02	7200		0.02 mile south of Ochoco Highway (US26)
0.53	7100		0.02 mile north of Melrose Drive
0.62	7600		0.02 mile south of Lynn Boulevard
0.91	7200		0.05 mile south of SE Carey Foster Road
1.30	7500		0.05 mile northwest of Juniper Canyon Road
1.40	1000		0.05 mile southeast of Juniper Canyon Road
7.03	410		0.02 mile west of road to rock quarry
16.46	390		0.02 mile north of Crooked River Road
26.05	270		0.02 mile west of Newsome Creek Road (Shotgun Road)
26.09	240		0.02 mile east of Newsome Creek Road (Shotgun Road)
41.12	180		0.02 mile east of road to Maury Ranger Station
43.39	150		0.02 mile east of Camp Creek Road
55.53	100		0.10 mile west of Paulina Valley Road at Paulina

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			PAULINA HIGHWAY NO. 380 (Continued)
55.89	160		0.02 mile west of Paulina-Suplee Road
			SERVICE CREEK-MITCHELL HIGHWAY NO. 390
			<i>Milepoint indicates distance from John Day Highway (OR19), at Service Creek</i>
0.05	160		0.05 mile south of John Day Highway (OR19)
6.00	160		0.10 mile south of Richmond Road
			<i>Equation: MP 8.95 BK = MP 9.48 AH</i>
14.60	160		0.02 mile east of Twickenham Road
21.70	200		0.05 mile north of Hudspeth Logging Road
24.30	190		0.02 mile north of Ochoco Highway (US26)
			KIMBERLY-LONG CREEK HIGHWAY NO. 402
			<i>Milepoint indicates distance from John Day Highway (OR19), at Kimberly</i>
0.02	210		0.02 mile northeast of John Day Highway (OR19)
5.30	190		0.15 mile east of Rudio Road
9.60	210		0.02 mile west of Cupper Creek Road
12.78	250		0.02 mile west of Monument Line Road (Top Road)
12.82	320		0.02 mile east of Monument Line Road (Top Road)
13.17	320		0.02 mile west of Wall Creek Road
13.62	300		0.02 mile northwest of John Day Street
13.96	300		At east city limits of Monument
14.40	250		0.02 mile north of Deer Creek Road
17.07	160		0.02 mile east of W Cottonwood Creek Road
23.38	190		0.20 mile west of Hamilton Road
26.91	190		0.02 mile east of Fox-Round Basin Road
34.34	200		0.02 mile west of Bennett Street
34.72	280		0.02 mile west of Eagle Street
34.86	260		0.02 mile west of Pendleton-John Day Highway (US395)
			SUMPTER HIGHWAY NO. 410
			<i>Milepoint indicates distance from west city limits of Sumpter</i>
0.00	110		At west city limits of Sumpter
0.59	360		0.02 mile north of E Auburn Street
0.75	370		0.02 mile north of Austin Street
3.56	360		0.15 mile northwest of Whitney Highway (OR7)
			HALFWAY-CORNUCOPIA HIGHWAY NO. 413
			<i>Milepoint indicates distance from Cornucopia</i>
0.37	17		0.04 mile north of Pine Creek
6.09	100		0.02 mile north of W Carson Lane
8.44	210		0.02 mile north of East Pine Creek Lane
11.02	760		0.02 mile northwest of Fish Lake Road
11.06	1100		0.02 mile southeast of Fish Lake Road
11.27	1100		0.02 mile north of Kellogg Street
11.43	1500		0.02 mile north of Pine Creek Highway and Halfway Spur
			PINE CREEK HIGHWAY NO. 414
			<i>Milepoint indicates distance from Halfway - Cornucopia Highway (OR413) and Baker - Copperfield Spur (OR86S)</i>
0.05	520		0.05 mile east of Halfway-Cornucopia Highway and Baker-Copperfield Spur
0.71	320		0.20 mile west of Baker-Copperfield Highway (OR86)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			DOOLEY MOUNTAIN HIGHWAY NO. 415
			<i>Milepoint indicates distance from John Day Highway (US26), north of Unity</i>
0.30	200		0.30 mile north of John Day Highway (US26)
3.42	200		On Burnt River Bridge
10.22	200		0.02 mile west of Hereford Loop Road
10.55	200		0.02 mile east of Water Gulch Road
28.91	180		0.05 mile south of Ebell Creek Road
36.39	400		0.23 mile south of Whitney Highway (OR7)
			MIDLAND HIGHWAY NO. 420
			<i>Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR39/OR140), in Klamath Falls</i>
			<i>MP 0.00 to MP 1.33 Transferred to the City of Klamath Falls</i>
1.35	3200		0.02 mile west of Washburn Way
2.09	580		0.05 mile north of South Klamath Falls Highway (OR140)
2.19	810		0.05 mile south of South Klamath Falls Highway (OR140)
3.09	340		0.02 mile north of Griffith Lane
3.73	330		0.02 mile north of Joe Wright Road
3.77	1900		0.02 mile south of Joe Wright Road
4.37	1700		0.02 mile north of Tingley Lane
5.60	1100		0.05 mile east of The Dalles-California Highway (US97)
			CHILOQUIN HIGHWAY NO. 422
			<i>Milepoint indicates distance from Modoc Point Road</i>
0.05	320		0.05 mile east of Modoc Point Road
0.21	700		0.05 mile east of Crater Lake Highway (OR62)
3.00	720		0.20 mile west of The Dalles-California Highway (US97)
4.15	880		0.13 mile west of N Applegate Street, west city limits of Chiloquin
4.33	930		0.02 mile northwest of Chocktoot Street, Chiloquin Spur
4.45	2800		0.10 mile southwest of Chocktoot Street, Chiloquin Spur
5.27	2600		0.02 mile east of The Dalles-California Highway (US97)
			SOUTH KLAMATH FALLS HIGHWAY NO. 424
			<i>Milepoint indicates distance from The Dalles - California Highway (US97), south of Klamath Falls</i>
0.12	9300		0.12 mile east of Green Springs Interchange
1.47	9800		0.10 mile northwest of Midland Highway
1.67	10100		0.10 mile southeast of Midland Highway
3.27	9600		0.47 mile east of Washburn Way
3.85	9000		0.02 mile west of Summers Lane
3.89	8900		0.02 mile east of Summers Lane
4.83	5400		0.20 mile east Homedale Road
5.95	5400		0.02 mile west of Klamath Falls-Malin Highway (OR39)
			HATFIELD HIGHWAY NO. 426
			<i>Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR140), in Klamath Falls</i>
17.00	2800		0.49 mile south of Klamath Falls-Malin Highway No. 50
18.70	2800		0.23 mile north of State Line Road
			CRESCENT LAKE HIGHWAY NO. 429
			<i>Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR140), in Klamath Falls</i>
0.02	300		0.02 mile south of Willamette Highway (OR58)
2.37	130		0.02 mile north of Lava Odell Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			WARNER HIGHWAY NO. 431
			<i>Milepoint indicates distance from Fremont Highway (US395), north of Lakeview</i>
0.10	470		0.10 mile east of Fremont Highway (US395)
8.07	360		0.02 mile west of Summit Prairie Road
			Equation: MP 9.33 BK = MP 9.55 AH
15.81	260		0.02 mile east of Plush Cutoff Road
28.04	280		0.10 mile west of Twenty Mile Road
28.24	240		0.10 mile east of Twenty Mile Road
65.24	120		Oregon-Nevada State Line
			FRENCHGLEN HIGHWAY NO. 440
			<i>Milepoint indicates distance from Steens Highway (OR78), east of Burns</i>
0.01	430	*	Frenchglen Automatic Traffic Recorder, Sta. 13-005, 0.01 mile south of Steens Highway No. 442 (OR78)
2.05	510		0.02 mile south of Hotchkiss Lane
6.09	450		0.02 mile north of Island Ranch Road
6.13	430		0.01 mile south of Island Ranch Road
23.90	260		0.03 mile north of Narrows-Princeton Road
23.96	190		0.03 mile south of Princeton-Narrows Road
40.63	220		0.02 mile northwest of Diamond Grain Camp Road (S. Diamond Lane)
40.67	230		0.02 mile southeast of Diamond Grain Camp Road (S. Diamond Lane)
58.24	240		0.05 mile north of Steens Mountain Loop Lane at Frenchglen
58.35	170		0.06 mile west of Steens Mountain Loop Lane at Frenchglen
			Equation: MP 63.32 BK = MP 63.72 AH
73.33	130		0.02 mile north of Catlow Valley Road
			STEENS HIGHWAY NO. 442
			<i>Milepoint indicates distance from Central Oregon Highway (US20), in Burns</i>
0.02	2300		0.02 mile east of Central Oregon Highway (US20)
0.07	2600		0.02 mile east of Alder Avenue
0.18	2600		0.02 mile east of Cedar Avenue
0.26	2200		0.01 mile west of S Elm Avenue
0.50	1800		0.02 mile west of Crane Boulevard
0.68	1600		0.02 mile west of KOA Avenue
1.70	1700	*	Steens Automatic Traffic Recorder, Sta. 13-007, 0.03 mile west of Frenchglen Highway No. 440 (OR205)
1.75	1300		0.02 mile east of Frenchglen Highway (OR205)
3.68	1300		0.02 mile southeast of Airport Road
6.59	810		0.02 mile southeast of Faye Lane
16.73	620		0.02 mile east of Lawen Lane
27.98	600		0.10 mile northwest of Crane-Venator Road
28.18	420		0.10 mile south of Crane-Venator Road
37.77	510		0.02 mile north of Lava Beds Road
37.81	300		0.02 mile southeast of Lava Beds Road
51.81	240		0.02 mile west of Malheur Cave Road
60.88	250		At Harney-Malheur County Line
65.20	240		0.02 mile southeast of Folly Farm Road
91.00	250		0.60 mile northwest of I.O.N. Highway (US95)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			HUNTINGTON HIGHWAY NO. 449
			<i>Milepoint indicates distance from Old Oregon Trail (I-84), north of Lime</i>
0.61	60		0.61 mile southeast of Old Oregon Trail (I-84)
3.21	170		0.05 mile north of connection to eastbound Old Oregon Trail Highway (I-84)
3.28	260		0.02 mile south of connection to eastbound Old Oregon Trail Highway (I-84)
5.84	880		0.02 mile south of E 1st Street
6.47	920		0.36 mile south of E Madison
9.98	920		1.11 miles north of Old Oregon Trail (I-84), Baker-Malheur County Line
			SUCCOR CREEK HIGHWAY NO. 450
			<i>Milepoint indicates distance from Central Oregon Highway (US20/US26), in Nyssa</i>
0.04	3000		0.02 mile south of Central Oregon Highway (US20/US26)
0.39	2100		0.02 mile northeast of King Avenue, west city limits of Nyssa
0.43	2000		0.02 mile west of King Avenue
0.68	1600		0.02 mile west of Stringer Road
1.59	2200		0.02 mile north of Cloverdale Avenue
1.63	2200		0.02 mile south of Cloverdale Avenue
3.09	2200		0.02 mile east of Enterprise Avenue
3.26	1500		0.15 mile south of Enterprise Avenue
4.18	1300		0.02 mile south of Grand Avenue
6.54	1200		0.02 mile south of Klamath Avenue
7.94	1300		0.02 mile north of Owyhee Avenue
8.02	1500		0.06 mile south of Owyhee Avenue
10.13	1400		0.02 mile north of Overstreet Road
10.17	1400		0.02 mile south of Overstreet Road
11.72	1500		At north city limits of Adrian
11.96	1500		0.02 mile north of Main Street
12.12	1400		0.02 mile south of Washington Street
12.23	1400		At south city limits of Adrian
12.50	1300		0.01 mile north of Parma Spur
12.53	590		0.02 mile south of Parma Spur
16.97	510		0.02 mile south of Napton Road
20.09	470		0.02 mile west of Homedale Spur
			VALE-WEST HIGHWAY NO. 451
			<i>Milepoint indicates distance from Central Oregon Highway (US20), west of Vale</i>
0.13	390		0.10 mile north of Central Oregon Highway (US20)
0.50	360		0.02 mile north of Loop Road
2.21	90		0.10 mile south of Whitney Road
3.59	120		0.02 mile south of Reed Loop Road
4.64	220		0.02 mile west of Hope Road
4.90	230		0.02 mile west of Bully Creek Road
4.94	340		0.02 mile east of Bully Creek Road
6.63	430		0.02 mile west of Greenfield Road
6.67	530		0.02 mile east of Greenfield Road
7.68	690		0.02 mile east of Cedar Road
9.63	1100		0.02 mile west of Alder Road
9.89	1300		0.02 mile east of Stage Road

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			VALE-WEST HIGHWAY NO. 451 (Continued)
10.32	1800		0.07 mile west of Central Oregon Highway (US20)
			ADRIAN-ARENA VALLEY HIGHWAY NO. 453
			<i>Milepoint indicates distance from Adrian - Caldwell Highway (OR454)</i>
0.05	360		0.05 mile east of Adrian-Caldwell Highway
0.97	290		0.02 mile west of Primrose Road
1.01	290		0.02 mile south of Primrose Road
2.19	250		0.05 mile north of Adrian-Caldwell Highway
2.29	80		0.05 mile east of Adrian-Caldwell Highway
3.14	70		0.05 mile west of State Line Road
			ADRIAN-CALDWELL HIGHWAY NO. 454
			<i>Milepoint indicates distance from Succor Creek Highway (Parma Spur)</i>
0.05	510		0.05 mile south of Parma Spur
0.31	230		0.06 mile south of Adrian-Arena Valley Highway (Russett Road)
1.63	110		0.20 mile east of Big Bend Road
2.46	120		0.02 mile west of Adrian-Arena Valley Highway
2.50	330		0.02 mile south of Adrian-Arena Valley Highway
3.55	320		0.02 mile east of Redtop Road
4.41	150		0.02 mile south of State Line Road
			OLDS FERRY-ONTARIO HIGHWAY NO. 455
			<i>Milepoint indicates distance from Old Oregon Trail (I-84), near Olds Ferry</i>
0.71	330		1.00 mile east of Old Oregon Trail Highway (I-84)
9.48	370		0.10 mile west of Nectarine Road
11.55	400		0.10 mile west of Weiser Spur (US95 Spur)
11.75	2900		0.10 mile east of Weiser Spur (US95 Spur)
16.61	2700		0.10 mile south of Ivy Road
19.55	3100		0.10 mile north of Payette Spur (OR52)
19.75	2600		0.10 mile south of Payette Spur (OR52)
21.71	5000		0.10 mile south of Boat Landing Road
24.85	6000		0.30 mile north of Old Oregon Trail Highway (I-84)
25.35	11800		0.20 mile south of Old Oregon Trail Highway (I-84)
			Equation: MP 25.50 BK = MP 25.75 AH
26.17	6000		0.02 mile north of Verde Drive
27.75	4200		0.02 mile north of SW 4th Avenue
			Equation: MP 27.90 BK = MP 29.44 AH
29.57	5400		0.02 mile south of Airport Way
31.61	8900		0.20 mile north of Central Oregon Highway (US20/US26)
			I.O.N. HIGHWAY NO. 456
			<i>Milepoint indicates distance from Idaho - Oregon State Line</i>
0.00	1700		At Idaho-Oregon State Line
2.30	1700		0.02 mile south of Succor Creek Road
11.70	1700		0.02 mile south of Silver City Cutoff
18.88	1800		0.20 mile south of Pharmacy Hill Road
20.20	1900		0.02 mile north of California Avenue
20.24	1900		0.02 mile south of California Avenue
20.42	1900		0.02 mile north of Main Street

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS

Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			I.O.N. HIGHWAY NO. 456 (Continued)
20.46	2000		0.02 mile west of Bassett Street
21.64	1700		At west city limits of Jordan Valley
22.21	1700		0.02 mile west of Dinwitty Road
32.34	1600		0.02 mile west of Danner Loop Road
35.98	1600		0.02 mile west of Three Forks Road
47.41	1600		0.02 mile east of Arock Road
47.45	1500		0.02 mile west of Arock Road
52.97	1600		At Owyhee River Bridge
53.36	1500		0.06 mile east of Skull Creek Road
65.70	1500		0.50 mile east of Steens Highway (OR78)
91.48	1700	*	Basque Automatic Vehicle Classifier, Sta. 23-012, 6.74 miles north of Blue Mountain Pass Summit
98.22	1700		At Blue Mountain Pass Summit
106.20	1700		0.02 mile south of Oregon Canyon Road
120.64	1700		0.02 mile south of Wilkinson Road
121.36	1700		Oregon-Nevada State Line at McDermitt
			SNAKE RIVER CORRECTIONAL INSTITUTION HIGHWAY NO. 457
			<i>Milepoint indicates distance from Snake River Correctional Institute</i>
2.08	2000		0.11 mile west of I-84 southbound ramps
			BAKER-COPPERFIELD SPUR HIGHWAY NO. 481
			<i>Milepoint indicates distance from La Grande - Baker Highway (US30), in Baker City</i>
53.65	620		0.10 mile northwest of Baker-Copperfield Highway (OR86)
54.51	710		0.02 mile northwest of Dawson Street
54.68	1300		0.02 mile south of Pine Creek Highway
			REDWOOD SPUR HIGHWAY NO. 482
			<i>Milepoint indicates distance from Rogue River Highway (OR99), at Redwood Jct. in Grants Pass</i>
-0.05	21700		0.02 mile west of Parkdale Drive
-0.01	29900		0.02 mile east of Parkdale Drive
0.26	25800		0.02 mile north of "M" Street
1.02	30000		0.02 mile east of Beacon Drive
1.28	19000		0.04 mile east of Terry Lane
1.54	24400		0.05 mile east of Agness Avenue
			MCMINNVILLE SPUR HIGHWAY NO. 483
			<i>Milepoint indicates distance from Oregon Coast Highway (US101), near Otis Jct.</i>
46.60	15900		0.02 mile south of Mountain View Lane
46.75	16100		0.13 mile north of Mountain View Lane, east city limits of McMinnville
			ESPLANADE SPUR HIGHWAY NO. 484
			<i>Milepoint indicates distance from Klamath Falls - Lakeview Highway (OR39/OR140), in Klamath Falls</i>
5.02	5400		0.05 mile southwest of Klamath Falls-Malin Highway (OR39), on Esplanade Street
			FORT STEVENS SPUR HIGHWAY NO. 485
			<i>Milepoint indicates distance from the west city limits of Warrenton</i>
4.53	5200		0.10 mile east of Fort Stevens Highway
5.37	1300		0.02 mile west of Oregon Coast Highway (US101)
			GOLD HILL SPUR HIGHWAY NO. 486
			<i>Milepoint indicates distance from Rogue River Highway (OR99), at Rock Point Interchange</i>
2.38	6000		0.02 mile east of Dardanelles Street, Sams Valley Highway (OR234)

2018 TRAFFIC VOLUMES ON STATE HIGHWAYS


Milepoint	2018 AADT All Vehicles	ATR AVC	Location Description
			GOLD HILL SPUR HIGHWAY NO. 486 (Continued)
2.95	5400		0.12 mile north of Pacific Highway (I-5), at Kane Creek Interchange
			CELILO-WASCO SPUR HIGHWAY NO. 487
			<i>Milepoint indicates distance from Columbia River Highway (I-84), at Celilo</i>
4.82	410		0.02 mile northeast of Celilo-Wasco Highway (OR206) and Fulton Canyon Road
7.60	4200		0.02 mile west of Sherman Highway (US97)
			CHILOQUIN SPUR HIGHWAY NO. 488
			<i>Milepoint indicates distance from Modoc Point Road, near Klamath Agency</i>
4.45	3400		0.06 mile east of Chiloquin Highway
4.56	3500		0.03 mile south of Wasco Avenue at Williamson River Bridge
			PARMA SPUR HIGHWAY NO. 489
			<i>Milepoint indicates distance from Central Oregon Highway (US20/US26), in Nyssa</i>
12.61	960		0.10 mile east of Succor Creek Highway (OR201)
13.09	530		0.02 mile north of Adrian-Caldwell Highway
13.83	500		0.02 mile east of Miller Road
15.21	510		0.05 mile west of State Line Road
			HOMEDALE SPUR HIGHWAY NO. 490
			<i>Milepoint indicates distance from Central Oregon Highway (US20/US26), in Nyssa</i>
20.13	440		0.02 mile east of Succor Creek Highway (OR201)
21.71	560		0.05 mile west of Napton Road
22.24	590		Oregon-Idaho State Line
			WEISER SPUR HIGHWAY NO. 491
			<i>Milepoint indicates distance from Old Oregon Trail (I-84), near Olds Ferry</i>
11.85	3100		0.20 mile north of Olds Ferry-Ontario Highway (OR201)
13.40	3000		0.02 mile south of Bass Street
13.66	3300		Oregon-Idaho State Line
			PAYETTE SPUR HIGHWAY NO. 492
			<i>Milepoint indicates distance from Old Oregon Trail (I-84), near Olds Ferry</i>
21.30	3300		Oregon-Idaho State Line
			ONTARIO SPUR HIGHWAY NO. 493
			<i>Milepoint indicates distance from Old Oregon Trail (I-84), near Olds Ferry</i>
27.52	23100		0.20 mile west of Old Oregon Trail (I-84)
27.92	22800		0.20 mile east of Old Oregon Trail Highway (I-84)
28.39	22300		Oregon-Idaho State Line

SECTION III

INTRODUCTION TO THE INTERCHANGE TRAFFIC VOLUME DIAGRAMS

These diagrams show the annual average daily traffic volumes entering or leaving the freeway at each interchange ramp. In addition, the freeway or expressway directional traffic volumes are given between each interchange.

Legend




PACIFIC HIGHWAY NO. 1 (I-5)


Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.

INTERSTATE INTERCHANGES AND REST AREAS


Siskiyou Summit – Exit 1




Mt. Ashland – Exit 6



South Ashland – Exit 11




Green Springs – Exit 14




15-021
North Ashland ATR
MP 18.11

North Ashland – Exit 19




West Valley View – Exit 21



Suncrest Rest Area – Exit 22




Phoenix – Exit 24




INTERSTATE INTERCHANGES AND REST AREAS


South Medford – Exit 27




Crater Lake Hwy. – Exit 30




Central Point – Exit 33




Seven Oaks – Exit 35




Kane Creek – Exit 40




Rock Point – Exit 43



Homestead – Exit 45A



Valley Of The Rogue State Park – Exit 45B




INTERSTATE




INTERCHANGES AND REST AREAS


Roque River – Exit 48




East Grants Pass – Exit 55




North Grants Pass – Exit 58




Louse Creek – Exit 61




Manzanita Rest Area – Exit 62A, 62B




Jumpoff Joe – Exit 66




Sunny Valley – Exit 71



South Wolf Creek – Exit 76A




North Wolf Creek – Exit 76B




INTERSTATE

INTERCHANGES AND REST AREAS


Speaker Road – Exit 78




Glendale – Exit 80




Barton Road – Exit 83




Quines Creek Road – Exit 86




Azalea – Exit 88



Canyon Creek – Exit 95




Canyonville – Exit 98




INTERSTATE INTERCHANGES AND REST AREAS


North Canyonville – Exit 99




Riddle Road – Exit 101




Gazley Road – Exit 102




Tri City – Exit 103




Weaver Road – Exit 106



Myrtle Creek – Exit 108




Boomer Hill Road – Exit 110



South Umpqua Rest Area – Exit 111B




Dillard Hwy. – Exit 112




INTERSTATE INTERCHANGES AND REST AREAS


Clarks Branch – Exit 113



Coos Bay – Roseburg Hwy. – Exit 119




Oakland – Shady Hwy. – Exit 120




McLain Ave. – Exit 121




Fairgrounds – Exit 123




Harvard – Exit 124



Garden Valley – Exit 125




North Roseburg – Exit 127



INTERSTATE INTERCHANGES AND REST AREAS


Winchester – Exit 129




Deady – Exit 135

10-005
Roseburg ATR
MP 129.75


◀ 17350
17220 ▶



Sutherlin – Exit 136




South Oakland – Exit 138




North Oakland – Exit 140

◀ 11750
12230 ▶



Metz Hill – Exit 142A

◀ 12210
12580 ▶



Cabin Creek Rest Area NB – Exit 142B



◀ 12150
12360 ▶


Cabin Creek Rest Area SB – Exit 143



South Rice Hill – Exit 146


10-007
Oakland ATR
MP 145.39

◀ 12150
12360 ▶




INTERSTATE INTERCHANGES AND REST AREAS


Rice Hill – Exit 148




Yoncalla – Exit 150




Elkhead Road – Exit 154




Elk Creek / Cox Road – Exit 159




Salt Springs Road – Exit 160




Buck Creek – Exit 161



Umpqua Hwy. – Exit 162




Curtin – Exit 163




INTERSTATE INTERCHANGES AND REST AREAS


Cottage Grove – Exit 170




Sixth Street – Exit 172




Cottage Grove – Exit 174




Saginaw – Exit 176




Gettings Creek Rest Area – Exit 177, 178




Creswell – Exit 182




Dillard Road – Exit 186



Goshen – Exit 188




Bonneville Power – Exit 189




INTERSTATE INTERCHANGES AND REST AREAS


McVay Hwy. – Exit 190




Judkins Point – Exit 191




Pacific Hwy. West – Exit 192




"Q" Street – Exit 194




Belt Line Hwy. – Exit 195




Van Duyn Road – Exit 199



Oak Grove Rest Area – Exit 206B




Diamond Hill – Exit 209




22-016
Lake Creek ATR
MP 214.56

INTERSTATE INTERCHANGES AND REST AREAS


Halsey – Sweethome – Exit 216




Corvallis – Lebanon Hwy. – Exit 228




Santiam Hwy. – Exit 233




North Albany – Exit 234




Murder Creek – Exit 235




Viewcrest – Exit 237



South Jefferson – Exit 238




Dever Road – Exit 239




INTERSTATE INTERCHANGES AND REST AREAS


Santiam Rest Area – Exit 241




Talbot Road – Exit 242




Ankeny Hill – Exit 243




Jefferson Hwy. – Exit 244




Battle Creek – Exit 248




Commercial Street – Exit 249



Kuebler – Exit 252




North Santiam – Exit 253




INTERSTATE INTERCHANGES AND REST AREAS


Market Street – Exit 256




Hayesville – Exit 258




Chemawa Road – Exit 260




Brooks – Exit 263




Woodburn – Exit 271




Fargo Road – Exit 278




Baldock Rest Area – Exit 281B



Hubbard – Exit 282




Wilsonville – Exit 283




INTERSTATE INTERCHANGES AND REST AREAS


Stafford Road – Exit 286




East Portland Freeway – Exit 288




Nyberg Road – Exit 289




Lower Boones Ferry Road – Exit 290




Carmen Drive / King City – Exit 291




South Tigard – Exit 292




Haines Road – Exit 293



North Tigard – Exit 294




Capitol Highway – Exit 295A




INTERSTATE INTERCHANGES AND REST AREAS


Taylors Ferry Road – Exit 295B



Spring Garden



Multnomah Blvd. – Exit 296



Terwilliger Blvd. – Exit 297


26-016
Iowa Street ATR
MP 298.24

Corbett Avenue – Exit 298




West Marquam – Exit 300

Oswego Highway – Exit 299




INTERSTATE INTERCHANGES AND REST AREAS


Columbia River Highway – Exit 301



City Street – Exit 302A




East Fremont – Exit 302B



Greeley Avenue – Exit 302C

INTERSTATE INTERCHANGES AND REST AREAS

Going Street – Exit 303




Minnesota Avenue – Exit 304A


26-019
Minnesota ATR
MP 304.66

← 68250
66490 ➔

Rosa Parks Way – Exit 304B




N.E. Portland – Exit 305A




← 57240
57700 ➔

Columbia Blvd. – Exit 305B




← 50490
50300 ➔


Delta Park – Exit 306



Swift-Union – Exit 307



Jantzen Beach – Exit 308



COLUMBIA RIVER HIGHWAY NO. 2 (I-84)

AND

OLD OREGON TRAIL NO. 6 (I-84)


Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.

INTERSTATE



INTERCHANGES AND REST AREAS


Pacific Hwy. Exit 0




NE Holladay St. – Exit 1A




NE 16th Ave. – Exit 1B




NE 33rd Ave. – Exit 2A



NE 39th Ave. – Exit 2B




NE Glisan St. – Exit 3



NE 68th Ave. – Exit 4




Cascade Hwy. – Exit 5A




Hwy. 64 – Exit 5B


North Banfield – Exit 6A



NE 122nd Ave. – Exit 10




NE 181st Ave. – Exit 13




26-028
Fairview ATR
MP 11.45

52190 58690


NE 207th Ave. – Exit 14




NE 238th Ave. – Exit 16A




NE Marine Drive – Exit 17




Troutdale – Exit 17




Jordan – Exit 18



Corbett – Exit 22



Rooster Rock – Exit 25



Bridal Veil – Exit 28







INTERSTATE

INTERCHANGES AND REST AREAS


Multnomah Falls – Exit 31




Historic Col. River Hwy. – Exit 35A



Warrendale O'Xing – Exit 37




Bonneville Dam – Exit 40




West Cascade Locks – Exit 44A




East Cascade Locks – Exit 44B




Herman Creek – Exit 47




Wyeth – Exit 50




Starvation Creek State Park – Exit 54



Viento State Park – Exit 56




Mitchell Point Overlook – Exit 58




Service Road




West Hood River – Exit 62




2nd Street – Exit 63



East Hood River – Exit 64




Mosier – Exit 69



Memaloose Rest Area – Exit 72, 73




Rowena – Exit 76




33-001
Rowena ATR
MP 75.93

INTERSTATE 84 INTERCHANGES AND REST AREAS


Chenoweth – Exit 82




West The Dalles – Exit 83




Brewery Grade – Exit 85




The Dalles Bridge – Exit 87




The Dalles Dam – Exit 88



Celilo–Wasco Hwy. – Exit 97




Biggs Jct. – Exit 104




Rufus – Exit 109


28-002
Rufus ATR
MP 109.51




West John Day – Exit 114




Philippi Canyon – Exit 123




Blalock – Exit 129




Woelpert – Exit 131




Arlington – Exit 137




Heppner Jct. – Exit 147




Threemile Canyon – Exit 151



Tower Road – Exit 159



Boardman Rest Area – Exit 160







INTERSTATE

INTERCHANGES AND REST AREAS


Boardman – Exit 164




Port Of Morrow – Exit 165




Boardman Jct. – Exit 168




Paterson Ferry Road – Exit 171




Ordance – Exit 177




McNary Highway – Exit 179




Westland Road – Exit 180



Hermiston – Exit 182



Stanfield Rest Area – Exit 186A, 186B






INTERSTATE


INTERCHANGES AND REST AREAS

Stanfield Jct. – Exit 188


30-027
Echo ATR
MP 191.40




Echo Jct. – Exit 193




Rew Elevator – Exit 198




Yoakum Road – Exit 199




Barnhart – Exit 202




West Pendleton – Exit 207




Emigrant Avenue – Exit 209



South Pendleton – Exit 210




East Pendleton – Exit 213




INTERSTATE 84 INTERCHANGES AND REST AREAS

Mission Jct. – Exit 216


30-026
Mission Jct. ATR
MP 216.81




Emigrant Hill – Exit 224



Deadman's Pass – Exit 228




West Emigrant Park – Exit 233




East Emigrant Park – Exit 235




Meacham – Exit 238




Kamela – Exit 243



Glover – Exit 248



Ukiah-Hilgard – Exit 252




Upper Perry – Exit 256




Lower Perry – Exit 257




North LaGrande – Exit 259




Wallowa Lake – Exit 261




South LaGrande – Exit 264




Foothill Road – Exit 268A




Ladd Canyon Rest Area – Exit 268B




Ladd Creek – Exit 270




Ladd Canyon – Exit 273




Clower Creek – Exit 278



Wolf Creek – Exit 283




North Powder – Exit 285




01-011
Baker Valley ATR
MP 286.65


Baker Valley Rest Area – Exit 294




Chandler Lane – Exit 298



Richland – Exit 302



Campbell Street – Exit 304





South Baker – Exit 306

01-013
South Baker ATR
MP 309.02

Encina – Exit 313




Pleasant Valley – Exit 317



Durkee – Exit 327

Nelson – Exit 330




Weatherby – Exit 335



Jordan Creek – Exit 338

Dixie – Exit 340

Lime – Exit 343




INTERSTATE




INTERCHANGES AND REST AREAS


North Huntington – Exit 345




Benson – Exit 352




Olds Ferry – Exit 356




Moore's Hollow – Exit 362




Stanton Blvd. – Exit 371




North Ontario – Exit 374



Idaho Avenue – Exit 376



Ontario Rest Area – Exit 377




THE DALLES-CALIFORNIA HIGHWAY NO. 4 (US97)


Interchange Ramp Diagrams of the Bend Parkway section in Bend with Annual Average
Daily Traffic Volumes.

97 INTERCHANGES

McKenzie-Bend Hwy. – Exit 135A




Empire Blvd. – Exit 135B




09-007
Bend-Empire ATR
MP 135.95


Butler Market Rd. – Exit 136



US20 – 3rd St




Revere Ave. – Exit 137




09-009
Bend-Revere ATR
MP 137.36


Lafayette Ave.




Hawthorne Ave.



Colorado Ave. – Exit 138




Truman Ave.




US 97 INTERCHANGES


Reed Market Rd. – Exit 139




Reed Rd.



Powers Rd. – Exit 140



Badger Rd.




09-025
Bend-Pinebrook ATR
MP 140.45

SUNSET HIGHWAY NO. 47 (US26)


Interchange Ramp Diagrams from Wilson River Highway No. 37 (OR6) east to Stadium Freeway Highway No. 61 (I-405) in Portland with Annual Average Daily Traffic Volumes.

US 26 INTERCHANGES


Dersham Road – Exit 55




North Plains – Exit 57




Jackson School Road – Exit 58




Helvetia Road – Exit 61




Cornelius Pass Rd. – Exit 62




185th Ave. – Exit 64B



Cornell Road – Exit 65




Murray Blvd. – Exit 67




US 26 INTERCHANGES


Cedar Hills Blvd. – Exit 68




Beaverton – Tigard – Exit 69




Sylvan – Exit 71




Highlands – Exit 72



Jefferson St. – Exit 73B



Stadium Freeway. – Exit 73C




STADIUM FREEWAY HIGHWAY NO. 61 (I-405)


Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.

INTERSTATE 405 INTERCHANGES


W. Marquam – Exit 0A




Broadway – Exit 0B




Sunset – Exit 1




Burnside – Exit 2



W. Fremont – Exit 3A



E. Fremont – Exit 3B



EAST PORTLAND FREEWAY HIGHWAY NO. 64 (I-205)


Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.




INTERSTATE

INTERCHANGES AND REST AREAS


Pacific Hwy. Exit 1




Wankers Corner – Exit 3




S. West Linn – Exit 6




Willamette Falls Viewpoint – Exit 8A




West Linn – Exit 8B




Oregon City – Exit 9




Park Place – Exit 10



Gladstone – Exit 11




Clackamas – Exit 12






INTERSTATE 205 INTERCHANGES AND REST AREAS


Lake Road – Exit 13




Sunnyside Rd. – Exit 14




Johnson Cr. Blvd. – Exit 16




Foster & Woodstock – Exit 17




Division & Powell – Exit 19




Stark–Washington St. – Exit 20B



N.E. Glisan St. – Exit 21A




S. Banfield – Exit 21B





INTERSTATE

INTERCHANGES AND REST AREAS






BELTLINE HIGHWAY NO. 69 (OR569)


Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.

OR 569 INTERCHANGES


20-028 West Bellline ATR MP 5.20 Barger Dr. – Exit 5 Pacific Hwy. West – Exit 6A Prairie Road – Exit 6B N. W. Expressway – Exit 7




River Road – Exit 8



River Ave. – Exit 9




Delta Hwy. – Exit 9A




Belt Line Hwy. – Exit 195

Coburg Road – Exit 11




Pacific Hwy. – Exit 12




MCNARY HIGHWAY NO. 70 (I-82)

Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.

INTERSTATE 82 INTERCHANGES



McNary Highway – Exit 11




BEAVERTON – TIGARD HIGHWAY NO. 144 (OR217)


Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.

OR 217 INTERCHANGES


Sunset Hwy. – Exit 0A




Walker Road – Exit 0B




East Beaverton – Exit 1




Allen Blvd. – Exit 2




Denney Road – Exit 3A




Beaverton–Tualatin Hwy. – Exit 3B




Progress – Exit 4A




Greenburg Road – Exit 4B




Tigard – Exit 5



SW 72nd Ave. – Exit 6



S. Tigard – Exit 7




NORTH SANTIAM HIGHWAY NO. 162 (OR22)


Interchange Ramp Diagrams from I-5 to Stayton with Annual Average Daily Traffic Volumes.

OR 22 INTERCHANGES


North Santiam – Exit 1




Lancaster Dr. – Exit 2




Deer Park Dr. – Exit 4




Joseph St. – Exit 5




Silver Cr. Falls Hwy. – Exit 7




Shaw – Aumsville – Exit 9



Golf Club Rd. – Exit 12



Stayton – Sublimity – Exit 13



EUGENE – SPRINGFIELD HIGHWAY NO. 227 (I-105 & OR126)


Interchange Ramp Diagrams with Annual Average Daily Traffic Volumes.

INTERSTATE INTERCHANGES


105

126


6th & 7th Ave. – Exit 0A




Delta Highway – Exit 0B



Country Club Rd. – Exit 1A




Coburg Road – Exit 1B




20-008
Willakenzie ATR
MP 2.82


"Q" Street – Exit 3




Springfield Hwy. – Exit 4




Mohawk Blvd. – Exit 6



42nd Street – Exit 7



20-027
East Springfield ATR
MP 8.66



STATE OF OREGON PERMANENT RECORDER STATION LOCATIONS

PREPARED BY THE
OREGON DEPARTMENT OF TRANSPORTATION
TRANSPORTATION DEVELOPMENT DIVISION
TRANSPORTATION DATA SECTION


IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SEE
ENLARGEMENT
OTHER SIDE

- Permanent Traffic Recorder Station
- 01-001 Recorder Number
- 332 State Highway Number



SEPTEMBER 2018



DISCLAIMER:
This product is for informational purposes only and may not have been prepared for or be suitable for legal, engineering or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.

STATE OF OREGON
PERMANENT RECORDER STATION LOCATIONS
PORTLAND AREA ENLARGEMENT

PREPARED BY THE
OREGON DEPARTMENT OF TRANSPORTATION
TRANSPORTATION DEVELOPMENT DIVISION
TRANSPORTATION DATA SECTION

IN COOPERATION WITH THE
U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

SEPTEMBER 2018



Permanent Traffic Recorder Station

01-001

Recorder Number

100

State Highway Number




DISCLAIMER:
This product is for informational purposes only and may not have been prepared for or be suitable for legal, engineering or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.

**Summary of Trends
at
Automatic Traffic Recorder Stations
2018**

Location:	US30; MP 37.70; LA GRANDE-BAKER HIGHWAY NO. 66; 4.84 miles south of Union-Baker County Line	Site Name:	North Powder (01-001)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	758	297	80.1	13.1	12.3	12.0
2010	778	194	34.4	14.9	13.1	11.8
2011	837	162	14.5	12.7	12.1	11.9
2012	786	175	16.2	13.7	12.9	12.2
2013	804	406	63.9	14.6	13.3	12.7
2014	802	172	17.0	14.1	13.0	12.6
2015	843	184	40.6	15.1	12.8	12.1
2016	855	201	46.0	17.2	14.2	13.5
2017	851	514	88.5	22.0	15.9	13.5
2018	833	206	38.9	14.8	13.3	12.5



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	755	91	705	85
February	815	98	757	91
March	884	106	811	97
April	989	119	916	110
May	1033	124	966	116
June	972	117	919	110
July	1037	124	957	115
August	859	103	831	100
September	912	109	849	102
October	949	114	864	104
November	827	99	745	89
December	724	87	675	81

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR203; MP 36.86; MEDICAL SPRINGS HIGHWAY NO. 340; 2.08 miles east of Old Oregon Trail Highway No. 6 (I-84)	Site Name:	Medical Springs (01-007)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	214	***	***	***	***	***
2010	206	208	36.5	18.5	16.0	15.1
2011	203	177	35.5	17.3	16.3	14.8
2012	209	180	28.8	17.3	16.3	15.8
2013	201	190	40.8	16.9	15.4	14.4
2014	211	182	30.3	19.9	17.1	16.1
2015	229	196	31.4	17.9	15.3	14.8
2016	238	190	28.6	18.5	16.8	16.0
2017	232	393	65.1	23.7	15.5	14.7
2018	233	174	27.0	17.2	15.5	14.6



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	204	88	183	79
February	204	88	190	82
March	218	94	204	88
April	229	98	219	94
May	254	109	256	110
June	277	119	267	115
July	290	124	286	123
August	267	115	269	115
September	267	115	265	114
October	253	109	248	106
November	222	95	217	93
December	198	85	191	82

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR86; MP 37.55; BAKER-COPPERFIELD HIGHWAY NO. 12; 2.21 miles northwest of Dry Gulch Road	Site Name:	Richland (01-010)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	602	***	***	***	***	***
2010	595	335	42.0	21.8	18.3	16.8
2011	552	367	48.2	23.9	17.4	16.5
2012	556	261	37.1	19.3	17.1	15.8
2013	557	284	34.5	20.5	18.1	15.8
2014	563	235	25.0	21.1	17.1	15.6
2015	595	215	28.1	18.8	16.1	14.6
2016	609	234	28.6	19.2	16.7	15.4
2017	587	211	21.3	18.9	16.7	15.7
2018	618	212	49.9	19.4	17.6	16.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	452	73	427	69
February	460	74	427	69
March	524	85	492	80
April	588	95	575	93
May	735	119	743	120
June	778	126	769	124
July	793	128	823	133
August	792	128	782	127
September	819	133	820	133
October	629	102	605	98
November	566	92	520	84
December	460	74	428	69


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 286.65; OLD OREGON TRAIL NO. 6; 0.45 mile south of Union-Baker County Line	Site Name:	Baker Valley (01-011)
		Installed:	January, 1973

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	8881	161	16.8	13.6	12.6	12.2
2010	9070	166	14.4	13.5	12.7	12.3
2011	8714	148	15.6	12.9	12.2	11.9
2012	8939	151	16.5	13.0	12.4	11.9
2013	9099	169	16.9	14.0	12.7	12.3
2014	9223	164	16.8	14.7	12.6	11.8
2015	10144	***	***	***	***	***
2016	10310	181	16.3	13.4	12.6	12.3
2017	10510	191	16.2	13.8	13.3	12.7
2018	11129	153	15.4	13.5	12.5	12.2



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7988	72	7726	69
February	8577	77	8378	75
March	10310	93	10516	94
April	10814	97	11110	100
May	11703	105	11890	107
June	12869	116	13388	120
July	13356	120	14081	127
August	13267	119	13790	124
September	12137	109	12395	111
October	11050	99	11337	102
November	10363	93	10481	94
December	8308	75	8455	76


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR7; MP 48.40; WHITNEY HIGHWAY NO. 71; 0.20 mile south of Griffin Gulch Lane	Site Name:	Whitney (01-012)
		Installed:	December, 1981

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1359	367	37.5	26.5	23.8	21.6
2010	1413	300	29.3	24.6	22.6	21.0
2011	1346	275	28.5	23.7	22.4	20.9
2012	1308	310	29.3	26.2	22.9	21.6
2013	1302	343	33.4	25.7	22.1	20.4
2014	1298	333	33.0	26.6	21.9	19.9
2015	1373	293	29.1	25.1	23.2	19.7
2016	1457	321	34.1	24.8	21.3	19.5
2017	1498	357	57.0	27.8	24.3	21.4
2018	1511	295	28.7	24.2	21.7	19.6



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	980	65	968	64
February	1009	67	994	66
March	1131	75	1138	75
April	1337	88	1374	91
May	1760	116	2001	132
June	1790	118	1857	123
July	1921	127	2108	140
August	1745	115	1836	122
September	1782	118	1933	128
October	1538	102	1551	103
November	1302	86	1302	86
December	1075	71	1067	71

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 309.02; OLD OREGON TRAIL NO. 6; 4.27 miles north of Encina Interchange	Site Name:	South Baker (01-013)
		Installed:	May, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	8304	179	15.5	12.9	12.3	12.0
2012	8328	***	***	***	***	***
2013	8498	172	16.3	14.5	12.8	12.3
2014	8755	170	17.3	14.6	12.7	12.3
2015	9387	153	16.3	13.1	12.4	11.9
2016	9855	174	16.1	13.3	12.8	12.2
2017	10018	173	15.8	13.7	12.9	12.4
2018	10478	155	16.0	13.5	12.5	12.0



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7416	71	7206	69
February	7989	76	7852	75
March	9715	93	9989	95
April	10180	97	10515	100
May	10911	104	11133	106
June	12137	116	12633	121
July	12523	120	13280	127
August	12263	117	12896	123
September	11298	108	11604	111
October	10337	99	10646	102
November	9754	93	9945	95
December	7805	74	8036	77

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 336.29; OLD OREGON TRAIL NO. 6; 0.53 mile south of Weatherby Interchange	Site Name:	Weatherby (01-014)
		Installed:	July, 2011

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	8336	157	16.8	12.7	11.9	11.6
2013	8479	172	15.9	14.2	12.5	12.0
2014	8790	169	16.0	14.0	12.5	12.0
2015	9400	***	***	***	***	***
2016	9898	173	15.3	12.8	12.4	12.0
2017	10035	174	19.3	13.6	12.8	12.4
2018	10509	155	14.9	13.1	12.0	11.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7419	71	7206	69
February	7985	76	7838	75
March	9699	92	9974	95
April	10232	97	10550	100
May	11038	105	11272	107
June	12166	116	12725	121
July	12543	119	13296	127
August	12317	117	12941	123
September	11375	108	11656	111
October	10375	99	10719	102
November	9756	93	9933	95
December	7769	74	7992	76


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR34; MP 53.89; ALSEA HIGHWAY NO. 27; 4.67 miles southwest of Corvallis-Newport Highway No. 33 (US20/OR34)	Site Name:	Alsea (02-003)
		Installed:	July, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1981	150	16.8	13.7	13.0	12.4
2010	2075	169	15.8	13.9	13.0	12.7
2011	2007	158	15.2	13.5	13.0	12.4
2012	2029	169	16.7	13.7	12.7	12.4
2013	2027	146	20.4	13.1	12.3	12.0
2014	2079	151	16.4	13.2	12.4	12.0
2015	2123	150	16.8	13.2	12.5	12.3
2016	2217	170	15.8	12.9	12.5	12.2
2017	2091	150	14.6	12.8	12.2	12.0
2018	2084	151	17.2	13.0	12.4	12.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1841	88	1828	88
February	1853	89	1848	89
March	1958	94	1916	92
April	1993	96	1900	91
May	2120	102	2214	106
June	2212	106	2227	107
July	2271	109	2342	112
August	2406	115	2454	118
September	2266	109	2258	108
October	2211	106	2189	105
November	2020	97	1969	94
December	1928	93	1859	89


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR223; MP 26.43; KINGS VALLEY HIGHWAY NO. 191; 1.41 miles south of Hoskins-Summit Road	Site Name:	Kings Valley (02-005)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1026	285	32.4	22.9	15.3	12.7
2010	1042	287	32.9	26.0	16.2	12.6
2011	1028	239	26.9	19.8	13.9	12.6
2012	1015	236	23.4	19.0	14.4	12.6
2013	1027	259	27.2	19.1	13.8	12.8
2014	1037	223	23.0	18.3	12.9	12.1
2015	1113	232	25.5	20.1	13.7	12.6
2016	1141	250	31.2	21.7	15.2	12.7
2017	1187	***	***	***	***	***
2018	1259	215	22.1	18.5	15.1	13.8



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1085	86	1037	82
February	1182	94	1105	88
March	1228	98	1164	92
April	1237	98	1202	95
May	1346	107	1357	108
June	1315	104	1321	105
July	1364	108	1433	114
August	1389	110	1442	115
September	1398	111	1452	115
October	1337	106	1316	105
November	1271	101	1233	98
December	1131	90	1046	83

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99W; MP 94.90; PACIFIC HIGHWAY WEST NO. 91; 5.47 miles north of Monroe Cemetery Road	Site Name:	Monroe (02-007)
		Installed:	April, 1953

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4962	***	***	***	***	***
2010	5066	137	16.5	11.7	11.2	11.0
2011	5144	138	15.9	11.8	11.2	10.9
2012	5086	145	16.8	11.5	11.4	11.1
2013	4986	142	13.3	11.3	11.0	10.7
2014	5151	141	13.4	11.5	11.2	10.9
2015	5329	143	12.9	11.3	11.0	10.7
2016	5354	139	12.3	11.1	10.8	10.5
2017	5366	222	20.3	12.6	11.0	10.5
2018	5563	142	11.5	10.9	10.6	10.4



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4982	90	4848	87
February	5280	95	5126	92
March	5589	100	5332	96
April	5668	102	5480	99
May	5914	106	5862	105
June	6156	111	6043	109
July	6268	113	6203	112
August	6230	112	6065	109
September	5916	106	5851	105
October	5750	103	5695	102
November	5555	100	5369	97
December	5074	91	4876	88

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 46.38; MT. HOOD HIGHWAY NO. 26; 0.30 mile east of Camp Creek Rd (USFS 28)	Site Name:	Rhododendron (03-006)
		Installed:	August, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	8737	197	22.3	19.6	18.4	17.8
2010	8714	207	21.6	19.8	18.9	18.5
2011	8330	214	24.7	20.0	18.6	18.1
2012	8480	227	24.0	21.0	20.2	19.4
2013	8527	213	23.4	21.1	20.3	19.1
2014	8652	216	23.2	21.1	20.3	19.2
2015	8861	242	21.4	20.3	19.4	18.7
2016	10071	208	22.9	19.6	18.8	17.9
2017	10223	200	19.9	19.1	18.1	17.5
2018	10291	199	20.4	19.5	19.0	18.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7514	73	10515	102
February	7434	72	9236	90
March	7563	73	10313	100
April	6620	64	8365	81
May	7923	77	10052	98
June	9140	89	10992	107
July	11087	108	13868	135
August	10254	100	13089	127
September	8613	84	10382	101
October	6772	66	8272	80
November	6070	59	7568	74
December	9155	89	10840	105


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR35; MP 57.79; MT. HOOD HIGHWAY NO. 26; 0.02 mile east of Warm Springs Highway No. 53 (US26)	Site Name:	Mt. Hood Meadows (03-007)
		Installed:	September, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2130	***	***	***	***	***
2010	2145	374	49.2	39.5	34.8	33.2
2011	1976	476	79.2	49.1	45.0	39.1
2012	2023	452	65.4	43.4	40.3	37.7
2013	1868	427	68.1	48.7	42.0	37.1
2014	1908	400	60.0	41.9	37.4	33.6
2015	1931	393	50.4	38.6	34.4	32.6
2016	2455	366	55.9	38.3	33.1	31.2
2017	2565	340	52.1	37.7	32.5	31.3
2018	2479	358	102.2	40.1	36.9	33.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2258	91	3798	153
February	2308	93	3060	123
March	1900	77	2900	117
April	1465	59	1973	80
May	1596	64	2200	89
June	1793	72	2190	88
July	2386	96	2854	115
August	1983	80	2479	100
September	1770	71	2129	86
October	1357	55	1731	70
November	842	34	1178	48
December	2614	105	3260	132


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR173; MP 5.45; TIMBERLINE HIGHWAY NO. 173; 0.04 mile north of Mt. Hood Highway No. 26 (US26)	Site Name:	Timberline (03-008)
		Installed:	September, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1619	247	34.3	28.1	25.3	23.9
2010	1707	254	28.1	26.4	24.4	23.7
2011	1565	325	37.9	27.9	25.7	24.9
2012	1593	273	30.7	27.5	25.6	24.4
2013	1704	268	33.7	28.0	25.2	23.9
2014	1670	278	38.2	29.4	27.4	26.5
2015	1734	254	34.7	29.2	26.8	25.3
2016	1938	283	35.9	25.0	23.2	22.5
2017	1932	***	***	***	***	***
2018	2012	249	39.0	25.7	23.9	22.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1655	82	2318	115
February	1519	75	1949	97
March	1607	80	2084	104
April	1313	65	1608	80
May	1680	83	2184	109
June	1973	98	2153	107
July	2503	124	2897	144
August	1872	93	2317	115
September	1512	75	1757	87
October	936	47	1224	61
November	834	41	1281	64
December	1903	95	2366	118


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 57.77; WARM SPRINGS HIGHWAY NO. 53; 0.32 mile south of Mt. Hood Highway No. 26 (OR35)	Site Name:	Warm Springs Jct. (03-009)
		Installed:	August, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4925	267	28.9	25.7	23.7	22.3
2010	5068	250	27.2	24.6	23.5	22.3
2011	4944	249	27.2	25.4	24.2	22.6
2012	5008	249	27.4	25.5	23.7	21.6
2013	5205	247	28.1	25.3	24.3	23.1
2014	5440	256	28.4	25.9	23.9	22.9
2015	5625	249	25.7	23.6	22.6	21.4
2016	6151	241	26.4	23.4	22.5	21.3
2017	6341	275	24.9	22.9	21.9	21.2
2018	6284	232	25.0	23.1	22.3	21.4



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3483	55	3959	63
February	3317	53	3892	62
March	4192	67	4900	78
April	4387	70	5416	86
May	6017	96	7302	116
June	6646	106	8010	127
July	7713	123	9522	152
August	7456	119	9331	148
September	6215	99	7370	117
October	5025	80	5983	95
November	4546	72	5247	83
December	3935	63	4470	71


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 281.20; PACIFIC HIGHWAY NO. 1; 1.38 miles south of Wilsonville-Hubbard Highway No. 51 Interchange (OR551)	Site Name:	Wilsonville (03-011)
		Installed:	August, 1973

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	85731	127	9.4	9.1	9.0	8.9
2010	86646	128	9.8	9.1	9.0	8.9
2011	85451	128	9.4	9.0	8.9	8.8
2012	84342	130	10.3	9.1	9.0	8.9
2013	86419	132	9.7	9.0	8.9	8.8
2014	87206	127	9.3	8.9	8.7	8.6
2015	92319	126	9.0	8.6	8.5	8.3
2016	95295	123	8.7	8.4	8.2	8.2
2017	95980	***	***	***	***	***
2018	99667	125	8.7	8.3	8.1	8.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	87516	88	87447	88
February	90022	90	90881	91
March	97900	98	97923	98
April	98431	99	99441	100
May	100281	101	102044	102
June	107627	108	107422	108
July	107168	108	107847	108
August	108927	109	108942	109
September	102018	102	103690	104
October	98340	99	99471	100
November	97443	98	97553	98
December	93620	94	93345	94


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR213; MP 22.15; CASCADE HIGHWAY SOUTH NO. 160; 2.05 miles northeast of Clackamas-Marion County Line	Site Name:	Marquam (03-013)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	3910	158	29.3	12.3	11.6	11.3
2010	3985	141	17.0	11.7	11.3	11.1
2011	4008	139	14.2	11.7	11.3	11.1
2012	3742	160	14.9	12.3	12.0	11.8
2013	4012	148	25.5	11.8	11.2	10.9
2014	4234	153	25.4	12.4	11.9	11.5
2015	4581	155	15.0	12.4	11.5	11.2
2016	4927	148	14.9	12.2	11.7	11.4
2017	5138	***	***	***	***	***
2018	5470	143	13.1	12.0	11.7	11.2



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4802	88	4646	85
February	4745	87	4628	85
March	5342	98	5158	94
April	5490	100	5339	98
May	5821	106	5850	107
June	6030	110	6089	111
July	6221	114	6358	116
August	6028	110	6151	112
September	5679	104	5782	106
October	5477	100	5417	99
November	5429	99	5215	95
December	5115	94	5011	92


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR211; MP 24.23; WOODBURN-ESTACADA HIGHWAY NO. 161; 3.05 miles northeast of Wall Street	Site Name:	Colton (03-014)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2322	133	13.0	11.8	11.4	11.2
2010	2318	135	13.1	12.0	11.6	11.3
2011	2268	137	13.4	12.1	11.9	11.6
2012	2276	140	13.8	12.3	11.8	11.5
2013	2278	134	13.3	11.7	11.4	11.2
2014	2408	135	13.2	12.0	11.7	11.5
2015	2681	135	13.2	12.2	11.8	11.5
2016	2867	139	14.4	12.5	12.0	11.8
2017	3044	***	***	***	***	***
2018	3107	136	13.9	12.5	12.0	11.7



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2814	91	2739	88
February	2602	84	2552	82
March	3116	100	2962	95
April	3284	106	3093	100
May	3313	107	3255	105
June	3369	108	3345	108
July	3446	111	3468	112
August	3410	110	3480	112
September	3474	112	3436	111
October	3346	108	3236	104
November	3134	101	2942	95
December	2874	93	2781	90

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-205; MP 1.99; EAST PORTLAND FREEWAY NO. 64; 1.99 miles east of Pacific Hwy No. 1 (I-5)	Site Name:	Stafford (03-016)
		Installed:	January, 1971

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	79618	118	8.7	8.4	8.3	8.3
2010	78932	118	8.7	8.4	8.4	8.3
2011	79712	***	***	***	***	***
2012	80698	122	8.7	8.5	8.5	8.4
2013	80622	125	8.9	8.7	8.6	8.6
2014	81184	124	8.7	8.5	8.4	8.4
2015	88110	117	8.0	7.9	7.8	7.8
2016	88774	115	8.0	7.8	7.7	7.7
2017	88696	***	***	***	***	***
2018	88007	115	8.0	7.7	7.6	7.6



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	86300	98	83100	94
February	86200	98	83900	95
March	92189	105	88307	100
April	92374	105	88908	101
May	93160	106	90530	103
June	97102	110	93684	106
July	93262	106	91326	104
August	95016	108	92282	105
September	90739	103	88375	100
October	90131	102	87546	99
November	87485	99	84622	96
December	85511	97	83509	95

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR212/OR224 MP 6.80; CLACKAMAS HIGHWAY NO. 171; 0.14 mile west of S.E. 130th Avenue	Site Name:	Clackamas (03-017)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	32094	124	9.1	8.7	8.6	8.6
2010	32404	122	8.9	8.7	8.6	8.6
2011	32240	122	9.0	8.8	8.7	8.6
2012	32857	122	9.8	9.0	8.8	8.7
2013	33849	122	9.2	8.8	8.7	8.7
2014	33657	119	9.1	8.8	8.7	8.6
2015	34157	118	8.7	8.5	8.4	8.4
2016	34798	124	9.1	8.7	8.7	8.6
2017	38448	120	8.7	8.4	8.3	8.2
2018	40070	119	8.3	8.2	8.1	8.0



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	39542	99	37661	94
February	39168	98	37351	93
March	42168	105	39891	100
April	43003	107	40135	100
May	43206	108	41272	103
June	44404	111	42501	106
July	44065	110	42868	107
August	43729	109	42093	105
September	42049	105	40163	100
October	42221	105	39918	100
November	41031	102	38415	96
December	40245	100	38576	96

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR224; MP 3.60; CLACKAMAS HIGHWAY NO. 171; 0.13 mile west of Johnson Road	Site Name:	Milwaukie (03-018)
		Installed:	July, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	35434	123	13.7	10.0	9.8	9.7
2010	35149	121	9.8	9.4	9.3	9.3
2011	35163	120	9.5	9.4	9.2	9.2
2012	35368	123	9.4	9.2	9.1	9.1
2013	34995	123	9.7	9.4	9.4	9.3
2014	35212	121	9.5	9.4	9.3	9.3
2015	35645	121	9.5	9.3	9.3	9.2
2016	35480	125	9.8	9.5	9.4	9.4
2017	37454	123	9.6	9.4	9.3	9.2
2018	38410	***	***	***	***	***



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	40264	105	36491	95
February	40116	104	36351	95
March	43001	112	38250	100
April	43983	115	39114	102
May	43349	113	39204	102
June	45026	117	40424	105
July	42868	112	39125	102
August	44399	116	39832	104
September	42768	111	38810	101
October	43729	114	39319	102
November	42000	109	37500	98
December	40500	105	36500	95

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR213; MP 8.90; CASCADE HIGHWAY SOUTH NO. 160; 0.94 mile south of S. Spangler Road	Site Name:	Mulino (03-020)
		Installed:	April, 2009

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	13007	119	10.1	9.6	9.6	9.5
2011	12962	124	10.2	9.7	9.6	9.5
2012	12721	122	10.1	9.8	9.6	9.5
2013	13132	122	9.9	9.6	9.5	9.5
2014	13552	126	10.0	9.7	9.5	9.4
2015	14402	122	9.9	9.4	9.2	9.2
2016	15132	125	9.9	9.4	9.3	9.2
2017	15430	137	9.8	9.5	9.3	9.2
2018	15249	129	9.7	9.5	9.4	9.3



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	14201	93	13564	89
February	14395	94	13750	90
March	15825	104	15060	99
April	16273	107	15529	102
May	16388	107	15857	104
June	17018	112	16470	108
July	17459	114	17028	112
August	16589	109	16110	106
September	14805	97	14476	95
October	15816	104	15234	100
November	16173	106	15236	100
December	15264	100	14678	96


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR224; MP 5.46; SUNRISE EXPRESSWAY HIGHWAY NO. 75; 0.80 mile north of Clackamas Highway (OR212)	Site Name:	Sunrise (03-021)
		Installed:	August 2016

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	***	***	***	***	***	***
2015	***	***	***	***	***	***
2016	***	***	***	***	***	***
2017	17933	125	10.0	9.7	9.5	9.4
2018	20210	121	9.3	9.0	8.9	8.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	20741	103	18803	93
February	20439	101	18573	92
March	21845	108	19527	97
April	22449	111	19987	99
May	22760	113	20303	100
June	23714	117	21418	106
July	22958	114	21170	105
August	23517	116	21399	106
September	22791	113	20716	103
October	22964	114	20701	102
November	22503	111	20115	100
December	21470	106	19807	98


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 15.90; OREGON COAST HIGHWAY NO. 9; 2.09 miles north of Dellmoor Loop Road	Site Name:	Gearhart (04-001)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	13797	146	12.8	12.4	12.1	12.0
2010	13635	149	12.7	12.4	12.1	12.0
2011	13182	149	14.2	12.5	12.4	12.2
2012	13158	157	13.6	12.9	12.5	12.4
2013	13409	150	13.5	12.7	12.4	12.2
2014	13825	150	13.1	12.7	12.5	12.2
2015	14702	142	12.2	11.7	11.5	11.4
2016	15243	144	12.0	11.7	11.6	11.4
2017	15717	142	12.2	11.6	11.3	11.2
2018	16204	140	12.1	11.4	11.2	11.1



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12958	80	12877	79
February	13643	84	13703	85
March	15246	94	15274	94
April	16227	100	15770	97
May	16446	101	16900	104
June	18362	113	18304	113
July	20029	124	20124	124
August	20337	126	20265	125
September	17776	110	17767	110
October	15605	96	15628	96
November	14462	89	14388	89
December	13642	84	13449	83

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 3.79; OREGON COAST HIGHWAY NO. 9; 0.01 mile north of Lower Columbia River Highway No. 92 (US30)	Site Name:	Astoria Bridge (04-004)
		Installed:	September, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	7207	191	17.2	15.9	15.0	14.6
2010	***	***	***	***	***	***
2011	6912	174	18.9	16.0	15.5	15.0
2012	6878	168	16.8	15.2	14.7	14.5
2013	7171	180	16.7	15.4	14.4	14.1
2014	7488	169	17.3	14.9	14.5	14.0
2015	8158	178	24.0	15.3	14.5	13.9
2016	8506	164	22.9	15.4	14.5	13.7
2017	8534	162	19.7	14.8	14.2	13.9
2018	9017	***	***	***	***	***



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6829	76	6890	76
February	7100	79	7300	81
March	7973	88	8200	91
April	8800	98	9100	101
May	9000	100	9400	104
June	9715	108	10110	112
July	11326	126	11728	130
August	11228	125	11691	130
September	9905	110	10151	113
October	8502	94	8614	96
November	7500	83	7600	84
December	7300	81	7414	82

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US30; MP 53.33; LOWER COLUMBIA RIVER HIGHWAY NO. 92; 1.03 miles west of Rainier Road	Site Name:	Rainier (05-006)
		Installed:	September, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	10282	156	14.3	12.7	12.4	12.0
2010	10195	149	13.8	12.4	12.2	11.9
2011	9997	150	13.5	12.4	12.1	11.9
2012	9905	157	13.4	12.6	12.1	11.8
2013	10029	149	12.8	12.3	11.9	11.7
2014	10372	152	13.3	12.6	12.3	11.9
2015	10792	161	13.4	12.2	11.6	11.4
2016	11025	147	12.1	11.4	11.2	11.0
2017	11326	147	12.7	12.0	11.9	11.6
2018	11429	147	13.5	11.8	11.5	11.2



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9689	85	9662	85
February	9620	84	9871	86
March	10513	92	10773	94
April	11201	98	11198	98
May	11632	102	12109	106
June	11942	104	12210	107
July	13165	115	13699	120
August	13635	119	14262	125
September	12192	107	12462	109
October	10960	96	11101	97
November	10272	90	10225	89
December	9696	85	9576	84


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 221.67; OREGON COAST HIGHWAY NO. 9; 1.09 miles south of Douglas-Coos County Line	Site Name:	Lakeside (06-001)
		Installed:	January, 1992

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	7601	161	16.0	13.6	13.5	12.9
2010	7586	156	14.2	13.3	12.9	12.7
2011	7319	163	14.0	13.1	12.7	12.5
2012	7181	169	14.7	13.7	13.3	12.9
2013	7181	163	14.5	13.5	13.3	12.7
2014	7367	168	14.7	14.1	13.5	13.1
2015	7963	164	14.4	13.6	12.9	12.8
2016	8192	158	13.8	13.2	12.8	12.5
2017	8273	158	14.8	13.2	12.9	12.6
2018	8567	150	14.1	13.0	12.7	12.4



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6544	76	6490	76
February	7105	83	7099	83
March	7877	92	7822	91
April	7968	93	7892	92
May	8594	100	8868	104
June	9735	114	9907	116
July	11058	129	11312	132
August	10673	125	11070	129
September	9640	113	9739	114
October	8191	96	8185	96
November	7389	86	7388	86
December	6986	82	7026	82


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 275.87; OREGON COAST HIGHWAY NO. 9; 1.02 miles south of 18th S.W. Street	Site Name:	Bandon (06-004)
		Installed:	September, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	6233	***	***	***	***	***
2010	6303	143	13.3	12.5	12.4	12.3
2011	6051	142	13.3	12.6	12.2	12.1
2012	5971	143	13.2	12.6	12.3	12.2
2013	6078	147	13.5	12.7	12.5	12.2
2014	6180	171	15.2	13.4	12.9	12.6
2015	6494	185	16.6	15.1	13.6	12.9
2016	6653	180	17.2	14.7	13.1	12.3
2017	6755	146	13.6	12.6	12.4	12.3
2018	6939	142	12.8	12.4	12.3	12.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5935	86	5550	80
February	6322	91	5913	85
March	6682	96	6281	91
April	6969	100	6512	94
May	7274	105	7053	102
June	8145	117	7759	112
July	9115	131	8845	127
August	8870	128	8667	125
September	8256	119	7913	114
October	7338	106	6882	99
November	6558	95	6185	89
December	5986	86	5706	82


For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 244.02; OREGON COAST HIGHWAY NO. 9; Coos Bay Automatic Traffic Recorder; 0.01 mile South of Southport Lane	Site Name:	Coos Bay (06-009)
		Installed:	September, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	13666	***	***	***	***	***
2010	13632	137	11.7	10.8	10.6	10.5
2011	13487	135	11.2	10.6	10.3	10.2
2012	13044	140	11.2	10.7	10.5	10.4
2013	13044	139	11.4	10.9	10.6	10.5
2014	13358	138	11.7	10.9	10.7	10.5
2015	14059	133	11.3	10.6	10.4	10.4
2016	14496	141	11.8	11.1	10.7	10.6
2017	14890	137	11.3	10.8	10.6	10.5
2018	15135	***	***	***	***	***

2018 – Construction zone



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	14351	95	13224	87
February	14800	98	13800	91
March	15000	99	14300	94
April	15500	102	14800	98
May	16500	109	15400	102
June	17200	114	16300	108
July	18400	122	17300	114
August	18600	123	17500	116
September	17000	112	16200	107
October	16550	109	15300	101
November	15226	101	14015	93
December	14310	95	13480	89

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 22.85; OCHOCO HIGHWAY NO. 41; 2.03 miles west of Ochoco Dam	Site Name:	Ochoco (07-001)
		Installed:	October, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2714	192	19.1	15.4	14.5	13.7
2010	2612	170	18.3	14.8	13.9	13.6
2011	2492	183	16.6	15.0	14.6	14.1
2012	2381	177	18.4	14.9	14.3	14.0
2013	2405	180	19.0	15.5	14.6	14.2
2014	2495	187	18.1	16.2	14.8	14.2
2015	2675	179	20.6	15.1	14.4	13.5
2016	2783	194	22.3	16.6	15.6	14.9
2017	2954	***	***	***	***	***
2018	2870	176	20.8	15.7	14.8	14.3



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2005	70	1985	69
February	2030	71	2015	70
March	2300	80	2400	84
April	2566	89	2657	93
May	3223	112	3477	121
June	3413	119	3597	125
July	3495	122	3754	131
August	3288	115	3533	123
September	3346	117	3607	126
October	2888	101	2981	104
November	2395	83	2440	85
December	1985	69	1996	70


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR126; MP 3.23; OCHOCO HIGHWAY NO. 41; .35 mile west of Deschutes-Crook County Line	Site Name:	Powell Butte (07-002)
		Installed:	July, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	6972	137	11.3	10.6	10.4	10.3
2010	7099	138	11.7	10.9	10.7	10.6
2011	7020	137	16.4	10.8	10.6	10.4
2012	6962	133	11.9	11.0	10.8	10.6
2013	7453	131	11.1	10.7	10.5	10.3
2014	7720	135	11.4	10.8	10.6	10.5
2015	8534	129	11.0	10.4	10.3	10.2
2016	9466	133	11.9	11.3	11.0	10.9
2017	9553	137	11.2	10.7	10.5	10.3
2018	10372	129	11.6	10.9	10.8	10.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9186	89	8611	83
February	9696	93	8985	87
March	10579	102	9853	95
April	11270	109	10450	101
May	11547	111	10892	105
June	12009	116	11271	109
July	11758	113	11074	107
August	12055	116	11283	109
September	12059	116	11270	109
October	11867	114	10892	105
November	11093	107	10201	98
December	10313	99	9677	93


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 362.00; OREGON COAST HIGHWAY NO. 9; 1.11 miles north of Oregon-California State Line	Site Name:	Winchuck (08-005)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	8707	145	13.5	12.0	11.5	11.2
2010	8615	146	13.2	12.0	11.6	11.3
2011	8315	143	12.9	11.6	11.3	11.2
2012	8404	139	12.1	11.7	11.4	11.3
2013	8682	142	12.6	12.0	11.5	11.4
2014	8741	146	12.8	11.8	11.5	11.3
2015	9305	149	13.5	12.2	11.8	11.6
2016	9510	145	13.0	12.2	11.9	11.6
2017	9682	141	12.7	12.0	11.8	11.6
2018	10031	144	12.9	12.3	12.0	11.7



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8430	84	8292	83
February	9030	90	8982	90
March	9481	95	9297	93
April	9443	94	9321	93
May	10001	100	10029	100
June	11120	111	11068	110
July	12405	124	12491	125
August	12010	120	12276	122
September	11107	111	11005	110
October	9931	99	9722	97
November	9122	91	9065	90
December	8769	87	8823	88

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 301.45; OREGON COAST HIGHWAY NO. 9; 0.11 mile southeast of Jefferson Street (Battle Rock Wayside)	Site Name:	Port Orford (08-009)
		Installed:	July, 2000

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2656	171	17.4	15.9	15.5	15.2
2010	2680	167	17.5	15.2	15.0	14.8
2011	2555	164	15.5	15.0	14.6	14.3
2012	2516	179	17.4	15.9	15.5	15.3
2013	2537	173	17.7	16.0	15.4	15.1
2014	2637	206	19.3	17.3	16.0	15.7
2015	2815	215	20.9	17.5	16.5	15.6
2016	2924	204	19.0	17.1	15.5	15.1
2017	2919	186	17.3	15.7	15.3	15
2018	3000	178	16.9	15.4	15.0	14.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2178	73	2041	68
February	2448	82	2320	77
March	2729	91	2579	86
April	2757	92	2620	87
May	3024	101	2969	99
June	3764	125	3612	120
July	4668	156	4612	154
August	4345	145	4337	145
September	3833	128	3686	123
October	2925	98	2795	93
November	2392	80	2315	77
December	2184	73	2118	71


For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 142.41; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.17 mile south of China Hat Road	Site Name:	Lava Butte (09-003)
		Installed:	January, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	20395	145	12.3	11.5	11.2	11.0
2010	20347	147	12.4	11.8	11.4	11.2
2011	19800	153	12.5	11.8	11.4	11.3
2012	19816	154	13.1	12.0	11.7	11.5
2013	20735	151	13.0	11.8	11.7	11.5
2014	20708	153	12.4	11.8	11.4	11.3
2015	24300	154	12.8	11.9	11.7	11.6
2016	25097	148	12.3	11.5	11.0	10.9
2017	25777	149	11.9	11.5	11.3	11.1
2018	26542	142	11.8	11.2	10.9	10.8

2015 – Construction Nearby altered volume



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	21984	83	21168	80
February	22496	85	21659	82
March	24708	93	23561	89
April	26451	100	25395	96
May	28391	107	27907	105
June	31561	119	31058	117
July	33419	126	33244	125
August	32582	123	32380	122
September	29674	112	28929	109
October	27378	103	26446	100
November	25024	94	24109	91
December	23030	87	22648	85

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20; MP 6.28; CENTRAL OREGON HIGHWAY NO. 7; 1.49 miles east of Powell Butte Road	Site Name:	Pilot Butte (09-005)
		Installed:	October, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2486	***	***	***	***	***
2010	2524	159	14.7	12.9	12.4	12.1
2011	2358	157	15.2	13.4	12.6	12.1
2012	2389	161	15.8	13.1	12.4	12.1
2013	2460	157	14.3	13.0	12.5	12.0
2014	2524	162	14.0	12.8	12.3	12.1
2015	2703	156	14.6	12.6	12.2	12.0
2016	2961	164	17.5	13.1	12.7	12.4
2017	2897	167	16.8	13.0	12.5	12.1
2018	3020	155	13.9	12.4	11.9	11.5



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2282	76	2313	77
February	2310	76	2330	77
March	2791	92	2822	93
April	2813	93	2977	99
May	3100	103	3300	109
June	3430	114	3506	116
July	3545	117	3648	121
August	3477	115	3591	119
September	3392	112	3453	114
October	3100	103	3176	105
November	2754	91	2795	93
December	2310	76	2323	77

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 135.95; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.49 mile south of Empire Avenue	Site Name:	Bend-Empire (09-007)
		Installed:	June, 1998

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	42205	***	***	***	***	***
2010	41291	***	***	***	***	***
2011	41870	***	***	***	***	***
2012	42691	128	10.9	10.4	10.2	10.2
2013	44744	130	11.1	10.4	10.3	10.2
2014	46107	131	10.8	10.4	10.3	10.2
2015	48885	128	10.5	10.1	10.0	9.9
2016	52144	127	10.1	10.0	9.9	9.9
2017	53959	130	10.2	9.9	9.8	9.8
2018	55100	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	52038	94	49021	89
February	53916	98	50255	91
March	56977	103	53349	97
April	59437	108	55669	101
May	60203	109	57018	103
June	62052	113	58932	107
July	62200	113	59500	108
August	61403	111	58681	106
September	61002	111	57476	104
October	59850	109	56167	102
November	56502	103	53076	96
December	53931	98	52059	94


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 137.36; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.23 mile south of Revere Avenue Interchange	Site Name:	Bend-Revere (09-009)
		Installed:	June, 1998

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	38140	***	***	***	***	***
2010	38467	133	10.7	10.4	10.3	10.2
2011	38506	130	10.9	10.4	10.3	10.2
2012	39052	129	10.8	10.4	10.3	10.2
2013	41556	132	10.9	10.5	10.3	10.2
2014	43191	135	11.1	10.7	10.5	10.4
2015	46158	131	10.8	10.5	10.3	10.3
2016	49523	131	10.7	10.4	10.3	10.2
2017	52823	133	10.7	10.3	10.2	10.1
2018	54695	128	10.3	10.1	10.0	9.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	50912	93	47676	87
February	52475	96	48672	89
March	55640	102	51667	94
April	58763	107	54467	100
May	60591	111	56764	104
June	63902	117	59915	110
July	64284	118	61041	112
August	64563	118	61078	112
September	60880	111	56897	104
October	59427	109	55232	101
November	55891	102	51923	95
December	53189	97	51008	93


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20/OR126 MP 93.12; SANTIAM HIGHWAY NO. 16; 0.31 mile south of Black Butte Ranch Road	Site Name:	Sisters (09-014)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	7621	***	***	***	***	***
2010	7670	210	22.2	19.8	19.2	18.5
2011	7489	211	22.2	20.1	19.4	18.8
2012	7490	***	***	***	***	***
2013	7856	211	21.9	20.0	19.1	18.4
2014	8024	213	22.2	20.3	19.7	18.9
2015	8827	222	21.8	19.7	18.9	18.2
2016	9124	201	20.8	19.2	18.4	17.6
2017	8803	209	22.6	20.0	18.9	18.2
2018	9243	***	***	***	***	***



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4998	54	5718	62
February	5004	54	5919	64
March	6299	68	7240	78
April	6568	71	7996	87
May	8782	95	10552	114
June	10259	111	12068	131
July	11909	129	13773	149
August	11000	119	13000	141
September	9647	104	11274	122
October	7701	83	9312	101
November	6510	70	7555	82
December	5823	63	6503	70

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20; MP 9.25; MCKENZIE-BEND HIGHWAY NO. 17; 0.47 mile northwest of Innes Market Road	Site Name:	Three Sisters Viewpoint (09-015)
		Installed:	January, 2003

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	8888	157	14.0	13.1	12.7	12.6
2010	8851	159	14.4	13.7	13.2	13.0
2011	8663	160	15.2	13.7	13.2	13.0
2012	8678	162	14.8	13.8	13.5	13.3
2013	9051	156	14.3	13.6	13.0	12.8
2014	9408	160	15.8	13.8	13.5	13.2
2015	10224	171	14.3	13.6	13.0	12.8
2016	10755	157	13.9	13.1	12.8	12.5
2017	10892	163	14.0	12.9	12.6	12.4
2018	11384	155	17.0	13.0	12.6	12.4



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8603	76	8592	75
February	8768	77	8791	77
March	9945	87	9847	86
April	10538	93	10775	95
May	11952	105	12376	109
June	13095	115	13580	119
July	13824	121	14497	127
August	13535	119	14167	124
September	12466	110	12899	113
October	11349	100	11754	103
November	10101	89	10130	89
December	9176	81	9200	81

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 124.39; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.79 mile south of Yew Avenue	Site Name:	Redmond (09-020)
		Installed:	February, 1994

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2010	27361	146	12.1	10.7	10.3	10.2
2011	26517	148	12.2	10.9	10.3	10.0
2012	26314	140	12.3	10.4	10.3	10.3
2013	27490	145	12.3	10.7	10.3	10.2
2014	28187	146	11.9	10.9	10.6	10.4
2015	30800	140	11.0	10.4	10.3	10.2
2016	33693	141	10.9	10.2	10.0	10.0
2017	34831	138	10.5	10.2	9.9	9.8
2018	36036	138	10.8	10.3	10.1	10.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	33884	94	31499	87
February	35664	99	32687	91
March	36698	102	34558	96
April	38839	108	34999	97
May	39000	108	37000	103
June	42310	117	39439	109
July	41334	115	39110	109
August	42449	118	40325	112
September	40417	112	37606	104
October	40127	111	37371	104
November	37720	105	34898	97
December	34730	96	32939	91


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR126; MP 108.27; MCKENZIE HIGHWAY NO. 15; 1.38 miles west of S.W. Helmholtz Way (S.W. 43rd Street)	Site Name:	Cline Falls (09-021)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	7934	***	***	***	***	***
2010	8230	168	16.0	12.1	11.6	11.3
2011	8111	146	12.8	11.7	11.4	11.2
2012	8124	146	12.4	11.5	11.3	11.2
2013	8432	146	12.4	11.5	11.2	11.1
2014	8773	143	12.3	11.3	11.0	10.9
2015	9535	143	11.8	11.0	10.9	10.7
2016	10038	140	12.0	11.3	11.0	10.9
2017	10210	143	11.7	11.1	10.8	10.7
2018	10654	140	11.8	11.1	10.8	10.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8408	79	8337	78
February	8634	81	8443	79
March	9780	92	9762	92
April	10598	99	10511	99
May	11566	109	11659	109
June	12247	115	12313	116
July	12802	120	12938	121
August	12310	116	12515	117
September	11641	109	11646	109
October	10920	102	10843	102
November	9905	93	9749	92
December	9163	86	9130	86


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 120.92; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.04 mile north of S.W. Antler Avenue	Site Name:	Redmond-Hemlock (09-022)
		Installed:	July, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	17032	***	***	***	***	***
2010	18493	138	11.1	10.6	10.3	10.1
2011	18201	142	11.5	10.6	10.3	10.2
2012	18538	140	11.9	10.6	10.4	10.2
2013	20262	138	11.2	10.5	10.3	10.1
2014	20807	141	11.2	10.6	10.4	10.3
2015	22111	134	10.6	10.2	10.0	9.8
2016	23609	135	10.4	10.0	9.8	9.7
2017	24051	136	10.4	9.8	9.7	9.6
2018	24656	129	10.1	9.5	9.4	9.4



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	21821	89	20796	84
February	22940	93	21737	88
March	25029	102	23920	97
April	26096	106	25115	102
May	27148	110	26312	107
June	28323	115	27397	111
July	27813	113	27361	111
August	27632	112	27320	111
September	26682	108	25798	105
October	25771	105	25299	103
November	24102	98	23131	94
December	22305	90	21682	88

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 119.09; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.57 mile south of O'Neil Highway No. 370	Site Name:	North Redmond (09-023)
		Installed:	August, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	18311	145	12.7	10.7	10.4	10.3
2010	18408	138	11.4	11.0	10.6	10.4
2011	17996	145	11.7	10.9	10.6	10.4
2012	18186	140	12.1	10.8	10.6	10.5
2013	18968	139	11.2	10.7	10.5	10.3
2014	19725	142	11.3	10.9	10.6	10.5
2015	21090	135	11.0	10.4	10.3	10.1
2016	22411	140	11.0	10.5	10.4	10.2
2017	22809	138	11.2	10.3	10.1	10.1
2018	23386	133	10.7	10.1	10.0	9.8



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	19884	85	19275	82
February	20834	89	20118	86
March	22888	98	22320	95
April	23944	102	23545	101
May	25311	108	25069	107
June	26733	114	26330	113
July	26324	113	26435	113
August	26100	112	26372	113
September	25117	107	24764	106
October	24037	103	24240	104
November	22303	95	21807	93
December	20636	88	20353	87

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20; MP 63.45; CENTRAL OREGON HIGHWAY NO. 7; 5.80 miles northwest of Deschutes-Lake County Line	Site Name:	Hampton (09-024)
		Installed:	January, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1184	198	20.6	18.0	17.0	16.3
2010	1200	200	21.0	18.2	17.2	16.7
2011	1183	185	20.1	16.7	16.1	15.5
2012	1234	180	22.3	18.1	16.9	16.4
2013	1268	197	21.5	18.7	17.2	16.6
2014	1359	188	20.5	18.0	16.7	16.3
2015	1511	201	20.3	17.3	16.7	16.1
2016	1638	220	28.2	18.0	17.0	16.2
2017	1699	183	27.6	17.8	17.0	16.3
2018	1752	182	19.1	17.6	16.4	15.9



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1031	59	1039	59
February	1050	60	1061	61
March	1387	79	1440	82
April	1522	87	1616	92
May	1876	107	1959	112
June	2178	124	2301	131
July	2230	127	2401	137
August	2184	125	2326	133
September	2163	123	2248	128
October	1818	104	1900	108
November	1484	85	1588	91
December	1082	62	1144	65

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 140.45; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.07 mile north of Pinebrook Boulevard	Site Name:	Bend-Pinebrook (09-025)
		Installed:	January, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	17458	143	11.7	11.2	10.8	10.7
2011	16828	***	***	***	***	***
2012	17765	***	***	***	***	***
2013	17989	140	11.4	10.7	10.6	10.5
2014	18319	139	10.3	9.8	9.8	9.6
2015	19059	***	***	***	***	***
2016	19966	147	21.6	9.9	9.3	9.1
2017	21198	148	11.4	11.2	10.9	10.8
2018	21754	140	11.5	10.6	10.4	10.3



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	18388	85	17516	81
February	18775	86	17900	82
March	20481	94	19368	89
April	22067	101	20971	96
May	23620	109	22945	105
June	26099	120	25436	117
July	27084	125	26903	124
August	26759	123	26416	121
September	24344	112	23564	108
October	22609	104	21620	99
November	20806	96	19837	91
December	19076	88	18571	85

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR38; MP 23.65; UMPQUA HIGHWAY NO. 45; 7.08 miles east of Scottsburg West Road	Site Name:	Scottsburg (10-003)
		Installed:	December, 1956

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	3316	215	26.2	19.7	17.2	16.6
2010	3322	198	23.4	19.1	17.0	16.3
2011	3214	200	22.2	17.6	16.6	15.9
2012	3139	211	22.9	19.2	17.9	17.0
2013	3165	220	24.8	19.7	17.9	16.7
2014	3126	216	22.8	19.7	18.1	17.5
2015	3531	205	22.4	18.8	17.6	16.9
2016	3668	186	20.2	17.8	16.8	16.2
2017	3603	192	22.2	19.1	17.9	16.9
2018	3805	186	20.6	17.6	16.8	16.2



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2557	67	2719	71
February	2696	71	2933	77
March	3192	84	3408	90
April	3174	83	3388	89
May	3580	94	3967	104
June	4019	106	4374	115
July	4606	121	5183	136
August	4664	123	5283	139
September	4033	106	4429	116
October	3398	89	3675	97
November	3100	81	3350	88
December	2799	74	2949	78

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR138; MP 28.41; NORTH UMPQUA HIGHWAY NO. 138; 0.10 mile west of Susan Creek Road	Site Name:	Glide (10-004)
		Installed:	June, 1966

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	962	***	***	***	***	***
2010	973	246	27.3	24.4	23.3	22.3
2011	976	253	27.7	24.0	22.4	21.2
2012	936	236	29.2	22.9	21.7	20.8
2013	908	255	32.8	25.4	23.3	22.7
2014	909	254	33.2	25.3	24.0	22.2
2015	964	265	29.7	25.3	23.3	21.7
2016	1069	274	28.0	25.5	24.4	23.2
2017	981	***	***	***	***	***
2018	1108	252	32.2	25.2	22.3	21.7



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	497	45	567	51
February	490	44	562	51
March	628	57	682	62
April	730	66	815	74
May	1099	99	1286	116
June	1418	128	1596	144
July	1762	159	2026	183
August	1515	137	1735	157
September	1358	123	1515	137
October	1035	93	1194	108
November	624	56	722	65
December	490	44	597	54

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 130.15; PACIFIC HIGHWAY NO. 1; 0.70 mile north of Winchester Interchange	Site Name:	Roseburg (10-005)
		Installed:	August, 1999

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	29874	136	10.7	10.2	10.0	9.9
2010	30099	***	***	***	***	***
2011	29444	145	11.6	10.3	10.0	9.9
2012	29325	***	***	***	***	***
2013	29783	149	12.4	10.8	10.3	10.1
2014	30622	149	11.9	10.8	10.3	10.2
2015	32404	148	12.0	10.5	10.0	9.8
2016	33668	145	30.6	10.8	10.2	9.8
2017	34153	144	11.5	10.8	10.3	9.9
2018	34564	140	11.2	10.2	9.9	9.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	30630	89	29525	85
February	31461	91	30585	88
March	34232	99	33432	97
April	34896	101	34061	99
May	36141	105	35345	102
June	39168	113	38639	112
July	39080	113	38892	113
August	38712	112	38326	111
September	35566	103	35059	101
October	34866	101	34016	98
November	34916	101	34222	99
December	32679	95	32663	95


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR42; MP 70.20; COOS BAY-ROSEBURG HIGHWAY NO. 35; 1.53 miles west of Brockway Road	Site Name:	Brockway (10-006)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	5552	138	12.4	10.8	10.5	10.3
2010	5636	138	11.6	10.8	10.5	10.3
2011	5331	141	11.8	10.8	10.5	10.3
2012	5206	135	11.6	10.6	10.4	10.3
2013	5291	139	11.3	10.7	10.4	10.2
2014	5401	137	12.3	10.6	10.4	10.2
2015	5638	134	11.8	10.6	10.4	10.1
2016	5831	147	12.3	11.1	10.7	10.3
2017	5927	148	11.5	10.7	10.3	10.2
2018	6086	134	11.5	10.6	10.4	10.3



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5325	87	5198	85
February	5423	89	5338	88
March	5926	97	5708	94
April	6068	100	5896	97
May	6360	105	6324	104
June	6769	111	6668	110
July	6966	114	7066	116
August	6967	114	7031	116
September	6584	108	6554	108
October	6207	102	6116	100
November	5800	95	5700	94
December	5491	90	5432	89


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5/OR99 MP 145.39; PACIFIC HIGHWAY NO. 1; 5.06 miles north of OR99	Site Name:	Oakland (10-007)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	21488	168	14.9	12.2	11.5	11.1
2010	21893	154	14.4	12.5	11.5	11.1
2011	21273	***	***	***	***	***
2012	20930	165	14.2	12.6	11.4	11.2
2013	21326	165	14.8	12.5	11.5	11.0
2014	21799	165	14.4	12.1	11.3	10.9
2015	23398	162	14.0	12.4	11.3	10.7
2016	24069	161	14.2	12.2	11.1	10.7
2017	24602	***	***	***	***	***
2018	24501	154	13.1	11.4	11.1	10.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	20394	83	20247	83
February	20726	85	20858	85
March	23269	95	23588	96
April	23542	96	23870	97
May	24718	101	24960	102
June	27533	112	28082	115
July	27842	114	28644	117
August	27118	111	27803	113
September	24345	99	24863	101
October	23260	95	23649	97
November	23940	98	24350	99
December	22322	91	23099	94


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 98.82; PACIFIC HIGHWAY NO. 1; 0.54 mile north of Canyonville/Days Creek Interchange (Fifth Street)	Site Name:	Canyonville (10-008)
		Installed:	January, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	19354	***	***	***	***	***
2010	19559	159	16.1	13.2	12.1	11.7
2011	19017	164	15.1	12.5	11.7	11.4
2012	18710	166	15.6	13.3	11.8	11.6
2013	19155	166	16.6	13.1	12.2	11.5
2014	19539	168	16.3	13.1	11.9	11.5
2015	20961	164	16.3	12.8	11.9	11.4
2016	21606	161	15.4	12.5	11.7	11.1
2017	21967	176	15.4	13.1	12.2	11.6
2018	21946	155	14.8	12.1	11.4	11.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17844	81	17746	81
February	18154	83	18344	84
March	20484	93	20918	95
April	20717	94	21162	96
May	21907	100	22221	101
June	24532	112	25175	115
July	25179	115	26227	120
August	24450	111	25396	116
September	21765	99	22254	101
October	20691	94	21205	97
November	21142	96	21798	99
December	19572	89	20900	95


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 151.57; PACIFIC HIGHWAY NO. 1; 0.20 miles south of Wilson Road Overpass	Site Name:	Yoncalla (10-010)
		Installed:	April, 2017

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009						
2010						
2011						
2012						
2013						
2014						
2015						
2016						
2017	***	***	***	***	***	***
2018	22390	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	18038	81	18122	81
February	18000	80	18500	83
March	21100	94	21700	97
April	20800	93	21300	95
May	22487	100	22937	102
June	25016	112	25781	115
July	25501	114	26507	118
August	24828	111	25733	115
September	22014	98	22782	102
October	20978	94	21635	97
November	21799	97	22448	100
December	20284	91	21232	95


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR206; MP 41.74; WASCO-HEPPNER HIGHWAY NO. 300; 0.86 mile east of John Day Highway No. 5 (OR19)	Site Name:	Condon (11-004)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	183	201	24.0	18.6	17.5	16.9
2010	180	183	32.8	18.9	17.3	16.1
2011	188	216	66.5	20.2	18.1	16.5
2012	188	192	41.4	19.1	16.5	15.9
2013	190	181	31.1	18.4	16.3	15.8
2014	182	206	42.9	18.1	16.5	15.9
2015	177	194	22.0	18.6	16.9	15.8
2016	193	212	52.3	19.2	17.1	16.0
2017	191	221	27.8	21.0	17.3	16.3
2018	187	177	24.7	18.8	17.7	16.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	151	81	142	76
February	162	87	148	79
March	183	98	170	91
April	197	105	183	98
May	216	116	208	111
June	212	113	203	109
July	217	116	208	111
August	228	122	219	117
September	237	127	229	122
October	224	120	210	112
November	179	96	169	90
December	160	86	151	81


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR19; MP 6.81; JOHN DAY HIGHWAY NO. 5; 6.81 miles south of Columbia River Highway No. 2 (I-84/US301)	Site Name:	Shutler (11-007)
		Installed:	April, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	770	***	***	***	***	***
2010	956	172	19.8	18.0	16.8	16.3
2011	755	174	20.3	16.8	15.2	14.7
2012	684	159	15.8	14.0	13.6	13.3
2013	659	161	15.8	14.7	14.1	13.7
2014	634	158	18.0	15.3	14.7	14.4
2015	648	153	17.1	15.1	14.7	14.2
2016	688	154	19.8	15.6	15.0	14.6
2017	744	***	***	***	***	***
2018	755	150	15.8	14.7	14.0	13.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	780	103	648	86
February	787	104	650	86
March	863	114	709	94
April	922	122	766	101
May	923	122	786	104
June	949	126	792	105
July	945	125	796	105
August	958	127	813	108
September	976	129	828	110
October	975	129	817	108
November	887	117	731	97
December	849	112	723	96


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 147.78; COLUMBIA RIVER HIGHWAY NO. 2; 0.43 mile east of Heppner Highway No. 52 (OR74)	Site Name:	Heppner Jct (11-009)
		Installed:	January, 2006

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	10521	189	21.1	16.9	16.2	15.4
2010	10774	180	21.3	16.3	15.8	14.8
2011	10751	189	21.0	15.8	15.2	14.5
2012	10566	182	21.8	16.1	15.7	15.0
2013	10726	195	22.7	17.1	16.3	15.4
2014	10995	184	22.5	16.4	15.7	14.9
2015	11926	177	21.8	16.0	15.5	15.0
2016	12563	185	21.6	16.0	15.1	14.7
2017	12552	181	19.2	16.1	15.4	15.0
2018	13083	170	20.5	16.0	15.3	14.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8590	66	8791	67
February	9222	70	9607	73
March	10948	84	11972	92
April	11597	89	12588	96
May	12799	98	13689	105
June	14436	110	15841	121
July	15121	116	16860	129
August	15345	117	16947	130
September	13911	106	14918	114
October	12264	94	13400	102
November	10869	83	12069	92
December	9693	74	10316	79


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 131.40; JOHN DAY HIGHWAY NO. 5; 1.05 miles east of Franks Creek Road in Dayville	Site Name:	Dayville (12-003)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	946	215	23.9	18.7	17.4	16.8
2010	956	212	20.7	18.3	17.1	16.4
2011	889	208	20.1	17.8	16.6	15.7
2012	869	194	19.7	18.0	17.2	16.2
2013	871	212	30.9	20.4	18.1	17.0
2014	883	211	20.3	18.3	17.2	16.8
2015	930	195	18.2	16.7	16.0	15.9
2016	959	198	23.7	19.7	17.6	16.8
2017	983	***	***	***	***	***
2018	963	201	21.2	18.6	17.5	16.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	604	63	587	61
February	621	64	625	65
March	737	77	739	77
April	855	89	873	91
May	1058	110	1098	114
June	1142	119	1179	122
July	1254	130	1322	137
August	1169	121	1268	132
September	1254	130	1350	140
October	1009	105	1054	109
November	835	87	850	88
December	613	64	612	64

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US395; MP 89.80; PENDLETON-JOHN DAY HIGHWAY NO. 28; 0.62 mile south of bridge over Long Creek	Site Name:	Long Creek (12-006)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	365	239	25.8	20.0	17.8	17.3
2010	356	193	24.7	19.9	18.0	17.1
2011	342	198	23.7	18.4	17.6	16.7
2012	346	229	29.2	19.1	17.3	16.5
2013	329	205	48.3	20.4	19.5	18.2
2014	343	***	***	***	***	***
2015	359	241	37.4	19.5	18.1	17.6
2016	366	372	58.8	24.1	20.8	18.6
2017	379	***	***	***	***	***
2018	374	187	23.5	19.3	17.9	17.1

2014 – Atypical values due to fire were removed



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	205	55	203	54
February	235	63	235	63
March	275	74	270	72
April	315	84	334	89
May	388	104	408	109
June	443	118	459	123
July	474	127	491	131
August	486	130	507	136
September	551	147	564	151
October	428	114	444	119
November	334	89	341	91
December	230	61	232	62


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 175.79; JOHN DAY HIGHWAY NO. 5; 0.53 mile east of Main Street in Prairie City	Site Name:	Prairie City (12-009)
		Installed:	January, 1981

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	914	186	19.3	17.3	16.5	15.8
2010	947	189	19.9	17.0	16.1	15.8
2011	861	186	22.1	16.9	15.9	15.7
2012	831	178	18.4	16.7	16.1	15.5
2013	835	191	20.2	17.7	16.6	16.3
2014	856	186	20.9	16.7	16.1	15.5
2015	898	187	19.6	16.6	15.9	15.5
2016	928	288	35.4	18.9	17.2	16.2
2017	952	***	***	***	***	***
2018	914	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	595	65	592	65
February	606	66	614	67
March	704	77	710	78
April	800	88	828	91
May	1030	113	1078	118
June	1116	122	1155	126
July	1193	131	1242	136
August	1128	123	1186	130
September	1300	142	1350	148
October	995	109	1022	112
November	786	86	806	88
December	583	64	583	64

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US395; MP 66.30; JOHN DAY-BURNS HIGHWAY NO. 48; 1.31 mile north of Central Oregon Highway No. 7 (US20)	Site Name:	Burns (13-001)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	500	***	***	***	***	***
2010	507	207	24.7	17.9	16.0	15.6
2011	454	175	18.7	16.1	15.2	14.7
2012	455	168	18.0	16.0	15.6	14.7
2013	453	218	25.8	17.4	16.6	15.7
2014	459	176	19.0	15.9	15.3	14.8
2015	490	177	20.0	16.5	15.3	15.1
2016	511	183	27.6	16.9	15.4	14.8
2017	540	***	***	***	***	***
2018	509	155	20.8	15.7	15.1	14.9

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	312	61	311	61
February	320	63	312	61
March	389	76	376	74
April	465	91	470	92
May	577	113	596	117
June	628	123	631	124
July	626	123	651	128
August	598	117	609	120
September	683	134	708	139
October	586	115	602	118
November	497	98	500	98
December	337	66	337	66

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20; MP 126.60; CENTRAL OREGON HIGHWAY NO. 7; 0.04 mile northeast of Greenhouse Lane, southwest of Hines	Site Name:	Hines (13-003)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2190	173	16.2	14.4	14.0	13.5
2010	2185	171	17.1	14.7	14.1	13.8
2011	2088	174	16.0	14.6	14.0	13.7
2012	2069	166	16.6	14.5	14.2	14.1
2013	2108	165	18.2	15.4	14.4	13.9
2014	2183	174	18.2	15.0	14.3	14.0
2015	2382	181	17.5	15.1	14.2	13.9
2016	2528	186	21.0	15.3	14.8	14.2
2017	2620	***	***	***	***	***
2018	2664	166	17.2	15.5	14.5	14.3

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1711	64	1646	62
February	1795	67	1708	64
March	2224	83	2196	82
April	2533	95	2518	95
May	2937	110	2910	109
June	3455	130	3464	130
July	3464	130	3584	135
August	3485	131	3549	133
September	3308	124	3309	124
October	2879	108	2876	108
November	2398	90	2425	91
December	1788	67	1788	67


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR205; MP 0.01; FRENCHGLEN HIGHWAY NO. 440; 0.01 mile south of Steens Highway No. 442 (OR78)	Site Name:	Frenchglen (13-005)
		Installed:	January, 2002

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	425	***	***	***	***	***
2010	394	***	***	***	***	***
2011	388	179	26.5	15.4	14.7	13.6
2012	391	177	21.7	15.6	14.6	14.1
2013	362	295	82.3	16.9	15.2	14.4
2014	371	159	22.1	15.9	14.8	14.0
2015	401	158	16.7	14.4	14.2	13.7
2016	441	171	24.3	13.8	13.2	12.7
2017	456	221	28.3	15.1	14.0	13.4
2018	426	173	20.9	15.0	14.3	13.4



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	370	87	341	80
February	395	93	355	83
March	455	107	420	99
April	476	112	457	107
May	523	123	487	114
June	526	123	509	119
July	519	122	492	115
August	522	123	478	112
September	529	124	509	119
October	465	109	436	102
November	379	89	345	81
December	303	71	282	66


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR78; MP 1.70; STEENS HIGHWAY NO. 442; 0.03 mile west of Frenchglen Highway No. 440 (OR205)	Site Name:	Steens (13-007)
		Installed:	January, 2002

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1547	140	12.9	11.6	11.3	11.1
2010	1491	154	12.9	11.9	11.5	11.5
2011	1572	***	***	***	***	***
2012	1491	***	***	***	***	***
2013	1396	249	28.4	13.6	12.2	11.6
2014	1400	149	13.3	11.8	11.4	11.3
2015	1499	149	13.5	11.9	11.6	11.4
2016	1595	149	14.9	11.5	11.1	10.9
2017	1636	190	20.8	12.6	11.9	11.6
2018	1705	141	12.7	11.5	11.2	10.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1426	84	1331	78
February	1503	88	1371	80
March	1726	101	1586	93
April	1874	110	1773	104
May	2003	117	1887	111
June	2042	120	1948	114
July	1978	116	1886	111
August	2040	120	1932	113
September	1993	117	1919	113
October	1945	114	1814	106
November	1710	100	1605	94
December	1500	88	1403	82

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR35; MP 82.91; MT. HOOD HIGHWAY NO. 26; 2.12 miles south of Hood River Highway No. 281	Site Name:	Mt. Hood (14-003)
		Installed:	August, 1967

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1274	***	***	***	***	***
2010	1275	305	47.6	30.8	23.5	21.3
2011	1167	319	64.8	30.4	25.5	23.2
2012	1213	346	62.6	33.5	25.4	23.7
2013	1197	278	66.6	30.6	25.6	23.9
2014	1246	267	40.0	26.0	23.4	22.5
2015	1356	365	62.4	35.4	25.2	22.6
2016	1573	279	49.4	29.4	25.6	23.8
2017	1701	***	***	***	***	***
2018	1661	293	39.7	28.9	23.5	22.2

2017 – Atypical values due to fire were removed



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1181	71	1702	102
February	1370	82	1706	103
March	1119	67	1562	94
April	957	58	1196	72
May	1271	77	1586	95
June	1623	98	1900	114
July	2029	122	2369	143
August	1690	102	2024	122
September	1514	91	1749	105
October	1151	69	1398	84
November	761	46	971	58
December	1525	92	1773	107


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 45.53; COLUMBIA RIVER HIGHWAY NO. 2; 0.20 mile east of East Cascade Locks Interchange	Site Name:	Cascade Locks (14-004)
		Installed:	November, 2010

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	20835	166	17.5	14.1	13.9	13.4
2012	20748	164	15.6	14.4	14.0	13.7
2013	21041	171	18.8	14.6	14.0	13.5
2014	21574	177	16.7	15.1	14.6	14.1
2015	23252	162	15.0	14.4	13.7	13.5
2016	24242	164	16.3	14.5	14.2	13.7
2017	22682	***	***	***	***	***
2018	25133	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17000	68	18000	72
February	18000	72	19500	78
March	22000	88	22600	90
April	23000	92	24500	97
May	28000	111	26900	107
June	29000	115	30000	119
July	31100	124	33300	132
August	29300	117	31300	125
September	27200	108	29000	115
October	22500	90	26000	103
November	21000	84	23000	92
December	16500	66	17500	70


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 42.84; PACIFIC HIGHWAY NO. 1; 2.01 miles north of the Kane Creek Interchange	Site Name:	Gold Hill (15-001)
		Installed:	June, 1966

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	33174	142	11.5	10.3	9.9	9.7
2010	34064	138	11.2	10.3	10.0	9.8
2011	32819	141	11.1	10.0	9.9	9.8
2012	32106	138	11.9	10.3	10.0	9.9
2013	32717	139	11.4	10.2	10.0	9.8
2014	34048	139	11.4	9.9	9.7	9.6
2015	36575	133	11.4	9.9	9.7	9.6
2016	38634	140	10.6	9.9	9.7	9.6
2017	39990	137	10.9	10.0	9.8	9.7
2018	40506	130	10.4	9.7	9.6	9.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	36552	90	34600	85
February	37697	93	36015	89
March	40599	100	38822	96
April	41715	103	40099	99
May	42780	106	41489	102
June	46662	115	45010	111
July	46339	114	45279	112
August	46050	114	44612	110
September	42775	106	41044	101
October	42516	105	40791	101
November	41930	104	40289	99
December	38726	96	38017	94


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 11.03; PACIFIC HIGHWAY NO. 1; 0.86 mile south of Rogue Valley Highway No. 63 Interchange (OR99)	Site Name:	Neil Creek (15-002)
		Installed:	November, 1964

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	15052	176	17.4	13.6	12.7	12.2
2010	14937	171	17.8	14.1	13.1	12.7
2011	14664	177	16.7	13.1	12.6	12.2
2012	14280	172	24.3	14.5	13.1	12.6
2013	14643	179	17.8	13.6	12.7	12.1
2014	14961	179	17.9	14.3	13.3	12.7
2015	16219	178	18.3	13.7	13.0	12.2
2016	17004	170	16.7	13.0	12.2	11.7
2017	17247	173	15.3	13.7	12.9	12.4
2018	16908	167	15.5	13.3	12.5	11.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13160	78	13187	78
February	13476	80	13751	81
March	15419	91	16136	95
April	15693	93	16210	96
May	16959	100	17246	102
June	19680	116	20291	120
July	19572	116	20469	121
August	18645	110	19306	114
September	16318	97	16469	97
October	15968	94	16350	97
November	16569	98	17145	101
December	15172	90	16330	97


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR66; MP 6.61; GREEN SPRINGS HIGHWAY NO. 21; 0.15 mile east of Siskiyou Highway No. 273 (OR273)	Site Name:	Siskiyou Jct (15-007)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1037	***	***	***	***	***
2010	1013	186	19.5	16.7	15.4	14.8
2011	985	190	19.1	17.4	16.1	15.5
2012	979	195	19.7	17.1	16.3	15.6
2013	997	181	19.4	16.4	15.6	15.1
2014	1039	182	17.7	15.1	14.1	13.5
2015	1109	161	17.1	13.6	13.2	12.5
2016	1110	170	17.5	15.1	14.4	14.1
2017	1140	209	19.0	17.6	16.6	15.7
2018	1134	248	32.2	16.8	15.7	14.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	823	73	832	73
February	842	74	862	76
March	951	84	958	84
April	1119	99	1136	100
May	1332	117	1430	126
June	1461	129	1543	136
July	1393	123	1373	121
August	1106	98	1138	100
September	1188	105	1210	107
October	1177	104	1217	107
November	1048	92	1068	94
December	834	74	837	74


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR238; MP 24.94; JACKSONVILLE HIGHWAY NO. 272; 0.68 mile west of Applegate Road at Ruch	Site Name:	Ruch (15-011)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2906	139	13.3	11.9	11.5	11.0
2010	2942	143	19.2	11.9	11.4	11.0
2011	2902	141	15.1	12.4	11.5	11.3
2012	2874	137	14.6	12.9	12.0	11.8
2013	2889	145	14.7	12.3	11.6	11.4
2014	2983	133	13.1	11.9	11.5	11.2
2015	3191	131	13.5	11.6	11.2	10.9
2016	3469	141	14.0	12.5	11.6	11.1
2017	3565	143	15.1	11.8	11.3	11
2018	3430	141	14.4	12.5	12.0	11.3



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3106	91	2922	85
February	3208	94	3027	88
March	3388	99	3191	93
April	3594	105	3401	99
May	3720	108	3687	107
June	4226	123	4143	121
July	4072	119	3941	115
August	3742	109	3587	105
September	3674	107	3593	105
October	3694	108	3549	103
November	3362	98	3207	93
December	3045	89	2909	85


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR62; MP 15.46; CRATER LAKE HIGHWAY NO. 22; 1.83 miles north of Sams Valley Highway No. 271 (OR234)	Site Name:	Shady Cove (15-013)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	7361	146	15.2	12.7	12.1	11.5
2010	7474	150	14.3	12.7	11.7	11.3
2011	7214	141	14.0	12.6	12.2	11.3
2012	7159	144	13.9	12.9	11.9	11.4
2013	7211	142	13.8	12.3	11.4	11.0
2014	7548	143	14.2	12.3	11.7	11.1
2015	7918	140	13.5	11.8	11.1	10.8
2016	8450	142	14.5	12.1	11.5	11.0
2017	8518	147	15.1	12.1	11.3	11.0
2018	8546	133	13.1	11.6	10.8	10.4



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7312	86	7054	83
February	7510	88	7238	85
March	8045	94	7757	91
April	8462	99	8213	96
May	9259	108	9308	109
June	10103	118	10226	120
July	10190	119	10309	121
August	9384	110	9342	109
September	9284	109	9262	108
October	8872	104	8685	102
November	8152	95	7912	93
December	7378	86	7251	85

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99; MP 15.93; ROGUE VALLEY HIGHWAY NO. 63; 0.33 mile northwest of Talent Avenue	Site Name:	Talent (15-014)
		Installed:	September, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	9048	***	***	***	***	***
2010	8847	126	13.2	10.3	10.2	10.0
2011	8741	124	13.3	10.4	10.2	10.1
2012	8428	131	14.0	11.7	10.7	10.5
2013	8274	130	15.0	10.5	10.3	10.1
2014	8836	140	14.3	12.6	12.3	11.9
2015	9201	123	11.2	10.3	10.0	9.9
2016	9796	133	12.0	10.5	10.1	10.0
2017	9351	126	12.4	10.4	10.2	10.1
2018	8402	***	***	***	***	***

2018 – Construction Zone



2015 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8954	107	8323	99
February	9343	111	8677	103
March	9599	114	8876	106
April	10054	120	9350	111
May	9450	112	8900	106
June	9050	108	8500	101
July	8850	105	8300	99
August	8750	104	8200	98
September	8650	103	8100	96
October	8950	107	8400	100
November	8264	98	7746	92
December	7766	92	7455	89

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR62; MP 1.11; CRATER LAKE HIGHWAY NO. 22; 0.64 mile east of Pacific Highway No. 1 (I-5)	Site Name:	North Medford (15-017)
		Installed:	July, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	41914	130	10.1	9.8	9.7	9.7
2010	42370	125	10.4	10.0	9.8	9.8
2011	42399	128	10.3	10.0	9.9	9.9
2012	41620	124	10.2	10.0	9.9	9.8
2013	41686	127	10.2	9.9	9.9	9.8
2014	44018	121	9.8	9.6	9.5	9.4
2015	45903	120	9.5	9.3	9.3	9.2
2016	46843	120	9.5	9.2	9.2	9.1
2017	47138	***	***	***	***	***
2018	43316	***	***	***	***	***

2018 – Construction Zone



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	40500	93	39000	90
February	43500	100	42000	97
March	44000	102	42500	98
April	45000	104	43500	100
May	45500	105	44000	102
June	46000	106	44500	103
July	45000	104	43500	100
August	47000	109	45500	105
September	46087	106	44144	102
October	46618	108	44629	103
November	44983	104	43450	100
December	43880	101	43063	99


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 28.33; PACIFIC HIGHWAY NO. 1; 1.96 miles southeast of the South Medford Interchange	Site Name:	Medford Viaduct (15-019)
		Installed:	June, 1966

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	46362	***	***	***	***	***
2010	45611	130	10.4	9.6	9.5	9.4
2011	44776	132	10.3	9.7	9.5	9.4
2012	45167	131	10.8	9.9	9.6	9.5
2013	46888	126	10.2	9.6	9.5	9.4
2014	47397	129	10.2	9.5	9.4	9.4
2015	50182	125	9.8	9.5	9.4	9.4
2016	52270	130	9.9	9.5	9.3	9.3
2017	53232	129	10.1	9.6	9.5	9.4
2018	54047	125	10.1	9.5	9.4	9.3



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	51344	95	47677	88
February	53044	98	49337	91
March	56055	104	52475	97
April	58036	107	54288	100
May	58802	109	55507	103
June	62655	116	58878	109
July	60747	112	57516	106
August	60341	112	56602	105
September	58509	108	54674	101
October	59246	110	55542	103
November	57751	107	54265	100
December	53665	99	51799	96


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR140; MP 16.03; LAKE OF THE WOODS HIGHWAY NO. 270; 1.27 miles east of Lake Creek Loop (east junction)	Site Name:	Lake of the Woods (15-020)
		Installed:	June, 1966

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2616	164	16.0	14.0	13.4	13.2
2010	2613	160	16.2	14.2	13.6	13.3
2011	2568	168	15.9	14.3	13.9	13.6
2012	2589	159	15.5	14.3	13.7	13.4
2013	2618	160	17.1	13.9	13.3	13.0
2014	2772	200	18.0	14.4	13.2	12.8
2015	3038	160	15.9	14.2	13.4	13.2
2016	3165	175	15.3	13.8	13.5	13.2
2017	3195	178	16.7	14.5	13.7	13.4
2018	3346	172	15.0	14.2	13.4	13.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2316	69	2350	70
February	2353	70	2456	73
March	2687	80	2662	80
April	2881	86	3065	92
May	3376	101	3734	112
June	3802	114	4120	123
July	4110	123	4399	131
August	3820	114	4154	124
September	3762	112	3993	119
October	3354	100	3570	107
November	3051	91	3106	93
December	2437	73	2539	76


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 18.11; PACIFIC HIGHWAY NO. 1; 0.98 mile south of North Ashland Interchange	Site Name:	North Ashland (15-021)
		Installed:	August, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	24387	144	13.0	10.7	10.1	9.9
2015	26263	136	12.9	10.6	9.9	9.8
2016	27437	147	12.2	10.3	10.0	9.8
2017	28080	143	11.4	10.5	10.2	9.9
2018	27892	133	11.1	10.3	10.0	9.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	25100	90	23750	85
February	25495	91	24384	87
March	27323	98	26594	95
April	28456	102	27509	99
May	30305	109	29255	105
June	32633	117	31928	114
July	31707	114	31256	112
August	30451	109	29708	107
September	28795	103	27651	99
October	29352	105	28054	101
November	29266	105	28550	102
December	25932	93	26062	93


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97/US26 MP 97.11; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.18 mile north of Madras-Prineville Highway No. 360 (US26)	Site Name:	Madras (16-002)
		Installed:	September, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	12428	159	13.1	11.9	11.8	11.6
2010	12554	153	12.7	12.3	11.8	11.6
2011	12246	162	13.3	12.3	11.9	11.7
2012	12381	157	13.4	12.2	11.9	11.8
2013	12731	154	13.0	12.2	11.9	11.8
2014	13051	157	13.0	12.3	11.9	11.7
2015	13837	153	12.4	11.4	11.0	10.9
2016	14706	157	12.2	11.8	11.5	11.4
2017	14965	152	12.2	11.6	11.3	11.2
2018	15232	148	11.9	11.5	11.3	11.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11970	79	11823	78
February	12593	83	12522	82
March	14062	92	14159	93
April	14777	97	15112	99
May	15946	105	16425	108
June	17241	113	17746	117
July	17216	113	18156	119
August	17142	113	18139	119
September	16165	106	16627	109
October	14972	98	15347	101
November	13880	91	14013	92
December	12537	82	12717	83


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	MP 113.17; WARM SPRINGS HIGHWAY NO. 53; 4.54 miles northwest of The Dalles-California Highway No. 4 (US97)	Site Name:	Warm Springs (16-006)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	6579	192	18.2	15.7	15.1	14.5
2010	6838	184	18.5	15.9	15.0	14.5
2011	6779	183	18.4	15.9	15.0	14.5
2012	7015	187	17.8	16.1	14.9	14.7
2013	7228	176	17.6	16.2	15.5	14.6
2014	7384	189	17.6	16.0	15.4	15.0
2015	7689	187	16.9	16.0	15.0	14.0
2016	8144	189	17.1	15.2	14.9	14.2
2017	8215	176	16.4	15.4	14.8	14.1
2018	8390	177	16.1	15.4	14.4	14.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6103	73	6250	74
February	6161	73	6460	77
March	7112	85	7522	90
April	7383	88	8055	96
May	8506	101	9242	110
June	8882	106	9757	116
July	9310	111	10355	123
August	9244	110	10468	125
September	8644	103	9370	112
October	7712	92	8380	100
November	7479	89	7815	93
December	6800	81	7000	83


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 64.20; PACIFIC HIGHWAY NO. 1; 2.08 miles south of Monument Drive (Jump Off Joe) Interchange	Site Name:	Grave Creek (17-001)
		Installed:	January, 1938

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	20560	***	***	***	***	***
2010	20688	158	16.1	13.0	11.9	11.4
2011	20074	161	14.8	12.2	11.5	11.2
2012	19690	164	15.5	12.9	11.7	11.3
2013	20272	161	15.8	12.8	11.8	11.3
2014	20561	162	15.9	12.4	11.5	11.0
2015	22122	159	16.3	12.3	11.4	11.1
2016	22957	157	15.0	12.0	11.1	10.7
2017	23309	170	13.5	12.1	11.3	11.1
2018	23271	152	14.0	11.9	11.1	10.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17900	77	17800	76
February	19515	84	19634	84
March	21841	94	22222	95
April	22202	95	22525	97
May	23496	101	23773	102
June	26323	113	26843	115
July	26895	116	27810	120
August	26170	112	26950	116
September	23458	101	23835	102
October	22339	96	22781	98
November	22728	98	23329	100
December	20954	90	21755	93


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US199; MP 41.32; REDWOOD HIGHWAY NO. 25; 0.37 mile north of Oregon-California State Line	Site Name:	O'Brien (17-003)
		Installed:	November, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2870	***	***	***	***	***
2010	2893	240	27.1	19.3	18.2	17.4
2011	2761	199	22.0	18.5	17.7	17.1
2012	2774	197	21.7	18.7	18.0	17.4
2013	2927	208	21.4	19.1	18.0	16.8
2014	3025	225	25.6	18.7	17.7	17.3
2015	3357	232	24.5	19.7	18.1	17.3
2016	3451	189	20.7	18.1	17.1	16.6
2017	3528	194	19.0	18.2	17.4	17.1
2018	3679	214	22.0	19.3	18.5	17.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2295	62	2457	67
February	2467	67	2758	75
March	2891	79	3043	83
April	2834	77	3136	85
May	3391	92	3829	104
June	4156	113	4530	123
July	5050	137	5605	152
August	4808	131	5547	151
September	3911	106	4237	115
October	3034	82	3348	91
November	2769	75	3016	82
December	2467	67	2641	72


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US199; MP 4.68; REDWOOD HIGHWAY NO. 25; 0.50 mile east of Redwood Avenue	Site Name:	Timber Ridge (17-005)
		Installed:	October, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	10927	135	11.6	10.8	10.5	10.3
2010	10954	135	12.3	10.8	10.5	10.4
2011	10453	142	13.2	10.9	10.4	10.3
2012	10310	134	12.6	10.8	10.6	10.5
2013	10467	140	11.6	10.6	10.3	10.2
2014	10849	144	11.8	10.8	10.5	10.2
2015	11860	138	11.7	10.8	10.3	10.2
2016	12619	139	11.6	10.5	10.3	10.1
2017	12902	134	11.3	10.4	10.2	10.1
2018	13192	135	10.6	10.2	10.1	10.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11534	87	11030	84
February	11990	91	11591	88
March	12777	97	12037	91
April	13367	101	12845	97
May	14072	107	13897	105
June	15210	115	14824	112
July	15826	120	15673	119
August	15312	116	15255	116
September	14365	109	13941	106
October	13851	105	13335	101
November	13020	99	12470	95
December	11782	89	11410	86

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 204.65; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.40 mile south of Chemult Dump Road	Site Name:	Chemult (18-006)
		Installed:	December, 1956

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4588	***	***	***	***	***
2010	4797	186	18.4	17.0	16.4	15.9
2011	4646	193	17.9	16.9	16.0	15.5
2012	4587	182	18.8	16.9	16.2	15.8
2013	4778	176	23.8	16.5	15.8	15.6
2014	5146	197	19.7	16.6	15.7	15.0
2015	5556	177	17.4	16.4	15.9	15.4
2016	5955	190	18.6	15.8	15.2	15.0
2017	5839	***	***	***	***	***
2018	6010	207	18.1	16.9	16.3	15.9

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3506	58	3586	60
February	3583	60	3770	63
March	4392	73	4522	75
April	4940	82	5250	87
May	6030	100	6346	106
June	7550	126	8099	135
July	8347	139	9379	156
August	7640	127	8323	138
September	7113	118	7567	126
October	5694	95	6105	102
November	4914	82	5232	87
December	3703	62	3937	66


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	MP 44.92; KLAMATH FALLS-LAKEVIEW HIGHWAY NO. 20; 4.14 miles east of yellow Jacket Springs Rd at Beatty	Site Name:	Beatty (18-017)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	962	***	***	***	***	***
2010	1004	***	***	***	***	***
2011	1032	***	***	***	***	***
2012	877	***	***	***	***	***
2013	888	184	21.9	14.5	13.4	13.2
2014	923	179	19.1	14.0	13.5	13.0
2015	1003	184	19.9	14.2	13.3	12.9
2016	1018	175	16.3	14.3	13.7	13.3
2017	1080	192	17.5	14.6	13.9	13.4
2018	1116	172	16.5	13.5	12.9	12.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	798	72	752	67
February	844	76	806	72
March	968	87	884	79
April	1041	93	1024	92
May	1283	115	1269	114
June	1400	125	1400	125
July	1394	125	1412	127
August	1394	125	1397	125
September	1435	129	1429	128
October	1280	115	1250	112
November	1035	93	994	89
December	802	72	778	70


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR39; MP -4.08; KLAMATH FALLS-MALIN HIGHWAY NO. 50; 0.46 mile south of Main Street	Site Name:	Klamath Falls (18-018)
		Installed:	November, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	22965	121	12.6	10.2	10.1	10.0
2010	22496	130	10.8	10.4	10.3	10.2
2011	21520	127	11.1	10.4	10.3	10.2
2012	21163	130	10.8	10.3	10.3	10.2
2013	21224	128	11.2	10.4	10.3	10.3
2014	21511	127	10.8	10.4	10.3	10.2
2015	22443	129	10.7	10.4	10.3	10.2
2016	22926	141	10.9	10.3	10.1	10.1
2017	22756	127	11.0	10.5	10.3	10.3
2018	22957	126	10.8	10.5	10.4	10.3



2018 TRAFFIC DAT

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	24170	105	21753	95
February	25129	109	22560	98
March	24901	108	22211	97
April	26829	117	24117	105
May	26969	117	24470	107
June	26802	117	24461	107
July	25017	109	22773	99
August	24932	109	22572	98
September	26051	113	23733	103
October	26930	117	24382	106
November	24892	108	22309	97
December	22115	96	20140	88

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 289.44; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 2.3 miles north of the Oregon-California State Line	Site Name:	Midland (18-019)
		Installed:	January, 1955

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	3550	157	14.5	12.9	12.2	11.8
2010	3574	***	***	***	***	***
2011	3599	175	14.8	12.6	12.1	11.9
2012	3504	150	13.6	12.7	12.1	11.9
2013	3568	171	17.2	13.1	12.4	12.1
2014	3625	***	***	***	***	***
2015	4013	***	***	***	***	***
2016	4253	196	13.9	12.5	12.0	11.5
2017	4375	***	***	***	***	***
2018	4260	***	***	***	***	***

2018 -High hours skewed by fire



2018 TRAFFIC DATA A

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3080	72	3020	71
February	3188	75	3207	75
March	3544	83	3579	84
April	3974	93	4062	95
May	4595	108	4627	109
June	5224	123	5437	128
July	5569	131	5905	139
August	4837	114	5032	118
September	4323	101	4305	101
October	4453	105	4517	106
November	3959	93	4109	96
December	3203	75	3322	78


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR39; MP 16.15; KLAMATH FALLS-MALIN HIGHWAY NO. 50; 0.36 mile west of Hatfield Highway No. 426 (OR39)	Site Name:	Merrill (18-020)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4168	247	20.1	14.8	12.8	11.4
2010	4175	243	20.1	15.5	13.3	11.6
2011	4018	213	17.0	14.1	12.2	10.9
2012	3889	212	17.0	13.8	11.5	11.0
2013	3949	226	18.6	13.7	12.0	10.7
2014	3950	216	17.8	14.0	11.8	10.6
2015	4158	209	16.9	13.8	11.4	10.7
2016	4319	230	17.3	14.4	12.3	11.2
2017	4465	215	16.7	13.4	11.8	10.8
2018	4588	261	21.3	17.1	14.7	12.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3838	84	3563	78
February	4015	88	3802	83
March	4252	93	3981	87
April	4756	104	4542	99
May	5003	109	4807	105
June	5179	113	5100	111
July	5247	114	5153	112
August	5359	117	5218	114
September	5810	127	5962	130
October	5170	113	5011	109
November	4519	98	4274	93
December	3798	83	3645	79

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR62; MP 91.10; CRATER LAKE HIGHWAY NO. 22; 0.28 mile northwest of Sun Mountain Road	Site Name:	Fort Klamath (18-021)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	471	***	***	***	***	***
2010	465	305	32.0	27.7	26.0	25.4
2011	437	377	56.5	30.4	28.2	26.1
2012	429	356	36.8	29.8	26.6	24.9
2013	455	392	39.1	30.5	27.5	26.2
2014	498	413	38.2	30.5	27.7	26.1
2015	597	371	41.7	31.7	31.0	28.8
2016	629	387	35.9	30.7	27.7	25.3
2017	657	418	41.1	35.0	33.2	29.6
2018	607	***	***	***	***	***

2018 -High hours skewed by fire



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	225	37	248	41
February	220	36	242	40
March	291	48	309	51
April	397	65	412	68
May	685	113	774	128
June	992	163	1030	170
July	1180	194	1270	209
August	828	136	907	149
September	816	134	891	147
October	518	85	548	90
November	342	56	389	64
December	240	40	262	43

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 254.30; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 3.53 miles north of Modoc Point Road	Site Name:	Modoc Point (18-022)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	5569	153	14.0	12.2	11.8	11.6
2010	5599	160	13.4	12.5	12.2	11.9
2011	5395	170	14.2	12.4	11.9	11.6
2012	5281	161	13.4	12.8	12.2	11.8
2013	5524	155	13.6	12.0	11.7	11.5
2014	5757	160	13.8	12.1	11.8	11.5
2015	6116	158	13.2	12.6	12.0	11.7
2016	6332	181	13.7	12.7	12.3	12.2
2017	6531	***	***	***	***	***
2018	6622	177	14.2	12.6	12.2	11.9

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4923	74	4681	71
February	4900	74	4800	72
March	5763	87	5570	84
April	6396	97	6270	95
May	7128	108	7043	106
June	8470	128	8535	129
July	8764	132	9038	136
August	8400	127	8300	125
September	7250	109	7300	110
October	6900	104	6800	103
November	6064	92	6119	92
December	5042	76	5006	76

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 243.22; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 4.32 miles north of Chiloquin Highway No. 422	Site Name:	Chiloquin (18-023)
		Installed:	January, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	3583	163	16.7	14.3	13.7	13.1
2010	3381	179	16.4	15.7	14.7	14.2
2011	3243	184	16.4	15.3	14.6	13.9
2012	3299	177	18.5	16.1	14.9	14.4
2013	3716	175	17.5	14.9	13.8	13.5
2014	3945	176	16.9	14.2	13.4	13.0
2015	4340	173	16.3	14.9	14.3	13.7
2016	4430	190	18.6	14.8	14.3	13.6
2017	4690	***	***	***	***	***
2018	4702	***	***	***	***	***

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3103	66	3098	66
February	3189	68	3277	70
March	3853	82	3876	82
April	4287	91	4464	95
May	4978	106	5100	108
June	5703	121	5984	127
July	5800	123	6500	138
August	5700	121	6000	128
September	5300	113	5650	120
October	4600	98	4900	104
November	4100	87	4300	91
December	3016	64	3280	70


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR140; MP 2.80; SOUTH KLAMATH FALLS HIGHWAY NO. 424; At Washburn Way	Site Name:	South Klamath Falls (18-024)
		Installed:	November, 2012

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	5145	130	11.5	10.9	10.6	10.5
2014	5309	129	11.2	10.5	10.4	10.2
2015	5739	130	11.4	10.9	10.7	10.5
2016	6011	128	11.4	10.7	10.5	10.4
2017	6082	***	***	***	***	***
2018	6267	136	12.0	11.3	11.1	11.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5726	91	5284	84
February	6034	96	5600	89
March	6122	98	5586	89
April	6871	110	6417	102
May	7233	115	6822	109
June	7282	116	6959	111
July	7007	112	6736	107
August	6919	110	6665	106
September	7563	121	7079	113
October	7263	116	6783	108
November	6514	104	6057	97
December	5507	88	5216	83

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US395; MP 120.83; FREMONT HIGHWAY NO. 19; 0.26 mile south of Lakeview-Burns Highway No. 49 (US395)	Site Name:	Valley Falls (19-004)
		Installed:	October, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	741	226	24.2	16.3	15.2	14.4
2010	774	234	23.9	16.8	15.4	14.7
2011	738	222	23.3	15.8	14.8	14.2
2012	707	227	22.8	17.4	15.6	15.0
2013	716	226	22.1	17.3	15.9	15.1
2014	745	222	22.6	15.8	14.5	13.8
2015	811	232	23.8	16.3	14.8	14.1
2016	805	213	22.3	15.7	15.0	14.5
2017	837	***	***	***	***	***
2018	777	233	22.8	16.1	15.5	14.8

2017 - K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	570	73	541	70
February	573	74	557	72
March	687	88	650	84
April	785	101	748	96
May	880	113	853	110
June	958	123	950	122
July	941	121	976	126
August	1052	135	1046	135
September	1086	140	1054	136
October	833	107	796	102
November	670	86	650	84
December	550	71	500	64

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US395; MP 157.43; FREMONT HIGHWAY NO. 19; 0.30 mile north of Oregon-California State Line	Site Name:	New Pine Creek (19-008)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	852	202	20.1	14.9	13.4	12.9
2010	935	194	20.3	14.9	14.0	13.5
2011	952	175	16.1	13.5	12.9	12.5
2012	789	190	19.0	15.1	14.2	13.4
2013	809	188	18.9	14.8	13.3	13.1
2014	828	185	18.0	14.1	13.3	12.8
2015	858	181	16.8	14.3	13.6	13.0
2016	858	190	18.7	14.8	14.0	13.5
2017	874	***	***	***	***	***
2018	846	194	19.4	14.5	14.1	13.6

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	659	78	621	73
February	637	75	617	73
March	708	84	681	80
April	793	94	782	92
May	940	111	934	110
June	1018	120	1017	120
July	1003	119	1013	120
August	1005	119	1026	121
September	1149	136	1122	133
October	918	109	900	106
November	800	95	773	91
December	675	80	664	78


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR31; MP 49.60; FREMONT HIGHWAY NO. 19; 2.25 miles southeast of 1st Street	Site Name:	Silver Lake (19-010)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	690	***	***	***	***	***
2010	709	194	20.0	16.6	15.7	14.9
2011	659	205	20.8	16.4	15.2	14.7
2012	659	208	20.8	16.4	15.2	14.7
2013	657	198	20.4	16.6	15.7	14.9
2014	708	199	21.5	16.1	15.1	14.4
2015	743	200	23.2	17.6	14.9	14.1
2016	800	193	20.0	17.1	15.9	15.3
2017	814	218	23.0	19.8	16.5	15.1
2018	827	193	21.8	17.4	15.8	15.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	531	64	545	66
February	540	65	568	69
March	673	81	677	82
April	766	93	792	96
May	908	110	930	112
June	945	114	1007	122
July	977	118	1038	126
August	999	121	1060	128
September	1050	127	1076	130
October	904	109	944	114
November	704	85	748	90
December	518	63	533	64


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR36; MP 41.04; MAPLETON-JUNCTION CITY HIGHWAY NO. 229; 2.36 miles southwest of Goldson Road	Site Name:	Goldson (20-004)
		Installed:	April, 1968

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1816	***	***	***	***	***
2010	1812	162	16.6	14.3	13.1	12.9
2011	1740	165	15.2	13.8	13.3	12.8
2012	1706	161	15.9	14.0	13.4	12.9
2013	1669	167	17.0	15.2	14.3	13.5
2014	1743	176	18.2	14.9	13.4	13.1
2015	1899	166	17.6	15.0	13.5	13.0
2016	2037	165	15.7	14.1	13.5	13.2
2017	2040	165	17.5	14.5	13.5	12.8
2018	2108	164	17.9	14.1	13.5	13.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1769	84	1725	82
February	1810	86	1792	85
March	1936	92	1910	91
April	2012	95	1981	94
May	2147	102	2192	104
June	2212	105	2333	111
July	2438	116	2664	126
August	2449	116	2595	123
September	2318	110	2330	111
October	2066	98	2101	100
November	1934	92	1914	91
December	1811	86	1764	84


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR126; MP 43.86; FLORENCE-EUGENE HIGHWAY NO. 62; 3.06 miles west of Territorial Highway No. 200 (OR200)	Site Name:	Noti (20-005)
		Installed:	November, 1959

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	6199	160	17.8	14.4	13.3	12.9
2010	6067	160	14.8	13.8	13.1	12.7
2011	5845	156	15.4	13.6	13.1	12.7
2012	5727	183	16.9	14.3	13.3	12.9
2013	5780	149	13.9	13.2	12.8	12.6
2014	6015	156	15.9	13.8	13.2	12.7
2015	6345	161	15.5	14.1	13.4	12.8
2016	6423	***	***	***	***	***
2017	6637	191	18.1	14.9	13.8	13.2
2018	6854	152	15.7	13.0	12.8	12.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5366	78	5617	82
February	5582	81	5790	84
March	6236	91	6493	95
April	6167	90	6336	92
May	6553	96	7194	105
June	7128	104	7478	109
July	8142	119	8624	126
August	8067	118	8581	125
September	7147	104	7535	110
October	6448	94	6723	98
November	6064	88	6203	91
December	5645	82	5674	83


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-105; MP 2.82; EUGENE-SPRINGFIELD HIGHWAY NO. 227; 0.66 mile west of Pacific Highway No. 1 (I-5) in Eugene	Site Name:	Willakenzie (20-008)
		Installed:	November, 1960

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	57809	123	10.7	10.3	10.2	10.1
2010	58322	127	10.7	10.6	10.4	10.4
2011	57441	123	10.9	10.6	10.4	10.3
2012	57200	124	10.8	10.5	10.4	10.4
2013	58317	128	10.9	10.6	10.5	10.4
2014	59434	126	10.8	10.5	10.4	10.4
2015	61474	123	10.6	10.3	10.3	10.2
2016	63054	126	11.0	10.4	10.2	10.2
2017	65123	123	10.6	10.4	10.3	10.2
2018	64908	127	10.8	10.4	10.3	10.2



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	67491	104	62765	97
February	70439	109	64789	100
March	71714	110	65790	101
April	73229	113	67391	104
May	72592	112	67308	104
June	75704	117	69047	106
July	71917	111	66276	102
August	73976	114	67696	104
September	72572	112	67130	103
October	71584	110	66565	103
November	61889	95	58080	89
December	59269	91	56064	86


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR126; MP 29.14; MCKENZIE HIGHWAY NO. 15; 2.74 miles east of S. Gate Creek Road	Site Name:	Vida (20-010)
		Installed:	October, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	3273	181	18.6	17.1	16.5	16.1
2010	3316	195	19.4	18.0	17.1	16.5
2011	3210	200	19.8	18.4	17.5	16.4
2012	3147	201	20.8	19.0	17.7	16.7
2013	3218	194	19.3	17.9	17.1	16.5
2014	3282	198	19.7	18.2	17.0	16.5
2015	3563	184	19.0	16.7	16.1	15.6
2016	3829	186	24.9	17.0	16.3	15.9
2017	3679	187	18.5	17.8	17.1	16.4
2018	3757	176	18.6	17.1	16.3	15.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2514	67	2694	72
February	2479	66	2688	72
March	2871	76	3081	82
April	2963	79	3270	87
May	3713	99	4185	111
June	4274	114	4751	126
July	4588	122	5181	138
August	4373	116	4957	132
September	4080	109	4479	119
October	3375	90	3778	101
November	2939	78	3169	84
December	2731	73	2855	76


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR569; MP 12.00; BELT LINE HIGHWAY NO. 69; 0.76 mile west of Pacific Highway No. 1 (I-5)	Site Name:	Beltline (20-011)
		Installed:	May, 2000

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	48772	***	***	***	***	***
2010	51965	126	10.3	9.6	9.5	9.4
2011	50662	136	10.7	10.1	9.7	9.5
2012	50471	123	10.1	9.6	9.6	9.5
2013	49503	122	10.0	9.7	9.6	9.6
2014	49590	123	10.4	9.7	9.6	9.5
2015	52618	120	9.5	9.3	9.3	9.2
2016	54378	118	9.4	9.1	9.1	9.0
2017	54108	***	***	***	***	***
2018	56130	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	49000	87	46000	82
February	53000	94	51000	91
March	59000	105	55000	98
April	60000	107	57000	102
May	61646	110	58465	104
June	61000	109	59500	106
July	61743	110	58300	104
August	62486	111	58187	104
September	61066	109	57799	103
October	62277	111	58321	104
November	62183	111	57882	103
December	58954	105	56111	100


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR58; MP 37.36; WILLAMETTE HIGHWAY NO. 18; 0.10 mile east of Kitson Springs Road	Site Name:	Oakridge (20-017)
		Installed:	January, 1953

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2628	236	29.9	22.6	21.5	20.4
2010	2650	241	28.5	23.2	21.7	20.6
2011	2509	258	30.8	23.4	21.9	20.8
2012	2380	237	29.5	24.7	23.0	21.3
2013	2411	233	29.7	25.3	22.5	21.4
2014	2641	237	29.6	22.6	19.8	18.7
2015	2869	241	26.9	23.6	22.0	20.8
2016	3094	240	29.7	24.5	22.9	21.4
2017	3123	232	29.6	23.7	21.9	20.8
2018	3278	239	29.3	24.1	22.5	21.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1671	51	1889	58
February	1661	51	1944	59
March	2013	61	2236	68
April	2259	69	2593	79
May	3227	98	3665	112
June	3769	115	4373	133
July	4269	130	5126	156
August	4100	125	4959	151
September	3809	116	4409	135
October	2789	85	3284	100
November	2316	71	2646	81
December	1917	58	2213	68


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 170.25; PACIFIC HIGHWAY NO. 1; 2.24 miles northeast of Douglas-Lane County Line	Site Name:	Martin Creek (20-020)
		Installed:	September, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	22572	***	***	***	***	***
2010	22949	***	***	***	***	***
2011	22116	***	***	***	***	***
2012	21871	166	14.9	12.7	11.9	11.6
2013	22417	167	14.5	13.2	12.1	11.7
2014	23160	165	14.7	12.7	11.7	11.4
2015	24488	163	14.4	12.8	11.6	11.2
2016	25500	161	14.4	12.4	11.4	11.0
2017	25661	162	13.1	12.0	11.5	11.2
2018	25683	155	13.3	11.7	11.4	11.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	20768	81	20891	81
February	21276	83	21718	85
March	23981	93	24679	96
April	24060	94	24790	97
May	25460	99	26162	102
June	28307	110	29235	114
July	29028	113	30363	118
August	28514	111	29757	116
September	25406	99	26361	103
October	23982	93	24740	96
November	24701	96	25439	99
December	23040	90	24060	94


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR200; MP 13.54; TERRITORIAL HIGHWAY NO. 200; 3.46 miles south of Mapleton-Junction City Highway No. 229 (OR36)	Site Name:	Fern Ridge (20-023)
		Installed:	March, 1960

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1612	201	19.3	15.4	13.4	12.8
2010	1602	199	19.3	15.5	13.7	12.8
2011	1585	209	19.4	16.0	13.9	12.8
2012	1533	219	20.0	15.8	13.8	13.0
2013	1602	203	18.0	15.0	14.3	12.6
2014	1702	206	19.1	15.1	13.6	12.7
2015	1789	223	19.2	16.7	15.4	14.0
2016	1841	209	17.9	16.0	15.1	14.0
2017	1865	***	***	***	***	***
2018	1971	216	19.5	17.2	14.8	13.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1697	86	1668	85
February	1761	89	1719	87
March	1791	91	1772	90
April	1905	97	1886	96
May	2096	106	2104	107
June	2099	106	2189	111
July	2312	117	2483	126
August	2063	105	2187	111
September	2061	105	2083	106
October	2000	101	1971	100
November	1883	96	1834	93
December	1778	90	1752	89


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99; MP 115.28; PACIFIC HIGHWAY WEST NO. 91; 1.00 mile south of Meadowview Rd	Site Name:	Eugene-Meadowview (20-024)
		Installed:	July, 2009

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	14588	144	11.2	10.4	10.1	10.0
2011	14587	148	11.6	10.5	10.3	10.2
2012	14619	150	11.6	10.6	10.4	10.3
2013	14869	143	11.7	10.7	10.6	10.3
2014	15229	148	11.5	10.4	10.3	10.1
2015	15909	143	11.1	10.4	10.3	10.2
2016	16294	134	11.5	10.5	10.3	10.2
2017	16810	146	13.1	11.0	10.6	10.4
2018	17052	144	11.6	10.4	10.3	10.2



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17014	100	15807	93
February	17731	104	16374	96
March	18000	106	16700	98
April	18600	109	17300	101
May	18913	111	17611	103
June	19790	116	18497	108
July	18820	110	17472	102
August	19450	114	18269	107
September	18591	109	17301	101
October	18547	109	17059	100
November	17909	105	16417	96
December	16878	99	15821	93

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 190.92; PACIFIC HIGHWAY NO. 1; 1.06 miles south of Glenwood Interchange	Site Name:	Eugene-Glenwood (20-025)
		Installed:	February, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	53419	***	***	***	***	***
2011	51795	134	10.8	9.9	9.7	9.6
2012	50499	132	10.6	9.9	9.7	9.6
2013	51146	139	11.4	10.0	9.8	9.7
2014	52120	140	11.2	10.3	10.0	9.8
2015	56314	135	11.1	10.1	9.9	9.7
2016	57820	135	10.9	9.8	9.6	9.5
2017	60972	136	10.4	10.0	9.8	9.7
2018	61218	129	10.4	9.6	9.4	9.3



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	58292	95	54694	89
February	60504	99	56735	93
March	63645	104	60112	98
April	66072	108	62217	102
May	67204	110	63916	104
June	69496	114	66812	109
July	67948	111	66324	108
August	67520	110	65572	107
September	64493	105	62112	101
October	64824	106	61316	100
November	63057	103	59677	97
December	56806	93	55128	90

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 186.46; OREGON COAST HIGHWAY NO. 9; 0.77 mile north of Heceta Beach Road	Site Name:	Florence (20-026)
		Installed:	July, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	6229	158	15.7	14.9	14.3	14.0
2012	6122	155	15.0	14.1	13.6	13.3
2013	6237	164	16.4	15.0	14.3	13.9
2014	6387	160	15.5	15.0	14.6	14.3
2015	6839	176	16.7	15.5	14.8	14.3
2016	6963	177	17.0	15.4	14.6	14.3
2017	7110	189	20.3	16.9	15.7	15.2
2018	7189	157	16.2	14.9	14.5	14.2



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5000	70	5000	70
February	5300	74	5500	77
March	5900	82	6100	85
April	6100	85	6500	90
May	7043	98	7587	106
June	8412	117	8546	119
July	10040	140	10303	143
August	9743	136	10007	139
September	8239	115	8377	117
October	6759	94	6830	95
November	5830	81	5990	83
December	5540	77	5531	77

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR126; MP 8.66; EUGENE-SPRINGFIELD HIGHWAY NO. 227; 0.39 mile north of 52nd Street	Site Name:	East Springfield (20-027)
		Installed:	July, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	30158	122	11.2	10.5	10.4	10.3
2012	30189	122	10.7	10.4	10.4	10.3
2013	30343	124	10.6	10.5	10.4	10.3
2014	30669	124	10.9	10.6	10.5	10.4
2015	31999	122	10.4	10.3	10.2	10.1
2016	32817	125	10.3	10.2	10.0	10.0
2017	33240	122	10.5	10.2	10.1	10.1
2018	33934	122	10.7	10.1	10.0	9.9



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	33266	98	31503	93
February	34556	102	32486	96
March	35299	104	33428	99
April	36202	107	34215	101
May	37146	109	35565	105
June	37774	111	36066	106
July	36810	108	35455	104
August	37067	109	35292	104
September	36427	107	34679	102
October	35995	106	34199	101
November	34448	102	32440	96
December	33288	98	31881	94

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR569; MP 5.20; BELT LINE HIGHWAY NO. 69; 0.42 mile south of Barger Drive Interchange	Site Name:	West Beltline (20-028)
		Installed:	July, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	25690	125	10.7	10.1	9.9	9.8
2012	25611	131	10.4	10.3	10.0	10.0
2013	25415	138	11.6	11.0	10.7	10.2
2014	25584	125	10.2	10.1	10.0	9.9
2015	27034	124	10.0	9.8	9.7	9.6
2016	27443	121	10.0	9.7	9.6	9.5
2017	27598	122	9.8	9.7	9.6	9.5
2018	27640	123	9.9	9.7	9.7	9.6



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	27517	100	25849	94
February	28652	104	26596	96
March	29536	107	27560	100
April	29955	108	27803	101
May	30186	109	28343	103
June	31163	113	28961	105
July	30320	110	28660	104
August	30102	109	27359	99
September	29685	107	27675	100
October	30014	109	27660	100
November	30314	110	27889	101
December	28932	105	27327	99

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20; MP 34.24; CORVALLIS-NEWPORT HIGHWAY NO. 33; 0.11 mile west of Lincoln-Benton County Line	Site Name:	Burnt Woods (21-006)
		Installed:	August, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4997	169	19.5	15.7	14.9	14.4
2010	4809	187	17.4	15.8	14.8	14.2
2011	4663	172	17.5	15.4	14.9	14.2
2012	4747	191	17.0	15.8	14.9	14.5
2013	4847	164	15.2	14.3	14.0	13.5
2014	4998	175	17.3	15.0	14.5	14.0
2015	5436	178	18.2	14.8	14.3	13.9
2016	5491	174	16.5	14.3	13.9	13.4
2017	6058	***	***	***	***	***
2018	6842	165	16.0	14.6	14.2	13.9



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5092	74	5346	78
February	5251	77	5737	84
March	6103	89	6465	94
April	5921	87	6292	92
May	6446	94	7125	104
June	7150	105	7619	111
July	7965	116	8685	127
August	8033	117	8739	128
September	7131	104	7544	110
October	6337	93	6825	100
November	5940	87	6194	91
December	5465	80	5527	81

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 112.35; OREGON COAST HIGHWAY NO. 9; At West Devils Lake Road	Site Name:	W. Devils Lake (21-007)
		Installed:	May, 1998

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	15983	153	13.5	13.1	12.8	12.6
2010	***	***	***	***	***	***
2011	15197	157	14.4	13.5	13.2	12.9
2012	15122	167	14.4	14.0	13.2	12.9
2013	15419	148	13.6	12.7	12.3	11.9
2014	15561	153	13.9	13.4	12.9	12.6
2015	16327	149	13.6	12.8	12.4	12.2
2016	16488	152	12.8	12.6	12.3	12.1
2017	15963	164	16.5	12.8	12.5	12.2
2018	16573	146	13.4	12.5	12.1	11.9



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12749	77	13476	81
February	13172	79	14180	86
March	15160	91	16258	98
April	15600	94	16600	100
May	15279	92	17017	103
June	17261	104	18261	110
July	19874	120	21091	127
August	19465	117	20575	124
September	17042	103	17979	108
October	14856	90	15964	96
November	13298	80	14295	86
December	12872	78	13185	80

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 114.91; OREGON COAST HIGHWAY NO. 9; 0.07 mile north of "D" River State Wayside	Site Name:	D River Wayside (21-008)
		Installed:	May, 1998

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	25051	145	11.8	11.3	11.2	11.1
2010	***	***	***	***	***	***
2011	23972	146	12.1	11.7	11.5	11.4
2012	23935	152	12.2	11.7	11.5	11.5
2013	23866	137	11.5	11.2	11.1	10.9
2014	23768	143	11.8	11.4	11.3	11.1
2015	24897	141	11.7	11.3	11.2	11.1
2016	25344	139	11.5	10.8	10.7	10.6
2017	24944	139	11.3	10.9	10.8	10.7
2018	25442	133	11.2	10.8	10.7	10.6



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	19500	77	20500	81
February	21829	86	23085	91
March	24792	97	25610	101
April	24265	95	24724	97
May	24860	98	26297	103
June	27215	107	27609	109
July	30314	119	30916	122
August	29981	118	30390	119
September	26960	106	27395	108
October	24327	96	24871	98
November	21859	86	22575	89
December	21452	84	21331	84

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 139.11; OREGON COAST HIGHWAY NO. 9; At 25th Street in Newport	Site Name:	North Newport (21-009)
		Installed:	October, 1996

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	18304	142	12.4	11.8	11.6	11.4
2010	***	***	***	***	***	***
2011	17482	***	***	***	***	***
2012	17419	132	11.4	10.6	10.1	9.9
2013	17394	***	***	***	***	***
2014	17656	142	12.5	11.6	11.5	11.3
2015	18306	142	12.0	11.5	11.1	11.0
2016	18461	144	11.9	11.3	11.1	10.8
2017	18357	143	12.0	11.7	11.4	11.2
2018	18649	136	11.4	11.0	10.9	10.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	15172	81	15119	81
February	16399	88	16407	88
March	18187	98	18081	97
April	18287	98	17982	96
May	18768	101	19088	102
June	21270	114	20950	112
July	23211	124	23139	124
August	22843	122	22681	122
September	20581	110	20394	109
October	18074	97	17954	96
November	16269	87	16397	88
December	15827	85	15597	84


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 111.00; OREGON COAST HIGHWAY NO. 9; 0.30 mile north of East Devils Lake Road.	Site Name:	North Lincoln City (21-010)
		Installed:	October, 2013

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	14500	166	15.8	14.9	14.4	14.1
2015	15332	161	14.8	14.1	13.7	13.5
2016	15633	167	15.3	14.1	13.8	13.5
2017	15469	174	15.3	14.6	14.3	13.8
2018	15918	163	15.4	14.6	14.2	13.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11569	73	12503	79
February	11984	75	13192	83
March	14205	89	15465	97
April	13868	87	14842	93
May	14600	92	16526	104
June	16497	104	17777	112
July	19556	123	21156	133
August	19175	120	20650	130
September	16484	104	17608	111
October	14094	89	15400	97
November	12513	79	13616	86
December	11855	74	12277	77


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 119.15; OREGON COAST HIGHWAY NO. 9; South Lincoln City ATR #21-011, 0.01 mi. South of South Drift Creek Rd.	Site Name:	South Lincoln City (21-011)
		Installed:	April, 2014

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	***	***	***	***	***	***
2015	13530	158	13.4	12.9	12.6	12.4
2016	13767	155	13.2	12.7	12.5	12.4
2017	13745	153	13.7	13.0	12.7	12.6
2018	14000	147	13.0	12.5	12.3	12.2



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	10650	76	10917	78
February	11294	81	11732	84
March	13148	94	13522	97
April	12860	92	13149	94
May	13436	96	14304	102
June	15522	111	15683	112
July	17786	127	18271	131
August	17560	125	18054	129
September	15463	110	15833	113
October	13195	94	13616	97
November	11336	81	11860	85
December	10931	78	11055	79

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 234.80; PACIFIC HIGHWAY NO. 1; 0.41 mile north of Albany-Junction City Highway No. 58 (OR99E)	Site Name:	North Albany (22-005)
		Installed:	October, 1999

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	59500	133	10.6	10.0	9.7	9.6
2010	60070	133	10.6	9.9	9.7	9.6
2011	58939	130	10.0	9.8	9.7	9.6
2012	58137	138	11.2	9.9	9.7	9.6
2013	59396	136	11.0	9.8	9.7	9.6
2014	60710	134	10.4	9.7	9.6	9.5
2015	64751	133	10.3	9.3	9.2	9.1
2016	66649	133	9.4	9.1	9.0	8.9
2017	67664	129	9.6	9.0	8.8	8.8
2018	70638	129	9.2	8.9	8.8	8.7



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	60732	86	60936	86
February	63813	90	64181	91
March	68840	97	68690	97
April	69813	99	70526	100
May	71775	102	73068	103
June	77252	109	77514	110
July	76766	109	77216	109
August	77422	110	77594	110
September	72033	102	73496	104
October	68870	97	70292	100
November	68702	97	69522	98
December	64786	92	64618	91

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR226; MP 0.43; ALBANY-LYONS HIGHWAY NO. 211; 0.43 mile east of Santiam Highway No. 16 (US20)	Site Name:	Crabtree (22-010)
		Installed:	January, 1950

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4931	134	11.6	10.8	10.6	10.5
2010	4976	142	13.0	11.6	11.1	10.7
2011	4794	131	11.7	10.8	10.6	10.5
2012	4824	132	12.9	11.2	11.0	10.8
2013	4849	135	11.6	10.9	10.7	10.5
2014	4931	130	11.6	10.8	10.6	10.5
2015	5237	133	12.2	10.8	10.5	10.3
2016	5477	159	18.0	11.2	10.9	10.6
2017	5564	136	13.2	11.2	10.7	10.5
2018	5763	133	11.6	10.9	10.6	10.4



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	5243	91	4998	87
February	5435	94	5179	90
March	5611	97	5387	93
April	5858	102	5534	96
May	5924	103	5781	100
June	6354	110	6212	108
July	6789	118	6663	116
August	6813	118	6666	116
September	6221	108	6045	105
October	6179	107	5976	104
November	5775	100	5508	96
December	5382	93	5212	90


For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99E; MP 21.64; ALBANY-JUNCTION CITY HIGHWAY NO. 58; 2.28 miles south of Halsey-Sweet Home Highway No. 212 (OR228)	Site Name:	Halsey (22-012)
		Installed:	March, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2361	***	***	***	***	***
2010	2985	137	19.1	11.9	11.4	11.1
2011	3101	145	13.9	12.0	11.5	11.2
2012	3110	146	12.6	11.7	11.3	11.1
2013	3247	145	15.3	11.7	11.4	11.2
2014	3431	146	13.8	11.8	11.4	11.2
2015	3599	145	16.9	11.7	11.2	10.9
2016	3777	148	17.5	12.3	11.5	11.3
2017	3926	***	***	***	***	***
2018	4105	146	14.0	11.7	11.4	11.1

2017 - K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3826	93	3556	87
February	4041	98	3710	90
March	4210	103	3880	95
April	4277	104	3973	97
May	4374	107	4134	101
June	4553	111	4345	106
July	4773	116	4623	113
August	4847	118	4733	115
September	4538	111	4306	105
October	4543	111	4208	103
November	4374	107	3975	97
December	4107	100	3820	93

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20; MP 19.05; SANTIAM HIGHWAY NO. 16; 0.38 mile southeast of Sodaville-Waterloo Drive, southeast of Lebanon	Site Name:	Waterloo (22-013)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	11627	161	12.4	11.0	10.6	10.4
2010	11629	154	12.0	11.0	10.7	10.4
2011	11241	154	11.9	11.3	10.8	10.6
2012	11083	165	13.5	11.5	10.9	10.7
2013	11195	161	13.3	11.7	10.8	10.5
2014	11343	141	14.9	10.9	10.6	10.4
2015	12123	156	13.4	10.7	10.3	10.1
2016	12529	157	12.2	10.9	10.3	10.1
2017	13084	152	11.6	10.7	10.5	10.3
2018	13505	141	11.0	10.5	10.2	10.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	12390	92	11737	87
February	12908	96	12211	90
March	13546	100	12876	95
April	13931	103	13149	97
May	14415	107	14108	104
June	15011	111	14758	109
July	15328	113	15433	114
August	15197	113	15234	113
September	14378	106	13967	103
October	14219	105	13545	100
November	13487	100	12653	94
December	12930	96	12392	92


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 214.56; PACIFIC HIGHWAY NO. 1; 2.01 miles south of Halsey-Sweet Home Highway No. 212 Interchange (OR228).	Site Name:	Lake Creek (22-016)
		Installed:	January, 1994

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	37401	153	12.8	11.5	11.1	10.7
2010	37883	141	12.3	11.4	10.9	10.7
2011	36875	145	12.3	11.7	11.2	10.8
2012	36188	150	12.3	11.4	11.0	10.8
2013	36864	151	12.4	11.5	11.1	10.9
2014	37627	151	12.6	11.3	11.0	10.7
2015	40088	145	12.4	10.9	10.6	10.5
2016	41664	147	11.9	10.9	10.5	10.3
2017	41841	144	11.7	10.8	10.4	10.2
2018	42644	141	11.2	10.4	10.2	10.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	34811	82	35727	84
February	36020	84	37257	87
March	39637	93	40800	96
April	39800	93	41726	98
May	41814	98	43758	103
June	46093	108	47750	112
July	46470	109	48602	114
August	46226	108	48266	113
September	42476	100	44853	105
October	39778	93	41894	98
November	40710	95	42508	100
December	37714	88	38589	90


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR34; MP 3.92; CORVALLIS-LEBANON HIGHWAY NO. 210; 0.89 mile east of Riverside Drive	Site Name:	Riverside Drive (22-020)
		Installed:	February, 2004

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	26861	134	12.3	11.2	11.0	10.8
2010	27576	135	12.4	11.2	11.0	10.8
2011	27233	132	11.9	11.2	11.0	10.9
2012	26683	138	12.2	11.1	11.0	10.8
2013	27114	157	13.1	11.3	11.1	11.0
2014	28091	141	14.1	11.3	11.0	10.9
2015	29599	140	12.1	11.0	10.7	10.5
2016	31134	134	11.8	10.9	10.6	10.5
2017	32440	137	12.2	11.0	10.8	10.7
2018	33651	136	11.6	10.9	10.7	10.6



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	33126	98	31219	93
February	35213	105	32956	98
March	35551	106	32919	98
April	37459	111	34759	103
May	37688	112	35807	106
June	37780	112	35733	106
July	35747	106	33564	100
August	36405	108	34021	101
September	36190	108	34567	103
October	37634	112	35774	106
November	36220	108	33829	101
December	30763	91	28665	85

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20/OR99E MP 2.14; ALBANY-JUNCTION CITY HIGHWAY NO. 58; .28 mile northeast of Albany-Corvallis Highway No. 31 (US20)	Site Name:	Central Albany (22-022)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	36654	131	10.6	10.3	10.0	9.9
2010	35941	124	10.5	10.2	10.1	10.0
2011	35492	126	11.0	10.2	10.0	9.9
2012	35907	***	***	***	***	***
2013	35488	126	11.1	10.2	10.1	10.0
2014	36983	126	10.5	10.1	9.9	9.8
2015	37924	123	10.4	9.9	9.8	9.7
2016	38655	122	9.9	9.7	9.6	9.5
2017	39256	122	10.1	9.5	9.4	9.4
2018	39475	122	9.8	9.6	9.5	9.4



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	39710	101	37464	95
February	41460	105	38843	98
March	41779	106	39386	100
April	43483	110	40507	103
May	43352	110	40952	104
June	43410	110	40868	104
July	41519	105	39057	99
August	42684	108	40053	101
September	42105	107	39706	101
October	43017	109	40097	102
November	41746	106	38784	98
December	39752	101	37977	96

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20/US26 MP 257.86; CENTRAL OREGON HIGHWAY NO. 7; 0.26 mile west of Olds Ferry-Ontario Highway No. 455 (OR201)	Site Name:	Cairo Junction (23-006)
		Installed:	October, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4822	151	15.4	10.5	10.3	10.1
2010	4757	155	11.9	10.8	10.4	10.2
2011	4678	155	11.5	10.8	10.5	10.2
2012	4695	133	11.2	10.4	10.3	10.1
2013	4707	150	11.3	10.6	10.3	10.2
2014	4687	152	11.8	10.5	10.2	10.1
2015	4917	150	12.1	10.4	10.1	10.0
2016	5254	157	14.8	11.1	10.7	10.4
2017	5324	146	11.4	10.7	10.4	10.3
2018	5348	138	11.1	10.5	10.2	10.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4568	85	4253	80
February	4701	88	4324	81
March	5158	96	4834	90
April	5590	105	5273	99
May	6010	112	5731	107
June	6458	121	6220	116
July	6502	122	6326	118
August	6372	119	6177	116
September	6186	116	5841	109
October	5836	109	5516	103
November	5420	101	5093	95
December	4838	90	4582	86


For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US95; MP 91.48; I.O.N. HIGHWAY NO. 456; 6.74 miles north of Blue Mountain Pass Summit	Site Name:	Basque (23-012)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1153	215	22.8	16.6	14.9	14.0
2010	1188	224	30.7	20.5	15.7	14.6
2011	1173	205	21.6	15.7	14.1	13.6
2012	1239	210	21.1	15.2	14.5	13.9
2013	1270	222	23.9	17.3	14.9	14.1
2014	1286	195	20.5	16.9	15.2	14.5
2015	1388	194	21.9	14.9	14.4	14.0
2016	1509	194	18.8	14.7	13.5	13.1
2017	1602	***	***	***	***	***
2018	1686	201	21.3	15.5	14.5	13.8

2017 – K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1133	67	1102	65
February	1201	71	1200	71
March	1459	87	1505	89
April	1559	92	1597	95
May	1700	101	1700	101
June	2026	120	2101	125
July	2063	122	2180	129
August	1984	118	2062	122
September	1888	112	1906	113
October	1729	103	1804	107
November	1644	98	1755	104
December	1236	73	1323	78

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US20; MP 189.38; CENTRAL OREGON HIGHWAY NO. 7; 0.11 mile east of Juntura-Riverside Road	Site Name:	Juntura (23-013)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1172	191	19.2	17.5	16.1	15.6
2010	1187	192	18.8	17.3	16.2	15.8
2011	1146	201	17.6	16.2	15.6	14.9
2012	1155	176	18.6	16.3	15.7	15.1
2013	1193	207	23.4	18.0	16.3	15.2
2014	1263	200	19.2	16.7	15.6	15.1
2015	1391	209	18.9	16.4	15.9	15.5
2016	1472	253	26.5	17.1	16.1	15.2
2017	1531	192	26.5	16.8	16.2	15.9
2018	1575	188	21.2	17.1	16.4	15.9



2018 TRAFFIC DATA

2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	902	57	908	58
February	933	59	945	60
March	1193	76	1243	79
April	1300	83	1360	86
May	1649	105	1705	108
June	2022	128	2149	136
July	2162	137	2344	149
August	2037	129	2180	138
September	1878	119	1935	123
October	1589	101	1672	106
November	1322	84	1425	90
December	974	62	1031	65

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 376.98; OLD OREGON TRAIL NO. 6; 1.03 miles northwest of Oregon-Idaho State Line	Site Name:	Snake River (23-014)
		Installed:	July, 1960

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	16065	139	10.8	10.2	9.7	9.4
2010	16469	143	10.2	10.0	9.6	9.4
2011	16386	147	12.7	9.8	9.6	9.4
2012	16511	133	10.2	9.8	9.5	9.3
2013	16608	137	13.2	9.9	9.7	9.4
2014	16700	139	10.7	10.0	9.6	9.5
2015	18402	143	10.3	9.9	9.7	9.5
2016	19342	150	10.8	10.3	10.0	9.6
2017	20252	149	15.3	10.4	10.1	9.8
2018	21529	139	10.9	9.8	9.7	9.5



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	17163	80	16641	77
February	18435	86	17830	83
March	21784	101	20862	97
April	22791	106	21873	102
May	23742	110	22753	106
June	24869	116	24164	112
July	25108	117	24743	115
August	24178	112	24523	114
September	23193	108	23093	107
October	22261	103	22241	103
November	21155	98	21033	98
December	18419	86	18593	86

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 353.47; OLD OREGON TRAIL NO. 6; 1.47 miles south of Baker-Malheur County Line	Site Name:	Huntington (23-016)
		Installed:	October, 1967

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	8528	162	13.3	12.0	11.4	11.2
2010	8744	166	13.5	12.1	11.8	11.5
2011	8580	178	14.1	12.5	11.9	11.4
2012	8614	154	15.4	12.4	11.6	11.4
2013	8762	170	15.1	13.3	12.1	11.7
2014	9028	166	15.3	13.5	12.1	11.7
2015	9685	153	15.0	12.3	11.5	11.3
2016	10390	173	14.3	12.6	12.0	11.6
2017	10737	163	19.1	13.3	12.2	11.8
2018	11772	***	***	***	***	***



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8429	72	8218	70
February	9099	77	8951	76
March	10265	87	10491	89
April	11457	97	11661	99
May	12334	105	12583	107
June	13571	115	14156	120
July	13862	118	14553	124
August	13922	118	14251	121
September	12900	110	13500	115
October	12500	106	12700	108
November	10500	89	11000	93
December	9400	80	9200	78

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99E; MP 34.03; PACIFIC HIGHWAY EAST NO. 81; 0.11 miles south of NE Belle Passi Rd	Site Name:	Woodburn (24-001)
		Installed:	January, 1937

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	10264	139	15.9	11.0	10.6	10.4
2010	10224	131	13.4	11.6	11.3	11.1
2011	10147	126	14.7	11.9	11.4	11.2
2012	10050	***	***	***	***	***
2013	10573	125	12.5	11.9	11.7	11.5
2014	11292	135	14.3	12.3	11.8	11.5
2015	11775	127	14.5	11.7	11.3	11.0
2016	12007	126	12.3	11.5	11.2	11.1
2017	12378	137	13.0	11.8	11.5	11.3
2018	12460	130	12.3	11.8	11.5	11.3



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11394	91	10961	88
February	11932	96	11416	92
March	12419	100	11977	96
April	13097	105	12737	102
May	13218	106	13028	105
June	13525	109	13139	105
July	13638	109	13349	107
August	13636	109	13394	107
September	13262	106	13134	105
October	13174	106	13348	107
November	12515	100	11908	96
December	11528	93	11126	89

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR22; MP 2.82; NORTH SANTIAM HIGHWAY NO. 162; 0.91 mile east of Lancaster Drive Interchange	Site Name:	North Santiam (24-004)
		Installed:	January, 1967

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	25014	135	10.8	10.5	10.3	10.2
2010	24911	134	10.8	10.5	10.3	10.2
2011	24313	137	10.9	10.6	10.4	10.2
2012	24107	135	11.2	10.7	10.5	10.3
2013	24180	***	***	***	***	***
2014	24675	136	11.4	10.7	10.4	10.4
2015	26065	136	10.9	10.3	10.1	9.9
2016	27036	134	10.8	10.2	10.1	10.0
2017	27746	133	11.2	10.2	10.0	9.9
2018	28713	132	10.6	10.2	10.0	9.8



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	26339	92	25005	87
February	27227	95	25872	90
March	28550	99	27291	95
April	29277	102	28108	98
May	30670	107	30279	105
June	31927	111	31389	109
July	32840	114	32908	115
August	32849	114	32578	113
September	30494	106	29814	104
October	29545	103	28443	99
November	28391	99	26941	94
December	27016	94	25930	90

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR22; MP 10.02; NORTH SANTIAM HIGHWAY NO. 162; 1.08 miles east of Shaw Highway Interchange	Site Name:	Aumsville (24-005)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	19304	140	12.1	11.2	11.0	10.8
2010	19295	141	11.8	11.4	11.1	11.0
2011	19073	144	11.9	11.5	11.2	11.0
2012	19169	144	12.7	11.8	11.7	11.4
2013	19220	142	12.2	11.3	11.1	11.0
2014	19795	143	12.8	11.5	11.3	11.2
2015	20812	142	11.4	11.1	10.8	10.6
2016	21682	141	11.9	11.2	11.0	10.7
2017	21925	136	12.1	11.0	10.7	10.5
2018	22748	137	11.9	10.8	10.7	10.5



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	20574	90	19539	86
February	21147	93	20104	88
March	22211	98	21280	94
April	22897	101	21991	97
May	23985	105	23767	104
June	24990	110	24870	109
July	26300	116	26766	118
August	26440	116	26379	116
September	24247	107	23938	105
October	23453	103	22710	100
November	22410	99	21255	93
December	21196	93	20374	90

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR22; MP 33.69; NORTH SANTIAM HIGHWAY NO. 162; 0.95 mile west of Railroad Avenue SE (Entrance to Minto County Park).	Site Name:	Gates (24-013)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4690	259	28.2	26.6	25.1	23.9
2010	4741	271	29.7	27.1	25.9	24.5
2011	4687	275	29.8	28.2	26.1	24.7
2012	4701	278	30.1	28.6	26.9	25.3
2013	4808	271	30.2	27.6	25.8	25.0
2014	4930	290	32.5	28.4	27.0	25.3
2015	5261	***	***	***	***	***
2016	5658	254	30.1	26.3	25.0	23.3
2017	5317	260	33.1	26.6	25.5	23.7
2018	5602	248	27.4	25.8	24.4	23.4



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3017	54	3460	62
February	2975	53	3561	64
March	3621	65	4335	77
April	3793	68	4729	84
May	5285	94	6499	116
June	5728	102	7161	128
July	7035	126	8798	157
August	6597	118	8350	149
September	5512	98	6559	117
October	4446	79	5492	98
November	3823	68	4500	80
December	3455	62	3783	68

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR22; MP 25.90; WILLAMINA-SALEM HIGHWAY NO. 30; 0.38 mile west of Salem Highway No. 72 (OR22), Polk-Marion County Line	Site Name:	Salem Bridges (24-014)
		Installed:	January, 1953

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	85929	***	***	***	***	***
2010	85100	121	9.6	9.4	9.3	9.3
2011	83816	120	10.5	9.4	9.3	9.3
2012	84116	121	9.9	9.8	9.7	9.6
2013	84655	121	9.9	9.7	9.6	9.6
2014	86588	120	10.0	9.8	9.6	9.6
2015	91213	120	9.7	9.4	9.4	9.3
2016	93500	120	9.6	9.3	9.3	9.3
2017	94984	119	9.4	9.2	9.2	9.2
2018	95741	119	9.3	9.2	9.2	9.1



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	94329	99	89858	94
February	98247	103	93018	97
March	100094	105	94977	99
April	103850	108	98205	103
May	103481	108	99540	104
June	105163	110	100423	105
July	102161	107	97880	102
August	104227	109	99205	104
September	101539	106	97041	101
October	102275	107	96657	101
November	97920	102	91983	96
December	94050	98	90109	94

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR22; MP 51.30; NORTH SANTIAM HIGHWAY NO. 162; 1.20 miles east of Detroit Avenue	Site Name:	Detroit (24-015)
		Installed:	May, 1997

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	3996	***	***	***	***	***
2010	4049	256	29.1	27.3	26.3	24.7
2011	3990	264	29.9	27.6	25.8	24.7
2012	3939	268	30.8	29.1	27.3	25.9
2013	4123	263	29.1	27.2	26.2	25.1
2014	4258	268	30.1	27.7	26.4	25.3
2015	4615	261	32.0	25.4	24.4	23.1
2016	4981	254	29.8	26.2	24.8	23.7
2017	4644	258	32.1	26.3	24.8	23.1
2018	4869	240	28.0	25.7	24.6	23.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2557	53	2973	61
February	2512	52	3083	63
March	3132	64	3803	78
April	3225	66	4123	85
May	4466	92	5564	114
June	4964	102	6269	129
July	6055	124	7564	155
August	5744	118	7282	150
September	4814	99	5807	119
October	3816	78	4813	99
November	3268	67	3910	80
December	2933	60	3239	67


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR551; MP 3.70; WILSONVILLE-HUBBARD HIGHWAY NO. 51; 0.22 mile south of Ehlen Road	Site Name:	Hubbard (24-016)
		Installed:	January, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	7724	122	11.4	10.7	10.4	10.3
2010	7731	121	11.2	10.9	10.7	10.5
2011	7744	125	11.6	10.7	10.5	10.4
2012	8008	132	11.6	10.9	10.6	10.4
2013	8344	127	14.1	10.7	10.5	10.4
2014	8851	128	12.1	10.3	10.1	10.0
2015	9100	126	11.2	9.9	9.7	9.6
2016	8867	130	10.2	9.8	9.6	9.6
2017	9132	131	10.2	9.5	9.2	9.2
2018	9502	136	11.7	10.1	9.9	9.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	9196	97	8439	89
February	9529	100	8784	92
March	10114	106	9348	98
April	10575	111	9939	105
May	10297	108	9693	102
June	11599	122	10768	113
July	10252	108	9554	101
August	10332	109	9626	101
September	10211	107	9759	103
October	10375	109	9814	103
November	10002	105	9252	97
December	9582	101	9049	95


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR219; MP 31.88; HILLSBORO-SILVERTON HIGHWAY NO. 140; 1.85 miles south of St. Paul Highway N.E.	Site Name:	St. Paul (24-020)
		Installed:	January, 1958

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2425	279	28.7	18.3	15.4	13.4
2010	2543	282	29.1	18.1	15.9	14.4
2011	2539	260	26.4	19.5	16.4	14.5
2012	2607	315	31.1	20.6	16.2	14.4
2013	2606	260	24.4	16.6	14.8	13.3
2014	2627	259	23.5	17.1	15.0	13.5
2015	2800	230	20.2	15.6	14.1	13.1
2016	2942	221	21.1	15.2	14.2	13.5
2017	3048	230	27.7	16.5	15.1	13.9
2018	3202	221	20.9	15.5	14.6	14.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2400	75	2200	69
February	2846	89	2690	84
March	3077	96	2914	91
April	3356	105	3197	100
May	3434	107	3418	107
June	3514	110	3489	109
July	4143	129	4007	125
August	3987	125	3894	122
September	3689	115	3626	113
October	3379	106	3355	105
November	3095	97	2902	91
December	2885	90	2733	85


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 252.20; PACIFIC HIGHWAY NO. 1; 0.02 mile north of Turner Road Overcrossing	Site Name:	Salem-Kuebler (24-021)
		Installed:	August, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	68542	134	10.8	9.6	9.3	9.2
2010	70265	130	10.1	9.7	9.6	9.4
2011	69484	130	9.9	9.6	9.5	9.4
2012	69134	134	10.2	9.6	9.5	9.4
2013	70819	133	10.1	9.6	9.4	9.4
2014	72422	132	10.0	9.6	9.4	9.3
2015	77191	128	9.7	9.2	9.0	8.9
2016	79661	132	9.6	9.1	9.0	8.9
2017	82504	128	9.8	9.2	9.1	9.0
2018	85105	127	9.5	9.1	8.9	8.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	76007	89	74996	88
February	78055	92	77605	91
March	83456	98	82501	97
April	85170	100	84851	100
May	86933	102	87227	102
June	92531	109	92257	108
July	91368	107	91554	108
August	92211	108	92160	108
September	87526	103	88385	104
October	85512	100	85801	101
November	85070	100	84501	99
December	80414	94	79425	93


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99E BUS; MP 0.67; SALEM HIGHWAY NO. 72; 0.87 mile north of Hyacinth Street N.E.	Site Name:	Salem Parkway (24-022)
		Installed:	June, 2009

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	20881	125	10.8	10.2	10.1	10.0
2011	20597	123	11.2	10.2	10.0	9.9
2012	20467	133	11.3	10.5	10.0	10.0
2013	21018	121	10.5	9.9	9.8	9.7
2014	21702	121	10.8	9.8	9.7	9.6
2015	23374	121	10.9	9.6	9.4	9.4
2016	24944	126	10.8	9.8	9.6	9.5
2017	25147	119	10.4	9.3	9.2	9.2
2018	25291	120	11.2	9.4	9.3	9.2



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	24251	96	23115	91
February	25262	100	23993	95
March	26314	104	24916	99
April	26917	106	25591	101
May	27224	108	26336	104
June	28087	111	26857	106
July	27407	108	26201	104
August	27988	111	26630	105
September	26985	107	25861	102
October	26743	106	25542	101
November	25969	103	24470	97
December	25104	99	23979	95

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR74; MP 37.83; HEPPNER HIGHWAY NO. 52; 1.38 miles southeast of Lexington-Echo Highway No. 320 (OR207)	Site Name:	Lexington (25-007)
		Installed:	August, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1390	***	***	***	***	***
2010	1379	174	16.9	13.2	12.4	12.0
2011	1392	158	15.2	12.9	12.1	11.7
2012	1327	160	16.5	12.9	12.1	11.8
2013	1326	172	18.4	13.6	12.1	11.9
2014	1322	180	15.8	13.4	12.6	12.0
2015	1397	154	14.0	12.4	12.0	11.7
2016	1378	173	14.1	13.1	12.3	11.9
2017	1393	***	***	***	***	***
2018	1438	159	15.4	12.9	12.2	12.0

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1385	96	1236	86
February	1426	99	1274	89
March	1522	106	1387	96
April	1625	113	1449	101
May	1714	119	1574	109
June	1629	113	1492	104
July	1569	109	1445	100
August	1670	116	1563	109
September	1696	118	1606	112
October	1678	117	1569	109
November	1523	106	1383	96
December	1403	98	1277	89


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84/US30 MP 168.55; OLD OREGON TRAIL NO. 6; 0.60 mile southeast of Columbia River Highway No. 2 Interchange (US730)	Site Name:	Boardman Jct (25-008)
		Installed:	June, 2007

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	13087	166	30.5	13.7	13.3	12.4
2010	13191	163	17.3	13.4	13.0	12.6
2011	13206	171	16.9	12.9	12.4	11.9
2012	13424	163	16.7	12.9	12.2	12.1
2013	13927	161	17.1	14.0	12.8	12.3
2014	14746	159	16.6	13.4	12.3	11.9
2015	15749	155	16.8	12.7	12.2	11.9
2016	16873	161	16.2	12.7	12.1	11.7
2017	16958	***	***	***	***	***
2018	17726	153	15.8	12.6	12.0	11.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13537	76	13129	74
February	14496	82	14172	80
March	16405	93	16708	94
April	16884	95	17254	97
May	18176	103	18367	104
June	19906	112	20461	115
July	20362	115	21364	121
August	20922	118	21701	122
September	19760	111	20002	113
October	17885	101	18335	103
November	16735	94	16918	95
December	14206	80	14302	81

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 17.71; COLUMBIA RIVER HIGHWAY NO. 2; SIX LANES CONFIG. AS OF 2/20/15, SPD DATA	Site Name:	Troutdale (26-001)
		Installed:	January, 1951

HISTORICAL TRAFFIC DATA

		Percent of AADT				
Year	AADT	Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	29463	176	16.8	15.1	14.4	14.0
2010	29637	***	***	***	***	***
2011	28054	180	15.8	14.9	14.0	13.5
2012	28469	188	16.6	15.2	14.1	13.7
2013	29033	***	***	***	***	***
2014	28961	***	***	***	***	***
2015	33699	175	15.6	14.5	14.2	13.8
2016	35284	173	16.0	14.8	14.3	14.0
2017	32818	***	***	***	***	***
2018	35110	167	14.6	14.1	13.9	13.5

2017 – Atypical values due to fire were removed



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	23956	68	25586	73
February	24641	70	26694	76
March	29018	83	32121	91
April	30822	88	33581	96
May	34294	98	38406	109
June	37117	106	41211	117
July	40335	115	45250	129
August	38745	110	43717	125
September	35307	101	39086	111
October	31217	89	35333	101
November	29209	83	31913	91
December	27093	77	28423	81


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 73.75; SUNSET HIGHWAY NO. 47; 0.20 mile west of Stadium Freeway No. 61 (I-405), at the Vista Ridge Tunnel	Site Name:	Vista Ridge Tunnel (26-002)
		Installed:	February, 1969

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	139800	***	***	***	***	***
2010	138369	***	***	***	***	***
2011	138937	115	7.9	7.8	7.8	7.7
2012	139387	115	8.1	7.9	7.9	7.8
2013	140605	114	8.0	7.8	7.8	7.8
2014	140639	115	8.0	7.9	7.8	7.8
2015	142420	112	7.9	7.7	7.7	7.6
2016	142232	115	7.8	7.6	7.5	7.5
2017	140780	118	7.9	7.7	7.6	7.6
2018	149705	112	7.6	7.4	7.4	7.3



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	148268	99	143467	96
February	146500	98	143393	96
March	157447	105	151702	101
April	158622	106	152113	102
May	158947	106	154485	103
June	162515	109	156004	104
July	155954	104	150853	101
August	160623	107	153488	103
September	156376	104	151060	101
October	156819	105	150611	101
November	153171	102	146000	98
December	147116	98	143283	96


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 14.36; MT. HOOD HIGHWAY NO. 26; 0.18 mile southeast of SE Powell Valley Road	Site Name:	Gresham (26-003)
		Installed:	March, 1951

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	32252	121	10.4	9.2	9.0	8.9
2010	32273	126	9.9	9.5	9.3	9.2
2011	30530	126	10.1	9.4	9.3	9.2
2012	29978	129	10.1	9.6	9.4	9.3
2013	30315	133	10.9	9.4	9.3	9.1
2014	30648	128	10.0	9.4	9.2	9.2
2015	32143	129	9.9	9.3	9.1	9.1
2016	33041	121	9.7	9.1	8.9	8.8
2017	32856	122	9.7	9.0	8.9	8.8
2018	33406	130	9.4	9.0	8.9	8.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	31845	95	31826	95
February	31449	94	31223	93
March	33378	100	33131	99
April	33755	101	32872	98
May	33989	102	33612	101
June	34736	104	34188	102
July	37130	111	36978	111
August	37704	113	37557	112
September	34211	102	33729	101
October	33112	99	32268	97
November	31840	95	31100	93
December	32591	98	32390	97

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 307.97; PACIFIC HIGHWAY NO. 1; 0.41 mile south of Oregon-Washington State Line	Site Name:	Interstate Bridge (26-004)
		Installed:	January, 1953

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	121133	121	8.0	7.8	7.8	7.8
2010	123189	118	7.8	7.7	7.6	7.5
2011	123893	118	8.0	7.6	7.5	7.4
2012	124340	117	7.8	7.6	7.5	7.5
2013	126995	117	7.8	7.5	7.4	7.4
2014	128393	117	7.8	7.5	7.4	7.3
2015	132252	116	7.5	7.3	7.3	7.2
2016	132350	117	7.5	7.3	7.3	7.2
2017	132274	116	7.6	7.3	7.2	7.2
2018	135664	***	***	***	***	***

2018 – Construction Zone



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	131010	97	128536	95
February	131126	97	129755	96
March	140610	104	138014	102
April	140957	104	137744	102
May	140781	104	138909	102
June	142902	105	138214	102
July	141500	104	139700	103
August	143200	106	141600	104
September	139000	102	136000	100
October	138000	102	135000	100
November	137000	101	133500	98
December	134400	99	131000	97


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-405; MP 0.60; STADIUM FREEWAY HIGHWAY NO. 61; 0.64 mile northwest of Pacific Highway No. 1 (I-5)	Site Name:	Stadium Freeway (26-005)
		Installed:	December, 1965

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	94769	***	***	***	***	***
2010	95608	***	***	***	***	***
2011	94175	***	***	***	***	***
2012	91550	***	***	***	***	***
2013	93158	***	***	***	***	***
2014	92063	114	8.0	7.9	7.8	7.7
2015	93810	114	7.9	7.8	7.7	7.7
2016	93110	119	9.6	7.7	7.6	7.6
2017	93601	118	8.0	7.9	7.8	7.8
2018	95803	121	9.2	7.9	7.8	7.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	96419	101	92875	97
February	97025	101	94314	98
March	101529	106	97693	102
April	101794	106	98058	102
May	100859	105	97498	102
June	103708	108	99821	104
July	99058	103	97833	102
August	96379	101	91621	96
September	100002	104	96671	101
October	102037	107	99030	103
November	98325	103	94226	98
December	93373	97	89992	94

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	MP 13.94; HISTORIC COLUMBIA RIVER HIGHWAY NO. 100; 0.10 mile west of Bridal Veil Falls State Park	Site Name:	Bridal Veil (26-012)
		Installed:	August, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	787	300	38.0	33.0	31.0	29.4
2010	782	303	44.4	39.4	37.5	35.3
2011	764	365	47.1	40.1	37.5	36.0
2012	697	382	54.3	43.2	39.2	37.2
2013	760	316	65.3	40.0	36.6	35.3
2014	875	349	63.3	35.2	33.7	32.8
2015	1038	293	44.3	30.8	29.6	28.6
2016	1081	299	37.2	31.6	28.8	28.2
2017	798	***	***	***	***	***
2018	852	293	36.9	30.3	28.8	27.7

2017 – Atypical values due to construction were removed



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	332	39	469	55
February	345	40	509	60
March	553	65	771	90
April	593	70	739	87
May	798	94	1072	126
June	993	117	1141	134
July	1262	148	1458	171
August	971	114	1171	137
September	848	100	1033	121
October	558	65	746	88
November	382	45	602	71
December	453	53	507	60


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 3.35; COLUMBIA RIVER HIGHWAY NO. 2; At the N.E. 53rd Avenue Undercrossing.	Site Name:	Hoyt (26-014)
		Installed:	July, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	161495	116	7.6	7.4	7.4	7.3
2010	161572	115	7.5	7.3	7.3	7.3
2011	158377	***	***	***	***	***
2012	154572	118	7.4	7.3	7.2	7.2
2013	156456	115	7.3	7.2	7.1	7.1
2014	161772	113	7.1	7.0	7.0	7.0
2015	165735	111	6.9	6.9	6.8	6.8
2016	167059	113	6.9	6.8	6.8	6.8
2017	164260	115	7.1	6.9	6.8	6.8
2018	165862	115	7.0	6.9	6.8	6.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	165327	100	161598	97
February	165496	100	164053	99
March	173864	105	171245	103
April	175446	106	171425	103
May	176359	106	174472	105
June	177942	107	174523	105
July	164881	99	163217	98
August	164560	99	159838	96
September	172952	104	168944	102
October	173241	104	167222	101
November	165531	100	157627	95
December	160499	97	156182	94

2018 – Use seasonal factors with caution. Low atypical values during construction


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 0.49; COLUMBIA RIVER HIGHWAY NO. 2; 0.49 mile east of Pacific Highway No. 1 Interchange (I-5)	Site Name:	West Banfield (26-015)
		Installed:	August, 2013

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	142071	118	11.0	7.8	7.4	7.3
2010	146571	***	***	***	***	***
2011	143160	115	7.5	7.4	7.3	7.3
2012	141433	114	7.5	7.3	7.3	7.2
2013	143065	110	7.3	7.1	7.1	7.0
2014	144885	112	7.4	7.2	7.1	7.1
2015	147118	***	***	***	***	***
2016	147894	112	7.0	7.0	6.9	6.9
2017	143477	115	7.2	7.0	6.9	6.9
2018	143264	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	147799	103	144509	101
February	146247	102	144860	101
March	152375	106	150433	105
April	155286	108	151658	106
May	156140	109	154716	108
June	156493	109	153911	107
July	134249	94	132936	93
August	97380	68	99139	69
September	153000	107	152000	106
October	153000	107	148000	103
November	147000	103	145000	101
December	147000	103	142000	99


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 298.24; PACIFIC HIGHWAY NO. 1; 1.07 miles north of S.W. Terwilliger Boulevard, in Portland	Site Name:	Iowa Street (26-016)
		Installed:	December, 1961

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	140861	116	8.3	8.1	8.0	8.0
2010	141415	***	***	***	***	***
2011	139332	***	***	***	***	***
2012	137111	116	8.2	8.0	8.0	7.9
2013	137147	116	8.2	8.0	7.9	7.9
2014	137062	116	8.3	8.1	8.0	7.9
2015	142034	114	8.1	7.9	7.8	7.8
2016	140653	114	7.9	7.8	7.8	7.7
2017	140199	114	7.9	7.8	7.7	7.6
2018	142031	114	7.9	7.6	7.6	7.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	143417	101	138507	98
February	142639	100	139580	98
March	146735	103	142637	100
April	149557	105	144685	102
May	147518	104	143808	101
June	145988	103	141795	100
July	144038	101	139529	98
August	150840	106	143717	101
September	149299	105	144952	102
October	151240	106	145751	103
November	147223	104	140530	99
December	142053	100	138883	98

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-205; MP 20.35; EAST PORTLAND FREEWAY NO. 64; 0.22 mile south of S.E. Washington Street Undercrossing	Site Name:	Yamhill (26-018)
		Installed:	July, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	146509	116	7.8	7.7	7.6	7.6
2010	146277	115	7.8	7.7	7.6	7.6
2011	145358	116	7.8	7.6	7.6	7.5
2012	145124	115	7.8	7.6	7.6	7.5
2013	146169	115	7.7	7.6	7.5	7.5
2014	146484	114	7.6	7.4	7.4	7.4
2015	151410	112	7.3	7.2	7.1	7.1
2016	152773	114	7.3	7.1	7.1	7.0
2017	148884	113	7.2	7.2	7.1	7.0
2018	152954	***	***	***	***	***

2018 – Construction Zone



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	150052	98	145177	95
February	150409	98	147673	97
March	159695	104	154783	101
April	160467	105	154418	101
May	161500	106	156000	102
June	163200	107	158400	104
July	159000	104	157000	103
August	160000	105	158000	103
September	158000	103	154500	101
October	157000	103	153500	100
November	155000	101	150500	98
December	150500	98	145500	95

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 304.66; PACIFIC HIGHWAY NO. 1; 0.03 mile south of N. Ainsworth Street undercrossing	Site Name:	Minnesota Freeway (26-019)
		Installed:	December, 1964

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	129987	116	7.7	7.6	7.5	7.5
2010	130677	117	7.9	7.6	7.5	7.5
2011	129887	117	7.8	7.6	7.5	7.5
2012	129661	117	7.8	7.6	7.5	7.5
2013	131640	114	7.7	7.5	7.5	7.4
2014	132040	114	7.7	7.5	7.4	7.4
2015	134027	113	7.5	7.4	7.3	7.3
2016	132896	112	7.5	7.4	7.4	7.3
2017	131120	113	7.6	7.5	7.4	7.3
2018	134741	***	***	***	***	***

2018 – Construction Zone



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	129900	96	129811	96
February	131998	98	132538	98
March	138234	103	138540	103
April	137728	102	137597	102
May	137198	102	138403	103
June	137500	102	137000	102
July	134000	99	135000	100
August	136000	101	136500	101
September	135000	100	135500	101
October	135500	101	136000	101
November	131500	98	131000	97
December	129000	96	129000	96

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-205; MP 18.25; EAST PORTLAND FREEWAY NO. 64; 0.87 mile south of Mt. Hood Highway No. 26 (US26)	Site Name:	Lents (26-022)
		Installed:	July, 1995

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	152957	115	7.9	7.7	7.7	7.6
2010	150015	115	8.1	8.0	7.9	7.9
2011	150855	116	8.1	7.9	7.8	7.8
2012	150336	116	8.1	7.9	7.9	7.8
2013	151177	115	8.1	7.8	7.8	7.7
2014	151251	115	7.9	7.7	7.7	7.6
2015	156136	113	7.7	7.5	7.4	7.3
2016	155756	113	7.5	7.4	7.3	7.3
2017	153561	114	7.5	7.3	7.2	7.2
2018	156319	***	***	***	***	***

2018 – Construction Zone



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	153378	98	148208	95
February	153698	98	150207	96
March	163619	105	157380	101
April	164852	105	158374	101
May	166000	106	160500	103
June	170000	109	163700	105
July	165000	106	161000	103
August	166000	106	162000	104
September	164000	105	159000	102
October	160657	103	155114	99
November	156941	100	150623	96
December	154168	99	149720	96


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-205; MP 25.50; EAST PORTLAND FREEWAY NO. 64; 1.06 miles south of Oregon-Washington State Line	Site Name:	Glenn Jackson Bridge (26-024)
		Installed:	January, 1983

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	136855	121	9.1	8.9	8.8	8.8
2010	138127	***	***	***	***	***
2011	138694	***	***	***	***	***
2012	139748	123	8.9	8.7	8.7	8.6
2013	141973	122	9.1	8.7	8.6	8.5
2014	144732	119	8.6	8.4	8.4	8.4
2015	151713	121	8.3	8.1	8.0	8.0
2016	155398	120	8.0	7.9	7.8	7.8
2017	157038	120	7.9	7.7	7.7	7.7
2018	160024	116	7.8	7.7	7.6	7.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	153466	96	148228	93
February	153007	96	149598	93
March	164677	103	159258	100
April	166924	104	160915	101
May	167276	105	162887	102
June	174015	109	168470	105
July	170249	106	166873	104
August	174394	109	169249	106
September	167558	105	162628	102
October	166672	104	160690	100
November	163657	102	156786	98
December	159264	100	154711	97


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 300.37; PACIFIC HIGHWAY NO. 1; 0.34 mile northeast of Stadium Freeway No. 61 Interchange (I-405)	Site Name:	Marquam Bridge (26-026)
		Installed:	October, 1966

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	138631	***	***	***	***	***
2010	139642	***	***	***	***	***
2011	138125	***	***	***	***	***
2012	134500	***	***	***	***	***
2013	136853	***	***	***	***	***
2014	137282	112	8.0	7.9	7.8	7.7
2015	139246	111	8.0	7.8	7.8	7.7
2016	140462	112	7.8	7.7	7.6	7.6
2017	138839	114	8.0	7.9	7.8	7.8
2018	139820	113	8.0	7.9	7.8	7.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	139612	100	137059	98
February	139948	100	138661	99
March	145586	104	143613	103
April	147040	105	144421	103
May	146726	105	145423	104
June	146961	105	144187	103
July	141106	101	136184	97
August	130535	93	126122	90
September	145697	104	143550	103
October	148048	106	145396	104
November	143932	103	138709	99
December	138381	99	134519	96

2018 –Use seasonal factors with caution. Low atypical values during construction


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-405; MP 3.05; STADIUM FREEWAY HIGHWAY NO. 61; 1.16 miles southwest of Pacific Highway No. 1 (I-5)	Site Name:	Fremont Bridge (26-027)
		Installed:	January, 1978

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	110153	120	8.9	8.6	8.5	8.5
2010	119150	122	8.6	8.4	8.4	8.3
2011	118259	123	8.6	8.5	8.5	8.5
2012	119795	123	9.1	8.5	8.5	8.4
2013	121830	119	8.9	8.5	8.4	8.3
2014	122392	121	9.5	8.3	8.2	8.2
2015	128656	124	8.3	8.0	7.9	7.9
2016	128343	119	10.1	8.1	8.0	8.0
2017	129981	121	8.2	7.9	7.8	7.8
2018	131414	117	8.4	7.9	7.9	7.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	133818	102	126547	96
February	134127	102	128263	98
March	142520	108	134443	102
April	143354	109	134966	103
May	141106	107	134720	103
June	146952	112	138916	106
July	133210	101	128907	98
August	141968	108	135341	103
September	139368	106	132550	101
October	139595	106	131768	100
November	134756	103	125928	96
December	128861	98	124622	95


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 11.45; COLUMBIA RIVER HIGHWAY NO. 2; 1.59 miles west of N.E. 181st Avenue Interchange	Site Name:	Fairview (26-028)
		Installed:	November, 2010

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	101367	123	8.6	8.4	8.3	8.3
2012	100864	122	8.7	8.5	8.4	8.3
2013	101446	119	8.5	8.3	8.2	8.1
2014	102527	119	8.8	8.5	8.3	8.2
2015	107116	120	8.6	8.3	8.0	7.9
2016	106785	120	8.8	8.5	8.3	8.1
2017	107029	123	8.7	8.2	8.1	8.0
2018	110882	120	8.2	7.7	7.6	7.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	104901	95	102010	92
February	105422	95	103393	93
March	114191	103	111744	101
April	115788	104	112221	101
May	116035	105	114980	104
June	121230	109	118907	107
July	117455	106	117507	106
August	117454	106	116563	105
September	115991	105	114791	104
October	113845	103	110851	100
November	108643	98	104723	94
December	105292	95	102899	93

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR18; MP 23.23; SALMON RIVER HIGHWAY NO. 39; 0.19 mile east of Three Rivers Highway No. 32 (OR22)	Site Name:	Valley Junction (27-001)
		Installed:	January, 1950

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	18566	160	13.3	12.7	12.3	12.1
2010	18256	164	13.6	12.4	12.0	11.5
2011	17650	166	14.8	13.2	12.6	12.3
2012	17159	176	14.6	13.8	13.0	12.5
2013	17175	161	14.5	13.2	12.8	12.5
2014	17336	162	14.5	13.7	13.2	12.7
2015	18075	168	13.9	13.0	12.7	12.5
2016	18222	173	13.5	13.2	12.9	12.6
2017	17821	***	***	***	***	***
2018	18213	165	14.3	14.0	13.5	13.0

2017 – Atypical values due to fire were removed



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13504	74	15326	84
February	13630	75	15931	87
March	15791	87	18229	100
April	15178	83	17303	95
May	16034	88	19072	105
June	17000	93	19702	108
July	19672	108	22631	124
August	19384	106	22251	122
September	16914	93	19275	106
October	15156	83	17718	97
November	14178	78	16260	89
December	13787	76	14854	82


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR221; MP 18.60; SALEM-DAYTON HIGHWAY NO. 150; 0.09 mile north of Brush College Road N.W.	Site Name:	Brush College (27-002)
		Installed:	December, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	12023	***	***	***	***	***
2010	12229	123	11.0	10.6	10.4	10.3
2011	12096	121	11.1	10.7	10.6	10.4
2012	12084	126	11.2	10.7	10.5	10.4
2013	12114	125	11.3	10.5	10.3	10.2
2014	12498	122	10.8	10.6	10.4	10.3
2015	13189	122	10.5	10.3	10.1	10.0
2016	13835	120	11.0	10.3	10.2	10.1
2017	14219	123	10.7	10.4	10.3	10.2
2018	14182	122	10.8	10.2	10.1	10.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13684	96	13143	93
February	14099	99	13517	95
March	14408	102	13792	97
April	15012	106	14375	101
May	15132	107	14782	104
June	15379	108	14790	104
July	15249	108	14645	103
August	15784	111	15141	107
September	15117	107	14608	103
October	15041	106	14397	102
November	14368	101	13639	96
December	13903	98	13355	94


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99W; MP 70.90; PACIFIC HIGHWAY WEST NO. 91; 1.43 miles north of Polk-Benton County Line	Site Name:	Monmouth (27-005)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	7005	153	17.0	13.8	12.6	11.8
2010	7287	159	17.6	14.4	13.3	12.0
2011	7193	146	17.5	15.1	12.9	12.1
2012	7120	150	16.9	14.1	12.8	12.0
2013	7110	164	15.8	14.7	12.1	11.7
2014	7285	142	18.1	13.5	12.6	12.1
2015	7802	140	14.7	12.3	11.8	11.6
2016	8074	142	14.6	12.9	12.1	11.5
2017	8161	137	19.4	12.3	11.6	11.5
2018	8371	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7805	93	7533	90
February	8279	99	7967	95
March	8444	101	8075	96
April	8941	107	8604	103
May	9157	109	8965	107
June	9071	108	9035	108
July	8769	105	8579	102
August	9200	110	8700	104
September	8800	105	8850	106
October	8845	106	8874	106
November	8531	102	8235	98
December	7422	89	7029	84


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR22; MP 19.47; WILLAMINIA-SALEM HIGHWAY NO. 30; 0.90 mile west of Independence Highway No. 193 (OR51)	Site Name:	Oak Knoll (27-006)
		Installed:	January, 2001

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	26317	127	11.7	10.0	9.9	9.9
2010	26107	125	10.6	10.2	10.0	9.9
2011	25358	124	10.5	10.1	9.9	9.8
2012	24891	124	10.4	10.1	9.9	9.8
2013	25283	126	10.9	10.4	10.1	9.9
2014	26112	135	11.4	10.4	10.1	9.9
2015	27762	122	10.3	10.0	9.8	9.7
2016	28749	126	10.7	9.8	9.7	9.6
2017	29295	125	10.0	9.8	9.6	9.6
2018	29442	122	10.3	9.7	9.6	9.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	27976	95	26985	92
February	29198	99	28102	95
March	30304	103	29305	100
April	30964	105	29718	101
May	31122	106	30680	104
June	31671	108	31049	105
July	31465	107	31022	105
August	31999	109	31320	106
September	30700	104	30063	102
October	31218	106	30146	102
November	29754	101	28373	96
December	27559	94	26542	90

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US97; MP 17.36; SHERMAN HIGHWAY NO. 42; 0.83 mile northwest of 1st Street	Site Name:	Wasco (28-001)
		Installed:	April, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2657	162	16.8	13.4	12.8	12.5
2010	2706	161	14.6	13.2	12.6	12.3
2011	2632	171	16.2	13.5	13.0	12.3
2012	2638	160	15.0	13.3	12.8	12.5
2013	2693	163	14.9	13.3	12.9	12.5
2014	2743	158	14.9	13.3	13.0	12.6
2015	2921	166	15.8	13.7	13.3	12.8
2016	3025	167	16.7	14.0	13.3	12.9
2017	3110	***	***	***	***	***
2018	3097	173	14.8	13.7	13.3	13.0

2017 - K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2342	76	2230	72
February	2488	80	2395	77
March	2728	88	2711	88
April	3026	98	3039	98
May	3402	110	3362	109
June	3770	122	3885	125
July	3775	122	4013	130
August	3759	121	3886	125
September	3441	111	3428	111
October	3062	99	3058	99
November	2810	91	2794	90
December	2357	76	2360	76

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 109.51; COLUMBIA RIVER HIGHWAY NO. 2; 0.44 mile west of Rufus/John Day Dam Interchange	Site Name:	Rufus (28-002)
		Installed:	January, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	10774	189	20.1	16.5	15.3	14.3
2010	10831	179	19.9	16.1	15.2	14.8
2011	10583	190	20.9	15.8	15.0	14.2
2012	10812	181	21.0	16.0	15.4	14.8
2013	11143	190	21.0	17.2	15.9	15.2
2014	11350	192	21.4	16.4	15.9	15.4
2015	12135	***	***	***	***	***
2016	13002	174	17.2	15.3	14.6	14.0
2017	12463	185	17.4	16.4	15.2	14.7
2018	13314	***	***	***	***	***

2018 – Sensor issues



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8928	67	9044	68
February	9650	72	9950	75
March	11300	85	11950	90
April	11800	89	12800	96
May	13265	100	13996	105
June	14800	111	15800	119
July	15300	115	16900	127
August	15500	116	17200	129
September	14371	108	15327	115
October	12522	94	13598	102
November	12015	90	12769	96
December	9967	75	10437	78

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US101; MP 53.55; OREGON COAST HIGHWAY NO. 9; 2.08 miles south of Washington Street	Site Name:	Rockaway (29-001)
		Installed:	September, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	6215	214	20.7	18.4	17.5	16.5
2010	6173	208	20.8	18.6	17.3	16.2
2011	5879	208	22.3	19.3	18.0	16.9
2012	5818	214	20.8	18.1	17.4	17.0
2013	5873	212	20.8	18.4	16.8	16.1
2014	6020	216	21.0	18.3	17.6	17.2
2015	6454	213	19.8	17.6	16.9	16.3
2016	6687	184	19.6	16.7	16.1	15.7
2017	6728	185	18.6	17.1	16.2	15.9
2018	7104	173	17.1	16.2	15.7	15.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4866	68	4922	69
February	5292	74	5488	77
March	6224	88	6416	90
April	6208	87	6318	89
May	6627	93	7320	103
June	7860	111	8169	115
July	9922	140	10356	146
August	9564	135	10077	142
September	8107	114	8529	120
October	6437	91	6905	97
November	5374	76	5726	81
December	4961	70	5019	71


For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US730; MP 193.70; COLUMBIA RIVER HIGHWAY NO. 2; 0.24 mile east of Pendleton-Cold Springs Highway No. 36 (OR37)	Site Name:	Cold Springs (30-002)
		Installed:	October, 1962

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2492	165	12.7	11.4	11.0	10.7
2010	2452	162	14.3	11.5	11.0	10.8
2011	2547	***	***	***	***	***
2012	2775	***	***	***	***	***
2013	2415	***	***	***	***	***
2014	2792	***	***	***	***	***
2015	2746	***	***	***	***	***
2016	3121	***	***	***	***	***
2017	2803	***	***	***	***	***
2018	3263	***	***	***	***	***

2018 – One direction actual, one direction estimated



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2450	75	2350	72
February	2650	81	2550	78
March	3050	93	3050	93
April	3400	104	3250	100
May	3600	110	3500	107
June	3800	116	3850	118
July	4000	123	4050	124
August	4100	126	3950	121
September	3800	116	3700	113
October	3300	101	3300	101
November	3000	92	3050	93
December	2650	81	2550	78

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 203.34; OLD OREGON TRAIL NO. 6; 4.13 miles west of Pendleton Highway No. 67 Interchange (US30)	Site Name:	Pendleton (30-004)
		Installed:	September, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	14574	149	13.2	11.9	11.2	10.9
2010	14977	***	***	***	***	***
2011	14717	158	13.0	11.3	11.0	10.8
2012	14647	147	13.6	11.4	11.0	10.8
2013	14832	148	14.0	12.1	11.1	10.8
2014	14962	147	14.0	11.7	11.2	11.0
2015	15933	145	13.9	11.3	11.0	10.8
2016	16599	155	13.9	11.5	11.3	11.0
2017	16751	***	***	***	***	***
2018	17513	146	13.4	11.7	11.1	10.8

2017 – K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13603	78	13193	75
February	14575	83	14193	81
March	16640	95	16830	96
April	17461	100	17599	100
May	18222	104	18343	105
June	19478	111	19902	114
July	19959	114	20924	119
August	20036	114	20569	117
September	19369	111	19702	112
October	17812	102	18056	103
November	16628	95	16659	95
December	14091	80	14180	81

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US395; MP 16.70; PENDLETON-JOHN DAY HIGHWAY NO. 28; 1.34 miles southwest of W. Main Street	Site Name:	Pilot Rock (30-007)
		Installed:	November, 1954

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	862	196	19.0	15.9	15.1	14.4
2010	840	204	19.8	17.0	15.1	14.5
2011	796	211	21.3	15.9	14.9	14.4
2012	788	199	23.0	17.4	15.6	14.5
2013	777	208	26.6	16.9	15.6	14.4
2014	763	213	21.6	17.3	16.9	15.6
2015	800	205	20.9	17.3	16.0	15.1
2016	786	303	38.7	19.6	17.3	16.2
2017	809	***	***	***	***	***
2018	814	203	22.5	17.7	16.0	14.9

2017 - K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA


	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	567	70	550	68
February	627	77	612	75
March	690	85	696	86
April	745	92	777	95
May	853	105	913	112
June	883	108	922	113
July	925	114	955	117
August	903	111	954	117
September	1029	126	1114	137
October	916	113	954	117
November	735	90	765	94
December	549	67	560	69

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US395; MP 1.77; PENDLETON-JOHN DAY HIGHWAY NO. 28; 0.09 mile south of Old Oregon Trail Highway No. 6 (I-84)	Site Name:	S. Pendleton (30-008)
		Installed:	April, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	22618	128	15.7	10.1	9.9	9.8
2010	***	***	***	***	***	***
2011	22218	124	10.3	9.8	9.7	9.6
2012	22085	125	10.2	9.6	9.5	9.4
2013	22662	140	10.4	10.1	10.0	9.9
2014	23384	137	11.4	10.2	10.0	10.0
2015	24008	124	11.2	10.2	10.0	9.8
2016	24573	135	10.4	9.9	9.7	9.6
2017	25563	125	12.8	10.1	9.9	9.6
2018	25866	130	11.4	10.2	9.9	9.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	25929	100	24085	93
February	25672	99	24108	93
March	27055	105	25463	98
April	28407	110	26458	102
May	28469	110	26659	103
June	28118	109	26551	103
July	27184	105	25849	100
August	27989	108	26342	102
September	28411	110	26929	104
October	28834	111	26932	104
November	27576	107	25797	100
December	26801	104	25224	98


For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR204; MP 0.12; WESTON-ELGIN HIGHWAY NO. 330; 1.44 miles east of Oregon-Washington Highway No. 8 (OR11)	Site Name:	Weston (30-012)
		Installed:	January, 1968

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1124	***	***	***	***	***
2010	1108	192	21.7	17.6	16.7	16.0
2011	1058	204	22.3	19.5	17.8	16.8
2012	1006	203	36.2	19.8	18.1	17.1
2013	1024	197	24.2	18.8	16.9	16.2
2014	1061	206	22.1	19.4	18.1	17.2
2015	1156	198	19.5	18.5	17.4	16.2
2016	1214	463	60.7	39.3	18.4	17.4
2017	1136	***	***	***	***	***
2018	1185	209	21.6	19.2	18.2	17.2

2017 – Atypical values due to construction were removed



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	652	55	713	60
February	694	59	760	64
March	763	64	820	69
April	835	70	900	76
May	1219	103	1370	116
June	1295	109	1458	123
July	1563	132	1824	154
August	1428	121	1649	139
September	1385	117	1491	126
October	1203	102	1287	109
November	922	78	1002	85
December	836	71	949	80


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US395; MP 8.70; UMITILLA-STANFIELD HIGHWAY NO. 54; 0.12 mile northwest of Feedville Road (Northwest of Stanfield)	Site Name:	Stanfield (30-019)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	7618	135	11.1	10.1	9.9	9.7
2010	7706	136	10.5	10.0	9.9	9.7
2011	7567	128	10.6	9.8	9.7	9.6
2012	7347	132	10.4	9.9	9.7	9.6
2013	7384	131	10.8	10.0	9.8	9.7
2014	7406	125	10.5	9.9	9.7	9.6
2015	7660	123	10.5	9.8	9.7	9.6
2016	7818	127	10.3	9.9	9.8	9.7
2017	7891	147	16.4	10.0	9.9	9.8
2018	8112	130	10.9	9.9	9.7	9.6



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7478	92	7223	89
February	8133	100	7680	95
March	8441	104	8029	99
April	8828	109	8403	104
May	8818	109	8525	105
June	8859	109	8436	104
July	8717	107	8417	104
August	8957	110	8646	107
September	8744	108	8379	103
October	8687	107	8211	101
November	8374	103	7891	97
December	7791	96	7505	93


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR11; MP 34.46; OREGON-WASHINGTON HIGHWAY NO. 8; 0.86 mile south of Oregon-Washington State Line	Site Name:	Milton (30-021)
		Installed:	September, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	14718	***	***	***	***	***
2010	14739	125	10.7	10.4	10.1	10.0
2011	14521	131	10.7	10.2	10.0	9.9
2012	14333	130	10.9	10.3	10.0	9.9
2013	14202	129	10.6	10.1	9.9	9.8
2014	14132	128	10.8	10.3	10.0	9.9
2015	14817	127	10.3	10.0	9.8	9.8
2016	15380	130	10.5	10.0	9.8	9.7
2017	15180	130	11.1	10.2	10.1	10.0
2018	15659	128	10.9	10.0	9.9	9.8



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	14001	89	13569	87
February	15064	96	14517	93
March	15941	102	15493	99
April	16528	106	16158	103
May	16943	108	16598	106
June	17447	111	17060	109
July	17148	110	16647	106
August	17018	109	16529	106
September	16815	107	16498	105
October	16495	105	16027	102
November	15199	97	14749	94
December	14346	92	14061	90


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-82; MP 0.58; McNARY HIGHWAY NO. 70; 0.58 mile south of Oregon-Washington State line	Site Name:	Umatilla Bridge (30-025)
		Installed:	April, 1977

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	17136	149	13.2	11.5	11.2	11.0
2010	17854	148	11.7	11.1	10.9	10.7
2011	18100	152	12.0	11.0	10.6	10.4
2012	17880	144	12.5	11.1	10.8	10.5
2013	18487	147	12.9	11.4	10.9	10.6
2014	18997	146	13.1	11.3	10.8	10.6
2015	20465	141	12.5	10.8	10.4	10.2
2016	21647	150	12.1	10.9	10.6	10.3
2017	21644	155	11.7	10.8	10.7	10.6
2018	21528	146	11.0	10.4	10.2	10.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	16953	79	16680	77
February	18625	87	18237	85
March	20543	95	20835	97
April	21357	99	21814	101
May	21944	102	22247	103
June	23036	107	23671	110
July	24513	114	25232	117
August	24727	115	25162	117
September	23705	110	23768	110
October	22037	102	22274	103
November	20375	95	20397	95
December	17763	83	18022	84

2017 - Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 216.81; OLD OREGON TRAIL NO. 6; 0.76 mile southeast of Umatilla-Mission Highway No. 331 Interchange	Site Name:	Mission Jct (30-026)
		Installed:	June, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	9493	165	17.7	15.0	14.0	13.3
2010	9863	167	17.2	14.5	13.7	13.0
2011	9615	176	16.8	13.9	13.1	12.8
2012	9516	222	17.4	14.4	13.5	13.1
2013	9739	174	17.1	13.5	12.8	12.4
2014	10264	163	18.1	13.3	12.9	12.4
2015	11029	150	17.1	13.5	12.8	12.3
2016	11519	169	14.9	12.8	12.4	11.8
2017	11289	***	***	***	***	***
2018	11849	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8588	72	8398	71
February	9135	77	8875	75
March	10475	88	10837	91
April	11512	97	11911	101
May	12416	105	12572	106
June	13608	115	14261	120
July	13190	111	13732	116
August	13800	116	14300	121
September	13200	111	13600	115
October	12300	104	12600	106
November	10700	90	11100	94
December	9400	79	10000	84

2017 – Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 191.40; OLD OREGON TRAIL NO. 6; 2.56 miles east of Umatilla-Stanfield Highway No. 54 Interchange (US395)	Site Name:	Echo (30-027)
		Installed:	June, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	14657	146	13.0	11.9	11.2	10.8
2010	14507	160	13.0	12.1	11.5	11.3
2011	14339	158	13.5	11.5	11.1	10.9
2012	14266	147	13.6	11.5	11.2	11.0
2013	14455	152	14.8	12.6	11.6	11.2
2014	14419	150	14.4	12.2	11.6	11.3
2015	15646	147	13.7	11.5	11.2	11.0
2016	16352	156	13.8	11.7	11.4	11.1
2017	16535	172	16.4	12.2	11.5	11.2
2018	17283	147	13.8	11.8	11.2	10.9



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	13310	77	12927	75
February	14301	83	13946	81
March	16462	95	16648	96
April	17098	99	17317	100
May	17940	104	18084	105
June	19194	111	19648	114
July	19747	114	20712	120
August	19791	115	20337	118
September	19241	111	19588	113
October	17618	102	17879	103
November	16352	95	16408	95
December	13816	80	13907	80


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR82; MP 1.74; WALLOWA LAKE HIGHWAY NO. 10; 0.82 mile east of Old Oregon Trail Highway No. 6 (I-84)	Site Name:	Island City (31-003)
		Installed:	April, 1999

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	11983	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	11634	128	11.2	10.5	10.3	10.1
2014	11745	132	11.5	10.9	10.5	10.3
2015	12135	129	10.9	10.7	10.4	10.2
2016	12144	133	10.8	10.3	10.1	10.0
2017	12232	***	***	***	***	***
2018	12188	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11364	93	10482	86
February	11879	97	10902	89
March	12900	106	11800	97
April	13500	111	12700	104
May	14300	117	12900	106
June	14300	117	13300	109
July	14400	118	13200	108
August	13890	114	12978	106
September	13892	114	12905	106
October	13300	109	12700	104
November	12339	101	11380	93
December	11647	96	11013	90

2017 – Use Seasonal Factors with caution - many volumes were estimated


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR82; MP 20.70; WALLOWA LAKE HIGHWAY NO. 10; 0.45 mile northeast of Weston-Elgin Highway No. 330 (OR204)	Site Name:	Elgin (31-005)
		Installed:	April, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	1847	***	***	***	***	***
2010	1901	204	28.6	17.2	15.5	14.8
2011	1807	197	22.8	15.8	14.9	14.2
2012	1756	***	***	***	***	***
2013	1782	196	20.7	16.0	14.9	14.1
2014	1791	189	20.5	17.8	15.7	14.5
2015	1891	188	22.3	17.4	15.5	14.1
2016	1930	185	20.9	16.3	15.5	14.6
2017	1915	191	20.1	17.3	15.9	15.2
2018	1966	188	21.4	17.3	15.3	14.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	1348	69	1324	67
February	1365	69	1367	70
March	1548	79	1526	78
April	1688	86	1719	87
May	2088	106	2136	109
June	2347	119	2409	123
July	2642	134	2834	144
August	2361	120	2562	130
September	2476	126	2544	129
October	2060	105	2110	107
November	1711	87	1696	86
December	1365	69	1370	70

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 260.12; OLD OREGON TRAIL NO. 6; 1.05 miles east of La Grande-Baker Highway No. 66 (US30), North La Grande Interchange	Site Name:	North La Grande (31-007)
		Installed:	December, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	8464	164	17.7	14.4	13.5	13.2
2010	8721	167	16.8	14.5	13.4	12.8
2011	8867	182	16.1	14.1	13.5	13.1
2012	8589	156	17.6	13.8	13.2	12.8
2013	8781	176	17.4	15.1	13.4	12.9
2014	8800	***	***	***	***	***
2015	9617	***	***	***	***	***
2016	10074	173	16.7	14.0	13.4	12.9
2017	10226	***	***	***	***	***
2018	10734	157	16.6	14.0	13.3	12.8

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	7510	70	7302	68
February	8114	76	7896	74
March	9786	91	10047	94
April	10335	96	10633	99
May	11213	104	11428	106
June	12301	115	12876	120
July	12899	120	13690	128
August	12801	119	13412	125
September	11911	111	12205	114
October	10747	100	11097	103
November	10039	94	10183	95
December	7867	73	8042	75

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 272.19; OLD OREGON TRAIL NO. 6; 1.72 miles northwest of Ladd Canyon Road	Site Name:	Ladd Summit (31-008)
		Installed:	July, 2008

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	9631	158	15.8	13.1	12.2	11.8
2010	9441	164	14.6	13.4	12.5	12.2
2011	9305	174	15.3	12.9	12.3	11.9
2012	9330	150	16.1	13.0	12.3	11.9
2013	9489	166	16.7	13.9	12.6	12.1
2014	9761	163	16.7	14.3	12.6	12.3
2015	10510	150	15.4	12.8	12.3	12.0
2016	10976	166	15.8	13.1	12.6	12.2
2017	11116	***	***	***	***	***
2018	11516	152	15.6	13.2	12.3	12.1

2017 -K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	8434	73	8195	71
February	9010	78	8802	76
March	10752	93	10949	95
April	11283	98	11497	100
May	12110	105	12225	106
June	13340	116	13773	120
July	13773	120	14448	125
August	13640	118	14137	123
September	12561	109	12775	111
October	11506	100	11727	102
November	10786	94	10832	94
December	8700	76	8830	77


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-84; MP 75.93; COLUMBIA RIVER HIGHWAY NO. 2; 0.72 mile west of the Rowena Interchange.	Site Name:	Rowena (33-001)
		Installed:	January, 1938

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	20662	159	14.5	13.5	12.9	12.4
2010	20760	158	13.3	12.8	12.5	12.1
2011	20322	165	14.7	12.9	12.5	12.1
2012	20162	158	16.0	12.9	12.4	12.2
2013	20488	158	15.1	13.5	12.5	12.2
2014	21201	158	15.1	13.5	12.7	12.3
2015	22321	152	14.2	12.8	12.2	11.9
2016	23412	160	14.7	13.2	12.5	12.1
2017	23426	160	14.1	12.8	12.3	12.1
2018	24796	***	***	***	***	***



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	18826	76	18609	75
February	19657	79	19685	79
March	23000	93	23700	96
April	24300	98	25200	102
May	25700	104	26500	107
June	28000	113	29000	117
July	27926	113	29397	119
August	27751	112	29365	118
September	26067	105	26953	109
October	24047	97	25064	101
November	23020	93	23383	94
December	20550	83	20698	83

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US197; MP 10.30; THE DALLES-CALIFORNIA HIGHWAY NO. 4; 0.84 mile south of Boyd Market Road (North Jct)	Site Name:	Dufur (33-005)
		Installed:	April, 1957

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	2517	159	16.8	13.9	13.0	12.4
2010	2500	***	***	***	***	***
2011	2402	169	17.4	14.4	13.2	12.6
2012	2397	178	20.1	13.9	13.1	12.6
2013	2376	193	20.8	15.3	14.2	13.2
2014	2430	164	19.0	12.8	12.4	11.9
2015	2583	197	18.0	14.3	13.2	12.3
2016	2760	186	18.9	15.5	14.5	13.7
2017	2853	***	***	***	***	***
2018	2911	157	29.7	15.0	12.8	12.3

2017 - K Factors are atypical due to Eclipse volumes



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	2420	83	2299	79
February	2528	87	2478	85
March	2812	97	2761	95
April	3051	105	3014	104
May	3244	111	3202	110
June	3212	110	3190	110
July	3647	125	3687	127
August	3225	111	3311	114
September	3120	107	3064	105
October	2914	100	2859	98
November	2692	92	2586	89
December	2578	89	2481	85


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR6; MP 38.55; WILSON RIVER HIGHWAY NO. 37; 0.75 mile west of Glenwood Lane	Site Name:	Gales Creek (34-004)
		Installed:	October, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	4852	279	30.0	25.2	22.4	21.3
2010	4733	286	27.5	24.8	22.9	21.5
2011	4512	266	29.7	24.6	23.1	22.4
2012	4553	336	32.7	25.6	23.3	22.2
2013	4693	230	27.3	23.2	21.8	20.9
2014	4906	274	28.6	24.2	23.0	22.1
2015	5423	287	28.4	23.8	21.9	20.9
2016	5562	288	26.4	23.2	21.7	20.8
2017	5492	292	29.1	24.9	22.6	21.6
2018	5839	302	29.7	23.2	21.9	21.4



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	3410	58	3993	68
February	3195	55	3993	68
March	4162	71	5060	87
April	4050	69	4845	83
May	4927	84	6478	111
June	5385	92	6694	115
July	7235	124	9290	159
August	6788	116	8497	146
September	5523	95	6764	116
October	4435	76	5745	98
November	3919	67	4851	83
December	3466	59	3855	66


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 37.60; SUNSET HIGHWAY NO. 47; 0.10 mile west of Vernonia Road	Site Name:	Timber Jct (34-005)
		Installed:	March, 2004

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	6944	268	25.1	22.0	20.9	20.1
2010	6950	286	27.7	22.1	20.0	19.3
2011	6426	290	28.2	23.9	22.5	21.4
2012	6487	286	28.8	24.1	23.3	21.9
2013	6862	258	24.5	21.5	20.0	19.4
2014	7196	274	27.0	23.3	22.3	20.8
2015	7998	280	25.2	21.2	19.6	18.9
2016	8171	264	24.7	21.1	20.3	19.5
2017	8134	266	25.9	22.3	21.2	20.4
2018	8617	253	22.4	21.3	20.0	19.4



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	4792	56	6012	70
February	4271	50	5607	65
March	6490	75	8026	93
April	6426	75	7511	87
May	7276	84	9758	113
June	8116	94	10213	119
July	10887	126	13331	155
August	10639	123	12707	147
September	7994	93	9664	112
October	6139	71	8201	95
November	5450	63	6921	80
December	4932	57	5454	63

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 56.23; SUNSET HIGHWAY NO. 47; 0.93 mile NW of North Plains (Glencoe Rd) Interchange	Site Name:	North Plains (34-007)
		Installed:	June, 2005

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	21017	181	16.2	14.7	14.0	13.6
2010	21010	195	16.5	15.0	13.6	13.4
2011	20135	191	17.2	15.6	14.8	14.3
2012	20051	***	***	***	***	***
2013	20633	170	15.8	14.7	14.1	13.6
2014	21378	181	16.8	15.2	14.6	14.2
2015	23099	186	15.4	13.9	13.5	13.1
2016	24194	181	14.5	14.0	13.7	13.3
2017	23443	***	***	***	***	***
2018	24620	183	16.1	14.5	13.9	13.4

2017 – Atypical values due to construction were removed



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	18464	75	19430	79
February	17680	72	18932	77
March	21909	89	22991	93
April	22760	92	23722	96
May	23658	96	26772	109
June	25396	103	27722	113
July	29169	118	32735	133
August	28735	117	31836	129
September	24635	100	26572	108
October	21972	89	24207	98
November	20188	82	21539	87
December	18786	76	18985	77

For Vehicle Classification data near your project, please go to the following web page:


https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	I-5; MP 290.14; PACIFIC HIGHWAY NO. 1; 0.34 mile south of Boones Ferry Road Interchange	Site Name:	Tigard (34-008)
		Installed:	September, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	153545	118	8.6	8.5	8.4	8.3
2010	155956	117	8.6	8.4	8.3	8.3
2011	154847	117	8.6	8.4	8.4	8.4
2012	153197	117	8.5	8.3	8.3	8.2
2013	157538	117	8.4	8.2	8.2	8.1
2014	154594	119	9.6	8.1	8.0	8.0
2015	164156	114	8.0	7.8	7.7	7.7
2016	164465	114	7.8	7.7	7.6	7.6
2017	164338	114	7.9	7.7	7.6	7.6
2018	166653	***	***	***	***	***

2018 – Construction Zone



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	163813	98	157399	94
February	165357	99	159835	96
March	175315	105	167480	100
April	176605	106	169526	102
May	176800	106	169100	101
June	183000	110	175000	105
July	177000	106	171000	103
August	177000	106	172000	103
September	171000	103	167500	101
October	172000	103	168000	101
November	169200	102	162000	97
December	158000	95	161000	97


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR8; MP 14.84; TUALATIN VALLEY HIGHWAY NO. 29; 0.28 mile west of N.W. 334th Avenue	Site Name:	Cornelius (34-009)
		Installed:	September, 2007

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	33043	120	14.0	9.6	9.4	9.3
2010	33237	124	10.2	9.7	9.5	9.4
2011	33248	118	9.9	9.7	9.5	9.4
2012	33333	117	9.8	9.5	9.4	9.4
2013	33000	120	9.9	9.5	9.4	9.2
2014	32198	120	10.0	9.6	9.5	9.4
2015	33905	127	10.2	9.6	9.4	9.3
2016	34836	119	9.5	9.3	9.2	9.1
2017	35234	119	9.7	9.3	9.1	9.1
2018	35151	116	9.3	9.1	9.0	9.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	34292	98	33189	94
February	35397	101	34349	98
March	36552	104	35413	101
April	37159	106	35895	102
May	37111	106	36372	103
June	37289	106	36214	103
July	36516	104	35460	101
August	37064	105	35934	102
September	36225	103	35172	100
October	36510	104	35314	100
November	35748	102	34434	98
December	34801	99	34067	97


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	US26; MP 65.02; SUNSET HIGHWAY NO. 47; 0.73 mile east of 185th Avenue overcrossing	Site Name:	Beaverton-Bethany (34-010)
		Installed:	February, 2013

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	***	***	***	***	***	***
2010	***	***	***	***	***	***
2011	***	***	***	***	***	***
2012	***	***	***	***	***	***
2013	***	***	***	***	***	***
2014	109193	120	8.6	8.5	8.5	8.4
2015	112772	117	8.4	8.3	8.3	8.2
2016	114746	119	8.3	8.2	8.2	8.2
2017	114408	117	8.2	8.0	8.0	8.0
2018	119946	117	8.2	8.1	8.0	8.0



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	115892	97	110068	92
February	115773	97	110737	92
March	125827	105	118828	99
April	128500	107	120907	101
May	126538	105	122263	102
June	134167	112	126918	106
July	131620	110	126612	106
August	135108	113	128445	107
September	129188	108	123330	103
October	129463	108	122995	103
November	123983	103	116436	97
December	117819	98	111814	93


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99W; MP 21.81; PACIFIC HWYWAY WEST NO. 91; 0.01 mile west of Brutscher Street	Site Name:	Newberg (36-004)
		Installed:	July, 1952

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	34060	***	***	***	***	***
2010	***	***	***	***	***	***
2011	34083	120	9.6	9.0	8.9	8.8
2012	33969	122	9.0	8.8	8.7	8.7
2013	34174	113	10.9	8.6	8.4	8.3
2014	34791	122	9.6	8.8	8.7	8.6
2015	36559	***	***	***	***	***
2016	37027	119	9.3	8.3	8.3	8.2
2017	37244	120	10.2	8.6	8.3	8.3
2018	37095	120	9.1	8.7	8.6	8.5



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	35790	96	34510	93
February	36291	98	35293	95
March	37978	102	36876	99
April	38627	104	37620	101
May	38138	103	37758	102
June	39663	107	38924	105
July	39537	107	38886	105
August	39941	108	38997	105
September	38655	104	37926	102
October	38204	103	37227	100
November	37451	101	36247	98
December	35928	97	34874	94


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR99W; MP 47.45; PACIFIC HIGHWAY WEST NO. 91; 0.07 mile north of Yamhill-Polk County Line	Site Name:	Amity (36-005)
		Installed:	September, 1956

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	5453	132	15.0	11.5	11.0	10.7
2010	5594	135	14.7	11.8	11.2	11.0
2011	5553	135	14.5	11.8	11.3	11.1
2012	5556	133	14.6	11.8	11.6	11.4
2013	5644	143	14.5	12.1	11.5	11.2
2014	5970	134	14.0	11.8	11.7	11.5
2015	6431	136	12.5	11.5	11.2	11.0
2016	6632	134	13.2	11.7	11.4	11.2
2017	7159	156	12.5	11.7	11.6	11.3
2018	7464	129	12.8	11.5	11.2	11.1



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	6998	94	6649	89
February	7485	100	7069	95
March	7627	102	7194	96
April	7895	106	7509	101
May	8037	108	7874	105
June	8127	109	7943	106
July	7969	107	7708	103
August	8177	110	7896	106
September	8091	108	7862	105
October	8144	109	7828	105
November	7796	104	7402	99
December	7044	94	6632	89


For Vehicle Classification data near your project, please go to the following web page:

https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx

Location:	OR18; MP 41.00; SALMON RIVER HIGHWAY NO. 39; 3.36 miles south of Pacific Highway West No. 91 (OR99W)	Site Name:	Salmon River (36-006)
		Installed:	July, 2000

HISTORICAL TRAFFIC DATA

Year	AADT	Percent of AADT				
		Max Day	Max Hour	10TH Hour	20TH Hour	30TH Hour
2009	13550	136	14.7	10.5	10.3	10.1
2010	13487	141	11.4	10.8	10.4	10.3
2011	13097	138	11.8	10.9	10.7	10.5
2012	12859	151	12.3	11.2	10.9	10.7
2013	12915	133	11.3	10.7	10.5	10.4
2014	12943	139	11.9	11.0	10.7	10.5
2015	13520	143	11.2	10.4	10.2	10.1
2016	13772	140	10.9	10.5	10.3	10.1
2017	13764	139	11.0	10.6	10.4	10.3
2018	14349	136	11.9	11.3	11.1	10.7



2018 TRAFFIC DATA

	Average Weekday Traffic	Percent of AADT	Average Daily Traffic	Percent of AADT
January	11930	83	12294	86
February	12300	86	12900	90
March	13529	94	14124	98
April	13478	94	13925	97
May	13961	97	14978	104
June	14617	102	15409	107
July	15692	109	16604	116
August	15796	110	16729	117
September	14563	101	15136	105
October	13623	95	14295	100
November	12897	90	13325	93
December	12337	86	12464	87

For Vehicle Classification data near your project, please go to the following web page:
https://www.oregon.gov/ODOT/Data/Documents/TVT_2018.xlsx