

Table of Contents

Part 100 Design Policies and Procedures

Section 101 Introduction	100-2
Section 102 Definitions	100-4
Section 103 Acronyms.....	100-6
Section 104 Design Guidance.....	100-8
104.1 Blueprint for Urban Design (BUD).....	100-8
104.2 Emerging Framework for Geometric Design.....	100-11
104.3 National Guidance Policies and Documents	100-11
Section 105 How ODOT Uses National Guidance.....	100-12
105.1 Design Flexibility	100-12
Section 106 Approval Processes.....	100-15
106.1 Design Standards.....	100-15
106.2 Design Exceptions.....	100-15
106.3 Urban Design Concurrence Document.....	100-15
106.4 1R/3R Record of Decisions Documentation	100-17
106.5 FHWA Emergency Relief Program - Betterments.....	100-17
106.6 Record Retention.....	100-18
106.7 EOR Requirements for Projects.....	100-18
Section 107 Design Flexibility	100-20
107.1 Introduction.....	100-20
107.2 Practical Design.....	100-22
107.3 Performance-Based Practical Design	100-24
107.4 Context and Roadway Classification	100-24
107.5 Design Standard Policy.....	100-25
Section 108 Local Agency Guidelines.....	100-26
Section 109 Plans, Programs, and Policies	100-27

Table of Contents

109.1 Introduction100-27

109.2 Planning and Project Development.....100-27

109.3 Oregon Transportation Plan.....100-30

109.4 Mode and Topic Plans.....100-31

109.5 Local Plans100-31

109.6 Statewide Transportation Improvement Program.....100-32

Section 110 Design Standards Identification and Selection100-34

110.1 Work Types.....100-34

Section 111 ODOT 1R Standard100-37

111.1 Scoping Requirements.....100-37

111.2 Project Initiation Requirements100-38

111.3 Paving Criteria – 1R Projects.....100-38

111.4 Criteria for Unprotected and Unconnected Bridge Ends -1R Projects.....100-38

111.5 Roadside Safety Hardware Requirements for 1R Projects.....100-39

111.6 Curb Ramp Requirements for 1R Projects.....100-39

111.7 Preservation (1R vs. 3R).....100-39

111.8 Preventive Maintenance100-40

Section 112 ODOT 3R Design Standards.....100-41

112.1 Preservation (Resurfacing, Restoration, and Rehabilitation)100-41

Section 113 ODOT 4R/New Design Standard100-42

113.1 Single Function Projects (4R).....100-44

Section 114 AASHTO Design Standards100-45

Section 115 Design Standards for Special Cases.....100-47

115.1 Combined Projects Standards or Types.....100-47

115.2 Routine Maintenance.....100-47

115.3 Bridge100-47

115.4 Safety100-48

115.5 Operations.....100-50

115.6 Development Review and Permitted Projects (Non-STIP).....100-50

115.7 Miscellaneous/Special Programs100-51

Table of Contents

Section 116 Design Standard Selection	100-51
Section 117 Project Delivery Process	100-53
117.1 Design Flexibility in Project Delivery	100-54
117.2 Programs to Fund Projects	100-58
117.3 Refined Decision-Making Framework.....	100-62
117.4 Project Business Case	100-67
117.5 Project Charters.....	100-68
117.6 Project Management Plan.....	100-68
Section 118 Design Procedures	100-68
118.1 Project Development Process.....	100-69
Section 119 1R/3R/4R Design Procedures	100-71
119.1 1R/3R Record of Decisions Documentation	100-72
119.2 1R/3R Record of Decision and Urban Design Concurrence Document for Urban Projects	100-73
119.3 Roadside Inventory - General	100-73
119.4 Additional Roadside Inventory for 3R Projects.....	100-74
119.5 Roadside Inventory for 4R Projects.....	100-78
119.6 Project Scoping.....	100-82
Section 120 Motor Carrier Freight Considerations	100-84
Section 121 FHWA Emergency Relief Program-Betterments	100-85
121.1 General	100-85
121.2 Definition	100-86
121.3 Policy	100-86
121.4 Examples of Betterments	100-86
121.5 Approval Requests	100-87
Section 122 References	100-88
122.1 AASHTO References	100-88
122.2 Other References.....	100-88

Part 200 Geometric Design and Context

Section 201 Introduction	200-2
---------------------------------------	--------------

Table of Contents

201.1 Definitions.....200-2

201.2 Acronyms.....200-3

Section 202 Approval Processes.....200-3

202.1 Design Exceptions.....200-3

202.2 Design Concurrence Document.....200-3

Section 203 Context and Classification200-4

203.1 Urban Context and Roadway Classifications200-4

203.2 Design Flexibility in Urban Contexts.....200-4

203.3 Integrating Design, Operations, Maintenance, and Safety200-5

203.4 Resources for Design, Operations, and Safety200-7

Section 204 Roadway Classification200-7

204.1 Oregon Highway Plan Classifications200-8

204.2 Other Roadway Designations or Characteristics200-10

Section 205 Documenting Context and Classification200-11

205.1 Urban Context and Land Use.....200-12

205.2 ODOT Urban Context200-14

205.3 Urban Context and the Oregon Highway Plan200-16

205.4 Determining Urban Context.....200-17

205.5 Urban Context and Multimodal Users200-20

Section 206 Examples of ODOT Urban Contexts200-21

206.1 Traditional Downtown/Central Business District.....200-21

206.2 Urban Mix200-23

206.3 Commercial Corridor200-24

206.4 Residential Corridor200-25

206.5 Suburban Fringe.....200-27

206.6 Rural Community200-28

Section 207 Designing Based on Context and Classification.....200-30

207.1 Urban and Rural Freeways (Including Interstates).....200-30

207.2 Urban and Rural Expressways.....200-30

207.3 Rural Arterials, Collectors, and Local Routes.....200-31

Table of Contents

207.4 Traditional Downtown/Central Business District.....	200-31
207.5 Urban Mix.....	200-31
207.6 Commercial Corridor.....	200-32
207.7 Residential Corridor.....	200-32
207.8 Suburban Fringe.....	200-32
207.9 Rural Community.....	200-33
207.10 Speed, Context, and Design.....	200-38
207.11 Posted Speed.....	200-42
207.12 85th Percentile Speed.....	200-42
Section 208 Urban Arterial Design.....	200-42
208.1 Rural to Urban Transitions.....	200-44
Section 209 ODOT 3R Urban Design Standards.....	200-45
Section 210 ODOT 4R Urban Design Criteria.....	200-46
Section 211 ODOT 1R and Single Function Urban Design Standards.....	200-46
Section 212 Role of Planning Documents and Design Criteria.....	200-47
Section 213 Urban and Rural Freeway Design.....	200-48
213.1 ODOT 3R Freeway Design Standards.....	200-49
213.2 ODOT 4R Freeway Design Standards.....	200-50
213.3 ODOT 1R and 4R Single Function Freeway Design Standards.....	200-51
Section 214 Urban and Rural Expressway Design.....	200-51
214.1 ODOT 3R Urban and Rural Expressway Design Standards.....	200-52
214.2 ODOT 4R Urban Expressway Design Standards.....	200-52
214.3 ODOT 4R Rural Expressway Design Standards.....	200-53
214.4 ODOT 1R and Single Function Urban and Rural Expressway Design Standards.....	200-54
Section 215 Rural Arterial, Collector, and Local Route Design.....	200-54
215.1 ODOT 3R Rural Arterial, Collector, and Local Route Design Standards.....	200-55
215.2 ODOT 4R Rural Arterial, Collector, and Local Route Design Standards.....	200-55
215.3 ODOT 1R and Single Function Rural Arterial, Collector, and Local Route Design Standards.....	200-56

Table of Contents

Section 216 Design Speed	200-57
216.1 ODOT 3R Urban and Rural Design Speed-All Highways	200-57
216.2 ODOT 4R Urban and Rural Freeway Design Speed.....	200-57
216.3 ODOT 4R Urban Expressway Design Speed	200-58
216.4 ODOT 4R Rural Expressway Design Speed.....	200-58
216.5 ODOT 4R Rural Arterial Design Speed	200-58
216.6 ODOT 4R Rural Collector and Local Route Design Speed	200-59
216.7 ODOT 4R Urban Arterial Design Speed.....	200-59
Section 217 Sight Distance	200-60
217.1 General	200-60
217.2 Stopping Sight Distance.....	200-61
217.3 Decision Sight Distance.....	200-63
217.4 Intersection Sight Distance	200-64
217.5 Passing Sight Distance	200-64
Section 218 Horizontal Alignment	200-65
218.1 General	200-65
218.2 Urban Non-Freeway Horizontal Alignment.....	200-65
218.3 3R Freeway Horizontal Curvature and Superelevation.....	200-66
218.4 3R Rural Arterial Horizontal Curvature and Superelevation	200-66
218.5 3R Urban Arterial Horizontal Curvature and Superelevation.....	200-66
218.6 4R Horizontal Curvature (All Highways).....	200-67
218.7 Spirals Transitions	200-70
218.8 Superelevation and Methods for Developing Superelevation	200-71
218.9 Comfort Speed Chart.....	200-81
218.10 Horizontal Curve Equations and Examples	200-83
Section 219 Vertical Alignment	200-111
219.1 3R Freeway Vertical Curvature and Stopping Sight Distance	200-111
219.2 3R Vertical Curvature and Stopping Sight Distance (All Highways Except Freeways)	200-111
219.3 4R Vertical Curvature (All Highways)	200-112

Table of Contents

219.4 Vertical Curve Formulas.....	200-115
Section 220 Combined Horizontal and Vertical Alignment	200-117
Section 221 Grades	200-118
221.1 General	200-118
221.2 3R and 4R Freeway Grades	200-119
221.3 4R Urban and Rural Expressway Grades.....	200-120
221.4 4R Rural Arterial Grades	200-120
221.5 4R Urban Arterial Grades.....	200-121
Section 222 Design Vehicles and Accommodation of Design Vehicles	200-122
Section 223 Traffic Characteristics	200-123
Section 224 Accommodation of other Modes in Design.....	200-124
224.1 Accommodation and Design for Pedestrians and Bicyclists	200-124
Section 225 References	200-127

Part 300 Cross Section Elements

Section 301 Introduction	300-2
301.1 Definitions.....	300-2
301.2 Acronyms.....	300-3
Section 302 Approval Processes.....	300-3
302.1 Design Exceptions.....	300-3
302.2 Urban Design Concurrence Document.....	300-4
302.3 1R/3R Record of Decision Document.....	300-4
Section 303 Cross Section Elements.....	300-4
Section 304 Cross Section Realms	300-5
304.1 Cross Section Realms and Considerations	300-5
304.2 Land Use Realm	300-7
304.3 Pedestrian Realm	300-8
304.4 Transition Realm.....	300-12
304.5 Travelway Realm	300-15
Section 305 Cross-Section and Realm Design Guidance	300-17

Table of Contents

305.1 Traditional Downtown/Central Business District.....	300-18
305.2 Urban Mix.....	300-22
305.3 Commercial Corridor.....	300-25
305.4 Residential Corridor.....	300-29
305.5 Suburban Fringe.....	300-33
305.6 Rural Community.....	300-37
Section 306 Bicycle Facility Selection.....	300-42
Section 307 Pedestrian Crossing Locations.....	300-44
Section 308 Median Design.....	300-45
308.1 General.....	300-45
308.2 Continuous Two Way Left Turn Lanes.....	300-46
308.3 Painted Medians.....	300-47
308.4 Non-Traversable Medians (Non-Freeway).....	300-48
308.5 Raised Median Design Standards.....	300-48
Section 309 Urban and Rural Freeway.....	300-56
309.1 ODOT 3R Urban and Rural Freeway Typical Section.....	300-56
309.2 ODOT 3R Urban and Rural Freeway Lane Width.....	300-61
309.3 ODOT 3R Urban and Rural Freeway Shoulders.....	300-61
309.4 ODOT 3R Urban and Rural Freeway Medians.....	300-61
309.5 ODOT 3R Freeway Bridges to Remain in Place.....	300-61
309.6 ODOT 3R Freeway Structure Cross Section.....	300-61
309.7 ODOT 3R Freeway Tunnels.....	300-62
309.8 ODOT 4R Urban and Rural Freeway Typical Section.....	300-62
309.9 ODOT 4R Freeway Lane Width.....	300-65
309.10 ODOT 4R Urban and Rural Freeway Shoulders.....	300-65
309.11 4R Urban and Rural Freeway Medians.....	300-66
309.12 ODOT Single Function (SF) Freeway Standards.....	300-67
Section 310 Urban and Rural Expressway.....	300-67
310.1 ODOT 3R Urban Expressway Typical Section.....	300-68
310.2 Mandatory 3R Urban Expressway Design Features.....	300-71

Table of Contents

310.3 Low-Cost Safety Mitigation Measures 3R Urban Expressway.....300-72

310.4 ODOT 3R Urban Preservation Strategy.....300-73

310.5 ODOT 3R Rural Expressway Typical Section.....300-77

310.6 ODOT 3R Rural Expressway Roadway Widths.....300-78

310.7 Mandatory 3R Rural Expressway Design Features300-79

310.8 Low-Cost Safety Mitigation Measures 3R Rural Expressway300-79

310.9 ODOT 3R Urban and Rural Expressway Bridge Width.....300-81

310.10 ODOT 4R Urban and Rural Expressway Lane Width.....300-82

310.11 ODOT 4R Urban Expressway Shoulders.....300-82

310.12 4R Urban Expressway Medians.....300-83

310.13 ODOT 4R Urban Expressways and Pedestrians300-86

310.14 ODOT 4R Urban Expressway Typical Section300-87

310.15 ODOT 4R Rural Expressway Shoulders.....300-90

310.16 4R Rural Expressway Medians300-90

310.17 ODOT 1R Urban and Rural Expressway Resurfacing.....300-92

310.18 Urban and Rural Expressway 1R Resurfacing Standards.....300-92

310.19 ODOT Single Function (SF) Urban and Rural Expressway Standards300-96

Section 311 Rural Arterials/Collectors/Local Routes300-97

311.1 Typical Section and Design Elements.....300-97

311.2 ODOT 3R Rural Arterials, Collectors, and Local Routes Typical Section.....300-97

311.3 ODOT 3R Rural Arterial, Collector, and Local Route Roadway Widths.....300-97

311.4 Mandatory 3R Rural Arterial, Collector, and Local Route Design Features300-99

311.5 Low-Cost Safety Mitigation Measures.....300-99

311.6 4R Rural Arterial, Collector, and Local Routes Medians300-101

311.7 ODOT 3R Rural Arterial, Collector, and Local Route Bridge Width.....300-103

311.8 ODOT 4R Rural Arterials, Collectors, and Local Routes Typical Section.....300-104

311.9 ODOT 4R Rural Arterial, Collector, and Local Route Lane Width.....300-108

311.10 ODOT 4R Rural Arterial, Collector, and Local Route Shoulders.....300-108

311.11 ODOT 1R Rural (Non-Freeway) Arterial, Collector, and Local Route
Design Standards300-109

Table of Contents

311.12 ODOT Single Function (SF) Rural (Non-Freeway) Arterial, Collector, and Local Route Design Standards	300-112
Section 312 Urban Arterials.....	300-112
312.1 ODOT 3R Urban Arterial Typical Section.....	300-113
312.2 Mandatory 3R Design Features	300-113
312.3 Low-Cost Safety Mitigation Measures.....	300-114
312.4 ODOT 3R Urban Preservation Strategy.....	300-116
312.5 ODOT 3R Urban Arterial Bridge Width.....	300-120
312.6 4R Urban Arterial Medians	300-121
312.7 ODOT 1R Urban (Non-Freeway) Arterial Design Standards.....	300-123
312.8 Resurfacing (1R) Project Standards.....	300-124
312.9 Scoping Requirements.....	300-125
312.10 Project Initiation Requirements	300-125
312.11 1R Project Requirements.....	300-126
312.12 Unprotected and Unconnected Bridge Ends	300-127
312.13 ADA Requirements for 1R Projects.....	300-127
312.14 Responsibilities	300-127
312.15 ODOT Single Function (SF) Urban (Non-Freeway) Projects.....	300-127
312.16 ODOT Single Function (SF) Urban (Non-Freeway) Design Standard	300-128
Section 313 Oregon Highway Plan Special Overlays.....	300-128
313.1 Scenic Byways	300-128
313.2 Scenic Byway Policy	300-129
313.3 Freight Route	300-130
313.4 Lifeline Route	300-131
Section 314 Cross Slope.....	300-131
314.1 ODOT 3R Urban and Rural Freeway Cross Slope	300-132
314.2 ODOT 3R Urban and Rural Arterial Cross Slope.....	300-132
314.3 ODOT 4R Urban and Rural Freeway Cross Slope	300-132
314.4 ODOT 4R Urban and Rural Arterial Cross Slope.....	300-132
Section 315 Horizontal Clearances.....	300-133

Table of Contents

Section 316 Vertical Clearance	300-135
316.1 3R Vertical Clearance - Urban and Rural Freeway	300-137
316.2 3R Vertical Clearance - Urban and Rural Arterial.....	300-137
316.3 4R Vertical Clearance – Urban and Rural Freeways, Expressways, and Arterials	300-138
316.4 Vertical Clearances for Local Jurisdiction Roads	300-139
316.5 Vertical Clearance – Railroads	300-139
Section 317 Curbs	300-139
Section 318 Drainage	300-140
318.1 General	300-140
318.2 Longitudinal Slope	300-140
318.3 Selection of Inlets	300-141
318.4 Storm Water Management.....	300-141
Section 319 Shy Distance	300-141
319.1 Roadside Barriers.....	300-142
319.2 Shy Distance From Raised Medians.....	300-142
Section 320 Safety Edge	300-143
Section 321 Rumble Strips	300-144
Section 322 Earthwork	300-144
322.1 Rounding Cutbanks.....	300-145
Section 323 Truck Weigh Stations	300-147
Section 324 Safety Rest Areas	300-147
324.1 Large Vehicle Parking in Rest Areas.....	300-147
Section 325 Emergency/Truck Escape Ramps	300-148
Section 326 Chain-up And Brake Check Areas	300-148
Section 327 Climbing Lanes	300-148
Section 328 Passing Lanes	300-150
Section 329 References	300-152
Part 400 Roadside Design	
Section 401 Introduction	400-2

Table of Contents

401.1 Definitions.....400-2

401.2 Acronyms.....400-2

Section 402 3R Clear Zone and Sideslopes (All Highways).....400-3

Section 403 4R Clear Zone (All Highways)400-3

403.1 Clear Zone on Freeways400-7

403.2 Horizontal Curve Adjustments400-8

Section 404 Ditches400-8

Section 405 Roadside Barriers.....400-9

405.1 Guardrail and Concrete Barrier400-10

405.2 Guardrail.....400-10

405.3 Concrete Barrier and Bridge Columns.....400-15

405.4 Tall Precast Concrete Barrier.....400-16

405.5 Cable Barrier400-17

405.6 Barrier Systems on Retaining Walls400-18

405.7 Freeway Median Barriers Warrant.....400-19

405.8 Impact Attenuators.....400-21

Section 406 Roadside and Median Trees400-22

406.1 Roadside Trees400-22

406.2 Median Trees400-25

Section 407 Fences400-27

407.1 Right Of Way Fence.....400-27

407.2 Chain Link Fence400-28

407.3 Snow Control.....400-28

Part 500 Intersection Design

Section 501 Introduction500-2

501.1 Definitions.....500-2

Section 502 Road Approaches and Intersections.....500-3

502.1 General500-3

502.2 Design for or Accommodate for Design Vehicle.....500-5

Table of Contents

502.3 Legal Considerations for Road Approaches500-6

502.4 Intersections and Interchanges - Expressways500-6

Section 503 Access Management and Access Control500-7

503.1 Access Management500-7

503.2 Access Management - Expressways.....500-8

503.3 Access Management Plans500-8

503.4 ODOT Permit Process500-8

503.5 Access Control.....500-9

503.6 Access Control - Expressways500-9

503.7 Grants of Access.....500-9

Section 504 Access Management Design Tools500-10

504.1 Right In – Right Out Only.....500-10

504.2 Right In – Right Out with Left In.....500-13

504.3 Opposing approaches with Left In.....500-15

504.4 Offset Approaches500-17

504.5 Frontage Roads.....500-17

504.6 U-Turns500-19

504.7 Indirect Left Turns500-22

Section 505 Driveway Design500-22

505.1 Design Requirements for Private Road Approaches.....500-22

Section 506 General Intersection Design500-27

506.1 General Design Considerations500-27

506.2 Approach Grades.....500-27

506.3 Travel Lane Widths500-32

506.4 Travel Lane Alignment500-32

506.5 Travel Lane Continuity500-36

506.6 Shoulder Widths500-36

506.7 Intersections on Curves and Superelevation500-39

506.8 Skew Angles500-40

506.9 Turning Radii500-41

Table of Contents

506.10 Left Turn Lanes	500-43
506.11 Right Turn Lanes	500-47
506.12 Deceleration & Acceleration Lanes	500-49
506.13 At-Grade Right Turn Acceleration Lanes.....	500-50
506.14 Median Acceleration Lanes	500-53
506.15 Left Turn Add Lanes	500-58
506.16 Channelization Islands.....	500-58
506.17 Curb Extensions	500-60
506.18 Bicycle and Pedestrian Needs	500-63
506.19 Intersection Design Affecting Pedestrians	500-63
506.20 Excessive Skews	500-64
506.21 Long Crosswalks.....	500-65
506.22 Island Geometry.....	500-65
506.23 Corner Radii	500-66
506.24 Crosswalk and Ramp Placement.....	500-67
506.25 Curb Ramps - Placement and Number.....	500-67
506.26 Signal Pole Placement	500-68
506.27 Free-Flow Acceleration (Add) Lanes	500-70
Section 507 Signalized Intersections	500-70
507.1 Left Turn Lanes	500-70
507.2 Right Turn Lanes	500-74
507.3 Bicycle and Pedestrian Needs	500-75
Section 508 Unsignalized Intersections.....	500-76
508.1 Left Turn Lanes	500-76
508.2 Right Turn Lanes	500-76
508.3 Bicycle and Pedestrian Needs	500-76
Section 509 Modern Roundabouts	500-77
509.1 General	500-77
509.2 Overview.....	500-79
509.3 Roundabout Selection Criteria and Approval Process.....	500-82

Table of Contents

509.4 Design Considerations500-86

509.5 Design Vehicle.....500-86

509.6 Design Speed and Target Speed500-88

509.7 Inscribed Circle and Central Island.....500-92

509.8 Roundabout Cross Section500-95

509.9 Entry/Exit Geometry and Layout500-101

509.10 Entry and Exit Width500-108

509.11 Entry and Exit Geometry500-109

509.12 Entrance and Exit Aprons.....500-112

509.13 Splitter Island500-114

509.14 Design for Pedestrians500-115

509.15 Design for Bicyclists500-117

509.16 Design for Trucks.....500-120

509.17 Transit Considerations500-121

509.18 Roundabouts Near Railroad Crossings500-122

509.19 Roundabout Metering.....500-123

509.20 Multi-Lane Roundabout Configuration500-123

509.21 Path Overlap (Multi-Lane Roundabouts).....500-127

509.22 Large Vehicle Accommodation (Multi-Lane Roundabout)500-129

Section 510 Analysis; Roundabout Entrance and Exit Geometry (White Paper).....500-131

510.1 Research for Alternate Calculation Method.....500-134

510.2 Evaluation of Large Radius or Tangential Exits and Small Radius Exits500-139

510.3 Conclusion500-141

Section 511 References500-144

511.1 AASHTO References500-144

511.2 Other References500-144

Part 600 Interchanges and Grade Separations

Section 601 Introduction600-2

601.1 Font Key600-2

Table of Contents

601.2 Definitions.....600-3

Section 602 General Information.....600-4

602.1 Warrants for Interchanges and Grade Separations.....600-6

602.2 Interchange Spacing600-7

602.3 Access Control at Interchanges.....600-8

602.4 Interchange Area Management Plans (IAMPs).....600-10

602.5 Traffic Studies.....600-11

602.6 Design Reviews and Approvals600-11

Section 603 Guiding Principles for Interchange Planning and Design.....600-13

603.1 Route Continuity.....600-13

603.2 Basic Number of Lanes600-14

603.3 Lane Balance.....600-16

603.4 Weaving Sections.....600-16

603.5 Auxiliary Lanes.....600-19

603.6 Collector-Distributor (C-D) Roads600-19

603.7 Grade Separation Structure Considerations600-20

Section 604 Interchange Types and Forms600-21

Section 605 Interchange Geometric Design.....600-31

605.1 Crossroad Design.....600-31

605.2 Interchange Ramp Design600-32

605.3 Interchange Ramp Design Speed.....600-37

605.4 Speed Change Lanes.....600-38

605.5 Horizontal Alignment.....600-44

605.6 Vertical Alignment600-53

605.7 Ramp Terminal Curves.....600-54

605.8 Ramp Meters600-66

605.9 Freeway Ramp Typical Sections.....600-68

605.10 Loop Ramps.....600-72

605.11 Frontage Roads and Outer Separations.....600-77

Section 606 Non-Freeway Interchange Design.....600-77

Table of Contents

606.1 General	600-77
606.2 Interchange Spacing	600-78
606.3 Design Speed	600-78
606.4 Typical Section	600-78
606.5 Access Control.....	600-78
606.6 Deceleration Lanes.....	600-79
606.7 Acceleration Lanes.....	600-79
606.8 Transitional and Combination Type Facilities.....	600-79
Section 607 Accommodating Bicycles and Pedestrians.....	600-83
Section 608 References and Design Aids.....	600-83
Part 700 Public Transportation and Guidelines	
Section 701 General.....	700-2
Section 702 Design Considerations.....	700-2
Section 703 Transit Stops	700-4
703.1 Bus Stops	700-4
703.2 Bus Stop Locations Selection	700-4
703.3 Bus Stop Layout and Delineation.....	700-8
703.4 Bus Stop Guidelines for Special Treatments	700-8
703.5 Light Rail, Bus Rapid Transit and Streetcar Stops	700-14
Section 704 Transit Accessibility and Amenities	700-14
704.1 Sidewalk.....	700-14
704.2 Providing Accessibility	700-15
704.3 Amenities for Waiting Passengers.....	700-15
704.4 Security and Safety	700-20
Section 705 Roadway and Intersection Design for Transit	700-20
705.1 Roadway and Intersection Design for Buses	700-21
705.2 Roadway and Intersection Design for Bus Rapid Transit.....	700-22
705.3 Roadway and Intersection Design for Light Rail Transit and Streetcars.....	700-23
Section 706 Park-and-Ride Facilities	700-26

Table of Contents

706.1 Needs Assessment700-26

706.2 Site Selection700-27

706.3 Site Design700-28

Part 800 Pedestrian Design

Section 801 Introduction800-2

801.1 Font Key800-3

801.2 Definitions.....800-4

801.3 Acronyms.....800-8

Section 802 Approval Processes.....800-9

802.1 Design Concurrence Document.....800-10

802.2 ODOT ADA Curb Ramp Process Document (Appendix G)800-10

802.3 CQCR Process for ADA Requests800-11

802.4 Crosswalk Location Determinations.....800-11

802.5 Crosswalk Closures800-13

Section 805 Pedestrian Needs.....800-13

805.1 Americans with Disabilities Act (ADA)800-14

805.2 Architectural Barriers Act (ABA).....800-14

805.3 Service Animals under the ADA800-15

805.4 Blind and Low Vision Users.....800-16

805.5 Users of Mobility Aid Devices800-18

805.6 Deaf and Hard of Hearing.....800-19

805.7 Cognitive Conditions800-20

Section 810 Walkways800-20

810.1 The Pedestrian Realm.....800-24

810.2 Curb Zone800-25

810.3 Buffer Zone800-26

810.4 Pedestrian Zone800-29

810.5 Pedestrian Access Routes800-32

810.6 Frontage Zone800-35

Table of Contents

810.7 Walkway Configurations.....	800-36
810.8 Walkway Surfaces.....	800-43
810.9 Walkway Design.....	800-46
810.10 Pedestrian Amenities	800-58
Section 815 Curb Ramps	800-62
815.1 Curb Ramp Definitions.....	800-63
815.2 Curb Ramp Triggers and Scoping.....	800-64
815.3 Curb Ramp Configurations	800-65
815.4 Geometric Controls for Curb Ramps	800-72
815.5 Curb Ramp Details in Contracts.....	800-93
815.6 Curb Ramp Inventory and Inspection	800-94
Section 820 Building Ramps.....	800-94
Section 821 Tactile Walking Surface Indicators	800-97
821.1 Detectable Warning Surfaces	800-97
821.2 Detectable Guide Strips.....	800-97
Section 830 Crosswalks and Crossings.....	800-97
830.1 Raised Median Design and Crossing Islands	800-98
830.2 Curb Extensions	800-101
830.3 Truck Aprons.....	800-102
830.4 Marked Crosswalks	800-102
830.5 Enhanced Crosswalks and Crossings	800-103
Section 835 Bicycle Crossings	800-105
Section 840 Pedestrian Rail Crossings.....	800-105
840.1 Geometric Controls.....	800-105
Section 845 Shared Use Paths.....	800-108
845.1 Shared Use Path Configurations.....	800-108
845.2 Shared Use Path Design.....	800-112
Section 850 Pedestrian Trail Design	800-114
Section 855 Emergency Egress Routes	800-114
Section 890 References	800-115

Table of Contents

Part 900 Bikeway Design

- Section 901 Introduction900-2**
 - 901.1 Font Key Language.....900-2
 - 901.2 Definitions & Acronyms900-3
 - 901.3 Comparison to Other Bikeway Guides.....900-5
- Section 910 Design and Regulatory Considerations.....900-5**
- Section 911 Federal Requirements900-6**
 - 911.1 Civil Rights Laws.....900-6
 - 911.2 Federal Funding Regulation.....900-7
 - 911.3 Federal Standards900-8
- Section 912 Oregon Statutory Requirements900-8**
 - 912.1 “The Bike Bill”900-8
 - 912.2 Transportation Planning Rule.....900-11
- Section 913 Statewide Policy.....900-12**
 - 913.1 ODOT Mission Statement.....900-12
 - 913.2 Performance Based Design.....900-12
- Section 914 Statewide Planning.....900-13**
 - 914.1 Oregon Bicycle & Pedestrian Plan.....900-13
 - 914.2 Oregon Highway Plan900-14
 - 914.3 Oregon Transportation Safety Action Plan.....900-15
 - 914.4 Transportation System Plan Guidelines.....900-15
- Section 920 Design Principles for Bikeways.....900-16**
 - 920.1 Right to the Road (ORS 814.400).....900-16
 - 920.2 Shared Lane – (ORS 814.430, 811.065).....900-17
 - 920.3 Other Users of Bike Lanes (ORS 814.500, 510).....900-18
 - 920.4 Use of Pedestrian Facilities (ORS 814.410)900-18
 - 920.5 Continuity of Bicycle Lanes (ORS 801.155)900-19
 - 920.6 Bike Lane, Bike Path or Bike Trail (ORS 801.160).....900-19
 - 920.7 Requiring Bike Lane or Path (ORS 814.420).....900-20

Table of Contents

920.8 Stop as Yield (ORS 814.414).....	900-20
Section 921 Design for Bicyclist Safety.....	900-21
921.1 Crashes with Motor Vehicles	900-21
921.2 Non-Vehicle Crashes.....	900-21
921.3 Using Bicycle Crash Data.....	900-24
Section 922 Design Users.....	900-24
922.1 Bicyclist Typologies.....	900-25
922.2 Selecting the Design Users.....	900-27
922.3 Design Controls Based on Design User	900-27
Section 923 Design Vehicles.....	900-27
923.1 Design Vehicle Descriptions	900-27
923.2 Selecting the Design Vehicle	900-27
923.3 Design Controls Based on Design Vehicle	900-27
Section 924 Design Speed.....	900-27
924.1 Selecting an Appropriate Design Speed.....	900-28
924.2 Design Controls Based on Design Speed.....	900-29
Section 930 Bikeway Networks.....	900-29
930.1 Essential Transportation Link.....	900-30
930.2 Destination Route	900-30
930.3 Limited Access Route.....	900-30
930.4 Destination Route Alternative	900-30
930.5 Limited Access Route Alternative.....	900-31
930.6 Designated Tourism Route.....	900-31
930.7 Recreation Route	900-31
930.8 School Route	900-31
930.9 Off-Chute	900-31
930.10 Selecting the Bikeway Network Role(s).....	900-31
930.11 Design Controls Based on Bikeway Network Role.....	900-32
Section 940 Bikeway Tiers.....	900-32
Section 941 Urban Bikeway Selection Process.....	900-33

Table of Contents

941.1 Review Policy900-34

941.2 Bikeway Selection Planning900-34

941.3 Identify Desired Bikeway Tier900-35

941.4 Assess and Refine Desired Bikeway900-36

941.5 Evaluate Feasibility.....900-40

941.6 Explore Alternative Bikeway Designs900-41

Section 942 Transition Realm and Zones.....900-42

Section 943 The Bike Lane Zone.....900-43

Section 944 The Sidewalk Buffer Zone900-45

Section 945 The Street Buffer Zone.....900-48

945.1 Striping Buffer900-50

945.2 Parking Lane.....900-50

945.3 Raised Island Buffer900-50

945.4 Landscape Buffer900-50

945.5 Delineator Post Buffer900-51

945.6 Traffic Separator Curb Buffer.....900-51

945.7 Planter Box Buffer900-51

945.8 Concrete Barrier Buffer900-51

945.9 Guardrail Buffer900-51

945.10 Irrigation Ditch Buffer.....900-52

945.11 Bio-swale Buffer900-52

Section 946 Rural Bicycle Accommodation900-52

946.1 Shoulders900-52

946.2 Designated Tourism Route Bikeways in Rural Areas900-53

Section 947 Configuring Cross Section Space900-53

947.1 Prioritizing Widths Between Zones900-54

Section 948 Two-way and Contra-Flow Bikeways.....900-54

948.1 Evaluating One-way versus Two-Way Operation.....900-55

Section 949 Parallel Routes.....900-58

949.1 Parallel Route Design900-60

Table of Contents

Section 950 Intersection Design	900-61
Section 951 Interaction Between Modes	900-61
Section 952 Intersection Sight Distance	900-62
Section 953 Protected Intersections	900-62
953.1 Design Elements of a Protected Intersection.....	900-63
953.2 Retrofitting with Protected features.....	900-65
953.3 Protected Intersection Layouts	900-65
Section 954 Conflicts at Turn Lanes	900-69
954.1 Freeway-style Ramp Crossings.....	900-69
Section 955 Bikeway Street Crossings	900-71
955.1 Side-street Bike Route Crossings	900-71
955.2 Off-Highway Trail Crossings.....	900-71
955.3 Grade-Separated Crossings	900-72
955.4 Crossbikes	900-72
Section 960 Shared Use Path Design	900-72
960.1 Shared Use Path Configurations.....	900-73
Section 961 Path Width	900-74
Section 962 Path Users	900-76
Section 963 Path Clear Zone, Lateral Clearance and Shy Space	900-76
Section 964 Stopping Sight Distance	900-77
Section 965 Horizontal Alignment	900-78
965.1 Horizontal Sightline Offset.....	900-80
Section 966 Vertical Alignment	900-82
966.1 Path Grade	900-82
Section 967 Path Surface	900-83
Section 968 Path Cross Slope and Superelevation	900-84
Section 969 Path Transitions	900-84
Section 970 Side Path Design	900-84
Section 971 Mode-Separated Side Paths and Two-way Separated Bike Lanes	900-84
Section 980 Bicycle Ramp Design	900-85

Table of Contents

Section 981 Bike Lane to Shared Use Path.....900-85

Section 982 Bike Lane to Raised Bike Lane900-88

Section 983 Bike Lane at Raised Crossings.....900-88

Section 984 Bike Lanes at Transit Stops.....900-89

Section 990 Parking.....900-90

Section 991 Vehicle Parking.....900-90

Section 992 Bicycle Parking.....900-90

Section 993 Parking Other Micro Mobility Devices.....900-92

Section 994 Bike and Scooter Share Stations900-92

Section 995 Trailhead Design.....900-92

Section 996 References900-93

Part 1000 Design Exceptions

Section 1001 Introduction1000-2

Section 1002 Definitions1000-2

Section 1003 General.....1000-2

 1003.1 Approval Authority.....1000-3

 1003.2 Planning Design Exceptions.....1000-4

 1003.3 Planning Projects.....1000-4

 1003.4 Project Development Projects1000-5

 1003.5 Local Agency Projects1000-5

Section 1004 Design Exception Request Process1000-9

 1004.1 Draft Design Exception Reviews1000-9

 1004.2 Design Exception Procedures1000-10

 1004.3 Clear Zone Approval Authority1000-11

 1004.4 ADA Exceptions.....1000-12

Section 1005 General Design Exception Requests1000-16

 1005.1 Informational Needs.....1000-16

 1005.2 General Design Exception Request Form.....1000-19

Section 1006 ADA Curb Ramp Design Exception Requests (Form 734-5112).....1000-29

Table of Contents

1006.2 Informational Needs.....	1000-30
1006.3 Design Exception Checklist.....	1000-35
1006.4 ADA Curb Ramp Design Exception Form and User Guide Procedure.....	1000-36
1006.5 ADA Curb Ramp Design Exception Database.....	1000-37
Section 1007 Digital Seal Requirements.....	1000-38
Section 1008 References.....	1000-38
1008.1 Code of Federal Regulations - 28 CFR Part 35.....	1000-38
Part 1100 3D Design	
Section 1101 Introduction.....	1100-2
Section 1102 3D Engineered Models for Construction.....	1100-3
1102.1 Digital Design Handoff Packages.....	1100-3
1102.2 Projects Requiring 3D Digital Design Packages.....	1100-4
1102.3 Required Content for Handoff Packages.....	1100-4
1102.4 Bid Reference Handoff Package.....	1100-8
1102.5 Construction Survey Handoff Package.....	1100-14
Section 1103 Digital Design Elements.....	1100-15
1103.1 Software.....	1100-15
1103.2 Possible Digital File Formats.....	1100-15
Section 1104 3D Design Quality Control.....	1100-16
Part 1200 Other Technical Disciplines	
Section 1201 Bridge.....	1200-2
1201.1 General.....	1200-2
1201.2 Bridge Definition.....	1200-2
1201.3 Structure Types.....	1200-2
1201.4 Structure Lengths.....	1200-3
1201.5 Structure Clearances.....	1200-3
1201.6 Curbs and Sidewalks.....	1200-5
1201.7 Deck Drains.....	1200-5
1201.8 Structure Superelevations.....	1200-5

Table of Contents

1201.9 Traffic Control during Construction.....1200-5

1201.10 Bridge Rail End and Barrier Treatments1200-6

Section 1202 Geotechnical Design1200-6

1202.1 General1200-6

1202.2 Common Geotechnical Design Issues.....1200-7

Section 1203 Environmental Studies1200-11

1203.1 Project Classification1200-11

1203.2 Environmental Studies.....1200-12

1203.3 Specific Impacts.....1200-13

1203.4 Design Specifications.....1200-18

1203.5 Plans, Specifications and Estimate (PS&E).....1200-18

Section 1204 Rail.....1200-19

1204.1 General1200-19

1204.2 Field Diagnostic Review1200-19

1204.3 Rail Crossing Orders1200-20

1204.4 Railroad Roadway Plan Sheet.....1200-21

1204.5 Design Elements.....1200-21

1204.6 Crossing Types.....1200-22

1204.7 Stopping Lanes at Railroad Crossings1200-22

1204.8 Curb Exposure.....1200-23

Section 1205 Utilities and Utility Relocation1200-23

Section 1206 Transportation Analysis1200-23

1206.1 General1200-23

1206.2 Projects1200-24

1206.3 Design Guidelines.....1200-24

Section 1207 Traffic Engineering.....1200-30

1207.1 General1200-30

1207.2 Authorities of the State Traffic-Roadway Engineer1200-30

1207.3 Signals.....1200-31

1207.4 Signs.....1200-32

Table of Contents

1207.5 Signal and Sign Supports in Islands..... 1200-32

1207.6 Illumination 1200-33

1207.7 Striping..... 1200-33

1207.8 Intelligent Transportation Systems (ITS)..... 1200-33

1207.9 Crash Analysis 1200-34

1207.10 Project Safety Management System 1200-34

1207.11 Work Zone Analysis and Constructability..... 1200-35

Section 1208 General Survey Procedures..... 1200-36

1208.1 Land Survey Law 1200-36

1208.2 Survey Types 1200-37

1208.3 Stationing 1200-39

1208.4 Project Survey..... 1200-40

Section 1209 Right of Way 1200-41

1209.1 General 1200-41

1209.2 Acquisition Process..... 1200-42

1209.3 Time Allowances..... 1200-42

1209.4 Property Rights 1200-43

1209.5 Fee Title 1200-43

1209.6 Easements 1200-43

1209.7 Conditional Entry onto Private Property 1200-45

1209.8 Property Conveyance Documents..... 1200-46

1209.9 Access Rights..... 1200-46

1209.10 Miscellaneous Right Of Way Issues 1200-49

Section 1210 Aeronautics 1200-51

1210.1 General 1200-51

1210.2 Design Elements..... 1200-51

1210.3 Contacts..... 1200-52

Section 1211 Hydraulics 1200-52

1211.1 General 1200-52

1211.2 Hydraulic Engineering Design Risks..... 1200-52

Table of Contents

1211.3 Policy	1200-56
1211.4 Documentation.....	1200-59
1211.5 Design Features.....	1200-61
Section 1212 Pavement	1200-68
1212.1 General	1200-68
1212.2 Project Scope.....	1200-68
1212.3 Design Considerations	1200-69
1212.4 Urban Pavement Rehabilitation Projects (in town, curbed sections)	1200-70
1212.5 Pavement Preservation Minimum Design Life	1200-70
1212.6 Project Scoping and Design Estimates.....	1200-70
Section 1213 Roadside Development.....	1200-71
1213.1 General	1200-71
1213.2 Project Development Phases	1200-72
1213.3 Programming and Scoping.....	1200-72
1213.4 Design.....	1200-72
1213.5 Roadside Development Responsibilities	1200-74
1213.6 Roadside Development Tools and References	1200-75
1213.7 Specific Project Considerations.....	1200-76
1213.8 Roadside Development Initial Project Checklist	1200-77
Section 1214 Temporary and Permanent Erosion and Sediment Control	1200-78
1214.1 General	1200-78
Section 1215 Permits & Documents	1200-79
1215.1 Permit Responsibilities.....	1200-79
1215.2 Permit Types.....	1200-81
Part 1300 Deliverables	
Section 1301 Introduction	1300-2
Section 1302 Plans, Specifications, and Estimates	1300-2
1302.1 Plan Procedure	1300-2
1302.2 Plan Preparation.....	1300-2

Table of Contents

1302.3 Title Sheet & Index Sheets	1300-3
1302.4 Typical Sections & Details	1300-3
1302.5 Traffic Control Plans.....	1300-3
1302.6 Erosion and Sediment Control Plans	1300-4
1302.7 Material Source, Stockpile, and Disposal Site Plans	1300-4
1302.8 Pipe Data Sheet	1300-4
1302.9 Plans, Construction Notes, and Profiles	1300-5
1302.10 Specifications	1300-8
1302.11 Final Estimate	1300-9
1302.12 Project Submittal	1300-10

Appendices

Functional Classification	Appendix A
Oregon Highway Plan APPENDIX D: HIGHWAY CLASSIFICATION BY MILEPOINT	Appendix B
Freight Mobility, Vertical Clearance, and Resources	Appendix C
Practical Design Strategy	Appendix D
Designated Bikeway.....	Appendix E
FAC-STIP Tool Guide	Appendix F
ODOT ADA Curb Ramp Process.....	Appendix G
Bicycle & Pedestrian Design Guide	Appendix L
Digital Design Packages	Appendix M
Digital Design Quality Control	Appendix N
Analysis for Roundabout Entrance & Exit Geometry	Appendix P
MAP 21 - NHS Standards: Roles and Responsibilities Lane Width / Truck Volume Guidance.....	Appendix Q

List of Figures and Tables

Part 100 Design Policies and Procedures

Table 100-1: Font Key	100-2
Figure 100-1: Comparing Nominal and Substantive Safety.....	100-9
Figure 100-2: Engineering Seals from OAR 820-025-0005	100-18
Figure 100-3: Land Surveyor and Photogrammetrist Seals from OAR 820-025-0005	100-19
Figure 100-4: Water Right Examiner and Traffic Engineer Seals from OAR 820-025-0005	100-19
Figure 100-5: OSBEELS Digital Seal Examples	100-20
Figure 100-6: Example of Cross-Section Realm	100-22
Figure 100-7: Role of Performance Measures within the Project Delivery Process	100-24
Figure 100-8: ODOT Integrated Transportation planning	100-30
Table 100-2: Potential Applicable Design Standards	100-36
Table 100-3 Design Standards Selection Matrix.....	100-52
Figure 100-9 A Performance-Based Approach to ODOT Project Flow	100-55
Figure 100-10 Performance-Based Approach.....	100-57
Table 100-4: Primary ODOT Programs to Fund and Deliver Transportation Improvements	100-59

Part 200 Geometric Design and Context

Table 200-1 State Highway Classifications (OHP)	200-9
Table 200-2 Designations/Characteristics Impacting Design Decisions.....	200-10
Figure 200-1 A typical Rural to Urban Transect and Transect Zones.....	200-13
Table 200-3 ODOT Urban Contexts in Relation to NCHRP Report 855 Contexts	200-15
Figure 200-2 NCHRP Report 855 and ODOT Urban Land Uses.....	200-16
Figure 200-3 Oregon Highway Plan Segment Designations of Urban Contexts	200-17
Table 200-4 ODOT Urban Context Matrix.....	200-19
Table 200-5 General Modal Considerations in Different Urban Contexts	200-21

Table of Contents

Figure 200-4 Aerial - Baker City, Downtown Grid (US30/OR7).....	200-22
Figure 200-5 Baker City Downtown (US30)	200-22
Figure 200-6 Aerial - Urban Mix Portland: US26, Powell Blvd. West of I-205 (Inner Powell).....	200-23
Figure 200-7 Urban Mix - Portland US26, Powell Blvd.	200-24
Figure 200-8 Aerial - Commercial Corridor, US97 South Redmond	200-25
Figure 200-9 Commercial Corridor - US97 South Redmond	200-25
Figure 200-10 Aerial - Residential Corridor, OR221 Wallace Road, West Salem.....	200-26
Figure 200-11 Residential Corridor - OR 221, West Salem (Parkway Concept).....	200-27
Figure 200-12 Aerial - Suburban Fringe, OR 212 Damascus	200-28
Figure 200-13 Suburban Fringe - OR 212 Damascus.....	200-28
Figure 200-14 Aerial - Rural Community, OR 22 Gates.....	200-29
Figure 200-15 Rural Community, OR 22 Gates.....	200-30
Table 200-6 Designing Based on Context, Considering Roadway Designations and Activity of Different Modes.....	200-34
Table 200-7 Recommended ODOT Target Speed and Design Treatments for Urban Contexts.....	200-41
Table 200-8 Design Speed Selection.....	200-60
Figure 200-16: Determining Stopping Sight Distance.....	200-62
Table 200-9: Stopping Sight Distance	200-63
Figure 200-17: Coordination of Horizontal and Vertical Alignment (FHWA, 2018).....	200-67
Figure 200-18: SSD on Horizontal Curves	200-69
Table 200-10: Open Road Superelevation & Spiral Lengths	200-73
Table 200-11: Urban Superelevation & Spiral Lengths	200-74
Table 200-12: Suburban Superelevation & Spiral Lengths	200-75
Figure 200-19: Standard Superelevation.....	200-76
Figure 200-20: Developing Superelevation on 2-Lane Highways.....	200-77
Figure 200-21: Developing Superelevation on 2-Lane Highways (Cont'd)	200-78
Figure 200-22: Examples of Additional Methods for Developing Superelevation	200-79
Figure 200-23: Developing Superelevation on 4-Lane Highways.....	200-80

Table of Contents

Table 200-13: Comfort Speed.....	200-82
Figure 200-24: Circular Curve Definitions.....	200-84
Figure 200-25: Spiral Curve Definitions.....	200-85
Figure 200-26: Spiral Curve Definitions (Cont'd).....	200-86
Figure 200-27: Spiral Curve Definitions (Cont'd).....	200-87
Figure 200-28: Basic Horizontal Curve Formulas.....	200-88
Figure 200-29: Basic Horizontal Curve Formulas (Cont'd).....	200-89
Figure 200-30: Parallel Tangents - Equal Length Reversing Curves.....	200-90
Figure 200-31: Parallel Tangents - Unequal Length Reversing Curves.....	200-91
Figure 200-32: Spiral Solution - Example 1.....	200-92
Figure 200-33: Spiral Solution - Example 2.....	200-93
Figure 200-34: Spiral Solution - Example 3.....	200-94
Figure 200-35: Spiral Solution - Example 4.....	200-95
Figure 200-36: Spiral Solution - Example 5.....	200-96
Figure 200-37: Spiral Solution - Example 6.....	200-97
Figure 200-38: Spiral Solution - Example 7.....	200-98
Figure 200-39: Spiral Solution - Example 8.....	200-99
Figure 200-40: Spiral Solution - Example 9.....	200-100
Figure 200-41: Spiral Solution - Example 10.....	200-101
Figure 200-42: Spiral Solution - Example 11.....	200-102
Figure 200-43: Spiral Solution - Example 12.....	200-103
Figure 200-44: Spiral Solution - Example 13.....	200-104
Figure 200-45: Spiral Solution - Example 14.....	200-105
Figure 200-46: Establish Local Tangent on Horizontal Curves	200-106
Figure 200-47: Using Spiral Segment in Compound Horizontal Curve Situations	200-107
Figure 200-48: Establishing Ramp Takeoff/Touchdown Points and Ramp Angles from Local Tangent.....	200-108
Figure 200-49: Establishing Spiral Segment Control Points (in conjunction with ESpiral 2022 spreadsheet).....	200-109
Figure 200-50: Example of Spiral Segment in a Mainline Alignment Situation.....	200-110

Table of Contents

Figure 200-51: SSD Crest Vertical Curve	200-113
Figure 200-52 : SSD Sag Vertical Curve	200-114
Figure 200-53: Vertical Curve Formulas	200-115
Figure 200-54: Crest and Sag Vertical Curves	200-116
Figure 200-55: Coordination of Horizontal and Vertical Curves (AASHTO, 2018).....	200-118
Figure 200-56: Examples of Poor Combined Horizontal and Vertical Alignment (AASHTO, 2018).....	200-118
Table 200-14: Maximum Freeway Grades	200-119
Table 200-15: Maximum Expressway Grades (%) for Specific Design Speed	200-120
Table 200-16: Rural Arterial Maximum Grades (%) for Specific Design Speed	200-121
Table 200-17: Rural Collector Maximum Grades (%) for Specific Design Speed.....	200-121
Table 200-18: Rural Local Route Maximum Grades (%) for Specific Design Speed.....	200-121
Table 200-19: Urban Arterial Maximum Grades (%) for Specific Design Speed.....	200-122

Part 300 Cross Section Elements

Figure 300-1 Example of Cross Section Realms	300-5
Table 300-1 Summary of Cross Section Realms	300-6
Figure 300-2: Land Use Realm.....	300-7
Table 300-2 Design Element Considerations within the Land Use Realm.....	300-8
Table 300-3: Target Crossing Spacing	300-9
Figure 300-3 Pedestrian Realm.....	300-10
Exhibit 300-1, Pedestrian Realm Zones.....	300-10
Table 300-4 Design Element Considerations within the Pedestrian Realm.....	300-11
Figure 300-4 Transition Realm	300-12
Table 300-5 Design Element Considerations within the Transition Realm	300-13
Figure 300-5 Travelway Realm.....	300-15
Table 300-6 Design Element Considerations within the Travelway Realm.....	300-16
Exhibit 300-2 Typical Traditional Downtown/CBD Context - Tillamook (US101: OR131-OR6).....	300-19
Table 300-7 Design Element Recommendations for Traditional Downtown/CBD Context.....	300-20

ODOT Traffic-Roadway Section | Highway Design Manual

Table of Contents

Figure 300-6 Example Cross-Section Options for Traditional Downtown/CBD.....	300-21
Exhibit 300-3 Example of Urban Mix Context - Hillsboro, SE Baseline St. (OR 8, Tualatin Valley Hwy.).....	300-22
Table 300-8 Design Element Recommendations for Urban Mix	300-23
Figure 300-7 Example Cross-Section Options Urban Mix.....	300-24
Exhibit 300-4 Typical Commercial Corridor Context - Grants Pass (Or 199, Redwood Hwy.).....	300-25
Table 300-9 Design Element Recommendations for Commercial Corridor.....	300-26
Figure 300-8 Example Cross-Section Options for Commercial Corridor.....	300-28
Exhibit 300-5 Example of a Residential Corridor context - Tigard - OR 141 (Hall Blvd.).....	300-29
Table 300-10 Design Element Recommendations for Residential Corridor	300-30
Figure 300-9 Example Cross-Section Options for Residential Corridor.....	300-32
Exhibit 300-6 Example of Suburban Fringe, Prineville, SE Combs Flat Rd. (OR 380).....	300-33
Table 300-11 Design Element Recommendations for Suburban Fringe.....	300-34
Figure 300-10 Example Cross-Section Options for Suburban Fringe	300-36
Exhibit 300-7 Example of Rural Community, Rhododendron, Mt. Hood Hwy (US 26).....	300-38
Table 300-12 Design Element Recommendations for Rural Community	300-39
Figure 300-11 Example Cross-Section Options for Rural Community.....	300-41
Figure 300-12 Bicycle Facility Selection Process	300-42
Figure 300-13 Bicycle Facility Tier Identification Matrix.....	300-43
Table 300-13 Target Crossing Spacing (Use as starting point for analysis)	300-45
Figure 300-14 Raised Median Width	300-50
Table 300-14 Left Side Shy Distance	300-51
Figure 300-15: Landscaping Accommodation.....	300-52
Figure 300-16: Median Tree placement.....	300-53
Figure 300-17: End Treatments.....	300-55
Table 300-15: Interstate Maintenance Have To/Like To	300-58
Table 300-16: ODOT 3R Freeway Design Standard Minimums.....	300-60
Figure 300-18: Standard Urban Freeway Section (Includes Non-Interstate Facilities).....	300-63
Figure 300-19: Standard Freeway Section (Includes Non-Interstate Facilities).....	300-64

ODOT Traffic-Roadway Section | Highway Design Manual

Table of Contents

Table 300-17: ODOT 3R Urban Non-Freeway Design Standards (Use for Urban Expressways with Interchanges and/or Posted Speeds 45 mph and Above).....	300-70
Table 300-18: Mandatory 3R Design Features.....	300-71
Table 300-19: Low-Cost Safety Measures	300-72
Table 300-20: Urban Preservation Design Features.....	300-74
Table 300-21: Additional Urban Design Features.....	300-77
Table 300-22: Minimum 3R Lane and Shoulder Widths - Rural Non-Freeway (Arterials, Collectors, Local Streets)	300-78
Table 300-23: Mandatory Design Features	300-79
Table 300-24: Low-Cost Safety Measures	300-80
Table 300-25: Minimum Useable Bridge Widths	300-81
Figure 300-20: Expressway Median Widths and Dual Left Turn Lanes	300-84
Figure 300-21: Positive and Negative Offset	300-86
Table 300-26: ODOT 4R/New Urban Standards – Expressways (Posted 45 mph or greater)	300-88
Table 300-27: Minimum 3R Lane and Shoulder Widths Rural Non-Freeway (Arterials, Collectors, Local Streets)	300-98
Table 300-28: Mandatory Design Features 3R Rural Arterial, Collector Local Routes	300-99
Table 300-29: Low-Cost Safety Measures	300-100
Table 300-30 ODOT 4R/New Expressway Standards - Rural Expressway.....	300-102
Table 300-31: Minimum Useable Bridge Widths	300-103
Table 300-32: ODOT 4R/New or Reconstruction - Rural Design Standards.....	300-105
Figure 300-22 Standard Sections for Highways Other Than Freeways.....	300-107
Table 300-33 Mandatory 3R Design Features.....	300-114
Table 300-34 Low-Cost Safety Measures	300-115
Table 300-35 Urban Preservation Design Features.....	300-117
Table 300-36 Additional Urban Design Features.....	300-120
Table 300-37: Minimum Useable Bridge Widths.....	300-121
Figure 300-23: Interstate Clearance Envelopes for Single Lane (Temporary Traffic Control).....	300-133
Figure 300-24: Freeway & Highway Clearances.....	300-134

Table of Contents

Figure 300-25: Railroad Clearances	300-135
Table 300-38: Left Side Shy Distance (Rural Arterials)	300-143
Table 300-39: Additional Embankment Widening on High Fills	300-145
Figure 300-26: Rounding Of Cutbanks.....	300-146
Figure 300-27: Typical Large Vehicle Parking Space Dimensions for New Rest Area Parking Areas	300-148
Figure 300-28: Truck Speed Distance Curve	300-150

Part 400 Roadside Design

Table 400-1: Clear Zone Distances	400-6
Figure 400-1 AASHTO Safety Slope	400-7
Table 400-2: Horizontal Curve Adjustments.....	400-8
Table 400-3: Desired Recovery Area Dimensions.....	400-15
Figure 400-2: Concrete Barrier Placement at Bridge Column	400-16
Table 400-4: Interstate/Freeway List.....	400-20
Table 400-5: Median Barrier Systems	400-21
Figure 400-3: Roadside Tree Clearance	400-23
Figure 400-4: Roadside Tree Placement.....	400-24
Figure 400-5: Median Tree placement	400-27

Part 500 Intersection Design

Figure 500-1: Functional Intersection Area.....	500-4
Figure 500-2: Throat Distance at Approaches	500-4
Figure 500-3: Accommodating and Designing for a Design Vehicle	500-6
Figure 500-4: Median Detail: Right-In Right-Out	500-11
Figure 500-5: Raised Median Detail: Right-In Right-Out	500-11
Figure 500-6: Benefits of Median Control for Pedestrians.....	500-12
Figure 500-7: "Pork Chop" with Non-Traversable Median	500-13
Figure 500-8: Right-In, Right-Out, Left-In (One Direction).....	500-14
Figure 500-9: Opposing Approaches, Right-In, Right-Out, Left-In (Both Directions)	500-16
Figure 500-10: Conflict Points - Opposing Approaches and Offset Approaches.....	500-17
Figure 500-11: Examples of Frontage Road Locations.....	500-18

Table of Contents

Figure 500-12: U-Turns at Intersections	500-20
Figure 500-13: U-Turns at Mid-Block	500-21
Table 500-1: Typical Private Approach Style and Width	500-26
Figure 500-14: Driveway Approaches With Sidewalks	500-29
Figure 500-15: Driveway Approaches Without Sidewalks	500-30
Figure 500-16: Typical Curb Ramp Components and Legend	500-31
Figure 500-17: Travel Lane Offset Layout	500-35
Figure 500-18: Right Turn Channelization	500-38
Figure 500-19: Channelization and Intersection Details	500-44
Figure 500-20: Left-Turn Channelization.....	500-46
Figure 500-21: Reversing Curve Option for Left-Turn Channelization – Rural Highway	500-47
Figure 500-22: Right Turn Acceleration Lane from at Grade Intersection.....	500-52
Table 500-2: Desirable Length of Full Width Median Acceleration Lane	500-55
Figure 500-23: Median Acceleration Lane - Narrow Median	500-56
Figure 500-24: Median Acceleration Lane - Wide Median.....	500-57
Figure 500-25: Left Turn Add Lane	500-58
Figure 500-26: Typical Multi-Lane Channelized Intersection.....	500-60
Figure 500-27: Curb Extensions.....	500-62
Figure 500-28: Skew Angle and Field of View	500-64
Figure 500-29: Island Geometry (Right Turn Bypass).....	500-66
Figure 500-30: Crosswalk Ramp Placement	500-68
Figure 500-31: Signal Pole Placement.....	500-69
Figure 500-32: Dual Left Turn Channelization	500-72
Figure 500-33: Channelization Island & Intersection Details.....	500-73
Figure 500-34: Dual Right Turn Channelization.....	500-75
Figure 500-35: Elements of a Modern Roundabout.....	500-79
Figure 500-36: Estimated Vehicle Speed and Radius Relationship – Fastest Path.....	500-88
Table 500-3: Speed to Radius Relationship.....	500-89
Equation 500-1: Speed Radius Relationship.....	500-90
Equation 500-2: Speed Radius Relationship.....	500-90

Table of Contents

Equation 500-3: Speed Radius Relationship.....	500-90
Figure 500-37: Five Critical Path Radii for Fastest Path Analysis	500-91
Figure 500-38: Fastest Vehicle Path through a Single Lane Roundabout.....	500-91
Figure 500-39: Fastest Vehicle Path through a Multi-Lane Roundabout	500-92
Figure 500-40: Typical Roundabout Cross-Section Elements	500-93
Table 500-4: Roundabout Inscribed Diameters.....	500-95
Figure 500-41: Truck Apron Modified Low Profile Mountable Concrete Curb.....	500-97
Figure 500-42: Typical Truck Apron and Circulating Roadway Cross-Slope	500-98
Figure 500-43: Truck Apron and Crowned Circulating Roadway Cross-Slope.....	500-99
Figure 500-44: Modified Truck Apron	500-100
Figure 500-45: Approach Alignment.....	500-103
Figure 500-46: Angle Between Approaches.....	500-105
Figure 500-47: Skewed Alignments	500-106
Figure 500-48: Roundabout With Three Approaches	500-107
Figure 500-49: Roundabout with Five Approaches.....	500-108
Figure 500-50: Exit Geometry – Alternate Speed Prediction Method.....	500-110
Equation 500-4: Newtonian Equation for Uniform Acceleration to Predict Roundabout Exit Speed.....	500-110
Figure 500-51: Oversize Vehicle and Entrance Apron.....	500-113
Figure 500-52: Swept Path of Oversize Vehicle Using an Entrance Apron	500-113
Figure 500-53: Minimum Splitter Island Dimensions, Single Lane Roundabout	500-115
Figure 500-54: Bike Accommodation.....	500-119
Exhibit 500-1: Example of a Light Rail Line through a Roundabout.....	500-122
Figure 500-55: Various Multi-Lane Roundabout Entrance and Exit Configurations	500-125
Figure 500-56: Additional Multi-Lane Roundabout Entrance and Exit Configurations.....	500-126
Figure 500-57: Path Overlap - Multi-Lane Roundabout.....	500-127
Figure 500-58: Minimizing Path Overlap - Multi-Lane Roundabouts.....	500-129
Figure 500-59: WB 67 Entering in the Outside Lane, Using Gore Striping – Two-Lane Entrance.....	500-130

Table of Contents

Figure 500-60: WB-67 Entering in the Inside Lane, Using Gore Striping – Two-Lane Entrance	500-131
Figure 500-61: Estimated Vehicle Speed and Radius Relationship	500-132
Table 500-5: Speed, Radius Relationship	500-132
Figure 500-62: Vehicle Path through a Roundabout - Speed, Radius Locations.....	500-133
Figure 500-63: Vehicle Path through a Roundabout Speed, Radius, Acceleration Distance	500-135
Figure 500-64: Exit Geometry – Comparison Tangential and Small Radius	500-140
Table 500-6: Maximum Straight Line Acceleration Performance by Vehicle	500-143

Part 600 Interchanges and Grade Separations

Table 600-1: Font Key	600-3
Table 600-2: Freeway and Non-Freeway Interchange Spacing	600-8
Figure 600-1: Freeway Lane Reductions	600-15
Figure 600-2: Minimum Ramp Terminal Spacing	600-18
Figure 600-3: Collector Distributor System (US 26 Sylvan Interchange - Portland).....	600-20
Figure 600-4: Examples of System Interchange Forms	600-24
Figure 600-5: Common Service Interchange Forms	600-25
Figure 600-6: Examples of Compact Diamond Interchange Forms	600-26
Figure 600-7: Superimposed Interchange in Keizer, OR (I-5 Exit 260)	600-27
Figure 600-8: Non-Freeway Interchange Forms	600-28
Figure 600-9: Examples of Specialized Interchange Forms	600-29
Figure 600-10: I-84 Exit 261 in La Grande	600-30
Figure 600-11: Discrete Areas of Typical Ramps	600-34
Figure 600-12: Ramp Types	600-36
Table 600-3: Ramp Design Speed.....	600-37
Table 600-4: Single Lane Ramp Capacity.....	600-38
Figure 600-13: Entrance Ramp Details	600-40
Figure 600-14: Exit Ramp Details.....	600-41
Figure 600-15: Consecutive Entrance Ramps	600-42
Figure 600-16: Two-Lane Parallel Entrance Ramp	600-43

Table of Contents

Table 600-5: Maximum Degree of Curvature and Sight Distance on Interchange Ramps.....	600-44
Figure 600-17: Ramp Alignment Fitting	600-46
Figure 600-18: Alignment Fitting Data 70 MPH.....	600-47
Figure 600-19: Alignment Fitting Data 60 MPH.....	600-48
Figure 600-20: Entrance Ramps on Curves.....	600-50
Figure 600-21: Exit Ramps on Curves	600-51
Figure 600-22: Cross Slope Development at Gore Areas.....	600-52
Table 600-6: Maximum Grades for Ramps.....	600-53
Figure 600-23: Interchange Ramp Spread.....	600-56
Figure 600-24: Detail at Ramp/Crossroad Intersection.....	600-57
Figure 600-25: Terminal Curve Design Option.....	600-58
Figure 600-26: Two Centered Corner Graphical Solution.....	600-60
Figure 600-27: Two Centered Corner Mathematical Layout.....	600-61
Figure 600-28: Maximum I.D.V. Swept Path.....	600-63
Figure 600-29: Minimal Single Point Intersection Details	600-64
Figure 600-30: Preferred Single Point Intersection Details.....	600-65
Figure 600-31: Two-Lane Ramp Meter with Tapering to One-lane Entrance Ramp.....	600-67
Figure 600-32: Freeway Ramps Standard Typical Sections.....	600-70
Figure 600-33: Non-Freeway Interchange Ramp Typical Section.....	600-71
Figure 600-34: Partial Cloverleaf Intersection Detail	600-73
Figure 600-35: Folded Diamond Terminal Detail.....	600-74
Figure 600-36: Loop Fitting Data (Single Lane)	600-75
Figure 600-37: Loop Fitting Data (Two Lane)	600-76
Figure 600-38: Non-Freeway Interchange Example.....	600-81
Figure 600-39: Non-Freeway Interchange Example and Future Improvements.....	600-82
Figure 600-40: Design Aid 600-1 - Exit on Inside of Curve – Case A.....	600-84
Figure 600-41: Design Aid 600-2 – Exit on Inside of Curve Case B.....	600-85
Figure 600-42: Design Aid 600-3 - Exit From Inside of Curve in Leading Spiral Area	600-86
Figure 600-43: Design Aid 600-4 -Exit From Inside of Curve in Trailing Spiral Area.....	600-87

Table of Contents

Figure 600-44: Design Aid 600-5 -Exit From Outside of Circular Curve.....	600-88
Figure 600-45: Design Aid 600-6 Exit on Outside of Curve in Leading Spiral Area.....	600-89
Figure 600-46: Design Aid 600-7 -Exit From Outside of Curve in Trailing Spiral Area.....	600-90
Figure 600-47: Design Aid 600-8 – Entrance on the Inside of a Circular Curve Area	600-91
Figure 600-48: Design Aid 600-9 –Entrance on the Inside of the Leading Spiral Area	600-92
Figure 600-49: Design Aid 600-10 – Entrance on Inside in the Trailing Curve Area.....	600-93
Figure 600-50: Design Aid 600-11 –Entrance on the Outside in Circular Curve Area	600-94
Figure 600-51: Design Aid 600-12 Entrance on Outside in Leading Spiral Area	600-95
Figure 600-52: Design Aid 600-13 Entrance on Outside in Trailing Spiral Area.....	600-96

Part 700 Public Transportation and Guidelines

Table 700-1: Typical Ranges for Bus Stop Spacing Based on Highway Segment Designation.....	700-5
Table 700-2: Advantages and Disadvantages of Far-side, Near-side and Mid-block Bus Stops.....	700-7
Table 700-3: Advantages and Disadvantages of Bus Pullouts.....	700-9
Figure 700-1: Typical Bus Pullout Details.....	700-11
Figure 700-2: Near-Side Bus Stop with Curb	700-13
Figure 700-3: Far-Side Bus Stop with Curb	700-18
Figure 700-4: Fully Developed Bus Stop.....	700-19
Figure 700-5: Typical Intersection Design for Bus.....	700-25
Figure 700-6: Conceptual Park and Ride Applications.....	700-31

Part 800 Pedestrian Design

Table 800-1: Font Key	800-3
Figure 800-1: Width Requirement for Person with Crutches and for White Cane User.....	800-17
Figure 800-2: Illustration of Variety of Wheelchairs	800-19
Figure 800-3: Sidewalks in Urban and Suburban Contexts.....	800-22
Figure 800-4: Shared Use Path on Separate Alignment from Travelway Realm	800-22
Figure 800-5: Trailhead and Trail in Recreational Context.	800-23
Figure 800-6: End of Pedestrian Exclusive Facilities.....	800-24
Figure 800-7: Curb Zone Transition from the Street to Sidewalk.....	800-25

Table of Contents

Figure 800-8: Buffer Zone Used for Signs, Utilities, and Decorative Plantings.....	800-27
Figure 800-9: Landscaping Providing Storm Water Treatment.....	800-28
Figure 800-10: Wheel Stops Reduce Sidewalk Encroachment.....	800-28
Figure 800-11: The Pedestrian Realm Zone System in the Urban Context	800-29
Figure 800-12: Sidewalk with a Clear Pedestrian Zone	800-30
Table 800-2: Pedestrian Zone Design Range	800-31
Figure 800-13: 5-Foot Sidewalk is Uncomfortably Narrow.....	800-31
Figure 800-14: Walkway Vertical Clearance.....	800-33
Figure 800-15: Generous Frontage Zone with Seating and Bus Shelter	800-35
Figure 800-16: Wheel Stops Reduce Sidewalk Encroachment.....	800-36
Table 800-3: 4R/New Construction Pedestrian Realm Widths (B = Buffer Zone, P=Pedestrian Zone, F= Frontage Zone)	800-38
Figure 800-17: Minimum Bridge Sidewalk Width.....	800-40
Figure 800-18: Recommended Curb Side Sidewalk Dimensions	800-41
Figure 800-19: Recommended Central Business District Sidewalk Dimensions	800-41
Figure 800-20: Example Pedestrian Lane.....	800-42
Figure 800-21: Pervious Sidewalk.....	800-45
Figure 800-22: Porous Pavement Installed Next to Concrete Walk Illustrating Mossy Growth.....	800-45
Figure 800-23: Porous Pavement Installed Next to Concrete Walk Illustrating Mossy Growth.....	800-46
Figure 800-24: The Buffer Zone May Be Eliminated or Reduced At Pinch Points.....	800-47
Figure 800-25: Meandering Sidewalk.....	800-49
Figure 800-26: Pedestrian Rail at Back of Walkway	800-54
Figure 800-27: Pedestrian Rail at Bridges and Vertical Drops.....	800-54
Figure 800-28: Sign Guidance for Wayfinding, ODOT Sign OBD1-3c	800-57
Figure 800-29: Bench in Buffer Zone	800-58
Figure 800-30: Awning Shades Sidewalk Cafe	800-59
Figure 800-31: Bus Shelter in Buffer Zone	800-60
Figure 800-32: Curb Ramp System with a Curb Ramp for Each Street Crossing	800-63

Table of Contents

Figure 800-33: Perpendicular Curb Ramp System	800-67
Figure 800-34: Parallel Curb Ramp System	800-68
Figure 800-35: Combination Curb Ramp System	800-69
Table 800-4: Construction Allowance for Slopes	800-72
Table 800-5: Inspectors Rounding Guide for Curb Ramp Inspections	800-73
Figure 800-36: Pedestrian Access Route Clear Width	800-74
Figure 800-37: Water Accumulation at Curb Ramp	800-76
Figure 800-38: ODOT Exhibit D for Design Gutter Flow Slope Conditions	800-77
Figure 800-39: ODOT Exhibit D for Design Gutter Flow Slope Conditions for Right Turns	800-78
Table 800-6: Cross Slope 1 and Gutter Flow Slope Interdependencies	800-79
Figure 800-40: Arrows Showing How the Cross Slope is Oriented Perpendicular to the Ramp Run	800-80
Figure 800-41: Four Ramp Runs on One Curb Ramp System.....	800-82
Figure 800-42: Running Slope Arrows on Ramp Runs	800-83
Figure 800-43 Oregon Standard Drawing Valley Gutter.....	800-85
Figure 800-44: Curb Ramp System with a Directional Curb.....	800-86
Figure 800-45: Water Accumulation at Curb Ramp on Landing/Turn Space	800-87
Figure 800-46: Curb Running Slope Convention.....	800-88
Figure 800-47: Locations Where Lips Might Occur	800-89
Figure 800-48: Wheelchair Maneuvering For Turns	800-92
Figure 800-49: ADA Building Ramps Accessible Routes Illustration, source US Access Board	800-95
Figure 800-50: ADA Building Ramps Illustration, Source US Access Board and CFR	800-96
Figure 800-51: Continuous Raised Median versus Cut-Through Crossing Island	800-99
Figure 800-52: Angled Median Cut-Through Crossing	800-100
Figure 800-53: Sight Lines with Curb Extensions	800-101
Figure 800-54: Skewed Walkway and Rail Track Crossing.....	800-106
Figure 800-55: Shared Use Path.....	800-108
Figure 800-56: Types of Separated Path.....	800-109

Table of Contents

Figure 800-57: Bike Ramp Connection to Sidewalk on Roundabout Approach Street.....800-112

Part 900 Bikeway Design

Table 900-1: Font Key	900-2
Table 900-2 Comparison between outline of HDM and AASHTO Bike Guide	900-5
Figure 900-1: ORS 366.514 Screening Flow Chart.....	900-10
Table 900-3: Level of Traffic Stress and Design User Profiles.....	900-26
Figure 900-2: Bikeway Tiers.....	900-33
Figure 900-3: Bicycle Facility Selection Process	900-34
Figure 900-4: Bikeway Tier Identification Nomograph	900-36
Table 900-4 Standard Width Range for Desired Bikeway	900-37
Table 900-5 Tier 1 Options in the Street Buffer Zone for Separated Bike Lanes and Side Paths	900-38
Table 900-6 Tier 2 Considerations – Need for Separation (Buffered Bike Lane versus Bike Lane)	900-39
Table 900-7 Need for Separation (Bike Lane versus Shared Lane)	900-40
Table 900-8: Alternative Bicycle Facility Design– With Identified Lower Stress Parallel Route.....	900-42
Figure 900-5: Transition Realm and Bike Lane Zones	900-43
Figure 900-6 Bike Lane Curb	900-47
Table 900-9: Minimum Street Buffer Widths.....	900-49
Figure 900-7: Island Buffer Cross Section at Street Crossing.....	900-50
Figure 900-8: Landscape Buffer Cross Section at Street Crossing.....	900-51
Table 900-10: 4R Shoulder Widths.....	900-52
Table 900-11: 3R Shoulder Widths (Based on AASHTO Minimums).....	900-53
Figure 900-9: Conflict Points at Conventional versus Protected Intersection	900-61
Figure 900-10: Protected Intersection Design for Separated Bike Lanes and Side Paths	900-63
Figure 900-11 Protected Intersection with 7-foot Street Buffer.....	900-66
Figure 900-12 Protected Intersection with Narrow (2') Street Buffer	900-67
Figure 900-13 Protected Intersection with Parking Buffer	900-68
Figure 900-14: Bicycle Lane across Merge Area.....	900-70

Table of Contents

Figure 900-15: Bicycle Lane across Exiting Lane	900-71
Figure 900-16: Types of Shared Use Path	900-74
Table 900-12 Recommended Shared Use Path Widths	900-75
Equation 900-1 - Radius of Curvature Based on Lean Angle	900-79
Equation 900-2 –Radius of Curvature Based on Superelevation Rate.....	900-79
Table 900-13: Minimum Radius of Curvature for Horizontal Curves.....	900-80
Equation 900-3 Horizontal Sightline Offset (HSO) for Horizontal Curve	900-81
Equation 900-4 Back-Calculation of Stopping Sight Distance from Horizontal Sightline Offset	900-81
Figure 900-17: Horizontal Sightline Offset	900-81
Equation 900-5 Stopping Sight Distance.....	900-82
Figure 900-18: Sight Distance on Crest Vertical Curve	900-82
Figure 900-19 Bicycle ramp to Shared Use Path (Bike Lane Drops)	900-87
Figure 900-20 Bike Ramp Parallel to Path.....	900-88
Figure 900-21 Bicycle Ramp to a Raised Crosswalk.....	900-89

Part 1000 Design Exceptions

Figure 1000-1: Local Public Agency (LPA) Project General Design Exception Approval Process	1000-6
Table 1000-1: Data Needs For Exception Justification	1000-20
Figure 1000-2: General Design Exception Request Form (Page 1 of 3).....	1000-21
Figure 1000-3: General Design Exception Request Form (Page 2 of 3).....	1000-24
Figure 1000-4: General Design Exception Request Form (Page 3 of 3).....	1000-26
Table 1000-2: Design Exception List	1000-28
Figure 1000-5: Local Public Agency Project ADA Design Exception Approval Process	1000-30

Part 1100 3D Design

Figure 1100-1: Sample Computer File Index for eBIDS Handoff	1100-6
Figure 1100-2: Sample Graphical Index for eBIDS Handoff	1100-7
Figure 1100-3: eBIDS Handoff Checklist.....	1100-8
Figure 1100-4: Sample Notice of eBIDS Roadway Digital Design Data.....	1100-9
Figure 1100-5: Sample Horizontal Alignment Report	1100-10

Table of Contents

Figure 1100-6: Sample Vertical Alignment Report.....1100-11

Figure 1100-7: Sample eBIDS Cross-Section.....1100-13

Part 1200 Other Technical Disciplines

Table 1200-1: 20 Year Design-Mobility Standards (Volume/Capacity [V/C]) Ratio1200-26

Table 1200-2: Ideal Daily Capacity1200-28

Table 1200-3: Signalized Intersection Adjustment Factor (FS)1200-29

Table 1200-4: Reduction Factor for Presence of Trucks (FT).....1200-29

Table 1200-5: Hydraulic Design Level of Risk1200-54

Table 1200-7: Professional Expertise Requirements1200-56

Table 1200-8: List of Permits and the Units Responsible1200-80

Part 1300 Deliverables

Table 1300-1: Quantity Rounding.....1300-5