



Oregon

Kate Brown, Governor

Department of Transportation
Traffic-Roadway Section
4040 Fairview Industrial Drive SE
Salem, OR 97302-1142
Phone: (503) 986-3568
Fax: (503) 986-3749

November 19, 2018

All Holders of "Sign Policy and Guidelines for the State Highway System"

RE: NOVEMBER 2018 REVISIONS TO SIGN POLICY & GUIDELINES FOR THE STATE HIGHWAY SYSTEM

Enclosed with this cover letter are the most recent revisions to the "Sign Policy and Guidelines for the State Highway System."

Sign No.	Page No.	Legend/Section	Revision
All	All	All	Document is now completely searchable. Internal links added for easier document use. Page numbers now have no gaps. Changed font and formats for consistency.
	i	Cover Page	Added Cover Page
	ii - iv	Table of Contents	Created Table of Contents and added to the beginning of the document.
	2-1	Overhead Sign Installations& Mounting Height	Updated information about mounting height for overhead signs.
R1-10P	3-1	EXCEPT RIGHT TURN	Added section noting requirement for use of signs on State Highways.
	3-3	No Turn on Red Signs	Added section noting requirement for use of signs on State Highways.
OR3-5TD	3-7	Left and Right Arrow	Removed option for border to be interior illuminated on State Highways.
OR3-5TT	3-8	Through, Left, and Right Arrow	Removed option for border to be interior illuminated on State Highways.
OR7-9	3-24	No Parking in Access Aisle	New Sign added from the latest update to the OTC Standards for Accessible Parking Places.
OR7-9a	3-25	No Parking in Access Aisle supplemental Arrow	New Sign added from the latest update to the OTC Standards for Accessible Parking Places.
OR10-3L & OR10-3R	3-28	PUSH BUTTON FOR Ped(Symbol)	Update Sign use information to reflect current standards for Signals on State Highways.
OR10-4bL & OR10-4bR	3-29	PUSH BUTTON FOR Ped(Symbol)	Update Sign use information to reflect current standards for Signals on State Highways.
OR10-25L & OR10-25R	3-33	PUSH BUTTON TO TURN ON WARNING LIGHTS	Update Sign use information to reflect current standards for Signals on State Highways.
OR17-1	3-47	LEFT TURN YIELD TO ONCOMING TRAFFIC	Removed option for border to be interior illuminated on State Highways. Added note on use of sign.
OR22-6	3-62	YIELD TO ONCOMING TRAFFIC	Removed option for border to be interior illuminated on State Highways.
OR22-7	3-63	CROSSWALK CLOSED	Added note about sign use requirements on State Highways.

OR22-8	3-64	CROSSWALK CLOSED w/Arrow	Added note about sign use requirements on State Highways. Added note about use of arrow.
		Ch. 5 Guide Signs	Rearranged some sections to be in order according to order in the MUTCD.
		Ch. 7 School Area Signs	Added additional text to clarify sign use. Adjusted School Signing Layouts to be less cluttered.
OBW1-8	8-5	BIKES IN TUNNEL WHEN LIGHTS FLASH SPEED 30	Added additional information about sign use on State Highways.
	Indices-1 - Indices-9	Index	Removed from beginning of document. Enhanced and added to end of document.

If you have any revisions, changes, or comments, please send them to:

Marie Kennedy, Interim State Sign Engineer
 ODOT, Traffic-Roadway Section, MS #5
 4040 Fairview Industrial Dr. SE
 Salem, Oregon 97302-1142
 Ph: (503) 986-4013 Fax: (503) 986-3749
 e-mail: Marie.Kennedy@odot.state.or.us

Marie Kennedy, P.E.
 Interim Sign Engineer




Sign Background:	White, Standard Retroreflective Sheeting
Sign Legend:	Red, Standard Retroreflective Sheeting White on Blue, Standard Retroreflective Sheeting (Symbol)

The No Parking in Access Aisle sign is used to designate an access aisle reserved for persons use parking with DMV permit. Install sign in locations where "No Parking" pavement marking may not be visible regularly from snow or sand. Place sign to have direct view from end of access aisle and when possible outside of accessible route.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: O.T.C.	Date: 10/2018	Updated: N/A
---------------------	---------------	--------------

OR 7-9a



BORDER
 R=1.25"
 TH=0.325"
 IN=0.325"

Sign Background: White, Standard Retroreflective Sheeting

Sign Legend: Red, Standard Retroreflective Sheeting

Use sign OR7-9a when the back of the accessible route directly behind access aisle is not available for sign placement and sign must be placed to one side of pedestrian access ramp.

OREGON DEPARTMENT OF TRANSPORTATION

Approved By: O.T.C.

Date: 10/2018

Updated: N/A