

Jackson County Weight Restricted Bridges and Approved Route List Attachment C15

(Revised 09-2025)

Jackson County Weight Restricted Bridges

| Road | Crossing | Mile Point | Weight Restriction |
|-----------------------------------------|-----------------|------------|-----------------------------------------------------------------------------------------------------------|
| Agate Road Bridge #179 | Hog Creek | 6.65 | 28 ton 5-6 axles 29 ton 7 axles |
| Cobleigh Road Bridge #655 | Big Butte Creek | 2.01 | 25 ton solo 27 ton 4 axles 31 ton 5 axles 34 ton 6-7 axles 40 ton semitrailer 40 ton combination |
| Covered Bridge Road Bridge #319 | Evans Creek | 0.78 | 10 ton solo 10 ton semitrailer 10 ton combination |
| East Pine Street Bridge #639A and #639B | Bear Creek | 1.13 | All vehicles, regardless of weight, are restricted from traveling in the median/center lane of the bridge |
| Lampman Road Bridge #807 | Galls Creek | 1.58 | 10 ton gross for all vehicles |
| Little Applegate Road Bridge #492 | Sterling Creek | 3.16 | 36 ton 7 axles |
| McKee Bridge Road Bridge #471 | Applegate River | 0.14 | Road restricted to no vehicle traffic of any kind |
| Mill Creek Drive Bridge #733 | Copco Penstocks | 4.33 | 29 ton 5 axles 31 ton 6 axles 34 ton 7 axles |
| Mill Creek Drive Bridge #734 | Copco Spillway | 4.67 | 35 ton 7 axles |
| Sams Creek Road Bridge #701 | Sams Creek | 0.21 | 14 ton solo 14 ton 4 axles 15 ton 5 axles 17 ton 6-7 axles 22 ton semitrailer 28 ton combination |

| Road | Crossing | Mile Point | Weight Restriction |
|----------------------------------------|-------------|------------|--------------------|
| | | | 22 ton 4 axles |
| Swingle Road Bridge #545 | Trail Creek | 0.39 | 24 ton 5 axles |
| | | | 27 ton 6-7 axles |
| | | | 29 ton 5 axles |
| West Fork Trail Creek Road Bridge #540 | Trail Creek | 0.03 | 30 ton 6 axles |
| | | | 33 ton 7 axles |
| Yale Creek Road Bridge #502 | Yale Creek | 0.59 | 31 ton 6-7 axles |

Jackson County Height Restricted Structures

| Road | Crossing Under | Approximate Location | Mile Point | Height Restriction |
|-------------------------------|-----------------------|-------------------------------|------------|--------------------------|
| Brownsboro – Eagle Point Road | Flume | Between Brophy Road and OR140 | 3.91 | 14'7" overhead clearance |
| Jackson Road | Trestle | Ashland | 0.79 | 13'6" overhead clearance |
| Upper River Road | Trestle | Gold Hill | 0.03 | 12'3" overhead clearance |

Weight Restricted Highways

| Single Axle restricted to 15,300 lbs. on all county highways listed below. Tandem Axle restricted to 27,200 lbs. on all county highways listed below. | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|---------------------------|--|--|
| Road | From | То | | |
| Agate Road #515 | OR234 | Little Butte Creek Bridge | | |
| Alta Vista Road #542 | Bigham-Brown Road | Riley Road | | |
| Arnold Lane #757 | South Stage Road | Bellinger Lane | | |
| Brownsboro-Meridian Road #563 | Meridian Road | 500' west of OR140 | | |
| Clay St. #732 | OR66 | East Main St. | | |
| Cloudcrest Drive #991 | Highcrest Drive | Stardust Way | | |
| Clover Lane #783 | West Main St. | Sunset Court | | |
| Coker Butte Road #600 | Arrowhead Drive | Foothill Road | | |
| Hamilton Road #857 | Upper Applegate Road | Cantrall Road | | |
| Highcrest Drive #991 | Hillcrest Road | Cloudcrest Drive | | |
| Howard Prairie Dam Access Road #1068 | Hyatt Prairie Road | End of County Maintenance | | |
| Lake Creek Loop #590 (Must take west side) | South Fork Little Butte Creek Road | OR140 | | |
| Orchard Home Drive #767 | Stewart Ave. | South Stage Road | | |

Weight Restricted Highways

| Single Axle restricted to 15,300 lbs. on all county highways listed below. Tandem Axle restricted to 27,200 lbs. on all county highways listed below. | | | | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------|--|--|
| Road | From | То | | |
| Pine Grove Road #888 | Queens Branch Road | West Evans Creek Road | | |
| Reese Creek Road #517 | Butte Falls Road | Brownsboro-Eagle Point Road | | |
| Riley Road #527 | Alta Vista Road | OR140 | | |
| South Peach St. #611 | Garfield St. | Agate St. | | |
| Springbrook Road | Coker Butte Road | 415' south of Coker Butte Road | | |
| Stanford Ave. #700 | Cherry Lane | High Oak Drive | | |
| Sterling Creek Road #787 | Cady Road | Griffin Lane | | |
| Sunset Court #3328 | Lozier Lane | Clover Lane | | |

Weight Restricted Roads

South Stage Road

Sunset Drive

Applegate Road

Sunset Drive #764

Thomas Road #762

Whispering Pines Lane #666

Thomas Road

1250' southeast of Applegate Road

Stewart Ave.

| Highway | From | To | Weight Restriction |
|-----------------|---------------------|-----------------|------------------------------------------------------------------------|
| Allen Lane | Anderson Creek Road | Morey Road | 10,000 lbs. gross maximum weight |
| Archer Drive | Orchard Home Drive | West to the end | 20,000 lbs. gross maximum weight |
| Bellinger Lane | South Stage Road | Arnold Lane | 30,000 lbs. solo 40,000 lbs. semitrailer 40,000 lbs. combination |
| Cordelia Way | Griffin Creek Road | Syringa Drive | 20,000 lbs. gross maximum weight |
| Corey Road | Kershaw Road | Foothill Road | 50,000 lbs. solo 80,000 lbs. semitrailer 80,000 lbs. combination |
| Downing Road | Gibbon Road | Newland Road | 20,000 lbs. gross maximum weight |
| East Vilas Road | Crater Lake Ave. | Foothill Road | 50,000 lbs. solo 80,000 lbs. semitrailer 80,000 lbs. combination |

Weight Restricted Roads

| Highway | From | To | Weight Restriction |
|------------------|--------------------|-----------------|----------------------------------|
| Foothill Road | Corey Road | Dry Creek Road | 50,000 lbs. solo |
| | | | 80,000 lbs. semitrailer |
| | | | 80,000 lbs. combination |
| Gibbon Road | Upton Road | Truax Road | 20,000 lbs. gross maximum weight |
| McLoughlin Drive | Corey Road | East Vilas Road | 50,000 lbs. solo |
| | | | 80,000 lbs. semitrailer |
| | | | 80,000 lbs. combination |
| Morey Road | Wagner Creek Road | Allen Lane | 30,000 lbs. gross maximum weight |
| Sundown Road | Griffin Creek Road | Syringa Drive | 20,000 lbs. gross maximum weight |
| Truax Road | Gibbon Road | Newland Road | 20,000 lbs. gross maximum weight |

Restricted Highways No Log Hauling Allowed

| Road | From | То |
|-----------------------|----------------|--------------------|
| Old Stage Road #710 | Jacksonville | Scenic Ave. |
| West Evans Creek Road | Minthorne Road | Queens Branch Road |

Jackson County Length Restricted Highways

| Road | From | То | Overall Length Limit Maximum |
|---------------------------|------|---------------------|-----------------------------------|
| Crowfoot Road | OR62 | Butte Falls Road | Semitrailers 60'; Combination 75' |
| Dead Indian Memorial Road | OR66 | Klamath County Line | Semitrailers 60'; Combination 75' |

Jackson County Pilot Vehicle Requirements

| Width | Front Pilots Required | Rear Pilots Required |
|------------------------|-----------------------|----------------------|
| Width 08'07" To 09'00" | None | None |
| Width 09'01" To 11'00" | One | None |
| Width 11'01" To 14'00" | One | One |

Note: One Rear Pilot required for Truck Tractor-Semitrailer combination over 80' Overall Length.

Jackson County Approved Route List

Truck-Tractor Semitrailer Combinations may operate at a maximum of 75 feet in overall length on all county highways unless specified above.

Double Trailer Combinations may operate at a maximum of 95 feet in overall length on all county highways unless specified above. Truck and Trailer Combinations may operate at a maximum of 75 feet in overall length on all county highways unless specified above.

- The maximum length of a semitrailer in a truck tractor semitrailer combination is 53 feet.
- The maximum length of a semitrailer in a truck tractor semitrailer trailer combination (doubles) is 40 feet. The distance measured from the front trailer to the rear trailer cannot exceed 68 feet.
- Lift axles must be in the down position at all times when the vehicle is laden.

Attachment C15 Page 5 of 5 form 734-4015 (9-25) STK# 321628