



Oregon State Restricted Bridges List Emergency Vehicles



List of all bridges with restrictions for Emergency Vehicles (EV) on the Interstate and within one road mile.

- Maximum Gross Weight on single steer axle not to exceed 24,000 pounds.
- Maximum Gross Weight on single drive axle not to exceed 33,500 pounds.
- Maximum Gross Weight on tandem rear drive steer axles not to exceed 52,000 pounds.
- Maximum Gross Weight on tandem axles not to exceed 62,000 pounds.
- Maximum Gross Weight not to exceed 86,000 pounds.

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-5 Overpass	EB & WB	16.70	Mountain Ave. crossing over I-5.	Ashland	EV2 – 48,000 EV3 – 66,000
I-5 Connector	EB & WB	21.21	West Valley View state connector road crossing over I-5.	Ashland	EV3 – 76,000
I-5 Frontage	NB & SB	158.35	Lees Creek Ln crossing over Curtis Creek Bridge	Yoncalla	EV3 – 78,000
I-5 Overpass	EB & WB	169.25	Hawley Rd crossing over I-5.	Cottage Grove	EV3 – 72,000
I-5	SB	174.74	I-5 crossing over Row River Rd.	Cottage Grove	EV3 – 80,000
I-5 Overpass	EB & WB	182.06	Market Rd crossing over I-5.	Creswell	EV3 – 64,000
I-5 Overpass	EB & WB	184.24	Dale Kuni Rd crossing over I-5.	Creswell	EV3 – 82,000
I-5	NB & SB	202.05	I-5 crossing over culvert north of Wilkins Rd.	Eugene	EV3 – 80,000
I-5	NB & SB	235.01	I-5 crossing Truax Creek Bridge 0.6 mile north of OR99E.	Albany	EV3 – 58,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-5 Overpass	EB & WB	243.53	Ankeny Hill Rd crossing over I-5.	Jefferson	EV2 – 54,000 EV3 – 76,000
I-5 Frontage	NB & SB	244.86	Miller Creek frontage road crossing over culvert on Sunnyside Rd near OR164 junction.	Jefferson	EV3 – 72,000
I-5 Frontage	NB & SB	245.87	Miller Creek frontage road crossing over culvert on Sunnyside Rd 1 mile north of OR164 junction.	Jefferson	EV3 – 72,000
I-5 Frontage	NB & SB	245.87	Miller Creek frontage road crossing over culvert on Enchanted Way 1 mile north of OR164 junction.	Jefferson	EV3 – 76,000
I-84	EB & WB	1.82	I-84 crossing over Doernbecher Access Rd 1.8 miles east of PCC.	Portland	EV3 – 74,000
I-84 Connector	WB	6.59	102 nd Ave. state connector road crossing over railroad tracks prior to entering I-84 WB.	Portland	EV3 – 54,000
I-84 Crossover	EB & WB	6.73	102 nd Ave. crossing over I-84.	Portland	EV3 – 54,000
I-84 Connector	WB	28.05	Bridal Veil state connector road crossing over I-84.	Bridal Veil	EV3 – 60,000
I-84 Connector	EB & WB	28.09	Bridal Veil state connector road crossing over railroad tracks.	Bridal Veil	EV3 – 80,000
I-84 Frontage	EB	41.57	I-84 EB Exit 41 frontage road to Eagle Creek Ln.	Cascade Locks	EV2 – 40,000 EV3 – 50,000
I-84 Frontage	EB & WB	46.06	E Cascade Locks Frontage Rd crossing over Herman Creek.	Cascade Locks	EV3 – 72,000
I-84	WB	63.41	I-84 crossing over railroad tracks.	Hood River	EV3 – 78,000
I-84	EB & WB	87.45	I-84 crossing over railroad tracks 1.7 miles east of The Dalles.	The Dalles	EV3 – 76,000
I-84	EB & WB	97.45	I-84 crossing over railroad tracks 13.7 miles east of The Dalles.	Celilo Park	EV3 – 74,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
I-84 Frontage	EB & WB	109.71	Biggs-Rufus frontage road crossing over Gurkin Canyon Creek 0.24 mile west of Exit 109.	Rufus	EV3 – 78,000
I-84	WB	109.78	I-84 WB crossing Scott Canyon Bridge.	Rufus	EV2 – 52,000 EV3 – 72,000
I-84	EB	109.95	I-84 EB crossing over Rufus Interchange.	Rufus	EV3 – 78,000
I-84	WB	109.95	I-84 WB crossing over Rufus Interchange.	Rufus	EV3 – 78,000
I-84 Frontage	EB & WB	239.45	Old Emigrant Hill frontage road crossing over Meacham Creek and railroad tracks.	Meacham	EV3 – 56,000
I-84 Frontage	EB & WB	251.37	Old Emigrant Hill frontage road crossing over Dry Creek.	Hilgard	EV3 – 60,000
I-84 Frontage	EB & WB	253.45	Five Point Creek frontage road on the north side of interstate crossing Five Points Creek.	Hilgard	EV2 – 28,000 EV3 – 46,000
I-405 Connector	SB	0.53	I-405 connector to I-5 SB crossing over SW Water Ave. on the West Marquam Interchange.	Portland	EV3 – 72,000
I-405 Connector	NB & SB	1.14	I-405 connector from Taylor St. SB crossing over I-405 0.1 mile south of Morrison St.	Portland	EV3 – 72,000
I-405 Connector	SB	2.66	I-405 connector to Burnside and 15th crossing over 16th Ave./Couch St. on-ramp.	Portland	EV2 – 42,000 EV3 – 58,000
US20	EB & WB	39.34	US20 crossing Marys River Bridge and railroad tracks.	Blodgett	EV3 – 74,000
US20	EB & WB	45.68	US20 crossing over Harris Rd and railroad tracks.	Wren	EV3 – 82,000
US20	EB & WB	48.88	US20 crossing Noon Bridge over Marys River.	Philomath	EV3 - 82,000
US20 Connector	EB	55.86	US20 EB connector to OR99W NB crossing over OR99W SB.	Corvallis	EV3 - 70,000
US20	EB	10.44	US20 EB crossing Willamette River Bridge, Water Ave. and railroad tracks.	Albany	EV3 – 82,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US20	WB	13.56	US20 WB crossing Lebanon Ditch (Lebanon Santiam).	Lebanon	EV3 – 78,000
US20	EB & WB	14.06	US20 crossing over Mountain States Power Canal.	Lebanon	EV3 – 78,000
US20	EB & WB	42.29	US20 crossing Wolf Creek Bridge.	Cascadia	EV3 – 80,000
US20	EB & WB	185.62	US20 crossing over Kingsbury Gulch.	Juntura	EV3 – 66,000
US20	EB & WB	203.30	US20 crossing Black Canyon Creek Bridge.	Juntura	EV3 – 66,000
US26	EB & WB	4.40	US26 crossing Necanicum River Bridge.	Seaside	EV3 – 78,000
US26	EB & WB	5.85	US26 crossing Lindsley Creek Bridge.	Seaside	EV2 – 56,000 EV3 – 76,000
US26	EB & WB	7.07	US26 crossing North Fork Necanicum River Bridge.	Seaside	EV3 – 70,000
US26	EB & WB	21.73	US26 crossing Nehalem River Bridge and OR103.	Elsie	EV3 – 70,000
US26	EB & WB	24.23	US26 crossing North Fork Quartz Creek Bridge.	Elsie	EV2 – 52,000 EV3 – 72,000
US26	EB & WB	24.47	US26 crossing South Fork Quartz Creek Bridge.	Elsie	EV3 – 80,000
US26	EB & WB	34.92	US26 crossing North Fork Wolf Creek Bridge.	Timber	EV3 – 70,000
US26	EB & WB	37.88	US26 crossing Nehalem River Bridge.	Timber	EV3 – 74,000
US26	EB & WB	45.31	US26 crossing West Fork Dairy Creek Bridge.	Buxton	EV3 – 56,000
US26	WB	55.72	US26 WB crossing over railroad tracks.	North Plains	EV3 – 74,000
US26	EB & WB	68.34	US26 crossing over Cedar Hills Blvd.	Portland	EV2 – 34,000 EV3 – 48,000
US26	EB & WB	0.10	US26 as Kelly Ave. crossing over Arthur St. viaduct.	Portland	EV3 – 62,000
US26 Connector	WB	0.58	US26 WB connector to OR99W SB crossing over US26 EB and Grover St.	Portland	EV3 – 64,000
US26	EB & WB	115.58	US26 crossing over North Unit Canal.	Madras	EV2 – 52,000 EV3 – 54,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US26	EB & WB	170.49	US26 crossing Indian Creek Bridge.	Prairie City	EV2 – 56,000 EV3 – 76,000
US26	EB & WB	170.62	US26 crossing John Day River Bridge.	Prairie City	EV3 – 72,000
US26	EB & WB	174.96	US26 crossing Dixie Creek Bridge.	Prairie City	EV2 – 40,000 EV3 – 54,000
US30	EB & WB	10.77	US30 crossing over Sauvies Island partial viaduct.	Burlington	EV3 – 66,000
US30	EB & WB	11.23	US30 crossing over railroad tracks.	Burlington	EV2 – 40,000 EV3 – 56,000
US30 Frontage	EB & WB	36.47	Tide Creek frontage road crossing over Tide Creek.	Deer Island	EV3 – 48,000
US30	EB & WB	53.05	US30 crossing Beaver Creek Bridge.	Rainier	EV2 – 46,000 EV3 – 64,000
US30	EB & WB	55.29	US30 crossing Lost Creek Bridge.	Delena	EV3 – 82,000
US30	EB & WB	70.71	US30 crossing Plympton Creek Bridge.	Clatskanie	EV3 – 68,000
US30	EB & WB	0.46	US30 crossing Burnt River Bridge 4.7 miles north of Huntington.	Huntington	EV3 – 54,000
US30 Bypass	EB & WB	0.28	US30 Bypass crossing over private driveway.	Portland	EV3 – 70,000
US30 Bypass	EB & WB	0.91	US30 Bypass crossing St .Johns Bridge over the Willamette River.	Portland	EV2 – 50,000 EV3 – 50,000
US30 Bypass	EB & WB	12.43	US30 Bypass crossing over NE 122 nd Ave.	Portland	EV2 – 44,000 EV3 – 60,000
US30 Hwy #100	EB & WB	0.03	Historic Columbia River Hwy crossing over the Sandy River south of Lewis & Clark Rec Site.	Troutdale	EV2 – 40,000 EV3 – 40,000
US30 Hwy #100	EB & WB	11.93	Historic Columbia River Hwy crossing Latourell Creek.	Latourell	EV3 – 56,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US30 Hwy #100	EB & WB	14.17	Historic Columbia River Hwy crossing Bridal Veil Creek Bridge.	Bridal Veil	EV2 – 42,000 EV3 – 58,000
US30 Hwy #100	EB & WB	17.68	Historic Columbia River Hwy crossing West Multnomah Falls viaduct.	West Multnomah Falls	EV2 – 22,000 EV3 – 22,000
US30 Hwy #100	EB & WB	18.21	Historic Columbia River Hwy crossing East Multnomah Falls viaduct.	East Multnomah Falls	EV2 – 44,000 EV3 – 62,000
US30 Hwy #100	EB & WB	20.39	Historic Columbia River Hwy crossing Horsetail Creek Bridge.	Dodson	EV2 – 50,000 EV3 – 70,000
US30 Hwy #100	EB & WB	57.28	Historic Columbia River Hwy crossing Rock Creek Bridge.	Mosier	EV2 – 56,000 EV3 – 54,000
US30 Hwy #100	EB & WB	57.84	Historic Columbia River Hwy crossing Mosier Creek Bridge 0.31 mile east of Exit 69.	Mosier	EV3 – 66,000
US30 Hwy #100	EB & WB	63.15	Historic Columbia River Hwy crossing Hog Creek Canyon Bridge.	Rowena	EV3 – 70,000
US30 Hwy #100	EB & WB	63.79	Historic Columbia River Hwy crossing Dry Canyon Creek Bridge.	Rowena	EV2 – 46,000 EV3 – 62,000
US95	NB & SB	10.98	US95 crossing Cow Creek Bridge.	Sheaville	EV3 – 70,000
US95	NB & SB	52.97	US95 crossing Owyhee River Bridge.	Rome	EV2 – 46,000 EV3 – 62,000
US97	NB & SB	-0.43	US97 crossing Sam Hill Memorial Bridge (Biggs Rapids Bridge).	Biggs Junction	EV3 – 82,000
US97	NB & SB	275.03	US97 crossing over Link River and Main St. state connector road.	Klamath Falls	EV3 – 82,000
US101	NB & SB	2.41	US101 crossing Astoria-Megler River Bridge over the Columbia River and over US30.	Astoria	EV2 – 54,000 EV3 – 74,000
US101	NB & SB	4.91	New Youngs Bay Bridge crossing Youngs River.	Astoria	EV2 – 54,000 EV3 – 76,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US101	NB & SB	22.48	US101 crossing Dooley Creek Bridge over Shangri La Creek.	Seaside	EV3 – 72,000
US101	NB & SB	39.53	US101 crossing Sam Reed Bridge over Necarney Creek.	Short Sands Beach	EV2 – 48,000 EV3 – 66,000
US101	NB & SB	40.86	US101 crossing over Neahkahnie South Viewpoint half viaduct.	Manzanita	EV3 – 72,000
US101	NB & SB	49.23	US101 crossing Crescent Lake Bridge (Lake Lytle Outlet) over Crescent Creek.	Rockaway	EV3 – 60,000
US101	NB & SB	71.18	US101 crossing Fawcett Creek Bridge.	Tillamook	EV3 – 82,000
US101	NB & SB	76.64	US101 crossing Tiger Creek Bridge.	Tillamook	EV3 – 68,000
US101	NB & SB	77.53	US101 crossing West Beaver Creek Bridge.	Beaver	EV2 – 56,000 EV3 – 54,000
US101	NB & SB	79.61	US101 crossing Beaver Creek Bridge.	Beaver	EV3 – 56,000
US101	NB & SB	80.32	US101 crossing Beaver Creek Bridge.	Beaver	EV2 – 56,000 EV3 – 60,000
US101	NB & SB	85.01	US101 crossing Three Rivers Bridge.	Hebo	EV3 – 78,000
US101	NB & SB	88.68	US101 crossing Clear Creek Bridge.	Cloverdale	EV3 – 76,000
US101	NB & SB	118.20	US101 crossing Schooner Creek Bridge over Siletz River.	Lincoln City	EV3 – 72,000
US101	NB & SB	120.20	US101 crossing Siletz River Bridge.	Kernville	EV2 – 52,000 EV3 – 72,000
US101	NB & SB	127.60	US101 crossing Depoe Bay Bridge.	Depoe Bay	EV3 – 70,000
US101	NB & SB	141.67	US101 crossing Yaquina Bay Bridge.	Newport	EV3 – 72,000
US101	NB & SB	168.40	US101 crossing Cummins Creek Bridge.	Yachats (Neptune Beach)	EV3 – 82,000
US101	NB & SB	178.35	US101 crossing Cape Creek Bridge.	Heceta Head	EV3 – 58,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US101	NB & SB	190.98	US101 crossing Siuslaw River Bridge.	Florence	EV2 – 50,000 EV3 – 60,000
US101	NB & SB	196.94	US101 crossing Siltcoos River Bridge.	Westlake	EV2 – 54,000 EV3 – 76,000
US101	NB & SB	211.21	US101 crossing Umpqua River Bridge and McIntosh Slough.	Reedsport	EV3 – 80,000
US101	NB & SB	213.23	US101 crossing over Ranch Rd.	Reedsport	EV3 – 80,000
US101	NB & SB	233.09	US101 crossing Coos Bay Causeway over Haynes Inlet.	Coos Bay	EV2 – 50,000 EV3 – 68,000
US101	NB & SB	282.10	US101 crossing Fourmile Creek Bridge.	Bandon	EV3 – 66,000
US101	NB & SB	286.61	US101 crossing Morton Creek Bridge.	Langlois	EV3 – 84,000
US101	NB & SB	311.40	US101 crossing Reinhart Creek Bridge.	Port Orford - Ophir	EV2 – 52,000 EV3 – 72,000
US101	NB & SB	327.70	US101 crossing Isaac Lee Patterson Bridge (Wedderburn Bridge) over Rogue River.	Gold Beach	EV3 – 64,000
US101	NB & SB	347.78	US101 crossing Thomas Creek Bridge.	Brookings	EV3 – 68,000
US197	NB & SB	0.76	US197 crossing over State Rd and railroad tracks.	The Dalles	EV3 – 84,000
US197	NB & SB	45.84	US197 crossing Deschutes River Bridge and railroad tracks.	Maupin	EV3 – 60,000
US199	NB & SB	2.95	US199 crossing over Sand Creek culvert.	Grants Pass	EV2 – 46,000 EV3 – 56,000
US199 Frontage	NB & SB	7.10	Slate Creek frontage road crossing Slate Creek.	Wilderville	EV2 – 42,000 EV3 – 58,000
US199	NB & SB	14.17	US199 crossing Slate Creek Bridge.	Wilderville	EV3 – 74,000
US199	NB & SB	14.28	US199 crossing Slate Creek Bridge.	Wilderville	EV3 – 70,000
US199	NB & SB	14.32	US199 crossing Butcherknife Creek Bridge.	Wilderville	EV3 – 78,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
US199	NB & SB	18.15	US199 crossing Anderson Creek Bridge.	Selma	EV3 – 66,000
US199	NB & SB	19.28	US199 crossing Anderson Creek Bridge.	Selma	EV3 – 82,000
US199	NB & SB	26.80	US199 crossing Holton Creek Bridge.	Kerby	EV3 – 66,000
US199	NB & SB	40.87	US199 crossing Dwight Creek Bridge.	O'Brien	EV3 – 76,000
US395	NB & SB	6.60	US395 crossing over "A"-Line Canal.	Hermiston	EV3 – 84,000
US395	NB & SB	6.84	US395 crossing over railroad tracks.	Hermiston	EV2 – 50,000 EV3 – 70,000
US395	NB & SB	10.60	US395 crossing over USRS Feed Canal.	Stanfield	EV3 – 80,000
US395	NB & SB	17.44	US395 crossing West Fork Creek Birch Bridge.	Pilot Rock	EV3 – 78,000
US395	NB & SB	15.27	US395 crossing East Fork Creek Birch Bridge.	Pilot Rock	EV3 – 76,000
US395	NB & SB	98.31	US395 crossing over Smith Creek Bridge.	Fox	EV3 – 84,000
US395	NB & SB	118.28	US395 crossing Beech Creek Bridge.	Mt Vernon	EV2 – 46,000 EV3 – 64,000
US395	NB & SB	125.52	US395 crossing Crooked Creek Bridge in Chandler State Park.	Valley Falls	EV2 – 52,000 EV3 – 58,000
US395	N& & SB	125.80	US395 crossing Crooked Creek Bridge in Chandler State Park.	Valley Falls	EV3 – 66,000
US730	EB & WB	182.60	US730 crossing Umatilla River Bridge.	Umatilla	EV2 – 44,000 EV3 – 56,000
US730	EB & WB	183.70	US730 crossing over railroad tracks.	Umatilla	EV3 – 80,000
US730	EB & WB	197.80	US730 crossing over Juniper Point half viaduct.	Umatilla	EV3 – 56,000
US730	EB & WB	199.03	US730 crossing Juniper Canyon Creek Bridge.	Umatilla	EV3 – 80,000
OR6	EB & WB	11.80	OR6 crossing Wilson River Bridge.	Tillamook	EV3 – 66,000
OR6	EB & WB	38.65	OR6 crossing Gales Creek Bridge.	Gales Creek	EV2 – 50,000 EV3 – 68,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR6	EB & WB	48.35	OR6 crossing West Fork Dairy Creek overflow.	Banks	EV3 – 76,000
OR7	NB & SB	31.01	OR7 crossing Deer Creek Bridge.	Phillips Lake	EV3 – 66,000
OR8	EB & WB	14.31	OR8 crossing Dairy Creek Bridge.	Hillsboro	EV3 – 60,000
OR11	NB & SB	30.75	OR11 crossing Little Walla Walla River Bridge.	Milton-Freewater	EV3 – 56,000
OR18	EB & WB	0.04	OR18 crossing over US101.	Otis	EV3 – 64,000
OR18	EB & WB	5.34	OR18 crossing Slick Rock Creek Bridge.	Rose Lodge	EV3 – 60,000
OR18	EB & WB	6.23	OR18 crossing Salmon River Bridge.	Rose Lodge	EV2 – 54,000 EV3 – 56,000
OR18	EB & WB	18.78	OR18 crossing Rogue River Bridge.	Grand Ronde	EV3 – 70,000
OR18	EB & WB	33.21	OR18 crossing over culvert just west of railroad tracks.	Sheridan	EV2 – 52,000 EV3 – 44,000
OR18	EB & WB	51.57	OR18 crossing Yamhill River Bridge.	Dayton	EV2 – 56,000 EV3 – 78,000
OR19	NB & SB	79.03	OR19 crossing Mule Shoe Creek Bridge.	Service Creek	EV2 – 52,000 EV3 – 70,000
OR19	NB & SB	81.85	OR19 crossing Juniper Creek Bridge.	Service Creek	EV3 – 80,000
OR19	NB & SB	89.19	OR19 crossing Snabel Creek Bridge.	Spray	EV3 – 70,000
OR19	NB & SB	105.60	OR19 crossing North Fork John Day River Bridge.	Kimberly	EV2 – 48,000 EV3 – 66,000
OR19	NB & SB	124.12	OR19 crossing Rock Creek Bridge.	Picture Gorge	EV3 – 60,000
OR22	EB & WB	1.47	OR22 crossing Cedar Creek Bridge.	Hebo	EV3 – 56,000
OR22	EB & WB	4.43	OR22 crossing Three Rivers Bridge.	Hebo	EV3 – 82,000
OR22	EB & WB	5.81	OR22 crossing Alder Creek Bridge.	Castle Rock	EV3 – 58,000
OR22	EB & WB	7.19	OR22 crossing Buck Creek Bridge.	West of Dolph	EV3 – 58,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR22	EB & WB	7.32	OR22 crossing Alder Creek Bridge.	West of Dolph	EV2 – 52,000 EV3 – 54,000
OR22	EB & WB	10.49	OR22 crossing Louie Creek Bridge.	Dolph	EV3 – 68,000
OR22	EB & WB	10.66	OR22 crossing Louie Creek Bridge.	Dolph	EV2 – 36,000 EV3 – 50,000
OR22	EB & WB	18.57	OR22 crossing South Yamhill River Bridge.	Grand Ronde	EV3 – 60,000
OR22	EB & WB	21.85	OR22 crossing Agency Creek Bridge	Grand Ronde	EV3 – 64,000
OR22	EB & WB	3.97	OR22 crossing Gooseneck Creek Bridge.	Buell	EV3 – 64,000
OR22	EB & WB	4.71	OR22 crossing Mill Creek Bridge.	Buell	EV3 – 74,000
OR22	EB & WB	8.38	OR22 crossing Salt Creek Bridge.	Dallas	EV3 – 54,000
OR22	WB	25.43	OR22 WB crossing over OR221 SB.	West Salem	EV3 – 78,000
OR22	EB	6.45	OR22 EB as Mission Street on-ramp crossing over 13 th St and railroad tracks.	Salem	EV2 – 40,000 EV3 – 54,000
OR22	WB	6.45	OR22 WB as Mission Street off-ramp crossing over railroad tracks and Shelton Ditch.	Salem	EV2 – 42,000 EV3 – 58,000
OR22	EB & WB	23.28	OR22 crossing Little North Fork Santiam River Bridge.	Mehama	EV3 – 72,000
OR22	EB & WB	47.69	OR22 crossing Tumble Creek Bridge.	Detroit	EV2 – 46,000 EV3 – 64,000
OR22	EB & WB	54.09	OR22 crossing Boulder Creek Bridge.	Idanha	EV3 – 78,000
OR22	EB & WB	65.48	OR22 crossing Minto Creek Bridge.	Marion Forks	EV3 – 52,000
OR27	NB & SB	2.88	OR27 crossing over irrigation canal.	Prineville	EV3 – 54,000
OR27	NB & SB	6.32	OR27 crossing Dry Creek Bridge.	Prineville	EV2 – 52,000 EV3 – 72,000
OR27	NB & SB	19.62	OR27 crossing over Crooked River Dam spillway.	Bowman Dam	EV2 – 56,000 EV3 – 58,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR27	NB & SB	28.67	OR27 crossing Bear Creek Bridge.	Bowman Dam	EV3 – 74,000
OR34	EB & WB	4.67	OR34 crossing Southworth Creek Bridge.	Waldport	EV2 – 42,000 EV3 – 60,000
OR34	EB & WB	6.71	OR34 crossing Arnold Creek Bridge.	Waldport	EV2 – 42,000 EV3 – 58,000
OR34	EB & WB	7.06	OR34 crossing Alsea River Bridge.	Waldport	EV3 – 74,000
OR34	EB & WB	14.22	OR34 crossing Scott Creek Bridge.	Tidewater	EV3 – 62,000
OR34	EB & WB	43.03	OR34 crossing North Fork Alsea River Bridge.	Alsea	EV2 – 40,000 EV3 – 54,000
OR34	EB & WB	58.43	OR34 crossing Flynn Bridge over Mary's River.	Philomath	EV3 – 64,000
OR34	EB & WB	5.91	OR34 crossing Calapooia River overflow.	Tangent	EV3 – 78,000
OR34	EB & WB	7.80	OR34 crossing over Tangent Industrial Park Access.	Tangent	EV2 – 44,000 EV3 – 60,000
OR35	EB & WB	68.23	OR35 crossing over East Fork Hood River Bridge.	North of Bennett Pass Summit	EV3 – 66,000
OR36	EB & WB	10.55	OR36 crossing Indian Creek Bridge.	Swiss Home	EV3 – 80,000
OR36	EB & WB	29.38	OR36 crossing Lake Creek Bridge.	Triangle Lake	EV3 – 78,000
OR36	EB & WB	29.51	OR36 crossing Lake Creek overflow.	Triangle Lake	EV3 – 78,000
OR36	EB & WB	37.86	OR36 crossing Long Tom River Bridge.	Low Pass	EV3 – 74,000
OR36	EB & WB	48.36	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB & WB	48.78	OR36 crossing unnamed creek.	Cheshire	EV3 – 54,000
OR36	EB & WB	50.16	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB & WB	50.36	OR36 crossing unnamed creek.	Cheshire	EV3 – 56,000
OR36	EB & WB	50.62	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000
OR36	EB & WB	51.29	OR36 crossing unnamed creek.	Cheshire	EV3 – 60,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR39	EB & WB	3.25	OR39 crossing over Altamont USRS Canal.	Klamath Falls	EV3 – 66,000
OR39	EB & WB	12.21	OR39 crossing Lost River Bridge.	Merrill	EV3 – 82,000
OR42	EB & WB	0.57	OR42 crossing Davis Slough.	Coos Bay	EV3 – 78,000
OR42	EB & WB	4.14	OR42 crossing over railroad tracks.	Coos Bay	EV3 – 62,000
OR42	EB & WB	5.34	OR42 crossing Beaver Creek Bridge.	Coaledo	EV3 – 84,000
OR42	EB & WB	19.8	OR42 crossing overflow channel.	Myrtle Point	EV3 – 80,000
OR42	EB & WB	40.77	OR42 crossing Middle Fork Coquille River Bridge.	Remote	EV3 – 78,000
OR42	EB & WB	63.97	OR42 crossing Tenmile Creek Bridge.	Tenmile	EV3 – 70,000
OR42	EB & WB	74.47	OR42 crossing South Umpqua River Bridge.	Green	EV2 – 56,000 EV3 – 70,000
OR43	NB & SB	4.00	OR43 crossing Riverside Canyon partial viaduct.	Portland	EV3 – 82,000
OR43	SB	6.77	OR43 SB crossing Oswego Creek Bridge.	Lake Oswego	EV3 – 68,000
OR43	NB	6.82	OR43 NB crossing Oswego Creek partial viaduct.	Lake Oswego	EV3 – 82,000
OR43	NB & SB	11.43	OR43 crossing Oregon City Arch Bridge over the Willamette River.	Oregon City	EV2 – 50,000 EV3 – 56,000
OR46	EB & WB	2.19	OR46 crossing Chapman Creek Bridge.	Cave Junction	EV3 – 76,000
OR47	NB & SB	57.14	OR47 crossing East Fork Nehalem River Bridge.	Pittsburg	EV3 – 76,000
OR47	NB & SB	61.28	OR47 crossing Nehalem River Bridge.	Vernonia	EV2 – 48,000 EV3 – 48,000
OR47	NB & SB	64.60	OR47 crossing Beaver Creek Bridge.	Vernonia	EV2 – 42,000 EV3 – 58,000
OR47	NB & SB	69.03	OR47 crossing Beaver Creek Bridge.	Vernonia	EV3 – 78,000
OR47	NB & SB	75.09	OR47 crossing Cummings Creek Bridge over West Fork Dairy Creek.	Buxton	EV3 – 72,000
OR47	NB & SB	86.34	OR47 crossing West Fork Dairy Creek Bridge.	Forest Grove	EV3 – 66,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR47	NB & SB	34.71	OR47 crossing Yamhill Creek Bridge.	Yamhill	EV2 – 48,000 EV3 – 66,000
OR53	NB & SB	1.46	OR53 crossing Bergsvik Creek Bridge.	Hamlet	EV2 – 46,000 EV3 – 64,000
OR53	NB & SB	6.50	OR53 crossing Soapstone Creek Bridge.	Nehalem	EV2 – 38,000 EV3 – 62,000
OR53	NB & SB	17.76	OR53 crossing Nehalem River Bridge.	Nehalem	EV3 – 64,000
OR58	EB & WB	0.89	OR58 crossing Coast Fork Willamette River overflow.	Eugene	EV2 – 54,000 EV3 – 74,000
OR58	EB & WB	1.96	OR58 crossing Coast Fork Willamette River relief opening.	Eugene	EV3 – 80,000
OR58	EB & WB	30.76	OR58 crossing Deception Creek Bridge.	Westfir	EV3 – 76,000
OR58 Frontage	EB & WB	31.76	Westfir frontage road crossing over the Willamette River.	Westfir	EV3 – 76,000
OR62	EB & WB	14.61	OR62 crossing Reese Creek Bridge.	Shady Cove	EV3 – 76,000
OR62	EB & WB	19.81	OR62 crossing Indian Creek Bridge.	Shady Cove	EV3 – 84,000
OR62	EB & WB	35.41	OR62 crossing Peyton Bridge over Rogue River.	Prospect	EV3 – 78,000
OR62	EB & WB	42.45	OR62 crossing over PP&L Canal spillway.	Prospect	EV3 – 72,000
OR62	EB & WB	55.98	OR62 crossing Union Creek Bridge.	Union Creek	EV2 – 52,000 EV3 – 54,000
OR74	NB & SB	45.47	OR74 crossing Hinton Creek Bridge.	Heppner	EV3 – 72,000
OR74	NB & SB	45.99	OR74 crossing Willow Creek Bridge.	Heppner	EV3 – 76,000
OR74	NB & SB	76.68	OR74 crossing Vinson Creek culvert.	Nye	EV2 – 46,000 EV3 – 72,000
OR74	NB & SB	77.45	OR74 crossing over Vinson Creek culvert.	Nye	EV2 – 46,000 EV3 – 70,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR78	NB & SB	22.34	OR78 crossing Malheur Slough.	Lawen	EV3 – 82,000
OR86	EB & WB	40.64	OR86 crossing Eagle Creek Bridge.	Richland	EV2 – 52,000 EV3 – 70,000
OR86	EB & WB	55.83	OR86 crossing East Pine Creek Bridge.	Halfway	EV2 – 44,000 EV3 – 56,000
OR99	NB & SB	6.81	OR99 crossing Hill Creek Bridge.	Creswell	EV3 – 74,000
OR99 State Owned	EB & WB	0.07	Stephens St. (old OR99) crossing Deer Creek Bridge north of OR138 junction.	Roseburg	EV3 – 80,000
OR99	NB & SB	0.09	OR99 running in conjunction with OR234 (Hwy 271) crossing Rock Creek Bridge over Rogue River.	Gold Hill	EV3 – 62,000
OR99	EB & WB	2.65	OR99 as Gold Hill Spur Hwy/2 nd Ave. (Hwy 486) crossing over Rogue River near Gold Hill Wayside.	Gold Hill	EV3 – 76,000
OR99	EB & WB	10.83	OR99 crossing Birdseye Creek Bridge.	Gold Hill	EV2 – 44,000 EV3 – 62,000
OR99	EB & WB	11.36	OR99 crossing Foots Creek Bridge.	Gold Hill	EV3 – 82,000
OR99	EB & WB	12.21	OR99 crossing Millers Gulch Bridge.	Gold Hill	EV3 – 84,000
OR99	NB & SB	1.09	OR99 crossing Jackson Creek Bridge.	Central Point	EV3 – 72,000
OR99	NB & SB	2.18	OR99 crossing Griffin Creek Bridge.	Medford	EV3 – 78,000
OR99	NB & SB	8.17	OR99 crossing over irrigation canal.	Medford	EV2 – 40,000 EV3 – 58,000
OR99	NB & SB	14.39	OR99 crossing Wagner Creek Bridge.	Talent	EV3 – 66,000
OR99E	NB & SB	-4.41	OR99E crossing Columbia Slough.	Portland	EV2 – 38,000 EV3 – 62,000
OR99E State Owned	SB	-0.20	NE Martin Luther King Jr Blvd (old OR99E) crossing over I-84 and railroad tracks.	Portland	EV2 – 50,000 EV3 – 68,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99E	NB & SB	1.59	OR99E crossing over Grand Ave. viaduct.	Portland	EV3 – 76,000
OR99E	NB & SB	5.97	OR99E crossing Kellogg Lake outlet.	Milwaukie	EV2 – 56,000 EV3 – 78,000
OR99E	NB & SB	11.20	OR99E crossing McLoughlin Bridge over Clackamas River.	Gladstone	EV3 – 74,000
OR99E	NB & SB	12.22	OR99E crossing over Water Street partial viaduct.	Oregon City	EV3 – 72,000
OR99E	NB & SB	12.29	OR99E crossing over Water Street viaduct.	Oregon City	EV3 – 72,000
OR99E	NB & SB	13.86	OR99E crossing over Canemah Bluff partial viaduct.	Oregon City	EV3 – 66,000
OR99E	NB & SB	22.03	OR99E crossing Molalla River Bridge.	Canby	EV2 – 56,000 EV3 – 78,000
OR99E	NB & SB	24.67	OR99E crossing Pudding River Bridge.	Canby	EV3 – 68,000
OR99E	NB & SB	24.81	OR99E crossing Pudding River relief channel.	Aurora	EV3 – 54,000
OR99E	SB	27.26	OR99E SB crossing over OR551.	Hubbard	EV3 – 64,000
OR99E	NB & SB	0.69	OR99E crossing Cox Creek Bridge.	Albany	EV2 – 40,000 EV3 – 56,000
OR99E	NB & SB	2.20	OR99E/US20 crossing over 7 th Ave./Jackson St. and railroad tracks.	Albany	EV3 – 70,000
OR99E	NB & SB	4.47	OR99E crossing Oak Creek Bridge.	Albany	EV3 – 82,000
OR99E	NB & SB	10.66	OR99E crossing unnamed creek.	Tangent	EV2 – 42,000 EV3 – 58,000
OR99E	NB & SB	11.34	OR99E crossing Calapooia River Bridge.	Tangent	EV3 – 56,000
OR99E	NB & SB	29.27	OR99E crossing John B. Yeon Bridge over the Willamette River.	Harrisburg	EV3 – 66,000
OR99W	NB & SB	-5.50	OR99W crossing over N Victory Blvd 5.5 miles north of PCC.	Portland	EV3 – 78,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99W Connector	NB	-0.52	OR99W NB state connector / Everett St. on-ramp crossing over Naito Parkway at northwest end of Steel Bridge.	Portland	EV3 – 74,000
OR99W	NB & SB	-0.36	OR99W crossing Steel Bridge over the Willamette River and railroad tracks.	Portland	EV3 – 66,000
OR99W Connector	SB	-0.31	OR99W SB state connector / Glisan St. off-ramp crossing over NW Front Ave. and railroad tracks at northwest end of Steel Bridge.	Portland	EV3 – 66,000
OR99W	NB	-0.14	OR99W NB Steel Bridge on-ramp.	Portland	EV3 – 80,000
OR99W	NB & SB	1.67	OR99W crossing over US26 EB and SW Grover St.	Portland	EV3 – 78,000
OR99W	NB	1.93	OR99W NB crossing over Harbor Dr viaduct.	Portland	EV3 – 72,000
OR99W	NB & SB	3.25	OR99W crossing over Newbury St. viaduct south of OR10 (Capitol Hwy).	Portland	EV3 – 68,000
OR99W	NB & SB	3.50	OR99W crossing over Vermont St. viaduct 0.3 mile south of OR10 (Capitol Hwy).	Portland	EV3 – 68,000
OR99W	NB & SB	9.21	OR99W crossing railroad tracks.	Tigard	EV2 – 46,000 EV3 – 64,000
OR99W	NB	13.83	OR99W NB crossing Rock Creek Bridge.	Sherwood	EV2 – 50,000 EV3 – 68,000
OR99W	SB	34.96	OR99W SB crossing over North Yamhill River Bridge.	McMinnville	EV2 – 42,000 EV3 – 64,000
OR99W	NB & SB	56.33	OR99W crossing Baskett Slough.	Rickreall	EV3 – 70,000
OR99W	NB & SB	62.01	OR99W North Fork Ash Creek Bridge.	Monmouth	EV3 – 66,000
OR99W	NB & SB	71.57	OR99W crossing Soap Creek Bridge.	Suver	EV3 – 78,000
OR99W	NB & SB	79.97	OR99W crossing Jackson Creek Bridge.	Corvallis	EV2 – 46,000 EV3 – 52,000
OR99W	NB	84.14	OR99W NB crossing Marys River Bridge.	Corvallis	EV3 – 62,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR99W	SB	84.20	OR99W SB crossing Marys River Bridge.	Corvallis	EV3 – 78,000
OR99W	NB & SB	101.16	OR99W crossing Long Tom River Bridge.	Monroe	EV3 – 72,000
OR99W	NB & SB	105.58	OR99W crossing Cow Creek Bridge.	Junction City	EV3 – 60,000
OR99W	NB & SB	107.30	OR99W crossing Flat Creek Bridge.	Junction City	EV3 – 54,000
OR99W	NB & SB	108.11	OR99W crossing unnamed creek.	Junction City	EV3 – 58,000
OR99W	NB & SB	108.41	OR99W crossing unnamed creek.	Junction City	EV3 – 60,000
OR105	EB & WB	7.10	OR105 crossing over Port of Astoria Beltline.	Astoria	EV2 – 54,000 EV3 – 76,000
OR126	EB & WB	32.40	OR126 crossing Chickahominy Creek Bridge.	Walton	EV3 – 72,000
OR126	EB & WB	51.77	OR126 crossing unnamed bridge.	Eugene	EV3 – 60,000
OR126	WB	1.34	OR126 crossing Main Street bridge over the Willamette River.	Springfield	EV2 – 46,000 EV3 – 64,000
OR126 Right of Way	EB & WB	11.59	OR126 Right of Way crossing overflow ditch at Hendricks Park Road.	East of Springfield	EV3 – 80,000
OR126	EB & WB	18.32	OR126 crossing over Holden Creek culvert.	Leaburg	EV3 – 56,000
OR126	EB & WB	17.26	OR126 crossing Boulder Creek Bridge.	Belknap Springs	EV3 – 76,000
OR126	EB & WB	17.76	OR126 crossing Scott Creek Bridge.	Belknap Springs	EV3 – 82,000
OR126	EB & WB	3.04	OR126 crossing over Ochoco North Main Canal.	Redmond	EV3 – 72,000
OR130	EB & WB	3.82	OR130 crossing Austin Creek Bridge.	Upton Falls	EV3 – 62,000
OR130	EB & WB	4.76	OR130 crossing Bear Creek Bridge.	Upton Falls	EV3 – 64,000
OR130	EB & WB	5.11	OR130 crossing Yach Bridge over Little Nestucca River.	Dolph	EV3 – 56,000
OR130	EB & WB	5.97	OR130 crossing Muscott Bridge over Little Nestucca River.	Dolph	EV3 – 56,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR130	EB & WB	7.55	OR130 crossing Weed Bridge over Little Nestucca River.	Dolph	EV3 – 62,000
OR131	EB & WB	7.49	OR131 crossing Tillamook River Bridge.	Tillamook	EV3 – 70,000
OR131	EB & WB	8.33	OR131 crossing Trask River (Stillwell) Bridge.	Tillamook	EV2 – 28,000 EV3 – 28,000
OR138	NB & SB	6.32	OR138 crossing Kellogg Bridge over Umpqua River.	Kellogg	EV2 – 54,000 EV3 – 76,000
OR138	NB & SB	12.36	OR138 crossing Yellow Creek Bridge.	Kellogg	EV2 – 56,000 EV3 – 58,000
OR138	EB & WB	17.86	OR138 crossing Lone Rock Bridge over North Umpqua River.	Glide	EV3 – 82,000
OR138	EB & WB	47.51	OR138 crossing Dry Creek Bridge.	Clearwater	EV3 – 76,000
OR138	EB & WB	50.03	OR138 crossing Marsters Bridge over North Umpqua River.	Clearwater	EV3 – 70,000
OR138	EB & WB	55.97	OR138 crossing Fish Creek Bridge.	Clearwater	EV3 – 64,000
OR140	EB & WB	8.46	OR140 crossing Schoolhouse Creek Bridge.	Brownsboro	EV3 – 72,000
OR140	EB & WB	12.47	OR140 crossing Long Branch Creek Bridge.	Lake Creek	EV3 – 80,000
OR140	EB & WB	54.24	OR140 crossing Fish Hole Creek Bridge.	Bly	EV3 – 80,000
OR140	EB & WB	54.49	OR140 crossing Fish Hole Creek Bridge.	Bly	EV3 – 82,000
OR140	EB & WB	15.41	OR140 crossing Blue Creek Bridge.	Lakeview	EV3 – 80,000
OR140	EB & WB	29.65	OR140 crossing Deep Creek Bridge.	Adel	EV3 – 76,00
OR140	EB & WB	32.78	OR140 crossing Twentymile Creek Bridge.	Adel	EV2 – 54,000 EV3 – 74,000
OR141	NB & SB	12.84	OR141 (SW Elligsen Rd) crossing over I-5.	Wilsonville	EV2 – 50,000 EV3 – 68,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR154	NB & SB	3.05	OR154 crossing Fulgham Bridge over West Fork Palmer Creek (Farmer River).	Dayton	EV3 – 64,000
OR164	NB & SB	2.64	OR164 crossing Chehulpum Creek Bridge.	Jefferson	EV3 – 78,000
OR164	NB & SB	6.27	OR164 crossing Santiam River Bridge.	Jefferson	EV3 – 68,000
OR164	NB & SB	6.98	OR164 crossing Santiam River overflow.	Jefferson	EV3 – 76,000
OR164	NB & SB	7.12	OR164 crossing Santiam River overflow.	Jefferson	EV3 – 80,000
OR180	EB & WB	7.73	OR180 crossing Randall Creek Bridge.	Nortons	EV2 – 50,000 EV3 – 70,000
OR180	EB & WB	11.81	OR180 crossing Yaquina River Bridge.	Nashville	EV3 – 58,000
OR180	EB & WB	14.70	OR180 crossing Marys River Bridge.	Summit	EV2 – 44,000 EV3 – 60,000
OR194	EB & WB	6.27	OR194 crossing South Fork Ash Creek Bridge.	Monmouth	EV2 – 56,000 EV3 – 78,000
OR200 State Owned	NB & SB	5.43	Territorial Hwy (old OR200) crossing Furguson Creek Bridge.	Monroe	EV2 – 44,000 EV3 – 60,000
OR200 State Owned	NB & SB	18.98	Territorial Hwy (old OR200) crossing Long Tom Overflow.	Veneta	EV3 – 72,000
OR202	NB & SB	11.85	OR202 crossing N Fork Klaskanine River.	Olney	EV3 – 56,000
OR202	NB & SB	29.32	OR202 crossing Beneke Creek Bridge.	Jewell	EV3 – 68,000
OR203	NB & SB	15.65	OR203 crossing Little Creek Bridge.	Union	EV3 – 68,000
OR203	NB & SB	9.57	OR203 crossing Catherine Creek Bridge.	East of Union	EV2 – 48,000 EV3 – 68,000
OR206	EB & WB	2.92	OR206 crossing Deschutes River Bridge.	East of Celilo	EV3 – 82,000
OR206	EB & WB	4.76	OR206 crossing Fulton Canyon Bridge.	East of Celilo	EV3 – 78,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR206	EB & WB	51.66	OR206 crossing Rock Creek Bridge.	East of Condon	EV3 – 66,000
OR211	EB & WB	21.54	OR211 crossing Canyon Creek Bridge.	Colton	EV3 – 74,000
OR211	EB & WB	33.40	OR211 crossing Clackamas River Bridge.	Estacada	EV2 – 54,000 EV3 – 58,000
OR211	EB & WB	2.08	OR211 crossing Deep Creek Bridge.	Sandy	EV3 – 70,000
OR213 State Owned	SB	2.25	82 nd Ave. (old OR213) crossing over I-84 and MAX light rail.	Portland	EV3 – 84,000
OR213	NB & SB	9.67	OR213 crossing Mt Scott Creek Bridge and railroad tracks.	Clackamas	EV3 – 72,000
OR213	NB & SB	26.91	OR213 crossing Abiqua Creek Bridge.	Silverton	EV3 – 54,000
OR213	NB & SB	27.20	OR213 crossing Evans Creek Bridge.	Silverton	EV2 – 42,000 EV3 – 50,000
OR214	NB & SB	44.15	OR214 crossing Bochsler Creek Bridge.	Mt Angel	EV3 – 64,000
OR214	NB & SB	44.68	OR214 crossing Zollner Creek Bridge.	Mt Angel	EV3 - 82,000
OR214	NB & SB	24.92	OR214 crossing South Fork Silver Creek Bridge.	Silver Creek Falls	EV3 – 62,000
OR214	NB & SB	27.36	OR214 crossing North Fork Silver Creek Bridge.	Silver Creek Falls	EV3 – 74,000
OR216	EB & WB	16.79	OR216 crossing Wapinitia Creek Bridge.	Wapinitia	EV2 – 44,000 EV3 – 62,000
OR217 State Owned	EB & WB	0.92	Walker Rd crossing over OR217.	Beaverton	EV3 – 80,000
OR217	NB & SB	1.47	OR217 crossing over OR8.	Beaverton	EV3 – 64,000
OR217	NB & SB	1.76	OR217 crossing over OR10.	Beaverton	EV3 – 68,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR217 State Owned	EB & WB	3.02	SW Denney Rd crossing over OR217.	Beaverton	EV3 – 82,000
OR219	NB & SB	7.21	OR219 crossing Burris Creek Bridge.	Midway	EV3 – 84,000
OR219	NB & SB	23.07	OR219 crossing Hess Creek Bridge.	Newberg	EV3 – 78,000
OR219	NB & SB	28.54	OR219 crossing Mission Creek Bridge.	St. Paul	EV3 – 84,000
OR219	NB & SB	33.71	OR219 crossing East Champoeg Creek Bridge.	Woodburn	EV3 – 84,000
OR222 State Owned	NB & SB	5.20	Parkway Rd (old OR222) crossing Willamette River Bridge.	Jasper	EV3 – 76,000
OR223	NB & SB	2.99	OR223 crossing Rickreall Creek Bridge.	Dallas	EV3 – 74,000
OR223	NB & SB	7.20	OR223 crossing Fern Creek Bridge.	South of Dallas	EV2 – 36,000 EV3 – 52,000
OR223	NB & SB	10.11	OR223 crossing Little Luckiamute River Bridge.	South of Dallas	EV3 – 56,000
OR223	NB & SB	10.56	OR223 crossing Little Luckiamute River overflow.	South of Dallas	EV3 – 60,000
OR223	NB & SB	16.67	OR223 crossing McTimmonds Creek Bridge.	North of Pedee	EV2 – 44,000 EV3 – 60,000
OR223	NB & SB	16.83	OR223 crossing McTimmonds Creek Bridge.	North of Pedee	EV2 – 52,000 EV3 – 72,000
OR223	NB & SB	18.90	OR223 crossing Pedee Creek Bridge.	Pedee	EV2 – 38,000 EV3 – 52,000
OR224	EB & WB	5.20	OR224 crossing over railroad tracks.	Clackamas	EV3 – 82,000
OR224	EB & WB	13.90	OR224 crossing Deep Creek Bridge.	West of Barton	EV2 – 52,000 EV3 – 72,000
OR224	EB & WB	39.15	OR224 crossing Armstrong Bridge over Clackamas River.	South of Estacada	EV3 – 80,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR224	EB & WB	44.88	OR224 crossing Whitewater Bridge over Clackamas River.	South of Estacada	EV2 – 42,000 EV3 – 58,000
OR224	EB & WB	49.96	OR224 crossing Oak Grove Fork Clackamas River Bridge.	Ripplebrook	EV3 – 56,000
OR226	EB & WB	4.93	OR226 crossing Beaver Creek Bridge.	Crabtree	EV3 – 80,000
OR226	EB & WB	5.43	OR226 crossing Beaver Creek overflow.	Crabtree	EV2 – 46,000 EV3 – 60,000
OR226	EB & WB	24.25	OR226 crossing Trask Creek Bridge.	Lyons	EV2 – 40,000 EV3 – 54,000
OR229	NB & SB	20.66	OR229 crossing Ojalla Bridge over Siletz River.	Siletz	EV2 – 42,000 EV3 – 58,000
OR229	NB & SB	23.10	OR229 crossing Fuller Bridge over Siletz River.	Siletz	EV2 – 42,000 EV3 – 58,000
OR229	NB & SB	29.64	OR229 crossing Depot Creek Bridge.	Toledo	EV2 – 50,000 EV3 – 70,000
OR229	NB & SB	30.63	OR229 crossing Depot Creek Bridge.	Toledo	EV2 – 50,000 EV3 – 68,000
OR230	EB & WB	0.58	OR230 crossing Castle Creek Bridge.	Union Creek	EV3 – 80,000
OR230	EB & WB	0.96	OR230 crossing Bybee Creek Bridge.	Union Creek	EV2 – 54,000 EV3 – 74,000
OR230	EB & WB	5.16	OR230 crossing Rogue River Bridge.	Union Creek	EV3 – 78,000
OR234	EB & WB	6.06	OR234 crossing Sams Creek Bridge.	Sams Valley	EV3 – 74,000
OR234	EB & WB	11.86	OR234 crossing over E Fork Snider Creek culvert.	Sams Valley	EV2 – 54,000 EV3 – 58,000
OR234	EB & WB	16.01	OR234 crossing Dodge Bridge over Rogue River.	Eagle Point	EV2 – 54,000 EV3 – 76,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR237	EB & WB	9.44	OR237 crossing Catherine Creek Bridge over Grande Ronde River and old river channel.	East of Island City	EV2 – 46,000 EV3 – 64,000
OR237	EB & WB	15.91	OR237 crossing Mill Creek Bridge.	Cove	EV2 – 48,000 EV3 – 66,000
OR237	NB & SB	24.60	OR237 crossing over railroad tracks.	Telocaset	EV3 – 84,000
OR241	EB & WB	3.73	OR241 crossing Chandler Bridge over Coos River.	Coos Bay	EV3 – 66,000
OR244	EB & WB	0.03	OR244 crossing Owens Creek Bridge.	Ukiah	EV3 – 80,000
OR245	NB & SB	3.42	OR245 crossing Burnt River Bridge.	Unity Dam	EV2 – 50,000 EV3 – 48,000
OR255	NB & SB	338.33	OR255 crossing the Myers Creek Bridge	Gold Beach	EV3 – 78,000
OR260	EB & WB	16.64	OR260 crossing Shan Creek Bridge.	Grants Pass	EV3 – 84,000
OR273	NB & SB	3.63	OR273 crossing over OR273 and railroad tracks.	Ashland	EV2 – 44,000 EV3 – 60,000
OR273	NB & SB	4.70	OR273 crossing over railroad tracks.	Ashland	EV3 – 60,000
OR281	NB & SB	4.95	OR281 crossing Tucker Bridge over Hood River.	Hood River	EV2 – 50,000 EV3 – 64,000
OR281	NB & SB	12.90	OR281 crossing East Fork Hood River Bridge.	Dee	EV3 – 56,000
OR339	NB & SB	3.16	OR339 crossing East Fork Little Walla Walla River Bridge.	Milton-Freewater	EV2 – 56,000 EV3 – 54,000
OR339	NB & SB	3.31	OR339 crossing West Fork Little Walla Walla River Bridge.	Milton-Freewater	EV2 – 56,000 EV3 – 54,000
OR350	EB & WB	16.05	OR350 crossing Little Sheep Creek Bridge.	Joseph	EV3 – 76,000
OR351	NB & SB	6.52	OR351 crossing East Fork Wallowa River Bridge.	Joseph	EV3 – 84,000
OR370	EB & WB	0.21	OR370 crossing over Pilot Butte Canal.	Redmond	EV3 – 74,000
OR370	EB & WB	3.85	OR370 crossing over Ochoco Main Canal.	Redmond	EV3 – 66,000
OR380	EB & WB	38.48	OR380 crossing North Fork Crooked River Bridge.	Post	EV3 - 70,000

Highway Number	Travel Direction	Mile Post Number	Bridge Name	Nearest City or Area Landmark	Load Type Restriction in pounds
OR429	NB & SB	2.27	OR429 crossing Crescent Creek Bridge.	Crescent Lake	EV2 – 52,000 EV3 – 72,000
OR501	NB & SB	0.10	OR501 crossing North Fork Alsea River Bridge.	Alsea	EV2 – 52,000 EV3 – 58,000
OR540	NB & SB	8.33	OR240 crossing South Slough Drawbridge.	Charleston	EV3 – 78,000
OR542	NB & SB	18.22	OR542 crossing South Fork Coquille River Bridge.	Powers	EV2 – 54,000 EV3 – 74,000