



## Final Report

Prepared for



Oregon Department of  
Transportation



# For the Salem-Keizer Metropolitan Area ITS Plan

August 2005



Prepared by

**DKS Associates**  
TRANSPORTATION SOLUTIONS




In association with  
**City of Salem**  
**City of Keizer**  
**Marion County**  
**Polk County**



**Mid-Willamette Valley  
Council of Governments**  
**Cherriots**



**Willamette Valley  
Communications Center**  
**Federal Highway  
Administration**  
**Oregon State Police**



# PREFACE

---

## P.1 INTRODUCTION


The *Salem-Keizer Intelligent Transportation System (ITS) Plan* was collectively developed by the Oregon Department of Transportation (ODOT), the City of Salem, the City of Keizer, Marion County, Polk County, the Mid Willamette Valley Council of Governments (MWVCOG), the Willamette Valley Communication Center (WVCC) and the Federal Highway Administration (FHWA). The outcome is a 20-year deployment plan of ITS projects, which includes advanced technologies and management techniques, aimed to improve the safety and efficiency of the transportation system and to improve the driving experience for travelers in the Salem-Keizer Metropolitan Area. This effort is consistent with plans put together in other regions statewide to ensure that ITS strategies used are integrated and complementary. An Executive Summary provides an overview of the plan and this Final Report includes the following detailed chapters that outline all of the steps involved in the development of this plan:

- ✦ Chapter 1: Current and Future Transportation Conditions
- ✦ Chapter 2: User Needs Assessment
- ✦ Chapter 3: Regional ITS Architecture
- ✦ Chapter 4: Operational Concept
- ✦ Chapter 5: Communication Requirements
- ✦ Chapter 6: Deployment Plan

A glossary of acronyms and a list of references used throughout the report can be found in Appendix A and B, respectively.

## P.2 FHWA COMPLIANCE

In order to obtain funding for ITS projects through the Highway Trust Fund, the Federal Highway Administration (FHWA) requires those projects shall be in conformance with the National ITS Architecture by April 2005<sup>1</sup>. Table P-1 includes an itemized list of the FHWA criteria for developing a regional architecture and the part of the plan or plan process that complies with each criterion. The FHWA also requires that all ITS projects implemented shall adhere to the regional architecture and that the regional architecture be updated when the final design of a project varies from the regional architecture. The next section describes the ITS Plan and Regional Architecture maintenance.



---

<sup>1</sup> Title 23, Code of Federal Regulations (CFR), Highways, Chapter 1: Federal Highway Administration, Department of Transportation, Part 940: Intelligent Transportation System Architecture and Standards.

Table P-1 Salem-Keizer ITS Plan Compliance with FHWA Criteria

FHWA Criteria	ITS Plan Compliance
<b>Architecture Scope and Region Description</b>	<ul style="list-style-type: none"> <li>✦ Chapter 1 defines the region geographically as having the same boundaries as the Mid Willamette Valley Council of Governments (See Figure 1-1)</li> <li>✦ A 20-Year planning horizon was used as defined in Chapter 6.</li> <li>✦ Chapter 3 describes the scope of the regional architecture.</li> </ul>
<b>Stakeholder Identification</b>	✦ Chapter 2 provides a summary of the various regional key and expanded stakeholders. These stakeholders were linked to their associated ITS inventory elements in Turbo Architecture as described in Chapter 3.
<b>System Inventory</b>	✦ Chapter 1 describes the system inventory, which was used as input into Turbo Architecture in Chapter 3. Appendix G includes the Inventory Report from Turbo Architecture.
<b>Needs and Services</b>	✦ Regional user needs are documented in Chapter 2 and are mapped to the appropriate user services in Chapter 3.
<b>Operational Concept</b>	✦ Chapter 4 provides an operational concept that outlines stakeholder roles and responsibilities by program area.
<b>Functional Requirements</b>	✦ Functional requirements for the first five-year projects have been summarized in the detailed project descriptions in Chapter 6.
<b>Interfaces/Information Flows</b>	<ul style="list-style-type: none"> <li>✦ Interfaces have been selected between subsystems and correlating architecture flows as part of the custom Turbo Architecture database in Chapter 3. Appendix H includes a detailed list of the flows.</li> <li>✦ Information flows are defined in Chapter 4.</li> <li>✦ Key stakeholders reviewed all interfaces and information flows.</li> </ul>
<b>Project Sequencing</b>	<ul style="list-style-type: none"> <li>✦ Chapter 6 identifies a project sequencing schedule, which is divided into a 5-Year Plan, 10-Year Plan, and 20-Year Plan.</li> <li>✦ Additional details are provided in Chapter 6 about the major projects that fall within the 5-Year Plan.</li> </ul>
<b>Agreements</b>	<ul style="list-style-type: none"> <li>✦ Chapter 1 outlines existing operational agreements between agencies.</li> <li>✦ Chapter 4 suggests additional potential agreements.</li> </ul>
<b>Standards Identification</b>	✦ ITS standards, including identification of standards potentially relevant to the Salem-Keizer Metropolitan Area and the 5-Year Plan projects, are discussed in Chapters 3 and 6.
<b>Using the Regional ITS Architecture</b>	<ul style="list-style-type: none"> <li>✦ As described in this Preface, the Steering Committee plans to: <ul style="list-style-type: none"> <li>▪ Continue to meet at least once per year to guide the implementation of the ITS Plan.</li> <li>▪ Help with or coordinate funding applications.</li> </ul> </li> </ul>
<b>Maintenance Plan</b>	✦ ODOT and MWVCOG will be responsible for updating the regional architecture and the ITS Plan, with input from the Steering Committee.

### P.3 ITS PLAN IMPLEMENTATION AND MAINTENANCE

This section outlines the lead agency roles, the regional architecture maintenance process, and the Steering Committee roles necessary for the successful implementation of this ITS Plan within the Salem-Keizer Metropolitan Area.

#### P.3.1 Lead Agency Roles


One agency should be designated to lead and facilitate ongoing deployment, coordination, education and pursuit of funding. This task will be led by the Mid Willamette Valley Council of Governments (MWVCOG), but will require coordination and participation from all of the key stakeholders. Successful implementation relies heavily on agency cooperation and committed leadership. Key responsibilities for the lead agency will include:

- ✦ Facilitate ongoing steering committee meetings
- ✦ Incorporate the ITS projects into regional project prioritization lists and planning documents
- ✦ Coordinate funding applications for ITS projects
- ✦ Coordinate and track project implementation
- ✦ Maintain the regional architecture, including the Turbo Architecture file.
- ✦ Arrange public outreach sessions as needed.

#### P.3.2 Regional Architecture Maintenance

One of the keys to successful ITS plan implementation is the maintenance of the plan and architecture as ITS projects are implemented, as regional ITS needs and services evolve, and as new technologies emerge. The architecture must be maintained per federal requirements and the FHWA recommends updating the regional architecture for the following primary reasons:

- ✦ Changes in regional needs
- ✦ Addition of new stakeholders
- ✦ Changes in scope of services considered
- ✦ Changes in statewide architecture or other architectures in adjoining regions
- ✦ Addition or deletion of projects
- ✦ Changes in project priority



The architecture maintenance will be led by ODOT, who will also update the Turbo Architecture file; the Steering Committee will provide input to any changes. Significant changes to the architecture may be made at any time as deemed necessary by the lead agency and the Steering Committee; the changes will be tracked using a change log.

### P.3.2.1 Project Implementation and Conformity



The implementation of ITS projects in the Salem-Keizer Metropolitan Area shall conform to the regional architecture per FHWA requirements. If the final design of an ITS project differs from the regional architecture, then the regional architecture shall be updated as described in this section. The FHWA requires a systems engineering analysis for all ITS projects on a scale commensurate to each project. The systems engineering analysis<sup>2</sup> shall include:

- ✦ Identification of portions of the regions ITS architecture being implemented
- ✦ Roles and responsibilities of participating agencies
- ✦ Definition of functional requirements
- ✦ Analysis of alternative system configurations and technology options to meet functional requirements
- ✦ Procurement options
- ✦ List of applicable ITS standards and testing procedures
- ✦ Operation and management procedures and resources

### P.3.3 Steering Committee Roles

The Steering Committee, which consists of key stakeholders, helps foster interagency coordination and build consensus throughout the region. The continuing roles of the Steering Committee during the implementation of the ITS plan includes the following:

- ✦ Make decisions regarding project phasing. As opportunities arise (funding source, priority shift, or concurrent construction), adjust the project phasing as appropriate.
- ✦ Help with or coordinate funding applications
- ✦ Help with or coordinate project implementation
- ✦ Develop memoranda of understanding (MOUs) or intergovernmental agreements (IGA's) as required.
- ✦ Prepare plans and standards (incident management plans and standards for communication design, work zones, and data management)
- ✦ Review changes to the regional architecture



<sup>2</sup> Title 23, Code of Federal Regulations (CFR), Highways, Chapter 1: FHWA, Department of Transportation, Par 940: Intelligent Transportation Systems Architecture and Standards

# TABLE OF CONTENTS

---

## PREFACE

P.1	Introduction .....	P-1
P.2	FHWA Compliance .....	P-1
P.3	ITS Plan Implementation and Maintenance .....	P-2

## CHAPTER 1: CURRENT AND FUTURE TRANSPORTATION CONDITIONS

1.1	Introduction.....	1-1
1.2	Study Area .....	1-1
1.3	Traffic Conditions Summary .....	1-3
1.4	Crash Summary.....	1-8
1.5	Transit .....	1-10
1.6	Transit Improvements .....	1-11
1.7	Traffic Signals.....	1-13
1.8	ITS Systems and Equipment.....	1-16
1.9	Communication Equipment .....	1-21
1.10	Emergency Management .....	1-24
1.11	Incident Management.....	1-25
1.12	Special Events.....	1-25
1.13	Freight .....	1-26
1.14	Ferries .....	1-27
1.15	Traveler Information.....	1-27
1.16	Summary of Relevant Documents .....	1-27

## CHAPTER 2: USER NEEDS ASSESSMENT

2.1	Introduction.....	2-1
2.2	Stakeholders and System Users .....	2-1
2.3	Project Mission, Goals, and Objectives .....	2-3
2.4	Summary of User Needs .....	2-4
2.5	Strengths, Weaknesses, Challenges and Opportunities .....	2-8

## CHAPTER 3: REGIONAL ITS ARCHITECTURE

3.1	Introduction.....	3-1
3.2	Regional ITS Architecture Development Approach.....	3-2
3.3	National ITS Architecture Overview .....	3-4
3.4	Salem-Keizer Regional ITS Architecture .....	3-4
3.5	ITS Standards.....	3-13

## CHAPTER 4: OPERATIONAL CONCEPT

4.1	Introduction.....	4-1
4.2	Operational Concept Overview.....	4-2
4.3	Regional Traffic Control.....	4-5
4.4	Traveler Information.....	4-7

4.5	Incident Management.....	4-9
4.6	Maintenance and Construction Management.....	4-11
4.7	Public Transportation Services .....	4-13
4.8	Archived Data .....	4-15

**CHAPTER 5: COMMUNICATIONS REQUIREMENTS**

5.1	Introduction.....	5-1
5.2	Existing Communication Infrastructure.....	5-3
5.3	Communication Requirements.....	5-6
5.4	Communication Network Architecture.....	5-18
5.5	Communication Plan Recommendations .....	5-34
5.6	Maintenance and Operations.....	5-43

**CHAPTER 6: DEPLOYMENT PLAN**

6.1	Introduction.....	6-1
6.2	Deployment Projects.....	6-2
6.3	Deployment Plan Schedule.....	6-19
6.4	5-Year Plan Projects .....	6-22
6.5	Deployment Plan Costs.....	6-46

## APPENDICES

Appendix A:	.....	Glossary of Acronyms
Appendix B:	.....	References
Appendix C:	.....	Collision Data
Appendix D:	.....	Interview Notes
Appendix E:	.....	Questionnaires
Appendix F:	.....	User Needs Workshop
Appendix G:	.....	Architecture Inventory Report
Appendix H:	.....	Architecture Flows
Appendix I:	.....	High-Level Operational Concept Database
Appendix J:	.....	Roles and Responsibilities
Appendix K:	.....	Deployment Plan Workshop
Appendix L:	.....	Interagency Agreement Samples
Appendix M:	.....	Steering Committee Meetings

# LIST OF TABLES

Table P-1 Salem-Keizer ITS Plan Compliance with FHWA Criteria .....	P-2
Table 1-1. Study Area Corridors.....	1-3
Table 1-2. Congestion Defined by Volume-to-Capacity Ratio .....	1-5
Table 1-3. Existing Systems in the Salem-Keizer Metropolitan Area.....	1-19
Table 1-4. Planned Projects on Study Area Corridors.....	1-30
Table 2-1. Regional Challenges.....	2-9
Table 2-2. Regional Strengths.....	2-10
Table 2-3. Regional Opportunities.....	2-10
Table 3-1: User Service Bundles and User Services .....	3-6
Table 3-2: Subsystem Classes.....	3-7
Table 3-3: Sample Equipment Packages.....	3-7
Table 3-4: Architecture Interconnects .....	3-9
Table 3-5: Existing and Planned Market Packages.....	3-11
Table 3-6: Key Standards Recommended for the Salem-Keizer Region .....	3-15
Table 3-7: Key Center-to-Field Standards.....	3-16
Table 4-1: Agency-to-Agency Relationships.....	4-3
Table 4-2: Information Flow Definitions.....	4-4
Table 5-1: Regional Traffic Signals.....	5-7
Table 5-2: Center-to-Center Links.....	5-16
Table 5-3: Standard Node Requirements.....	5-44
Table 6-1: Deployment Projects .....	6-9
Table 6-2: Deployment Plan Schedule .....	6-20
Table 6-3: Estimated Annual Capital, Operations/Maintenance Costs for 20-Year Plan.....	6-46
Table 6-4: Estimated Agency Costs for 5-Year Plan.....	6-47

# LIST OF FIGURES

Figure 1-1. Study Area Corridors .....	1-2
Figure 1-2: Regional Facilities.....	1-4
Figure 1-3. Existing Problem Areas.....	1-6
Figure 1-4. Future Problem Areas .....	1-7
Figure 1-5. Collision Summary.....	1-9
Figure 1-6. Transit Infrastructure.....	1-11
Figure 1-7. Existing and Planned Traffic Signals.....	1-15
Figure 1-8. Existing ITS Equipment.....	1-19
Figure 1-9. Existing Communications Infrastructure .....	1-23
Figure 3-1: Regional ITS Architecture Development Process .....	3-3
Figure 3-2: Salem-Keizer Metropolitan Area High-Level Physical Architecture .....	3-8
Figure 3-3: Sample Market Package Graphic: Network Surveillance.....	3-10
Figure 4-1: Regional Traffic Control Operational Concept.....	4-6
Figure 4-2: Traveler Information.....	4-8


Figure 4-3: Incident Management.....	4-10
Figure 4-4: Maintenance and Construction Management .....	4-12
Figure 4-5: Public Transportation Services .....	4-14
Figure 4-6: Archived Data Management .....	4-16
Figure 5-1: Existing Communications Infrastructure .....	5-4
Figure 5-2: Traffic Signal Communication.....	5-7
Figure 5-3: CCTV Video .....	5-11
Figure 5-4: Communication Network Elements .....	5-18
Figure 5-5: Generic Star and Multidrop Configuration .....	5-23
Figure 5-6: Generic Ring Configuration.....	5-24
Figure 5-7: Generic Mesh Configuration.....	5-25
Figure 5-8: Generic Hybrid Configuration .....	5-26
Figure 5-9: Generic Redundant Star Configuration.....	5-26
Figure 5-10: Required Equipment for SONET Backbone .....	5-28
Figure 5-11: Required Equipment for Gigabit Ethernet Communication .....	5-29
Figure 5-12: ITS Distribution – RS 232 .....	5-30
Figure 5-13: Video Links.....	5-31
Figure 5-14: TCP/IP Network.....	5-32
Figure 5-15: ITS Distribution .....	5-33
Figure 5-16: Typical HDSL Network Topology .....	5-37
Figure 5-17: Planned Salem-Keizer ITS Network Infrastructure .....	5-42
Figure 5-18: Conceptual Communication Network.....	5-45
Figure 6-1: Traveler Information Systems.....	6-3
Figure 6-2: Existing and Proposed Cameras.....	6-4
Figure 6-3: Traffic Count Stations.....	6-5
Figure 6-4: High Priority Transportation Corridors.....	6-6
Figure 6-5: Advanced Railroad Crossings.....	6-7
Figure 6-6: Existing and Planned Communications Infrastructure.....	6-8
Figure 6-7: 20-Year Cost by Program Area.....	6-46
Figure 6-8: Estimated 5-Year Deployment Plan Cost by Agency .....	6-48

# CURRENT & FUTURE TRANSPORTATION CONDITIONS

## 1.1 INTRODUCTION

The purpose of this chapter is to provide an overview of the current and future transportation system conditions in the Salem-Keizer Metropolitan Area, and develop an inventory of the physical infrastructure, operational characteristics, traffic safety elements, and travel characteristics of the transportation corridors in the study area. This inventory includes a summary of the following:

- ▶ Study area corridors
- ▶ Existing congestion locations
- ▶ High crash locations
- ▶ Transit operations
- ▶ Traffic signal control
- ▶ Intelligent transportation system (ITS) elements
- ▶ Communications network
- ▶ Emergency management
- ▶ Incident management
- ▶ Special events
- ▶ Freight movement
- ▶ Traveler information
- ▶ Relevant adopted documents



The main goal of the inventory is to establish the existing conditions in the study area along the study area corridors that will be used for building an intelligent transportation system based on regional transportation user needs.



## 1.2 STUDY AREA

Figure 1-1 illustrates the 20 study corridors in the study area. These corridors are located within Polk and Marion Counties, and within the City of Salem and City of Keizer. A detailed list of planned projects on each of the study corridors can be found later in this chapter. The transportation operating conditions of the key study corridors are summarized in Table 1-1. Key regional facilities located within the study area are depicted in Figure 1-2. These facilities include City halls, public works departments (engineering offices and maintenance facilities), schools, and emergency management facilities (fire stations, police stations, 911 centers, shelters, hospitals, and emergency operations centers).

STUDY AREA AND STUDY CORRIDORS

August 2005

FIGURE 1-1



Legend

STUDY CORRIDORS

- 1 12TH & 13TH AVE
- 2 25TH ST & MADRONA AVE
- 3 BROADWAY ST
- 4 CENTER ST
- 5 COMMERCIAL & LIBERTY N
- 6 HAWTHORNE AVE
- 7 HWY 22 AND 221
- 8 INTERSTATE 5
- 9 KUEBLER AND CORDON
- 10 LANCASTER DRIVE
- 11 LIBERTY & COMMERCIAL
- 12 LIBERTY ROAD
- 13 LOCKHAVEN & HAZELGREEN
- 14 MARKET ST
- 15 PORTLAND RD
- 16 RIVER RD & BROOKLAKE
- 17 SALEM PARKWAY
- 18 SILVERTON RD
- 19 STATE ST
- 20 TURNER RD

CITY LIMITS

- KEIZER
- SALEM
- ROAD NETWORK
- COUNTY BOUNDARY
- RAILROAD
- URBAN GROWTH BOUNDARY

**Table 1-1. Study Area Corridors**

#	Corridor	Limits	Maximum Existing ADT	Maximum Future ADT
1	Interstate 5	Exit 243 Ankeny Hill to Exit 263	62,300	81,000*
2	Kuebler Boulevard/Cordon Road	Liberty Road to Hazelgreen Road	27,300	37,000*
3	Highway 22	Highway 51 (Independence Hwy) to Highway 214 (Silver Falls Hwy)	85,000	123,000*
4	Wallace Road	Highway 22 to Doaks Ferry Road	19,000	39,000
5	Salem Parkway Commercial Street Liberty Street	Interstate 5 to Highway 22	29,000	32,000
6	N. River Road Brooklake Road	Salem Parkway to Oregon 99E	26,100	41,900*
7	Lancaster Drive	Kuebler Blvd to Portland Road	35,500	37,700*
8	Commercial Street	Interstate 5 (Exit 249) to Salem Parkway	46,300	59,700*
9	Silverton Road	Portland Road to Cordon Road	24,000	25,600*
10	State Street	Front Street to Cordon Road	22,000	
11	Center Street	Hwy 22 to Cordon Road	20,500	28,500
12	Market Street	Commercial Street to Lancaster Drive	32,400	32,900
13	Chemawa Road Lockhaven Drive Hazelgreen Road	N River Road to Cordon Road	23,000	35,700
14	Broadway Street	Marion Street to N River Rd	15,900	21,200
15	Portland Road Highway 99E Fairgrounds Road	Broadway to Brooklake Road	21,300	26,900
16	12 <sup>th</sup> /13 <sup>th</sup> Street SE	Commercial Street SE to Union Street	18,200	25,400
17	Hawthorne Avenue	Hwy 22 to Portland Road	19,200	29,400*
18	Liberty Road SE	Kuebler Blvd to Commercial Street	12,800	15,500
19	25 <sup>th</sup> Street Madrona Avenue	Mission Street to Liberty Road	15,800	20,700
20	Turner Road	Mission Street to Denver Street SE	9,200	12,900

## Notes:

1. Forecasted ADT from the SKATS Regional Model for 2025.
2. Asterisk "\*" indicates a forecast that was modified using growth from the 2000 to 2025 model data applied to the existing 2000 count data.

### 1.3 TRAFFIC CONDITIONS SUMMARY

Congested corridors and high collision locations provide the greatest opportunities to implement ITS field elements that could produce a noticeable benefit to users. Table 1-1 includes a brief summary of transportation operating conditions for each study area corridor. Further discussion of existing and future recurrent congestion locations can be found in the following subsections.



### 1.3.1 Characters of Congestion

Congestion is typically categorized as either non-recurrent or recurrent. Non-recurrent congestion results from unexpected random events such as collisions or road debris in travel lanes. Recurrent congestion happens repeatedly at the same location, such as at key bottlenecks (like traffic signals), merge points, or weaving sections, and this recurrent condition typically occurs during peak periods. Volume-to-capacity (v/c) ratios help determine locations where traffic flows are near or at capacity on a consistent basis, indicating recurrent congestion. Travel demand forecast models provide v/c ratios by roadway link for current and future time periods. The congested levels that will be assigned for this analysis are based on v/c ratios in the Salem-Keizer Area regional model as listed in Table 1-2.

**Table 1-2. Congestion Defined by Volume-to-Capacity Ratio**

Congestion Level	Volume-to-Capacity Ratio
Moderate	0.80 – 0.89
High	0.90 – 0.99
Severe	≥ 1.0

### 1.3.2 Existing Recurrent Congestion

The existing (2000) travel demand model for the Salem-Keizer area was used to identify recurrent congestion locations along study area corridors during the PM peak hour. Multiple congestion locations were identified within the Salem-Keizer area these study corridors.

Recurrent congestion is primarily located along Liberty Street, Commercial Street, Madrona Avenue and Kuebler Boulevard. Figure 1-3 shows the existing (2000) recurrent congestion locations along study area corridors.



### 1.3.3 Future Recurrent Congestion



Figure 1-4 illustrates the magnitude of future congestion in the Salem-Keizer Area based on the SKATS 2025 regional travel demand forecast model. There is a significant level of increase in congested corridors compared to the existing (2000) conditions. Comparison of the two models indicates a rise in “severe” congestion from 11.9 miles in 2000 to 28.4 miles in 2025. This represents a 240% increase in roadway miles with a volume-to-capacity greater than or equal to 1.0 during the PM peak hour. Similarly, “high” congestion rose from 10.2 in 2000 to 15.5 miles in 2025 representing a 150% increase in roadway miles with a volume-to-capacity between 0.9 and 0.99. “Moderate” congestion rose from 5.8 in 2000 to 7.3 in 2025 representing a 125% increase in roadway miles with a volume-to-capacity between 0.8 and 0.89. The corridors that are primarily affected by the increase in congestion include: Interstate 5, Highway 22, Commercial Street, Liberty Street, Silverton Road and Lancaster Drive.

# SALEM KEIZER METROPOLITAN AREA ITS PLAN

## EXISTING PROBLEM AREAS

August 2005

FIGURE  
**1-3**



### Legend

**VOLUME-TO-CAPACITY RATIO**  
Based on 2000 Salem area regional model  
(p.m. 1 hour peak)

- 0.80 - 0.89
- 0.90 - 1.0
- > 1.0

**NOT SHOWN**

BOTTLENECKS

### CITY LIMITS

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- COUNTY BOUNDARY
- RAILROAD
- URBAN GROWTH BOUNDARY



## 1.4 CRASH SUMMARY



Accidents contribute significantly to traffic congestion along a corridor and can have the potential to divert vehicles to other parallel roadways. ODOT has developed a Safety Priority Index System (SPIS) to identify locations with high collision rates. For every 0.10 mile section of road, a score is given based on the most recent three years of collision data with weighting for crash frequency, rate, and severity. Three or more collisions, or one or more fatal collision, must have occurred at the same location over the past three years for a location to be considered a SPIS site. Each year, ODOT identifies the top 10 percent SPIS sites and evaluates these locations for safety problems.

Additionally, ODOT uses a ranking methodology to analyze specific locations based on a three-year crash history. This process includes a designation of a “Safety Corridor” or a “Truck Safety Corridor” for any state or local highway that has a three-year average of fatal and serious injury crashes greater than the statewide average for similar kinds of roadways. Within this study area, Oregon Highway 22 between Willamette River Bridge and Highway 99 West has been designated as one of these safety corridors. Also, Interstate 5 between Highway 22 and Highway 214 has been designated as a truck safety corridor. In a safety corridor, frequent enforcement and education efforts are used to enhance the awareness of these corridors.

While a majority of collision data is collected and stored by ODOT, many times local agencies also retain their own list of accident locations that may not be based on the ODOT SPIS system. This helps to track potential corridors with safety concerns as well as statistically track increases or decreases in accident data.



The existing collision data from the City of Keizer 2001-2003 indicates an overall decrease in the total number of accidents, with peaks in collisions occurring in April, July, and December. Additionally, almost half (46%) of the accidents were designated as hit and run with no clear cause for the accident. The highest percentage (39%) of the accidents occurred on River Road, with the intersections of Chemawa, Dearborn and Lockhaven being especially problematic.

The City of Salem keeps a list that ranks the collision locations by number of occurrences, and does not factor into account severity, type of collision or number of vehicles. This ranked list can be found in Appendix C. Additional data collected from the state DMV crash database SPIS calculations indicated problematic intersections on Lancaster at Silverton Street, State Street and Durbin Street. Figure 1-5 shows the high collision locations throughout the study area by jurisdiction.

HIGH COLLISION LOCATIONS AND SAFETY CORRIDORS

August 2005

FIGURE 1-5



Legend

ODOT 2003 SPIS SITES

SAFETY PRIORITY INDEX SYSTEM

- 85% - 89.99%
- 90% - 94.99%
- 95% - 100%

HIGH ACCIDENT INTERSECTIONS

CITY OF SALEM - TOP 24

- \* < 10
  - \*\* 10 - 20
  - \*\*\* 20 - 30
  - \*\*\*\* > 30
- (RANK)

MARION COUNTY - TOP 20

- \* < 15
  - \*\* 15 - 20
  - \*\*\* 20 - 25
  - \*\*\*\* 25 - 30
  - \*\*\*\*\* > 30
- (RANK)
- (unk. = unknown)

- SAFETY CORRIDOR
- TRUCK SAFETY CORRIDOR

NOT SHOWN

CITY OF KEIZER ACCIDENTS

POLK COUNTY ACCIDENTS

- CITY LIMITS
- KEIZER
  - SALEM
  - STUDY CORRIDORS
  - ROAD NETWORK
  - COUNTY BOUNDARY
  - RAILROAD
  - URBAN GROWTH BOUNDARY

## 1.5 TRANSIT

The Salem-Keizer Area is served by a combination of fixed route systems, dial-a-ride services and intercity bus and rail services. In this section, the different public and private transit services are discussed, as well as an overview of the scheduled upcoming transit improvements that will be conducted over the next five years.



### 1.5.1 Cherriots

The Cherriot's fixed route system is primarily a radial route structure in which all but six of the routes meet at the central transit station located in downtown Salem. Figure 1-6 shows the current bus routes servicing the study area. Currently there are eighty-three buses servicing the City of Salem. Almost all of the buses have global positioning system (GPS) devices in place, although they are not being used at this time. Ten buses are equipped with Automatic Passenger Counts that are measured per stop; these are run on various routes throughout the system. The data collected from the counts is sent to the bus housing facility on Dell Web Avenue.

Service is offered Monday through Saturday with frequencies varying between routes, from 15 to 60 minutes. Additionally, there are four major transit centers with covered waiting areas and other amenities. Seventy five of the eighty three buses are lift-equipped and have wheelchair positions. Each of the twenty-five routes is assigned at least one lift-equipped bus so all routes are accessible to wheelchair riders at the same time. According to average weekday ridership data from the spring of 2004, approximately 20,000 passengers ride the bus each day.

Video surveillance is present on most buses and has been extremely helpful with security issues. All of the information from the cameras is then sent to the security center at the downtown transit center and can be viewed in the case of a discrepancy. Additionally, there are many cameras in various locations in and around the downtown transit center that are viewed and archived.

### 1.5.2 Dial-a-Ride Services





Dial-a-Ride services are provided to offer more freedom from existing fixed routes. Typically, dial-a-ride routes are determined based on current demand with no specific, set schedule. The paratransit vehicles are a separate division contracted through OHAS (Oregon Housing and Associated Service); although some of the vehicles that are used are owned by Cherriots. "Wheels" is a nonprofit program providing paratransit services in the area. The routes are continually changing based on the demand of ridership. OHAS is responsible for the dispatch. This is a free service designated for the disabled and elderly persons in the Salem-Keizer area. Trips are scheduled on a space-available basis.

TRANSIT INFRASTRUCTURE

August 2005

FIGURE 1-6



Legend

② BUS ROUTES/  
ROUTE NUMBERS

CITY LIMITS

- KEIZER
- SALEM
- STUDY CORRIDORS (above)
- STUDY CORRIDORS (right)
- ROAD NETWORK
- COUNTY BOUNDARY
- RAILROAD
- URBAN GROWTH BOUNDARY

CherryLift also provides services to ADA-eligible riders in the Salem-Keizer area. The service is delivered by a contractor under terms set by Salem-Keizer Transit and averages 5,000 riders monthly.

Lastly, TripLink service is contracted by a Medicaid brokerage. A private firm (ATC) has teamed with the Salem Area Mass Transit District to provide specialized transportation services to Medicaid patients. The call center located off site handles the dispatch for services.

### 1.5.3 Intercity Bus Service

In addition to the fixed route and paratransit systems that operate within the City of Salem, other bus services provide connections to/from the City. Some of these services are public, while others are privately owned and operated. Greyhound Lines provides service to/from the City of Salem, although typically it is limited to larger destination cities. By utilizing agreements between Greyhound and other smaller service providers, many smaller rural destination points may be accessed and thus a larger number of users may be accommodated.



### 1.5.4 CARTS

The Chemeketa Area Regional Transportation System provides weekday public transit service connecting Salem with the cities of Dallas, Independence, and Monmouth in Polk County; Lyons and Mill City in Linn County; and Aumsville, Gates, Gervais, Hubbard, Silverton, Stayton, Sublimity, Turner and Woodburn in Marion County. This service provides approximately 12,000 rides per month.

### 1.5.5 SMART

The South Metro Area Rapid Transit (SMART) provides service to Wilsonville (in Washington County, OR) with three buses northbound in the morning and two in the evening. This service is primarily aimed at the workday commuter traveling between Wilsonville and Salem-Keizer, but it also serves the Barbur Transit Center in Portland where several Tri-Met bus routes connect.

### 1.5.6 Intercity Rail Service

Amtrak provides the Coast Starlight and Cascades trains that service the City of Salem and surrounding areas. The Cascade line offers two daily round-trip trains between Eugene and Seattle, while the Coast Starlight train operates through the Willamette Valley daily at various times.

## 1.6 TRANSIT IMPROVEMENTS

The existing system serves the Salem-Keizer Metropolitan Area and the surrounding areas well, but a new vision for the future of Cherriots will bring about many improvements to the system. The new vision, outlined in the Salem-Keizer Transit Strategic Business Plan involves the three C's; circulator, center, and corridor service delivery. To accomplish these goals outlying transit centers will be constructed that are served by neighborhood circulator routes. Further transfers may then be made into a corridor route for travel into downtown via large, frequent buses.

### **1.6.1 Corridor Improvements / Service Enhancement**

At the present time, frequency improvements are scheduled on five routes within the five-year scope of the short-range plan. Service expansions at State Street and Fairview Avenue, South Commercial Street, and Lancaster Drive will improve the usability of the system. Additionally, most of the Saturday routes will be improved by increasing the frequency of service.

### **1.6.2 High Priority Transportation Corridor**

The Broadway/River Road North corridor was selected as the most appropriate location to begin to implement changes to the transportation infrastructure to improve the movement of buses. Bus stops will be located along the middle section of the corridor. Buses designated for this lane will be equipped with emitters to utilize queue jumping, early green and/or green extension. Currently, there is funding available for this project and the next steps involve public involvement and buy-in from the cities of Salem and Keizer.

Other general transit improvements include:

- ▶ Smart Card Development;
- ▶ Streetcar feasibility studies;
- ▶ Maintenance upgrades;
- ▶ Implementation of Sunday bus service;
- ▶ Expanded Commuter Services;
- ▶ Evaluation of replacement buses (small transit buses for neighborhoods, large buses for corridor route);
- ▶ New transit centers (South Salem and Keizer); and
- ▶ Utilization of existing Automatic Vehicle Location technology.

## **1.7 TRAFFIC SIGNALS**

This section describes the traffic signal equipment used at the signalized intersections in the Salem-Keizer Metropolitan Area. Figure 1-7 shows the existing and planned traffic signals in the study area with the signals color-coded by ownership for each jurisdiction. Existing signal interconnect locations are depicted on Figure 1-9.

The following subsections include details pertaining to controller and controller cabinet type, video detection, existing central signal system, and emergency vehicle preemption capabilities at traffic signals in the study area.



### 1.7.1 Traffic Signal Operations

Traffic signals in the Salem-Keizer Metropolitan Area are currently operated and maintained by the City of Salem and ODOT. The City of Salem is responsible for the operations and maintenance of the majority of the traffic signals in the Salem-Keizer Metropolitan Area through existing agreements with other agencies<sup>1</sup>.

### 1.7.2 Oregon Department of Transportation

ODOT operates and maintains 13 traffic signals in the Salem-Keizer Metropolitan Area. Another 36 ODOT owned traffic signals in the region are operated and maintained by the City of Salem. The 13 ODOT owned and maintained traffic signals use Type 170 controllers and Wapiti W4IKS software. The 36 ODOT owned/Salem operated and maintained traffic signals use Type 170 controllers and BI Tran software.

### 1.7.3 City of Salem

The City of Salem operates and maintains approximately 230 traffic signals in the Salem-Keizer Metropolitan Area, including 16 Marion County signals, 14 City of Keizer signals, and 36 ODOT signals. Another 42 traffic signals are under design or planned for installation. All of the traffic signals operated and maintained by the City of Salem have Type 170 controllers and BI Tran software.

For remote access to the traffic signal controller data, the City of Salem uses the QuicNet/4 central signal system software. Of the 230 existing traffic signals, approximately 190 are direct connected to the QuicNet/4 central signal system server at the City of Salem offices via twisted wire pair. QuicNet is a central/distributed signal system that provides the City with full upload and download capabilities and a visual display of local intersection status. The QuicNet central computer does not directly control the local traffic signals, but it does allow remote access to the local traffic signal controllers. The City is planning to upgrade the traffic signal communications infrastructure to fiber optic cable as new development occurs and traffic signals are installed.

The City of Salem operates time-based coordination at many of the intersections during the AM, Midday and PM peak periods. Arterial roadways with the City of Salem use a combination of AM, Midday, and PM peak coordinated timing plans while many others operate in the free mode.





<sup>1</sup> The City of Salem traffic signal operations contact is Terry Hockett (503) 588-6211.

EXISTING AND PLANNED TRAFFIC SIGNAL by OWNERSHIP

FIGURE 1-7

August 2005



Legend

TRAFFIC SIGNALS BY OWNERSHIP

- PLANNED
- CITY OF SALEM
- ODOT
- MARION COUNTY
- CITY OF KEIZER

CITY LIMITS

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- COUNTY BOUNDARY
- RAILROAD
- URBAN GROWTH BOUNDARY

### 1.7.4 Video Detection

The City of Salem uses the TrafiCon video detection system for the majority of traffic signals within the City. Video cameras detect vehicles entering zones configured within the camera view and provide inputs to the traffic signal controllers for local intersection timing functions. An intersection video detection system normally consists of four to six fixed cameras mounted on traffic signal mast arms or luminaire arms. City of Salem traffic engineers are able to view images from the video detection cameras from their desktop, using communication technology and the proprietary software provided by the vendor.

In addition, the City of Salem has a current project to install video detection cameras viewing the departure side of an intersection for traffic volume counts. With these cameras, the City is expecting to be able to collect traffic volume, speed and classification information.

### 1.7.5 Emergency Vehicle Preemption

The majority of the traffic signals in the Salem-Keizer Metropolitan Area have full emergency vehicle preemption capability using Opticom™. Fire vehicles have the capability to preempt traffic signals, but police vehicles do not. All of the new detectors and discriminators being installed have the ability to recognize vehicle identification codes and different levels of priority requests (e.g. bus priority). Many of the existing detectors and discriminators were installed prior to this functionality being offered. The City is actively pursuing opportunities to upgrade the existing detectors and discriminators to provide vehicle identification and low priority functionality.

City of Salem traffic engineers, using the 3M priority control software, have the ability to remotely upload the preemption logs to check for valid preempts. This allows for a back-check system in the case that preemption has disrupted traffic flow during peak times of the day.

## 1.8 ITS SYSTEMS AND EQUIPMENT

The Salem-Keizer Metropolitan Area has several existing intelligent transportation systems and ITS devices. The following sections describe existing and planned ITS systems and equipment including the Northwest Traffic Operations Center (NWTOC), existing closed-circuit television (CCTV) cameras, dynamic message signs (DMS), traffic count stations (ATR), and weather stations (RWIS). Figure 1-8 shows the locations of the existing field devices.

### 1.8.1 ITS Systems

The Salem-Keizer Metropolitan Area currently uses a variety of software systems to access and control field devices, and to dispatch vehicles. Table 1-3 provides a summary of the existing software systems and their primary function. Many of the software systems used today are redundant because they are proprietary to the specific vendor for the field device. Additional information about each system is provided under the field device or Northwest Transportation Operations Center description in this Chapter.



### 1.8.2 Northwest Transportation Operations Center (NWTOC)



ODOT currently operates a Transportation Operations Center (TOC) in the City of Salem that is a shared facility with Oregon Emergency Management (OEM) and the Oregon State Police (OSP). The Northwest Transportation Operation Center in Salem operates 24/7 and provides dispatch services, incident management support and traveler information for all of Region 2. In addition, the NWTOC provides these same services after normal business hours for all of users in Region 4 and 5.

The TOC primarily serves a support role for incident management/emergency management activities and coordinates the posting of pre-approved messages as requested by field personnel. The TOC currently has no authority to post new and unique electronic messages, activate detour routes, and implement incident signal timing plans or other management activities without prior approval from the Region Traffic Engineer. A summary of the primary functions performed by the operators is provided in the following list.

- ▶ *Incident Management* – Incident detection, response planning, resource tracking and coordination and output to the traveler information systems.
- ▶ *Emergency Management* – Includes incident management functions and the implementation of Emergency Operations Plans.
- ▶ *Traffic Management* – Control dynamic message signs, highway advisory radio, and dispatch incident responders.
- ▶ *Traveler Information* – Place and update incident alerts and road restriction messages on dynamic message signs and highway advisory radio and output to media and TripCheck.
- ▶ *Winter Operations* – Monitor the roadway conditions with CCTV and environmental sensors. Coordinate crew assignments and notifications. Place outputs to traveler information systems (HAR and DMS).
- ▶ *Maintenance Operations* – Assist maintenance manager with crew availability and location information and place call-outs.



Table 1-3. Existing Systems in the Salem-Keizer Metropolitan Area

#	System	Vendor/ Software	Operating Agency	Purpose
1	Signal System	QuicNet	City of Salem	Traffic Signal Control Traffic Engineers at the City of Salem have access to the traffic signal data using this system TOC operators do not have access to this system.
2	Video Detection	TrafiCon	City of Salem	Intersection Detection Video images can be viewed at the City of Salem.
3	Dynamic Message Signs	Skyline/	ODOT	Message Sign Control Intent is to use the Skyline software for access to all signs
4	Portable Variable Message Signs	Skyline Others DOS programs	ODOT	Message Sign Control New PVMS are NTCIP. Intent is to use the Skyline software to control the PVMS signs.
5	Highway Advisory Radio	Highway Information Systems	ODOT	Radio Messaging Grant money to put in HAR (11) on the coast to transmit NOAA weather or special event info. Server in Salem.
6	OSP Computer Aided Dispatch	Public Safety Systems Inc. (PSSI) CAD	OSP/ODOT	Manage Incidents Provides link to OSP dispatch in Salem
7	Highway Traffic Conditions Reporting System	ODOT Visual Basic Application	ODOT	Feeds Info to TripCheck
8	Road Weather Information System	SSI ScanWeb Software	ODOT	Weather Info Server in Salem
9	Emergency Computer Aided Dispatch	HiTech Systems	Salem 911	Computer Aided Dispatch Salem has a 911 center and separate police and fire dispatch
10	Transit Computer Aided Dispatch	Trapeze	Salem-Keizer Transit District	Transit Dispatch Additional DOS software FleetMate for maintenance
11	Trip Link	Mobility Master and Mobilitat	ATC, private service	Paratransit service Separate system from fixed route Cherriot Service

EXISTING AND PLANNED ITS EQUIPMENT

August 2005

FIGURE 1-8



Legend

ITS DEVICES

- VIDEO DETECTION CAMERA
- ATR Automatic Traffic Recorder
- CCTV
- PLANNED DMS Dynamic Message Sign
- WEATHER STATION

CITY LIMITS

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- COUNTY BOUNDARY
- RAILROAD
- URBAN GROWTH BOUNDARY

More detailed information on the functions of the Operations Center is documented in the *Transportation Operations Center System Concept of Operations*<sup>2</sup>, by ODOT.

Operators in the center currently manage field devices using a variety of software packages. For variable message signs alone, the operators have multiple software packages to post messages because each manufacturer has a separate proprietary software package. However, ODOT has upgraded many of the fixed signs to be NTCIP compliant and is migrating to one software package for sign control. In addition, ODOT is currently conducting a Transportation Operations Center System (TOCS) project, which intends to integrate the functions of the advanced transportation management systems (ATMS), and the computer aided dispatch (CAD) system. The ultimate intent is to provide an integrated system interface for management of ODOT assets.

### 1.8.3 Closed-Circuit Television (CCTV) Cameras

Today, ODOT uses closed-circuit television (CCTV) cameras to monitor traffic at the Hayesville Interchange on Interstate 5. Two fixed mount camera are provided at this site to provide images north and south of the interchange. From the NWTOC, operators also monitor the pan-tilt-zoom camera on the radio tower at the operations center, the security cameras in the building, and the mountain pass cameras (Government Camp, Highway 22, Willamette Pass and other Statewide Pass cameras). Two additional cameras on Interstate 5 are currently under design at the Kuebler Boulevard and Mission Street Interchanges. ODOT posts images from the existing cameras on the TripCheck website, which is described later in this chapter.



The City of Salem has video images at approximately one-third of the signalized intersections (approximately 60 intersections), which are supplied from the video detection cameras. These are all fixed mount cameras, but images are generally provided on the approach section of all four legs of an intersection. All new traffic signals in the City of Salem are installed with video detection.

### 1.8.4 Dynamic Message Signs (DMS)

Currently, there are no existing dynamic message signs in the Salem-Keizer Metropolitan Area. However, ODOT operates and maintains fixed dynamic message signs on Interstate 5 north of Salem. All new dynamic message signs installed by ODOT are compliant with the National Transportation Communications for ITS Protocol (NTCIP). Additional signs are controlled from the NWTOC, but are outside of this project study area. Dynamic Message Signs are planned on Interstate 5 southbound near the Brooks interchange and northbound north of Albany.

<sup>2</sup> *Transportation Operation Center System – Concept of Operations*, Galen McGill, Patrick Hoke, Larry McKinley, ODOT, 2002.

### 1.8.5 Portable Variable Message Signs (PVMS)



ODOT Region 2 owns and operates several portable variable message signs. All new PVMS are being procured as NTCIP compliant, but several existing PVMS are not NTCIP compliant. Therefore, several software packages must be used to program the signs; but ODOT is migrating to one software package for PVMS sign control as the existing signs come to the end of their useful life.

### 1.8.6 Automatic Traffic Recorders

ODOT currently operates four automatic traffic recorders (ATR), within the Salem-Keizer study area to collect hourly volume data by lane. Three of the four ATR stations have the ability to collect speed and length data. Speed data is typically provided in 13 “Speed Bins” and length data is typically provided in two “Length Bins”. ATR stations do not collect occupancy data. The four ATR stations in the study area include: North Santiam Station, Aumsville Station, Salem Bridges Station and Oak Knoll Station. Two ATRs are located on Highway 22 between Interstate 5 and Stayton and two ATRs are located on Highway 22 west of Salem between the Willamette River and 99W.

The City of Salem has a current project to install video on the downstream side of intersections to collect volume and vehicle classification information at approximately 75 locations.

### 1.8.7 Road Weather Information Systems (RWIS)

Marion County currently operates and maintains three weather stations in Marion County at Drakes, Prospect Hill and Elkhorn. The weather information is accessible online at <http://publicworks.co.marion.or.us/operations/weather/index.asp>. ODOT has a weather station alongside River Road at the Traffic Signal Services Unit facility. The City of Keizer has a weather station at their City maintenance facility behind the Keizer Fire Station. Weather and road condition information collected from these sites generally includes air temperature, pavement temperature, wind speed, wind direction, barometric pressure, and humidity.

## 1.9 COMMUNICATION EQUIPMENT

The communications system is one of the most critical components in the deployment of ITS infrastructure since local agencies must be able to monitor, control, and operate traffic management devices from remote locations and share information in real-time between operations centers to effectively manage the movement of passengers and goods and respond to incidents. The existing transportation related communications network in the Salem-Keizer area consists of a variety of media such as fiber optic cable, twisted-pair copper, radio, and cellular telephone. The existing agency-owned communications infrastructure is illustrated in Figure 1-9, where data is available.



Additional communications infrastructure exists, either as part of the private telecommunications infrastructure or wireless infrastructure on towers that have not been mapped to maintain security.

### **1.9.1 Fiber Optic Infrastructure**

There is limited public agency installed fiber optic infrastructure in the Salem-Keizer area, but there are existing projects and plans that intend to install a significant amount of new fiber optic cable in the near future. ODOT is currently designing fiber optic infrastructure from the radio tower on the east side of Interstate 5 north of State Street south to Kuebler Boulevard. In addition, ODOT has plans to install fiber optic infrastructure from this radio tower site west to the Northwest TOC providing a direct connection to field devices on Interstate 5. The City of Salem is also installing fiber optic cable with all of their new traffic signal construction projects.

Local telecommunications providers in the Salem-Keizer area include ComCast and Qwest.

### **1.9.2 Copper Twisted-Pair Infrastructure**

The City of Salem currently has copper twisted-pair (12 pair) infrastructure interconnecting approximately 190 traffic signals with the central signal system server (shown in Figure 1-9). Today, the copper twisted-pair infrastructure is used for communications between traffic signals.

### **1.9.3 Wireless Communications**



The City of Salem and ODOT currently use wireless communications for some individual field devices. ODOT uses Code Division Multiple Access (CDMA) cell modems to communicate to variable message signs and the City of Salem uses some wireless Ethernet (unlicensed frequency) to transmit video from some traffic signals.

The City of Keizer is exploring the possibility of building a public agency wireless network with complete coverage of the City.

EXISTING COMMUNICATIONS INFRASTRUCTURE

AUGUST 2005

FIGURE 1-9



Legend

FIBER OPTIC CABLE

- █ EXISTING
- █ IN DESIGN PROCESS

SALEM INTERCONNECTS

- █ 25 PAIR CONDUIT
- █ 12 PAIR CONDUIT
- █ 12 PAIR OVERHEAD
- █ 6 PAIR CONDUIT
- █ 6 PAIR OVERHEAD
- █ CONDUIT WITH PULL WIRE
- █ FUTURE FUNDED I.C.

CITY LIMITS

- █ KEIZER
- █ SALEM
- █ STUDY CORRIDORS
- █ ROAD NETWORK
- █ COUNTY BOUNDARY
- █ RAILROAD
- █ URBAN GROWTH BOUNDARY

## 1.10 EMERGENCY MANAGEMENT



This section describes the emergency management agencies in the Salem-Keizer area, as well as the strategies used for routine services typically handled by 911, police, fire, and medical agencies, and strategies for major emergencies and disasters. Roles and responsibilities and interagency relationships (for emergency management and transportation management agencies) will be discussed in Chapter 4: Operational Concept.

### 1.10.1 911 Center

The Willamette Valley Communication Center (WVCC) is the primary 911 Center that services the Salem-Keizer Metropolitan Area. This center is located in downtown Salem and coordinates/communicates with 18 different agencies. In the surrounding area there are two additional 911 Centers; one located in Woodburn (Norcom) and another located in Stayton (Santiam Canyon).

The 911 Center is equipped with a central CAD system to monitor police, fire and emergency vehicle dispatch. The CAD system is Geo 911, and there is also communication via VHF/UHF and an 800 Mhz mobile data network. The center takes approximately 450 calls a day and typically has anywhere from 2 to 5 call takers depending on the time of day.

### 1.10.2 Police/Fire/Emergency Vehicles

The City of Salem, City of Keizer, Polk County and Marion County all have various law enforcement agencies. The City of Salem and City of Keizer have police departments and Polk County and Marion County have sheriff's departments. The various police department locations can be found on Figure 1-2 earlier in this chapter.



The police departments work with a mobile data network and mobile data terminals and can monitor what other units are doing at any time. Outside communication to/from officers is currently handled through the 911 Center. Communication between officers can be accomplished through the mobile data network as a messaging system.


The City of Salem police department uses a UHF frequency system for communication, while Polk County utilizes a radio system and Marion County utilizes a VHF frequency system.

The Fire department currently does not have global positioning system (GPS) units, but would like to implement GPS. When emergency fire calls are processed the closest unit to the incident/call is typically dispatched unless other information is available through the 911 Center that would indicate a faster response from another unit.

### 1.10.3 Emergency Management Communications Agencies

As previously stated, a system of radio, VHF, UHF and 800 Mhz communication equipment is utilized by various agencies. The City of Salem currently utilizes an 800 Mhz communication network, while the Salem Police Department uses a UHF system. Polk County uses a radio network system and Marion County uses a VHF communication system.

## 1.11 INCIDENT MANAGEMENT



ODOT currently staffs eleven incident responders in Region 2 that serve as the first responders to an incident. A special program funds the wages and equipment for the dedicated responders. These responders typically work from 9:00 a.m. to 6:00 p.m. and are on-call 24 hours a day, seven days a week. Each responder has designated uniforms and an incident response vehicle that they take home at night. These vehicles are equipped with a 2-line/8 character changeable message sign and will be updated with GPS and mobile data collection capabilities in the near future. Each responder also takes part in extensive on-going training.

The success of the program relies heavily on interagency coordination, training and developing an understanding about each agency's roles and responsibilities regarding response, dispatch and other communication. When an incident occurs in Salem, the incident responders coordinate with fire and police. The comprehensive incident management plan also includes information such as sign placement, flagger location, and interchange closures during and after an incident.

In the event of a major emergency, lasting eight or more hours, alternative routes have been mapped from Portland to Cottage Grove on I-5. These detours provide accessible parallel routes. Many of the coastal route detours do not have the same accessibility to detours and may have more significant impacts in an emergency event. Variable message signs play a critical role in the use of the alternate routes. Proposed locations for the next variable message signs will be northbound I-5 at North Albany and southbound I-5, north of the Brooks interchange.

Of particular importance is the expected increase in construction projects on Interstate 5 that are programmed for the next 3-6 years. The lack of communication and coordination between construction zones is especially problematic with respect to the information dissemination to the traveling public. An additional security issue includes the state capitol building in downtown Salem in the event of a terrorist emergency.



## 1.12 SPECIAL EVENTS

The Salem-Keizer area has many recurring special events throughout the year that attract additional trips. These events provide significant revenues to the city of Salem and the surrounding economies, but have negative impacts on the existing transportation system. The city of Salem has an event coordinator that plans many of these events that include baseball games, events at Riverfront Park and the State Fair. Specialized local event timing plans have been established to accommodate the increased traffic demand at these locations. Some annual events that impact the transportation system in the area are discussed below.

### **Keizer Volcanos**

The Keizer Volcanos are a minor-league baseball team that attracts many fans. The stadium is located off of I-5 on Radiant Drive. The season runs from the middle of June through Labor Day with about 35 scheduled home games and the possibility of playoffs.



### **Riverfront Park**

Salem's downtown Riverfront Park and outdoor amphitheatre hosts a variety of events. It also houses the Riverfront Carousel with hand carved wooden horses and the A.C. Gilbert Discovery Children's Museum. Additionally, numerous other local festivals and events such as the Bite of Salem and the World Beat Festival take place at this location.

### **Bush's Pasture Park**

This 24-acre park located on 880 Mission Street SE, just south of the central business district, hosts many different events, perhaps most notably, the Salem Art Fair and Festival that typically attracts over 100,000 participants in July of every year. It also is home to the Cascade Surge Soccer team at McCulloch Stadium.

### **Enchanted Forest/Thrill Ville Theme Parks**

The amusement parks located just south of Salem off of I-5 have water slides, roller coasters and offer fun for all ages. During the summer months between Memorial Day and Labor Day, these parks attracts over 200,000 visitors.



### **Fairgrounds**

The fairgrounds are located off of I-5 near the intersection of Lana Avenue and 17<sup>th</sup> Street. The fairgrounds and Expo Center host many different events throughout the year, including the Oregon State Fair. The state fair is held for two weeks before Labor Day and attracts about 450,000 people over the 12-day period.

## **1.13 FREIGHT**

Freight movements in the Salem-Keizer Metropolitan Area include movements on the State Highway Freight System and the railroad tracks through the city. Existing designated freight routes in the Salem area include Interstate 5 and Highway 22 east of Interstate 5. Freight routes are designated to facilitate efficient and reliable interstate and intrastate truck movements. These are primarily state highways that carry a significant tonnage of freight by truck and/or serve as the primary interstate and intrastate highway freight connections to ports, intermodal terminals, urban areas and other states. Benefits include slightly increased mobility standards, measured by maximum volume to capacity ratios, and pavement conditions that are maintained at higher conditions. ODOT has recently drafted a Freight Route Analysis Project (FRAP)<sup>3</sup> that includes recommendations for revisions to the freight system. Based on the FRAP, Salem Parkway, Highway 22 west of Salem and Highway 99W are recommended additional freight routes.

<sup>3</sup> DRAFT Freight Route Analysis Project (FRAP) Staff Report, September 1, 2004.

## 1.14 FERRIES

Marion County Public Works maintains and operates two shuttle ferry services across the Willamette River that provides an alternative way to travel between Newberg and Salem. The Wheatland service operates a mile north of the SKATS region near Willamette Mission Park. This service is the largest and busier of the two ferry services available, with about 225,000 trips annually. This ferryboat can carry 9 vehicles and 42 passengers per trip. The maximum wait time is typically 10 to 15 minutes. The ferry is operational all year long, depending on weather and equipment conditions.



The second ferry is the Buena Vista and it operates five miles downstream from the SKATS area, and carries about 9,000 trips per year. This ferryboat can transport 4 autos and 29 passengers per trip. It operates 5 days a week from April through October. The maximum wait time for this service is also 10 to 15 minutes depending on the types of vehicles onboard.

## 1.15 TRAVELER INFORMATION

The Oregon Department of Transportation (ODOT) provides most of the traveler information for the Salem-Keizer area. ODOT provides real-time traveler information through the TripCheck website, and 511. ODOT's TripCheck website ([www.tripcheck.com](http://www.tripcheck.com)) includes two camera images, road conditions, weather information, incident maps, and construction activity for the Salem-Keizer area. ODOT continues to add information to TripCheck as new equipment is deployed.



In late 2003, ODOT implemented 511, the new national traveler information number, throughout the state to provide various types of real-time traveler information. The 511 system is accessible to travelers over the phone through touch-tone dialing or voice activation.

Traveler information is also provided to the public on the Marion County public works website. <http://publicworks.co.marion.or.us/operations/roadclosures/closures.asp>. The Marion County road closure website includes Marion County, Salem and ODOT road closures in addition to current emergencies and conditions, and the operating status of the ferries.

## 1.16 SUMMARY OF RELEVANT DOCUMENTS

A number of regional studies and plans have been compiled in the Salem-Keizer Metropolitan Area that relate to ITS applications. A review of these documents was conducted to identify potential connections to other agencies and/or planned projects in the study area. This section provides a summary of the key points from the documents reviewed.

### 1.16.1 1999 Oregon Highway Plan

The 1999 Oregon Highway plan developed by ODOT provides refined goals and policies of the Oregon Transportation Plan as well as a vision for the future of the state highway system and a system analysis of state highway needs and implementation strategies. The highway plan breaks ODOT's highway responsibility into 11 major categories, including modernization, preservation,

bridge, maintenance, operations, safety, special programs, construction support, planning, administration and central services. Intelligent Transportation Systems is one of the five goals included in the Oregon Highway Plan. This policy states that a broad range of ITS services will be considered to cost-effectively improve safety and efficiency and will reflect the user service priorities developed in the Oregon ITS Strategic Plan. This policy highlights the following ITS services for consideration throughout Oregon:

- ▶ Incident Management
- ▶ Pre-Trip Traveler Information
- ▶ En-Route Driver Information
- ▶ Public Transportation Management
- ▶ Traffic Control (Arterials and Freeways)
- ▶ Emergency Notification and Personal Security
- ▶ Route Guidance
- ▶ Emergency Vehicle Management
- ▶ Commercial Vehicle Electronic Clearance
- ▶ Commercial Fleet Management

### **1.16.2 Oregon Transportation Plan Update**

This plan is a 20 year multi-modal plan for the state of Oregon that serves many functions, including addressing the state and local transportation systems, system needs, system priorities, and investment strategies. Oregon's population continues to grow; this paired with changing demographical and geographical trends, has significant impacts on the transportation system. Trends show a more ethnically diverse, geographically centered and older population. Based on these trends and other transportation challenges such as economy, environment, safety, and funding the following draft goals have been developed:

- ▶ Mobility and accessibility
- ▶ Economic vitality
- ▶ Sustainability
- ▶ Management of the system
- ▶ Safety and Security
- ▶ Funding of the system
- ▶ Coordination and cooperation

This plan is currently a work in progress with a public review of the draft scheduled for the summer of 2005.

### **1.16.3 I-5 State of the Interstate Report**

In the *I-5 State of the Interstate Report – 2000*, ODOT provides comprehensive data regarding the existing physical and operating conditions on I-5, a general future travel demand forecast, and an assessment of freeway performance if no improvements are made through 2020. Early action improvements are projects that have been identified through deficiency analysis to improve the operation and or safety of the corridor. These projects for improvements in the study area are listed below:

- ▶ *Interstate 5 at Kuebler Interchange:* Replace the loop ramp with added superelevation and modify the exit ramp intersection approach to a lesser skew (less than 15 degrees) and tighten curb radius.
- ▶ *Interstate 5 at Chemawa Interchange:* Move guardrail and widen shoulder on northbound entrance ramp
- ▶ *Interstate 5 at Brooklake Interchange:* Lengthen southbound entrance acceleration lane by 33 meters and address capacity problems at ramp terminals.

#### **1.16.4 Planned Projects in Salem-Keizer Metropolitan Area**

Table 1-4 shows funded and unfunded infrastructure and signal projects for the study corridors, as well as some general transit improvements that may have a potential connection to the implementation of ITS deployments in the future. More detailed descriptions of these projects can be found in the following plans or reports. Additionally, many of the reports outline project recommendations for low, medium, and high priorities. For the purpose of this review, only high priority project recommendations were listed.

*Statewide Transportation Improvement Program (STIP), 2004-2007:* This program is the Oregon Department of Transportation's short term capital improvement program that provides funding and scheduling information for transportation improvements.

*City of Salem Transportation System Plan (TSP), 2001:* This plan contains policy information and descriptions of transportation investments that will take place over the next 20 years.

*SKATS Regional Transportation System Plan (TSP), 2002:* This regional plan is a cooperative effort between SKATS, ODOT, the Cities of Salem and Keizer, Marion and Polk County and the Salem Area Mass Transit District and outlines the priority transportation improvements necessary for the region.

*SKATS Transportation Improvement Program (TIP), 2004-2007:* The SKATS TIP identifies the transportation projects within the region that are expected to use federal and state funds during the next four years. These projects may overlap many of the improvements outlined in the STIP.

*Marion County Transportation System Plan (TSP), Draft 2005 Update:* This plan provides a comprehensive list of 20-year transportation improvements in Marion County to maintain the safety and efficiency of the transportation system to an acceptable level.

**Table 1-4. Planned Projects on Study Area Corridors**

Study Corridor	Project	Report/Plan
Interstate 5	Install traffic signals and turn lanes at Brooklake ramp intersections	Marion County Draft TSP
	Replace Marietta Street Bridge (I-5 interchange and Kuebler Ramp)	SKATS TSP
	I-5 Phase IIIb: Hwy 22 to Kuebler Interchange widen to 6 lanes I-5 Phase IV: Kuebler Interchange to Delaney road widen to 6 lanes	
	I-5 N. Santiam-Kuebler Blvd, widen to 6 lanes replace 6 bridges I-5 Kuebler-Illahee Crossing widen to 6 lanes	STIP (2004-2007)
Kuebler Blvd/Cordon Road	Construct a left turn lane on Cordon Rd at Pennsylvania Ave Construct a left turn lane on Cordon Rd at Herrin Rd Construct a left turn lane on Cordon Rd at Hayesville St Construct a left turn lane on Cordon Rd at Carolina St New interchange at ORE 22 and Cordon Road	Marion County Draft TSP
	Traffic signal interconnect at Turner and I-5 Widen to 4 lanes Commercial St to I-5	SKATS TSP
	Traffic signal interconnect: Silverton to State Street Install new actuated and interconnected traffic signals at Kuebler and 36 <sup>th</sup> Minor realignment of the intersections of Gaffin and McCleay	STIP (2004-2007)
	Highway 22	Pedestrian Improvements path at Lancaster Street
Wallace Road	Traffic signal interconnect Edgewater to Glen Creek Increase the radius of WB offramp from Highway 22 to Wallace Road (more lanes)	SKATS TSP City of Salem TSP
	Expand intersection at Glen Creek Road NW	Salem CIP
Salem Parkways & Liberty Street	Traffic signal interconnect from Salem Parkway to 25th Street along Hyacinth Street	City of Salem TSP
N River Road/Brooklake Road	Structural overlay from Chemawa Road to North Santiam Interchange Widen travel lanes and add paved shoulder from River Rd to Interstate 5	STIP (2004-2007) Marion County Draft TSP

**Table 1-4. Planned Projects on Study Area Corridors (continued)**

Study Corridor	Project	Report/Plan
Lancaster Drive	Traffic signal interconnect on Sunnyview Road from Lancaster Drive to Cordon Road	City of Salem TSP
	Traffic signal interconnect Hagers Grove Rd to Cordon Rd	STIP (2004-2007)
	Lancaster/Market Street NE, additional turn lanes for NB and WB movement	City of Salem TSP
	New signal at Lancaster and Carson Road	STIP (2004-2007)
	Realign curves and widen to 3 lanes (Highway 22 to Kuebler Blvd)	Salem CIP
Commercial Street	North and southbound left turn lanes @ Wiltsey Street	SKATS TSP
Silverton Road	Traffic signal interconnect Brown to Cordon	STIP (2004-2007)
	Traffic signal interconnect Lancaster to 45 <sup>th</sup>	
	Traffic signal interconnect Lockhaven (River Rd N to I-5)	
Center Street	Traffic signal interconnect 12 <sup>th</sup> to Hawthorne	STIP (2004-2007)
Market Street	N River Road to Rickman Rd pedestrian improvements	SKATS TSP
Chemawa Rd/Lockhaven Dr	Bridge replacement over Claggett Creek	STIP (2004-2007)
	Traffic signal interconnect from Fred Meyer to Shangri La	SKATS TSP
Broadway Street	Left turn lanes from SB Oregon 99E to Howell Prairie Rd	Marion County Draft TSP
Portland Rd/Hwy 99E/Fairgrounds Rd	Left turn lane from northbound 99E to Boones Ferry road	STIP (2004-2007)
	Traffic signal interconnect Erixon to Lana	SKATS TSP
	Traffic signal interconnect with Hayesville and Chemawa	
	Install new actuated and interconnected traffic signals at Kale Street	STIP (2004-2007)
12th/13th St SE	12th Street Pedestrian Promenade	SKATS TSP
	Traffic signal interconnect Hines and Hoyt	
	Traffic signal interconnect Mission to Hoyt	STIP (2004-2007)
Hawthorne Avenue	Widen to 2 travel lanes with center turn lane Portland Road to Sunnyview Road	Salem CIP
Liberty Road SE	Widen to add left-turn lanes on all approaches at Madrona Avenue SE	STIP (2004-2007)
25th Street/Madrona Avenue	Madrona and Liberty Road left turn refuges and signal upgrade	STIP (2004-2007)
Turner Road	No improvements at this time	
Transit Improvements	Transit garage retrofit Preventative maintenance Transit station construction (South Salem and Keizer) Streetcar feasibility study High Priority Transportation Corridor Implementation N River Road/Broadway	STIP (2004-2007)

**Table 1-4. Planned Projects on Study Area Corridors (continued)**

Study Corridor	Project	Report/Plan
Bridge Improvements	Bridge Replacement Capitol Street Bridge at Mill Creek Bridge Replacement Center Street Bridge at Mill Creek Bridge Replacement Summer Street Bridge at Mill Creek Bridge Replacement Commercial Street Bridge at Pringle Creek Bridge Replacement Liberty Street Bridge at Pringle Creek Bridge Replacement 14th Street Bridge at Shelton Ditch	Salem CIP

*City of Salem Capital Improvement Program:* This plan consists of a variety of projects to improve the City of Salem’s multi-modal transportation system. The community has not approved a transportation general obligation bond since 1995. Given the lack of bond funding, the majority of street improvement projects proposed for funding in this issue are to be constructed using Transportation System Development Charges.

#### **1.16.5 Oregon ITS Strategic Plan (1997-2017)**

ODOT developed the Oregon ITS Strategic Plan to set a vision and goal for ITS in Oregon. The plan includes a summary of existing ITS infrastructure, high priority user services, and ITS implementation strategy, timeframe and associated costs. Both regional and statewide projects are included for implementation in the short (1997-2002), mid (2002-2007) and long term (2007-2017). Some of the projects that have been identified for Region 2 over the next 15-year are outlined below.

- ▶ Install Photo Violation Detection (Short-term)
- ▶ Regional Traffic Management Center (TMC) (Short-term)
- ▶ Incident Dispatch and Response (short-term)
- ▶ Automatic Incident Detection System (Medium Term)
- ▶ Variable Message Signs (Medium-term)
- ▶ Installation of CCTV Surveillance Cameras (Long-term)

The list of statewide projects is quite lengthy and encompasses many aspects of ITS, such as transportation operations, traffic and incident management, traveler information, emergency response, and traveler safety.

#### **1.16.6 Salem-Keizer Transit Strategic Business Plan**

The Salem-Keizer Transit District developed the strategic plan in an effort to define what their mission means in practice and how can best be accomplished. The main component of the service program over the next five-year period is the conversion of the current radial pulse pattern of service to what has been coined the “3C” system of neighborhood circulators, outlying transit centers, and high-frequency corridor routes. This shift will potentially provide greater capacity, flexibility and efficiency by enabling the system to attract more riders, adapt to the changing communities and improve mobility to more neighborhoods. Additionally, Intelligent Transportation Systems (ITS) technology is programmed to improve service speed, quality of the transit experience and improved information for riders.

# USER NEEDS ASSESSMENT

## 2.1 INTRODUCTION

This chapter provides a summary of transportation system user needs for the Salem-Keizer Metropolitan Area gathered from project stakeholders. Personal key stakeholder interviews and expanded stakeholder questionnaires contributed to a comprehensive list of user needs for the region. This chapter also includes a summary of the interviews and questionnaires that were conducted and an assessment of regional strengths, weaknesses, opportunities, and challenges. The assessment of current and future transportation user needs in the Salem-Keizer area provides the backbone for the development and evaluation of potential ITS projects.

The *Stakeholders and System Users* section describes details from the interviews and questionnaires. The *Summary of User Needs* section highlights the user needs identified by stakeholders organized by the following areas of interest:

- ▶ Travel and Traffic Management
- ▶ Public Transportation Management
- ▶ Emergency Management
- ▶ Maintenance and Construction Management
- ▶ Information Management

## 2.2 STAKEHOLDERS AND SYSTEM USERS



To ensure the success of the *Regional ITS Operations & Implementation Plan for the Salem-Keizer Metropolitan Area*, a coalition of stakeholders and system users was created to gather input and build consensus. Efforts were taken to include a variety of interested stakeholders into the development of the plan, due to the broad array of positive impacts and benefits that ITS provides to the community. Personal interviews with key stakeholders targeted numerous subjects, while questionnaires focused primarily on gathering the big picture user needs from expanded stakeholders. After the completion of the interviews and questionnaires, a

workshop for both the key and expanded stakeholders was held to discuss and verify the transportation needs that had been identified previously and to determine any additional needs.

### 2.2.1 Personal Interviews

Key stakeholders with decision-making authority regarding matters such as ITS implementation and institutional coordination were interviewed personally. The interviews were conducted to identify user needs, regional transportation problems, institutional relationships, and obstacles to

ITS implementation. Each interview lasted approximately one hour, the notes taken during the interviews can be found in Appendix D. One or more representatives from the following agencies were interviewed:

- ▶ ODOT Region 2
- ▶ Salem Public Works Dispatch 9-1-1 Center
- ▶ City of Salem
- ▶ City of Keizer
- ▶ Cherriots
- ▶ Marion County
- ▶ Polk County

### **2.2.2 Expanded Stakeholder Questionnaire**

An online questionnaire was developed and e-mailed to the project's expanded stakeholders to determine user needs, agency coordination and perceived problems with the transportation system. The questionnaire was sent to public agencies indirectly involved with the project. Questionnaire recipients included the following:

- ▶ Marion County (Public Works, Engineering, Operations and Maintenance)
- ▶ Emergency Management (Marion and Polk County)
- ▶ Red Cross, Emergency Services
- ▶ Police (Salem, Keizer)
- ▶ Fire Department (Salem, Keizer)
- ▶ Salem-Keizer School District (Security)

Of the 18 questionnaires sent, there was one response. This response can be found in the Appendix E, along with a complete list of questionnaire recipients and a copy of the questionnaire.

### **2.2.3 User Needs Assessment Workshop**

A user needs assessment workshop was conducted with a group of key and expanded stakeholders to discuss and finalize the existing list of transportation needs. The workshop participants included representatives from some of the agencies listed above and contributed to an expanded collection of user needs for the Salem-Keizer Metropolitan Area.

The workshop included a presentation that provided project background information, an overview of the plan process, general ITS uses, and a summary of the previous needs identified from stakeholder interviews. After the presentation, a group discussion was conducted to gain consensus on the existing list of needs and to identify additional needs. The discussion was organized by the following interest areas:

- ▶ Traffic Operations and Management
- ▶ Emergency Management and Incident Management
- ▶ Traveler Information and Information Management
- ▶ Public Transportation Management
- ▶ Maintenance and Construction Management



A preliminary list of needs was also classified into functional areas, similar to those outlined above and placed on a poster for a project scoring exercise. Each participant was given five dots

to place in the areas that represented the most critical need from their perspective. The outcome of this workshop was a comprehensive list of prioritized, user needs for the region that will be used as input for the subsequent steps of the planning process. The workshop invitation, presentations, workshop handout and meeting minutes can be found in Appendix F.

## 2.3 PROJECT MISSION GOALS & OBJECTIVES

Key project stakeholders developed a mission statement and accompanying goals and objectives to guide the development and deployment of intelligent transportation systems in the Salem-Keizer Metropolitan Area.

### 2.3.1 Mission Statement

To enhance economic productivity by improving the safety, efficiency, and reliability of our existing and future transportation system using enhanced operations, advanced technologies, coordinated management techniques and real-time information.

### 2.3.2 Goals

**Improve the safety, efficiency and reliability of our transportation system.**

#### Objectives

- ▶ Reduce frequency, duration, and effects of incidents.
- ▶ Reduce emergency response times.
- ▶ Reduce recurrent congestion.
- ▶ Coordinate incident/emergency response with other local and regional agencies.
- ▶ Improve the management and operations during incidents and emergencies.

**Enhance management of the transportation system to improve maintenance and operations efficiencies.**

#### Objectives

- ▶ Reduce the number of stops.
- ▶ Reduce overall vehicle hours of delay.
- ▶ Reduce incident related capacity restrictions.
- ▶ Increase average vehicle occupancy.
- ▶ Reduce intermodal transfer time.
- ▶ Reduce fuel consumption and environmental impacts.
- ▶ Provide weather information to coordinate snow and ice removal.
- ▶ Enhance management and maintenance of vehicle fleets.
- ▶ Provide more efficient response to customer complaints.
- ▶ Reduce operating costs by improving maintenance and operations processes.



**Improve traveler mobility.**Objectives

- ▶ Reduce recurrent and non-recurrent congestion related delay.
- ▶ Improve travel time for all transportation system users including transit vehicles, commuters, freight, and tourists.
- ▶ Improve travel time reliability.
- ▶ Improve transit travel time reliability.

**Provide improved traveler information and access to the information.**Objectives

- ▶ Provide real-time multi-modal transportation system information to travelers.
- ▶ Provide real-time information about construction activities.
- ▶ Provide incident information.
- ▶ Provide real-time road condition and weather information.
- ▶ Provide one location where customers can access all regional and local traveler information.
- ▶ Provide accessible traveler information to all users of the transportation system.
- ▶ Provide one central location for dissemination of all traveler information.

**Secure/develop a continuing commitment to ITS deployment by utilizing public-public and public-private partnerships**Objectives

- ▶ Deploy systems that fit in with future improvements and can be coordinated and integrated with other agencies.
- ▶ Deploy systems with a high benefit-to-cost ratio and maximize the use of existing infrastructure.
- ▶ Deploy systems with minimal maintenance and operational support requirements.
- ▶ Integrate deployments with other local and regional projects.
- ▶ Share infrastructure and operations resources between local and regional agencies.
- ▶ Build consensus among the Steering Committee members.
- ▶ Follow a phased plan and implement projects with high likelihood of success.
- ▶ Evaluate ITS projects using before and after surveys to document and promote the benefits and educate the public.
- ▶ Use data collection devices to document and track the transportation system performance.
- ▶ Educate decision makers, operators, planners and engineers using outreach, project benefit summaries, training and workshops.

## 2.4 SUMMARY OF USER NEEDS

This section contains paraphrased statements that summarize the user needs gathered from the interviews and questionnaires. User needs are categorized by the following areas of interest: Travel & Traffic Management, Public Transportation Management, Emergency Management, Maintenance & Construction Management and Information Management. Some needs may apply to multiple categories and any similar user need statements are likely the result of comments from separate stakeholders. The transportation user needs outlined in this section will then be mapped into the national ITS architecture user services (Chapter 3) prior to determining applicable ITS projects for the Salem-Keizer Metropolitan Area.

### 2.4.1 Travel and Traffic Management Needs

Travel and traffic management user needs and deficiencies were identified in this section and categorized into the following areas of interest: traffic operations and management, incident management, and traveler information.



#### 2.4.1.1 Traffic Operations and Management Needs

- ▶ Need ability to automatically collect vehicle counts with classification
- ▶ Need more count stations
- ▶ Need to use automatic traffic recorders for detour route plans
- ▶ Need to install cameras
  - at all new intersections
  - Interstate 5 interchanges
  - West Salem bridges
  - Mission Street
  - Cordon Road
  - Lancaster Road
  - Salem Parkway
- ▶ Need means to show traffic congestion on key corridors
- ▶ Need the ability to share access to video images and data devices
- ▶ Need to set up an incident management plan/tool for using Willamette River Bridge for reverse traffic in the event of one bridge closure
- ▶ Need real-time construction mapping information
- ▶ Need mapped height and weight restrictions for possible diversion routes
- ▶ Need to communicate height and weight restrictions to the detour route (for incidents or pre-planned construction)
- ▶ Need to integrate systems between local transportation and emergency agencies
- ▶ Need to support “unrestricted freight mobility”
  - ▶ Need to address safety and blocking issues at rail crossings
  - ▶ Need to provide additional information regarding flood monitoring and slide monitoring
  - ▶ Need advanced traffic control
  - ▶ Need to provide railroad crossing occupation
  - ▶ Need to communicate closures due to events held at the Capitol
  - ▶ Need to provide information on Capitol closures to public and emergency responders
  - ▶ Need parking management at the convention center
  - ▶ Need advanced notification about parking for convention center
- ▶ Need a parking management plan and advanced signage to communicate parking information
- ▶ Need to manage parking structures downtown



### 2.4.1.2 Incident Management Needs



- ▶ Need improved detour route management
- ▶ Need a common communication link
- ▶ Need to provide advanced information to travelers (variety of media and provide other choices)
- ▶ Need to enhance the incident management program
- ▶ Need to provide additional video coverage
- ▶ Need to provide traveler information for incidents on Commercial Avenue
- ▶ Need to provide incident classification information (fender bender vs. major)
- ▶ Need to separate severity of accidents to filter the page notification
- ▶ Need to provide incident detection
- ▶ Need to provide infrastructure to support detection/traveler information
- ▶ Need to have tool to indicate traffic speeds on the roadside so that a page can be sent when traffic slows or stops
- ▶ Need to distribute information to the media
- ▶ Need signal interconnect on Cordon Road to automatically switch to an emergency signal timing plan
- ▶ Need to provide advanced information to east / west travelers intersecting Cordon Road in the event of a detour
- ▶ Need to get air bag deployment data from private sector vendors
- ▶ Need to investigate crime scenes quicker and more efficiently
- ▶ Need to define what needs to be included in accident investigations

### 2.4.1.3 Traveler Information Needs

- ▶ Need real-time, accessible traveler information
- ▶ Need to install VMS at:
  - Lancaster
  - Cordon (I-5 detour route)
  - Silverton Road
  - Highway 22 East
  - River Road northbound at Brooklake Road
  - 99W/Highway 22 intersection
- ▶ Need to utilize and implement dynamic message signs, highway advisory radio, Internet, Cable TV, in-vehicle, 511, radio for distribution of traveler information.
- ▶ Need a quality image for TripCheck, current cameras are black and white
- ▶ Need to integrate information from multiple sources (construction, incidents, public transit, congestion, alternate routes)
- ▶ Need to include parking information on highway advisory radio in Salem
- ▶ Need to be able to broadcast messages to cellular phones
- ▶ Need to be able to link traffic information to xm radio for use with existing xm traveler information channel

- ▶ Need traveler information for the Willamette River Bridges due to limited alternate route options
- ▶ Need to be able to access information about operational status of ferry systems
- ▶ Need to be able to post images on internet (ODOT TripCheck)
- ▶ Need weather stations at:
  - West Salem Hill
  - Fall City
  - Grand Ronde

#### **2.4.2 Public Transportation Management Needs**

- ▶ Need to utilize automatic vehicle locaters (AVL) on Cherriotics fixed-routes
- ▶ Need to implement Mobile Data on paratransit
- ▶ Need to support the High Priority Transportation Corridor
- ▶ Need to implement transit signal priority along bus routes
- ▶ Need to incorporate transit arrival information
- ▶ Need a uniform CAD interface from fixed route to paratransit
- ▶ Need to provide support for the regional trip planner
- ▶ Need to disseminate information about the operational status of ferry from Salem
- ▶ Need ferry information on TripCheck
- ▶ Need advanced signage to indicate ferry is closed
- ▶ Need security cameras to remote sites and safety management on ferry



#### **2.4.3 Emergency Management Needs**

- ▶ Need to facilitate preemption by vehicle ID
- ▶ Need to share incident information between 911, police, fire and transportation
- ▶ Need the ability to communicate with Salem Police Department
- ▶ Need to get data from Mayday systems (private sector data feed)
- ▶ Need to deploy vehicle tracking on fire department vehicles
- ▶ Need to provide real-time information to mobile data devices
- ▶ Need to enhance evacuation management
- ▶ Need to have information related to road closures, major accidents, and detour information available to 911 center
- ▶ Need to share incident information between computer aided dispatch (CAD) systems.
- ▶ Need evacuation plan in case of a major rail event involving hazardous materials
- ▶ Need some plan for terrorist attacks and Capitol mall security issues
- ▶ Need to notify public about road closures and affects on rail in the event of a terrorist attacks
- ▶ Need to be able to share digital video to first responders
- ▶ Need to have video dispatch center
- ▶ Need a link between the region's Emergency Operations Center (EOC) and Agency Operations Center (AOC)

### 2.4.4 Maintenance and Construction Management Needs

- ▶ Need to implement in-vehicle geo-coding of maintenance items (potholes, tree-limbs, signs)
- ▶ Need to provide a central source for construction information/construction zone coordination
- ▶ Need to enhance construction zone management to improve safety (video on site)
- ▶ Need to improve construction activity information (e.g. monitor delays, provide travel time information)
- ▶ Need to put all construction information in one location
- ▶ Need to provide operators at the TOC with construction activity information
- ▶ Need to provide RWIS information to TripCheck
- ▶ Need a better application of weather data, processing, road surfaces, and black ice automation
- ▶ Need better traffic control and advance signing in construction zones
- ▶ Need better maintenance planning



### 2.4.5 Information Management Needs



- ▶ Need to install sufficient communications infrastructure to support future bandwidth requirements
- ▶ Need to install communications over the bridges
- ▶ Need to provide the NWTOC with access to all weather stations
- ▶ Need a cable channel dedicated to travel/incident management
- ▶ Need an automatic notification system for the media
- ▶ Need communication between City of Salem and ODOT Traffic Operations Center
- ▶ Need a filter mechanism to filter out “extra” information so that you only see/hear the information you need.

## 2.5 STRENGTHS, CHALLENGES AND OPPORTUNITIES

Throughout the interviews and the development of the existing and future conditions chapter of the report, the project team identified strengths, weaknesses, opportunities, and challenges that may affect the deployment of ITS projects in the Salem-Keizer Metropolitan Area. Each of these areas represents information that is valuable to developing an ITS plan that is tailored to fit the specific characteristics of the study area.

Table 2-1. Regional Challenges

Challenges	Suggested Preventative Measures
<ul style="list-style-type: none"> <li>• Lack of available resources and funding</li> <li>• Lack of high speed communications to field devices</li> <li>• Limited interagency connectivity</li> <li>• Willamette Bridges – limited alternatives</li> <li>• ITS education</li> <li>• Finding on-going funding sources</li> <li>• Funding operations and maintenance</li> <li>• Supporting freight mobility (provide reliable travel times)</li> </ul>	<ul style="list-style-type: none"> <li>• Identify other creative non-traditional funding opportunities</li> <li>• Minimize the required resources by deploying ITS technologies that meet ITS standards and are easy to operate and maintain.</li> <li>• Focus on deploying technologies that enhance the informational flow between agencies and provide a common communication interface.</li> <li>• Develop alternative route/plan that could be used in an emergency event</li> <li>• Clearly demonstrate the benefits of ITS in an outreach and education program and by collecting before and after data from ITS deployments</li> <li>• Focus on long and short-term evaluation of ITS implementation to support funding needs and demonstrate benefits that building new infrastructure can't provide (i.e non-recurring congestion such as incidents and special events).</li> </ul>

Table 2-2. Regional Strengths


Strengths	Suggestions to Capitalize on Strengths
<ul style="list-style-type: none"> <li>• Northwest Transportation Operation Center</li> <li>• ODOT's Incident Response Team</li> <li>• Salem central signal system and communications infrastructure</li> <li>• Regional interest in communications</li> <li>• Support for ITS exists at all levels</li> </ul>	<ul style="list-style-type: none"> <li>• Integrate the TOC with regional transportation agencies and determine a strategy for regional traffic operations, management, and information sharing.</li> <li>• Document the success of the incident response team to showcase preliminary benefits of communications between emergency responders and transportation agencies.</li> <li>• Utilize the construction of fiber optic cable around the area to coordinate with other jurisdictions and accelerate the deployment of ITS field equipment</li> <li>• Maintain this support through continued outreach, education and identification of funding sources</li> </ul>

Table 2-3. Regional Opportunities

Opportunity	Suggested Action Plan
<ul style="list-style-type: none"> <li>• Existing Salem video detection</li> <li>• Planned Capital Improvement Projects: <ul style="list-style-type: none"> <li>New signals and communications</li> <li>I-5 Widen to 6 lanes (Highway 22 to Kuebler Blvd)</li> <li>OTIA projects</li> <li>Transit Improvements</li> <li>Fiber optic infrastructure projects</li> <li>Salem video data collection project</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>• Utilize existing cameras as a low-cost "early winner" project by displaying camera images on ODOT's TripCheck website.</li> <li>• Capitalize on new construction projects and install communications infrastructure (i.e. conduit) and other ITS equipment defined in this plan.</li> <li>• Integrate planned transit improvements with the deployment of ITS technologies.</li> </ul>


### 3.1 INTRODUCTION

This chapter provides a summary of the National ITS Architecture<sup>1</sup> and how it applies to the deployment of intelligent transportation systems in the Salem-Keizer Metropolitan Area. This includes definitions of National ITS Architecture terminology, the Salem-Keizer Metropolitan area ITS systems inventory, descriptions of the user services and market packages selected by the Steering Committee to meet the needs of the Salem-Keizer area transportation network, and applicable ITS standards.



#### 3.1.1 Why Develop an ITS Architecture?

The U.S. Department of Transportation (U.S. DOT) developed the National ITS Architecture to ensure that intelligent transportation systems deployed around the country can communicate with each other and share information to maximize the return of investment on ITS. The architecture is a framework that describes the functions of system components, how these components interconnect, the organizations involved, and the type of information to be shared.



For example, if a transportation agency wants to clear incidents faster, the architecture defines a function to monitor roadways and identifies the interconnection and information flows between the roadway, the traffic management center, and the emergency management center needed to provide responders with incident information. The architecture provides the framework for the process, but does not define how this is done with technology or management techniques.

The reasons for developing a regional ITS architecture tailored to the Salem-Keizer Metropolitan area include the following:

- ▶ Develop a framework for institutional agreements and technical integration for organized ITS project deployment that meets local transportation user needs.
- ▶ Build consensus among regional stakeholders about resource and information sharing and activity coordination.
- ▶ Meet federal funding requirements.

<sup>1</sup> *National ITS Architecture, Version 5.0*. U.S. Department of Transportation. April 1, 2004. <http://itsarch.iteris.com/itsarch/>. Accessed April 19, 2005.

The Federal Highway Administration (FHWA) published a final rule<sup>2</sup> that all agencies seeking federal highway trust funding for ITS projects must develop a regional architecture that is compliant with the National ITS Architecture. The Federal Transit Administration (FTA) published a similar policy<sup>3</sup> that applies to federal funding from the mass transit account of the highway trust fund.

The Regional ITS Architecture must include the following elements:

- ▶ **Description of the Region:** Included in Chapter 1 and Turbo Architecture
- ▶ **Identification of Stakeholders:** Included in Chapter 2 and Turbo Architecture
- ▶ **Operational Concept:** Included in Turbo Architecture and Chapter 4
- ▶ **Interface Requirements and Information Exchanges:** Included in Turbo Architecture
- ▶ **Identification of ITS Standards:** Included in Section 3.4 and Turbo Architecture
- ▶ **Sequence of Projects Required for Implementation:** Presented in Implementation Plan (Chapter 6)

### 3.2 REGIONAL ITS ARCHITECTURE DEVELOPMENT APPROACH

The Salem-Keizer Regional ITS Architecture was developed based upon the regional transportation network infrastructure, the user needs identified by stakeholders through interviews, questionnaires, and the user needs assessment workshop, and the *Regional ITS Architecture Guidance*<sup>4</sup>. *Turbo Architecture*<sup>5</sup>, a software tool designed to support development



of regional and project architectures based on the National ITS Architecture, was used to document the Salem-Keizer Regional ITS Architecture. This *Turbo Architecture* database is intended to be a living document that will be updated by the key stakeholders as regional needs change over time. The Salem-Keizer Turbo Architecture file will

be managed by the Mid Willamette Valley Council of Governments (MVCOG) with support from ODOT.

The following steps, illustrated in Figure 3-1, were followed in the development of the regional architecture:

- ▶ **Stakeholder Input:** Key and expanded stakeholders, who are listed in Chapter 2, provided input throughout the architecture development process to obtain regional consensus.

<sup>2</sup> *Intelligent Transportation System Architecture and Standards: Final Rule*, U.S. Department of Transportation, Federal Highway Administration, FHWA Docket No. FHWA-99-5899, Jan. 8, 2001.

<sup>3</sup> *Federal Transit Administration National ITS Architecture Policy on Transit Projects: Notice*, Federal Transit Administration, FTA Docket No. FTA-99-6147, Jan. 8, 2001.

<sup>4</sup> National ITS Architecture Team. *Regional ITS Architecture Guidance: Developing, Using, and Maintaining an ITS Architecture for Your Region*. Prepared for U.S. Department of Transportation, Federal Highway Administration, and Federal Transit Administration. FHWA-OP-02-024. Oct. 12, 2001.

<sup>5</sup> *Turbo Architecture, Version 3.0*, developed by Iteris for the U.S. Department of Transportation, Federal Highway Administration, 2004.

- ▶ **Systems Inventory:** Existing and planned ITS system elements, described in Chapter 1, were input into the architecture. The *Turbo Architecture* inventory report for the regional architecture can be found in Appendix G.
- ▶ **Map User Needs to User Services:** The transportation user needs, documented in Chapter 2, were mapped to user services to ensure the architecture meets the regional needs.
- ▶ **Market Package Selection:** Market packages were selected based on the systems inventory and user needs.
- ▶ **Interconnect and Information Flow Customization:** Information flows between subsystems were customized to ensure that the architecture reflects existing and planned regional interconnects. The *Turbo Architecture* information flows can be found in Appendix H.




Figure 3-1. Regional ITS Architecture Development Process

The Salem-Keizer regional architecture has been constructed to be compliant with the existing Oregon statewide architecture. The Salem-Keizer regional architecture provides more detail about the stakeholders and the system elements in the region, while the Oregon statewide architecture provides a higher level view of ITS in Oregon. Common elements existing in both architectures and identify interfaces between the two architectures.

### 3.3 NATIONAL ITS ARCHITECTURE OVERVIEW

The National ITS Architecture provides a common framework for planning, defining, and integrating intelligent transportation systems. It is a mature product that reflects the contributions of a broad cross-section of the ITS community (transportation practitioners, systems engineers, system developers, technology specialists, etc.). The architecture defines:

- ▶ The functions (e.g., gather traffic information or request a route) that are required for ITS applications.
- ▶ The physical entities or subsystems where these functions reside (e.g., the roadside or the vehicle).
- ▶ The information flows that connect these functions and physical subsystems together into an integrated system.<sup>6</sup>

The purpose of a Regional Architecture is not to specify specific technologies that will be used in ITS deployments, but rather to define the functions that the technologies should perform. The architecture provides structure for defining general ITS functional requirements during the planning and design process. Key terms and concepts related to the National ITS Architecture are discussed below.

### 3.4 SALEM-KEIZER REGIONAL ITS ARCHITECTURE

This section includes further descriptions of the National ITS Architecture user services, subsystems, and market packages that were selected for the Salem-Keizer Metropolitan Area. Additional details may be found in the Salem-Keizer Turbo Architecture database.

#### 3.4.1 User Services

User services describe what functions intelligent transportation systems should perform from the user's perspective. Users encompass a broad range including groups such as the traveling public, transportation agency personnel, emergency management personnel, and commercial vehicle operators. Although a user service is a functional requirement of the system, it does not describe where components fit into the architecture or how the service will be implemented. Selection of user services provides a high-level means of identifying the services to provide that address the regional user needs and problems. To simplify the range of requirements in a broad area of services, the user services are logically grouped into the following eight user services bundles.

---

<sup>6</sup> US DOT, National ITS Architecture, Version 5.0

- ▶ Travel & Traffic Management
- ▶ Public Transportation Management
- ▶ Electronic Payment
- ▶ Commercial Vehicle Operations
- ▶ Emergency Management
- ▶ Advanced Vehicle Safety Systems
- ▶ Information Management
- ▶ Maintenance & Construction Management

Table 3-1 includes the 33 nationally defined user services and indicates the ones selected by the Steering Committee based on the regional user needs documented in Chapter 2. A description of each user service may be found on the National ITS Architecture website<sup>7</sup>.

---

<sup>7</sup> *User Services Bundles and User Services*. U.S. Department of Transportation. Nov. 3, 2003. [itsarch/iteris.com/itsarch/html/user/userserv.htm](http://itsarch/iteris.com/itsarch/html/user/userserv.htm). Accessed March 24, 200.

**Table 3-1. User Service Bundles and User Services**

User Services Bundles and User Services	User Need Areas							
	Traffic Operations & Management	Incident Response	Traveler Information	Public Transportation Management	Emergency Management Operations	Information Management	Maintenance & Construction Management	
<b>Travel &amp; Traffic Management</b>								
Pre-Trip Travel Information			✓					
En-Route Driver Information		✓	✓	✓	✓			
Route Guidance		✓	✓	✓	✓			
Ride Matching & Reservation			✓	✓				
Traveler Services Information			✓					
Traffic Control	✓		✓	✓	✓	✓		
Incident Management	✓	✓	✓		✓			
Travel Demand Management	✓		✓	✓				
Emissions Testing & Mitigation								
Highway Rail Intersection	✓							
<b>Public Transportation Management</b>								
Public Transportation Management			✓	✓				
En-Route Transit Information			✓	✓				
Personalized Public Transit				✓		✓		
Public Travel Security				✓				
<b>Electronic Payment</b>								
Electronic Payment Services				✓				
<b>Commercial Vehicle Operations</b>								
Commercial Vehicle Electronic Clearance	✓							
Automated Roadside Safety Inspection								
On-Board Safety & Security Monitoring								
Commercial Vehicle Administrative Processes	✓							
Hazardous Material Security & Incident Response	✓	✓						
Freight Mobility	✓		✓					✓
<b>Emergency Management</b>								
Emergency Notification & Personal Security	✓	✓			✓			
Emergency Vehicle Management		✓			✓			
Disaster Response & Evacuation	✓	✓			✓			
<b>Advanced Vehicle Safety Systems</b>								
Longitudinal Collision Avoidance								
Lateral Collision Avoidance								
Intersection Collision Avoidance	✓							
Vision Enhancement for Crash Avoidance								
Safety Readiness								
Pre-Crash Restraint Deployment								
Automated Vehicle Operation								
<b>Information Management</b>								
Archived Data Function	✓			✓		✓		
<b>Maintenance &amp; Construction Management</b>								
Maintenance & Construction Operations	✓			✓				✓

### 3.4.2 Physical Architecture for Salem-Keizer

The physical architecture provides a framework for the physical elements of ITS systems. It consists of subsystems, equipment packages, terminators, architecture flows, and architecture interconnects, which are all described in this section. Figure 3-2 illustrates the high-level physical architecture customized for the Salem-Keizer metropolitan area. The intent is to show the existing and planned subsystems in the region, and the types of communications links between them.

#### 3.4.2.1 Subsystems

A subsystem represents a grouping of processes defined in the logical architecture that may be defined by single entities. There are 19 subsystems in the physical architecture that are assigned to four overarching classes that correspond to the physical world as described in Table 3-2 and illustrated in Figure 3-2.

**Table 3-2. Subsystem Classes**

Subsystem Class	Function	Real World Examples
Centers	Systems or applications that process and use information to control the transportation network.	<ul style="list-style-type: none"> <li>◆ ODOT Northwest Transportation Operations Center (NWTOC)</li> <li>◆ 911 Centers</li> </ul>
Field	Provide direct interface to the roadway network, vehicles traveling on the roadway network, and travelers in transit.	<ul style="list-style-type: none"> <li>◆ Dynamic Message Signs</li> <li>◆ Highway Advisory Radio</li> <li>◆ Weigh-in-Motion Stations</li> </ul>
Vehicles	Use the roadway network and provide driver information and safety systems.	<ul style="list-style-type: none"> <li>◆ Cherrlots Buses</li> <li>◆ Emergency Response Vehicles</li> </ul>
Travelers	Systems or applications that provide information to travelers.	<ul style="list-style-type: none"> <li>◆ TripCheck Website</li> <li>◆ 511 Traveler Information Number</li> </ul>

#### 3.4.2.2 Equipment Packages

Equipment packages group similar processes of a subsystem together into an implementable package that addresses user services. The equipment packages are considered the building blocks of the physical architecture subsystems. Table 3-3 lists several examples of equipment packages in the National ITS Architecture.


**Table 3-3. Sample Equipment Packages**

Equipment Package	Process Specifications (PSpecs)	User Service Addressed
Roadway Basic Surveillance	<ul style="list-style-type: none"> <li>◆ Process Traffic Sensor Data</li> <li>◆ Process Traffic Images</li> </ul>	Traffic Control
Transit Center Tracking and Dispatch	<ul style="list-style-type: none"> <li>◆ Manage Transit Vehicle Operations</li> <li>◆ Update Transit Map Data</li> </ul>	Public Transportation Management
Emergency Evacuation Support	<ul style="list-style-type: none"> <li>◆ Manage Emergency Response</li> <li>◆ Provide Operator Interface for Emergency Data</li> <li>◆ Provide Evacuation Coordination</li> </ul>	Disaster Response and Evacuation

— Existing\*  
 - - - - Planned

\* For some existing deployments, additional devices (cameras, system detectors, etc.) are planned.

\*\* Center to Vehicle radio communications are represented by the link between Wireline and Wide Area Wireless communications



**Figure 3-2  
 Salem-Keizer Metropolitan Area  
 HIGH-LEVEL PHYSICAL ARCHITECTURE**

### 3.4.2.3 Terminators

Terminators are generally defined as people, systems and the general environment that are outside the boundary or control of ITS, but still impact ITS systems. Interfaces between subsystems and terminators need to be defined, but there are no ITS-related functional requirements associated with terminators. Since regional architectures are usually developed from a specific agency(s) perspective, an entity that impacts ITS but is out of the bounds of the primary agency's perspective is called a terminator. This is done to illustrate ownership/ control of the proposed services. Examples of terminators include "Transit Vehicle Operator", "Other Traffic Management" (such as a traffic management center that is outside of the study area but that still interacts with entities within the study area), and "Financial Institution" (such as a bank that holds revenues from transit fares or toll collection).

### 3.4.2.4 Architecture Flows

An architecture flow is the information that is exchanged between subsystems and terminators in the physical architecture. These flows and their communication requirements are used to define the interfaces which are the basis for much of the ongoing standards development in the National ITS Architecture program. The current US DOT guidelines require that a Regional ITS Architecture be developed at a sufficient level of detail to show subsystems and architecture flows.

### 3.4.2.5 Architecture Interconnects

Architecture interconnects, also called information interconnects, are the communications paths that carry architecture flows between the subsystems and terminators. These interconnects are typically grouped into one of the four categories listed in Table 3-4. Chapter 5 provides a detailed summary of the communications requirements for the Salem-Keizer Regional ITS Architecture.

**Table 3-4. Architecture Interconnects**

Interconnect	Function	Real World Example
Fixed-Point to Fixed-Point Communications	Uses a communications network to link stationary entities.	◆ Fiber optic connection between a traffic management center and a CCTV camera
Wide Area Wireless Communications	Uses wireless devices to link users and infrastructure-based systems.	◆ Mobile telephone used to access traveler information
Dedicated Short Range Communications	Uses short to medium range (300-1000 feet) wireless communications channels to link vehicles and the infrastructure.	◆ Radio waves between a roadside transmitter and a vehicle
Vehicle to Vehicle Communications	Uses a wireless system to link communications between vehicles.	◆ Future vehicle collision avoidance systems

### 3.4.3 Market Packages

Market packages are deployment-oriented groupings of physical architecture entities that address specific user services. The user services identified in Section 3.3.1 are too broad in scope to aid in the planning of actual deployments. Market packages are made up of one or more equipment packages that work together to deliver a transportation service and the architecture flows that connect them with subsystems and terminators. Figure 3-3 illustrates a sample market package that includes subsystems (the large rectangular boxes), the equipment packages (the small rectangular boxes), the terminators (the oval boxes), and the architecture flows (the arrows).

Market packages for the Salem-Keizer metropolitan area were selected early in the ITS plan development process to stimulate ideas about regional needs that may not have been previously identified. Table 3-5 lists the market packages selected by the Steering Committee and includes both existing market packages already deployed and planned market packages that will be deployed within the next 20 years as part of this plan. Eight broad categories of interest are used to group the 85 market packages and a description of each market package may be found on the National ITS Architecture website<sup>8</sup>.




Figure 3-3. Sample Market Package Graphic: Network Surveillance

<sup>8</sup> *Market Packages*. U.S. Department of Transportation. Nov. 3, 2003. [itsarch/iteris.com/itsarch/html/user/userserv.htm](http://itsarch/iteris.com/itsarch/html/user/userserv.htm). Accessed March 24, 2004.

Table 3-5. Existing and Planned Market Packages (Page 1 of 3)

Market Packages (E = Existing, P = Planned)	Key Stakeholders							
	ODOT	City of Salem	City of Keizer	Marion County	Polk County	MWVCOG	Cherriots	Emergency Management
<b>Archived Data (AD) Management</b>								
AD1: ITS Data Mart	E	E	E	E	E	E	E	E
AD2: ITS Data Warehouse						P		
<b>Advanced Public Transportation Systems (APTS)</b>								
APTS1: Transit Vehicle Tracking							P	
APTS2: Transit Fixed-Route Operations							P	
APTS3: Demand Response Transit Operations							E	
APTS4: Transit Passenger & Fare Management							P	
APTS5: Transit Security							E	
APTS6: Transit Maintenance							E	
APTS7: Multi-Modal Coordination	P	P	P	P			P	
APTS8: Transit Traveler Information							P	
<b>Advanced Traveler Information Systems (ATIS)</b>								
ATIS1: Broadcast Traveler Information	P	P	P	P			P	
ATIS2: Interactive Traveler Information	E	P	P	P			P	
ATIS3: Autonomous Route Guidance								
ATIS4: Dynamic Route Guidance	P	P	P	P			P	
ATIS5: ISP Based Route Guidance	P							
ATIS6: Integrated Transportation Mgmt/Route Guidance								
ATIS7: Yellow Pages & Reservation	P	P						
ATIS8: Dynamic Ridesharing	P						P	
ATIS9: In Vehicle Signing	P	P	P	P			P	
<b>Advanced Traffic Management Systems (ATMS)</b>								
ATMS1: Network Surveillance	E	E	P	P	P		E	
ATMS2: Probe Surveillance	P	P					P	
ATMS3: Surface Street Control	E	E	E	P	P			
ATMS4: Freeway Control	P							
ATMS5: HOV Lane Management								
ATMS6: Traffic Information Dissemination	E	P	P	P	P		P	
ATMS7: Regional Traffic Control	P	P	P	P	P			
ATMS8: Traffic Incident Management System	E	E	E	E	P			E
ATMS9: Traffic Forecast & Demand Management	E	P	P	P	P	E		
ATMS10: Electronic Toll Collection								
ATMS11: Emissions Monitoring & Management								
ATMS12: Virtual TMC & Smart Probe Data								
ATMS13: Standard Railroad Grade Crossing	E	E	E	E	E			
ATMS14: Advanced Railroad Grade Crossing								
ATMS15: Railroad Operations Coordination	P	P	P					
ATMS16: Parking Facility Management		P						
ATMS17: Regional Parking Management		P						
ATMS18: Reversible Lane Management	P	P						
ATMS19: Speed Monitoring								

Table 3-5. Existing and Planned Market Packages (Page 2 of 3)

Market Packages (E = Existing, P = Planned)	Key Stakeholders							
	ODOT	City of Salem	City of Keizer	Marion County	Polk County	MWVCOG	Cherriots	Emergency Management
ATMS20: Drawbridge Management								
ATMS21: Roadway Closure Management				P	P			
<b>Advanced Vehicle Safety Systems (AVSS)</b>								
AVSS1: Vehicle Safety Monitoring								
AVSS2: Driver Safety Monitoring								
AVSS3: Longitudinal Safety Warning								
AVSS4: Lateral Safety Warning								
AVSS5: Intersection Safety Warning	P	P	P	P				
AVSS6: Pre-Crash Restraint Deployment								
AVSS7: Driver Visibility Improvement								
AVSS8: Advanced Vehicle Longitudinal Control								
AVSS9: Advanced Vehicle Lateral Control								
AVSS10: Intersection Collision Avoidance	P	P	P	P				
AVSS11: Automated Highway System								
<b>Commercial Vehicle Operations (CVO)</b>								
CVO1: Fleet Administration								
CVO2: Freight Administration								
CVO3: Electronic Clearance	E							
CVO4: CV Administrative Processes	E							
CVO5: International Border Electronic Clearance								
CVO6: Weigh-in-Motion	E			P				
CVO7: Roadside CVO Safety								
CVO8: On-Board CVO & Freight Safety & Security								
CVO9: CVO Fleet Maintenance								
CVO10: HAZMAT Management	P	P						P
CVO11: Roadside HAZMAT Security Detection & Mitigation	P	P	P	P	P			P
CVO12: CV Driver Security Authentication								
CVO13: Freight Assignment Tracking								
<b>Emergency Management (EM)</b>								
EM1: Emergency Call-Taking & Dispatch								E
EM2: Emergency Routing								P
EM3: Mayday Support	P							P
EM4: Roadway Service Patrols	E							
EM5: Transportation Infrastructure Protection								
EM6: Wide-Area Alert	E							E
EM7: Early Warning System								
EM8: Disaster Response & Recovery	P	P	P	P	P		P	P
EM9: Evacuation & Reentry Management	P	P						P
EM10: Disaster Traveler Information	P	P	P	P	P			P

**Table 3-5. Existing and Planned Market Packages (Page 3 of 3)**

Market Packages (E = Existing, P = Planned)	Key Stakeholders							
	ODOT	City of Salem	City of Keizer	Marion County	Polk County	MWVCOG	Cherriots	Emergency Management
<b>Maintenance &amp; Construction (MC) Management</b>								
MC1: Maintenance & Construction Vehicle & Equipment Tracking	P	P		P				
MC2: Maintenance & Construction Vehicle Maintenance								
MC3: Road Weather Data Collection	E	P		E				
MC4: Weather Information Processing & Distribution	E	P		P				
MC5: Roadway Automated Treatment								
MC6: Winter Maintenance	P	P		P				
MC7: Roadway Maintenance & Construction	E	E	E	E				
MC8: Work Zone Management	P	P	P	P	P			
MC9: Work Zone Safety Monitoring	P	P	P	P	P			
MC10: Maintenance & Construction Activity Coordination	P	P	P	P	P			

### 3.5 ITS STANDARDS

This section presents some general information on common ITS standards and their relevance to the implementation of ITS systems, both nationally and for the Salem-Keizer Metropolitan area. The US DOT supports the development of standards for specific systems through the ITS Standards Program, which has cooperative agreements with six standards development organizations<sup>9</sup>.

Intelligent transportation systems depend on the ability to integrate many advanced technologies; ITS standards enhance this integration through interoperability and interchangeability. ITS standards contribute to interoperability by specifying consistency and compatibility between different ITS systems and components, including interconnects, interfaces, hardware and software. This allows agencies to deploy systems and technologies that can exchange information efficiently. These standards also promote interchangeability and assist in the selection and maintenance of ITS systems including: equipment replacement, system upgrades and system expansions.



As the development and testing of ITS standards progresses, requirements may be developed for their use on ITS projects that are accepting federal funding. Currently, there are no such federal mandates for ITS standards; however, there are many benefits of using standards and the US DOT strongly encourages their use as soon as possible. In some cases, agencies may have already procured systems that were developed prior to the development of the ITS standards, or

<sup>9</sup> Standard Development Organizations include: AASHTO, ITE, NEMA, ASTM, IEEE, SAE

that conform to another set of standards. In all cases, system engineering analysis<sup>10</sup> should be conducted to determine where ITS standards applications are feasible. The primary focus is on implementing standards on current and future projects so agencies interface ITS systems consistently and travelers can utilize technologies more efficiently. The sooner that the standards become recognized as an essential part of the deployment process, the sooner that the benefits can be recognized by agencies and travelers. Although standardizing may cost more initially, the long term benefits and cost savings can be substantial.

As of January 2005 there are 75 published standards with approximately 45 more approved, in ballot or under development. The U.S. Department of Transportation maintains an up-to-date, online summary on the status of ITS standards<sup>11</sup>. This web site provides an explanation of key standards and provides additional contact information for more details. ITS standards are under active development; information is being updated regularly at the US DOT web site and should be consulted for the latest information.

### **3.5.1 Standards and the National ITS Architecture**

ITS standards define how system components operate within the National ITS Architecture. The National ITS Architecture links standards to market packages as a starting point for determining which ITS Standards may be applicable to a region. The Turbo Architecture database includes recommended/relevant standards for each architecture flow between elements. This information may be output as customized reports for specific architecture elements (such as, all of the potentially relevant standards for exchanging information between the ODOT NWTOC and OSP CAD).

### **3.5.2 Common Standards**

Although the standards development effort is broad and many standards are still under development, there are a series of common standards that define terms, message sets and foundation standards that apply to many market packages. These standards form the basis for interoperability among systems by defining a common set of terms and message sets. Key standards that should be adopted and used by regional jurisdictions in the development of ITS applications are included in Table 3-6. These key baseline standards are critical for the deployment of a wide range of market packages because they establish the common vocabulary that allows different systems to speak with each other.

---

<sup>10</sup>Title 23, Code of Federal Regulations (CFR), Highways, Chapter 1: FHWA, Department of Transportation, Part 940: Intelligent Transportation Systems Architecture and Standards

<sup>11</sup> ITS Standards. US Department of Transportation. Site accessed April 8, 2005  
<http://www.standards.its.dot.gov/resource4.htm#gen>

**Table 3-6. Key Standards Recommended for the Salem-Keizer Region**

Standard Development Organizations	Applicable Architecture Interfaces	Key ITS Standards Recommended for Salem-Keizer Regional ITS Architecture
AASHTO ITE NEMA	Traffic Management Centers to Other Centers	♦ National Transportation Communications for ITS Protocol (NTCIP) –
	Traffic Management Center to Field Devices	
	Roadside Signal Controllers	♦ Advanced Transportation Controller (ATC)
	Transit Center to Other Centers and Vehicles	♦ Transit Communications Interface Profile (TCIP)
ITE	Traffic Management Center to Other Centers	♦ Traffic Management Data Dictionary (TMDD) ♦ Message Sets for External Traffic Management Center Communications (MS/ETMCC)
IEEE	Emergency Management Center to Other Centers	♦ Standard for Incident Management Message Sets (IMSS) for Use by Emergency Management Centers
	General	♦ Standard for Data Dictionaries for Intelligent Transportation Systems
ASTM	Archived Data Management Center Interfaces	♦ Standard Guide for Archiving and Retrieving ITS-Generated Data
ASTM IEEE	Vehicle to Roadside	♦ Dedicated Short Range Communications (DSRC)
SAE	Traveler Information (Information Service Provider (ISP) Interfaces)	♦ Advanced Traveler Information Systems (ATIS) Data Dictionary ♦ Advanced Traveler Information Systems (ATIS) Core Message List and Data Dictionary
	Location Referencing	♦ Location Referencing Standards

### 3.5.3 National Transportation Communications for ITS Protocol

National Transportation Communications for ITS Protocol (NTCIP) provides communications protocols and data definitions for two different types of ITS communications. The first type of ITS communications is between two transportation management centers (or systems) and is called center-to-center (C2C). The second type is called center-to-field (C2F) and is the link from a transportation management system or center to a field device like a traffic signal or dynamic message sign.<sup>12</sup>

<sup>12</sup> NTCIP: The National Transportation Communications for ITS Protocol Online Resource. AASHTO, ITE, and NEMA. March 22, 2005. [www.nctip.org](http://www.nctip.org). Accessed March 24, 2005

- ◆ **Center-to-Center Standards:** ODOT is planning on utilizing XML<sup>13</sup> for center-to-center communication, as opposed to either DATEX<sup>14</sup> or CORBA<sup>15</sup>. Many standards for XML have already been developed and are used widely in the IT industry. Message sets and data dictionaries for ITS utilizing XML are currently being converted from DATEX message sets by the Standard Development Organizations (SDO's).
- ◆ **Center-to-Field Standards:** For C2F applications, NTCIP offers the potential for interchangeability and interoperability of equipment from different suppliers on the same system. This family of standards provides both the rules for communicating (called protocols) and the vocabulary (called objects) necessary to allow electronic traffic control equipment from different manufacturers and transportation management centers to operate with each other as a system.<sup>16</sup> Key C2F standards that should be adopted and used by regional jurisdictions are included in Table 3-7.

**Table 3-7. Key Center-to-Field Standards**

NTCIP Standard	Name	Description
NTCIP 1201	Global Object Definitions	Provides the vocabulary—commands, responses and information—necessary for general device management, including those objects required for device identification, time-based schedule configuration, and event log configuration.
NTCIP 1203	Object Definitions for Dynamic Message Signs (DMS)	Defines data that is specific to dynamic message signs including all types of signs that can change state, such as blank- out signs, changeable signs, and variable signs.
NTCIP 1204	Object Definitions for Environmental Sensor Stations & Roadside Weather Information Systems	Defines those objects used to describe ambient conditions (including air pressure, wind, temperature, precipitation, sunlight, visibility, and air quality) and pavement conditions (including surface and subsurface temperature, moisture, treatment, etc.)
NTCIP 1205	Data Dictionary for Closed Circuit Television (CCTV)	A database for closed circuit television systems. The format of the database is identical to other NTCIP devices and uses Abstract Syntax Notation One (ASN. 1) representation. Targeted devices include cameras, lenses, video switches, and positioning controls for aiming and identification, such as videotext overlays.
NTCIP 1206	Data Collection and Monitoring Devices	Specifies object definitions that may be supported by data collection and monitoring devices, such as roadway loop detectors.

<sup>13</sup> eXtensible Markup Language (XML): a universal structured data transfer methodology that is currently widely used in e-business and e-government applications.

<sup>14</sup> DATA EXchange Between Systems (DATEX): one of the two approved NTCIP standards for center-to-center communications.

<sup>15</sup> Common Object Request Broker Architectures (CORBA): one of the two approved NTCIP standards for center-to-center communications.

<sup>16</sup> U.S. Department of Transportation. *Intelligent Transportation Systems, Standards Fact Sheet*. October 1999, AASHTO/ITE/NEMA TS 3.1, National Transportation Communications for ITS Protocol (NTCIP) Overview.

**Table 3-7. Key Center-to-Field Standards (cont)**

<b>NTCIP Standard</b>	<b>Name</b>	<b>Description</b>
NTCIP 1207	Ramp Meter Controller Objects	Specifications for objects that are specific to ramp metering controller operations.
NTCIP 1208	Object Definitions for Video Switches	Deals with the data needed to control a video switch enabling multiple monitors to view multiple video feeds.
NTCIP 1209	Transportation System Sensor Objects	Object definitions that are specific to and guide the data exchange content between advanced sensors and other devices in an NTCIP network. Advanced sensors include video-based detection sensors, inductive loop detectors, sonic detectors, infrared detectors, and microwave/radar detectors.
NTCIP 1210	Objects for Signal Systems Master	Defines the objects necessary to manage a field master.
NTCIP 1211	Objects for Signal Control Priority	Defines the management information base for Signal Control and Prioritization (SCP) Systems. It defines individual parameters that represent the configuration, status, and control information that is unique to an SCP and also defines specific groupings of these parameters and others to address the operational configuration, monitoring, and control of the device/entity in a baseline system configuration.

### **3.5.4 Transit Communications Interface Profiles (TCIP)**

The Transit Communications Interface Profiles (TCIP)<sup>17</sup>, a subset of NTCIP are communications standards for interfaces between subsystems involving transit elements such as public transportation vehicles, transit management centers, other transit facilities, and other ITS centers and subsystems. TCIP standards provide conformance requirements for automated information exchange, mechanical and electrical interfaces, data integrity and required message set. Most of these standards are still in draft form so they have not been put to use by most ITS transit vendors. As transit projects are developed, a systems engineering approach will need to be used to determine whether compliance with TCIP standards is feasible.

<sup>17</sup> Transit Communications for ITS Protocols (TCIP), Institute of Transportation Engineers.  
<http://www.ite.org/standards/tcip.asp>

## 4.1 INTRODUCTION

This chapter provides the operational concept for the Salem-Keizer Metropolitan area. The operational concept defines each stakeholder agency's current and future roles and responsibilities in the implementation and operation of the regional transportation system. It provides a high-level overview of the way the region's systems and stakeholders will work together to provide ITS services. This chapter includes discussion about many of the components that contribute to the high level operational concept database and the corresponding input into the Turbo Architecture database including: operational concept approach and overview, agency roles and responsibilities, information flows and pictorial flow diagrams for each of the program areas of ITS services included in this plan.

### **4.1.1 Operational Concept Approach**

Interviews were conducted with key stakeholders to determine existing and planned relationships between different public agencies. Ongoing discussions with the Steering Committee regarding market package and user service selection, and previously defined user needs contributed information used to develop the operational concept for the Salem-Keizer region. The purpose of the interviews was to discuss existing problems and opportunities for interagency coordination and shared resources for the future. The results discussed in this chapter do not represent all of the potential interactions, but does present key relationships, coordination, and information flows that can be incorporated into the Salem-Keizer regional ITS plan.

The Salem-Keizer operational concept has been split into several different operational concepts; with each one covering a particular aspect of the transportation system. Operational concepts will be defined for each of the following ITS areas:

- ▶ Regional Traffic Control
- ▶ Traveler Information
- ▶ Incident Management
- ▶ Public Transportation Services
- ▶ Maintenance and Construction
- ▶ Archived Data

## 4.2 OPERATIONAL CONCEPT OVERVIEW

The following section outlines the different components that contribute to the operational concept for the Salem-Keizer region. The deployment of ITS projects is unique; many of the benefits are seen when ITS projects are implemented together on a region-wide basis, rather than on an individual basis. As a result, the implementation of ITS projects requires coordination and ongoing cooperation between various agencies within a region.

### 4.2.1 Operational Concept Database

The operational concept database was created from input from key stakeholders regarding existing and future relationships between agencies. The High-Level Operational Concept database consists of agency roles and responsibilities and information flows between agencies. These two areas are discussed in more detail in the section below. Each relationship and information flow was characterized as existing (the relationship/information flow is operational), planned (the relationship/information flow is planned) or consider (the relationship/information flow will be considered in the future). This database can be used to develop the framework for setting up inter-agency agreements within the Salem-Keizer Region and is included in Appendix I.

### 4.2.2 Agency Roles and Responsibilities



Key Stakeholder agencies within the Salem-Keizer Region currently interact with each other on various levels. The purpose of the operational concept database is to capture these existing relationships, as well as to look to the future at potential relationships that could be incorporated into the regional ITS architecture plan and affect the functional success of future ITS deployments. Table 4-1 defines eight different relationships that are used to characterize relationships between public agencies in the High-Level Operational Concept Database.

**Table 4-1. Agency-to-Agency Relationships**

<b>Relationship</b>	<b>Definition</b>	<b>“From/To” Example</b>
Independent	Parties operate independently with no interaction	No interaction (e.g. existing relationship between Oregon State Police and the City of Salem).
Consultation	One party confers with another party, in accordance with an established process, about an anticipated action and then keeps that party informed about the actions taken. No electronic sharing of information.	FROM agency provides information on activities to interested TO agencies (e.g. existing relationship from the City of Salem to the local police and fire agencies).
Cooperation	The parties involved in carrying out the planning, project development and operations processes work together to achieve common goals or objectives. No electronic sharing of information.	Both agencies cooperate in the development and execution of common plans, projects, and operational procedures (e.g. existing relationship between the City of Salem and the NWTOC).
Information Sharing	The electronic exchange of data and device status information between parties, for the purposes of coordinated operations, planning, and analysis.	FROM agency will provide status, data, and/or video information from the FROM agency’s field devices to the TO agency (e.g. planned ODOT’s detector data to the City of Salem)
Control Sharing	The ability, through operational agreements, to allow for one party to control another party’s field devices to properly respond to incident, event, weather, or traffic conditions	FROM agency is allowed by the TO agency to control the TO agency’s field devices—(e.g. planned City of Salem control of ODOT cameras).
Only Operational Responsibility Shifted	One party operates the field equipment of a second party on a full time basis.	FROM agency will operate the field devices of the TO agency (e.g. County operates a City’s traffic signals but the City is responsible for maintenance and repairs.)
Only Maintenance Responsibility Shifted	One party maintains the field equipment of a second party.	FROM agency maintains the field devices of the TO agency, but the TO agency is responsible for operations.
Full Responsibility Shifted	One party has full responsibility for the field equipment of a second party including operations and preventative and emergency maintenance.	FROM agency operates and maintains the field devices of the TO agency (e.g. existing City of Salem operates and maintains Marion County’s traffic signals)

### 4.2.3 Information Flows

Information flows represent the different types of information that can be shared or exchanged between agencies, roadside devices, or vehicles within the Salem-Keizer region. There are two types of information flows: center to center and center to field. A center to center information flow occurs when information is exchanged between agencies’ centers. A center to field information flow is characterized by an information flow (e.g. data) being sent directly to an agency’s center from or to a field device.

Other important functional information flows include request or control. Requests for information, (e.g. signal timing plan) may occur from one agency's center to another agency's field devices. The information flows included in the High-Level Operational Concept Database are defined in Table 4-2.

**Table 4-2. Information Flow Definitions**

<b>Information Flows</b>	<b>Definition</b>	<b>“From/To” Example</b>
Data	The dissemination of data gathered from one party's field devices to another party. Data can include, but is not limited to, traffic, weather, parking, transit data etc	FROM agency sends data to the TO agency's field devices and centers
Video	The dissemination of live video and still images from one party's field camera's to another party	FROM agency sends live video and still images to the TO agency (e.g. planned roadway information data/video flows from the City of Salem Traffic Management to Cherriots Transit Operations Center)
Status	The ability for one party to monitor another parties field devices, and receive such information as current signal timing/response plan, current message sets, etc.	FROM agency sends status information on its devices to the TO agency (e.g. planned signal status information from the City of Salem to NWTOC)
Request	The ability for one party to solicit either data or a command change, such as DMS messaging or signal timings, from another party.	FROM agency requests information or action from the TO agency (e.g. existing request for resource from the Willamette Valley 911 center to local police vehicles)
Control	The ability for one party to control another party's field devices. Control can include but is not limited to, changing DMS messaging, changing traffic signal timings, camera control, etc.	FROM agency issues control instruction to the TO agency's field devices (e.g. planned control of ODOT's dynamic message signs by the City of Salem)

#### 4.2.4 Roles and Responsibilities

In addition to the operational concept database, detailed roles and responsibilities are included for each of the key stakeholders in the Turbo Architecture database. The report output from the Turbo file includes these roles and responsibilities that are classified according to the list below:

- ▶ Design: Includes the design of equipment and systems required under each program area
- ▶ Operations: Includes agency roles in operations of equipment and systems in each functional area after implementation
- ▶ Operational Planning: Includes agency roles in defining operational planning process and procedures to support ongoing operations and future expansion of each program area
- ▶ Maintenance: Includes agency roles in maintenance of equipment and systems in each program area.
- ▶ Construction: Includes the construction or installation of equipment and systems required under each program area. This category also includes requirements for integration of the old systems with the new systems.
- ▶ System Development and Integration: Includes the responsibility for development of new software interfaces and integration between systems to support each program area.

#### 4.2.5 Program Area Operational Concepts

The operational concept for each program area includes flow diagrams, description of the program area, applications of the program area and detailed roles and responsibilities that have been input into the Turbo Architecture file. The flow diagrams depict relationships and information flows that were developed to illustrate relationships between agencies, roadside devices and other factors that influence the operations of each program area.

### 4.3 REGIONAL TRAFFIC CONTROL

#### 4.3.1 Description

The operational concept for regional traffic control represents a broad view of interagency coordination and information exchanges that contribute to the success of the region-wide implementation of ITS services related to traffic management. Figure 4-1 illustrates the operational concept for regional traffic control within the Salem-Keizer region.



The city and county field devices and traffic management centers have been grouped together because they operate similarly; the majority of the roadside devices are operated and maintained by the City of Salem. Roadway information, as indicated on the flow diagram, from field devices or centers may include:

- ▶ Incident information
- ▶ Construction information
- ▶ Congestion information
- ▶ Weather information


The diagram also indicates shared video images, requests for resource, status information and control of field devices between corresponding agencies.

#### 4.3.2 Applications of the Program Area

Communications between the city and county traffic management centers and the ODOT NWTOC represent one component of this program area. Other planned information flows include: flood and slide monitoring, railroad crossing occupation information, and parking status information. These changes to the regional system will contribute to more efficient operations of the transportation network and reduced delays for travelers and emergency responders.

#### 4.3.3 Roles and Responsibilities

Currently, there is existing coordination between the city and county traffic management and ODOT's field devices. The city of Salem operates and maintains many of the traffic signals that are owned by ODOT, City of Keizer and Marion County within the study area. Additional shared responsibilities are planned between emergency management, ODOT, and city/county traffic operations centers. Detailed roles and responsibilities are shown in Appendix J.



## 4.4 TRAVELER INFORMATION

### 4.4.1 Description

Traveler information includes the coordination and dissemination of information that affects travel within the Salem-Keizer region. Traveler information includes planned information, such as special events and construction activities and unplanned events, such as incidents and detour routes. Traveler information is collected and then distributed to the individual traveler via cell phones, websites, PDA's, kiosks, or other media sources. This information can be used to make informed travel decisions and contribute to decreased delays caused by congestion, incidents or construction. Figure 4-2 illustrates the operational concept for traveler information within the Salem-Keizer region.




### 4.4.2 Applications of the Program Area

The primary source of traveler information in the Salem-Keizer region is currently ODOT's TripCheck website and the 511 traveler information telephone system. Other planned sources for traveler information dissemination include city and county websites and Cherriots transit website. The operational status of the ferries, real-time transit arrival and departure information, weather information, special events, parking and road closure information will be incorporated into the proposed regional en-route traveler information system. Additionally, there are many existing cameras in Salem and Keizer that could potentially post images on the City of Salem and TripCheck websites to illustrate real-time traffic conditions throughout the study area.

### 4.4.3 Roles and Responsibilities

A key responsibility of the regional agencies involved with providing information includes maintaining and operating user interfaces that are easily accessible and provide current, up to date traveler information. It is equally important for operating agencies to remove outdated traveler information when it is no longer applicable. For example, messages on electronic message signs about a crash ahead should be removed as soon as the incident is cleared from the roadway. Detailed roles and responsibilities are shown in Appendix J.



## 4.5 INCIDENT MANAGEMENT

### 4.5.1 Description

Incident management includes all of the information flows and agency relationships for involvement in emergency and incident response. The scenarios covered by this program area are broad in scope and include minor incidents on local streets to major region-wide emergencies that cross city and county jurisdictional boundaries. Coordination is needed for both planned and unplanned events to increase agency awareness and work towards a common goal of improving



the safety of the public and minimizing effects on traffic flow. The key agencies include: the city and county emergency management and vehicles, Oregon State Police, 911 Center, ODOT NWTOC and incident response vehicles. Each agency contributes to the regional success of incident management. Figure 4-3 illustrates the operational concept for incident management within the Salem-Keizer region.


### 4.5.2 Applications of the Program Area

Existing relationships between the city and county traffic management centers and emergency management personnel could be enhanced through information exchanges, such as data or video images. Other useful information includes data and vehicle location for emergency and incident response vehicles to assist with efficient emergency dispatch and shared incident information between city/county traffic management, ODOT NWTOC and the Mid-Willamette Valley 911 Center.



### 4.5.3 Roles and Responsibilities

Incident management requires a broad range of agency coordination at many different levels. Each agency has the responsibility to install, operate and maintain individual systems that will contribute to the overall management of the regional traffic system and also to coordinate with other appropriate agencies by providing information and controlling field devices and systems as appropriate. Detailed roles and responsibilities are shown in Appendix J.



## 4.6 MAINTENANCE AND CONSTRUCTION MANAGEMENT

### 4.6.1 Description

The maintenance and construction management program area includes weather-related information and construction, work zone, and routine maintenance activities. The information exchange relies on real-time information and planned delays due to roadway construction. Public agencies utilize this information to assist in planning and reducing impacts to local and regional road networks. This program area includes city and county public work agencies, ODOT NWTOC, roadside equipment that is owned and operated by city/county/ODOT and information providers, including the media and internet websites. Figure 4-4 illustrates the operational concept for maintenance and construction management within the Salem-Keizer region.




### 4.6.2 Applications of the Program Area

Currently the city of Salem is equipped with GPS on some maintenance vehicles for tracking routine maintenance needs; future use of this technology will extend to tracking pothole repairs. A statewide construction website will offer a source of information for planned construction events within the state as well as the local Salem-Keizer region. Construction and/or weather related information flows to emergency management centers and Cherriots Transit Management from the city/county/ODOT traffic operations centers are also planned.

### 4.6.3 Roles and Responsibilities

The statewide construction website relies on local agencies providing up to date information about planned construction activities. The city and county public works will also be responsible for installing, operating and maintaining field devices and on-board equipment that will enhance maintenance and construction operations. Detailed roles and responsibilities are shown in Appendix J.



## 4.7 PUBLIC TRANSPORTATION SERVICES

### 4.7.1 Description



Within the Salem-Keizer region, Cherriots operates fixed-route services and Oregon Housing and Associated Services (OHAS) operates demand-responsive paratransit service. This program area focuses on improving transit services through coordination and implementation of ITS technologies, such as transit signal priority, CAD interface integration between paratransit and fixed route service and the use of automatic vehicle location to provide real-time arrival and departure information. Figure 4-5 illustrates the operational concept/informational flows for public transportation services within

the Salem-Keizer region.


### 4.7.2 Applications of the Program Area

Transit signal priority is planned on many signalized corridors in the Salem-Keizer Metropolitan area, specifically on the high priority transportation corridor on North River Road. Transportation agencies owning signals will control, operate and maintain traffic signals with equipment (software and detection hardware) to support transit priority. Cherriots will equip busses with priority equipment to request priority at traffic signals. Additional flows include the transmittal of real-time traveler information to the Cherriots website and transit security surveillance images from the busses to transit center.

Users can access the Cherriots website for real-time traveler information. Planned information flows from the city/county traffic management centers and emergency management provide construction, incident and weather information that may affect scheduled routes and transit arrivals and departures.

### 4.7.3 Roles and Responsibilities

Cherriots and OHAS are primarily responsible for the daily operation, maintenance, design and implementation of field devices used to support their agencies' services. Additional coordination with the City of Salem is required for the operations, maintenance, design and installation of traffic signal priority devices and the exchange of roadway information that may influence the transit services, such as incidents, construction or weather information. Detailed roles and responsibilities are shown in Appendix J.



## 4.8 ARCHIVED DATA

### 4.8.1 Description

The purpose of the data warehouse is to provide a centralized, electronic database that facilitates information/data sharing between agencies within the Salem-Keizer region. As illustrated in Figure 4-6, data will be shared between the regional data warehouse and other public agencies within the Salem-Keizer region.

### 4.8.2 Applications of the Program Area




Data from the following agencies will be collected, stored and archived: City of Salem, City of Keizer, Marion County, Polk County, Cherriots transit management, Emergency management and ODOT's traffic management systems. Types of data that will be exchanged may include traffic count data, weather data, incident data and transit data. ODOT has a policy not to store video images due to institutional and privacy issues.

The capability to store select images should be considered for the purpose of detailed traffic analysis.

### 4.8.3 Roles and Responsibilities

The Mid Willamette Valley Council of Government (MWVCOG) will lead the development, design, operations and maintenance of a regional data warehouse within the Salem-Keizer region. Each agency will participate in data exchange to/from the warehouse and create their corresponding user interface for sharing information. Detailed roles and responsibilities for this program area are shown in Appendix J.



## 5.1 INTRODUCTION

This chapter outlines a communication plan for the Salem-Keizer Metropolitan Area that will support transportation requirements for data and video transmission.

The basic purpose of the communication network is to provide the communication links between various end points on the network (e.g. field devices and centers). These end points are distributed across the region and can include everything from a camera to a central traffic signal system server to a 911 call center.

The communication network defined in this chapter will support communication required for ITS deployment between selected points in the region as identified in the deployment plan (Chapter 6). It will provide a backbone communication system, as well as a distribution network to reach the individual devices or control locations.

### ***5.1.1 Methodology for Developing Salem-Keizer Communication Plan***

The methodology used to develop this communication plan follows a bottom-up approach. The analysis begins with a definition of the current communication requirements, then overlays the future requirements and proposed technologies that should be supported. Based on the defined communication requirements (current and potential), a communication model for the entire network is developed. This model establishes the general configuration of the communication network and the basic protocols that will be supported. The final stage of the communication plan development determines how the plan is applied to the actual deployment of the communication network, e.g. how is the implementation phased.

The communication plan should be considered a living document that is updated on a regular basis, as the communication needs change, to follow improvements in technology, and to reflect the implementation of various portions of the network.

### ***5.1.2 Communication Plan Guidelines***

A number of guiding principles have been used in the development of this communication plan. These principles must also be considered during the detailed design:

- ▶ **Reliability:** The system must provide a high level of reliability, achieved through the use of components with a high mean time between failures (MTBF) (i.e. 8-10 years), combined with a redundancy in the network design. Included in this category is an ease of operations and maintenance of the network by agency staff. A more detailed discussion of Operations & Maintenance (O&M) is provided in section 5.6 of this chapter.

- ▶ **Growth:** The network must be expected to grow gracefully. This requires the incorporation of a reasonable amount of unused capacity (i.e. 40% to 50%) and a design approach that allows extra capacity to be provided by upgrading the transmission equipment.
- ▶ **Standards:** Communication protocols and component selection must use widely accepted standards that minimize ongoing operations and maintenance costs.
- ▶ **Flexibility:** The network configuration must be designed to maximize flexibility to accommodate future changes, rearrangements and equipment changes.
- ▶ **Decentralized:** As the network supports several agencies, it must be configured around several centers of control, and allow the control location to be changed according to current needs.

### 5.1.3 Application of the Communication Plan

This chapter defines a high-level planning approach to ITS communication for the Salem-Keizer Metropolitan Area. This plan provides the guidelines to be used in the development of the detailed design for each section of the communication network. As the opportunity arises to construct a section of the network, through funding or provision of facilities by a third party, the detailed design for that section will be completed.

The regional plan addresses the configuration and implementation approach, but it does not determine exact routing, equipment selection and capacities. These aspects of the communication network are best finalized during detailed design as a section of the network is implemented, allowing the most up to date requirements to be incorporated in sizing, and current transmission equipment to be selected. In municipal networks, cost effective facility routing and equipment locations can be selected if the implementation considers the plans for road reconstruction and construction or renovation of buildings that can be used for communication equipment. The approach summarized in the following three subsections is recommended for each detailed design:

#### 5.1.3.1 Pre-Design Planning Review

Before the start of the detailed design, typically at the same time as the documents are prepared to seek funding for the design, a brief pre-design planning review should be prepared. This document should typically be no more than two pages and should address the following topics:

- ▶ Key elements of the design that are required by the communication plan. These should include provisions for future growth and for geographic areas beyond the scope of a particular detailed design.
- ▶ Aspects of the design that will not follow the communication plan, with justification for these changes.

The purpose of the pre-design planning review is to ensure that the concepts and principles of the communication plan are considered in the detailed design. For example, if a road is being reconstructed, and it is known to be on a planned backbone communication route, this approach will ensure that the detailed design (even if it is only a small section of the ultimate backbone) provides for the future needs. These provisions could accommodate the future capacity with the initial installation or provide conduit and equipment mounting space for future installation.

### 5.1.3.2 Final Planning Review

After the completion of the detailed design of the specific network segment, the pre-design planning review should be finalized to include any changes that have been made during the detailed design. The final planning review should document any provisions made in the detailed design to support the communication plan (for instance, spare capacity, routing or configuration considerations). It should also justify deviations that have been made to the communication plan.

An important aspect of the final planning review is to identify if there is a need to update the master communication plan, either in whole, or in part.

### 5.1.3.3 Communication Plan Updates

As sections of the network are implemented, and as technology and communication requirements change, the communication plan should be updated as required. At any given time, the “current” communication plan should consist of the plan itself, and any planning reviews that have been conducted. A current list should be maintained with the communication plan, and updated as required.

## 5.2 EXISTING COMMUNICATION INFRASTRUCTURE

Chapter 1: Current & Future Transportation Conditions includes a section on existing communication infrastructure. This section identifies existing equipment and infrastructure that is owned and maintained by ODOT, Polk County, Marion County, City of Salem, City of Keizer and Cherriots. This existing infrastructure is illustrated in Figure 5-1 and summarized in this section.

In addition to the existing infrastructure, each agency was asked about their near-term plans and future vision for communications—independent of the new requirements defined in this regional ITS planning effort. The results of these discussions are included in this section as well.



### 5.2.1 Fiber Optic Infrastructure

There is limited public agency installed fiber optic infrastructure in the Salem-Keizer area, but there are existing projects and plans that intend to install a significant amount of new fiber optic cable. ODOT is currently designing fiber optic infrastructure from the radio tower on the east side of Interstate 5 north of State Street south to Kuebler Boulevard. In addition, ODOT has plans to install fiber optic infrastructure from this radio tower site west to the Northwest TOC providing a direct connection to the field devices on Interstate 5. The City of Salem is also installing fiber optic cable with all of their new traffic signal construction projects and has plans for new fiber optic cable south of the City of Salem offices to Mission Street and east to Interstate 5. Once these plans are fully implemented a center-to-center data and video exchange agreement could be established between the ODOT Northwest TOC and the City of Salem using agency owned fiber optic cable.

EXISTING AND PLANNED COMMUNICATIONS INFRASTRUCTURE

August 2005

FIGURE 5-1



Legend

TRAFFIC SIGNALS BY OWNERSHIP

- PLANNED
- SALEM
- ODOT
- MARION COUNTY
- KEIZER

FIBER OPTIC CABLE

- EXISTING
- PROPOSED 0-5 YEARS
- PROPOSED 6-10 YEARS
- PROPOSED 11-20 YEARS

- CENTERS
- COMMUNICATIONS HUB

SALEM INTERCONNECTS

- 25 PAIR CONDUIT
- 12 PAIR CONDUIT
- 12 PAIR OVERHEAD
- 6 PAIR CONDUIT
- 6 PAIR OVERHEAD
- CONDUIT W/ PULL WIRE
- FUTURE FUNDED I.C.

CITY LIMITS

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- COUNTY BOUNDARY
- RAILROAD
- URBAN GROWTH BOUNDARY

### **5.2.2 Copper Twisted Pair Infrastructure**

The City of Salem currently has copper twisted-pair (12 pair) infrastructure interconnecting approximately 190 of the 230 traffic signals with the central signal system server. Today, the copper twisted-pair infrastructure is used for communications between traffic signals. Generally, all copper twisted pairs in the downtown area are currently in use. Outside the downtown area, there is two to four pair available for use.

Currently fifteen traffic signals are without communications; although construction projects will reduce this number to six traffic signals within the next few months. The remaining traffic signals utilize a variety of communications methods. In particular, thirteen traffic signals are supported by leased telephone lines.

The current central signal system, BI-Trans QuicNet/4.1, utilizes two pairs of twisted copper per communications channel (one pair for transmit and one pair for receive) and therefore utilizes all of the twisted pair capacity. The City of Salem has successfully deployed a variety of Ethernet-over-Copper devices on a limited basis and has obtained bandwidths of 4 Mbps at distances of 9,200 feet and 1.6 Mbps at distances of 30,000 feet through two separate pilot projects. Expansion of this technology throughout the Salem-Keizer area offers the potential to deploy ITS field devices using the existing communications infrastructure on an interim basis until fiber optic cable is installed.

### **5.2.3 Wireless Network Infrastructure**

The City of Salem and ODOT currently use wireless communications for some individual field devices. Code Division Multiple Access (CDMA) cell modems are used by ODOT to communicate to portable dynamic message signs and the City of Salem to communicate with seven traffic signals.

The City of Salem has deployed IEEE 802.11b (11 MBPS) technology at a number of traffic intersections to support traffic controller data and CCTV communications. In addition, IEEE 802.11b is used for communications across the river between West Salem and Salem.

### **5.2.4 Leased Infrastructure Alternatives**

Local telecommunications providers in the Salem-Keizer area include ComCast, Qwest and AT&T. These agencies own fiber optic cable in the Salem-Keizer area that may be available for lease. However, access points to a telecommunications providers' fiber optic cable are generally limited to only a few sites within the City. To access the telecommunication providers' fiber optic cable the public agency would need to install the "last mile" of cable from the point of presence (POP) to the field devices or transportation operations center. In addition, a large telecommunication provider such as Qwest or SBC, is not in the business of leasing fiber to only provide communications to the limited number of transportation management centers and field communications hubs that is typical in an ITS network<sup>1</sup>. To lease their infrastructure would require a much greater commitment to access points, such as Statewide, than what is envisioned for the Salem-Keizer Metropolitan Area.

---

<sup>1</sup> Based on meeting with AT&T sales representatives on February 25, 2005 with Dennis Jorgensen, ODOT and Jim Peters, DKS Associates.

## 5.3 COMMUNICATION REQUIREMENTS

This section considers the end devices and centers to be supported on the network and the associated requirements for local communication facilities. All of these devices and centers, considered as a group, form the communication requirements for the region, which must be supported by the communication network. The following deployment plan chapter (Chapter 6), discusses the proposed ITS projects in more detail and illustrates the ITS field device locations in Figures 6-1 through 6-6.

### **5.3.1 Requirements for Existing and Planned Devices**

The network must be designed to support the various communication needs of the region; now, in the near future, and for the long term. This section describes the current and future requirements for communication that the network must accommodate, including the planned devices identified in the deployment plan.

The detailed design of any section of the network should support all current requirements, and provide for future requirements. Where the exact deployment of the planned equipment is not finalized, or in those cases where there is a significant incremental cost, the provision for these future requirements may be limited to the following:

- ▶ Installation of appropriate cable sizes, or the installation of underground conduit for future cable installation
- ▶ Sizing of equipment enclosures, cabinets, and facility rooms to accommodate the future requirements
- ▶ Sizing provisions for power to include the load for future equipment
- ▶ Choice of transmission systems that will allow modular expansion to support the anticipated future requirements

#### **5.3.1.1 Traffic Signals**


Traffic signals in the region are operated by two separate agencies as shown in Table 5-1; the City of Salem operates the vast majority of the signals in the project area. Included in the 230 traffic signals operated and maintained by the City of Salem are 14 signals owned by the City of Keizer, 16 signals owned by Marion County, and 36 signals owned by ODOT. Additionally, ODOT operates and maintains 13 traffic signals in the project area.

**Table 5-1. Regional Traffic Signals**

Agency	Number of Signals Operated	Controller Types	Software	Communication
City of Salem	230	170	BI-Trans with QuicNet 4.1 Central Software	190 of 230 signals are directly connected to the BI-Trans server using copper twisted pair. Remaining signals use either CDPD cell phone modems, IEEE 802.11b, telco phone lines. Six remote traffic signals do not have communications.
ODOT	13	170	Wapiti W4IKS	None
<b>TOTAL</b>	243			

Current Requirements

The City of Salem is the only agency in the Salem-Keizer Metropolitan Area that currently has remote communications to their traffic signals. Their current network configuration uses two twisted pairs per communication channel to connect the QuicNet central computer at the City of Salem to the traffic signal controllers. Each channel (two pairs) can theoretically support up to thirty-two traffic signal controllers as shown in Figure 5-2, however most agencies (including the City of Salem) employ much smaller signal groupings in order to ensure adequate bandwidth is available. QuicNet is a central/distributed signal system that provides the City with full upload and download capabilities and a visual display of local intersection status. The QuicNet central computer does not directly control the local traffic signals, but it does allow remote access to the local traffic signal controllers for status information and upload/download capabilities. Communication to the local controller is accomplished using EIA/TIA-232 communication, commonly referred to by its original name, RS-232.



**Figure 5-2. Traffic Signal Communication**

Future Requirements

It is expected that ODOT, in addition to the City of Salem, will have remote access to traffic signals via a central traffic signal system. ODOT’s access to the City of Salem traffic signals would likely be limited to activating and deactivating an incident management coordinated timing plan from the Northwest TOC. Within the timeframe of this plan, the traffic signal controllers will likely be upgraded to advanced transportation controllers (ATC) to support future functionality such as direct IP communication to the controller, higher speed upload/download capability, advanced signal control features such as transit

signal priority and adaptive signal control and more intelligent recovery methods after signal preemption. The future ATC controllers will support the National Transportation Communications for ITS Protocol (NTCIP) and allow the agencies to install software from a variety of vendors on the same hardware platform.

NTCIP protocols will allow RS-232 or Ethernet communication to each controller. The data loading is dependant on the manufacturer's implementation of the protocol, but many of the ATC controllers today support communications up to 57.6 kbps today. Therefore, 57.6 kbps is a good basis for network design considering the current signal controllers communicate at 1200 bps.

### Communication Provisions

The communication protocols used by traffic signal controllers can be supported by a variety of communication media including fiber optics, twisted pair, wireless or a combination of the three. The City of Salem has established a policy of installing fiber optic cable to support all newly constructed signalized intersections. The communication design should provide for two fibers for each group of six controllers, connected in series. Limiting the number of signals in each group to six will allow for more than enough bandwidth to accommodate the additional overhead required for NTCIP protocols. If Ethernet communications are employed, the number of traffic signals assigned to a single group can be increased substantially, upwards of 20 signals per group, depending upon the physical media employed. Whereas wireline media can support over 20 signals per group, wireless communications are dependent upon the establishment of line-of-sight between all transmitter and receiver locations.

It may be advantageous for the City of Salem to reorganize their controller communications groups as fiber optic cable trunk lines are constructed. This measure could allow the City to reroute existing copper twisted pairs to communication hubs in order to ensure all signals have direct or indirect access to the fiber optic trunk line. Signals that are not on a current fiber path may be connected to this path using the existing twisted pair cable as required, or through wireless Ethernet networking where appropriate. In either case, fibers should be reserved in the main fiber ring to accommodate those additional signals in the future.

Detailed design should anticipate additional intersections that may be installed. Where additional signals are likely, the number of signalized intersections sharing a common channel should be reduced to allow for future signalized intersections.

The City of Salem has successfully connected serial-to-ethernet converters to their existing Type 170 controllers on a limited basis to support locations where traffic controller data and CCTV video is required. The potential exists to expand the Ethernet-over-Copper technology to other portions of the region. By installing a serial-to-ethernet converter, Ethernet switch and Ethernet-over-Copper Digital Subscriber Line Access Multiplexer (DSLAM) that can withstand the extreme environmental conditions found in the a typical traffic control cabinet, the existing copper twisted pairs can be used to provide broadband capabilities to the field and allow for successful deployment of higher bandwidth ITS field devices such as CCTV cameras prior to the installation of fiber optic cable.

### 5.3.1.2 Transit Signal Priority (TSP)/Emergency Vehicle Priority (EVP)

Transit signal priority is an ITS technology that extends the green phase of a traffic signal or truncates conflicting phases to turn on the green early to accommodate transit vehicles that are behind schedule. Emergency Vehicle Priority is an ITS technology that preempts the current phase of a traffic signal in order to provide a green signal to properly equipped emergency vehicles.

There are no TSP systems currently deployed in the Salem-Keizer area, however there are plans to deploy TSP on the major corridors in the region. The majority of the traffic signals in the Salem-Keizer Metropolitan Area have full emergency vehicle preemption capability using Opticom™. Fire vehicles have the capability to preempt traffic signals, but police vehicles do not. All of the new detectors and discriminators being installed have the ability to recognize vehicle identification codes and different levels of priority requests (e.g. bus priority). Many of the existing detectors and discriminators were installed prior to this functionality being offered. The City is actively pursuing opportunities to upgrade the existing detectors and discriminators to provide vehicle identification and low priority functionality.

City of Salem traffic engineers, using the 3M priority control software, have the ability to remotely upload the preemption logs to check for valid preempts. This allows for a back-check of the system to monitor for illegal preemption requests from after market emitters and to monitor the preemption activity.

#### Future Requirements

Most TSP and EVP systems use local communication between a roadside sensor and the traffic signal controller. The roadside sensor identifies the location of a transit or emergency vehicle within a particular zone and provides signal priority or preemption as required. The length of the zone is established through configuration of the detector on each leg of a traffic signal controlled intersection.

In some municipalities a more centralized monitoring approach has been used, where the locations of the transit vehicles are tracked, and the signal priorities are changed system-wide in response to the congestion experienced by these vehicles. Such systems require automatic vehicle location technology for transit vehicles with frequent communications (up to second-by-second) between the transit vehicles and the central transit system. They also require fast, reliable communication between the transit management system and the central traffic signal system and near-real-time communications to the traffic signals.

#### Communication Provisions

The most likely scenario for implementation of TSP, and communications from the transit vehicle to the traffic signal, is with a dedicated short range communication (DSRC) technology. This approach takes advantage of the existing Opticom™ deployed at the majority of intersections. DSRC will not affect the overall communication network design because it is deployed on an intersection by intersection basis.

Within the timeframe of this plan, the centralized approach to TSP may become a reality. This approach requires real-time (up to second-by-second) communications between the transit

vehicle and the transit management system, between the transit management system and the central traffic signal control system and between the traffic signal control system and the traffic signals. Wireless mesh or radio are the two most likely candidates for transmitting the vehicle location information. Center-to-center communications should be provided via fiber optic cable with redundant paths between centers. Traffic signal communications should be per the recommendations of the traffic signal section in this chapter.

### 5.3.1.3 CCTV Video

CCTV monitoring requires transmission of a video signal, as well as a data channel for camera control. Camera control, pan/tilt/zoom (PTZ) and focus, is carried on an RS-232, RS-422 or RS-485 data channel, which can be digitized in an internet protocol (IP) video stream or carried as a separate low speed data channel.

#### Current Requirements

Today, ODOT uses closed-circuit television (CCTV) cameras to monitor traffic at the Hayesville Interchange on Interstate 5. Two fixed mount cameras are provided at this site to provide images north and south of the interchange. From the NWTOC, operators also monitor the pan-tilt-zoom camera on the radio tower at the operations center, the security cameras in the building, and the mountain pass cameras. Two additional cameras on Interstate 5 are currently under design at the Kuebler Boulevard and Mission Street Interchanges. ODOT posts images from the existing cameras on the TripCheck website, which is described later in this chapter.

The City of Salem has video images at approximately one-third of the signalized intersections (approximately 60 intersections), which are supplied from the video detection cameras. These are all fixed mount cameras, but images are generally provided on the approach section of all four legs of an intersection. All new traffic signals in the City of Salem are installed with video detection.

#### Future Requirements

In addition to video detection cameras being installed at all new traffic signals, approximately twenty-nine PTZ CCTV deployment locations have been identified throughout the Salem-Keizer area. The analog video signals interfaced at a typical control center are shown in Figure 5-3. In recent years the quality of digital CCTV cameras that output a video data stream has approached a level that is comparable to traditional analog video signals.




Figure 5-3. CCTV Video

### Communication Provisions

CCTV video can be carried as an analog or digitized signal. The camera control channel can be transmitted as either serial data or be included in the UDP/IP data stream with the digital video.<sup>2</sup> There are several methods available to transmit the video, but digital IP video is recommended because it provides the most flexible network design for sharing video with other agencies and the Internet.

Analog transmission methods could initially be used for deployment of the communications network. However, as the number of ITS elements increases, digital transmission will become

<sup>2</sup> Transmission Control Protocol (TCP) is a protocol developed under contract from the U.S. Department of Defense to interconnect dissimilar systems. This is the protocol of the Internet and the global standard for communications. The TCP/IP suite provides two methods for data transport, TCP and User Datagram Protocol (UDP). TCP is used for everything that must arrive at its destination in perfect form while UDP is used in cases where reliable delivery is not required. There is less processing of UDP packets than there is for TCP. In particular UDP does not use a handshake protocol between origination point and destination point to start a session, it just sends out data packets. UDP is widely used for streaming audio and video, voice over IP (VoIP) and videoconferencing, because there is not time to retransmit erroneous or dropped packets.

more economical. This is because more digital channels can be added at a lower cost compared to analog systems. Also, connecting different field devices over a digital network over a digital network enables more flexibility for implementing automatic measures to route data traffic around network nodes experiencing hardware or software failures. This automatic failure recovery is referred to as fault tolerance.

If an analog video system were to be deployed, it would require some form of field aggregation of the video feeds within communication hubs. Otherwise, each field camera would require a single strand of fiber between the camera itself and the Traffic Management Center. Simply put, this is an inefficient use of the communications medium. Conversely if a digital video system were to be deployed in the Salem-Keizer area, the communications hub would still be required to function as an aggregation point however it would also serve the equally important role of providing fault tolerance in the event of unexpected network outages.

DKS recommends providing four fiber strands at every ITS field element location. The first pair of fiber strands would be used for an Ethernet link supporting the video encoding and camera control requirements. The second pair of fiber strands would be reserved for future requirements. Digital video encoders have improved their compression algorithms to a point where high quality video can be transmitted with as little as 1Mbps of bandwidth however for planning purposes, DKS recommends provisioning 8 Mbps of bandwidth for each CCTV camera.

#### **5.3.1.4 Automatic Traffic Recorders**

Automatic traffic recorders (ATR) are used to collect traffic volume, speed and occupancy data at a given location. These may utilize existing detection at a signalized intersection or be installed at a remote site with dedicated equipment.

##### Current Requirements

ODOT ATR's within the Salem-Keizer study area collect hourly volume data by lane. Three of the four ATR stations have the ability to collect speed and length data. Speed data is typically provided in 13 "Speed Bins" and length data is typically provided in two "Length Bins". ATR stations do not collect occupancy data.

Traffic volumes collected from these sites today provide 24-hour count data that provides changes in volume by time-of-day and by time-of-year.

##### Future Requirements

The deployment plan (Chapter 6) includes additional ATR deployments to monitor critical traffic congestion points and collect traffic volume and speed data for future planning and congestion information mapping. The majority of ATR deployments shown in the plan assume 24-hour volume information. However, automatic traffic recorders that utilize existing vehicle detection at traffic signals could be utilized to provide turn movement counts at signalized intersections. This would not affect the communications requirements, but would affect the data storage requirements.

### Communication Provisions

The low data requirements of automatic traffic recorders can be supported with copper twisted pair, fiber optic cable, wireless or a dial-up phone line. Often these devices communicate directly with a traffic signal controller, and the fiber strands or copper pairs provisioned for a traffic signal controller will also support the automatic traffic recorders. In the case of a stand-alone automatic traffic recorder, the data could be connected to the Ethernet network if it is near a communications hub. For remote ATR's, leased dial-up phone lines are adequate.

#### **5.3.1.5 Weather Stations (RWIS)**

Weather stations, also called roadway weather information systems (RWIS), are used to collect and monitor weather and road conditions that are pertinent to motorists and to maintenance personnel responsible for the roadway operations. Typically weather stations collect temperature, wind speed, wind direction, precipitation, humidity and road surface temperature.

### Current Requirements

Marion County currently operates and maintains three weather stations in Marion County at Drakes, Prospect Hill and Elkhorn. The weather information is accessible online at <http://publicworks.co.marion.or.us/operations/weather/index.asp>. ODOT has a weather station alongside River Road at the Traffic Signal Services Unit facility. The City of Keizer has a weather station at their City maintenance facility behind the Keizer Fire Station. Weather and road condition information collected from these sites generally includes air temperature, pavement temperature, wind speed, wind direction, barometric pressure, and humidity.

### Future Requirements

Several additional RWIS locations have been identified as part of the deployment plan (Chapter 6).

### Communication Provisions

The low data requirements of a typical RWIS station can be supported with either copper twisted pair or fiber optic cable. ODOT's RWIS stations support TCP/IP for Ethernet networks and serial line internet protocol (SLIP) for RS-232 serial data over 56 kbps dial-up. Both configurations can be converted to fiber. However, if CCTV cameras are desired at the weather station, then fiber optic cable is the recommended transmission medium. Specifically, two fiber strands are needed per RWIS location (one to support the RWIS and a spare for redundancy). In the event the proposed RWIS locations are remote and less than 10,000 feet from the fiber ring, then CCTV video and RWIS data could be transported over copper twisted pair using HDSL technology deployed as part of the ITS network. For locations farther than 10,000 feet from the fiber ring a leased line from a private sector telecommunication provider may be necessary.

#### **5.3.1.6 Dynamic Message Signs (DMS)**

A dynamic message sign (DMS) is an electronic sign used to post messages that are variable (any message) or changeable (one of several fixed messages). Traffic management personnel typically use DMS to provide information to motorists about changes in the local road conditions.

### Current Requirements

Currently, there are no existing dynamic message signs within the Salem-Keizer Metropolitan Area. However, ODOT operates and maintains fixed dynamic message signs on Interstate 5 north of Salem. All new dynamic message signs installed by ODOT are compliant with the National Transportation Communications for ITS Protocol (NTCIP). Additional signs are controlled from the NWTOC, but are outside of this project study area.

### Future Requirements

ODOT plans additional DMS on Interstate 5 southbound near the Brooks interchange and northbound north of Albany, and the deployment plan (Chapter 6) includes additional DMS's throughout the region. ODOT's new DMS installations are NTCIP compliant and user configurable for 56K dial-up and UDP/IP over Ethernet. Communication requirements are similar to the traffic signal controllers, and several signs may share a single serial data communication channel depending on device location.

### Communication Provisions

DKS recommends providing four fiber strands at each DMS location (two to support the DMS unit and two for redundancy).

#### **5.3.1.7 Highway Advisory Radio (HAR)**

The purpose of HAR is to provide supplemental information to motorists about traffic advisories, construction and maintenance operations, adverse weather or environmental conditions, route diversions and special events. HAR uses low-power roadside transmitters that operate in AM or FM frequencies licensed by the Federal Communications Commission (FCC). The typical operating range on a HAR transmitter is two miles although ODOT has achieved ranges of up to eighteen miles in some instances. HAR is not intended to replace required permanent signs or temporary signs used for construction or maintenance operations. Local agencies wishing to establish a HAR site must apply to the Oregon State Traffic Engineer. Following approval by the state, the HAR owner subsequently applies to the FCC for permission to operate in the AM or FM frequency spectrum.

ODOT HAR transmitters are equipped with an Ethernet port, so when fiber optic cable is available these sites will be able to communicate with the Traffic Operations Centers using Ethernet communications protocols. Currently all ODOT HAR sites are remotely accessed via leased telephone lines and communicate using Dual Tone Multi-Frequency (DTMF) and voice.<sup>3</sup>

### Current Requirements

There is no existing HAR in the project area.

---

<sup>3</sup> Dual Tone Multi-Frequency (DTMF), the system used by touch-tone telephones. DTMF assigns a specific frequency (consisting of two separate tones) to each key so that it can easily be identified by a microprocessor. In the case of HAR, the microprocessor is located within the HAR transmitter.

### Future Requirements

Additional HAR sites are planned by ODOT to provide additional travel advisory information in advance of key interchanges. The deployment plan (Chapter 6) includes additional detail about this project.

### Communication Provisions

HAR systems are currently being introduced to the market that will allow traffic management personnel to alter or replace HAR broadcast messages remotely from a traffic management center or other remote location using TCP/IP protocols. DKS Associates recommends provisioning four fiber strands per HAR location to support this capability (two for the HAR station and two for redundancy). If the HAR site is remote, a leased phone line is adequate.

### **5.3.2 Transit Subsystems**

A number of systems are available for “next bus arrival”, providing time and/or routing information to transit riders for the next bus to arrive. Many of these systems operate using wireless technologies, but they could also use the wireline communication network if it is available. It is also possible that at strategic points in the region, there will be communication links to the transit vehicles. Although the final link to the vehicle would use wireless technology, the communication backbone would support the link between the wireless antenna site and the control center.

### Current Requirements

There are limited current requirements for transit communications. Security video at the transit management center is viewable at the security center and at the Dellweb maintenance facility. Communications between the transit center and the maintenance facility support several business network needs. The link between the transit center and the maintenance facility is being implemented with a transit agency owned wireless network.

### Future Requirements

Potentially two new transit centers could be constructed during the life of this plan (one in the Keizer Station vicinity and one in south Salem). The transit agency will require security video at these sites and communications infrastructure to support the distribution of this video to the transit management and maintenance centers. In the Summer of 2005, Cherriots is deploying mobile data terminals on paratransit vehicles and implementing a pilot project to provide “next bus” arrival information on a few routes. Both deployments are planned to be supported by wireless communications.

### Communication Provisions

Communications to the planned transit centers should be considered in long term planning of the Salem-Keizer communication network. Actual sites for these centers have not been selected at the time of this print, but general locations are known. Spare fibers and access points should be considered during detailed design of communications infrastructure.

Four fibers should be allocated for future transit links to transit centers and from field hubs to support roadside signs of future wireless communications to vehicles.

### 5.3.3 Center-to-Center Requirements

A key element of a regional ITS operation is the use of center-to-center links to support the sharing of video and data, and in some cases allow for the complete control of another operations center from a backup location. Center-to-center communications should be provided between a variety of locations including transportation management centers, transportation maintenance centers, emergency operations centers (EOC's), transit management centers and 911 centers. The following centers in the Salem-Keizer Metropolitan Area should be interconnected:

- ▶ Northwest Transportation Operations Center (ODOT)
- ▶ City of Salem Traffic Operations Center
- ▶ Marion County Public Works
- ▶ City of Keizer Public Works
- ▶ Polk County Public Works
- ▶ Cherriots Transit Management Center
- ▶ Mid-Willamette Valley Council of Governments
- ▶ Willamette Valley Communications Center
- ▶ City of Salem Police Department
- ▶ City of Keizer Police Department
- ▶ City of Salem Fire Department
- ▶ City of Keizer Fire Department
- ▶ Polk County Sheriff's Department
- ▶ Marion County Sheriff's Department

#### Future Requirements

Although there are no plans to develop formal transportation operations centers other than the existing Northwest Transportation Operations Center in downtown Salem, other agency locations should be considered as centers and served with appropriate center-to-center communication links because the information sharing requirements will be the same. Agencies without the physical space designated to a TOC will utilize workstations to provide similar functionality (viewing video, processing information and responding accordingly). Existing and planned centers and their potential needs for a communications link are summarized in Table 5-2

**Table 5-2. Center to Center Links**

Centers	Purpose	Type of Link
City of Salem and ODOT NWTOC	Allow shared monitoring of cameras and control of traffic signals during incidents.	Ethernet
Transit Management Center and Traffic Management Centers	Share bus location information for vehicle probe project. Share video. Support centralized management of TSP.	Ethernet
Traffic Management Centers and 911 Center	Allow sharing of information during emergency situations. Allow video monitoring and traffic congestion information	Data and video on Ethernet. Voice communications for backup
Traffic Management Centers and Emergency Operations Centers	Allow sharing of traffic condition information (video and data) during emergency situations	Ethernet

Communication links throughout the network, including Center-to-Center and Center-to-Field links, should conform to National Transportation Communications for ITS Protocol (NTCIP) standards. NTCIP is a family of standards that provides both the rules for communicating (called protocols) and the vocabulary (called objects) necessary to allow electronic traffic control equipment from different manufacturers to operate with each other. The NTCIP Standards Framework is divided into five levels – Information, Application, Transport, Subnetwork and Plant. In addition to defining the data protocols and objects common to the ITS industry, the five NTCIP levels incorporate the seven layers of the Open System Interconnection (OSI) model used to standardize the protocols included in networking equipment found in the Information Technology industry. A brief description of each NTCIP level is provided below.

- ▶ Information Level – Information standards define the meaning of data and messages and generally deal with transportation related data as opposed to data concerning the communications network. This level is not part of the OSI model.
- ▶ Application Level – Application standards define the rules and procedures for exchanging information data. The rules may include definitions of proper grammar and syntax of a single statement, as well as the sequence of allowed statements. Protocols found in this level include FTP, SNMP and STMP. These standards are roughly equivalent to the Session, Presentation and Application layers of the OSI model.
- ▶ Transport Level – Transport standards define the rules and procedures for exchanging the Application data between point “A” and point “X” on the network, including any necessary routing, message assembly/disassembly and network management functions. Protocols found in this level include TCP/IP, and UDP/IP. These standards are roughly equivalent to the Transport and Network layers of the OSI model.
- ▶ Subnetwork Level – Subnetwork standards define the rules and procedures for exchanging data between two adjacent devices over some communications media. Protocols found in this level include ATM, Ethernet, SONET, PMPP and PPP. These standards are roughly equivalent to the Data Link and Physical layers of the OSI model.
- ▶ Plant Level –The plant level includes the communication infrastructure over which NTCIP communications standards are to be used. Physical media included in this level includes fiber optic cable, coaxial cable, copper twisted pair cable, and wireless communications.

#### Communication Provisions

During detailed design, the exact communications provisions between centers should be determined. Fiber optic cable and wireless communications are the most viable candidates. If fiber optic cable is selected for a particular center-to-center link, then six fibers should be included in the main fiber runs to accommodate each center-to-center link. If wireless communications is selected for a particular center-to-center link, then a FCC licensed frequency band capable of supporting broadband bandwidth over given distance is recommended.

## 5.4 COMMUNICATION NETWORK ARCHITECTURE

In order to select a network architecture that is best suited to the needs of the region, it is important to consider the available options. This section describes the possible configurations and communication protocols at a higher level, including brief consideration of the strengths and weaknesses of each option. A typical communication network is divided into the following three basic elements, as shown in Figure 5-4. Communication Network Elements

- ▶ **Backbone:** The communication backbone is capable of carrying all types of the data traffic in the system. The backbone interconnects a number of nodes, which are central locations where the information can be inserted onto or removed from the backbone.
- ▶ **Distribution:** The distribution portion of the network provides a connection between the backbone node and a group of ITS devices or buildings. In the case of fiber optic cable, the distribution portion typically has fewer fiber strands compared to backbone portions. Distribution electronics are commonly collocated with the backbone node equipment in a communication hub.<sup>4</sup>
- ▶ **Local:** The local portion of the network or “drop” that connects an end device or building to a distribution cable or directly to a node on a backbone. For fiber optic networks, local portions typically have fewer fiber strands compared to distribution portions. For example, a hypothetical ITS network could have a 96 strand fiber backbone with 12 strand distribution cables that allocate two fiber strands for each traffic controller cabinet.




Figure 5-4. Communication Network Elements

<sup>4</sup> For the purposes of this document, the terms node and hub may be considered interchangeable.

The network must be designed to support data and video requirements to a wide variety of locations throughout the region. With particular types of communication equipment the video can also be converted to a data stream and carried on a common transmission medium, but for planning purposes it is typically more flexible to consider two independent networks:

- ▶ **Data:** The communication network to carry the data signals will consist of a high-speed backbone and local distribution that will feed the individual signals to the backbone.
- ▶ **Video:** The video network will carry single video channels and multi-channel video signals, generally to a control center. Single channel video will typically be carried in the distribution network, and video on the backbone usually combines a number of video signals into one multi-channel video signal.

There are a number of aspects of any network architecture that need to be considered:

- ▶ **Communication Technology Options – Plant Level:** At the outside plant level, the network architecture considers the links between elements in the network. There are a number of technologies that can be used to connect locations on the network, either cables or wireless links.
- ▶ **Physical Topologies:** The devices, centers and other facilities on a communication network can be connected in a number of different physical configurations or topologies, including star, ring, and/or mesh networks.
- ▶ **Backbone Communications Technology Options – Sub-network Level:** A key aspect of the network architecture is the type of transmission system used in the backbone to interconnect network nodes. Examples include ATM, SONET and Gigabit Ethernet (GigE) technologies. In newly constructed networks generally a single backbone transmission system is selected for the entire network.
- ▶ **Distribution Communication Technology Options – Sub-network Level:** There are a number of communication technologies that should be supported by the architecture for distribution systems such as Ethernet, RS-232/485, or propriety. Although it reduces complexity to minimize the number of distribution technologies, it is better not to design physical facilities that limit the use of a wide range of technologies.

#### **5.4.1 Communication Technology Options – Plant Level**

The plant level considers the physical plant used to interconnect points on the network. In traditional networks this would include the cable (fiber or twisted pair) between devices, but in recent years, the introduction of wireless technologies has also allowed wireless equipment to provide a plant level link. This section summarizes plant level options.

##### **Twisted Pair**

Twisted pair cable was the original physical plant used for communication networks. The widespread use of this technology by the telephone companies has resulted in robust cables that require little maintenance when installed correctly.

The most significant drawback of twisted pair plant is the narrow bandwidth it can provide. In recent years this disadvantage has been addressed through the use of Digital Subscriber Line (DSL) technology. There are two types of DSL service commonly deployed in the field –

Asymmetric Digital Subscriber Line (ADSL) and High Bit-rate Digital Subscriber Line (HDSL). ADSL is the most popular form of xDSL technology. The key to ADSL is that upstream and downstream bandwidth is asymmetric, or uneven. In practice, the bandwidth from the provider to the user (downstream) will be the higher speed path. This is in part due to the network provider's desire to accommodate the typical Internet usage pattern where the majority of data is being sent to the user (programs, graphics, sounds and video) with minimal upload capacity required (keystrokes and mouse clicks). ADSL downstream speeds typically range from 768 Kb/s to 9 Mb/s. Upstream speeds typically range from 64Kb/s to 1.5Mb/s although most deployments tend to be towards the lower end of this spectrum. ADSL's upstream data rate is typically not high enough to support full motion video transmissions and is therefore not recommended for use in the City's ITS program.

HDSL delivers 1.544 MBPS of bandwidth in each direction over two copper twisted pairs. Because HDSL provides the equivalent of T1 speed, telephone companies have been using HDSL to provision local access to T1 services whenever possible.<sup>5</sup> The operating range of HDSL is limited to 12,000 feet (3657.6 meters) without the use of signal repeaters.

A third type of Digital Subscriber Line technology has recently gained attention in the United States call SHDSL. Symmetric High Bit-rate Digital Subscriber Line (SHDSL) is the first standardized multi-rate symmetric DSL and is a product of the International Telecommunications Union – Telecommunications (ITU-T) standards body. SHDSL is designed to transport rate-adaptive symmetrical data across a single copper pair at data rates of 192 Kbps to a range of 20,000 feet or 2.3 Mbps to a range of 10,000 feet.

SHDSL equipment has recently been introduced to the ITS market which provides up to 9.2 Mbps of bandwidth using Ethernet communications protocols to a distance of 9,500 feet using two pair of 24 AWG copper twisted cable.<sup>6</sup> This is sufficient to support broadband ITS field devices such as CCTV cameras. If more copper pairs are available, then the distance and bandwidth capacities increase significantly. Using the example of the 24 AWG copper twisted cable, increasing the number of pair from two to four provides 14.2 Mbps of bandwidth at 9,500 feet. Increasing the copper twisted pair from four to eight provides 27.2 Mbps of bandwidth at 9,500 feet.

The Salem-Keizer area has a significant copper twisted pair network in place. In particular, the City of Salem has a good quality twisted pair network that operates the vast majority of the traffic signal system. In many cases it may be feasible to deploy Ethernet-over-Copper equipment on an interim basis in order to support high bandwidth ITS field devices until fiber optic cable is installed.

---

<sup>5</sup> Other HDSL applications include Private Branch Exchange (PBX) network connections, digital loop carrier systems, interexchange Point-of-Presence (POP) connections for internet/intranet access, internet servers, and private data networks.

<sup>6</sup> In February and March 2005 DKS Associates conducted a 60 day field trial in Livermore CA comparing the SHDSL equipment manufactured by Tut Systems and Actelis Networks. Tut Systems provided performance data showing 9.2 Mbps to a range of 9,500 feet using two pair of 24AWG copper cable. Actelis Networks provided performance data showing 7.2 Mbps to a range of 9,500 feet using two pair of 24 AWG copper cable. Actual field observations obtained during the field trial were in line with the performance statistics advertised by each manufacturer.

### **Coaxial Cable**

Coaxial cables were introduced to provide increased bandwidth and are still widely used to carry broadband video services by the cable television industry. In intelligent transportation systems they are used typically to make video connections where the cable is 500 feet or less in length, which does not require any transmission equipment.

Although coaxial cables can be used to transport video images for greater distances, the transmission of unmodulated analog video signals (i.e. baseband) required in ITS networks is carried more efficiently on fiber optic cable.

### **Fiber**

Fiber optic cable has become the preferred choice of physical plant installations for ITS networks. Fiber optic systems can carry very large bandwidth on a single fiber, and cost effective transmission systems are available for CCTV video signals. Fiber has the advantage of low signal loss, allowing signals to be carried large distances without repeaters. Equipment is available that can carry a signal with any of the protocols described in this document between any two points in the region without repeaters. In recent years the cost of fiber optic cable has decreased, and it costs far less than a twisted pair of equivalent capacity.

### **Wireless**

As the road allowances have become increasingly congested with cable plant, wireless systems have increased in suitability. Recent developments are making these systems more cost effective and increasing the bandwidth that they can carry.

Many options exist for low speed systems that do not require FCC licensing to operate. These systems typically operate in the 900MHz, 2.4GHz and most recently 5.8GHz frequency bands and employ Frequency Hopping Spread Spectrum techniques where the transmitter and receiver rapidly switch frequencies that allow other users to occupy the same frequency band without interference.<sup>7</sup> While license free systems frequently offer a relatively inexpensive and simplified deployment compared to licensed frequency systems, the popularity of the license free frequency band has saturated the 900 MHz and 2.4GHz bands. In the last few years significant research and development efforts have been made by telecommunication equipment manufacturers to provide wireless broadband access over licensed and license-free frequencies. This effort has intensified with the issuance of the IEEE 802.16, which addressed standards for manufacturing Ethernet compliant wireless metropolitan area networking devices.

---

<sup>7</sup> Spread Spectrum is a data transmission modulation technique by which the transmitted signal is spread over a bandwidth wider than the information bandwidth. Spread Spectrum radio communications was developed originally used by the military because the radiated signals are distributed over a wider range of frequencies and then collected onto their original frequency at the receiver making them difficult to jam or intercept. Spread Spectrum frequency bands are designated by the FCC and require no user license. Currently three license free Spread Spectrum frequency bands have been assigned by the FCC – 902 MHz to 928 MHz, 2.4 GHz to 2.4835 GHz and 5.725 GHz to 5.85 GHz. There are two Spread Spectrum transmission techniques – Frequency Hopping and Direct Sequence. Frequency Hopping Spread Spectrum is a technique by which the frequency band is divided into a number of channels and the transmission hops from channel to channel in a pre-specified sequence. Direct Sequence Spread Spectrum is a technique by which the transmitted signal is spread over a particular frequency range.

When compared to the high cost of cable installation, wireless systems are a viable option. Based on our DKS Associates' experience in designing both fiber optic CCTV systems and wireless CCTV systems, constructing fiber optic cable systems typically costs ten times more than a similar system using wireless communications. In the short term, it is expected that wireless systems can provide the greatest cost benefit for low speed links in congested areas, and could be considered for short haul communication to ITS devices. However in the mid to long term, equipment conforming to IEEE 802.16 will become more prevalent, resulting in high bandwidth ITS field devices being supported with license-free wireless communications.

### **Leased Lines**

Another plant level option is to lease communication services from a third party. Leased links require ongoing monthly charges, but do not require a large capital outlay for installation. They are often used effectively to serve remote devices where it would be too costly to install a dedicated cable.

As a point of reference, a leased 56K Frame Relay connection can often cost between \$200/month and \$300/month, while a T-1 line can often run anywhere from \$500/month to over a \$1,000/month. A DS-3 typically costs approximately 10 times more than a T-1 line. However, these costs can vary drastically from region to region and between service providers, and should be verified during detailed design.

### **Leased Fiber**

Fiber can be leased from telecommunication providers in the region. Unused fibers contained in cables owned by the private sector telecommunications provider can be segregated and leased exclusively for ITS use.


Although leased fibers incur monthly charges ranging from \$300/month to \$1,000/month depending on the location and distance, they provide the full benefit of the fiber optic cable without the capital construction costs. Utilization of leased fiber may be particularly advantageous for phased network implementation, with the leased segments being replaced by new construction as network deployment proceeds.

## **5.4.2 Physical Topologies**

There are a number of physical topologies that can be used to interconnect locations on a communication network. This section introduces some example network topologies, including star, ring, mesh, and hybrid.

### **Star**

Star configurations refer to a topology where each device has one connection to a central point as shown in Figure 5-5. Also called a "home run," these links provide the sole communication path from the device to any other point in the network. This approach is often used in distribution networks, where each device has a single channel back to a node on the backbone. Local links are typically star configurations, as well, between the distribution cable and the end device.



**Figure 5-5. Generic Star and Multi-Drop Configuration**

With some systems, more than one device can share a channel. If these devices are served in series (as illustrated in Figure 5-5) they can be called a multi-dropped star, where a number of devices share one communication path.

The main advantage of this topology is it allows for the greatest control of the network since all circuits are connected to a central location. In addition, star topologies tend to provide the fastest performance since all nodes are connected to the central location. Disadvantages of the configuration include more susceptibility to disruptions due to link failures, e.g. cable severed in the field, and a more extensive communications infrastructure for point-to-point links.

### Ring

Ring configurations connect a number of devices or locations in a ring. This approach is often used in backbone networks that connect a number of nodes together as shown in Figure 5-4. Each node has two connections: primary and secondary. In this configuration illustrated in Figure 5-6, the failure of a single communication path or a single node allows the remainder of the devices to communicate without interruption. The use of rings in distribution networks is also possible, although there are a fewer number of types of distribution electronics available to do this.

Fault tolerance is accomplished through the use of the Spanning Tree Protocol (IEEE 802.1d) or Rapid Spanning Tree Protocol (IEEE 802.1w), protocols designed for looped Ethernet networks. Since Ethernet has traditionally been found in a star or a bus network, it was not originally designed to be a ring network. This worked well in a local area network environment, primarily when a broadcast message was sent, since a broadcast message was received by each connected device from only one link, or path. With a ring or meshed network, a connected device could receive and forward the same broadcast message from multiple links or paths. In some instances the forwarding of identical messages elicits even more messages and subsequent forwarding from other devices. This process eventually “snowballs” into a broadcast storm. A severe broadcast storm can block all other network traffic. Broadcast storms can usually be prevented

from other devices. This process eventually “snowballs” into a broadcast storm. A severe broadcast storm can block all other network traffic. Broadcast storms can usually be prevented by carefully configuring a network to block redundant links, thus preventing loops in the network and avoiding broadcast storms. The Spanning Tree Protocol is primarily utilized to prevent “broadcast storms” in multiple path networks. Based on a “Root Switch”, the protocol continuously monitors all links on the network and automatically re-routes traffic in the event one link or several links fail.

In order to employ Spanning Tree Protocols while maintaining the ability to deploy Ethernet switching products from multiple manufacturers, DKS recommends employing Ethernet switching equipment that fully complies with IEEE 802.1d or IEEE 802.1w standards and does not utilize proprietary Spanning Tree algorithms. In order to minimize the fault recovery times to as little as 5 milliseconds and support up to 80 Ethernet switches in a single ring, compared with IEEE 802.1d/IEEE 802.1w fault recovery times that approach 60 seconds on rings supporting up to 31 Ethernet switches, many Ethernet switching manufacturers have developed proprietary Spanning Tree Protocols that do not conform to IEEE standards. However in order to take advantage of these features, then Ethernet switching equipment from a single manufacturer is required.

The chief advantage of this topology is in the area of fault tolerance. Since communications are not focused entirely on one location. Another advantage of a ring topology is geographic coverage. In most cases the data transmission present at each network nodes regenerates the received signal which allows for a wider geographic coverage of the network. The primary disadvantage of a ring topology is the whole network can be impacted by a cable cut as the primary and secondary loops occupy the same conduit bank.





Figure 5-6. Generic Ring Configuration

### Mesh

In some backbone technologies, particularly TCP/IP, the equipment can accept many different connections (instead of just primary and secondary), and the firmware on the communication equipment can select the routing of the traffic between any two points on the network (as compared to the ring where the hardware determines the routing). With this capability, a mesh configuration can be established where any number of connections may exist between any two points in the network, as shown in Figure 5-7.

This configuration can provide multiple redundant paths, and allows the system to balance traffic between the nodes in real time. It also provides increased flexibility and growth options for the network. This configuration also provides advantages in a system where there are multiple control points. The virtual traffic management center (TMC) concept, where ITS operations are conducted and monitored from multiple ad-hoc locations, would be well supported by this configuration. The disadvantage of this topology is complexity. Mesh networks require a high level of technical expertise to manage effectively.




**Figure 5-7. Generic Mesh Configuration**

### Hybrid


A hybrid network combines one or more of the previously discussed technologies into a single network. The most common topology is a hybrid with a star distribution network and a mesh or ring backbone. Hybrids combine the advantages of ring and star topologies to provide relatively high performance with an increased level of redundancy.

A hybrid approach is also typically used in backbones where a ring or mesh has a node that is connected by a spur in a star configuration as shown Figure 5-8. In this case the node on the spur has access to the backbone bandwidth, but does not have the redundancy that a node on the ring or mesh would have. This configuration also provides advantages in a system where there are multiple control points. The virtual TMC concept would also be well supported by this configuration.



**Figure 5-8. Generic Hybrid Configuration**

Another hybrid network is a redundant star as shown in Figure 5-9. In this configuration, each device is connected in a star configuration, but two channels are provided to make the connection. The two channels are contained in the same transmission media, providing redundancy should the electronics on one of the end points fail. Since the communication path is common, however, this does not provide any redundancy to communication path failures such as cable cuts.



**Figure 5-9. Generic Redundant Star Configuration**

### 5.4.3 Backbone Communication Technology Options

The most significant decision in the design of the communication network is the selection of the data backbone technology. The selection must consider the current needs, industry standards, and the developing standards.

At this time there are only three technologies that are widely used, which also have a well established base of standards: ATM, SONET and Gigabit Ethernet. Other backbone systems exist, but they either do not have a full range of accepted standards, or there is not a variety of vendors providing interoperable equipment.

**Asynchronous Transfer Mode (ATM)**

Asynchronous Transfer Mode (ATM) backbones saw their greatest growth prior to the introduction of 100 and 1,000 Mbps Ethernet transmission. This equipment provided high speed connectivity and easily supported TCP/IP (Ethernet) transmission, making it a popular candidate for use in networks that had a high volume of TCP/IP traffic. The equipment provided routing and supported mesh configurations. ATM also provided the first variable bit rate solutions for transmission of video signals.

With the improvement of speeds provided on Ethernet equipment and new advances in digital video, the implementation of new ATM networks has virtually stopped. With the advent of Gigabit Ethernet (1,000 Mbps), TCP/IP traffic no longer requires conversion to ATM protocols for transmission at higher speeds. The most common digital video transmission protocols are also now based on TCP/IP protocol.

**Synchronous Optical Network (SONET)**


SONET technology is the traditional choice of telecommunication providers, for whom voice transmission makes up the majority of the traffic. The highly reliable system is based on the provision of established channels that are constantly open between each end point in the system.

The standards for SONET are firmly established and widely followed, and provide for the transport of serial data streams of 1.544 Mbps (T-1) or higher in a number of protocols. Data services operating at lower speeds or different protocols can be accommodated by adding communication components connected to the SONET network. Transmission equipment supporting pure implementations of SONET is interoperable between vendors.

SONET standards do not provide for Ethernet connections or data channels with lower speeds than 1.544 Mbps. Some vendors do provide multiplexers that will accept these protocols and transport them using SONET protocols and data rates, but these products are not “pure” SONET, and are not interoperable between vendors because each multiplexer must communicate with another multiplexer made by the same vendor.

An implementation of SONET in the backbone network for the region that would support TCP/IP (Ethernet) and low speed data would require routers at every node to convert the Ethernet signals into data channels that can be carried by SONET. It would also require multiplexers to combine the low speed data channels for ITS applications into a T-1 signal that can be carried by the SONET multiplexer. These additions require a number of other components as shown in Figure 5-10 resulting in a very complicated network, increasing capital cost and complexity in network maintenance.

The inherent requirement for SONET to assign all channels in a permanent manner can make the system inefficient, unless the transmission requirements are continuous and consistent, and the switching is done outside the backbone network. This is the case in a traditional telecommunication network.



**Figure 5-10. Required Equipment for SONET Backbone**

### Ethernet Family

A third network architecture that is increasing in use as the backbone in ITS networks is based on Ethernet. Although invented in 1976, Ethernet has evolved over time to support larger bandwidths of over 1000 Mbps. While Gigabit Ethernet (GigE) with bandwidth of 1000 Mbps is beginning to be deployed for ITS applications today, research is underway for higher bandwidth Ethernet switches that will support up to 10 Gbps. The increased bandwidth is achieved by continuously refining the Dense Wavelength Division Multiplexing (DWDM) algorithms programmed into the Ethernet switches. DWDM works by combining and transmitting multiple signals simultaneously at different wavelengths on the same fiber. In effect, one fiber is transformed into multiple virtual fibers. The increased speeds are achieved by increasing the number of available wavelengths on a single fiber strand. More available wavelengths contribute to more avenues for the data to get from point “A” to point “B” thereby increasing the overall performance of the Ethernet switch. Given the continued investment into Ethernet by the networking industry, it is reasonable to believe that the Salem-Keizer ITS network may deploy Ethernet equipment that is capable of well over 10 Gbps during the network’s lifetime. Standard TCP/IP protocols are used throughout the network, and the components are widely available and interoperable between vendors.

Ethernet provides a number of advantages:

- ▶ Based on established standards.
- ▶ Provides direct TCP/IP connectivity for center-to-center connectivity.
- ▶ Allows a standard IP addressing scheme, and subnetting.
- ▶ Supports Virtual Private Networking (VPN).
- ▶ Maintains the simple communication configuration.
- ▶ Supported by standard Network Interface Cards (NIC) and drivers, allowing direct

connection to the backbone.

- ▶ Equipment is interoperable between a number of vendors, and compatible with the equipment and systems installed in the region's facilities.
- ▶ The extensive use of Ethernet in communication networks worldwide ensures that it will continue in the future.

Under an Ethernet configuration, a serial hub or terminal server device provides the low speed EIA/TIA 232 communication for existing ITS devices using EIA/TIA 232 communication, but this provides flexibility by allowing each port to be addressed with an IP address. Many new ITS devices may be procured with the Ethernet protocol in place of RS-232/422/485 and no serial hub or terminal server device is required. The routers are not required to convert the Ethernet traffic to other protocols for transport. The equipment at a node is greatly simplified as shown in Figure 5-11.




Figure 5-11. Required Equipment for Gigabit Ethernet Communication

#### 5.4.4 Distribution Communication Technology Options

The options for communication in the distribution network are driven mainly by the communication protocol used by the ITS device. Most distribution networks support these protocols directly; however, some distribution systems convert signals in a number of protocols into a common channel that can be easily carried on the backbone network.

##### RS-232/422/485

The traditional low speed protocol used by ITS devices is RS-232. This protocol is still widely used, and is one of the two low speed protocols recognized by NTCIP as a standard. RS-422 and RS-485 are similar protocols, and are often found in the circuits used for camera control. These all provide low speed communication, typically operating at 9600 bps or 19,200 bps.

Each of these low-speed protocols was originally designed for twisted pair communication, but is now widely supported by fiber optic components. Although RS-232 is actually a point-to-point protocol, it can be supported as a multi-dropped protocol with certain fiber optic transceivers. RS-422 and RS-485 have similar interface requirements except that RS-422 is generally point-to-point and RS-485 is a multi-drop protocol.

In addition to simple point-to-point and multi-drop transmission, there are many options to combine and transport multiple RS-232/422/485 signals on the distribution network. Video/data transceivers are also available that will carry these protocols and video signals over fiber so that a pair of transceivers can provide the video signal from a camera and the camera control data channel.

Some distribution networks use redundancy, and there are data transceivers that can be connected in a ring over fiber to provide redundancy in case of a fiber failure.

Communication for the ITS subsystems requires the provision of low speed links to the controllers for each device. A number of controllers can typically share each low speed channel, and with NTCIP compliant controllers, functions such that vehicle detection and dynamic message sign control signals can share the same channel.

As shown in Figure 5-12, the low speed channels can be carried on the distribution cable from the node to the device using fiber optic modems. These modems will carry the signal over a pair of fibers connected in series so that the same pair of fibers can serve a number of modems. When the signals are carried to the node, a modem converts the optical signal to an electrical signal that can be connected to node equipment.




Figure 5-12. ITS Distribution – RS-232


## Video Transmission

There are two economical methods of carrying the video signals from the field cameras to a control center: simple analog video transmission over fiber optic cables or digitized video carried by the backbone transmission equipment.

Analog video signals can be carried economically approximately 30-40 miles and provide a full motion video signal. Such transmitters could also carry the camera control signal as described above. Analog video signals differ from digitized video signals in that digital video signals are compressed. Consequently digital video signals require less bandwidth compared to analog video signals.

A number of video signals can be multiplexed and transported over a single fiber. Such systems typically combine from four to twelve signals on one fiber, but systems with as many as 128 signals are available. These systems become economical when there are few fibers available or the transmission distances are greater.


Individual camera signals would be carried on single channel transmission systems to a node location. At the node, a number of camera signals will be multiplexed into one signal that can be carried over a fiber to the control center, as shown in Figure 5-13.



**Figure 5-13. Video Links**

The trend in the ITS industry is towards digital video transmission equipment that will carry digitized video signals over a TCP/IP network (“IP Video”) as shown in Figure 5-14, and the quality of the video images can be equivalent to analog systems. There is significant development occurring in this area, with improved quality using less bandwidth, and the systems are becoming more cost effective.

to data packets that are suitable for transmission over TCP/IP based networks. This flexibility allows ITS network operators to store, duplicate, and transmit (i.e. multicast) identical video streams to multiple users on the network.




**Figure 5-14. TCP/IP Network**

### Ethernet

With the proliferation of Ethernet (TCP/IP) communication in most computing equipment, this protocol is now appearing as an option in many ITS devices. Ethernet is a shared network providing a much wider bandwidth link to each device. (10 Mbps Ethernet typically provides up to 2 Mbps of actual throughput and 100 Mbps or “fast Ethernet” provides over 22 Mbps). Ethernet protocols also offer the ability to set transmission priorities to the different types of video and data traffic on the network. This allows the ITS network operator to control the Quality of Service (QoS) given to each application using the network.

Ethernet is the second low speed protocol standardized under NTCIP, and is gaining use in this area because the increased connection speed is needed to support the overhead required by the NTCIP protocol. With Ethernet being the defacto standard for office networks and the Internet, it is clear that Ethernet equipment will be available for many years to come.

Where the backbone network is Gigabit Ethernet, the use of Ethernet for the distribution can result in a very simple and flexible network. Small serial hubs can be used to convert RS-232/422/485 signals to Ethernet traffic so that the network can support all data requirements. If IP video is also implemented, all network traffic can be carried as an Ethernet signal as shown in Figure 5-15.



**Figure 5-15. ITS Distribution**

### Wireless

Wireless communication is being used for distribution services for an increasing number of systems due to its advantage of not requiring a physical cable installation. Most wireless systems will carry RS-232/485 communication and can be used interchangeably with a pair of fibers and interconnecting fiber as described above.

Ethernet communication can also be accomplished over wireless links, and standards such as IEEE 802.16s are evolving to the point that wireless Ethernet communication manufacturers will begin production of equipment that can provide wireless broadband Ethernet coverage throughout the Salem-Keizer Metropolitan Area. IEEE 802.16a is a sister standard of the widely used IEEE 802.11 wireless Ethernet standard. Whereas IEEE 802.11 is commonly deployed in office buildings and has an effective operating coverage of approximately 300 feet from the network access point, IEEE 802.16a operates in the 2-11 GHz licensed and unlicensed frequency bands and is specifically focused on deployment where operating coverage in excess of seven miles.

Microwave transmission is an option in many ITS networks, including the Salem-Keizer. Unlike IEEE 802.16a, microwave communication requires visual line-of-sight between transmitter and receiver and frequency spectrum allocation from the Federal Communications Commission (FCC). However microwave communication would be especially effective in areas with large bandwidth requirements that are located on flat terrain and away from the fiber optic backbone.

Regardless of whether licensed or unlicensed frequencies are employed, encryption of the data at the transmitter with decryption at the receiver is recommended for all wireless applications where risk of interception and/or unauthorized manipulation is not desired. Data encryption can decrease overall data throughput anywhere from 15 to 40 percent depending on the type of wireless technology and encryption algorithm and techniques employed.

## 5.5 COMMUNICATION PLAN RECOMMENDATIONS

This section describes the communication plan recommendations, and the process used to reach these recommendations. This methodology starts with the areas to be connected, addresses the configuration to be used, and develops a logical plan to serve the entire area.

At this stage of the process, this plan provides a high-level conceptual design of the network. Therefore, as the alternative technologies, architectures and approaches were considered, detailed cost estimating was not performed. Recommendations are based on industry experience, and a higher-level analysis combining the ability to meet requirements, cost, technical maturity, availability of equipment and services and a number of other factors.

It is highly recommended that this plan be considered a guide, and not a final design. It is further recommended that as each network segment enters planning and detailed design, all options be considered for connecting centers and field devices, including:

- ▶ Building new fiber optic cable.
- ▶ Utilizing existing twisted pair or other copper plant.
- ▶ Utilizing existing wireless communication links.
- ▶ Leasing communication services from private providers.
- ▶ Building and/implementing new wireless communication links.

Finally, as discussed in Section 5.1, it is recommended that this plan be updated regularly, as various segments of the network are built, and if and as overall design philosophy changes.

### **Physical Topology**

Section 5.4 discussed the common physical topologies employed in data communications. Among the topologies discussed, DKS Associates believes a hybrid physical topology is best suited for ITS operations in the Salem-Keizer Metropolitan Area. Employing a hybrid topology will allow member agencies to fully utilize their existing and planned network infrastructure in a manner that can benefit and complement others. Specific recommendations are listed below:

- ▶ **Establish broadband Ethernet communications using the existing copper twisted pair network on an “interim basis” until fiber optic cable is made available through new construction or leasing.** This would allow for the deployment of high bandwidth ITS field devices such as CCTV cameras. Instead of waiting for fiber optic infrastructure funding, Salem-Keizer ITS stakeholders could begin deploying measures to address traffic congestion in the area.
- ▶ **Construct communication hubs at key locations to facilitate high speed communications between the field and traffic management centers.** Ideally the communication hubs would be located on the fiber optic ring and serve as transition point for ITS data and video signals from copper twisted pair, wireless or other medium to the fiber optic ring. Since much of the fiber optic ring is not in existence, the communication hubs would be located where ITS corridors intersect with each other. In the absence of fiber optic cable, detailed design efforts will focus on maximizing the bandwidth at these locations by provisioning as many copper

twisted pairs as possible between the communication hub and the nearest TOC. If copper twisted pair cable is not available for Communication Hub-to-TOC communications, then wireless communications will be examined.

- ▶ **Establish high-speed Center-to-Center communications using fiber optic cable connections or Ethernet-over-Copper equipment.** The primary Center-to-Center link is expected to be between the City of Salem TOC and NWTOC. There are multiple fiber optic projects in the planning stages that will result in a dedicated fiber link between the two agencies. For other traffic management centers or nodes, DKS recommends establishing links to the City of Salem or NWTOC using fiber optic cable or Ethernet-over-Copper if possible. As a last option, DKS recommends exploring the potential for establishing a licensed microwave network in the area that is capable of transporting multiple CCTV data streams.

### 5.5.1 Communication Technology

This section provides a summary of recommendations for physical infrastructure and communication technology to support the deployment of ITS field devices and center-to-center information exchange requirements as identified in the deployment plan.

#### Plant Level

At the plant level, the preferred technology is fiber optic cable. The fiber may be owned by one of the agencies or leased as dark fibers from others such as Qwest or Comcast. As each network segment goes to detailed design, both leased and new build options should be analyzed and a final decision made on a case-by-case basis. Regardless of whether the physical plant is leased or agency owned, DKS recommends all Salem-Keizer ITS stakeholders be granted access to the entire network. This will ensure technology issues do not hamper the ability of Salem-Keizer traffic management staff to efficiently address the traffic congestion and incident management issues. From a maintenance perspective, DKS Associates recommends Salem-Keizer ITS stakeholders be held responsible for maintaining the ITS infrastructure placed in their jurisdiction.

#### Single Mode (SM) vs. Multimode (MM) Fiber

Although multimode fiber transmission could be used for links with short lengths (generally the distribution from a node to the field devices) this would require the use of a hybrid SM/MM fiber cable that would be a custom order. DKS Associates recommends the system utilize only SM fiber.

This approach will standardize the transmission components and allow the procurement of the widely available SM fiber. It will also ensure that all of the spare fibers in a cable could be used for any application. (In a hybrid cable spare MM fibers cannot be used for the longer distance links).

While fiber is the recommended technology for any new construction, other more cost effective distribution options may also be reviewed during detailed design, including using existing twisted pair plant and/or wireless links as discussed hereafter. Since multiple departments are requesting access to the fiber optic cable, DKS Associates concurs with the City of Salem and

ODOT standard fiber optic trunk line of 96 strands. This would support the current requirements and provide ample room to allow the fiber ring to support future requirements.

#### Use of Existing Twisted Pair for Distribution


The existing twisted pair cable in the City of Salem may be used for the distribution from the communication hub to the field device. The copper twisted pair network is currently used to transmit serial and Ethernet data between the BI-Trans/QuicNet 4.1 central server at the City of Salem and each of the traffic controllers deployed in the field.

Many central traffic signal control system manufacturers including McCain, the makers of BI-Trans, are currently developing versions of their product that communicate using Ethernet data packets as opposed to serial data. Increasing the deployment of serial-to-Ethernet converters will allow the City of Salem to reallocate the existing twisted pair from the Type 170 traffic controller to a digital subscriber line (DSL) modem.<sup>8</sup> The deployment would include a high data-rate digital subscriber line (SHDSL) modem and a field hardened Ethernet switch in each traffic signal controller cabinet. This upgrade would allow the City to free up pairs that could then be used to support deployment of other ITS field devices such as CCTV cameras and dynamic message signs.

To complete the SHDSL deployment, DKS Associates recommends establishing communications hubs at selected locations with access to both copper twisted pair and the fiber backbone. The purpose of the communications hub is to serve as the interface between the fiber network and the copper twisted pair network. To that end, each hub will typically be equipped with a digital subscriber line access multiplexer (DSLAM), Ethernet switch and fiber termination panel to perform this function. DKS estimates the communications hub equipment could be housed in a dedicated Type 332 traffic control cabinet. Figure 5-16 illustrates a typical SHDSL configuration in an ITS environment.

---

<sup>8</sup> When deploying serial-to-Ethernet converters both ends of the circuit are required to have conversion equipment manufactured by the same company to ensure interoperability.



TYPICAL HDSL NETWORK TOPOLOGY

Figure 5-16. Typical HDSL Network Topology

### Wireless Distribution

Wireless communication is also a viable option for distribution services between the node and the field device. Since high capacity wireless systems (SONET OC-3 at 155 Mbps) can typically cost over \$60,000 per link, it is not anticipated that they would be the primary selection for backbone transmission although less expensive, lower speed wireless systems could be used as back-up Center-to-Center links for redundancy purposes. However, wireless systems could be considered to provide links for sections of the Salem-Keizer that do not have access to the backbone via fiber or copper twisted pair, or to link sections through environmentally sensitive areas or those with particularly difficult obstacles.

The choice of wireless or wireline transmission for specific areas should be determined during detailed design, and will be based on the local site conditions and facility availability.

### **Recommendation:**

Expand the fiber optic network where feasible. Deploy Ethernet-over-Copper equipment on an interim basis in order to deploy high bandwidth ITS field devices in advance of fiber optic cable. For remote locations and/or sites without direct access to the fiber optic cable or copper twisted pair, consider using the wireless communications.

### **Video Transmission**

It is recommended that the video signals on the network be transported as digitally encoded video. In order to give key stakeholders maximum flexibility in determining the location from

which ITS operations are controlled, analog video must be converted to IP data at some point in the network.<sup>9</sup> By using IP video transmission throughout the network the video can be easily routed to users at any point on the network.

With multiple agencies covering the region, it is expected that several video images will be of interest to more than one agency. In these circumstances one video image is commonly required at more than one control center. With digital video this is accomplished simply by sending the IP stream to a select group of users on the network with one transmission. This process is known as multicasting<sup>10</sup>. Instead of multicasting, analog systems require distribution amplifiers and additional video channels between control centers.

IP video transmission should adhere to a current Motion Picture Expert Group (MPEG) standard. At this time, the most common MPEG standards are MPEG-1, MPEG-2 and MPEG-4. MPEG-1 produces video quality slightly below the quality of most conventional VCR videos and is therefore no longer widely used. MPEG-2 was developed for all major TV standards including NTSC and HDTV.

MPEG-4 is based on MPEG-1, MPEG-2 and Apple QuickTime technology and is designed to require considerably less bandwidth than MPEG-1 and MPEG-2. The initial MPEG-4 standard, MPEG-4 SP (Simple Protocol) was finalized in 1998. MPEG-4 SP was intended for low bandwidth applications such as dial-up internet access. In 2000 MPEG-4 Version was ratified as an international standard. Since 2000 several incremental enhancements to this standard were introduced including Advanced Simple Protocol (ASP) and Advanced Video Coding (AVC). MPEG-4 ASP improves upon MPEG-4 SP in that the ASP algorithm is better able to compensate for changes to the picture caused by the movement of objects. MPEG-4 AVC, also referred to as MPEG-4 Part 10 and H.264, was recently introduced. AVC improves upon ASP by offering significantly greater compression. MPEG-4 AVC is capable of providing DVD-quality video under 40 percent of the bit rate of MPEG-2 and is considered promising for full-motion video over wireless and Ethernet-over-Copper connections.

MPEG-4 supports traditional video display devices and also allows standard web browsers to view the video stream over an Ethernet connection to the backbone network. MPEG-2 typically produces a higher quality video signal than MPEG-4 and is better suited to instances where bandwidth is not an issue (i.e. where agency owned fiber is available). MPEG-4 is better suited for instances where bandwidth and/or fiber optic cable is at a premium (i.e. where leased lines are employed).

---

<sup>9</sup> Analog transmission cannot be used since it requires a separate network and video receivers at the user's location. Since these receivers cannot be moved easily to accommodate the "virtual control center", the video is converted to IP traffic that can easily be directed to the user's IP address, no matter where they are connected in the network.

<sup>10</sup> Most IP traffic uses unicasts, where traffic is sent from one sender to one receiver on the network. With video, the traffic can be multicast, meaning video sent from one sender to a select group of receivers on the network in one transmission. This reduces network traffic by sending the data only once to two or more receiving locations. A third transmission mode, broadcast, sends from one address to all other addresses on the network. Broadcast transmission is typically only used for short messages to all devices, and must be used with caution if the receiving devices must respond to the broadcast command, as they can easily overload the communication network.

Digital video compression is an area undergoing constant innovation. ODOT has employed a mixture of MPEG-2 and MPEG-4 encoders statewide. Generally speaking, ODOT deploys MPEG-2 encoders at locations with fiber optic connections where bandwidth is not limited and MPEG-4 ASP encoders at locations with copper or wireless connectivity. As larger quantities of MPEG-4 AVC encoders enter the market, ODOT expects to transition away from MPEG-4 ASP to MPEG-4 AVC. DKS Associates recommends the Salem-Keizer stakeholders carefully review the video encoding technology on a regular basis to ensure the ITS network is employing compression technology that best fits their needs.

### **Backbone**

Gigabit Ethernet transmission is recommended for backbone transmission. The primary reasons for this recommendation are as follows:

- ▶ GigE is well suited for all network topologies employed in the Salem-Keizer area such as ring (fiber ring) and star (possible HDSL deployment using existing copper twisted pair network).
- ▶ GigE switching equipment suitable for deployment in traffic control cabinets is becoming available in the marketplace.
- ▶ GigE provides flexible bandwidth allocation, which will allow key stakeholders to establish temporary traffic management centers as necessary.
- ▶ GigE will support transmission of the recommended IP video without any additional transmission equipment.
- ▶ GigE will directly support NTCIP standards for center-to-center communication, as well as NTCIP communication over Ethernet to field devices.
- ▶ GigE is mid-span compatible<sup>11</sup> between vendors, allowing different agencies to select different hardware for their portion of the network, and allowing open procurement.
- ▶ GigE provides quality of service (QoS) levels that can assign a priority (or QoS) to data from different ports. This allows prioritization of the services to be provided if the network is operating in a failure mode or peak traffic period. The IEEE 802.1p standard delineates eight categories for prioritizing traffic at the Data Link layer of the OSI model. At this time many Ethernet equipment manufacturers do not strictly follow IEEE 802.1p. Instead they employ two or three categories of traffic prioritization, which are typically proprietary in nature. Therefore, ITS networks desiring a high level of QoS should strongly consider standardizing on a single Ethernet switch manufacturer within the communication hub and Traffic Operations Centers.

#### **Recommendation:**

Convert analog video to digital. Digital video provides the greatest flexibility for sharing video between multiple agencies. Consider the installation of digital video cameras as the quality improves.

<sup>11</sup> When equipment is mid-span compatible, products from different vendors will function fully when inter-connected.

### Reasons GigE is recommended over SONET

SONET transmission offers very fast switchover to redundant rings and dedicated channel capacity to any point in the network. However, it does not provide the advantages of GigE in the following areas:

- ▶ A pure SONET implementation does not support TCP/IP traffic that is specified in the NTCIP standards, or the low speed data channels. In these cases, additional channel banks or multiplexing/encoding hardware would be required.
- ▶ Proprietary SONET implementations will support video, Ethernet and low speed data directly, but once a type of equipment is selected for the ring, the same vendor must be used elsewhere. This could be a problem in multi-agency networks.
- ▶ SONET networks set up channels and reserve bandwidth between points on the network. Where the data requirements change, particularly as routing for video is changed, the channels would have to be re-routed through the nodes. Standard SONET implementations do not do this automatically, or in a user-friendly manner; it must be completed through changes at the network management system.
- ▶ Generally, SONET has a higher cost per node, particularly when the equipment required to convert the low speed RS-232 signals for transport on the SONET network are included.
- ▶ Overall cost and complexity of SONET network (due to the points discussed above) is not justified by regional redundancy requirements.

### ATM

Asynchronous Transfer Mode (ATM) is a network technology based on transferring data in cells or packets of a fixed size. The small, constant cell size allows for the efficient transmission of video, audio and data on the same network. ATM equipment is expensive to procure and requires a high level of training to operate and maintain compared to Ethernet and is not recommended for ITS networks.

#### **Recommendation:**

Use Ethernet for links between field devices and communication hubs. Utilize GigE for Hub-to-TOC communications and Center-to-Center communications. In the mid to long term, consider 10GigE where the extra bandwidth is required and as prices of the equipment become more cost effective.

### **Distribution**

At this time, the recommended protocol for distribution to most devices is RS-232 communication, but all detailed design should support a migration to Ethernet. This recommendation is based on the large installed base of RS-232 traffic signal controllers, and the fact that Ethernet based controllers using NTCIP protocols are only just now becoming available. As new versions of controllers are made available in the market, Ethernet communication should be considered, as it will likely become the standard in the future.

To provide RS-232 distribution to field devices over the GigE network, small terminal servers or serial hubs should be used. These devices are up-linked to the Ethernet network on the backbone, and provide a number of RS-232/485/422 ports, each addressable with a unique IP

address. The central computer would communicate over the Ethernet network to the serial hub, where the data would be converted. From the hub to the end device, fiber optic links, wireless links or twisted pairs could be used as determined in detailed design.

Where possible, field nodes would be co-located at video camera locations, allowing video to be encoded and directly inserted on the backbone. When this is not possible, the video signal must be carried on the distribution network. It is recommended that the video image be converted to IP video at the base of the pole, and transported using video transceivers to the node. This approach eases a later migration to Ethernet.

**Recommendation:**

Migrate to IP addressable field devices as they become available. In the interim, provide terminal servers to support the Ethernet transmission standard.



### **5.5.2 Map of Proposed Communication System**

Figure 5-17 illustrates the existing and proposed ITS equipment, centers, communication hubs, and the existing and proposed communication network infrastructure. The following sections briefly describe some details of the proposed network.

PLANNED ITS NETWORK  
INFRASTRUCTURE

August 2005

FIGURE  
**5-17**



**Legend**

**CAMERAS**

color corresponds to cable phasing

- INTERSECTION VIDEO DETECTION
- ⊙ PAN-TILT-ZOOM CAMERA
- ⊙ INTERSECTION VIDEO DETECTION with NEW PAN-TILT-ZOOM

**FIBER OPTIC CABLE/PHASING**

- EXISTING
- PROPOSED 0-5 YEARS
- PROPOSED 6-10 YEARS
- PROPOSED 11-20 YEARS

- CENTERS
- COMMUNICATIONS HUB

**CITY LIMITS**

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- - - COUNTY BOUNDARY
- RAILROAD
- - - URBAN GROWTH BOUNDARY

### Backbone Routes

The communication links identified in this plan will likely be constructed in phases, either as funding becomes available or in coordination with roadway improvement projects. One way to cost effectively support this phased construction process may be to build new fiber within the boundaries of a specific construction project and utilize leased services, Ethernet-over-Copper or wireless for hub to hub and/or hub to center connectivity.

When fiber cable is installed on any of these routes, sufficient fibers to support the ultimate network should be included, even if the current build is only a section of the backbone.

### Standard Network Node Bandwidth Allocation

To determine bandwidth requirements, the standard field node configuration assumed would consist of the equipment listed in Table 5-2. The bandwidth requirements are based on a worst case scenario where the data sources listed in the table are assumed to be operating at maximum bandwidth at all times. DKS recommends designing the ITS network to be capable supporting the maximum possible bandwidth.

When performing detailed design, DKS Associates recommends following a design philosophy of distributing the bandwidth evenly between backbone nodes. This approach often allows for a common design approach to be applied to the system, simplifying the network configuration and maintenance.

**Table 5-2. Standard Node Requirements**

Communication Channel	Type	Description	Maximum No. of Channels Required	Approximate Maximum Bandwidth
CCTV Cameras	Video	One video camera per node	1	8 Mbps
CCTV Camera Control	RS-232/422/485	One common channel for all cameras	1	9.6 kbps
Traffic Signal Control	RS-232 or Ethernet	Up to six intersections per channel	2	56 kbps
System Detectors	RS-232 or Ethernet	Up to six detectors per channel	1	9.6 kbps
DMS	RS-232 or Ethernet	Up to four signs per channel	1	9.6 kbps
Other (HAR, RWIS)	RS-232		1	9.6 kbps
<b>Total</b>				8.095 Mbps

## 5.6 MAINTENANCE & OPERATIONS


Figure 5-18 indicates the primary components of a generic regional communication network, and will be used to illustrate some of the maintenance and operations issues related to the communication network.

This figure assumes a network configuration in which agency specific fiber may be located in the same bundle or sheath as fiber that is utilized for the regional communication backbone. It also assumes that shared regional communication equipment (such as hubs, routers, multiplexers, transmitters and receivers) may be located in one agency's cabinet. Under this scenario, a number of different maintenance and operational issues need to be addressed and a series of recommendations are included in this section.

### **5.6.1 Fiber and Equipment Design**

Communication equipment such as fiber optic cable, splice cabinets and enclosures, hubs, routers, multiplexers and modems should be standardized to the extent possible. In addition, local agencies should utilize standard equipment for their portion of the communication network that follows the standards of the backbone communication network. This supports bulk equipment purchasing, stocking of spare equipment, training of operations and maintenance personnel, network expansion and overall interoperability.

In cases where multiple agencies share portions of the same fiber optic cable plant, DKS Associates recommends the establishment of cooperative agreements between all involved parties. These agreements will formalize the fiber optic cable strand assignments for each agency and delineate the operational responsibilities, maintenance responsibilities and documentation responsibilities of each stakeholder. Frequently agreements of this nature require all parties to document the location of all cable, splices and end electronics in a common manner, typically using a single database.



**Figure 5-18. Conceptual Communication Network**

### 5.6.2 Operations and Maintenance (O&M) of Communication Equipment

Many agencies have found that the cost of maintaining their own fiber optic networks—including equipment, training, and allocated staff—can be prohibitive. The rate of equipment or cable failure is so low that the trained personnel often do not get the opportunity to use the training on a small system, making them ineffective when repairs are needed. Often a group of regional agencies have pooled their resources, developed necessary agreements, and either selected a lead agency or a preferred contractor to maintain the network.

Any final maintenance agreements will need to address the issues in the following subsections.

#### 5.6.2.1 O&M of Agency Dedicated Fiber

This agreement should identify each agency's responsibility for maintaining and operating fiber that connects to their own field devices.

#### 5.6.2.2 O&M of Backbone Fiber

This agreement should identify each agency's responsibility for maintaining and operating fiber that is used for the regional communication backbone.

**5.6.2.3 O&M of Equipment Located in Agency Facilities**

This agreement should identify each agency's responsibility for operating and maintaining equipment that is located in an agency's facility (such as the TOC). It is assumed that both agency specific communication equipment, as well as backbone communication equipment, will be included in agency facilities, and the responsibilities for operating and maintaining both sets of equipment need to be established.

**5.6.2.4 O&M of Equipment Located in Agency Field Devices**

This agreement should identify each agency's responsibility for operating and maintaining equipment that is located in an agency's field device (such as a controller cabinet or splice vault). It is assumed that both agency specific communication equipment, as well as backbone communication equipment, will occasionally be included in agency field devices, and the responsibilities for operating and maintaining both sets of equipment need to be established.

**5.6.3 Service Level Agreements**

Once an agency (or group of agencies) has been determined as the lead agency (ies) for ongoing maintenance and operations of the network, agreement needs to be reached on level of service. Service level agreements (SLA's) include issues such as response time for a network outage to be repaired, prioritization of bringing equipment/fibers back on-line after an outage and availability of the network (acceptable amount of downtime per year).

**5.6.4 Utilization of Dial-Up and Leased Line Connections**

Some agencies currently use (or may plan to use) leased line connections to field devices. Opportunities to replace these connections with agency-owned infrastructure and/or purchase bulk telecommunication services from service providers should be examined, and regional rules-of-thumb developed.

## 6.1 INTRODUCTION

This chapter provides an overview of the ITS deployment plan for the Salem-Keizer Metropolitan Area and includes details about the ITS projects, such as how and when projects will be deployed. A key goal of this plan is to integrate existing technology based systems, incident management, traffic signals and communication infrastructure and develop a program for the future that will tie all of these technologies together into a coordinated, functional system that will serve the region's transportation system. The success of many of these projects relies heavily on integration with other projects, shared resources and coordination between agencies.

The projects included in the deployment plan were developed based on collaboration from the project Steering Committee. A project deployment schedule is provided based on a timeline of a 0 – 5 Year Plan, a 6 – 10 Year Plan, and an 11 – 20 Year Plan. Additional details are provided for some of the significant projects scheduled for deployment within the first five years.

### 6.1.1 Deployment Plan Workshop

On June 28, 2005, a workshop was held to discuss strategies for ITS deployment in the Salem-Keizer Metropolitan Area. The workshop included the project's key stakeholders (agency staff) as well as expanded stakeholders including additional agency staff (e.g. maintenance, emergency services and planning). The main purpose of the workshop was to obtain consensus regarding the projects included in the deployment plan.

The workshop began with a short presentation to summarize the project to date and highlight how the user needs collected earlier in the project were used to determine deployment plan projects. Workshop participants then participated in one of the following breakout groups:

- ◆ Traffic Management, Traveler Information, Public Transportation Services
- ◆ Emergency Management, Archived Data Management, Maintenance and Construction Management

Participants were given the opportunity to participate in discussion related to the specific topic area, ask questions and provide comments regarding modifications to the project list or project phasing. The group reconvened at the end of the meeting to summarize comments from each session. Appendix K includes the workshop invitation, presentation, handout, and meeting minutes.



## 6.2 DEPLOYMENT PROJECTS

The ITS deployment projects for the Salem-Keizer Metropolitan Area are summarized in Table 6-1. The table includes the following details for each project:



- ✦ Project Number (for reference)
- ✦ Lead Agency
- ✦ Project Title
- ✦ Project Description
- ✦ Priority (High, Medium, or Low)
- ✦ Relativity to Planned Projects
- ✦ Project Dependencies
- ✦ Capital Costs/Operation & Maintenance Costs/Staff Costs
- ✦ Expected Benefits
- ✦ Technical and Institutional Feasibility

The project numbers are used for reference purposes only and although they generally follow the ranking developed by the steering committee, do not solely indicate project priority. Within this table, the projects are described under one of the following eight applicable categories:

- ✦ Traffic Management (TM)
- ✦ Traveler Information (TI)
- ✦ Emergency Management (EM)
- ✦ Public Transportation Services (PT)
- ✦ Communications (CO)
- ✦ Archived Data Management (AD)
- ✦ Maintenance and Construction Management (MC)
- ✦ Program Evaluation and System Management (PM)



Each project was assigned a priority of high, medium, or low based on a scoring exercise to determine project rankings (criteria included safety/crash prevention, traffic volumes/congestion, key traveler decision location, user needs, statewide consistency, relativity to other planned projects, short term-funding availability, and support of other plan projects), input from the Steering Committee, cost, expected benefits, technical and institutional feasibility and equitable distribution of projects. The corridors in the study area were also prioritized based on forecasted traffic volumes and the number of collisions and given corresponding high, medium and low designations. The high, medium, and low priorities relate to a 20-year schedule that includes a 5-Year Plan (0 – 5 Years), 10-Year Plan (6 – 10 Years), and a 20-Year Plan (11 – 20 Years), respectively. Figure 6-1, 6-2, 6-3, 6-4, 6-5 and 6-6 show equipment and infrastructure deployment locations for many of the ITS projects and depicts how they fit in with the 5-Year, 10-Year, and 20-Year Plans.

The cost estimates included with each project are based on past ITS project experience in the State of Oregon and costs found through various ITS resources available through the Federal Highway Administration (FHWA) and ITS America. A complete list of these cost resource documents is included in Appendix B. The cost associated with each project includes mark-up for design, mobilization, and contingency. The operations and maintenance (O&M) costs for each project represent an annual estimated cost once the project has been deployed. The additional staff costs represent an annual estimated cost of staff required to support the projects (e.g. incident responders and TOC operators).

TRAVELER INFORMATION SYSTEMS

August 2005

FIGURE 6-1



Legend

TRAVELER INFORMATION

- V** VARIABLE MESSAGE SIGN
- A** ARTERIAL MESSAGE SIGN
- D** DETOUR ROUTE SIGN
- ⚠** CURVE WARNING SYSTEM
- 💧** FLOOD WARNING
- ⚡** WEATHER STATION
- 📻** HIGHWAY ADVISORY RADIO
- P** PARKING MANAGEMENT SYSTEM

PHASING

- PROPOSED 0-5 YEARS
- PROPOSED 6-10 YEARS
- PROPOSED 11-20 YEARS



CITY LIMITS

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- ⋯** COUNTY BOUNDARY
- RAILROAD
- ⋯** URBAN GROWTH BOUNDARY

EXISTING AND PROPOSED CAMERAS

August 2005

FIGURE 6-2



Legend

**CAMERAS**  
color corresponds to phasing

- INTERSECTION VIDEO DETECTION
- PAN-TILT-ZOOM CAMERA
- INTERSECTION VIDEO DETECTION with NEW PAN-TILT-ZOOM

**PHASING**

- EXISTING
- PROPOSED 0-5 YEARS
- PROPOSED 6-10 YEARS
- PROPOSED 11-20 YEARS



**CITY LIMITS**

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- COUNTY BOUNDARY
- RAILROAD
- URBAN GROWTH BOUNDARY

TRAFFIC COUNT STATIONS

August 2005

FIGURE 6-3



Legend

TRAFFIC COUNT STATIONS

- SALEM VIDEO COUNT STATION
- AUTOMATIC TRAFFIC RECORDER

PHASING

- EXISTING
- PROPOSED 0-5 YEARS
- PROPOSED 6-10 YEARS
- PROPOSED 11-20 YEARS



CITY LIMITS

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- RAILROAD
- COUNTY BOUNDARY
- URBAN GROWTH BOUNDARY

HIGH PRIORITY  
TRANSPORTATION CORRIDORS

August 2005

FIGURE  
**6-4**



**Legend**

- TRANSIT CENTER
- TRANSIT PRIORITY CORRIDORS
- PROPOSED 0-5 YEAR
- PROPOSED 6-10 YEAR
- PROPOSED 11-20 YEAR


**CITY LIMITS**

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- RAILROAD
- COUNTY BOUNDARY
- URBAN GROWTH BOUNDARY

ADVANCED RAILROAD CROSSINGS

August 2005

FIGURE 6-5



Legend

- +— RAILROAD
- ⊕ ADVANCED RAILROAD CROSSING

PHASING

- PROPOSED 6-10 YEARS
- PROPOSED 11-20 YEARS



CITY LIMITS

- KEIZER
- SALEM
- STUDY CORRIDORS
- ROAD NETWORK
- COUNTY BOUNDARY
- URBAN GROWTH BOUNDARY

EXISTING AND PLANNED COMMUNICATIONS INFRASTRUCTURE

August 2005

FIGURE 6-6



Legend

FIBER OPTIC CABLE

- █ EXISTING
- █ PROPOSED 0-5 YEARS
- █ PROPOSED 6-10 YEARS
- █ PROPOSED 11-20 YEARS

◻ COMMUNICATIONS HUB

◻ CENTERS

CITY LIMITS

- █ KEIZER
- █ SALEM
- █ STUDY CORRIDORS
- █ ROAD NETWORK
- █ COUNTY BOUNDARY
- █ RAILROAD
- █ URBAN GROWTH BOUNDARY

**Table 6-1. Deployment Projects (1 of 9)**

Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
<b>Program Management (PM)</b>								
SK-PM-01	Program Management & System Evaluation	This project will include the management and system evaluation of the Salem-Keizer ITS program. Work will be ongoing and be performed by local agency staff and project consultants.	H, M, L	This project is relative to all projects in the deployment plan		\$0/ \$50,000	<ul style="list-style-type: none"> <li>•Efficient management of program</li> <li>• Improved schedule adherence for project deployment and tracking of funding</li> </ul>	This project will be a part of every project deployed in this program.
<b>Traffic Management (TM)</b>								
SK-TM-01 (City of Salem)	Metropolitan Area Wide Video Deployment	This project will deploy fixed and pan-tilt-zoom video cameras to monitor traffic conditions, emergency events, optimize signal timings, view high accident locations, monitor flood and slide zones, and provide roadway condition information to travelers.		The current video images have detection zones that are not appropriate to show to the general public. Modifications to the images may need to occur before posting on TripCheck			<ul style="list-style-type: none"> <li>•Reduced incident detection times</li> <li>•Improved safety and efficiency</li> <li>•Increased traveler information</li> </ul>	The City of Salem has successfully deployed many cameras throughout the metropolitan area.
		Highway 22, Lancaster Drive, Commercial St, Kuebler/Cordon Road, Salem Parkway, Interstate 5	H					
		North River Rd, Hawthorne Ave, Center St, Portland Rd	M					
		Wallace Rd, Chemewa Rd, Silverton Rd, Market St, Broadway St, 25th St, State St, 12th/13th SE, Turner Rd, Liberty Road SE	L					
						\$1,960,000/ \$36,000		
						\$1,008,000/ \$20,000		
						\$924,000/ \$18,000		
SK-TM-02 (ODOT, City of Salem)	Incident Management Plan for West Salem Bridges	This project will provide reversible lane controls and a specific plan outlining roles, responsibilities and procedures for handling an emergency bridge closure on Marion/Center Street bridges.	H,M,L	SK-TI-01		\$196,000/ \$8000	<ul style="list-style-type: none"> <li>•Increased capacity and throughput during incident conditions</li> <li>•Reduction in congestion and delay due to incidents</li> <li>•Improved safety and efficiency</li> </ul>	
SK-TM-03 (ODOT)	Incident Response Program Enhancements	This project builds on the current ODOT incident response program to support incident management on state, count and city roadways. This project will equip incident response vehicles with GPS to enhance dispatch. It will also provide additional incident response vehicles and personnel.	H	STIP Key # 12939		\$744,000/ \$182,000/ \$240,000	<ul style="list-style-type: none"> <li>•Increased capacity and throughput during incidents</li> <li>•Reduced congestion and delay due to incidents</li> <li>•Reduced incident response times</li> <li>•Improved safety and efficiency</li> <li>•Supports freight mobility</li> </ul>	Region 2 currently has a successful incident response program.

Table 6-1. Deployment Projects (2 of 9)

Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
SK-TM-04 (ODOT, City of Salem, Marion County, City of Keizer)	Detour Route Management	This project supports incident management in Region 2 and expands the existing detour route plans. Improvements will include the mapping of detour route plans in GIS, incident signal timing plans, electronic message signs, and congestion monitoring to support incident responders and management of the roadway network during incidents. Additional improvements on detour routes will include communications to field devices (traffic signals, vehicle detectors, message signs and cameras). High priority corridors have been selected in the event of an I-5 closure and include: <ul style="list-style-type: none"> <li>•Cordon Road</li> <li>•Salem Parkway/Commercial/Mission</li> </ul>	H	SK-TI-01 SK-TM-01		\$410,000/ \$6500	<ul style="list-style-type: none"> <li>•Increased capacity and throughput during incident conditions</li> <li>•Reduction in congestion and delay due to incidents</li> <li>•Improved safety and efficiency</li> </ul>	
SK-TM-05 (City of Salem)	Traffic Data Collection System	This project will deploy vehicle detection equipment around the metropolitan area to automate the collection of vehicle count, speed and classification information.	H,M,L	STIP Key # 13055 SK-TM-05	Requires communication from the field devices to the City of Salem traffic management center	\$252,000/ \$18,000	<ul style="list-style-type: none"> <li>•More effective traffic management</li> <li>•Availability of additional volume data</li> <li>•Improved transportation planning/modeling</li> </ul>	City of Salem has a current project to deploy video detection for collecting vehicle count and classification information
SK-TM-06 (ODOT)	Arterial Congestion Map	This project will deploy an arterial congestion map based on system detector data and future floating car data from GPS devices to show travel speeds on roadways throughout the region. The City of Salem has a current project to install a significant number of system detector locations that could be used for measuring congestion. It is assumed that GPS data from transit vehicles or future vehicle infrastructure integration projects will provide a more accurate measurement in the future.	M	SK-TM-10	Depends on the installation of system detectors within the City of Salem	\$1,005,000/ \$18,200	<ul style="list-style-type: none"> <li>•Reduced congestion and delay</li> <li>•Customer satisfaction</li> <li>•Provides motorists with pre-trip travel information to make informed travel decisions</li> </ul>	Project supports traffic congestion monitoring and traffic counting for planning purposes.
SK-TM-07 (ODOT, City of Salem)	Advanced Rail Warning System	Deploy railroad crossing train detection to determine rail crossing occupation and duration. This information will be provided to the NWTOC and the 911 center to notify emergency responders of response routes that are blocked or will soon be blocked. This information would also be provided to motorists approaching the crossing to enable them to select an alternate route.		None	None		<ul style="list-style-type: none"> <li>•Enhanced safety</li> <li>•Real-time railroad occupation information</li> <li>•Reduced emergency response times</li> <li>•Reduced delay</li> </ul>	Requires coordination with railroad for occupation information. Project can be deployed at each crossing independently.
		City of Salem (Commercial Street, Liberty Street, Broadway St, Silverton Rd)	M		\$133,000/ \$5,700			
		City of Salem (Center St, State St, Madrona Ave)	L		\$143,000/ \$8250			
		Transmit advanced crossing occupancy information to the public via message signs or in-vehicle navigational systems.	L		\$14,000/ \$2500			
SK-TM-08	Coordinated Emergency Management System	This system would be used for major emergencies to coordinate response and management of the event between multiple agencies. Today agencies respond to their respective EOCs and do not share the same electronic interface to the emergency condition description, status, etc. This system would provide a common interface for emergency managers to coordinate response to an emergency event across jurisdictions.	M			665,000	<ul style="list-style-type: none"> <li>•Improved emergency response times</li> <li>•Enhanced communication between jurisdictions/agencies</li> </ul>	

Table 6-1. Deployment Projects (3 of 9)

Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
SK-TM-09 (City of Salem)	Center to Center Integration - ODOT, Salem, Keizer, Marion County, Polk County	This project will implement center-to-center communications between the ODOT NWTOC and other traffic management centers at the City of Salem, City of Keizer, Marion County and Polk County. The center-to-center project could use the ODOT Transportation Operations Center Software as the primary interface but will require some integration to provide a system interface between the City of Salem traffic signal system and the operations center software.	M		Depends on center to center communication infrastructure deployment	\$205,000	<ul style="list-style-type: none"> <li>Information sharing capabilities</li> <li>Back-up capabilities</li> <li>More effective traffic management, incident management and maintenance management</li> <li>Safety and efficiency improvements</li> </ul>	Requires communications between the local transportation centers and the NWTOC
SK-TM-10 (City of Salem)	Salem Traffic Management Center Upgrade	This project will upgrade the existing City of Salem traffic management center to provide a designated space to manage traffic in the Salem metropolitan area.	M		Depends on space availability for expansion in current facility	\$111,000/ \$2,500/ \$60,000		
SK-TM-11 (City of Salem)	Downtown Salem Parking Management	This project will provide real-time parking information in downtown Salem. Dynamic message signs will be installed and highway advisory radio (HAR) messages will be used to direct motorists to facilities with available parking. This project assumes the parking status at multiple parking facilities will be monitored, with a particular emphasis on the areas near the Salem Convention Center.	M			\$448,000/ \$3,000	<ul style="list-style-type: none"> <li>Reduced congestion and air pollution near parking lots</li> <li>Reduced fuel consumption</li> <li>Reduced driver frustration</li> </ul>	This project can be deployed independently. Other similar projects have been completed around the county. Initially, the implementation will be focused on the area around the Salem Convention Center.
SK-TM-12 (City of Salem)	Central Signal System Upgrade	The City of Salem's central computer for traffic signal control will be due for replacement within the timeframe of this plan. This project will define and procure a new central signal system to provide additional functionality including: <ul style="list-style-type: none"> <li>Advanced signal control</li> <li>Support for camera control</li> <li>Automated incident response signal timing plans</li> <li>Signal status integration with the operations centers</li> <li>Arterial Congestion Mapping</li> </ul>	M	SK-TM-01, SK-TM-10, CO-02		\$600,000/ \$2500	<ul style="list-style-type: none"> <li>Reduction in stops, fuel consumption, and vehicle delay</li> <li>Improved travel time on major arterials</li> <li>Enhanced information sharing capabilities</li> <li>Supports arterial management projects</li> </ul>	
SK-TM-13 (City of Salem)	Adaptive Signal Timing Project	Deploy adaptive signal timing on select signalized corridors in the region with the highest levels of congestion and the most fluctuation in volumes.	L	SK-TM-12		\$1,680,000/ \$15,000	<ul style="list-style-type: none"> <li>Improved efficiency of signalized corridors</li> </ul>	Adaptive signal timing projects have been implemented successfully in other Oregon cities.
SK-TM-14 (Marion County)	Flood Warning System	This project will deploy a system to monitor rising water on the roadway and alert transportation managers of high water. This project will include cameras to monitor the common flood areas and dynamic message signs to provide advanced notification to motorists.	L			\$400,000/ \$12,500	<ul style="list-style-type: none"> <li>Improved safety</li> </ul>	

**Table 6-1. Deployment Projects (4 of 9)**

Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
SK-TM-15 (Marion County)	Slide Monitoring System	This project will deploy a system to monitor frequent slide zones to identify landslides onto the roadway. The project will include cameras to monitor common slide areas and could include dynamic message signs and road closure systems to manage traffic.	L			\$273,000/ \$7,500	<ul style="list-style-type: none"> <li>Improved safety</li> </ul>	
SK-TM-16 (ODOT)	Advanced Vehicle System - Mayday to TOCS	Provide for information flow from vehicle Mayday systems to the TOC (notification of airbag deployment).	H	SK-EM-02	Requires an interface to the mayday system vendors data	\$24,000/ \$1,000	<ul style="list-style-type: none"> <li>Reduced emergency response times</li> <li>Availability of collision characteristics to emergency/medical staff</li> </ul>	Data from the mayday systems will be transmitted to ODOT in 2005.
SK-TM-17 (ODOT)	Advanced Vehicle System - Vehicle Navigation System	This project would use a network of short range communications from the roadside to vehicles to transmit regional traveler information to in-vehicle navigation systems.	L	SK-TI-01	Depends on the ability to collect traveler information	\$32,000/ \$1000	<ul style="list-style-type: none"> <li>Reduced delay</li> <li>Increased traveler information</li> </ul>	This project may be implemented as part of a nationwide vehicle infrastructure integration project.
SK-TM-18 (Marion County)	Isolated Intersection Safety Warning System	This project would deploy devices at high crash locations to warn drivers of changing conditions such as "tee" intersections or sharp horizontal curves.	L			\$600,000/ \$11,000	<ul style="list-style-type: none"> <li>Improved safety</li> <li>Reduced collisions</li> <li>Reduced vehicle speeds</li> </ul>	
SK-TM-19 (Marion County)	Wheatland and Buena Vista Ferry Traveler Information System	This project will provide the operational status of the ferries via arterial message signs that are located at key traveler decision points and highway advisory radio (HAR) messages.	L			\$280,000/ \$6000	<ul style="list-style-type: none"> <li>Provides motorists with traveler information</li> </ul>	
SK-TM-20 (Marion County)	Weigh-in-Motion Facility	This project will deploy weigh stations in Marion County.	L			\$24,000/ \$1950	<ul style="list-style-type: none"> <li>Support freight mobility</li> <li>Increase transportation system efficiency and capacity</li> </ul>	

**Table 6-1. Deployment Projects (5 of 9)**

Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
<b>Traveler Information (TI)</b>								
SK-TI-01 (ODOT)	En-Route Traveler Information	Dynamic message signs, city and county websites and highway advisory radio (HAR) will be deployed in the Salem-Keizer metropolitan area to notify motorists of incidents, detour routes, construction and other traveler information.	H		Depends on the deployment of appropriate field devices to collect real-time traveler information and the ability to provide up to date information to dissemination sources		<ul style="list-style-type: none"> <li>•Real-time traveler information gives motorists the ability to make informed travel decisions</li> <li>•Reduced congestion and delay</li> <li>•Customer satisfaction</li> </ul>	Requires an interface between other agencies traffic data and video collection systems in the Salem-Keizer Metropolitan area to TripCheck, the 511 system, highway advisory radio and other traveler information dissemination systems.
		Deploy dynamic message signs on the following corridors:						
		Highway 22, Lancaster Drive, Commercial St, Kuebler/Cordon Road, Salem Parkway, Interstate 5	H	\$980,000/ \$26,000				
		North River Rd, Hawthorne Ave, Center St, Portland Rd	M	\$490,000/ \$14,000				
		Wallace Rd, Chemewa Rd, Silverton Rd, Market St, Broadway St, 25th St, State St, 12th/13th SE, Turner Rd, Liberty Road SE	L	\$560,000/ \$16,000				
Deploy Highway Advisory Radio (HAR).	H	\$36,000/ \$1000	<ul style="list-style-type: none"> <li>•En-route information that allows users to make informed travel decisions</li> <li>•Reduced congestion and delay</li> <li>•Customer satisfaction</li> </ul>	Eugene has implemented highway advisory radio (HAR) with a wide coverage area and can be used as a resource during design and construction. Depending on the type of transmission, FCC licensing is required and broadcasts are then permitted on a specific range of frequencies.				
SK-TI-02	Cable TV Traveler Information Channel	This project will provide camera images and other traveler information to cable TV companies to display on a channel in the Salem-Keizer metropolitan area.	H	SK-TM-01	Depends on the ability to provide quality images for public viewing	\$28,000/ \$40,000	<ul style="list-style-type: none"> <li>•Improved pre-trip traveler information</li> </ul>	Agreements with television company may result in reduced airtime costs.
SK-TI-03	Broadcast Traveler Information	A dedicated traffic condition radio channel will be provided in the Salem-Keizer metropolitan area to provide traffic condition information.	M	SK-TI-01	Depends on the ability to provide up to date information	\$245,000/ \$75,000	<ul style="list-style-type: none"> <li>•Improved en-route traveler information</li> </ul>	
SK-TI-04	Interactive Traveler Information	This project will allow the motorist to request specific traveler information, utilize dynamic ridesharing, and provide yellow page and reservation services prior to a trip or en-route using wide area wireless connections.	L			\$218,000/ \$128,000	<ul style="list-style-type: none"> <li>•Enhanced mobility</li> <li>•Customer satisfaction</li> </ul>	

**Table 6-1. Deployment Projects (6 of 9)**

Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
<b>Communication (CO)</b>								
SK-CO-01 (ODOT, City of Salem)	Metropolitan Area Communications	This project will phase in new fiber optic communications cable throughout the metropolitan area to provide high speed communications between management centers and centers and field devices (i.e. cameras). Fiber optic communications will be installed in three different phases over the 20-year plan.	H	Most of the projects in this plan are dependent on these communication improvements	While the communication network can be expanded independent to the other projects in this plan, it is more likely that the infrastructure will be installed as part of other projects in the plan.	\$2,240,000/ \$32,000	<ul style="list-style-type: none"> <li>•Connection between agencies will allow for multi-jurisdictional control, management, coordination, and information sharing</li> <li>•Connection to ITS field devices allows for innovative strategies such as incident management and arterial management</li> </ul>	
			M			\$140,000/ \$20,000		
			L			\$140,000/ \$20,000		
SK-CO-02 (City of Salem)	Communications to Isolated Signalized Intersections	This project will provide communications to all signalized intersections in the metropolitan area that are currently isolated from the central signal system computer.	M	STIP Key # 11110, 12601, 12604, 12600, 12625		\$445,000/ \$14,000	<ul style="list-style-type: none"> <li>•More effective traffic/incident management</li> <li>•Improved safety and efficiency</li> <li>•Ability to monitor and control traffic control systems in real-time from a remote location</li> </ul>	Sections of traffic signal interconnect can be added to the main system when other nearby projects are constructed
<b>Public Transportation Services (PT)</b>								
SK-PT-01 (Cherriots)	Paratransit Mobile Data Devices	This project will deploy mobile data devices that will provide the capability to monitor fuel usage, mileage, passengers, and trips. This project will also include AVL on paratransit vehicles for enhanced dispatch.	H	Cherriots is currently outfitting all 50 paratransit vehicles with MDT equipment		\$364,000/ \$10,500	<ul style="list-style-type: none"> <li>•More efficient dispatch</li> <li>•Customer satisfaction</li> <li>•Improved customer mobility</li> </ul>	
SK-PT-02 (Cherriots)	Maintenance Management System	This system will support electronic tracking of equipment inventory, and automatic scheduling of transit maintenance.	M	This system is currently being deployed by Cherriots.		\$63,000/ \$600	<ul style="list-style-type: none"> <li>•More efficient allocation of transit resources</li> <li>•Improved maintenance management</li> </ul>	
SK-PT-03 (Cherriots, ODOT, City of Salem)	Transit Signal Priority	The project will include installing transit priority emitters on select coaches and upgrading traffic signal controllers along the selected corridors. The first phase will include the High Priority Transportation Corridor (Broadway/River Road) Future phases of this project will expand transit signal priority capabilities to other corridors in the region.	H	STIP Key #12115,12117	Requires the installation of transit detection equipment on the transit fleet.	\$130,000/ \$1000	<ul style="list-style-type: none"> <li>•Reduced transit delay</li> <li>•Enhanced transit service</li> <li>•Increased ridership</li> <li>•Increased schedule reliability</li> </ul>	TriMet and the City of Portland have successfully deployed the technology on several corridors in the City of Portland.
SK-PT-04 (Cherriots)	Automated Vehicle Location (AVL) System	Install automated vehicle location (AVL) devices on the Cherriots Transit fleet and integrate transit vehicle locations with the existing computer aided dispatch (CAD) system. This project will support future deployments for transit arrival information, enhanced transit signal priority capabilities, automated passenger counting systems, and using transit vehicles to estimate roadway congestion.	H			\$655,000/ \$19,000	<ul style="list-style-type: none"> <li>•More efficient allocation of transit resources</li> <li>•Operating cost savings</li> <li>•Improved transit reliability</li> </ul>	TriMet and Lane Transit District can be used as resources. TriMet has already successfully implemented AVL and CAD and LTD is currently researching systems for acquisition.

**Table 6-1. Deployment Projects (7 of 9)**

Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
SK-PT-05 (Cherriots)	Real-Time Transit Arrival Information	This project will provide real-time transit arrival and departure information to riders. The project will provide traveler information via an updated Cherriots website, integration with the Regional Trip Planner, electronic message signs at selected stops, cell-phones and PDA's.	H,M,L	Six transit stops have been selected for a pilot deployment of electronic message signs.	Automated vehicle location (AVL) must be installed on the transit fleet in order to provide real-time schedule information	\$275,000/ \$36000	<ul style="list-style-type: none"> <li>Real-time transit information to aid riders with en-route planning</li> <li>Improved customer satisfaction</li> </ul>	TriMet has successfully implemented real-time customer information displays in the Portland metropolitan area using simple wireless communications.
SK-PT-06 (Cherriots)	Transit Center Security	Cherriots has two new transit centers planned for the future; one in Keizer and one in South Salem. This project will provide security camera images at both sites and communications infrastructure for remote monitoring of the images.	M	STIP Key # 12597,13336	Depends on construction/location of new transit centers and the communication connectivity between the buses and these locations	\$420,000/ \$12,000	<ul style="list-style-type: none"> <li>Increased security for riders</li> </ul>	Cherriots currently has existing cameras on many of the buses and at the transit center located downtown.
SK-PT-07 (Cherriots)	Transit Computer Aided Dispatch (CAD) Integration Project	This project will integrate the various CAD systems used today by transit providers in the Salem-Keizer metropolitan area.	M,L	SK-PT-06, SK-PT-01		\$420,000/ \$4000	<ul style="list-style-type: none"> <li>More efficient allocation of transit resources</li> <li>Improved dispatch</li> </ul>	Cherriots will need to coordinate with private and public paratransit agencies that offer services in Salem.
SK-PT-08 (Cherriots)	Transit Management & Maintenance Center Integration	Project would provide communications between the transit management center in downtown Salem and the maintenance management center at DellWeb.	M	CO-01		\$280,000/ \$4000	<ul style="list-style-type: none"> <li>More efficient allocation of transit resources</li> <li>Improved maintenance management</li> </ul>	
<b>Archived Data Management (AD)</b>								
SK-AD-01 (MVCOG)	Archived Data Management System	This project will enhance the traffic data collection system and provide a central storage facility to archive data. The central data storage facility will collect transportation related data from multiple agencies and provide the data in formats that can be used to manage and study existing transportation systems or to plan new ones.	L	This project is related to all projects that deploy field devices and systems to collect transportation related data	This project is dependent on interagency communications and the deployment of field devices to collect data	\$540,000/ \$7000	<ul style="list-style-type: none"> <li>Improved resources for regional modeling, research, analysis, planning and design</li> <li>Reduced cost of data collection</li> </ul>	This project will make use of data already collected or planned from collection with the deployment of field devices. ODOT's TOCS software package may be able to supply an information brokerage system. Portland State University's database system may be able to provide data storage and access ( <a href="http://portal.its.pdx.edu">portal.its.pdx.edu</a> ).

**Table 6-1. Deployment Projects (8 of 9)**


Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
<b>Emergency Management (EM)</b>								
SK-EM-01 (Salem Police Dept)	Real-Time Information to mobile data devices	Provide real-time traffic information to emergency responder's mobile data devices.	M	SK-EM-02, SK-EM-03	None	\$119,000/ \$4400	<ul style="list-style-type: none"> <li>Improved real-time traffic conditions information</li> <li>Reduced emergency response times</li> </ul>	Many emergency response vehicles already include in-vehicle mobile data devices.
SK-EM-02 (ODOT, Mid-Willamette Valley 911 Center, City of Salem)	Intra-Agency Information (Data/Video) Sharing	This project will provide a two-way information flow (video images from the roadway cameras, related weather and construction information) between traffic management, 911 center, police, fire and Emergency Operations Centers.	M	SK-TM-01 SK-MC-03, SK-MC-04	Software interfaces will be required at the 911 and emergency dispatch and transportation operations centers	\$600,000/ \$5600	<ul style="list-style-type: none"> <li>Improved real-time traffic conditions</li> <li>More efficient allocation of emergency response resources</li> <li>Reduced emergency response times</li> </ul>	ODOT and the Bureau of Emergency Communications are currently working on a proof-of-concept for 911 center integration. Evaluation of this proof-of-concept will help with 911 and emergency dispatch center integration in the Salem-Keizer metropolitan area.
SK-TM-03 (Mid-Willamette Valley 911 Center, ODOT, City of Salem)	911 Computer Aided Dispatch Interface	This project will provide a direct interface with the 911 Computer Aided Dispatch system to automatically post traffic-related incidents and to provide traffic congestion and video information.	M			\$250,000/ \$1,500	<ul style="list-style-type: none"> <li>Real-time incident information</li> <li>Enhanced information sharing between agencies</li> </ul>	
SK-EM-04 (ODOT)	Hazardous Materials Management	This project will detect and classify security sensitive hazardous material information in trains and commercial vehicles traveling through the Salem-Keizer metropolitan area to coordinate emergency response availability.	M	SK-EM-02		\$53,000/ \$500	<ul style="list-style-type: none"> <li>Improved safety for motorists and emergency responders</li> <li>More efficient allocation of emergency response resources</li> </ul>	Requires coordination with commercial vehicle companies and rail operators.
SK-EM-05	Responder Video System	Provide emergency/incident responders with video cell phones and develop a link to the TOC to link video to other agencies.	M	SK-EM-02	None	\$21,000/ \$15,700	<ul style="list-style-type: none"> <li>Improved public safety</li> <li>More efficient allocation of medical and emergency response resources</li> </ul>	Current video cell phone technology can be used; however some public jurisdictions have existing policies in place prohibiting the use of cell phones with cameras, due to privacy issues.
SK-EM-06	Dynamic Routing of Emergency Vehicles	This project will automatically calculate the ideal route between two points based on real-time roadway congestion, construction, and incident information.	L	SK-EM-02	Depends on real-time traffic information availability and also requires a communication between the regional traffic management centers and the 911 centers. Automatic vehicle locators on emergency vehicles are required for dynamic route guidance.	\$420,000	<ul style="list-style-type: none"> <li>Reduced emergency response times</li> </ul>	As the Mid-Willamette 911 Center is connected to the regional communication network, real-time traffic information will be readily available.
SK-EM-07	Traffic Signal Preemption by Vehicle ID	Implement preemption equipment to provide traffic signal preemption by specific vehicle ID.	L	None	None	\$490,000	<ul style="list-style-type: none"> <li>Reduced delays</li> <li>Reduced emergency response times</li> </ul>	Technology is readily available. Upgrade work is minimal.

Table 6-1. Deployment Projects (9 of 9)

Project # (Lead Agency)	Project Title	Project Description	Priority	Relativity to Planned Projects	Project Dependencies	Capital Costs/ O&M Costs/ Staff Costs	Expected Benefits	Technical and Institutional Feasibility
<b>Maintenance and Construction Management (MC)</b>								
SK-MC-01 (ODOT, City of Salem, Marion County)	Work Zone Safety Systems and Monitoring	This project will provide portable cameras, variable speed limit signs and speed detection devices to monitor and control traffic conditions in construction work zones. It will also deploy technology within work zones that will reduce motor vehicle conflicts with workers by warning workers of vehicles entering work zones.	H	OTIA Projects	None	Funded with construction projects	<ul style="list-style-type: none"> <li>Improved construction zone safety and efficiency</li> <li>Heightened safety awareness through driver feedback</li> <li>Maintain freight mobility</li> </ul>	These systems could be incorporated in the transportation management plans being developed as part of the OTIA program.
SK-MC-02 (ODOT, City of Salem, Marion County)	Maintenance and Construction Coordination System	Deploy a construction activity information site that contains details about region-wide/statewide maintenance and construction activities by public agencies, and utility companies. The system will include active construction, planned construction, weight and width restrictions, travel times in work zones and other information necessary to manage traffic mobility in Oregon.	H	OTIA Projects	Requires data and information from public and private agencies throughout the region	\$100,000/ \$1000	<ul style="list-style-type: none"> <li>Information sharing between agencies</li> <li>More efficient allocation of maintenance resources</li> <li>Real-time information to travelers</li> <li>Reduced delay</li> </ul>	This system supports the statewide goal for unrestricted freight mobility. With relatively minor modifications, the ODOT Highway Transportation Conditions Reporting System will support the implementation.
SK-MC-03 (ODOT, City of Salem, Marion County)	Construction Zone Traveler Information Systems	This project will provide travel time information through work zones using electronic message signs, the Internet, and highway advisory radio (HAR).	H	SK-TI-01, SK-TI-02	Depends on the ability to collect traveler information	\$315,000/ \$20,000	<ul style="list-style-type: none"> <li>Improved construction zone safety and efficiency</li> <li>Heightened safety awareness through driver feedback</li> </ul>	
SK-MC-04 (ODOT, City of Salem, Marion County, City of Keizer)	Roadway Weather Information System	Weather stations with roadway temperature, wind speed, humidity, and precipitation sensors will be installed at the following locations:		SK-TI-01	None		<ul style="list-style-type: none"> <li>Real-time weather and pavement conditions</li> <li>More efficient allocation of maintenance resources during inclement weather</li> </ul>	Weather stations have been implemented successfully throughout Oregon.
		West Salem Hill East of Cordon Rd on Hwy 22	M		\$250,000/ \$6500			
		Grand Ronde Falls City	L		\$250,000/ \$6500			
SK-MC-05 (City of Salem, Marion County)	Maintenance Vehicle Tracking	This project will track maintenance vehicles to enhance dispatch of personnel and equipment to daily events and for management of the transportation network during winter storms.	L		Requires the installation of GPS/AVL equipment on maintenance vehicles	\$779,000/ \$20000	<ul style="list-style-type: none"> <li>More efficient allocation of maintenance resources</li> </ul>	Other states have deployed similar systems that can be used as models for the region.
SK-MC-06 (City of Salem, Marion County)	Maintenance Event Logging System	Log maintenance requirements through an automated system to record items that require maintenance as personnel identify them daily.	L		Requires the installation of GPS/AVL equipment on maintenance vehicles	\$94,000/ \$1000	<ul style="list-style-type: none"> <li>More efficient allocation of maintenance resources</li> </ul>	

## 6.2.1 ITS Standards and Operational Guidelines

Chapter 3 discusses the probable need for and use of the following ITS standards as part of the ITS deployment program in the Salem-Keizer Metropolitan Area:



- ▶ **Common Standards:** Standards that define terms, data elements, and message sets.
- ▶ **National Transportation Communications for ITS Protocol (NTCIP):** ITS standards that apply to the majority of interfaces between traffic and transit management systems and devices.
- ▶ **Transit Communications Interface Profiles (TCIP):** A number of data interface standards for the transit industry.

However, these standards are currently in various stages of development and acceptance, and many are not yet approved by the Standards Development Organizations (SDO's). Standards not yet approved are not widely utilized by equipment, communication and software vendors. However, to meet the federal ITS requirements, it is recommended that each

deployment project selected for near-term deployment be crosschecked with relevant standards as the project moves beyond this initial planning phase.

Applicable standards and protocols should be highlighted during the systems engineering analysis and—upon approval by the lead deployment agency—the appropriate standards should be utilized during detailed design, equipment selection and implementation. Particular attention should be paid to the identification of system-to-system standards that allow for the mutual sharing of information. Relevant standards for the 5-Year Plan deployment projects have been identified as part of the overall description of major projects as detailed in Section 6.4. The *National ITS Architecture* provides a good starting point for the identification of relevant standards.

In addition to relevant standards, there is also a significant need for operational guidelines for the various types of ITS field equipment scheduled for deployment by state and local agencies over the next 20 years. Operating guidelines may include examples of proven and effective practices as well as documented procedures for ensuring consistency and proper implementation, operation and maintenance of the ITS equipment. Most ITS equipment is deployed as part of a system and relies on integration with other field devices and communications to centers (i.e. traffic management or 911 centers). It is essential that the equipment functions efficiently within the system. Established operational guidelines can assist the various agencies with avoiding inconsistent or incorrect applications of the equipment and contribute to an integrated, cost-effective ITS system.

### 6.3 DEPLOYMENT PLAN SCHEDULE

Table 6-2 lists the deployment plan schedule for the proposed projects, grouped by area of interest. As described previously, the schedule follows a 5-Year Plan, 10-Year Plan, and 20-Year Plan and relates to the priority assigned to each project in Table 6-1. Since priorities and institutional objectives change over time, the deployment plan schedule should be re-evaluated after the 5-Year Plan has been completed. In addition, the deployment plan schedule does not necessarily coincide with each of the local agency funding cycles. As the ITS plan is incorporated into local agency planning documents and project lists, the Deployment Plan schedule should be adjusted as appropriate.



Table 6-2. Deployment Plan Schedule

Ref. No.	Project Title	Years																			
		5-Year Plan					10-Year Plan					20-Year Plan									
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
SK-PM-01	Program Management and System Evaluation																				
<b>Traffic Management</b>																					
SK-TM-01	Metropolitan Area Wide Video Deployment																				
SK-TM-02	Incident Management Plan for West Salem Bridges																				
SK-TM-03	Incident Response Program Enhancements																				
SK-TM-04	Detour Route Management																				
SK-TM-05	Traffic Data Collection System																				
SK-TM-06	Arterial Congestion Map																				
SK-TM-07	Advanced Rail Warning System																				
SK-TM-08	Coordinated Emergency Management System																				
SK-TM-09	Center to Center Integration - ODOT, Salem, Keizer, Marion County, Polk																				
SK-TM-10	Salem Traffic Management Center Upgrade																				
SK-TM-11	Downtown Salem Parking Management																				
SK-TM-12	Central Signal System Upgrade																				
SK-TM-13	Adaptive Signal Timing Project																				
SK-TM-14	Flood Warning System																				
SK-TM-15	Slide Monitoring System																				
SK-TM-16	Advanced Vehicle System - Mayday to TOCS																				
SK-TM-17	Advanced Vehicle System - Vehicle Navigation System																				
SK-TM-18	Isolated Intersection Safety Warning System																				
SK-TM-19	Weigh-in-Motion Facility																				
<b>Traveler Information</b>																					
SK-TI-01	En-route Traveler Information																				
SK-TI-02	Cable TV Traveler Information Channel																				
SK-TI-03	Broadcast Traveler Information																				
SK-TI-04	Interactive Traveler Information																				
SK-TI-05	Wheatland and Buena Vista Ferry Traveler Information System																				
<b>Communications</b>																					
SK-CO-01	Metropolitan Area Communications																				
SK-CO-02	Communications to Isolated Signalized Intersections																				

Proposed Implementation

## 6.4 5-YEAR PLAN PROJECTS

This section provides more details regarding many of the significant 5-Year Plan projects. A table describing each project includes the following information:

- ✦ Project Title
- ✦ Project Number (for reference)
- ✦ Purpose
- ✦ Existing Problems
- ✦ Stakeholders
- ✦ Description
- ✦ Communication Requirements
- ✦ ITS Standards
- ✦ Project Dependencies
- ✦ Goals Supported
- ✦ Benefits
- ✦ Cost
- ✦ Phased Plan
- ✦ Associated Market Packages
- ✦ Potential Funding Sources



### 6.4.1 Potential Funding Sources for 5-Year Plan Projects

A variety of potential funding sources should be considered for the implementation of projects throughout the Salem-Keizer Metropolitan Area. Funding sources are necessary for capital costs, as well as continued operations and maintenance costs to ensure the success of the regional deployment plan that has been outlined in this chapter. The following list presents some possible funding sources:

- ✦ State ITS Funds (ODOT)
- ✦ Federal ITS Grants
- ✦ System Development Charge (SDC)
- ✦ State Transportation Improvement Program (STIP)
- ✦ Federal Homeland Security
- ✦ Private Sector Partnership

### 6.4.2 ITS Standards for 5-Year Plan Projects

It is recommended that each ITS project selected for near-term deployment be crosschecked against relevant standards. Accordingly, each of the 5-Year Plan project descriptions in Section 6.4 includes identification of relevant standards. ODOT already adheres to some applicable ITS standards as described herein.


#### 6.4.2.1 ITS Standards in Use by ODOT

Of the traffic agencies in the Salem-Keizer area, ODOT has spent the most time analyzing, approving and utilizing ITS standards because they have the most experience with ITS implementations around Oregon. The following practices highlight ODOT's experience with the adoption of ITS standards:

- ▶ ODOT is currently using most of the approved message set and data definition standards when available and applicable, particularly:
  - **ITE TM 1.03: Standard for Functional Level Traffic Management Data Dictionary (TMDD)**
  - **ITE TM 2.01: Message Sets for External TMC Communications (MS/ETMCC)**
- ▶ **Center-to-Center Standards:** ODOT is planning on utilizing XML<sup>1</sup> for center-to-center communication, as opposed to either DATEX<sup>2</sup> or CORBA<sup>3</sup>. Many standards for XML have already been developed and are used widely in the IT industry. Message sets and data dictionaries for ITS utilizing XML are currently being converted from DATEX message sets by the Standard Development Organizations (SDO's).



- ▶ **Center-to-Field Standards:** Most field device NTCIP standards are still in development. ODOT is currently utilizing **NTCIP 1203: Object Definitions for Dynamic Message Signs** and will continue to review all other relevant NTCIP standards when deploying new field devices.



<sup>1</sup> eXtensible Markup Language (XML): a universal structured data transfer methodology that is currently widely used in e-business and e-government applications.

<sup>2</sup> DATa EXchange Between Systems (DATEX): one of the two approved NTCIP standards for center-to-center communications.

<sup>3</sup> Common Object Request Broker Architectures (CORBA): one of the two approved NTCIP standards for center-to-center communications.

**METROPOLITAN AREA WIDE VIDEO DEPLOYMENT**

SK-TM-01

Page 1 of 2

**Purpose**

To provide continuous video coverage of congested locations to motorists and assist incident detection and data collection efforts

**Existing Problems**

- ▶ Recurrent traffic congestion
- ▶ High incident locations at specific intersections
- ▶ Limited monitoring capabilities
- ▶ Lack of traveler information



**Stakeholders**

Primary:

- ▶ City of Salem
- ▶ ODOT

**Description**

This project will post existing City of Salem camera images on ODOT’s TripCheck traveler information website. The City of Salem currently has many cameras throughout the study area that are used at the traffic management center to monitor traffic conditions. The first phase of this project will involve modifying the images so they can be posted for public viewing and includes the deployment of new pan-tilt-zoom cameras on the specified 0-5 year corridors. Future phases of this project will deploy more pan-tilt-zoom cameras at other key intersections in the City of Salem, the City of Keizer and Marion County. In many of the downtown locations, fixed cameras should be used due to extensive tree coverage that limits the long-distance viewing capabilities. The cameras will be used to monitor the roadway for congestion, trouble spots, incidents, equipment failures, traffic signal operations and to provide roadway condition information to travelers.

**Project Dependencies**

Existing cameras images have marked vehicle detection zones (lines) that affect the image that would potentially be posted on TripCheck. One option involves building a separate communication link to each camera to send the image back to the City of Salem traffic operation center on a different channel. This image could then be posted on TripCheck without the detection zones.

**Relevant ITS Standards**

- ▶ ITE TM 1.03, TM 2.01
- ▶ NTCIP 1101, 1102, 1103, 1201, 1205, 1209, 1210, 1211

**METROPOLITAN AREA WIDE VIDEO DEPLOYMENT**

SK-TM-01

Page 2 of 2

**Communication Requirements**

High speed communications are required between the cameras, the City of Salem Traffic Management Center and the ODOT NWTOC.

**Goals Supported**

- ▶ Improve the safety, efficiency, and reliability of the transportation system.
- ▶ Deploy systems with a high benefit-to-cost ratio and maximize the use of existing infrastructure
- ▶ Improve traveler mobility
- ▶ Provide improved traveler information and access to the information

**Benefits**

- ▶ Ability to monitor and control traffic control systems in real-time from a remote location.
- ▶ Reduced incident detection times
- ▶ Improved safety and efficiency
- ▶ Increased traveler information

**Cost**

\$2,100,000 Project Deployment  
 \$48,000 Annual Ops & Maintenance

**Phased Plan**

0 – 5 Years: Project Deployment

**Associated Market Packages**

- ▶ ATMS1 Network Surveillance
- ▶ ATMS6 Traffic Information Dissemination

**Possible Funding Sources**

This project has many funding options including statewide ITS funds, federal ITS funds, or the Statewide Transportation Improvement Plan (STIP). A policy for real-time system management is included in the City of Salem’s Transportation System Plan which may also allow funding (where available) to come from local agency budgets or system development charges (SDC). Local City budgets and SDC funding may be utilized if the benefits of this project can be directly tied to capacity improvements on the roadway.



## MAINTENANCE AND CONSTRUCTION COORDINATION SYSTEM


SK-MC-02

Page 1 of 2

**Purpose**

The purpose of this project is to improve traffic mobility throughout the State of Oregon by providing a central source for all current and planned maintenance and construction activity.

- Existing Problems**
- ▶ Lack of centralized source for current and planned maintenance and construction activity information
  - ▶ Many construction projects restrict heavy, wide or tall commercial vehicles resulting in detours for commercial vehicles
  - ▶ No ability to identify active construction projects on potential detour routes



- Stakeholders**
- Primary:**
- ▶ ODOT
- Secondary:**
- ▶ Marion County
  - ▶ City of Salem
  - ▶ City of Keizer
  - ▶ Utilities
  - ▶ Trucking Industry
  - ▶ Other Statewide public agencies and utilities.

**Description**

Develop a construction activity information site that contains details about region-wide/statewide maintenance and construction activities by public agencies and utility companies. The system will include active construction, planned construction, weight and width restrictions, travel times in work zones and other information necessary to manage traffic mobility in Oregon. This central database of construction and maintenance activity will provide transportation managers with the ability to monitor construction activity and schedules and ensure there is always an east-west and north-south route into and out of the State of Oregon for goods movement.

**Communication Requirements**

Interface to make entries to this system will be provided through a standard web browser.

**MAINTENANCE AND CONSTRUCTION COORDINATION SYSTEM**

SK-MC-02

Page 2 of 2

Project Dependencies
None

Goals Supported
<ul style="list-style-type: none"> <li>▶ Improve the safety and efficiency of our transportation system</li> <li>▶ Provide improved traveler information and access to the information</li> <li>▶ Integrate regional ITS projects with local and regional partners</li> <li>▶ Monitor transportation performance measures</li> </ul>

Benefits
<ul style="list-style-type: none"> <li>▶ Improved traffic mobility</li> <li>▶ Improved freight mobility</li> <li>▶ Information sharing between agencies</li> <li>▶ More efficient allocation of maintenance resources</li> <li>▶ Real-time information to travelers</li> <li>▶ Reduced delay</li> </ul>

Relevant ITS Standards
<ul style="list-style-type: none"> <li>▶ ASTM E2259-03</li> <li>▶ SAEJ2353, J2354, J2529</li> <li>▶ ITE TM1.03, TM2.01</li> </ul>


Associated Market Packages
<ul style="list-style-type: none"> <li>▶ ATIS02: Interactive Traveler Information</li> <li>▶ MC07: Roadway Maintenance and Construction</li> <li>▶ MC10: Maintenance and Construction Activity Coordination</li> </ul>

Phased Plan
0 – 5 Years: Project Deployment

Cost
\$100,000 Project Deployment
\$1,000 Annual Ops & Maintenance

Possible Funding Sources
This project has many funding options including statewide ITS funds, federal ITS funds, or the Statewide Transportation Improvement Plan (STIP).

## MAINTENANCE AND CONSTRUCTION COORDINATION SYSTEM



**EN-ROUTE TRAVELER INFORMATION**

SK-TI-01

Page 1 of 2

**Purpose**

To provide a source of integrated traveler information for travelers en-route throughout the Salem-Keizer Metropolitan Area.

**Existing Problems**

- ▶ Limited availability of accessible, pre-trip and en-route real-time traveler information.



**Stakeholders**

- Primary:**
- ▶ ODOT
  - ▶ City of Salem
- Secondary:**
- ▶ Cherriots
  - ▶ City of Keizer
  - ▶ Marion County
  - ▶ Polk County

**Description**

This project will include the deployment of dynamic message signs (DMS), enhanced Salem-Keizer area traveler information on the TripCheck website and 511 and highway advisory radio (HAR) in the Salem-Keizer Metropolitan Area to notify motorists of incidents, detour routes, construction, weather or other traveler information. In addition to these deployments, traveler information will be coordinated/sent to TripCheck and 511 and will be downloadable to mobile phones and personal digital assistants (PDA's).

**Project Dependencies**

This project depends on the deployment of appropriate field devices to collect real-time traveler information and the ability to provide up to date information to the dissemination sources.

**Relevant ITS Standards**

- ▶ ITE TM 1.03, TM 2.01
- ▶ IEEE IM
- ▶ NTCIP 1101, 1102, 1103, 1201, 1205, 1209, 1210, 1211, 2101, 2102, 2103, 2104, 2201

**EN-ROUTE TRAVELER INFORMATION**

SK-TI-01

Page 2 of 2

**Communication Requirements**

Each agency that has traveler information to disseminate will need to support communications between the field devices and the traffic management centers. Center-to-center network connections will support the exchange of traveler information between the transportation agencies and dissemination sources.

Additional communications will be needed for the deployment of field devices (DMS and HAR) and will depend upon the location.

**Goals Supported**

- ▶ Improve the safety, efficiency, and reliability of the transportation system.
- ▶ Improve traveler mobility
- ▶ Provide improved traveler information and access to the information

**Benefits**

- ▶ Real-time and static traveler information.
- ▶ Pre-trip planning capabilities and en-route information that allow travelers to make informed travel decisions.
- ▶ Reduced congestion and delay.
- ▶ Customer satisfaction

**Cost**

\$980,000	Project Deployment
\$12,500	Annual Ops & Maintenance

**Phased Plan**

0 – 5 Years: Project Deployment will include HAR and the deployment of DMS on the following corridors at key decision points:

- ▶ Highway 22
- ▶ Lancaster Drive
- ▶ Commercial Street
- ▶ Kuebler/Cordon Road
- ▶ Salem Parkway
- ▶ Interstate 5

**Associated Market Packages**

- ▶ ATMS6 Traffic Information Dissemination
- ▶ EM10 Disaster Traveler Information
- ▶ ATIS1 Broadcast Traveler Information
- ▶ ATIS2 Interactive Traveler Information

**Possible Funding Sources**

This project has many funding options including statewide ITS funds, federal ITS funds, or the Statewide Transportation Improvement Plan (STIP).



**DETOUR ROUTE MANAGEMENT**


SK-TM-04

Page 1 of 2

**Purpose**

To support incident management in the Salem-Keizer Metropolitan Area

- Existing Problems**
- ▶ Lack of traffic management resources when travelers are diverted from I-5
  - ▶ Limited infrastructure to notify the public of the detour/use of alternative route.
  - ▶ Need for improved inter-agency coordination



- Stakeholders**
- Primary:
- ▶ ODOT
  - ▶ City of Salem
  - ▶ Marion County
- Secondary:
- ▶ City of Keizer
  - ▶ Emergency Management

**Description**

This project includes improvements to the existing detour plan for Cordon Road including: GIS mapping of the detour route, incident signal timing plans, electronic message signs, CCTV cameras for congestion monitoring and interagency communications and coordination to support incident responders and management of the roadway network during incidents. An operational plan discussing specific roles and responsibilities of each agency and their control of the associated field devices will also be developed.

The priority corridor is Kuebler Boulevard/Cordon Road. Another corridor that may be used as an alternate route is Salem Parkway/Commercial/Mission Street.

**Project Dependencies**

An incident management operational plan must be developed for each corridor to clearly establish roles and responsibilities of each agency prior to the occurrence of an incident.

- Relevant ITS Standards**
- ▶ IEEE IM
  - ▶ ITE TM 1.03, TM 2.01
  - ▶ NTCIP 1101, 1102, 1103, 1201, 1203, 1204, 1205, 1206, 1209, 1301, 2001, 2101, 2102, 2103, 2104, 2201, 2202

**DETOUR ROUTE MANAGEMENT**

SK-TM-04

Page 2 of 2

**Communication Requirements**

Communications are required between the field devices and City of Salem traffic management center and the ODOT NWTOC.

- Goals Supported**
- ▶ Improve the safety, efficiency, and reliability of the transportation system.
  - ▶ Improve emergency response times
  - ▶ Improve traveler mobility
  - ▶ Provide improved traveler information and access to the information

**Cost**

\$1,800,000	Project Deployment
\$30,000	Annual Ops & Maintenance

- Benefits**
- ▶ Reduction in congestion and delay due to incidents.
  - ▶ Increased capacity and throughput during incident conditions.

**Phased Plan**

0 – 5 Years:	Project Deployment
6-10 Years:	Project Deployment

- Associated Market Packages**
- ▶ ATMS06 Traffic Information Dissemination
  - ▶ ATMS08 Traffic Incident Management System

**Possible Funding Sources**

This project has many funding options including statewide ITS funds, federal ITS funds, or the Statewide Transportation Improvement Plan (STIP). The multi-agency jurisdiction of this project presents a good example where partnerships may be formed to obtain funding.



**REAL-TIME TRANSIT ARRIVAL INFORMATION**

SK-PT-05

Page 1 of 2

**Purpose**  
 To enhance the service of public transportation and provide real-time transit traveler information at transit centers and bus stops in the Salem-Keizer Metropolitan Area.



- Existing Problems**
- ▶ Need to provide transit arrival/location information to travelers
  - ▶ Variable transit travel times due to congestion
  - ▶ Need accessible, real-time transit information



**Stakeholders**  
 Primary: ▶ Cherriots

**Description**  
 This project will provide real-time transit arrival and departure information to riders via an updated Cherriots website, integration with the Regional Trip Planner, electronic message signs at selected stops, cell-phones and PDA's.

**Project Dependencies**  
 Automated vehicle location (AVL) must be installed on the transit fleet in order to provide real-time schedule information.

- Relevant ITS Standards**
- ▶ SAE J2353, J2354, J2369
  - ▶ NTCIP 1401, 1403, 1404, 1405, 1406, 1407

**REAL-TIME TRANSIT ARRIVAL INFORMATION**

SK-PT-05

Page 2 of 2

**Communication Requirements**

Communications will be required between each real-time information display and the Cherriots dispatch center. A wireless connection will provide the most cost-effective method of establishing communications.

Communications will be required between the transit vehicles and the transit management center to transmit vehicle location information.

**Goals Supported**

- ▶ Improve traveler mobility
- ▶ Provide improved traveler information and access to the information
- ▶ Provide multi-modal transportation information to travelers

**Benefits**

- ▶ Real-time transit information to aid riders with en-route planning
- ▶ Improved customer satisfaction

**Cost**

\$137,000	Project Deployment
\$13,500	Annual Ops & Maintenance

**Phased Plan**

0 – 5 Years: Deploy electronic message signs at six locations along the High Priority Transportation Corridor (Broadway/N River Road)


**Associated Market Packages**

- ▶ APTS08: Transit Traveler Information

**Possible Funding Sources**

This project has many funding options including statewide ITS funds, federal ITS funds, or the Statewide Transportation Improvement Plan (STIP).

**REALTIME TRANSIT ARRIVAL INFORMATION**



**TRANSIT SIGNAL PRIORITY**

SK-PT-03

Page 1 of 2

**Purpose**

To improve transit travel time reliability on corridors with traffic signals.



**Existing Problems**

- ▶ Corridors experience changing levels of congestion that affects bus travel arrival time reliability.
- ▶ Transit vehicles may not fully benefit from coordinated signal corridors because they service bus stops between intersections.

**Stakeholders**

Primary:

- ▶ Cherriots
- ▶ City of Salem
- ▶ ODOT
- ▶ City of Keizer
- ▶ Marion County

**Description**

The project will include the installation of transit priority emitters on select coaches and traffic signal controller software upgrades along the selected corridors to support transit signal priority. The first phase will include the High Priority Transportation Corridor (Broadway/River Road). Future phases of this project will expand transit signal priority capabilities to other corridors in the region that have been selected based on levels of current traffic congestion and transit ridership.

**Project Dependencies**

This project depends on the installation of transit detectors on the transit fleet and traffic signal software that supports transit signal priority.

**Relevant ITS Standards**

- ▶ IEEE 1455 – 1999
- ▶ ITE TM 1.03, TM 2.01
- ▶ NTCIP 1202, 1206, 1209, 1211, 1401, 1405

**TRANSIT SIGNAL PRIORITY**

SK-PT-03

Page 2 of 2

**Communication Requirements**

A communications interface will be needed between each transit vehicle and each traffic signal along a transit priority corridor. Potential interfaces include preemption equipment used by emergency response, loops embedded in the pavement that detect bus presence, radio frequency tags and readers or a central management system that requests priority based on vehicle locations.

- Goals Supported**
- ▶ Enhance management of transportation system to improve maintenance and operations efficiencies
  - ▶ Improve the reliability of the transportation system

**Cost**

\$130,000	Project Deployment
\$1,000	Annual Ops & Maintenance

- Benefits**
- ▶ Reduced transit delay.
  - ▶ Improved schedule adherence and reliability.
  - ▶ Reduced operational costs.
  - ▶ Enhanced transit service.
  - ▶ Increased ridership

**Phased Plan**

0 – 5 Years: High Priority Transportation Corridor; Broadway/N River Road  
Lancaster Drive  
South Commercial Street

6-10 Years: Portland Road  
12<sup>th</sup>/13<sup>th</sup> Couplet  
Market Street  
Liberty/Commercial Couplet  
Silverton Road


11-20 Years: Salem Parkway  
Wallace Road  
Center Street  
Liberty Road

- Associated Market Packages**
- ▶ APTS7 Multi-modal Coordination

**Possible Funding Sources**

This project has many funding options including statewide ITS funds, federal ITS funds, or the Statewide Transportation Improvement Plan (STIP).

# TRANSIT SIGNAL PRIORITY



**INTRA-AGENCY INFORMATION SHARING**

SK-EM-02

Page 1 of 2

**Purpose**

To enhance communications and coordination between traffic management and emergency management agencies.

- Existing Problems**
- ▶ Need for improved coordination and communication between traffic agencies and emergency management agencies
  - ▶ Lack of transportation related information (incident status, construction status, etc.) available to emergency responders.
  - ▶ Continuing need to maintain and/or reduce emergency response times.



- Stakeholders**
- Primary:
- ▶ ODOT
  - ▶ Cities of Salem and Keizer
  - ▶ Marion and Polk Counties
  - ▶ Emergency Management

**Description**

This project will provide a two-way information flow (video images from the roadway cameras, related congestion, incident, weather and construction information) between traffic management, 911 center, police, fire and Emergency Operations Centers. This project will support dynamically routing emergency vehicles based on real-time transportation conditions.

**Project Dependencies**

New software enhancements will be required at the 911 center, emergency management center and traffic management centers to integrate transportation related information (congestion, incidents, construction zones, etc) with the computer aided dispatch (CAD) software.

Dynamic emergency vehicle routing depends on the availability of vehicle location information.

- Relevant ITS Standards**
- ▶ NTCIP 1201, 1209
  - ▶ ITE TM 1.03, TM 2.01

**INTRA-AGENCY INFORMATION SHARING**

SK-EM-02

Page 2 of 2

**Communication Requirements**

High speed center-to-center communications are required between emergency management centers and transportation management centers to support the exchange of real time transportation and emergency related information.

**Goals Supported**

- ▶ Improve the safety, efficiency, and reliability of the transportation system.
- ▶ Improve traveler mobility
- ▶ Share infrastructure and operations resources between local and regional agencies

**Benefits**

- ▶ Reduced emergency response times
- ▶ More efficient allocation of emergency response resources
- ▶ Improved real-time traffic conditions
- ▶ Enhance interagency communication and coordination

**Cost**

\$600,000 Project Deployment  
 \$5,600 Annual Ops & Maintenance

**Associated Market Packages**

- ▶ EM02 Emergency Routing
- ▶ ATMS06 Traffic Information Dissemination

**Phased Plan**

6-10 Years: Project Deployment

**INCIDENT RESPONSE PROGRAM ENHANCEMENTS**

SK-TM-03

Page 1 of 2

**Purpose**

To continue to provide efficient multi-agency response to incidents, to reduce incident detection and response times, and to reduce the amount of time that traffic is disrupted.



- Existing Problems**
- ▶ Recurrent traffic congestion
  - ▶ Limited incident responders in ODOT Region 2 and the Salem-Keizer Metropolitan Area
  - ▶ Limited monitoring and incident detection capabilities
  - ▶ Lack of means to disseminate real-time alternate route information

**Stakeholders**

Primary: ▶ ODOT

**Description**

Region 2 currently has a successful incident management program that services the Salem-Keizer Metropolitan Area. This project will build on the current incident response program to support incident management on state, county and city roadways. It will equip incident response vehicles with GPS to enhance dispatch capabilities and will also provide additional incident response vehicles and personnel.

**Project Dependencies**

Full use of the incident management operational plan depends on the deployment of field devices and communications in the region

- Relevant ITS Standards**
- ▶ NTCIP 1205,1207, 1208,1209

**INCIDENT RESPONSE PROGRAM ENHANCEMENTS**

SK-TM-03

Page 2 of 2

**Communication Requirements**

Requires wireless communications to response vehicles for vehicle location information

**Goals Supported**

- ▶ Improve the safety, efficiency, and reliability of the transportation system.
- ▶ Improve traveler mobility

**Cost**

\$494,000	Project Deployment
\$42,000	Annual Ops & Maintenance
\$240,000	Staff Costs

**Benefits**

- ▶ Reduced incident detection times
- ▶ Reduced incident response times
- ▶ Supports freight mobility
- ▶ Reduced congestion and delay due to incidents
- ▶ More efficient allocation/dispatch of incident responders

**Phased Plan**

0 – 5 Years: Project Deployment

**Associated Market Packages**

- ▶ ATMS01 Network Surveillance
- ▶ ATMS06 Traffic Information Dissemination
- ▶ ATMS08 Traffic Incident Management System

**Possible Funding Sources**

This project has many funding options including statewide ITS funds, federal ITS funds, or the Statewide Transportation Improvement Plan (STIP).

### 6.5 DEPLOYMENT PLAN COSTS

Table 6-3 summarizes the estimated capital costs, annual operations/maintenance, and additional annual staffing costs for full implementation of the 20-Year Plan with an overall capital cost of 29.7 million dollars. To maximize the benefits of ITS projects in the Salem-Keizer Metropolitan Area, an on-going commitment must be made to the operations and maintenance of equipment and software and to consistent staffing for effective system operation. Figure 6-7 illustrates the 20-year plan cost categorized by program area.




Figure 6-7. 20-Year Cost by Program Area

Table 6-3. Estimated Capital and Annual Operations/Maintenance Costs for 20-Year Plan

Implementation Stage	Estimated Implementation Capital Costs	Estimated Annual Operations & Maintenance Costs*	Estimated Annual Staffing Costs
5-Year Plan: 0 – 5 Years	\$6,997,000	\$214,000	\$240,000
10-Year Plan: 6 – 10 Years	\$9,660,000	\$266,000	\$0
20-Year Plan: 11 – 20 Years	\$13,067,000	\$359,000	\$60,000
<b>TOTAL</b>	<b>\$29,724,000</b>	<b>\$839,000</b>	<b>\$300,000</b>

\* Annual operations and maintenance costs are per year for the associated stage.

#### 6.5.1 Deployment Plan Costs for 5-Year Plan

Table 6-4 includes a breakdown of the capital costs and annual operations and maintenance (O&M) costs by agency for the 5-Year Plan, which totals 7 million dollars. As shown in Figure 6-8, the costs are distributed among different agencies in the Salem-Keizer region. Some of the projects scheduled for deployment in the first 5 years have multi-jurisdictional components. The costs have been divided among the different agencies based on the anticipated portion of usage. For example, each agency will be using fiber optic cable so the total cost of the communication network has been split among Marion County (15%), the City of Salem (55%) and ODOT (30%). Other shared projects for the first phase of implementation include detour route management and the incident management plan for the west Salem bridges.

Table 6-4. Estimated Agency Costs for 5-Year Plan

Project Elements	Estimated Costs	
	Capital	Annual O&M
<b><i>Oregon Department of Transportation (ODOT)</i></b>		
✦ Incident Management Plan for West Salem Bridges	\$546,000	\$9,500
✦ Incident Response Program Enhancements	\$494,000	\$182,000
✦ Detour Route Management	\$150,000	\$6,750
✦ Communication Network	\$252,000	\$3,600
✦ Maintenance and Construction Coordination System	\$100,000	\$1,000
✦ En-Route Traveler Information	\$980,000	\$12,500
<b><i>ODOT Total:</i></b>	<b><i>\$3,614,000</i></b>	<b><i>\$221,850</i></b>
<b><i>City of Salem</i></b>		
✦ Metropolitan Area Wide Video Deployment	\$2,100,000	\$48,000
✦ Detour Route Management	\$150,000	\$6,750
✦ Incident Management Plan for West Salem Bridges	\$546,000	\$9,500
✦ Communication Network	\$462,000	\$9,900
<b><i>City of Salem Total:</i></b>	<b><i>\$3,258,000</i></b>	<b><i>\$64,650</i></b>
<b><i>Cherriots</i></b>		
✦ Transit Signal Priority	\$130,000	\$1,000
✦ Automated Vehicle Location (AVL) System	\$655,000	\$19,000
✦ Real-Time Transit Arrival Information	\$135,000	\$13,500
<b><i>Cherriots Total:</i></b>	<b><i>\$920,000</i></b>	<b><i>\$33,500</i></b>

Table 6-4. Estimated Agency Costs for 5-Year Plan (cont)

Project Elements	Estimated Costs	
	Capital	Annual O&M
<b>Marion County</b>		
✦ Communication Network	\$126,000	\$1800
✦ Detour Route Management	\$100,000	\$4500
✦ Flood Warning System	\$405,000	\$18,000
✦ Slide Warning System	\$273,000	\$11,000
<b>Marion County Total:</b>	<b>\$904,000</b>	<b>\$35,300</b>
<b>Shared Projects Between Several Agencies</b>		
✦ Incident Management Plan for West Salem Bridges	\$1,092,000	\$19,000
<b>Shared Agencies Total:</b>	<b>\$1,092,000</b>	<b>\$19,000</b>




Figure 6-8. Estimated 5-Year Deployment Plan Cost by Agency

# Appendix A: Glossary of Acronyms

---

## List of Acronyms

AD	Archived Data Management
ADA	American Disability Act
ADT	Average Daily Traffic
AOC	Agency Operation Center
APC	Automated Passenger Counting
APTS	Advanced Public Transportation System
ARC	American Red Cross
ASTM	American Society for Testing and Materials
ATC	Advanced Traffic Controller
ATIS	Advanced Traveler Information Systems
ATM	Asynchronous Transfer Mode
ATMS	Advanced Traffic Management System
ATR	Automatic Traffic Recorder
AVL	Automated Vehicle Location
AVSS	Advanced Vehicle Safety System
C2C	Center to Center
C2F	Center to Field
CAD	Computer-Aided Dispatch
CARTS	Chemeketa Area Regional Transportation System
CCTV	Closed Circuit Television
CIP	Capital Improvement Plan
CO	Communications
CORBA	Common Object Request Broker Architecture
CVO	Commercial Vehicle Operations
DATEX	Data Exchange Between Systems
DFD	Data Flow Diagram
DMS	Dynamic Message Sign
DMV	Department of Motor Vehicles
DSRC	Dedicated Short Range Communication
DSL	Digital Subscriber Lines
DSLAM	Digital Subscriber Line Access Multiplexer
EM	Emergency Management
EMS	Emergency Management Services
EOC	Emergency Management Services
FCC	Federal Communications Commission
FHWA	Federal Highway Administration
FRAP	Freight Route Analysis Project
FTA	Federal Transit Administration
FTP	File Transfer Protocol
GIS	Geographical Information System
GHz	Gigahertz

GigE	Gigabit Ethernet
GPS	Global Positioning System
HAR	Highway Advisory Radio
IM	Information Management
IMMS	Incident Management Message Sets
IEEE	Institute of Electrical and Electronics Engineers
IGA	Inter-governmental Agreement
IP	Internet Protocol
ISP	Information Service Provider
ITE	Institute of Transportation Engineers
ITS	Intelligent Transportation System
IVR	Interactive Voice Response
K	Kilobits per Second
MC	Maintenance & Construction
MCM	Maintenance & Construction Management
MDT	Mobile Data Terminal
MHz	Megahertz
MOU	Memoranda of Understanding
MPEG	Motion Picture Expert Group
MS/ETMCC	Message Set External Traffic Management Center Communication
MWVCOG	Mid-Willamette Valley Council of Governments
NOAA	National Oceanic and Atmospheric Administration
NTCIP	National Transportation Communication for ITS Protocol
NWTOC	Northwest Transportation Operation Center
O & M	Operations and Maintenance
ODOT	Oregon Department of Transportation
OEM	Oregon Emergency Management
OHP	Oregon Highway Plan
OHAS	Oregon Housing and Associated Services
OVCTS	Oversize Vehicle Closure Telephone System
OSI	Open System Interconnection
OSP	Oregon State Police
OTIA	Oregon Transportation Investment Act
NIC	Network Interface Card
PDA	Personal Digital Assistant
PMPP	Point to Multipoint Protocol
PPP	Point to Point Protocol
PM	Program Management
PoP	Point of Presence
PTS	Public Transportation Services
PTZ	Pan-Tilt-Zoom
PVMS	Portable Variable Message Sign
QoS	Quality of Service
RF	Radio Frequency
RTP	Regional Transportation Plan
RWIS	Road Weather Information Systems
Rx	Receiver
SCP	Signal Control and Prioritization
SDC	System Development Charge
SDO	Standards Development Organizations

SKATS	Salem-Keizer Area Transportation Study
SLIP	Serial Line Internet Protocol
SMART	South Metro Area Rapid Transit
SONET	Synchronous Optical NETWORK
SPIS	Safety Priority Index System
STIP	Statewide Transportation Improvement Program
TCP/IP	Transmission Control Protocol/Internet Protocol
TDM	Transportation Demand Management
TEA-21	Transportation Equity Act for the 21 <sup>st</sup> Century
TI	Traveler Information
TIP	Transportation Improvement Program
TOC	Transportation Operations Center
TM	Traffic Management
TMC	Traffic Management Center
TMDD	Traffic Management Data Dictionary
TSP	Transportation System Plan
Tx	Transmitter
USDOT	United States Department of Transportation
V/C	Volume-to-Capacity
VMT	Vehicle Miles Traveled
VPN	Virtual Private Network
WVCC	Willamette Valley Communication Center
XML	Extensible Markup Language

# Appendix B: References

---

## References

- City of Salem Transportation System Plan*, City of Salem Public Works, Amended May 2001.
- Federal Transit Administration National ITS Architecture Policy on Transit Projects: Notice*, Federal Transit Administration, FTA Docket No. FTA-99-6147, Jan. 8, 2001.
- Freight Route Analysis Project (DRAFT)*. September 2004. Oregon Department of Transportation. <http://egov.oregon.gov/ODOT/TD/TP/FRAP.shtml#Documents>. Accessed January 2005.
- I-5 State of the Interstate Report -2000: A Transportation Conditions Report*, Oregon Department of Transportation, June 2000.
- ITS Costs and Benefits 2003 Update*. U.S. Department of Transportation ITS Joint Program Office. <http://www.benefitcost.its.dot.gov/its/benecost.nsf/ByLink/CostHome>. Accessed May 2005.
- ITS Standards*. U.S. Department of Transportation. January 2005. [www.standards.its.dot.gov/standards.htm](http://www.standards.its.dot.gov/standards.htm). Accessed November 2004.
- Marion County Transportation System Plan, DRAFT 2005 Update*, Marion County Public Works, September 2003.
- Market Packages*. U.S. Department of Transportation. Nov. 3, 2003. [itsarch.iteris.com/itsarch/html/user/userserv.htm](http://itsarch.iteris.com/itsarch/html/user/userserv.htm). Accessed November 2004.
- National ITS Architecture, Version 5.0*. U.S. Department of Transportation. Nov. 3, 2003. [itsarch.iteris.com/itsarch](http://itsarch.iteris.com/itsarch). Accessed November 2004.
- National ITS Architecture, “What’s New” U.S. Department of Transportation. <http://itsarch.iteris.com/itsarch/html/whatsnew/whatsnew.htm>. November 9, 2003. Accessed November 2004.
- NTCIP: the National Transportation Communications for ITS Protocol Online Resource. AASHTO, ITE, and NEMA. March 22, 2004. [www.nctip.org](http://www.nctip.org). Accessed December 2004.
- Oregon Department of Transportation. *Oregon Transportation Investment Act*. <http://www.odot.state.or.us/otia/index.htm>. Accessed September 2004.
- Oregon Highway Plan*, Oregon Department of Transportation, May 1999.
- Oregon ITS Strategic Plan: 1997-2017, Oregon Department of Transportation, October 1998.  
Statewide Transportation Improvement Program: 2004-2007, Oregon Department of Transportation.

*Salem-Keizer Transit Strategic Business Plan*, Public Review Draft, Salem-Keizer Transit District, July 2004.

*Statewide Transportation Improvement Program 2004-2007*, Oregon Department of Transportation, May 2004.

*SKATS Regional Transportation System Plan*, Salem-Keizer Area Transportation Study (SKATS), June 2002.

*SKATS Transportation Improvement Program*, Public Review Draft, Salem-Keizer Area Transportation Study (SKATS), December 2004.

Title 23, Code of Federal Regulations (CFR), Highways, Chapter 1: Federal Highway Administration, Department of Transportation, Part 940: Intelligent Transportation System Architecture and Standards.

*Transit Communications for ITS Protocols (TCIP)*. Institute of Transportation Engineers.  
<http://www.ite.org/standards/tcip.asp>. Accessed April 2005.

*TripCheck*. Oregon Department of Transportation. [www.tripcheck.com](http://www.tripcheck.com).

*Turbo Architecture, Version 3.0*, developed by Iteris for the U.S. Department of Transportation, Federal Highway Administration, 2004.

*User Services Bundles and User Services*. U.S. Department of Transportation. Nov. 3, 2003.  
[itsarch/iteris.com/itsarch/html/user/userserv.htm](http://itsarch/iteris.com/itsarch/html/user/userserv.htm). Accessed November 2004.

U.S. Department of Transportation, Federal Highway Administration. *ITS Architecture Final Rule*. January 8, 2001. [http://www.its.dot.gov/aconform/archrule\\_final\\_1.htm](http://www.its.dot.gov/aconform/archrule_final_1.htm)

# Appendix C: Collision Data

---

## City of Salem Collision Data

OREGON DEPARTMENT OF TRANSPORTATION TRANSPORTATION DEVELOPMENT DIVISION  
 TRANSPORTATION DATA SECTION - CRASH ANALYSIS & REPORTING UNIT  
 CRASH INJURY DATA BY CRASH LOCATION  
 TOP SITES CITY OF SALEM

#	CITY	HWY	CDS	RD	ROADWAY	FIRST	SECOND	DIST	DIR	MILE	TOT	FAT	INJ	PDO	FAT	INJ	PEOPLE	ANG	HEAD	REAR	ON	END	MEET	PASS	TURN	PARK	NON-FIX	COLL	OBJ	BACK	MISC					
1	184	072	1061	00455	01519	INT	26.18	33	0	12	21	0	18	2	0	5	0	4	21	0	4	21	0	0	1	0	0	0	0	0	0					
HY030 - OR022 MARION ST BRIDGE, MARION ST AND COMMERCIAL ST WITHIN 50 FT																																				
2	184			01553	08025	INT		30	0	10	20	0	12	2	1	24	0	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0				
MISSION ST AND 25TH ST WITHIN 50 FT (INCLUDING LEG)																																				
3	184			02264	01408	INT		28	0	11	17	0	15	1	0	13	0	3	10	0	0	0	0	0	0	0	0	0	0	0	0	0				
SUNNVIEW RD AND LANCASTER DR WITHIN 50 FT																																				
4	184	030	100	09001	00455	INT	26.10	27	0	9	18	0	15	3	0	16	0	5	3	0	0	0	0	0	0	0	0	0	0	0	0	0				
HY030 - OR022 CENTER ST BRIDGE, COMMERCIAL ST AND CENTER ST WITHIN 50 FT																																				
5	184			00455	01504	INT		24	0	10	14	0	16	0	0	12	0	1	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
COMMERCIAL ST AND MADRONA AVE WITHIN 50 FT																																				
6	184	162	100	01553	09213	INT	1.55	24	0	10	14	0	16	0	0	18	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0			
HY162 - OR022 NB ON/OFF FROM I-5 AT EB MISSION ST WITHIN 50 FT																																				
7	184			00411	00424	INT		23	0	13	10	0	21	4	0	13	0	1	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0			
CAPITOL ST AND CENTER ST WITHIN 50 FT																																				
8	184	001	1064	01324	09634	INT	252.62	22	0	8	14	0	12	0	0	20	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HY001 - IS005 KUEBLER BLVD AND S8 ON/OFF RAMP TO I-5 WITHIN 50 FT																																				
9	184	072	201	00455	00811	INT	5.39	20	0	9	11	0	12	9	0	2	0	2	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HY072 - OR022 COMMERCIAL ST AND FERRY ST WITHIN 50 FT																																				
10	184	072	100	01017	01553	INT	8.26	19	0	7	12	0	9	0	1	16	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HY072 - HAWTHORNE AND MISSION ST WITHIN 50 FT																																				
11	184			00254	01922	INT		18	0	7	11	0	9	2	0	4	0	1	10	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
BROADWAY ST AND PINE ST WITHIN 50 FT																																				
12	184			01017	02230	INT		17	0	7	10	0	11	2	0	2	0	1	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HAWTHORNE AND SILVERTON RD WITHIN 50 FT																																				
13	184			00455	01324	INT		17	0	8	9	0	12	2	0	10	0	1	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COMMERCIAL ST AND KUEBLER BLVD WITHIN 50 FT																																				
14	184	150	100	00920	02604	INT	20.39	17	0	5	12	0	6	0	0	9	0	0	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HY150 - OR221 GLEN CREEK RD AND WALLACE RD WITHIN 50 FT																																				
15	184			00465	01432	INT		16	0	4	12	0	6	2	0	3	0	1	7	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COURT ST AND LIBERTY ST WITHIN 50 FT																																				
16	184			00424	01432	INT		16	0	7	9	0	10	3	0	6	0	2	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
CENTER ST AND LIBERTY ST WITHIN 50 FT																																				

OREGON DEPARTMENT OF TRANSPORTATION TRANSPORTATION DEVELOPMENT DIVISION  
TRANSPORTATION DATA SECTION - CRASH ANALYSIS & REPORTING UNIT  
CRASH INJURY DATA BY CRASH LOCATION  
TOP SITES CITY OF SALEM

#	CITY	HWY	CDS	RD	ROADWAY	DIST	DIR	MILE	POINT	TOT	FAT	INJ	PDO	FAT	INJ	PEOPLE	ANG	ON	END	HEAD	REAR	SIDESWIPE	PASS	TURN	PARK	NON-FIX	COLL	OBJ	PED	BACK	MISC	
17	184			00424	01017	INT		15	0	7	8	0	8	0	8	0	2	0	4	0	0	0	0	8	0	0	0	0	0	1	0	
				CENTER ST AND HAWTHORNE WITHIN 50 FT																												
18	184			00424	01408	INT		15	0	5	10	0	7	1	0	11	0	0	11	0	0	0	0	2	0	0	0	0	0	1	0	
				CENTER ST AND LANCASTER DR WITHIN 50 FT																												
19	184	072	100	00109	01553	INT	7.92	15	0	4	11	0	13	0	13	0	0	0	12	0	0	1	2	0	0	0	0	0	0	0	0	
				HY072 - OR022 MISSION ST AND AIRPORT RD WITHIN 50 FT																												
20	184			00709	00730	INT		13	0	5	8	0	8	0	8	0	0	0	1	0	0	0	11	0	0	0	0	0	1	0	0	
				EDGEWATER ST AND EOLA DR WITHIN 50 FT																												
21	184	081	100	01063	01930	INT	46.49	13	0	3	10	0	3	1	0	9	0	0	9	0	0	0	3	0	0	0	0	0	0	0	0	0
				HY081 - MP 46.49 HYACINTH ST AND NB EXTO PORTLAND RD WITHIN 50 FT																												
22	184			01408	00601	INT		12	0	8	4	0	13	0	13	0	0	0	8	0	0	0	3	0	0	0	0	0	1	0	0	0
				LANCASTER DR AND D ST WITHIN 50 FT																												
23	184			01519	08012	INT		12	0	4	8	0	4	3	0	2	0	2	0	2	0	2	4	0	0	0	1	0	0	0	0	0
				MARION ST AND 12TH ST WITHIN 50 FT																												
24	184			01017	02249	INT		12	0	4	8	0	7	0	0	6	0	0	6	0	0	0	5	0	0	0	0	0	0	1	0	0
				HAWTHORNE AVE AND STATE ST WITHIN 50 FT																												
25	184			02249	08014	INT		11	0	6	5	0	7	7	0	0	0	7	0	0	0	4	0	0	4	0	0	0	0	0	0	0
				STATE ST at 14TH ST																												
26	184			00119	00455	INT		11	0	7	4	0	9	0	0	5	0	0	5	0	0	5	0	0	5	0	0	1	0	0	0	0
				COMMERCIAL ST, ALICE AVE AND FAIRVIEW AVE WITHIN 50 FT																												
27	184			01531	08025	INT		11	0	6	5	0	10	0	0	4	0	0	4	0	0	2	5	0	0	0	0	0	0	0	0	0
				MCGILCHRIST ST AND 25TH ST WITHIN 50 FT																												
28	184			02249	08017	INT		11	0	3	8	0	7	2	0	4	0	2	0	4	0	1	4	0	0	0	0	0	0	0	0	0
				STATE ST AND 17TH ST WITHIN 50 FT																												
29	184	150	100	02604	00709	INT	20.76	11	0	4	7	0	3	0	0	6	0	0	6	0	0	1	3	0	0	0	1	0	0	0	0	0
				HY150 - OR221 WALLACE RD AND EDGEWATER ST WITHIN 50 FT																												
30	184	150	100	01808	02604	INT	20.13	10	0	6	4	0	8	1	0	6	0	1	0	6	0	1	2	0	0	0	0	0	0	0	0	0
				HY150 - OR221 WALLACE RD AND ORCHARD HEIGHTS RD WITHIN 50 FT																												
31	184			01408	01520	INT		10	0	4	6	0	6	0	0	9	0	1	0	9	0	1	0	0	0	0	0	0	0	0	0	0
				LANCASTER DR AND MARKET ST WITHIN 50 FT																												
32	184			00424	00439	INT		10	0	3	7	0	5	7	0	0	0	7	0	0	0	1	2	0	0	0	0	0	0	0	0	0
				CENTER ST at CHURCH ST																												

OREGON DEPARTMENT OF TRANSPORTATION TRANSPORTATION DEVELOPMENT DIVISION  
 TRANSPORTATION DATA SECTION - CRASH ANALYSIS & REPORTING UNIT  
 CRASH INJURY DATA BY CRASH LOCATION  
 TOP SITES CITY OF SALEM

#	CITY	HWY	CDS	RD	-----ROADWAY-----	DIST	DIR	MILE	POINT	TOT	FAT	INJ	PDO	FAT	INJ	ANG	HEAD	REAR	ON	END	PASS	TURN	PARK	NON-FIX	COLL	OBJ	BACK	MISC			
33	184			01017	01520	INT				10	0	3	7	0	5	2	0	3	0	1	4	0	0	0	0	0	0	0	0		
HAWTHORNE AND MARKET ST WITHIN 50 FT																															
34	184	072	100	00455	02320	INT		5.43		9	0	3	6	0	3	3	0	1	0	1	4	0	0	0	0	0	0	0	0		
HY072 - OR022 COMMERCIAL ST AND TRADE ST WITHIN 50 FT																															
35	184			01432	01519	INT				9	0	4	5	0	4	3	0	1	0	0	5	0	0	0	0	0	0	0	0		
LIBERTY ST AND MARION ST WITHIN 50 FT																															
36	184			01433	01504	INT				9	0	2	7	0	2	1	0	2	0	0	6	0	0	0	0	0	0	0	0		
LIBERTY RD AND MADRONA AVE WITHIN 50 FT																															
37	184	072	100	01432	02320	INT		5.52		9	0	6	3	0	9	4	0	4	0	1	0	0	0	0	0	0	0	0	0		
HY072 - OR022 LIBERTY ST AND TRADE ST WITHIN 50 FT																															
38	184			00455	01057	INT				9	0	8	1	0	13	2	0	5	0	0	2	0	0	0	0	0	0	0	0		
COMMERCIAL ST AND HOYT ST WITHIN 50 FT																															
39	184			00424	08017	INT				9	0	4	5	0	5	0	0	8	0	0	1	0	0	0	0	0	0	0	0		
CENTER ST AND 17TH ST WITHIN 50 FT																															
40	184			00614	01408	INT				9	0	6	3	0	11	2	0	3	0	0	3	0	0	0	0	0	0	1	0		
DEVONSHIRE AVE AND LANCASTER DR WITHIN 50 FT																															
41	184			01017	02264	INT				9	0	4	5	0	4	0	0	4	0	0	4	0	0	0	0	0	1	0	0		
HAWTHORNE AND SUNNYVIEW RD WITHIN 50 FT																															
42	184			01017	02153	INT				8	0	3	5	0	3	0	0	0	0	0	7	0	0	0	0	1	0	0	0		
HAWTHORNE at RYAN DR																															
43	184			00411	01520	INT				8	0	4	4	0	5	4	0	2	0	0	2	0	0	0	0	0	0	0	0		
CAPITOL ST AND MARKET ST WITHIN 50 FT																															
44	184	001	1061	01520	09203	INT		256.30		8	0	6	2	0	9	0	0	4	0	0	3	0	0	0	0	0	0	1	0		
HY001 - IS005 MARKET ST AND NB ON/OFF TO I-5 WITHIN 50 FT																															
45	184			01324	02263	INT				8	0	3	5	0	3	0	0	4	0	0	2	0	0	0	0	0	0	2	0		
KUEBLER BLVD AND SUNNYSIDE RD WITHIN 50 FT																															
46	184			00455	02525	INT				8	0	3	5	0	5	0	0	6	0	0	1	0	0	0	0	0	1	0	0		
COMMERCIAL ST AND VISTA AVE WITHIN 50 FT																															
47	184			00455	02249	INT				8	0	0	8	0	0	1	0	3	0	0	2	2	0	0	0	0	0	0	0		
COMMERCIAL ST AND STATE ST WITHIN 50 FT																															
48	184			00465	08012	INT				8	0	3	3	0	11	1	0	3	0	0	2	1	0	0	0	0	1	0	0		
COURT ST AND 12TH ST WITHIN 50 FT																															

OREGON DEPARTMENT OF TRANSPORTATION, TRANSPORTATION DEVELOPMENT DIVISION  
 TRANSPORTATION DATA SECTION - CRASH ANALYSIS & REPORTING UNIT  
 CRASH INJURY DATA BY CRASH LOCATION  
 TOP SITES CITY OF SALEM

#	CITY	HWY	CDS	RD	ROADWAY	DIST	DIR	MILE	CRASHES	PEOPLE	HEAD	REAR	SIDESWIPE	PASS	TURN	PARK	NON-FIX	COLL	OBJ	PED	BACK	MISC	
					FIRST	SECOND		POINT	TOT	FAT	INJ	PDO	FAT	INJ	ANG	ON	END	MEET					
49	184				00244	02263	INT		7	0	3	4	0	3	5	0	1	0	0	0	0	0	0
					BOONE RD AND SUNNYSIDE RD WITHIN 50 FT																		
50	184				00264	00455	INT		7	0	4	3	0	11	5	0	1	0	0	0	0	0	0
					BUSH ST at COMMERCIAL ST																		
51	184				00455	01553	INT		7	0	2	5	0	2	4	0	1	0	0	0	0	0	0
					COMMERCIAL ST AND MISSION ST WITHIN 50 FT																		
52	184	072	1061		00455	02401	INT	4.79	7	0	3	4	0	3	6	0	1	0	0	0	0	0	0
					HY072 - COMMERCIAL ST AND UNION ST WITHIN 50 FT																		
53	184				00601	01017	INT		7	0	2	5	0	3	1	0	2	0	0	0	0	0	0
					D ST AND HAWTHORNE AVE WITHIN 50 FT																		
54	184				01433	02525	INT		7	0	2	5	0	2	0	1	0	0	0	0	0	0	0
					LIBERTY RD AND VISTA AVE WITHIN 50 FT																		
55	184				01504	01933	INT		7	0	5	2	0	6	1	1	0	0	0	0	1	0	0
					MADRONA AVE AND PRINGLE RD WITHIN 50 FT																		
56	184				00818	02230	INT		7	0	4	3	0	7	2	0	1	0	0	0	2	0	0
					FISHER RD AND SILVERTON RD WITHIN 50 FT																		
57	184				01520	08017	INT		7	0	2	5	0	3	1	0	3	0	1	2	0	0	0
					MARKET ST AND 17TH ST WITHIN 50 FT																		
58	184				00455	08012	INT		7	0	2	5	0	3	0	0	4	0	0	0	0	0	0
					COMMERCIAL ST AND 12TH ST WITHIN 50 FT																		
59	184	162	1062		01408	09255	INT	1.96	7	0	2	5	0	3	0	0	3	0	0	4	0	0	0
					HY162 - OR022 MP 1.96 LANCASTER & EB ON/OFF TO NORTH SANTIAM HWY W/IN 50'																		
60	184				01408	02119	INT		7	0	5	2	0	4	1	0	5	0	0	1	0	0	0
					LANCASTER DR NE N of RICKEY ST																		
61	184	001	1063		01520	09205	INT	256.96	6	0	2	4	0	2	0	0	6	0	0	0	0	0	0
					HY001 - IS005 MARKET ST AND SB ON/OFF I-5 WITHIN 50 FT																		
62	184	072	100		02271	08017	INT	6.77	6	0	2	4	0	2	0	0	4	0	2	0	0	0	0
					HY072 - OR022 SALEM HWY AND 17TH ST WITHIN 50 FT																		
63	184	072	100		00455	01520	INT	4.34	6	0	2	4	0	2	0	0	3	0	1	2	0	0	0
					HY072 - COMMERCIAL ST AND MARKET ST WITHIN 50 FT																		
64	184				00244	00455	INT		6	0	4	2	0	7	0	0	2	0	1	3	0	0	0
					BOONE RD AND COMMERCIAL ST WITHIN 50 FT																		

OREGON DEPARTMENT OF TRANSPORTATION - TRANSPORTATION DEVELOPMENT DIVISION  
 TRANSPORTATION DATA SECTION - CRASH ANALYSIS & REPORTING UNIT  
 CRASH INJURY DATA BY CRASH LOCATION  
 TOP SITES CITY OF SALEM

#	CITY	HWY	CDS	RD	-----ROADWAY-----	FIRST	SECOND	DIST	DIR	MILE	POINT	---	CRASHES---	TOT	FAT	INJ	PDO	FAT	INJ	PEOPLE	ANG	HEAD	REAR	SIDESWIPE	PASS	TURN	PARK	NON-	FIX	COLL	OBJ	BACK	MISC				
65	184	072	100	00435	02294	INT	2.61	6	0	3	3	0	3	0	3	1	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0			
HY072 - SALEM PARKWAY AND CHERRY AVE WITHIN 50 FT																																					
66	184			00254	01520	INT		6	0	2	4	0	3	1	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
BROADWAY ST AND MARKET ST WITHIN 50 FT																																					
67	184	072	100	01553	02329	INT	7.79	6	0	5	1	0	6	1	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HY072 - OR022 MP MISSION ST AND TURNER RD WITHIN 50 FT																																					
68	184			01408	02664	INT		6	0	3	3	0	5	0	1	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
LANCASTER DR AND WOLVERINE ST WITHIN 50 FT																																					
69	184			01432	01553	INT		6	0	2	4	0	2	1	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
LIBERTY ST AND MISSION ST WITHIN 50 FT																																					
70	184	072	100	00465	00839	INT	5.17	6	0	1	5	0	1	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
HY072 - OR099EB COURT ST AND FRONT ST PARKWAY WITHIN 50 FT																																					
71	184	072	201	00811	01432	INT	5.47	6	0	3	3	0	4	1	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HY072 - OR022 FERRY ST AND LIBERTY ST WITHIN 50 FT																																					
72	184	081	100	01019	01930	INT	45.64	6	0	3	3	0	7	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HY081 - OR099E HAYESVILLE DR AND PORTLAND RD WITHIN 50 FT																																					
73	184			00455	02150	INT		6	0	4	2	0	4	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
COMMERCIAL ST AND RURAL ST WITHIN 50 FT																																					
74	184	030	100	02609	02106	INT	24.92	6	0	4	2	0	4	0	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
HY030 - OR022 WILLAMINA-SALEM HWY AND ROSEMONT WITHIN 50 FT																																					
75	184			00455	01309	INT		6	0	3	3	0	4	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
COMMERCIAL ST AND KEARNEY ST WITHIN 50 FT																																					
76	184			01520	02260	INT		6	0	4	2	0	6	5	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
MARKET ST AND SUMMER ST WITHIN 50 FT																																					
77	184			01412	02264	INT		6	0	2	4	0	2	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LANSING AVE at SUNNYVIEW RD																																					
78	184	072	100	01553	08017	INT	6.79	6	0	1	5	0	1	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HY072 - MISSION ST AND 17TH ST WITHIN 50 FT																																					
79	184			00254	02294	INT		5	0	3	2	0	3	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
BROADWAY ST AND SALEM PARKWAY																																					
80	184	081	100	01930	02609	INT	45.89	5	0	1	4	0	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
HY081 - PORTLAND RD AND WARD DR WITHIN 50 FT																																					

#	CITY	HWY	CDS	RD	ROADWAY	DIST	DIR	MILE	POINT	CRASHES	TOT	FAT	INJ	PDO	FAT	INJ	PEOPLE	ANG	HEAD	REAR	ON	END	MEET	PASS	TURN	PARK	NON-FIX	COLL	OBJ	PED	BACK	MISC				
81	184			00269	01408	INT				5	0	4	1	0	5	0	0	0	0	3	0	0	0	0	0	2	0	0	0	0	0	0	0			
BEVERLY AVE AND LANCASTER DR WITHIN 50 FT																																				
82	184	150	100	02303	02604	INT		20.26		5	0	1	4	0	1	0	0	0	0	2	0	0	0	0	0	3	0	0	0	0	0	0	0	0		
HY150 - OR221 WALLACE RD AND TAYBIN RD WITHIN 50 FT																																				
83	184			00739	01520	INT				5	0	5	0	0	7	1	0	0	0	2	0	0	0	0	0	2	0	0	0	0	0	0	0	0		
EVERGREEN AVE AND MARKET ST AND 50 FT																																				
84	184			01504	08012	INT				5	0	1	4	0	1	0	0	0	0	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
MADRONA AVE AND 12TH ST WITHIN 50 FT																																				
85	184	072	100	00839	02249	INT		5.23		5	0	2	3	0	3	0	0	0	0	2	0	0	2	1	0	0	1	0	0	0	0	0	0	0	0	
HY072 - FRONT ST PARKWAY AND STATE ST WITHIN 50 FT																																				
86	184			00455	00465	INT				5	0	2	3	0	2	2	0	0	0	2	0	1	0	0	0	0	0	1	0	0	1	0	0	0	0	
COMMERCIAL ST AND COURT ST WITHIN 50 FT																																				
87	184			00455	01411	INT				5	0	2	3	0	3	0	0	0	0	2	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	
COMMERCIAL ST AND LANSFORD DR WITHIN 50 FT																																				
88	184			00455	02105	INT				5	0	0	5	0	0	0	0	0	0	2	0	0	0	0	1	2	0	0	0	0	0	0	0	0	0	
COMMERCIAL ST, RATCLIFF DR AND SALEM HEIGHTS AVE WITHIN 50 FT																																				
89	184			00805	08012	INT				5	0	2	3	0	2	0	0	0	0	0	0	0	0	0	0	4	0	0	0	0	0	1	0	0	0	
FAIRVIEW AVE AND 12TH ST WITHIN 50 FT																																				
90	184			00424	01029	INT				5	0	0	5	0	0	0	0	0	0	2	0	0	0	0	0	0	0	3	0	0	0	0	0	0	0	
CENTER ST AND HIGH ST WITHIN 50 FT																																				
91	184			01922	01930	INT				5	0	1	4	0	1	0	0	0	0	2	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0
PINE ST AND PORTLAND RD WITHIN 50 FT																																				
92	184			01408	02618	INT				5	0	3	2	0	3	0	0	0	0	2	0	0	0	0	0	3	0	0	0	0	0	0	0	0	0	0
LANCASTER DR AND WEATHERS ST WITHIN 50 FT																																				
93	184			01412	02230	INT				5	0	2	3	0	2	1	0	0	0	2	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0
LANSING AVE AND SILVERTON RD WITHIN 50 FT																																				
94	184	072	201	01432	01520	INT		4.36		5	0	2	3	0	2	1	0	0	0	0	0	0	0	0	0	3	0	0	1	0	0	0	0	0	0	
HY072 - LIBERTY ST AND MARKET ST WITHIN 50 FT																																				
95	184			01432	02401	INT				5	0	2	3	0	3	3	0	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
LIBERTY ST AND UNION ST WITHIN 50 FT																																				
96	184			00411	02401	INT				5	0	2	3	0	2	1	0	0	0	2	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0
CAPITOL ST AND UNION ST WITHIN 50 FT																																				

#	CITY	HWY	CDS	RD	ROADWAY	DIST	DIR	MILE	CRASHES	PEOPLE	ANG	HEAD	REAR	SIDESWIPE	TURN	PARK	NON-FIX	BACK	MISC		
								POINT	TOT	FAT	INJ	ON	ON	MEET	PASS		COLL	OBJ	PED		
97	184				00424	02260	INT		5	0	2	3	0	6	0	0	0	1	0	0	0
					CENTER ST AND SUMMER ST WITHIN 50 FT																
98	184	072	201	00811	01029		INT	5.56	5	0	2	3	0	4	2	0	1	0	0	0	0
					HY072 - OR022 FERRY ST AND HIGH ST WITHIN 50 FT																
99	184				01520	05045	INT		5	0	2	3	0	2	0	0	0	1	0	0	2
					MARKET ST AND 45TH AVE WITHIN 50 FT																
100	184	081	100	01332	01930		INT	44.97	5	0	2	3	0	5	0	0	3	0	0	0	0
					HY081 - OR099E PORTLAND RD AND KALE ST WITHIN 50 FT																
101	184	072	100	02294	02509		INT	1.54	5	0	2	3	0	3	0	0	4	0	0	0	0
					HY072 - OR099EB SALEM PARKWAY AND VERDA LANE WITHIN 50 FT																
102	184				00424	00463	INT		5	0	2	3	0	2	0	0	3	0	0	0	0
					CENTER ST AND COTTAGE ST WITHIN 50 FT																

# Appendix D: Interview Notes

---

## Interview Notes

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 12/15/04 P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: ~~Meeting~~ ~~Phone~~ Jmp

Contact Name(s): Rob Kissler, Joan Kelly, Ed And, Phone no: ( )

Affiliation: Rob, Fijol, Russ Moore, Dan Doller, Mike McCarthy,

Subject: Craig Black, Bruce Erickson

**Discussion:**

Gets DMV crash data -

Salem has a high crash data map.

- Has top 15 accidents -

DMV has stats

Salem wants to link direct to DMV to get the data faster

Data changes by DMV due to changes in reporting, etc.

Work with Dan &

Mike keeps a high crash locations

2/9 → 9:30AM

Presentation - MPO Policy Committee

MWAC - MTA Willamette Area on

Transportation Commission

→ At NWTOC

**Action Items:**

Responsibility:

Due Date:

Add MWAC earlier in the process

Local emergency mgmt group

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): Ray, MWVCOG Phone no: ( ) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

John Vanderson  
Don Vanderson

Arterial operations is being turned over to the

- ① City of Salem Fire
- ② Marion County Fire Dist. #1
- ③ City of Keizer
- ④ Polk County Fire

↓  
Covers a lot of East Salem

↳ Woodburn / Jefferson / Silverton / Dallas

Add towing companies ↓ Main commute route

Don has contacts for School Districts

MWVCOG - 2030 is the most recent model

↳ Takes into account

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Salem TSP Update - Only amendments

SKATS Regional

Marion County TSP - + separate CMP

City + County TSP is UGB

Polk County TSP

SKATS TIP 04-07 is being amended.

Salem Inc Plan - Get from

→

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Plan Expectations

Reg 2 Traffic Mgr - Not certain what, when or

where to apply the devices; where to apply the funds.

Craig Black - ~~Video~~ More interested in incident response. More efficient comm.

→ OTIA 3 is coming - Implement ITS to support some of this.  
Need unrestricted freight mobility

Mike McCarthy - Lots of potential for ITS  
move from dreams to reality.  
City Signal System is huge start.

Ray - List of funded projects so it does not go into unfunded portion of ISP  
- Ease of getting data out of system  
Get trends & count data easily

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: Don Dollen - Set the stage  
Show what's best  
Allows you to grow  
Operationally minded  
Need the technology + partnerships  
How do we do it better. Open it  
factor?  
How do we deal with the extra  
traffic + no new lanes.

Traffic volume in Salem <sup>(I-5)</sup> will be same as I-84  
in 2025

Kevin - Trying to get Liben  
Dopeful this allows opp. for more  
federal \$'s. Money.

Salem PD - Convert to operational Street  
level. Operational coordination can  
help on the street.  
Cameras to center still has time lag  
PD is going to WIFI. If supervisors  
can access cameras on the street  
would help.

Enforcement - How does this help when

Action Items: Some accident occurs. Responsibility: Due Date:  
Fatal - everyone has piece of pie, what if  
this breaks down

Throw ideas out -

Too many acronyms

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: Galen - Don't deploy for technology sake

Enhance partnerships for operational issues

- A lot can come from this forum. Operations is a hot topic. Funding opps are out there
- Guide the funding. Get early winner

Nathaniel - Improved integration with agencies + incorporate to transp. planning

ODOT - Coord signal timing  
Consider long term + integration issues to fit with plan

Ed - Planned utilities construction.  
Less visual impact

Tom - Plan + coordinate crews rephase w/ heat

Rob - Keizer has a TSP. CIP is not part of TSP. IGA w/ Salem. Like regional control. Continue to work on this.

New to him. Rely on Salem. Part of SUATS

Action Items: Rely on Ray + Kevin Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

Be part of mtg w/ Salem

Key component is 911 dispatch

Balance the PD + fire district

Wants to be in loop so they know if one of them

Distribution:  Streets are part of reroute

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Polk County - Not sure  
Rural routes  
Wants to know if traffic is

Where can oversize / overweight vehicles  
go through.

Craig Black - Access to traffic data  
w/ more data.  
Help for more long term planning.  
- HAR could be of use

Add Steve Vitola - Traf. Safety downtown  
Polk County Sheriff. Law Enk.

Incident blocks the bridge. Reconnect  
bridge is Independence or Newburg  
Add River Rd. South

Videos from people on scene connected to CAD.

Polk County likes the flood sensor idea. Have a #  
Action Items: of flood area

Responsibility: \_\_\_\_\_

Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 12/15/04 EPA no: \_\_\_\_\_ Page 1 of \_\_\_\_\_

Meeting/Phone by: AWS

Contact Name(s): JIM, AWS, ROB KISLER, JOLENE KELLY, ADAM BRADFORD Phone no: ( )  
Affiliation: GAILIN, ROSS MORRIS, DAN DOLAR, MIKE MCCARTHY, CRAIG BLACK, BRUCE (REGIT TRAFFIC)  
Subject: SALEM ITS PLAN KEVIN HOTTMAN.

## Discussion:

INTRODUCTIONS

(DAN) - FATAL INCIDENTS USED TO TAKE 9-10 HOURS TO CLEAR ... NOW THEY ARE ABOUT 4 HRS (TIME CUT IN HALF)

PORTAL.ITS.PDX.EDU "PORTAL" WEBSITE FROM PSU

"ON STAR" IS WORKING TO GET INFO ABOUT ACCIDENTS TO USERS

CITY OF SALEM HAS A "HANSEN" SYSTEM FOR MAINTENANCE THAT USES GPS TO LOG DATA

ODOT/CITY CRASH DATA (KEVIN HOTTMAN AND ODOT STATE PATROL)  
- DMV HAS DATA AND KEVIN

MARION COUNTY (MURAM) KEEPS A HAL LIST

WE MAY HAVE TO MAP ACCIDENT DATA DIFFERENTLY BASED ON HOW IT IS COLLECTED AND PROVIDED TO US.

<sup>2ND</sup> FEB. ~~25~~ <sup>9:30AM</sup> (MORNING) - NEXT MEETING

MWAC/MPO POLICY GROUP PRESENTATION

### Action Items:

\* ADD SOMEONE FROM MWAC TO EXPANDED STAKEHOLDERS

Responsibility: \_\_\_\_\_

Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 12/15/04 P/A no: \_\_\_\_\_ Page 2 of \_\_\_\_\_

Meeting/Phone by: AWS

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: SALEM/KEIZER ITS PLAN

Discussion: EXPANDED AND KEY STAKEHOLDERS DISCUSSION

JEFF VANDER? (MIKE MCCARTHY MENTIONED THEM)

DON JORDAN

CITY OF SALEM FIRE DISTRICT

KEIZER FIRE DISTRICT

MARION CO. FIRE DIST. #1

POLK CO. FIRE DIST.

SEPERATE ENTITIES

CITY OF JEFFERSON IS GOOD AT RESPONDING FOR INTEGRATION

WOODBURN

INDEPENDENCE

TURNER

\* 2000 AND 2030 MODEL FROM "RAY" ... ALSO HAS SKATS TSP/TIP

TIM BURKS - REPLACED CHRIS MONTSIERRE FOR ODOT SPIS

CITY AND COUNTY BOUNDARY IS AT UGB

STEVE VITOLO - POLK CO. DEPUTY SHERIFF (ADD HIM TO LIST)

Action Items:

GET MARION COUNTY CIP (FROM MIKE M.)

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 12/15/04 P/A no: \_\_\_\_\_ Page 3 of \_\_\_\_\_  
 Meeting/Phone by: AWS

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: SALEM ITS

Discussion:

WHAT DO YOU EXPECT FROM THE PLAN?

- 24/7 ACCESS TO TRAFFIC DATA
- GRANT/FUNDING FOR PROJECTS
- (ODOT REG # TRAF. MAN.) IDENTIFY A LIST OF IMPROVEMENTS AND AN ORDER TO THEM
- A PLAN THAT SUCCEEDS AND IS EFFICIENT
- FIT IN WITH OTIA 3 - BRIDGE TIE-IN
- (MIKE M.) MAKE DREAMS BECOME REALITY, IMPLEMENTABLE PROJECTS
- COORDINATION AND EASE OF GETTING DATA OUT OF THE SYSTEM (ie COUNT DATA AND TRENDS)
- PLAN THAT SETS STAGE, GROWS, ALLOWS YOU TO APPLY AND IDENTIFY FUNDING SOURCES... HOW DO WE DO IT BETTER
- ALLOW FOR PROJECTS THAT CAN GO AFTER FEDERAL FUNDING AND OTHER FUNDING SOURCES
- CONVERT ALL THE "PLANNING" STUFF TO OPERATIONAL STUFF
- AN EASY TO IMPLEMENT PLAN
- MAXIMIZE EXISTING INFRASTRUCTURE
- PROJECT LIST THAT IS READY TO IMPLEMENT
- IMPROVED AGENCY COORDINATION AND COOPERATION
- COORDINATED SIGNAL TIMING
- EXPLORE THE NEWEST TECHNOLOGIES OUT THERE
- COORDINATED UTILITIES WITH MULTIPLE PROJECTS
- COORDINATION ON MULTIPLE JURISDICTIONS
- COORDINATION W/ 911 RESPONSE CENTERS
- RIVER RD REROUTING (BE A PART OF IT IF IT IS INCORPORATED)
- DIVERSION ROUTES MAY BE A BIG DEAL

Action Items: \_\_\_\_\_ Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 12/15/04 P/A no: 04232-000 Page 4 of

Meeting/Phone by: AWS

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: SALEM ITS

Discussion: \_\_\_\_\_

MISSION STATEMENT

\* - WHAT ABOUT RAIL PEOPLE FOR STAKEHOLDERS

~~SKAMP ITS~~

WE SHOULD "BRAND" (NAME) THE GROUP FOR IDENTIFICATION

\* GOALS - ADD EDUCATION AS A GOAL

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

**DKS Associates**

Traffic • Transportation • Engineering

Date: 1/14/04 P/A no: 04232 Page \_\_\_\_ of \_\_\_\_  
Meeting/Phone by: Jmp/Awr

Contact Name(s): Galen, Ed, Bruce, Dan Phone no: ( )  
Affiliation: ODOT - Salem ITS  
Subject:

Discussion:

Dept. of Corrections is planning fiber to

New fiber going to

Dennis Jorgensen + Dan Dollen know where the fiber goes  
Talk to them for a map.

ODOT project : Dept. of Corrections tower to the  
south to Kuebler on I-5

Apparently, there is fiber from the tower to the  
TOC

Would like to see Salem reduce franchise fees as  
a partner to go under Hawthorn Road.

Traffic Problem Areas

Mission Street -

Congestion has changed significantly

Hawthorn -

Especially around Costco

Leicester -

Commercial St

Action Items:	Responsibility:	Due Date:
Kuebler - 4:30 - 5:00 pm ramp fills to the freeway		

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Planning to widen I-5 south of Mission St  
to Knebler

I-5 is the biggest issue

Fiber project includes CCTV @ Knebler Blvd  
48 count + Mission

Doesn't connect existing cameras @ Portland

Bridges issues - If bridges get shut down  
then diversion routes are long.  
Shut down due to incidents  
Severe accidents shut down

EB is 3 lanes  
WB is

Bridge is owned by whom?

No plans for a new bridge.  
New development in West Salem, but only  
one bridge to the east

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: \_\_\_\_\_

I-5 incidents

Ed has a detour plan for Salem

I-5 south hill gets slowing due to trucks  
Ice + snow events cause issues in the area  
Review accident data.

RWIS station + camera exists I-5 south

Hwy 22 ice issues east of

TSSU on Liberty has a weather station

TOC: Need for sharing information with

Tie Carden into interconnect for incident  
route plan

Check fiber plans Ed sent me for Keizer  
fiber plans.

Existing VMS @ MP 236.? NB out of Abbey  
Planned camera @ Arbery

Action Items:

Reschedule with Dan, Bruce

Responsibility: \_\_\_\_\_

Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: Dan will have more plans for future devices.

Trail blazer signs on detour routes

Methodology to determine when dedicated incident response. Not worked out yet.

→ Check report for Region 2 Incident response program

It's clear the reduce delay

City Council in Keizer was disappointed about lack of cameras in Salem area.

0001 Region Mgr is supportive on operations concepts.

- Presenting to Gail Achterman Oregon Transp Commission

- OTP is interested in operations  
Cambridge + HPR

Difficult to travel E-W

RR tracks right downtown are an issue

Action Items:

Responsibility:

Due Date:

Talk to Dan for meeting space + Reschedule interview.

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 11/25/05 P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: JMF/BMS

Contact Name(s): Joe Lafroniere Phone no: ( ) \_\_\_\_\_

Affiliation: Cherriots

Subject: \_\_\_\_\_

Discussion: \_\_\_\_\_

Fixed Route = 70  
Brew one next year  
60 on the road.

6 day a week. NOT on Sunday

Paratransit Vehicles: Separate division through  
Contracted service OTHAS  
Oregon Housing And Associated  
Service

Funding from ODO?

Cherriots own some vehicles. They reimburse  
OTHAS

Cherry Lift  
CART  
Wheels } All operated by OTHAS

Cherry Lift - Day before call.

CARTS - Fixed route in rural communities  
Yonahill/Polk  
WHEELS

Action Items:	Responsibility:	Due Date:
OTHAS does dispatch.	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  
Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Have Medicaid people that call for "Triplink"  
to get a ride. People bid on the

"Triplink" - Medicaid brokerage contracted  
service

Separate call center w/ ATC  
↳ private  
service.

Call taking + software @ Triplink

Triplink -  
Cherriots owns hardware + software  
for Triplink but software is different than  
Cherriots

Dispatch software is different:

Software

Trape @ Cherriots  
Mobility Master @ Triplink by ATC  
Mobilitat - Dispatch Software

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Trapeze - dispatch buses  
- run cutting (2 routers, 1 run)  
Software coordinates all route changes  
to bus routes, etc.  
- mapping functionality but not used.

Have GPS devices almost all fixed route

All new ones come w/ GPS, but not using them  
right now.

Doing some APC  
Would like AVL / GPS in next couple of  
years

Fare box boards

De/ Webb Avenue is the garage & the APC  
data is dumped here.

Counts have GPS coord + no boardings

10 or 11 buses w/ APC. Run these buses  
on various routes.

## Action Items:

Responsibility:

Due Date:

Review Cherriot's Strat Bus. Plan

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Data copied to workstations in downtown bldg

DRI - Digital Recorder, Inc. - Steve Halverson

Transit works <sup>↑</sup> company name

Para transit - RFP to put mobile data on para transit.

fuel  
mileage  
passengers  
trips

Meritest software

grant from ODOT

AVL, mapping software  
Interface to dispatch center.

Dunked radios - existing

Mobilitat is the software but

↳ No mobile data devices work w/  
Mobilitat (small vendor)

RFP will be for interface w/ Mobilitat

Action Items:

High Priority Corridors  
Software Issues?

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Mobile data on fixed route is planned but not existing

↳ Going to trial a real-time bus stop location

Planning traveler information signs @ a couple of stops. in July

RF comm to the device. This will be a pilot

HPT - High Priority Transit

- High Street turns to Broadway + goes to Keizer

Two lanes w/ Left turn lane.

- Bus lane down the middle

- Put TSP (early green or green extension)

- Looking for funding and queue jump

↓  
Some funding available

Action Items:

Responsibility:

Due Date:

Distribution:



Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Do the first Broadway / River Rd corridor  
then see how it goes for other corridors.

Circulators

Collectors

C — Planning 2 more transit centers  
(South Salem + Keizer)

Do more of a circulator approach.

May designate certain buses for HPT route.

Have a request for Feds for new coaches  
every year.

Received 3.2M for new buses.

Maintenance

— Fleet Mate (Dor bus)

Will be replaced in late 2005

Have a vendor (Fleetnet) maintenance

Action Items:	System + Finance / human resource	Responsibility:	Due Date:
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Maint.  
Human Resource } Were separate software  
Finance }

Sequel Server for all

Need to know which operator is taking which bus on which day  
Need payroll info, need leave

entered into Trapeze first,  
then pulled

Long term Fleet Net has some functionality  
~~same~~ as Trapeze  
Could go to Fleet Net in next 5 years  
& replace Trapeze

Top 3 projects:

- ① Fleet Net software
- ② mobile data in Para transit.

Action Items: ③ HPT \_\_\_\_\_ Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

④ Fixed route on AVL. \_\_\_\_\_

Streetcar Feasibility Study \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Need fiber between Del Webb + Transit Center, - North of downtown off of Salem Plwy

72 Fibers or 144 downstairs

Merion County owns 2/3 of this bldg  
IS is here

Future transit sites will need fiber connectivity

Needs: Regional Trip Planner

Want to trap into database of routes  
Need to be able to get database from SQL server. Route updates, etc. to publish that info

No other needs

Salem Ride Share may come over to Cheriots

Dispatch is @ Del Webb

- Merion County IS have been a good support

## Action Items:

Responsibility:

Due Date:

Workshops @ Cheriots

Senator Hearing Room could be a good room for Workshop

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Glen Hadley, Senior Transit Planner  
PM for HPT

Maintenance Functions:

Will flag when maintenance req'd, etc.

Will put wireless barcode

Inventory takes 4 teams of 2 - two days  
Will take 4 hours - 2 days

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15

PA no: \_\_\_\_\_

Page 1 of \_\_\_\_\_

Meeting/Phone by: AWS

Contact Name(s): GALEN, ED ANDERSON, JMP, AWS

Phone no: ( )

Affiliation: ODOT

Subject: SALEM ITS

Discussion:

DEPT. OF COLLECTIONS PROJECT DPSST THAT COULD PUT IN FIBER

I-5 PROJECT ALONG I-5 TO KUEBLER FROM "TOWER" (TOC) (FIBER PROJECT)

- 48 FIBERS ARE BEING INSTALLED

HAWTHORNE IS A BARRIER TO GET UNDER BECAUSE OF CITY OF SALEM FRANCHISE FEES

- IF ODOT PUTS IN CAMERAS ALONG I-5 COULD CITY

WHAT TRAFFIC HOT SPOTS/CORRIDORS IN YOUR OPINION

- MISSION ST

- HAWTHORNE TAKING A LOT OF TRAFFIC

- LANCASTER DR.

- COMMERCIAL ST.

- KUEBLER BLVD.

- WEST SALEM BRIDGE (WALLACE RD) BRIDGES CAN BE A BIG ISSUE

NO PLANS KNOWN OF FOR NEW BRIDGE

MAYBE DO A REVERSIBLE BRIDGE LANE

CORDON DETOUR PLAN EXISTS

Action Items:

Responsibility:

Due Date:

Distribution:

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 PIA no: \_\_\_\_\_ Page 2 of \_\_\_\_\_

Meeting/Phone by: AFWS

Contact Name(s): SALEN, ED, JIM, AFWS Phone no: ( )

Affiliation: ODOT

Subject: SALON ITS

Discussion: \_\_\_\_\_

SOME ICE WEATHER RELATED ISSUES ON THE HILL EAST OF CORDON ON 22

- How would the operations center communicate w/ city of Salem operations
  - DOESN'T SEEM LIKE A "CO" OPERATIONS CENTER IS NECESSARY, BUT A COMMUNICATION BETWEEN BOTH WOULD BE GOOD.

LOOKING @ CAMERA NEAR ANKENY

- CHECK w/ DAN DOLLAR FOR FUTURE PLANS OF EQUIPMENT AND LOCATIONS OF EQUIPMENT

- IS THERE ANY CLEAR METHODOLOGY ON HOW MANY INCIDENT RESPONSE VEHICLES TO DEPLOY?
  - NOT AT THIS TIME, BUT IT DOES DEPEND ON THE INCIDENT.

ANY HIGHER-UP "CHAMPIONS" FOR ITS IN THE CITY?

- CITY COUNCILOR FOR CITY OF KEIZER - HE REFERRED TO RAY JACKSON
  - ED WILL GET US CONTACT NAME
- DOT HAS STRONG SUPPORT RIGHT NOW FOR ITS PROJECTS

Action Items:	Responsibility:	Due Date:
<u>CHECK W/ DEB FOR TESTING LOCATIONS</u>	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/04 EIA no: \_\_\_\_\_ Page 3 of \_\_\_\_\_

Meeting/Phone by: AWS

Contact Name(s): GALEN/ED, JMP, AWS Phone no: ( ) \_\_\_\_\_

Affiliation: ODOT

Subject: SALEM ITS

Discussion:

EAST/WEST STREETS SEEM TO BE A PROBLEM (CONNECTIVITY)

RAILROAD CROSSINGS MIGHT BE A PROBLEM, BUT A PROJECT THAT BUILT A NEW SIDEWALK AND WALL HELPED CHANNELIZE PEDS AWAY FROM TRAINS

Action Items:

RESCHEDULE FOR DAN/BRUCE

Responsibility:

AWS/RLP

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05

PIA no: \_\_\_\_\_

Page \_\_\_\_\_

of \_\_\_\_\_

Meeting/Phone by AWS

Contact Name(s): MIKE MCCARTHY, AARON GENSER, JIM, AOS

Phone no: ( ) \_\_\_\_\_

Affiliation: MARION COUNTY, POLK COUNTY

Subject: SALEM ITS

Discussion:

MC CONTRACTS w/

- 14 SIGNALS + 2 STATION + 1 SILVERTON

- NEED MORE COORDINATION HARDWARE

- CORDON RD DOES NOT HAVE INTERCONNECT

CABLE @ HAZELGREEN / CORDON

HAVE TO ACCESS CONTROLLERS MANUALLY TODAY TO CHANGE SIGNAL TIMING ON CORDON IN CASE OF DETOUR.

NEXT SUMMER CORDON / MACLEAY TO BE SIGNALIZED

S. RIVER RD NEAR INDEPENDANCE

N. PARK RD (20 MILES PAST SALEM)

} SLIDE (MUD/ROCK) AREA

SMALLER VMS TO IDENTIFY / DETOUR ROUTE AND REPLACE EXISTING FLIP DOWN SIGNS.

RIVER ROAD S. DOWN BY INDEPENDANCE CLOSURES DUE TO FLOODING ABOUT 2-3 TIMES A YEAR. - POTENTIALLY A WARNING SYSTEM AND VMS FOR CLOSURE

Action Items:

Responsibility:

Due Date:

Distribution:

- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

Original to Project/Proposal File

Check when done

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 P/A no: \_\_\_\_\_ Page 2 of \_\_\_\_\_  
Meeting/Phone by: ANS

Contact Name(s): MIKE MCCARTHY, Aaron Grisler, JWP, ANS Phone no: ( )  
Affiliation: MARION COUNTY, POLK COUNTY  
Subject: SALAM ITS

Discussion:

WHEATLAND AND BUENA VISTA FERRY CAN'T OPERATE IF THE RIVER IS TOO HIGH

"T" INTERSECTION WARNING @ BROOKLANE WESTBOUND @ WHEATLAND RD.

ADVANCED WARNING FOR CURVES

HWY 22 EASTBOUND VMS @ HWY 51 AND 99W

DISPATCH CENTER IS HERE IN THE FACILITY (5155 SILVERTON)

REGIONWIDE CONSTRUCTION <sup>ACTIVITY</sup> MAP ... THEN ADD ON WITH DELAYS AND CONGESTION

CAMERAS WOULD BE USEFUL ON THE FOLLOWING

I-5 (INTERCHANGES)

W. SALAM BRIDGES

MISSION STREET (UP HIGH)

CORDON ROAD

LANCASTER

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  
Original to Project/Proposal File  Check when done

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 P/A no: \_\_\_\_\_ Page 3 of \_\_\_\_\_

Meeting/Phone by: ANS

Contact Name(s): MIKE MCCARTHY, ARON GEISLER, JMP, ANS Phone no: ( ) \_\_\_\_\_

Affiliation: MARION COUNTY, POLK COUNTY

Subject: SALEM ITS

Discussion: \_\_\_\_\_

CHOKER POINT JUST WEST OF 18/22 CONNECTION - NEEDS TO BE 5 LANES ... WHAT ABOUT CAMERAS

WEBCAM OUT @ GRAND RONDE (SP?)

WEATHER STATIONS AT THE FOLLOWING LOCATIONS WOULD BE GOOD

- WEST SALEM HILL
- FALL CITY
- GRAND RONDE

COUNTY EMERGENCY OPERATIONS CENTER LOCATED AT ~~5~~ MARION COUNTY PUBLIC WORKS BLDG (5155 SILVERTON RD)

FILTER MECHANISM TO FILTER OUT "OTHERS" INFORMATION AND ONLY SEE/HEAR YOUR INFORMATION

POLK CO. SHERIFF: BOB WOLF

RADIO STATION TO LISTEN TO FOR ROADWAY CONDITIONS, CONSTRUCTION STATUS INCIDENTS

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 P/A no: \_\_\_\_\_ Page 4 of \_\_\_\_\_  
Meeting/Phone by: ANS

Contact Name(s): Mike McCarthy, Aaron Gabauer, J.M.P., ANS Phone no: ( ) \_\_\_\_\_  
Affiliation: Marion County, Polk Co.  
Subject: SALAM ITS

Discussion:

VMS SIGN ON LANCASTER MIGHT BE GOOD  
VMS SIGN ON CORDON TO WARN THAT IT IS BEING USED AS AN I-5 DETOUR  
VMS ON SILVERTO RD TO SILVERTON  
HWY 22 EAST  
RIVER RD NORTHBOUND @ BROOKLAKE RD.

@ 99W/22 INTERSECTION

MAKEY RD / YERGEN RD - COUNTY RD THAT FUNCTIONS LIKE A STATE HWY  
- HEAVY ADT

VIDEO LOG OF STUDY ROADS - MARION COUNTY HAS THIS

DON CLARK - SIGN SHOP  
ROD BRAY - VIDEO INVENTORY

ACCIDENT DATA IS AVAILABLE

- MIKE - WOULD LIKE IT IN GIS, BUT HAS IT HARD COPY
- AARON - JUST GETS REPORTS

Action Items:

Responsibility:

Due Date:

Action Items:	Responsibility:	Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  
Original to Project/Proposal File  Check when done

**DKS Associates**  
Traffic • Transportation • Engineering

Date: 01/15/05 (P/A no: \_\_\_\_\_) Page 5 of \_\_\_\_\_  
Meeting/Phone by: AWS

Contact Name(s): MIKE MCCARTHY, AARON GELSNER, JHP, AWS Phone no: ( )  
Affiliation: MARION COUNTY, POLK COUNTY  
Subject: SALEM ITS

Discussion:

MARION COUNTY  
COUNTS OCCUR IN 4 SECTIONS/SEGMENTS ONE REGION/SEGMENT  
PER YEAR GETS DONE

POLK COUNTY  
COUNT DATA FOR ALL COUNTY WAS JUST COMPLETED LAST SUMMER

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  
Original to Project/Proposal File  Check when done

**CONTACT REPORT**

**DKS Associates**

Traffic • Transportation • Engineering

Date: 1/14/04 P/A no: 04232 Page      of     

Meeting/Phone by: DMP/AWS

Contact Name(s): Mike McCarthy + Polk County Phone no: (      )

Affiliation:     

Subject:     

Discussion:

City does all County signal maintenance in the Salem area.

Signal locations 14 in Salem  
2 in Stayton  
1 in Silverton

Cordon Road would be key

Added an I-5 detour path @ Hazel Green / Cordon.

Could we raise + lower a gate to open this access immediately

Have a 90 sec ~~plan~~ green for Cordon but the plan has to be implemented by going to each local and turning on the plan.

Have some I-5 route signage + some flip down signs. I-5 detour straight ahead

4-way stop is Plogged + will be Macleay + Cordon

Action Items:	Responsibility:	Due Date:
<u>    </u>	<u>    </u>	<u>    </u>
<u>    </u>	<u>    </u>	<u>    </u>
<u>    </u>	<u>    </u>	<u>    </u>

Distribution:                              

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

River Rd South is an active slide area.

If there has been a slide, send someone out

S. River Rd towards Independence, off of our map by a few miles.

This is the route that would be used if there is an incident on the bridges.

Corden Rd has been used several times as a detour route.

Need a message sign off of Exit 260 to keep people on the detour route.

Replace the flip down signs

## ① Flood warning systems:

River Rd South by Independence Bridge

This information should be sent to Polk

+ Marion County

↳ Flooded at least once per year

F

Active signs in Salem.

"Road Closed X miles ahead"

Signs added right out of town

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Ferrys: Whetland Ferrys = open ~ 360 days/yr  
Beuna Vista Ferrys. open less.

Closed many times per year.  
Need a Ferry Closed Sign.

Existing "Ferry Closed" signs SB out of Mammoth

River Rd SB. - Sharp curves + overpass north of  
flood plain. Warning sharp curve

Brooklane WB - T-intersection that people keep  
going straight + down an embankment

22 Bridge closure: Use Whetland Ferry or  
River Rd. are the options  
Provide advanced signage.

Marion County - Send incident information via email,  
Dispatch center etc. to  
Sheriff  
Mike

## Action Items:

Responsibility:

Due Date:

Would like a region wide map that shows  
construction activity

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Have a web cam for Lancaster / Silverton  
Post this on Trip Check

CCTV - Post images on Trip Check  
Need CCTV @ West Salem Bridger  
Uphigh on Mission Street  
Lancaster  
MP 263

→ Maintenance:

Logging system to log location w/ GPS.

Remote access to traffic signals in Merion County  
Use Wapiti software  
Will have more signals by next summer  
(4 more)

Grande Ronde:

18 to 22 merge area to the west  
Location of a lot of collisions.

Snow issue in the Grande Ronde area.  
Web cam would be good near Grande Ronde

## Action Items:

Tour NWTOC

Tour Salem video detection

Responsibility: \_\_\_\_\_

Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Weather Stations: Falls City,  
West Salem  
Grande Ronde area } Polk County

Silver Creek Falls - Marion County  
Hwy 22 State Park

County EOC is at The Marion County Bldg.

Need backup wireless comm.

Emergency services - Provide info @ the EOC  
Need system to be customizable

Need a tie between sheriff + 911 center

Raul Ramirez, County Sheriff Marion  
Bob Wolfe  
Dean Bender, Polk County Sheriff

HAR for road condition information.  
would be useful.

Construction zone - Can we provide expected

Action Items: wait times for construction zones Responsibility: Due Date:

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

DMS - Signs on Cordon to alert users that it is being used as a detour

Silverton Rd - 10,000 veh/day b/w Silverton + Salem

Hwy 22 - EB sign.  
Lancaster signs.

River Rd NB near Brook Lake Rd.

Freight 1/2 for Sign  
99W / Hwy 22 Info.

Designated freight routes: Hwy 22  
McKay Rd from I-5 Exit 270

Woodburn - Special Event Management Plan is being done right now.  
- there are drag strips, tulip festival shopping mall

Marion County has video log of entire roadway

Don Clark, sign shop supervisor

Action Items: Rod Bray, has video log of Marion County roadways.	Responsibility: _____	Due Date: _____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Accident data - Marion County keeps HCL

Comts w/ haccr - One segment every four years  
There are 4 regions in the County

Consider permanent station but cost wise has been prohibitive

Polk County did take count data this past year

Action Items:

Responsibility:

Due Date:

Action Items	Responsibility	Due Date
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 1/25/05 P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: JMF

Contact Name(s): Bruce Erickson / Dan Dallen Phone no: ( ) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: Other data he needs - Traffic signal

Dick - Region Operations & Mgr

Region 2 invests the least

NWTOC - Does not have authority to put up alternate routes

TMOC - Regional management center

- Program has responsibility to make decisions for alternate routes

Incident Mgmt Route - Cordon Rd. Requires district level decisions, not the

Eventually the process will be automated  
TOC is a support function

TOC does all background

pager  
stakeholder agencies

post to Trip Check - Updates SII

Working on speech to text. "Dragon Systems"  
experimenting with it.

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

TOC Software Systems

AOC - Agency Operations Center in same bldg  
(across the hall)

① AVTECH System -

Telephone dialing  
OSP has same system  
Autodialing menu for contact points  
Sub for another TOC  
radio.

TOC can backup PPX, but PPX can't backup

Dispatch for Reg 4+5 after hours

② CAD System - Shared w/ OSP  
PSSI

Use law enforcement module.  
Serves as CDOT network PC  
switch box to switch to CDOT network  
GIS  
Internet

Action Items: Dalméy mapping software  
MapPoint 2005

Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

Mu

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

③ Multiple software to control VMS  
making all NTCIP  
Skyline used to program:

HAR  
Pdms  
VMS

Rec+Tx data to RWIS

④ Mercam - Record radio data  
- Stored on DVD forever

Use CDMA to communicate to VMS  
- Need new digital modems & exchange the  
software so they will talk  
ODOT is doing software mods

Need for Dan to see status info for traffic  
signals cycles at TMOU

Can't legally flag an intersection

Salem dispatch center gets pager

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_



Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_


Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

~~TTC~~ can't activate timing plans.  
May not do this in the future.

Notify people w/ devices today.



Page Gate - Server/Client based  
Connected to bank of modems.  
Uses all modems to dial-in

OEM + OSP use ODOT Page Gate system.

Have books, procedures, manuals. - Well documented

Action Items:

Hope Armsplan will document well as well.

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

TOCS - Plan is to replace all software.

OSP has a grant for mobile data  
\$700k underway

Incident response vehicles will be outfitted  
w/ mobile data. All 11 vehicles  
Cellphone GPS today but will get GPS in

GPS in maintenance vehicles  
track location  
how much icing did we put down.

Minnesota has mobile data.  
Get 30 different streams about what  
truck is doing  
sender on/off  
location  
devices (spray or application)  
road temp  
air temp.  
Speed.

Region 4 is developing a package for maintenance  
management.

Action Items: \_\_\_\_\_ Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

Salen has a maintenance mgmt system.

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  
Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Trimet has a system to manage maintenance locations

Grant money to put in HAR (11) on the coast  
will be tied into the center

- Will transmit NOAA weather  
or special event info.

- HAR message available via Trip Check

Incident Mgmt Plan - Keizer  
Salem  
OOOT

Detour Plans - Out to Stay ton

Have plans where signs go, Flagger, etc  
into changes to be closed.

In general, 1-5 detour routes are mapped  
and there

## Proposed VMS:

1-5 NB VMS @ north Albany

1-5 SB VMS north or south of Brooks

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Salem - Tough to manage a SB event through Salem. If not, this then route thru off in Brooks + lead to 99 & to Corvallis

ODOT Corridors: I-5 / Hwy 22  
Salem Parkway - ODOT maintains  
- Help with incidents when they are big

Pages go to Salem dispatch

"Salem City streets will become community property"  
If it is traffic, then notification + coordination

- Salem has 911 Center. Separate fire dispatch + separate police dispatch.

Being a component to facilitate movement of traffic on or off our system.

Incident Response - Patrols everyday

Maintenance work 4-10s (Starting @ 7am)  
Maintenance cover morning rush for minor events

## Action Items:

Responsibility:

Due Date:

Most events happen after 10am

Incident response 9 or 10 - 6:30

Serve as first responder

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: \_\_\_\_\_

ODOT Emergency Operations Plan

Primary goal is to roll + fill req as an agency

Run 7 days/week

Astoria - 1

District 3-4 (Salem area)

District 4-3 + 1 Seasonal (Summer) 1-5/Carroll's  
~~Coast~~ Coast

1-on coast corridor  
in Salem

Engene - 3 (Sam to be 4)

↳ 4th between Florence + Engene

Funding - Special Programs funds wages + equip.  
for dedicated responders.

Each team has a coordinator

Haz Mat support

Alternate route planning

Emergency traffic training that they do.

Maintenance funding will support the new FTEs.  
Hopefully will be more permanent funding.

Action Items:

170 to 190k miles/year on IR repair trucks  
Replace through STIP

Responsibility: \_\_\_\_\_

Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Crashes in Salem

- Incident Responders
- Coord. w/ Fire + Police
- What we can do at SPIS sites

## Needs:

- More VMS to notify traffic
- More HAR
- State Traffic Engineers to allow smaller signs
- Cameras + distribute to the public
- Designated Cable channel
- Access to cable + satellite cameras

## Problem areas: Construction projects

- Better traffic control + advance signing project

I-5 / Hwy 50 into Eugene / Spring Field

- Detour routes become more important w/ bridge construction

Maintenance crews were chasing accidents every day

## Action Items:

- Need to know what the issue is under budget or major incident

Responsibility: \_\_\_\_\_

Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: Engle - Springfield ramp metrics. First.

Salem has congestion off the freeway  
• Keizer Station

Dan Dollen:

Trav Info is critical

Detection is critical

No existing infrastructure - need it.

Maintenance don't use RWIS. Don't have access it.  
- Need computer in trucks

- TOC doesn't have access to all weather stations.  
Need to tie in

1-5 Mission to Kuebler will get Fiber  
CeTV @ Kuebler + Mission.

extend cable north to radio tower on east  
side of 1-5

ODOT will install alternate path to Hawthorne.  
go north to Dept. of Ag,  
bore under 1-5 to tower

Corrections is putting fiber to jail from bldg  
Action Items: across the street Responsibility: Due Date:

ODOT will put gear @ Corrections room on  
east of 1-5

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

**Discussion:**

Dennis Jorgensen is putting a map of fiber locations in Salem

Bridges over Willamette! ODOT owned.  
- Lot of traffic congestion

Tough to make two way.  
Need an incident night tool for managing lane diversion.

Bridges have been used for alternate traffic in the past.

**Needs:**

- Cameras on construction sites.
- Site specific traveler info system
- Emergency vehicle access.
- Indication of traffic speeds. Send a page when traffic stops or is not passing.

Unrestricted freight mobility during bridge construction

Construction will be mapped w/ delay times

**Action Items:**

No more than 3 1/2 hours delay from CA to WA.

Responsibility: \_\_\_\_\_

Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: \_\_\_\_\_

N-S 1-5 + Hwy 97

E-W I-84

Regionwide Freight Mobility Committee

Eric Hovik 503-986-2600

↳ System reports to Statewide Freight Mobility Committee

- Don't know yet how this is going to be tracked

- Nothing in place to do this

Getting started Feb 1st

Each region has a committee

RR crossings impact traffic congestion.

- Need some plan for terrorist events

Partnership agreement to share resources w/OSP

Capital Mall Security by OSP

↳ where do you close roadways how does it affect rail.

Public notification

Action Items: \_\_\_\_\_ Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

Hwy 50 + I-84 used for HazMat

99E + 99W

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

## Discussion:

Incident Response: Need double what they have  
Trained through Fire training  
Certified through ODOT emergency training.

About 20 Statewide  
WA has 48

Astoria - 3

Salem - 6

District 4 - 6

" " 5 - 6

Get Hazards out of way  
in the AM

2-lie 18 character signs

911 Center - Need to educate roles + resp. around  
operating

- Need to understand each others operations
- Useful to have data feed.

## Other Contacts:

Salem Fire + PD - Sgt Russ Moore

Keizer Fire + PD -

Marion County PW + Sheriff - John Vanderzander

Hospital (Life Flight) - Salem Memorial

## Action Items:

Need to be able to separate severity of incidents  
to filter the page

Responsibility: \_\_\_\_\_

Due Date: \_\_\_\_\_

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Tools needed: Congestion map for Salem

Arterial congestion

Bruce Warner - Director

Ted Kindel - Asst. Director

> Well educated  
& supportive of ITS

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**  
Traffic • Transportation • Engineering

Date: 01/14/05 PIA no: \_\_\_\_\_ Page 1 of \_\_\_\_\_  
Meeting/Phone by: AWS

Contact Name(s): KEVIN HOTTMAN, ROB KISSLER Phone no: ( )  
Affiliation: CITY OF SALEM, CITY OF KEIZER  
Subject: SALEM ITS

Discussion:

ROB - WHAT IS ITS?  
KEVIN - FUTURE TO LOOK UP ANY INTERSECTION VIA CAMERAS

- IS THERE A NETWORK CONNECTION BETWEEN COK AND COS?  
ROB - DATA CENTER (EXISTING)  
KEVIN - CAMERAS
- THIS IS A 20 YR PLAN SO THERE REALLY ARE NO LIMITS TO WHAT MAY HAPPEN
- AN INCIDENT (CAR HITTING POWER POLE ON LIBERTY) CLOSED LIBERTY DOWN TO ONE LANE  
KEVIN - BETTER COMMUNICATION TO BE AWARE OF SITUATIONS
  - MAINTENANCE HELPED W/ BARRICADES
  - PUBLIC WORKS DISPATCH IS TO COORDINATE TODAY
  - COMMUNICATIONS
  - FATAL ON MISSION @ AIRPORT CAUSED ODOT TO DIVERT TO HAWTHORNE AND NO ONE CONTACTED KEVIN. CONSTRUCTION ON HAWTHORNE WAS GOING ON SO THAT DIDN'T HELP. WHAT WOULD HAVE BEEN BETTER? → INSTANT INTERFACE/NOTIFICATION BETWEEN AGENCIES AND CONSTRUCTION NOTIFICATION AND NOTIFICATION (WIRELESS) TO MOTOR VEHICLES
- SIGN CODE CAN BE AN ISSUE IN COK (ROB)
- CITY OF SALEM MAP LINK ON ODOTS WEBSITE TO SHOW CAMERAS AND INFO

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  
Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 P/A no: \_\_\_\_\_ Page 2 of \_\_\_\_\_

Meeting/Phone by: AKS

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: SALEM ITS

Discussion: \_\_\_\_\_

EXISTING

EXISTING

COS

COK

- FIRE PREVENTION MOST INTERSECTIONS
- ETHERNET
- QUICKNET/BI-TRANS
- VIDEO DETECTION
- OPERATES ALL COK SIGNALS
- ABOUT 40-60 CAMERAS
- LOOKING INTO RED LIGHT RUNNING CAMERAS
- NO VMS

- LOCKHAVEN/RIVER RD IS \* BAD INTS. DUE TO SCHOOLS
- INTERCONNECT ALONG LOCKHAVEN TO HELP OVER NEXT FEW YEARS
- RADIO CONTROLLED TELEMETRY FOR PUMP STATIONS SOON (NEXT YEAR)

- PTR SIGNS DO EXIST
- MAINTENANCE (SNOW/ICE) STATION @ COMMERCIAL/HILARY
- SWEEPERS HAVE GPS SYSTEM TO LOCATE PROBLEMS (MARK BECKETT IS THE CONTACT FOR MORE INFO)
- MOST SIGNALS ARE RUNNING COORDINATES (ALL ARTISTS) (6:30 AM - 10 PM 10 PM)

COS

COK

WOULD LIKE

WOULD LIKE

- RIVER RD, LOCKHAVEN
- PORTLAND ROAD, LANCASTER
- KEUBLER ~~PEOPLE~~ COMMERCIAL
- (96 PARR FIBERS) (COUPLE OF "9" CONNECTIONS)
- IN CASE

- FIND ANOTHER N/S CONNECTION (VARTA?) (CHERRY?) FOR RIVER RD.
- LOOKING @ COMPETING W/ COMCAST FOR WIRELESS

Action Items: \_\_\_\_\_ Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

BRUCE HYLDEBRANT W/ MAINTENANCE FOR SNOW/ICE TALK TO

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 P/A no: \_\_\_\_\_ Page 3 of \_\_\_\_\_

Meeting/Phone by: AWS

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_

Affiliation: CITY OF SALAM / CITY OF KEIZER

Subject: SALAM ITS

Discussion: \_\_\_\_\_

KEVIN - LOOKING @ PUTTING IN A SNOW & ICE STATION ON WEST SIDE OF SALAM

• DO YOU SEE OR FEARSON A CENTRAL COMMUNICATIONS CENTER OR KEEP WITH WHAT TERRY DOES/HAS?

KEVIN - KEEP W/WHAT TERRY HAS

ROB - WOULD LIKE TO SEE A CENTRAL LOCATION

• WHERE ARE THE EMERGENCY ROUTES

- SALAM PARKWAY - AS A POTENTIAL SECOND ROUTE

- CORDON RD - 1ST ROUTE - USUAL ONE

MAINTAINING COORDINATION / TRAFFIC SIGNAL

• CORDON RD.

- FREE OPERATION

- MIN INTERCONNECT

• KEIZER/LANCASTER TO SOUTH YOU CAN DIAL-UP, BUT NOT NORTH (ON LANCASTER)

• DON'T RUN ADAPTIVE... WOULDN'T HELP BECAUSE CONGESTED ENVIRONMENT ON ROADS

• RIVERFRONT PARK, STATE FAIR ARE SPECIAL EVENTS - PROGRAM FOR DAY OF EVENT  
BASEBALL @ WALLACE PARK (ONLY SOMETIMES)

Action Items: \_\_\_\_\_ Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

\* NEXT MEETING @ TRAFFIC CONTROL CENTER / OSP DISPATCH CENTER

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 P/A no: \_\_\_\_\_ Page 4 of \_\_\_\_\_

Meeting/Phone by: AWS

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_

Affiliation: COS/COK

Subject: SALLEN ITS

Discussion:

CHESSOTS/TRANSIT IMPROVEMENTS (GLAN HADLEY IS A CONTACT)  
PRIORITY RUNNING UP HAWTHORNE  
WAVE JUMPS ALONG

WHAT PROBLEMS/CONSTRAINTS DO YOU SEE IMPLEMENTING ITS?

- FUNDING THE INTERCONNECT (COS)
- GETTING THE INTERCONNECT IN OLDER LOCATIONS (RETROFIT) (COS)

(COS) DOES THE ITS PLAN HELP US GET MORE FUNDING IN THE LONG RUN?

COK CITY STAFF MANAGER IS BIG INTO WIRELESS AND PAPERLESS

COLLISION

COS - JUST BY # OF OCCURANCES NOT BY MEV OR ANNUAL  
COK - POLICE WILL HAVE DATA

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**  
Traffic • Transportation • Engineering

Date: 1/14/04 P/A no: \_\_\_\_\_ Page 1 of \_\_\_\_\_  
Meeting/Phone by: JMP

Contact Name(s): Terry Hockett, Kevin Hattman Phone no: ( ) \_\_\_\_\_  
Affiliation: Rob Kissler  
Subject: \_\_\_\_\_

Discussion:

QuickNet 4 Version 2.12.5 8/20/04  
Central Signal System

≈ 190 signals connected to the system

May consider a new software

Wants a software that doesn't have bugs.

Gets updates ≈ yearly

Have some cant stations (Downstream of intersection)  
Looking to use video for cants + classification

Use TratiCon solely  
Use some Horis cameras for presence det.

Will upgrade some existing intersections to the  
VIP31P modules

Has 220K to

All video for new intersections  
≈ 100 cameras

Action Items:	<u>≈ 1/3 of locations (signalized) have</u> <u>video</u>	Responsibility:	Due Date:
_____	_____	_____	_____
_____	_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page 2 of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Use Wireless Ethernet to transmit to Fire Station, then  
~~to~~ City network back to bldg  
Talk to Ron Grant for other locations  
of City network equipment

Traffic Signal Operations

Want to have Keizer ability to access City of  
Salem cameras

Want Keizer engineer's to have

Recently had Liberty Rd incident that closed  
Liberty Rd. Commercial was backed up  
and there was no information.  
- Knocked over pole

Salem police

Public Works dispatch has this information

Another scenario: Fatal on Mission/Airport<sup>1</sup> diverted to  
Hawthorne (had construction) narrowed  
to one lane, Salem did not have  
access to this information.

Action Items:

If they did could have Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_  
moved construction off \_\_\_\_\_

Need: Construction info, Incident Info, Interfaces  
to other agencies

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page 3 of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

**Discussion:**

Keizer has a sign code that may limit the capability to install electronic message signs.

Traffic Signal System - Quic Net  
Video Detection System - Traficon

- Will have all Keizer signals corrected.
- Rob is installing fiber + can add budget to

Lockhaven/River - Congested intersection due to high school + middle school.

Lockhaven will get new interconnect.

Want a redundant system Lockhaven, Portland, Lancaster/River/Kuebler to Commercial + back

Go to West Salem

Kuebler - Commercial to I-5 this Summer.

Incidents on Commercial provide traveler info.

Kevin wants a sign on his signal pole

Action Items:

Responsibility:

Due Date:

_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page 4 of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Keizer - Needs another north-south connector  
Some discussion about Verda

Consider Cherry Ave as an alternative to  
River Rd.

Planning 96 count fiber

City of Keizer is investigating putting  
wireless network in the City. - compete with  
Comcast

Kevin wants to partner w/ IS + fire, etc  
Goal to rent to other users

Keizer Fire District -

Add conduit on Chenoweth Road

≈ 100 video detection cameras

Saul was going to look into how many video

≈ 60 intersections, have video

Police are considering Red Light Enforcement  
Cameras

Action Items:

Responsibility:

Due Date:

No other DMS.

Count stations - Some today, Planned more

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page 5 of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: Post images on a website.

Don't today, but would like to

Kevin thinks it might be separate but is easier to post all on Trip Check.

Put a snow/ice facility in West Salem. b/c if bridges are out then maintenance can't get there. Would be shared w/ ODOT.

Want fiber over the bridges

Salem sweepers have GPS + a system that can log maintenance

Mark Becktel, Kevin's boss

TMC?

Bruce Hildebrandt - Maintenance  
Call Kevin's # + Patty will transfer.

Keizer has weather station on River Rd.  
Keizer City maintenance is behind their fire station.  
Radio control to pump stations next year

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page 6 of \_\_\_\_\_  
Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_  
Affiliation: \_\_\_\_\_  
Subject: \_\_\_\_\_

Discussion: \_\_\_\_\_

TMC - Continue to do a local operations workstation

Salem will take Mission over

Need comm between Salem + ODOT TOC

Salem operates most of the roadways

Data Center can be involved but

ODOT has an incident route

Detour Route - Salem Pkwy through downtown  
Cordon Rd

↓  
Has been done before

Worse b/c Salem had a water main break + people were diverted into this.

Any plans for new interchanges north of Salem.

Most signals run coord.

All arterials - AM, Mid, PM.

Action Items: 6:30am 10:00pm Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

Cordon Rd is non-interconnected.

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  
Original to Project/Proposal File  Check when done

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page 7 of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: Cordon Rd has 1/4 mile spacing + no interchanges

Cindy Schmitt is Marion County traffic engineer

This is an incident response route.

There are video detection cameras that could be used

All time - of - day

Unlikely to go adaptive or TRRS - Does Quier Not have capability

Special Events

Riverfront Park

State Fair -

Terry puts in special event plans

Keizer Volcanoes events - Has event local timings

City has an event coordinator

↳ Bite of Salem

World Beat Festival

State Fair - Off of Silverton

Some plans for doing TSP on Liberty / River Hawthorne

Action Items:

Responsibility:

Due Date:

Looking for a transit center near  
↳ Glen Hadley, Cherritts.

Keizer City Hall

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page 9 of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

Challenges - Finding Interconnect:  
- Getting Comm to support more

SDC has some capability  
CMAQ. - Don't think they are eligible

- City manager Keizer is into the ITS + supports this.

City has volume map on the web.  
City posts out hose counts.

EV preemption on all traffic signals  
Some equip is older.  
Need to upgrade to support vehicle  
ID + ISP.

Handful don't have EV  
Some existing 200 series out there

Terry has EV logs at QuicNet

Saul has Opticom series + he has estimated cost  
to retrofit the Opticom.

Action Items:

Responsibility:

Due Date:

Fire trucks are getting vehicle ID codes.

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done



# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion:

GPS is integrated to mobile data

Have on-board mapping. Get location of call  
Can view all calls.  
Can view other police stuff.

No fire have MDT, but will have next week

Not all vehicles have MDT, but most patrol do.

Fire is looking at GPS  
Dispatch closest unit based on location

RR tracks blocked would be useful info

Can do instant messaging from peer to peer or peer to dispatch

Today phone call to TOC.

One grant submittal per County for Homeland Security

Merion County - Top priority is data/voice interoperability

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: Will get more

Need to submit for Homeland Security grant  
→ due March 1<sup>ST</sup> to Home

→ John Vanderzaden, Emergency Mgr for Marion County

Weather related - Need sanding crews on bridges, accidents on I-5  
construction information - Received notification when working in the area.  
↳ info over e-mail / fax have affected, etc.

List of info

- Road closures
- Major accidents
- Detour info as a result

Had 95 calls over 30 minutes due to an incident I-5

Other 911 CAD systems: Section - No CAD but will purchase Gen 911  
NorCom - Has NewWorld

Special Events - Snow/Ice events had over 1200 calls in 24-hour period

Action Items: \_\_\_\_\_ Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

≈ 450/day calls to center

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): \_\_\_\_\_ Phone no: (\_\_\_\_) \_\_\_\_\_

Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_

Discussion: • Willamette Valley Comm Center  
WVCC

Use primarily leased services

Radio Comm Towers - maintained

Salem - 800MHz backbone  
Fire, ~~police~~, PW

Salem police - UHF system

Polk County - Saw  
Some agencies share

Police + Fire get their signal to 911

Grant - Try to tie

802.11 hot spots to fire stations.  
Initial plans to grow the network.  
Unlicensed 2.4GHz

EOC - in this bldg. City, Cherriots  
Wifi

Action Items: Bus service on the radio system Responsibility: \_\_\_\_\_ Due Date: \_\_\_\_\_

→ Turner crash location. (Curve + dark)  
(15 foot ditch on either side)

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 02/02/05 P/A no: \_\_\_\_\_ Page 1 of \_\_\_\_\_

Meeting/Phone by: AWS

Contact Name(s): KEVIN HOTTMAN, ED ANDERSON, AARON CREISLER, \_\_\_\_\_ Phone no: ( ) \_\_\_\_\_  
Affiliation: NATHANIEL PRICE, GLEN, ROB KISSER, RAY JACKSON, MIKE MCCARTHY, DAN DALAR  
Subject: SALEM

Discussion:

- GROUP WAS OK W/ DRAFT MISSION STATEMENT
- NAME OF "SALEM-KEIZER METROPOLITAN AREA" WAS AGREED ON FOR THE PROJECT
- RENEWED DRAFT GOALS & OBJECTIVES

ACTION ITEM -

CORDON ROAD INTERCONNECT  
STATE ST. TO CORDON RD. NORTH

EDNET - STATEWIDE EDUCATIONAL NETWORK (DIFFERENT THAN NERO)  
RUNS ALONG RAILROAD

DAND. - WOULD LIKE TO SEE STUDY AREA GO OUT TO 9910

CITY OF SALEM HAS 88 VIDEO DETECTION INTERSECTIONS

KEIZER STATION

RAMP IMPROVEMENTS ON I-5

EXPANDED STAKEHOLDERS  
POLK/MARION COUNTY COMMISSION  
TRANSIT BOARD  
CITY OF SALEM COMMISSION

GIVE A COUPLE OF OPTIONS FOR NEXT MEETING DAY

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 P/A no: \_\_\_\_\_ Page 1 of \_\_\_\_\_

Meeting/Phone by: AMS

Contact Name(s): SUSAN HURLEY, DARREN RICE, AMS, JMP Phone no: ( ) \_\_\_\_\_

Affiliation: CITY OF SALEM 911 CENTER

Subject: SALEM ITS

Discussion:

BRIEF INTRO

CAD SYSTEM - GEO 911 IS MAP INFORMATION

ENHANCED 911 SYSTEM

NE ALLEN -

CELL STUFF -

TWO-WAY RADIO VHF/UHF COMMUNICATION

TEXTING PARING EMAIL

18 AGENCIES

ALL POLK COUNTY

CITY OF SALEM

FIRE DIST #1

AURORA PD

GERUIS PD

WOODBURN HAS NORCOM

STANTON HAS SANTIAM CANYON

ALL POLICE HAVE MOBILE DATA MOBILE DATA NETWORK

THEY (POLICE) HAVE SHARED INFO SO THEY CAN SEE WHAT THE OTHERS ARE DOING

Action Items:

Responsibility:

Due Date:

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File

Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 P/A no: \_\_\_\_\_ Page 2 of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s): SUSAN HURLEY, DARREN RICE, JMP, AHS Phone no: (\_\_\_\_)

Affiliation: 911 SALEM

Subject: SALEM ITS

Discussion: \_\_\_\_\_

FIRE WANTS GPS TO DISPATCH TOO

MOBILE DATA CAN ALSO WORK AS A MESSAGING SYSTEM

DISPATCH IS DONE FORWARDING BY PHONE

GRANT CYCLE ENDS MARCH 3<sup>RD</sup> TO STATE - MARION CO. PUBLIC WORKS

MARION CO. PUBLIC WORKS: JOHN VANDERZADEN

DISPATCH COMMUNICATION W/ MAINTENANCE

- WEATHER RELATED
- ACCIDENTS ON I-5

~~INCIDENT~~ INFORMATION THAT WOULD BE USEFUL

- ROAD CLOSURES
- MAJOR ACCIDENTS
- DETOUR INFORMATION

NO LESS THAN 2 CALL TAKERS

2<sup>ND</sup> BPM 5 CALL TAKERS

450 CALLS A DAY +/-

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_

Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: 01/15/05 PDA no: \_\_\_\_\_ Page 3 of \_\_\_\_\_  
Meeting/Phone by: AWS

Contact Name(s): SUSAN HURLEY, DARREN RICE, JIM P, AWS Phone no: ( ) \_\_\_\_\_  
Affiliation: WVCC WILLAMETTE VALLEY COMMUNICATIONS CENTER  
Subject: SALEM ITS

Discussion: \_\_\_\_\_

NORCOM HAS NEW WORLD CAD SYSTEM  
SANTIAM HAS DIFFERENT CAD SYSTEM THAN  
OF THE 18 AGENCIES

- CITY OF SALEM HAS 800 MB MOTOROLA SYSTEM
- SALEM PD HAS UHF SYSTEM
- POLK HAS RADIO SYSTEM
- MARION COUNTY HAS VHF SYSTEM

} MANY USERS ALSO SHARE THEIR SYSTEMS

GOAL OF GRANT MENTIONED EARLIER IS TO ~~THE~~ SYSTEMS TOGETHER

EMERGENCY OPERATIONS CENTER IS LOCATED @ 595 COTTAGE NE

Action Items:	Responsibility:	Due Date:
_____	_____	_____
_____	_____	_____
_____	_____	_____

Distribution:  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  \_\_\_\_\_  
Original to Project/Proposal File  Check when done

# CONTACT REPORT

**DKS Associates**


Traffic • Transportation • Engineering

Date: 2/2/05 P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_  
Meeting/Phone by: Jmp

Contact Name(s)/Affiliation: Dennis Jorgensen, ODOT

Subject: \_\_\_\_\_ Phone no: \_\_\_\_\_

Discussion: \_\_\_\_\_



Denny has fiber on Marion  
ODOT Revenue Bldg  
Pipe conduit + fiber under Mill Creek + RR tracks

There is small fiber

Has fiber btwn Revenue to  
but lease dark fibers

DAS (Dept of Administrative Services)

ATT T fiber + Comcast fiber throughout Salem

Action Items:	Responsibility:	Due Date:
ATT T network available for lease		

Distribution: \_\_\_\_\_

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s)/Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_ Phone no: \_\_\_\_\_

## Discussion:

Higher Ed provided a comm connection from  
Transp. to Pittock Bldg. OC-3

Has 4 dark fibers from originates @ 12th/Mill Creek

OC-4B

↳ From NERO - National Education

Could breakout @ every town down to  
Eugene with this fiber

Denny wants wire less from Halsey to Eugene

Only access point to NERO fiber from here to Salem  
is @ Revenue Bldg + PUC

New Data Center will be built at the Lottery Bldg.

Fiber on State Street is not likely usable for  
access to field devices.

However, there are State bldgs w/ access to the fiber.  
12th / State on east side bldg has access to  
the fiber

DAS controls all comm. - Has to be approved by them  
before being installed

## Action Items:



Responsibility:

Due Date:

If fiber goes in the ground then DAS does  
not need to know

For T1 frame relay, etc. they need approval from  
DAS first

Distribution: \_\_\_\_\_

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s)/Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_ Phone no: \_\_\_\_\_

## Discussion:

Have an OC-48 from Salem to Eugene

Dept. of Corrections: Installing fiber on Annsville Hwy to Cardon.

Breakout @ Annsville / Cardon.  
Install cable north on Cardon to MacLary

Will install cable north to Hwy 22 + a breakout, at the top or bottom of the hill.

Fiber on Hawthorne installed by someone.  
Denny wants

Corrections wants a connection to The Mall LAN

Where is Salem fiber going on State Street?

Dept of Corrections fiber is within the next year time frame.

Tunnels under jail next to C4 bldg could be used for fiber build.

ODOT can lease dark fiber from DAS

## Action Items:

Responsibility:

Due Date:

Corrections will support a build from C4 to the old corrections bldg @ 23rd / Carter Street.

Denny leases an OC3 w/ ATM from Revenue Bldg to Loring Avenue by the Fairgrounds

## Distribution:

Costs \$3500/mo.

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s)/Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_ Phone no: \_\_\_\_\_

Discussion:

2025  
V/C map. Corda Rd is not red in the future  
Commercial & Kuebler approaches should  
be congested.

Lancaster (Silverton ~~to~~)  
should be over capacity

I-5 north of Market

Carden (State to Silverton) Planned cable by  
Merion County

Don has 24 fiber

EdNet has some fiber

Crash summary - Lancaster/State + Lancaster/Silverton  
Split out Merion County

Add a # next to the crash location.

ITS Equipment.

- Weather station & camera @ Enchanted Way
- Approved VMS north of Albany - 2006  
w/CCTV

Change title to Solar - Keizer

Action Items:

Responsibility:

Due Date:

Ed will send the MP

Don will check for the draft plan.

Distribution: \_\_\_\_\_

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s)/Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_ Phone no: \_\_\_\_\_

## Discussion:

Freight Routes - Is 99W a freight route today

Videos: Need to check w/ policy makers before going to post on Internet

ODOT is doing real-time construction mapping with delay times.  
Tie all local, in-house, State projects.

Salen is trying to set up a map to display construction activity.

Local radio - not included in Automatic Abt. System today b/c don't want them to know about all the info.

Need to automate the distribution to radio  
Have to do triple entries

- ① → ②  
② HTCS - Enter data  
③ Rogers - " " "

Miss the TV+ radio guys.

## Action Items:

Part of this being addressed by TOCS

Responsibility:

Due Date:

Keizer likes the CableTV Channel.

↳ Dave Nyles built this page  
ODOT employee.

## Distribution:

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s)/Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_ Phone no: \_\_\_\_\_

Discussion:

- High Priority Transportation not Bus

Workshop

Expanded Stakeholders - Freight lobbyists

Planning Commission

Polk County Commissioners

Marion County Commissioners

Send invitation

→ Is this enough input for the policy makers

Invitation: Make it clear with examples!  
How do we?

5 or 6 bullet points with quick  
& easy information

Have you used Trip Check

Expanded Stakeholders:

CARTS

RAC - Rural Area

OHA - Oregon Housing Assoc.

Add the Chamber (JA) is part of the Chamber

TIC - Traveler Info Council

Action Items:

Assn of Freight Haulers -

Responsibility:

Due Date:

(Yellow Trucking, Redding)

OTC

Distribution: \_\_\_\_\_

# CONTACT REPORT

**DKS Associates**

Traffic • Transportation • Engineering

Date: \_\_\_\_\_ P/A no: \_\_\_\_\_ Page \_\_\_\_\_ of \_\_\_\_\_

Meeting/Phone by: \_\_\_\_\_

Contact Name(s)/Affiliation: \_\_\_\_\_

Subject: \_\_\_\_\_ Phone no: \_\_\_\_\_

Discussion:

Hold the Workshop @ Dan's shop

Work around Commissioner meetings

Polk County Commis:

Action Items:

Send invite  
Send 2 or 3 options

Responsibility:

Due Date:

Distribution: \_\_\_\_\_

02/02/05

PG 1

## SALEM ITS

MEETING W/ DENNY JORGENSEN (ODOT) REGARDING  
COMM. AND INFRASTRUCTURE

FIBER TO BLDG D @ ODOT (CLOSET)

OC3 ATM FROM CLOSET TO <sup>MAT?</sup> MET-LAB

RENAL ALONG STATE STREET

- S TO NORTH SIDE @ 25<sup>th</sup> ST.

\* BETWEEN STATE AND CENTER ON 12<sup>th</sup> IT GOES  
UNDER RAILROAD TRACK, UNDER 12<sup>th</sup> STREET AND  
UNDER MILL CREEK ... TIES INTO REVEAINE BLDG.  
AND TRANSPORTATION BLDG.

• MALL FIBER? -

• DAZ?

• AT&T IS ALSO AVAILABLE THROUGHOUT SALEM AND  
COMCAST HAS SOME FIBER TOO

BOX OWNED BY NEAD @ 12<sup>th</sup> / THE BEND IN THE ROAD TO THE NORTH  
→ NATIONAL EDUCATION ...? (HIGHER EDUCATIONAL NETWORK)

- 4 DARK FIBERS RUNNING TO EUGENE FROM THIS LOCATION

- OC48 (2 OF THEM) OTHER 2 AREN'T USED

- WANTS TO RUN TO ALL SMALL TOWNS TO EUGENE  
(5-3274)  
DWM ↙

02/02/05

PG 2

SARAH ITS

MEETING W/ DENNY J. (ODOT)

---

DAS - DEPT. OF ADMINISTRATIVE SERVICES

NEW DATA CENTER W/ BE LOCATED IN LOTTERY BLDG.  
(OFF AIRPORT WAY  $\frac{1}{2}$  UP TO THE NORTH OF HWY 22)

OTHER PLAYERS

DEPT. OF CORRECTIONS

DEPT. OF JUSTICE

\* ALL STATE AGENCIES

ALL COMMUNICATION INFRASTRUCTURE MUST BE COORDINATED THROUGH DAS

SHOULD THIS PLAN IDENTIFY A COORDINATION OF IGA FOR SHARED NETWORK INFRASTRUCTURE

OC-48  
CONNECTS TO

~~ALSO GOES FROM KODJANE~~ TO SOUTHERN SPRINGFIELD  
(GLENWOOD)

WOULD LIKE <sup>HWY</sup> FIBER ALONG 22 FROM HAWTHORNE TO OF THE HILL (TO EAST)  
- COORDINATE THIS W/ DOC PROJECT (DPSST - POLICE ACADEMY)

OC 3 PACKAGE RUNNING TO LANNA AVE

# Appendix E: Questionnaire

---

Key Stakeholder Questionnaire  
Completed Questionnaire  
Expanded Stakeholder Questionnaire  
Completed Questionnaire

## Questionnaire for the Salem ITS Plan

Name \_\_\_\_\_

Title \_\_\_\_\_

Organization \_\_\_\_\_

Address \_\_\_\_\_  
\_\_\_\_\_

Phone \_\_\_\_\_ Fax \_\_\_\_\_

Date \_\_\_\_\_

**Project Background:** The development of an *Intelligent Transportation System (ITS) Plan* for the Salem Metropolitan Area is underway. The intent of the plan is to identify a set of advanced technology tools and management techniques that could be used to improve the efficiency and safety of the transportation system. The purpose of this project is to get the most out of existing roadway facilities by preserving transportation system capacity, and enhancing regional transportation mobility, efficiency and safety for all modes (without adding travel lanes). Examples of transportation management devices that could be considered for the Salem area include:

*Traffic Monitoring*

Closed-Circuit Television (CCTV) Cameras  
Real-time speed and volumes

*Traveler Information*

Dynamic Message Signs  
Highway Advisory Radio  
Traveler Information Web Page  
Road Weather Information Systems

*Traffic Control*

Advanced Traffic Signal Systems  
Bus Priority  
Emergency Vehicle Preemption  
Incident Management

*Planning*

GIS Applications

*Communications*

A network to support regional information sharing and remote monitoring of field devices.

*Maintenance*

Electronic inventory management  
Real-time road condition information

As part of the *Salem ITS Plan* we need your input. Please take a few moments to read and respond to the following questions. Your input will help to guide the deployment of transportation management devices to meet the needs of the Salem Metropolitan Area transportation system.

**Responsibilities**

- What are the primary responsibilities of your section/department of your organization? What are your individual responsibilities?
- What transportation technologies do you currently utilize or plan to implement?

**Transportation System**

- What do you see as the biggest problem affecting the efficiency and safety of the Salem Metropolitan Area transportation system (i.e. congestion, incident delays, connectivity, signal progression along arterials, construction delays, public transportation performance, etc...)? Where would you say are the biggest transportation problem areas within your jurisdiction?

How do you think we can address these problems and/or problem areas?

- Can you think of other issues that affect efficient and safe travel in the Salem Metropolitan Area?

**Needs**

- What information would help you do your daily activities more effectively (i.e. road conditions, construction information, real-time video, data collection, etc...)?
- Any final ideas or thoughts about how technology or information based transportation systems could be used to enhance the safety and efficiency of the Salem Metropolitan Area transportation system?

**Strengths, Weaknesses, Opportunities and Challenges**

- What strengths in the existing transportation system and/or your organization are you aware of that are improving efficiency or safety? What suggestions do you have for capitalizing on these strengths?
- Do you see any barriers to deploying transportation technologies and/or sharing information among departments/other agencies? What can be done to improve the efficiency of your daily activities? What tools do you need to help you do your daily activities more effectively?
- What opportunities exist that we should be aware of for the Salem Intelligent Transportation System planning process? (i.e., opportunities to coordinate with other projects, opportunities to coordinate with regional plans, possible funding sources, etc...)
- What challenges need to be overcome to improve the efficiency and safety of the transportation system? What challenges need to be overcome to help you perform your daily activities efficiently and effectively?

**Internal/External Interfaces**

- How does your organization interact with other departments (engineering, maintenance, planning, information services, GIS) in your organization? For example, if you work in the maintenance department, how do you interact with the engineering department, the IS department and the planning department. How does your organization interact with outside organizations in exercising its transportation responsibilities?

- What information/data do you share with other departments within your organization and/or other agencies? If it is in electronic format, what format is the information/data in? What systems or methods do you employ to provide it?
- Now that we have had this discussion about information sharing, are there ways we can use technology to assist with coordinating activities and resources among different agencies?

**Other**

- Are there other people you think it would be helpful for us to send a questionnaire to or add to our mailing list for expanded stakeholder meetings?

Name \_\_\_\_\_

Title \_\_\_\_\_

Organization \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

Phone/Fax \_\_\_\_\_

QUESTIONNAIRE FOR THE SALEM  
INTELLIGENT TRANSPORTATION SYSTEM (ITS) PLAN

Name Mike McElarthy  
Title \_\_\_\_\_  
Organization Marion County Public Works  
Address \_\_\_\_\_  
\_\_\_\_\_ Phone \_\_\_\_\_ Fax \_\_\_\_\_  
Date \_\_\_\_\_

- What do you see as the biggest problems affecting the efficiency and safety of the Salem Metropolitan area transportation system (i.e. congestion, incident delays, connectivity, signal progression along arterials, construction delays, public transportation performance, road condition information, etc...)?

- How do you think we can address these problems and/or problem areas?

I-5 Detour Routes

General Congestion/Incident Management

Cameras

Better Communication

Emergency Response

- Can you think of other issues that affect efficient and safe travel in the Salem Metropolitan area?

Real-Time road status info

Slide Detectors

Icing Sensors

Downtown connection to Gordon Rd Signals

Variable Message Signs

- What components of the existing transportation system (i.e. traveler information, incident response) are useful and are improving efficiency or safety? What suggestions do you have for capitalizing on these strengths?

Trip check

Cameras

Road Viewer

- What information would help you do *your* daily activities more effectively (i.e. road conditions, construction information, real-time video, etc...)?

Portable Video Cameras

- Any ideas or thoughts about how technology or information based transportation systems could be used to enhance the safety and efficiency of the Salem Metropolitan area transportation system?

I-5 travel info

Detour Info

Major Commute Corridors

Emergency / Accident notification

- In what ways do you or your organization interact with transportation and/or emergency response agencies in the region? In what ways could this interaction be improved?

- Are there other people you think it would be helpful for us to interview or add to our mailing list?

Name Virgil Hamm  
Title \_\_\_\_\_  
Organization Marion County Radio Shop  
Address \_\_\_\_\_  
Phone/Fax \_\_\_\_\_

Name John Vanderzanden  
Title \_\_\_\_\_  
Organization Marion County Emergency Management  
Address \_\_\_\_\_  
Phone/Fax \_\_\_\_\_

Name Michael Rybka  
Title \_\_\_\_\_  
Organization Marion County Operations  
Address \_\_\_\_\_  
Phone/Fax \_\_\_\_\_

## Salem ITS Plan 2

[print friendly survey](#)

We are developing an Intelligent Transportation System Plan for the Salem-Keizer Metropolitan area (Salem, Keizer, Polk County and Marion County). Your input is important. Please take a few minutes of your time to respond to these questions. There is a section at the end of this questionnaire to list additional concerns you may have that are not covered.

**[1] What do you see as the biggest problems affecting the efficiency and safety of the Salem-Keizer Metropolitan area transportation system?**

- Congestion
- Incident delays
- Signal progression along arterials
- Construction delays
- Public transportation performance
- Other:

**[2] How do you think we can address these problem areas?**  
(limit 500 characters)

**[3] What kind of transportation related information do you need to do your job more efficiently?**

- Road conditions
- Advance warning systems
- Construction information
- Real-time video
- Alternative route information
- Real-time transit arrival information
- Incident information/classification
- Other:

**[4] What level of interaction do you currently have with local maintenance personnel? (Leave blank if not applicable)**

Low    High

**[5] If you do interact with local maintenance personnel, in what ways could these interactions be improved? If you do not currently interact with local maintenance personnel and your job would benefit from sharing information with them, what information would you find beneficial?**  
(limit 500 characters)

**[12] What level of interaction do you currently have with the local 911 dispatch center?  
(Leave blank if not applicable)**

Low    High

**[13] If you do interact with the 911 dispatch center, in what ways could these interactions be improved? If you do not currently interact with the 911 dispatch center and your job would benefit from sharing information with them, what information would you find beneficial?  
(limit 500 characters)**

**[14] What level of interaction do you currently have with the Oregon Department of Transportation? (Leave blank if not applicable)**

Low    High

**[15] If you do interact with ODOT, in what ways could these interactions be improved? If you do not currently interact with ODOT and your job would benefit from sharing information with them, what information would you find beneficial?  
(limit 500 characters)**

**[16] What other agencies would you like to share information with to make your job easier?  
(limit 500 characters)**

**[17] Are there other specific types of technology that would be useful to you and your agency?  
(limit 500 characters)**

**[18] What types of technology would be most useful to you and your agency?**

**[12] What level of interaction do you currently have with the local 911 dispatch center?**  
(Leave blank if not applicable)

Low    High

**[13] If you do interact with the 911 dispatch center, in what ways could these interactions be improved? If you do not currently interact with the 911 dispatch center and your job would benefit from sharing information with them, what information would you find beneficial?**  
(limit 500 characters)

**[14] What level of interaction do you currently have with the Oregon Department of Transportation? (Leave blank if not applicable)**

Low    High

**[15] If you do interact with ODOT, in what ways could these interactions be improved? If you do not currently interact with ODOT and your job would benefit from sharing information with them, what information would you find beneficial?**  
(limit 500 characters)

**[16] What other agencies would you like to share information with to make your job easier?**  
(limit 500 characters)

**[17] Are there other specific types of technology that would be useful to you and your agency?**  
(limit 500 characters)

**[18] What types of technology would be most useful to you and your agency?**

- Vehicle location
- Data storage and access (incidents or other)
- Real time travel information
- Shared communication interfaces
- Emergency vehicle signal preemption
- Shared information
- Other:

**[19] Do you have any other transportation needs or concerns that are not covered in this survey?**

(limit 500 characters)

Email Address

Physical Address

City

State

Zip Code

Phone Number

---

ODOT ~ 355 Capitol St. NE ~ Salem OR 97301-3871



[Home](#)**ODOT**[Search](#)**Salem ITS Plan 2**

Survey Responses: 1  
Average Response Time: 3

Q1

**What do you see as the biggest problems affecting the efficiency and safety of the Salem-Keizer Metropolitan area transportation system?**

This is a "Shotgun Checkbox" question.

Shotgun Label	Count	Percent ( of those taking survey )
<b>Congestion</b>	1	100%
<b>Incident delays</b>	0	0%
<b>Signal progression along arterials</b>	0	0%
<b>Construction delays</b>	0	0%
<b>Public transportation performance</b>	0	0%
<b>Other:</b>	0	0%

[CWS Reports](#)

ODOT ~ 355 Capitol St. NE ~ Salem OR 97301-3871

Page 1 of

Q2

QSTN\_ID=7787

INTRVW\_ID=7931

Keizer needs additional North/South and East/West corridors. The Salem/Keizer area needs a second bridge to West Salem.

[Home](#)



[Search](#)

**Salem ITS Plan 2**

Survey Responses: 1  
Average Response Time: 3

Q3

**What kind of transportation related information do you need to do your job more efficiently?**  
This is a "Shotgun Checkbox" question.

Shotgun Label	Count	Percent ( of those taking survey )
Road conditions	0	0%
Advance warning systems	0	0%
Construction information	1	100%
Real-time video	1	100%
Alternative route information	1	100%
Real-time transit arrival information	0	0%
Incident information/classification	1	100%
Other:	0	0%

[CWS Reports](#)

[Home](#)



[Search](#)

**Salem ITS Plan 2**

Survey Responses: 1  
Average Response Time: 3

Q4

**What level of interaction do you currently have with local maintenance personnel? (Leave blank if not applicable)**  
This is not a required "Numeric Polar" question, and 1 people responded.

Position No.	1	2	3	Position No.
Low	0	1	0	High

[CWS Reports](#)

[Home](#)



[Search](#)

**Salem ITS Plan 2**

Survey Responses: 1  
Average Response Time: 3

Q8

<b>What level of interaction do you currently have with the local police agency? (Leave blank if not applicable)</b>				
This is not a required "Numeric Polar" question, and 1 people responded.				
Position No.	1	2	3	Position No.
Low	0	0	1	High

[CWS Reports](#)

ODOT ~ 355 Capitol St. NE ~ Salem OR 97301-3871

[Home](#)



[Search](#)

**Salem ITS Plan 2**

Survey Responses: 1  
Average Response Time: 3

Q6

<b>What level of interaction do you currently have with the local fire agency? (Leave blank if not applicable)</b>				
This is not a required "Numeric Polar" question, and 1 people responded.				
Position No.	1	2	3	Position No.
Low	0	0	1	High

[CWS Reports](#)

ODOT ~ 355 Capitol St. NE ~ Salem OR 97301-3871

Home

DOT

Search

Salem ITS Plan 2

Survey Responses: 1  
Average Response Time: 3

Q10

<b>What level of interaction do you currently have with the local emergency management agency? (Leave blank if not applicable)</b>				
This is not a required "Numeric Polar" question, and 1 people responded.				
Position No.	1	2	3	Position No.
Low	0	0	1	High

CWS Reports

ODOT ~ 355 Capitol St. NE ~ Salem OR 97301-3871

Home

DOT

Search

Salem ITS Plan 2

Survey Responses: 1  
Average Response Time: 3

Q12

<b>What level of interaction do you currently have with the local 911 dispatch center? (Leave blank if not applicable)</b>				
This is not a required "Numeric Polar" question, and 1 people responded.				
Position No.	1	2	3	Position No.
Low	0	0	1	High

CWS Reports

ODOT ~ 355 Capitol St. NE ~ Salem OR 97301-3871

**Salem ITS Plan 2**

Survey Responses: 1  
Average Response Time: 3

Q14

<b>What level of interaction do you currently have with the Oregon Department of Transportation? (Leave blank if not applicable)</b>				
This is not a required "Numeric Polar" question, and 1 people responded.				
Position No.	1	2	3	Position No.
Low	1	0	0	High

[CWS Reports](#)

ODOT ~ 355 Capitol St. NE ~ Salem OR 97301-3871

**Salem ITS Plan 2**

Survey Responses: 1  
Average Response Time: 3

Q18

<b>What types of technology would be most useful to you and your agency?</b>		
This is a "Shotgun Checkbox" question.		
Shotgun Label	Count	Percent ( of those taking survey )
Vehicle location	1	100%
Data storage and access (incidents or other)	0	0%
Real time travel information	0	0%
Shared communication interfaces	1	100%
Emergency vehicle signal preemption	1	100%
Shared information	0	0%
Other:	0	0%

[CWS Reports](#)

ODOT ~ 355 Capitol St. NE ~ Salem OR 97301-3871

# Appendix F: User Needs Workshop

---

User Needs Workshop Invitation

User Needs Workshop Agenda

User Needs Workshop Minutes

User Needs Workshop Power Point Presentation

User Needs Workshop Handout

# Regional ITS Operations & Implementation Plan for the Salem-Keizer Metropolitan Area

## Expanded Stakeholder Workshop: User Needs



**Date:** March 17, 2005  
**Time:** 9:30 am – 11:30 am  
**Location:** Northwest Transportation Operations Center  
 Large Conference Room  
**Address:** 3225 State Street (NW Corner of State St/Hawthorne Ave)  
 Salem, OR 97301

Please R.S.V.P by March 14, 2005 to Brandy Sularz at  
[bms@dksassociates.com](mailto:bms@dksassociates.com) or by calling (503)243-3500

- ❖ Are you interested in reducing your commute time?
- ❖ Are you concerned with freight mobility?
- ❖ Do you use TripCheck for road conditions?
- ❖ Did you know that approximately 50 percent of all traffic congestion is caused by “nonrecurring” events such as traffic incidents?

For the last several months, a group of stakeholders have been gathering input for the development of an Intelligent Transportation System (ITS) Plan for the Salem-Keizer Metropolitan Area. This project aims to get the most out of existing roadway facilities by preserving transportation system capacity, and enhancing regional transportation mobility, efficiency and safety for all modes.

### Meeting Agenda

- 9:30 am: Welcome & Introductions**
- 9:35 am: Presentation by DKS Associates**
- Description of plan process, what ITS is, and why to use ITS
  - Summary of needs we have heard so far
- 10:00 am: Breakout Session**
- Poster stations will be set up around the room based on areas of interest and workshop participants will have the opportunity to ask questions and provide input on transportation needs.
- 11:00 am: Group Discussion**
- Group leaders will summarize poster station input and will lead a group discussion about potential projects to address the needs.
- 11:25 am: Next Steps**

### Intelligent Transportation Systems:

- ❖ Use advanced technologies such as cameras, automatic vehicle detectors, message signs, and coordinated traffic signals to make traffic flow smoothly and safely
- ❖ Provide real-time information about construction work zones, weather conditions, public transportation and roadway congestion
- ❖ Have a wide array of applications and benefits to operators and users of the transportation system

**Why Attend?** Come see what ITS can do to help make your transportation system more efficient, safer and contribute to a sustainable community. You will have the opportunity to identify needs related to traffic management, traveler information, emergency management, and public

transportation. The result of this project will be a prioritized list of projects based in large part on the transportation system needs identified in this meeting.



Oregon Department of  
Transportation

In cooperation with:



U.S. Department of Transportation  
Federal Highway Administration



Mid Willamette Valley  
Council of Governments

Salem 9-1-1 Dispatch

Polk County

cityofsalem.

**DKS Associates**  
TRANSPORTATION SOLUTIONS

# Agenda

## Regional ITS Operations & Implementation Plan For Salem Metropolitan Area

### *Expanded Stakeholder Workshop*

**Thursday, March 17, 2005**  
**ODOT NW Transportation Operations Center**  
**3225 State Street, Salem, OR 97301**  
**Large Conference Room**  
**9:30 a.m. – 11:30 a.m.**

- |      |   |            |
|------|---|------------|
| I.   | Introduction  | 5 minutes  |
| II.  | What is ITS? / Project Background   | 15 minutes |
| III. | Group Discussion  | 75 minutes |
|      | A. User Needs   |            |
|      | a. Modifications/additions to existing needs                              |            |
|      | b. Expand/discuss new transportation user needs                           |            |
|      | B. Matching User Services to User Needs                                   |            |
| IV.  | User Needs/Project Scoring  | 15 minutes |
| V.   | Next Steps  | 5 minutes  |
| VI.  | Next Expanded Stakeholder Meeting <i>Deployment Plan</i> : June 21, 2005? |            |

# Meeting Minutes

## Regional ITS Operations & Implementation Plan For Salem Metropolitan Area

*Expanded Stakeholder User Needs Workshop*

**Thursday, March 17, 2005**  
**ODOT Northwest Transportation Operations Center**  
**Large Conference Room**  
**9:30-11:30**

**Attendees:**

<input checked="" type="checkbox"/> Anderson, Edward (ODOT ITS Salem)	<input checked="" type="checkbox"/> Jackson, Ray (SKATS/MWVCOG)
<input checked="" type="checkbox"/> Bender, Dean (Polk County Emergency Mgmt)	<input type="checkbox"/> LaFreniere, Joe (Cherriots)
<input checked="" type="checkbox"/> Brock, Joel (ODOT ITS Region 3)	<input type="checkbox"/> Kissler, Rob (City of Keizer)
<input checked="" type="checkbox"/> Christopher, Lore (City of Keizer)	<input checked="" type="checkbox"/> McCarthy, Mike (Marion County)
<input checked="" type="checkbox"/> Dollar, Dan (ODOT Region 2)	<input checked="" type="checkbox"/> McGill, Galen (ODOT ITS Unit)
<input checked="" type="checkbox"/> Erickson, Bruce (ODOT Region 2 Traffic)	<input checked="" type="checkbox"/> Peters, Jim (DKS Associates)
<input type="checkbox"/> Geisler, Aaron (Polk County)	<input checked="" type="checkbox"/> Price, Nathaniel (FHWA Oregon)
<input checked="" type="checkbox"/> Hockett, Terry (City of Salem)	<input checked="" type="checkbox"/> Shaddix, Jason (ODOT ITS)
<input type="checkbox"/> Hottmann, Kevin (City of Salem)	<input checked="" type="checkbox"/> Sularz, Brandy (DKS Associates)

ITS INTRODUCTION	ACTION ITEMS
DKS provided a brief presentation on Intelligent Transportation Systems and how advanced technologies can be applied to the transportation needs of the Salem-Keizer Metropolitan Area.	
USER NEEDS GROUP DISCUSSION	ACTION ITEMS
<p>After the presentation, existing user needs were presented in a handout; they were organized according to the following areas of interest:</p> <ul style="list-style-type: none"> <li>• Travel and Traffic Management</li> <li>• Emergency Management and Incident Management</li> <li>• Traveler Information and Information Management</li> <li>• Public Transportation Management</li> <li>• Maintenance and Construction Management</li> </ul> <p>The existing needs were discussed and new user needs related to each</p>	DKS will update the User Needs Assessment Chapter based on the new input from the User Needs Workshop.

of the topics were identified. The new user needs are listed below.

### **Travel and Traffic Management**

- Need mapped height and weight restrictions for possible diversion routes
- Need to communicate restrictions to the detour route (for incident or pre-planned construction)
- Emergency responders need to choose an alternate path
- Need to provide railroad crossing occupation information
- Need to communicate closures due to events at the Capitol
- Need to provide information on capitol closures to public and emergency responders
- Need parking management at the convention center
- Need advanced notification about parking for convention center
- Need a parking management plan and advanced signage
- Need to manage parking structures downtown
- Need to distribute information to the media
- Need signal interconnect on Cordon Road (switch to emergency timing plan)
- Need advanced information to E-W travelers (Cordon in the event of detour)
- Need a communication interoperability solution for contact with Salem Police Department
- Need for evacuation plan in case of an emergency rail event (hazardous material moving through Salem)
- Need to get air bag deployment data from private sector vendors
- Need count stations
- Need to use ATR for detour route plans

### **Emergency Management and Incident Management**

- Need to generate an evacuation plan for emergency rail event
- Need to get data from Mayday systems (private sector data feed)
- Need to obtain air bag deployment information
- Need to be able to share digital video to first responders at the scene
- Need to have video at the dispatch center
- Need quick clearance process/laws
- Need to investigate crime scenes better/quicker speed up processes
- Need to define what the district attorney really needs for accident investigation
- Need to be able to call in the right people and tools to shoot scene in 20 minutes not 3-4 hours
- Need to share database information better (one database for all information)
- Need link between regions Emergency Operations Center and


<p>Agency Operations Center</p> <ul style="list-style-type: none"> <li>• Need to expand emergency response to share Agency stuff with police and fire.</li> <li>• Need to be standard basemap so everyone can get to it</li> <li>• Need to display video image on Cable TV. Possible to use with Channel 22 and 23 local cable channels</li> </ul> <p><b>Traveler Information</b></p> <ul style="list-style-type: none"> <li>• Need cameras on Salem Parkway</li> <li>• Need cameras on Willamette bridges</li> <li>• Need CCTV Coverage, better images for TripCheck</li> <li>• Need cable TV channel for traveler information (possibly use public television channel with no cost, just need good quality images for station)</li> <li>• Need a quality image for TripCheck, current City of Salem cameras are black and white</li> <li>• Need to include parking information for highway advisory radio in Salem</li> <li>• Need to broadcast messages to cellular phones</li> <li>• TripCheck needs to send information to view image to cellular phone as jpeg</li> <li>• Link traffic information to xm radio because they have an xm traveler information channel</li> </ul> <p><b>Public Transportation</b></p> <ul style="list-style-type: none"> <li>• Need to know ferry is closed from town</li> <li>• Need ferry info on TripCheck</li> <li>• Need advanced signage for closures and ferry status</li> <li>• Need to manage security issues on ferry</li> <li>• Need a security camera with outputs to a remote location for safety management</li> <li>• Need traffic counts on the ferry</li> </ul> <p><b>Maintenance and Construction</b></p> <ul style="list-style-type: none"> <li>• Need more weather stations</li> <li>• Need to automate the collection and maintenance planning</li> <li>• Need better maintenance planning</li> </ul>	
<b>PROJECT SCORING EXERCISE</b>	<b>ACTION ITEMS</b>

<p>A list of transportation challenges and user needs were grouped according to their functional area. Each workshop participant was given seven dots and instructions to place the dots next to the categories that represents the most critical needs from their perspective. The results from this exercise are included in the table below.</p>	<p>DKS will incorporate priorities identified by expanded stakeholders into subsequent steps of the regional ITS plan for the Salem-Keizer Metropolitan Area.</p>
<b>NEXT STEPS</b>	<b>ACTION ITEMS</b>
<p>The next expanded stakeholder meeting will be the Deployment Plan Workshop. This workshop will utilize community input for selecting specific ITS projects for 20-year deployment in the Salem-Keizer region. It is tentatively scheduled for June 21, 2005.</p>	<p>DKS will send invitations announcing the date and location of the next expanded stakeholder workshop.</p> <p>Steering committee members will provide DKS Associates with additional contacts for the next expanded stakeholder workshop.</p>
<b>NEXT MEETING</b>	
<p style="text-align: center;">Steering Committee Meeting #4  Agenda: Operational Concept  2:00pm to 4:00pm  April 21, 2005  City of Salem</p> <p style="text-align: center;">Expanded Stakeholder Deployment Plan Workshop  Agenda: Deployment Plan  June 21, 2005, tentative</p>	

<b>Dots</b>	<b>Challenge</b>	<b>Problem Specifics</b>
7	Traffic congestion from incidents	Limited transportation information available at the TOC (incident detection, video) Lack of incident classification information Improved agency coordination for incident response Need improved detour route management
9	Transportation during evacuation/terrorism	Need real-time traffic conditions at EOC Need to provide route information/road closures to evacuees Need plan for terrorist attacks and capitol mall security issues
7	Lack of transportation information	Lack of information for operations personnel ODOT TOC gets calls for traffic signal problems. Operators do not have access to traffic signal status information Need a central source for construction information Need real-time, accessible traveler information Need to integrate information from multiple sources (construction, incidents, transit) Need to have information related to road closures, major accidents and detour information available to 911 center
5	Need improved information for transportation planning	Data exists in some cases such as traffic counts, but it needs to be in a useable format Vehicle classification would be useful Data needs to be in a common format for real-time sharing of information and long term access to the information
17	Need ways to improve operations efficiencies	Common system software to access remote field devices (NTCIP protocol) Need common communication between agencies.
3	Ongoing operations/management issues	Data in same format Keeping information current Managing huge amounts of data collected Providing easy access to the information (e.g. maintenance personnel access to weather information)
2	Maintenance and Construction management	Information regarding flood and slide monitoring Vehicle maintenance management Need to provide a central source for construction information Improve safety in construction zone by providing video on site, better traffic control and advance signing in construction zones. Improve construction activity information (e.g. monitor delays, provide travel time information)
0	Public Transportation Management	Transit reliability Implement transit signal priority along bus routes Incorporate transit arrival information Need a uniform CAD interface between fixed route and paratransit
4	Need to maintain/improve emergency response times	Need to share incident information between 911, police, fire and transportation. Delays caused by traffic congestion Delays caused by road construction Delays caused by unforeseen events (railroad crossings) Delays caused by temporary closures Delays caused by traffic control devices (signal preemption)
1	Commercial vehicle delay	"Unrestricted freight mobility"

## Salem-Keizer Metropolitan Area ITS Plan

(Regional ITS Operations & Implementation Plan For The Salem-Keizer Metropolitan Area)



### User Needs Workshop

*DKS Associates*  
March 17, 2005

Salem-Keizer ITS Implementation & Operations Plan
User Needs Workshop March 17, 2005

## Workshop Agenda

- Workshop Goals
- What is ITS?
- Project Background
- User Needs
  - ✓ Modifications/additions to existing needs
  - ✓ Expand/discuss new transportation user needs
- Match User Needs to User Bundles
- Rank the User Needs

Salem-Keizer ITS Implementation & Operations Plan
User Needs Workshop March 17, 2005


## Workshop Goals

- Obtain stakeholder input
- Identify additions/modifications to needs
- Finalize user needs in Salem-Keizer Metropolitan Area
- Develop preliminary inputs for regional architecture

Salem-Keizer ITS Implementation & Operations Plan
User Needs Workshop March 17, 2005

## What is ITS?

Intelligent Transportation Systems apply technological solutions including computer hardware and software, communications, electronics and safety systems to improve safety and transportation system performance.




Salem-Keizer ITS Implementation & Operations Plan
User Needs Workshop March 17, 2005

## The Scope of ITS is Broad

- Traffic Signal Control
- Traveler Information
- Freeway Management
- Incident Management
- Transit Management
- Work Zone Management
- Emergency Response
- In-Vehicle Systems





Salem-Keizer ITS Implementation & Operations Plan
User Needs Workshop March 17, 2005

## Traffic Signal Control

Goal: Improve mobility and productivity









Salem-Keizer ITS Implementation & Operations Plan
User Needs Workshop March 17, 2005

## Traveler Information

**Goal: Provide up-to-date real-time information**

- Internet: [www.TripCheck.com](http://www.TripCheck.com)
- Phone: 511
- In-Vehicle
- Personal Digital Assistant







Source: Trafficgauge

Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop March 17, 2005

## Freeway Management

**Goal: Improve safety, relieve congestion, increase reliability**







Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop March 17, 2005

## Incident Management

**Goal: Reduce response times and incident durations**

- Incident Response Vehicles
- Alternate Routes
- Multi-agency Coordination




Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop March 17, 2005

## Transit Management

**Goal: Improve transportation services, improve reliability**

- Automatic Vehicle Location
- Real-Time Bus Arrival Information
- Transit Priority




Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop March 17, 2005

## Work Zone Management

**Goal: Improve safety, efficiency and productivity**

- Dynamic Lane Merging
- Work Zone Intrusion Alarms
- Variable Speed Limits






Source: International Road Dynamics


Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop March 17, 2005

## How are ITS Benefits Measured?

- Safety
- Cost Savings
- Delay/Time
- Environment
- Quality of Life



Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop March 17, 2005



### ITS Plan – Why is it Needed for Salem-Keizer Metropolitan Area?

- Over half of traffic delay is non recurring, attributable to:
  - ✓Traffic incidents
  - ✓Weather
  - ✓Work zones
  - ✓Special events
  - ✓Poor signal timing

Reasons for Congestion

Source: IAA

Salem-Keizer ITS Implementation & Operations Plan  
 User Needs Workshop March 17, 2005

### ITS Plan – Why is it Needed for Salem-Keizer Metropolitan Area?


- Maximize efficiencies and improve safety of existing infrastructure
- Demand from public for better information about traffic delays
- IT'S the LAW!
  - ✓ FHWA issued a rule on ITS Architecture that requires ITS projects funded by the Highway Trust Fund to conform to the National ITS Architecture, and to USDOT adopted ITS Standards. Each region must have a regional architecture by April 8, 2005

Salem-Keizer ITS Implementation & Operations Plan  
 User Needs Workshop March 17, 2005

### Cooperative Effort

- ODOT
- City of Salem
- City of Keizer
- Mid Willamette Valley COG
- Marion County
- Polk County
- Cherriots
- Mid Willamette Valley 911
- Oregon State Police
- FHWA
- DKS Associates


Salem-Keizer ITS Implementation & Operations Plan  
 User Needs Workshop March 17, 2005



### Workshop Agenda

- Workshop Goals
- What is ITS?
- Project Background
- User Needs
  - ✓ Modifications/additions to existing needs
  - ✓ Expand/discuss new transportation user needs
- Match User Needs to User Services
- Rank the User Needs

Salem-Keizer ITS Implementation & Operations Plan  
 User Needs Workshop March 17, 2005




- ### ITS Terminology: User Services
- User Services- A service that can be provided to transportation system users and operators to address those users' problems or needs.
  - Bundles- Groups of User Services:
    - ✓ Travel & Traffic Mgmt
    - ✓ Public Transportation Mgmt
    - ✓ Electronic Payment
    - ✓ Commercial Vehicle Operations
    - ✓ Emergency Mgmt
    - ✓ Advanced Vehicle Safety Systems
    - ✓ Information Mgmt
    - ✓ Maintenance & Construction Mgmt
- Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop  
March 17, 2005

- ### User Services Defined
- A broad range of users are considered:
    - ✓Travelers
    - ✓Traffic operators
    - ✓Emergency managers
    - ✓Public Transportation operators
- Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop  
March 17, 2005



- ### Workshop Agenda
- Workshop Goals
  - What is ITS?
  - Project Background
  - User Needs
    - ✓Modifications/additions to existing needs
    - ✓Expand/discuss new transportation user needs
  - Match User Needs to User Services
  - Rank the User Needs
- Salem-Keizer ITS Implementation & Operations Plan      User Needs Workshop  
March 17, 2005




## Next Meeting

Expanded Stakeholder Workshop #2:

*Deployment Plan*

June 20, 2005



Salem-Keizer ITS Implementation &  
Operations Plan

User Needs Workshop  
March 17, 2005

# Regional ITS Operations & Implementation Plan for the Salem-Keizer Metropolitan Area

Expanded Stakeholder Workshop  
March 17, 2005



Oregon Department of  
Transportation

**DKS Associates**  
TRANSPORTATION SOLUTIONS



*cityofsalem.*

**Polk County**

*Cherriots*  
SALEM AREA TRANSIT



Mid Willamette Valley  
Council of Governments



U.S. Department of Transportation  
Federal Highway Administration

Salem 9-1-1 Dispatch Center

# Traffic Operations and Management

## User Needs Identified to Date

- ▶ Need ability to automatically collect vehicle counts with classification
- ▶ Need more count stations
- ▶ Need to install cameras
  - at all new intersections
  - Interstate 5 interchanges
  - West Salem bridges
  - Mission Street
  - Cordon Road
  - Lancaster Road
- ▶ Need means to show traffic congestion on key corridors.
- ▶ Need the ability to share access to video images and data devices
- ▶ Need traveler information for the Willamette River Bridges due to limited alternate route options
- ▶ Need to set up an incident management plan/tool for using Willamette River Bridge for reverse traffic in the event of one bridge closure.
- ▶ Need real-time construction mapping information
- ▶ Need to integrate systems between local transportation and emergency agencies
- ▶ Need to support “unrestricted freight mobility”
- ▶ Need to address safety and blocking issues at rail crossings
- ▶ Need to provide additional information regarding flood monitoring and slide monitoring
- ▶ Need advanced traffic control



## Questions to Address

- ▶ Do you agree with the transportation user needs on the list?
- ▶ Are there any obvious transportation user needs missing?
- ▶ Are there any specific corridors you would suggest as a diversion route during incidents?
- ▶ Are there any specific arterial roadways where traffic management tools should be applied?
- ▶ Are there any specific at-grade railroad crossings that need improvements? If so, is there anything that would be useful to improve the safety of these crossings and/or reduce delay to emergency and private vehicles?
- ▶ Are there any specific locations throughout the metropolitan area with parking problems?
- ▶ What type of information should be provided to travelers? How should it be provided?
- ▶ Who do you need to interact with if there is an incident and signal timing should be adjusted? What tools are needed?

# Emergency Management

## User Needs Identified to Date

- ▶ Need to facilitate preemption by vehicle ID
- ▶ Need to share incident information between 911, police, fire and transportation
- ▶ Need to deploy vehicle tracking on fire department vehicles
- ▶ Need to provide real-time information to mobile data devices
- ▶ Need to enhance evacuation management
- ▶ Need to have information related to road closures, major accidents, and detour information available to 911 center
- ▶ Need to share incident information between computer aided dispatch (CAD) systems.
- ▶ Need some plan for terrorist attacks and capitol mall security issues
- ▶ Need to notify public about road closures, affects on rail etc. for terrorist attacks



# Incident Management

## User Needs Identified to Date

- ▶ Need improved detour route management
- ▶ Need a common communication link
- ▶ Need to provide advanced information to travelers (variety of media and provide other choices)
- ▶ Need to enhance the incident management program
- ▶ Need to provide additional video coverage
- ▶ Need to provide traveler information for incidents on Commercial Ave
- ▶ Need to provide incident classification information (fender bender vs. major)
- ▶ Need to separate severity of accidents to filter the page notification
- ▶ Need to provide incident detection
- ▶ Need to provide infrastructure to support detection/traveler information
- ▶ Need to have tool to indicate traffic speeds on the roadside so that a page can be sent when traffic slows or stops



## Questions to Address


- ▶ Do you agree with the incident management needs on the list?
- ▶ Are there any obvious incident management needs missing?
- ▶ What tools could you use for better on-scene traffic management?
- ▶ What tools could you use to improve multi-agency coordination and communication?
- ▶ Is there a need for multi-agency communications during incidents?
- ▶ Is there a need for traffic information en-route to an incident site?

- ▶ Imagine you are a 911 dispatcher and someone calls in on a cell phone to report a crash on I-5 but they do not know their exact location or travel direction. What information would be useful to you?
- ▶ Do you agree with the emergency management needs on the list?
- ▶ Are there any obvious emergency management needs missing?
- ▶ Imagine you are an emergency dispatcher. What information would be useful to you for incident identification and directing emergency response personnel?
- ▶ What kinds of things cause delays in response time? What is needed to reduce response times?
- ▶ Imagine there is a serious crash on I-5. Who will respond? Who needs to coordinate with whom? What information should be provided to motorists? What information would be useful to responders en-route?
- ▶ Imagine you are responding to an incident in Salem and you turn left onto a roadway only to stop behind a queue waiting for a train to move through an at-grade crossing. What information could be provided to avoid this situation? Where should the information be provided? Can you think of specific locations this information would be useful?

# Traveler Information

## User Needs Identified to Date

- ▶ Need real-time, accessible traveler information
- ▶ Need to install VMS at:
  - Lancaster
  - Cordon (I-5 detour route)
  - Silverton Road
  - Highway 22 East
  - River Road northbound at Brooklake Road
  - 99W/Highway 22 intersection
- ▶ Need to utilize and implement dynamic message signs, highway advisory radio, Internet, Cable TV, in-vehicle, 511, radio for distribution of traveler information.
- ▶ Need to integrate information from multiple sources (construction, incidents, public transit, congestion, alternate routes)
- ▶ Need to be able to access information about operational status of ferry systems
- ▶ Need to be able to post images on internet (ODOT TripCheck)
- ▶ Need weather stations at:
  - West Salem Hill
  - Fall City
  - Grand Ronde



## Questions to Address


- ▶ Do you agree with the traveler information needs on the list?
- ▶ Are there any obvious traveler information needs missing?
- ▶ Imagine you are considering taking public transportation instead of driving this morning. What information would be useful to you to make that decision? Where should the information be provided?
- ▶ Are there locations within the study area where weather information would help you plan your trip? What information would be useful and where should it be provided?



# Information Management

## User Needs Identified to Date

- ▶ Need to install sufficient communications infrastructure to support future bandwidth requirements
- ▶ Need to install communications over the bridges
- ▶ Need to provide the NWTOC with access to all weather stations
- ▶ Need a cable channel dedicated to travel/incident management
- ▶ Need an automatic notification system for the media
- ▶ Need communication between City of Salem and ODOT TOC
- ▶ Need a filter mechanism to filter out “extra” information so that you only see/hear the information you need.



## Questions to Address

- ▶ Do you agree with the information management needs on the list?
- ▶ Are there any obvious information management needs missing?
- ▶ Imagine you are a planner at MWVCOG. What type of information would be most useful to you when developing models and addressing transportation demand management techniques? How should this information be provided?
- ▶ What type of information collected by other agencies would be useful to your agency? How would this information be shared?

# Public Transportation Management

## User Needs Identified to Date

- ▶ Need to utilize automatic vehicle locaters (AVL) on Cherriotics fixed-routes
- ▶ Need to implement Mobile Data on paratransit
- ▶ Need to support the High Priority Transportation Corridor
- ▶ Need to implement transit signal priority along bus routes
- ▶ Need to incorporate transit arrival information
- ▶ Need a uniform CAD interface from fixed route to paratransit
- ▶ Need to provide support for the regional trip planner
- ▶ Need to disseminate information about the operational status of ferry



## Questions to Address

- ▶ Do you agree with the public transportation needs on the list?
- ▶ Are there any obvious public transportation needs missing?
- ▶ What would make public transportation more desirable?
- ▶ What information about transit should be provided and where should it be provided?

# Maintenance and Construction Management



## User Needs Identified to Date

- ▶ Need to implement in-vehicle geo-coding of maintenance items (potholes, tree-limbs, signs)
- ▶ Need to provide a central source for construction information/construction zone coordination
- ▶ Need to enhance construction zone management to improve safety (video on site)
- ▶ Need to improve construction activity information (e.g. monitor delays, provide travel time information)
- ▶ Need better traffic control and advance signing in construction zones

## Questions to Address

- ▶ Do you agree with the maintenance and construction needs on the list?
- ▶ Are there any obvious maintenance and construction needs missing?
- ▶ Is there any need to know the location of maintenance vehicles?
- ▶ Imagine there is a large flood. Do you need to coordinate road closures with anyone? What information do you need to share with other agencies?
- ▶ What are some ways to improve coordination of construction and maintenance projects?

# Appendix G: Turbo Architecture Output

---

Turbo Architecture Stakeholder Output  
Turbo Architecture Inventory Output

# Stakeholders Report

8/17/2005 9:04:39PM



## Stakeholder

---

### **Amtrak**

*Description:* Salem-Keizer rail operator

*Associated Element:* Railroad Operations Center

*Associated Element:* Wayside Equipment

### **Cherriots**

*Description:* Salem-Keizer area transit provider

*Associated Element:* Cherriots Transit Vehicles

*Associated Element:* Cherriots Transit Management

### **City of Keizer**

*Description:* The City of Keizer is a key stakeholder in this effort.

*Associated Element:* City of Keizer Traffic Management

*Associated Element:* City of Keizer Weather Station

*Associated Element:* City of Keizer Traffic Signals

*Associated Element:* City of Keizer Traffic Cameras

### **City of Keizer Police and Fire**

*Description:* Local emergency response for the City of Keizer

*Associated Element:* City of Keizer Emergency Vehicles

*Associated Element:* City of Keizer Emergency Management

### **City of Salem**

*Description:* The City of Salem is one of the primary stakeholders in this effort.

*Associated Element:* City of Salem Traffic Cameras

*Associated Element:* City of Salem Traffic Signals

*Associated Element:* City of Salem Parking Management

*Associated Element:* City of Salem Weather Stations

*Associated Element:* City of Salem Traffic Count Stations

*Associated Element:* City of Salem Traffic Management

### **City of Salem Police and Fire**

*Description:* Local emergency response for the city of Salem

*Associated Element:* City of Salem Emergency Management

*Associated Element:* City of Salem Emergency Vehicles

### **Emergency Management**

*Description:* This is a stakeholder group of all of the Emergency Management agencies in the region, for the purposes of simplifying sections of the Architecture where these agencies perform similarly.

*Stakeholders in this group:*

Marion County

Willamette Valley Communication Center (911 Center)

Oregon State Police

Polk County

City of Salem Police and Fire

City of Keizer Police and Fire

Marion County Sheriff

### **Local Public Works Agencies**

*Description:*

*Stakeholders in this group:*

Marion County

City of Keizer

City of Salem

Polk County

*Associated Element:* City/County Maintenance and Construction Management

*Associated Element:* City/County Maintenance and Construction Vehicles

### **Marion County**

**Stakeholder**

*Description:* The county provides road maintenance and emergency response services to the region.

*Associated Element:* Marion County Weather Stations

*Associated Element:* Marion County Traffic Management

*Associated Element:* Marion County Traffic Signals

*Associated Element:* Marion County Emergency Management

*Associated Element:* Marion County Website

*Associated Element:* Marion County Traffic Cameras

**Marion County Sheriff**

*Description:* County law enforcement and first responder to county road incidents.

*Associated Element:* Marion County Sheriff Vehicles

**Mid-Willamette Council of Governments (MWVCOG)**

*Description:* The MWVCOG is a primary stakeholder.

*Associated Element:* Mid Willamette Valley Council of Government (MWVCOG)

**Oregon Department of Transportation**

*Description:* ODOT Region 2 is the local ODOT office, operating the TOC and providing signal operations and maintenance services to the local agencies.

*Associated Element:* ODOT Traffic Cameras

*Associated Element:* ODOT Traveler Information Service Provider

*Associated Element:* ODOT Incident Response Vehicles

*Associated Element:* ODOT Traffic Signals

*Associated Element:* ODOT Emergency Management - Incident Response

*Associated Element:* ODOT Weather Stations

*Associated Element:* ODOT Northwest Transportation Operations Center

*Associated Element:* ODOT Agency Operations Center (AOC)

*Associated Element:* ODOT Maintenance and Construction Management

*Associated Element:* ODOT Dynamic Message Signs

*Associated Element:* ODOT Traffic Count Stations

*Associated Element:* ODOT Maintenance and Construction Vehicles

*Associated Element:* ODOT Roadway/Vehicle Warning System

*Associated Element:* ODOT Highway Advisory Radio

**Oregon State Police**

*Description:* Oregon State Police are the statewide incident response and law enforcement agency. They respond to incidents on state highways and are dispatched through the Salem call center.

*Associated Element:* Oregon State Police CAD

**Polk County**

*Description:* The county provides road maintenance and emergency response services to the region.

*Associated Element:* Polk County Maintenance and Construction Vehicles

*Associated Element:* Polk County Traffic Management

*Associated Element:* Polk County Emergency Management

*Associated Element:* Polk County Emergency Vehicles

**Public Transportation Providers**

*Description:* Other transit providers serving the area include:

~ Chemeketa Area Regional Transportation System (CARTS)

~ South Metro Area Rapid Transit (SMART)

~ TripLink

~ Salem-Keizer Yellow Cab Company

~ A-Cab Taxi Company

~ Wheels

**Travelers**

*Description:* General public users of personal electronic devices (personal computers, cell phones, PDAs) to access traveler information

*Associated Element:* Personal Information Access

*Associated Element:* Vehicles

**Willamette Valley Communication Center (911 Center)**

**Stakeholder**

---

*Description:* Provides dispatching for all of the region's emergency agencies.

*Associated Element:* Willamette Valley Communication Center EOC

*Associated Element:* Willamette Valley Communication Center (911) CAD

# Inventory Report

8/17/2005 9:04:55PM



## Stakeholder Inventory for Region Salem-Keizer Regional ITS Architecture

---

*Element:* Construction Project Website

*Status:* Planned

*Description:* A website containing information about regionwide and statewide construction projects that are existing and planned.

---

*Element:* Local Care Facilities

*Status:* Existing

*Description:* Local hospitals and other facilities that provide care in an emergency.

---

*Element:* Local Media

*Status:* Existing

*Description:* The Media element represents the information systems that provide traffic reports, travel conditions, and other transportation-related news services to the traveling public through radio, TV, and other media.

---

### **Amtrak**

*Element:* Railroad Operations Center

*Status:* Existing

*Description:* This is the central dispatch center for rail operations on tracks passing through the Salem-Keizer metropolitan area.

---

*Element:* Wayside Equipment

*Status:* Planned

*Description:* This equipment detects approaching trains and can be used to transmit train location information to traffic management centers or individual crossings.

---

### **Cherriots**

*Element:* Cherriots Transit Management

*Status:* Existing

*Description:* Cherriots uses a CAD system that has the capability to support AVL and traveler information applications

---

*Element:* Cherriots Transit Vehicles

*Status:* Existing

*Description:* Fixed Route and Paratransit Vehicles

---

### **City of Keizer**

*Element:* City of Keizer Traffic Cameras

*Status:* Planned

*Description:* Cameras for the City of Keizer will include a combination of monitoring and vehicle detection.

---

*Element:* City of Keizer Traffic Management

*Status:* Existing

*Description:* City of Keizer traffic signals are operated and maintained by the City of Salem at this time.

---

*Element:* City of Keizer Traffic Signals

*Status:* Existing

*Description:* The city of Keizer owns 14 traffic signals.

---

*Element:* City of Keizer Weather Station

*Status:* Existing

*Description:* The City of Keizer has one weather station located behind the Keizer Public Works building.

---

### **City of Keizer Police and Fire**

*Element:* City of Keizer Emergency Management

*Status:* Existing

*Description:* This includes the emergency services and the emergency operations center located in the City of Keizer building that is activated during major emergencies.

---

*Element:* City of Keizer Emergency Vehicles

*Status:* Existing

*Description:* City of Keizer police and fire vehicles

---

### **City of Salem**

*Element:* City of Salem Parking Management

*Status:* Planned

*Description:* Numerous parking facilities exist in downtown Salem, specifically near the conference center.

---

**Stakeholder Inventory for Region Salem-Keizer Regional ITS Architecture**


---

*Element:* City of Salem Traffic Cameras *Status:* Existing  
*Description:* Existing cameras are used for video detection and can collect volumes and classification information

---

*Element:* City of Salem Traffic Count Stations *Status:* Planned  
*Description:* City of Salem uses video to collect traffic volume and classification information.

---

*Element:* City of Salem Traffic Management *Status:* Existing  
*Description:* City of Salem currently operates and maintains the traffic signals in the metropolitan area. Salem has an existing central traffic signal system and access to video images at the operations workstation.

---

*Element:* City of Salem Traffic Signals *Status:* Existing  
*Description:* The city of Salem owns and operates 164 traffic signals

---

*Element:* City of Salem Weather Stations *Status:* Planned  
*Description:*

---

**City of Salem Police and Fire**

*Element:* City of Salem Emergency Management *Status:* Existing  
*Description:* This includes the emergency services located in the Willamette Valley Communication Center and the emergency operations center that is activated during major emergencies.

---

*Element:* City of Salem Emergency Vehicles *Status:* Existing  
*Description:* City of Salem police and fire vehicles

---

** Local Public Works Agencies***Stakeholders in this group:*

Marion County  
City of Keizer  
City of Salem  
Polk County

*Element:* City/County Maintenance and Construction Management *Status:* Existing  
*Description:* Local road maintenance departments

---

*Element:* City/County Maintenance and Construction Vehicles *Status:* Existing  
*Description:*

---

**Marion County**

*Element:* Marion County Emergency Management *Status:* Existing  
*Description:* This includes emergency services and the emergency operation center located at the Marion County building on Silverton east of Cordon Road, activated during major emergencies.

---

*Element:* Marion County Traffic Cameras *Status:* Planned  
*Description:* Cameras for Marion County will include a combination of monitoring and vehicle detection.

---

*Element:* Marion County Traffic Management *Status:* Existing  
*Description:* Marion County does not operate or maintain any traffic signals at this time.

---

*Element:* Marion County Traffic Signals *Status:* Existing  
*Description:* Marion County owns 14 traffic signals. City of Salem operates and maintains the traffic signals

---

*Element:* Marion County Weather Stations *Status:* Existing  
*Description:* Three weather stations are currently owned and operated by Marion County. Weather information is posted on Marion County's website.

---

*Element:* Marion County Website *Status:* Existing  
*Description:* Marion County's website includes information about the operational status of the the ferries and weather station information.

---

## Stakeholder Inventory for Region Salem-Keizer Regional ITS Architecture

**Marion County Sheriff***Element:* Marion County Sheriff Vehicles*Status:* Existing*Description:***Mid-Willamette Council of Governments (MWVCOG)***Element:* Mid Willamette Valley Council of Government (MWVCOG)*Status:* Planned*Description:* This is the planned location of the archived data management system.**Oregon Department of Transportation***Element:* ODOT Agency Operations Center (AOC)*Status:* Existing*Description:* Located in the same building as the NWTOC. This center is activated with a Level 4 (major) emergency. This center serves as an agency wide coordination point for ODOT emergency response activities.*Element:* ODOT Dynamic Message Signs*Status:* Existing*Description:* ODOT has fixed DMS near the study area and can control additional signs from the TOC (which are outside of the study area). More signs are planned. ODOT owns several portable signs.*Element:* ODOT Emergency Management - Incident Response*Status:* Existing*Description:* The TOC emergency management functions include incident management and implementation of Emergency Operations Plans.*Element:* ODOT Highway Advisory Radio*Status:* Planned*Description:* There are no existing HAR in the Salem-Keizer metropolitan area today. However, ODOT uses HAR in other metropolitan areas and the Oregon Coast. This plan includes HAR for disseminating traveler information in the Salem-Keizer metropolitan area.*Element:* ODOT Incident Response Vehicles*Status:* Existing*Description:* ODOT Region 2 has incident response vehicles.*Element:* ODOT Maintenance and Construction Management*Status:* Existing*Description:* Maintenance and Construction Management functions include monitoring conditions via cameras and environmental sensors, coordinating crew assignments, outputs to traveler information (HAR, DMS), and crew dispatching.*Element:* ODOT Maintenance and Construction Vehicles*Status:* Existing*Description:* Existing maintenance vehicles.*Element:* ODOT Northwest Transportation Operations Center*Status:* Existing*Description:* The TOC controls dynamic message signs, cameras, highway advisory radio, and dispatches incident response and maintenance vehicles. The NWTOC controls devices in the Eugene metropolitan area and Region 4 after hours*Element:* ODOT Roadway/Vehicle Warning System*Status:* Planned*Description:* Roadside systems that provide in-vehicle warnings, such as for wildlife detection or congestion alerts.*Element:* ODOT Traffic Cameras*Status:* Existing*Description:* ODOT has several existing and planned cameras in the study area.*Element:* ODOT Traffic Count Stations*Status:* Existing*Description:* ODOT operates automatic traffic recorders.*Element:* ODOT Traffic Signals*Status:* Existing*Description:* ODOT owns 49 traffic signals in the study area; including 36 that are owned by ODOT and maintained by the City of Salem.*Element:* ODOT Traveler Information Service Provider*Status:* Existing*Description:* ODOT real-time traveler information systems that provide information to TripCheck, and 511.*Element:* ODOT Weather Stations*Status:* Existing

**Stakeholder Inventory for Region Salem-Keizer Regional ITS Architecture***Element:* ODOT Weather Stations*Status:* Existing*Description:* ODOT operates and maintains weather stations in the area. Information from these sites is provided to the public via TripCheck**Oregon State Police***Element:* Oregon State Police CAD*Status:* Existing*Description:* Dispatch Center for OSP. Collocated with ODOT NorthwestTraffic Operations Center (NWTOC).**Polk County***Element:* Polk County Emergency Mangement*Status:* Existing*Description:* This includes emergency services and the emergency operation center activated in major emergencies.*Element:* Polk County Emergency Vehicles*Status:* Existing*Description:* Polk County police and fire vehicles.*Element:* Polk County Maintenance and Construction Vehicles*Status:* Existing*Description:**Element:* Polk County Traffic Mangement*Status:* Existing*Description:***Travelers***Element:* Personal Information Access*Status:* Existing*Description:* Personal Information Access subsystem, as described in the National ITS Architecture.*Element:* Vehicles*Status:* Existing*Description:* Personal vehicles driven by the public that are equipped to receive in-vehicle information via roadside devices (specifically supporting ODOT advanced vehicle system initiatives).**Willamette Valley Communication Center (911 Center)***Element:* Willamette Valley Communication Center (911) CAD*Status:* Existing*Description:* Provides dispatching for the region's emergency response agencies, except for the Oregon State Police*Element:* Willamette Valley Communication Center EOC*Status:* Existing*Description:* Located at the 911 center, activated during significant emergencies.

# Appendix H: Turbo Architecture Flows

---

## Turbo Architecture Flows



## Salem-Keizer Regional ITS Architecture

*The Regional ITS Architecture supports the ITS Operations and Implementation Plan for the Salem-Keizer Metropolitan Area.*

<b>FlowName:</b> transit fare and passenger status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Field Devices	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit information user request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Field Devices	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit fare information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Cherriots Field Devices	
<b>FlowName:</b> transit traveler information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Cherriots Field Devices	
<b>FlowName:</b> alarm acknowledge	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Cherriots Transit Vehicles	
<b>FlowName:</b> request for vehicle measures	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Cherriots Transit Vehicles	
<b>FlowName:</b> transit schedule information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Cherriots Transit Vehicles	
<b>FlowName:</b> transit vehicle operator authentication update	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Cherriots Transit Vehicles	
<b>FlowName:</b> transit vehicle operator information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Cherriots Transit Vehicles	
<b>FlowName:</b> emergency transit schedule information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> road network probe information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> traffic control priority request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> transit demand management response	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> transit system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency transit schedule information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> traffic control priority request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> City of Salem Traffic Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> transit system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> transit incidents for media	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Local Media	
<b>FlowName:</b> transit information for media	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Local Media	
<b>FlowName:</b> transit archive data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Mid Willamette Valley Council of Government (MWVCOG)	
<b>FlowName:</b> emergency transit schedule information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> traffic control priority request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> transit system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> demand responsive transit plan	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> transit and fare schedules	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> transit incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> transit request confirmation	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> personal transit information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> emergency transit schedule information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> traffic control priority request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> transit demand management response	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> transit system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> emergency transit schedule information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> transit emergency data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> transit system status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> alarm notification	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit vehicle conditions	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit vehicle location data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit vehicle operator authentication information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit vehicle passenger and use data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit vehicle schedule performance	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> local signal priority request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> City of Keizer Traffic Signals	
<b>FlowName:</b> local signal priority request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> City of Salem Traffic Signals	
<b>FlowName:</b> local signal priority request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> Marion County Traffic Signals	
<b>FlowName:</b> local signal priority request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Cherriots Transit Vehicles	<b>Destination:</b> ODOT Traffic Signals	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> City of Keizer Traffic Signals	
<b>FlowName:</b> emergency dispatch response	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> City of Salem Traffic Signals	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> Marion County Traffic Management	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> Marion County Traffic Signals	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> ODOT Traffic Signals	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> emergency dispatch response	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> emergency vehicle tracking data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Emergency Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Cameras	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Cameras	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Cameras	<b>Destination:</b> Marion County Traffic Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Cameras	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> request transit information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> traffic control priority status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit demand management request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Keizer Traffic Cameras	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Keizer Traffic Cameras	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Keizer Traffic Signals	
<b>FlowName:</b> signal control data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Keizer Traffic Signals	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Emergency Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> field equipment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> maint and constr resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> work plan feedback	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Construction Project Website	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Marion County Traffic Cameras	
<b>FlowName:</b> traffic archive data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Mid Willamette Valley Council of Government (MWVCOG)	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> work plan feedback	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> road network conditions	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> signal control status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Signals	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> traffic flow	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Signals	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> signal control status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Signals	<b>Destination:</b> City of Salem Traffic Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> signal control status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Keizer Traffic Signals	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> alert notification	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> evacuation information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> emergency acknowledge	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Vehicles	<b>Destination:</b> City of Keizer Traffic Signals	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Vehicles	<b>Destination:</b> City of Salem Traffic Signals	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Vehicles	<b>Destination:</b> Marion County Traffic Signals	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Emergency Vehicles	<b>Destination:</b> ODOT Traffic Signals	
<b>FlowName:</b> parking information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Parking Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> parking information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Parking Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> parking information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Parking Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> parking lot reservation confirmation	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Parking Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> traffic images	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Cameras	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Cameras	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> traffic flow	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Count Stations	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> roadside archive data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Count Stations	<b>Destination:</b> Mid Willamette Valley Council of Government (MWVCOG)	
<b>FlowName:</b> request transit information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> traffic control priority status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Keizer Traffic Cameras	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Keizer Traffic Signals	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City of Salem Traffic Cameras	
<b>FlowName:</b> maint and constr resource request	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> work plan feedback	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Construction Project Website	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Local Media	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Marion County Traffic Cameras	
<b>FlowName:</b> signal control data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Marion County Traffic Signals	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Marion County Website	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> traffic archive data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Mid Willamette Valley Council of Government (MWVCOG)	
<b>FlowName:</b> signal control data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Dynamic Message Signs	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Highway Advisory Radio	
<b>FlowName:</b> field equipment status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> maint and constr resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> work plan feedback	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	

**Salem-Keizer Regional ITS Architecture**

<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Traffic Cameras	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> hri advisories	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Railroad Operations Center	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Management	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> request for right-of-way	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Signals	<b>Destination:</b> City of Salem Traffic Management	

### Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> signal control status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City of Salem Traffic Signals	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> equipment maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> maint and constr resource response	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> equipment maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> maint and constr resource response	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> maint and constr dispatch information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City/County Maintenance and Construction Vehicles	
<b>FlowName:</b> maint and constr vehicle system control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> City/County Maintenance and Construction Vehicles	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> Construction Project Website	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> Construction Project Website	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> Marion County Weather Stations	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> Marion County Website	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> Marion County Website	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> Marion County Website	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> Marion County Website	
<b>FlowName:</b> alert status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> maint and constr resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> work plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> maint and constr resource response	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> road weather information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	

Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> road weather information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> environmental probe data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> infrastructure conditions data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> maint and constr dispatch status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> maint and constr vehicle location data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> maint and constr vehicle operational data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> work zone status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> infrastructure conditions data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> maint and constr dispatch status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> maint and constr vehicle location data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> maint and constr vehicle operational data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> work zone status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> infrastructure monitoring sensor control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Roadway/Vehicle Warning System	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Roadway/Vehicle Warning System	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> environmental conditions data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Weather Stations	
<b>FlowName:</b> environmental sensors control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Weather Stations	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> City/County Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Weather Stations	
<b>FlowName:</b> traveler information for media	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Construction Project Website	<b>Destination:</b> Local Media	
<b>FlowName:</b> ISP coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Construction Project Website	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> broadcast information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Construction Project Website	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> care facility status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Local Care Facilities	<b>Destination:</b> City of Keizer Emergency Vehicles	
<b>FlowName:</b> care facility status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Local Care Facilities	<b>Destination:</b> City of Salem Emergency Vehicles	
<b>FlowName:</b> care facility status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Local Care Facilities	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> care facility status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Local Care Facilities	<b>Destination:</b> ODOT Incident Response Vehicles	
<b>FlowName:</b> care facility status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Local Care Facilities	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> external reports	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Local Media	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> media information request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Local Media	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> City of Salem Traffic Management	

### Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident report	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident report	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Oregon State Police CAD	

Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> alert notification coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> alert notification coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Emergency Management	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Sheriff Vehicles	<b>Destination:</b> City of Keizer Traffic Signals	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Sheriff Vehicles	<b>Destination:</b> City of Salem Traffic Signals	
<b>FlowName:</b> local signal preemption request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Sheriff Vehicles	<b>Destination:</b> Marion County Traffic Management	
<b>FlowName:</b> emergency dispatch response	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Sheriff Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> emergency vehicle tracking data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Sheriff Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Sheriff Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Cameras	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Cameras	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Cameras	<b>Destination:</b> Marion County Traffic Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Cameras	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> City of Keizer Traffic Cameras	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> environmental conditions data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> field device status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> infrastructure monitoring sensor data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> Marion County Traffic Cameras	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> roadside archive data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> Mid Willamette Valley Council of Government (MWVCOG)	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Management	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> signal control status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Traffic Signals	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> environmental conditions data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Weather Stations	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> field device status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Weather Stations	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> ISP coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Website	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> broadcast information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Website	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> emergency traveler information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Marion County Website	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> archive requests	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> archive status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> archive requests	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> archive status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> data collection and monitoring control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> City of Salem Traffic Count Stations	
<b>FlowName:</b> archive requests	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> archive status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> data collection and monitoring control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> Marion County Traffic Management	
<b>FlowName:</b> archive requests	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> archive status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> ODOT Northwest Transportation Operations Center	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> archive requests	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> archive status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Mid Willamette Valley Council of Government (MWVCOG)	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> alert notification coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Agency Operations Center (AOC)	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Dynamic Message Signs	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Dynamic Message Signs	<b>Destination:</b> ODOT Northwest Transportation Operations Center	

### Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident report	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Marion County Emergency Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> incident command information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident report	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> incident report	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> emergency dispatch requests	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Incident Response Vehicles	
<b>FlowName:</b> suggested route	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Incident Response Vehicles	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> evacuation information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Oregon State Police CAD	

Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> incident report	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> remote surveillance control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency acknowledge	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Vehicles	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Willamette Valley Communication Center EOC	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> incident command information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident report	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Emergency Management - Incident Response	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Highway Advisory Radio	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Highway Advisory Radio	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency dispatch response	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Incident Response Vehicles	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency vehicle tracking data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Incident Response Vehicles	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency dispatch response	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Incident Response Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> emergency vehicle tracking data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Incident Response Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> incident status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Incident Response Vehicles	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> maint and constr resource response	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> maint and constr resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> road weather information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> work plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> maint and constr resource response	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road weather information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> maint and constr dispatch information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Maintenance and Construction Vehicles	
<b>FlowName:</b> current asset restrictions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> maint and constr resource response	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> maint and constr work plans	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> road weather information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> roadway maintenance status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> work zone information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> environmental sensors control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Roadway/Vehicle Warning System	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Management	<b>Destination:</b> ODOT Roadway/Vehicle Warning System	
<b>FlowName:</b> maint and constr dispatch status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> maint and constr vehicle location data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> maint and constr vehicle operational data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> work zone status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Maintenance and Construction Vehicles	<b>Destination:</b> ODOT Roadway/Vehicle Warning System	
<b>FlowName:</b> request transit information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Keizer Traffic Cameras	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Emergency Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> parking demand management request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Parking Management	
<b>FlowName:</b> parking lot data request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Parking Management	
<b>FlowName:</b> parking lot inputs	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Parking Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Traffic Cameras	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> maint and constr resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> work plan feedback	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> City/County Maintenance and Construction Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Marion County Emergency Management	

Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> video surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Marion County Traffic Cameras	
<b>FlowName:</b> traffic archive data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Mid Willamette Valley Council of Government (MWVCOG)	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Dynamic Message Signs	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Highway Advisory Radio	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> work plan feedback	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Maintenance and Construction Management	
<b>FlowName:</b> video surveillance control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Traffic Cameras	
<b>FlowName:</b> traffic sensor control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Traffic Count Stations	

Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> signal control data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Traffic Signals	
<b>FlowName:</b> road network conditions	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> environmental sensors control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Weather Stations	
<b>FlowName:</b> roadway information system data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> ODOT Weather Stations	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> road network conditions	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Polk County Traffic Mangement	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> hri advisories	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Railroad Operations Center	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Northwest Transportation Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Roadway/Vehicle Warning System	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Roadway/Vehicle Warning System	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> intersection status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Roadway/Vehicle Warning System	<b>Destination:</b> Vehicles	
<b>FlowName:</b> vehicle signage data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Roadway/Vehicle Warning System	<b>Destination:</b> Vehicles	
<b>FlowName:</b> traffic images	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traffic Cameras	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> traffic images	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traffic Cameras	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traffic Count Stations	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> traffic flow	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traffic Count Stations	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> signal control status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traffic Signals	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> signal control status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traffic Signals	<b>Destination:</b> ODOT Northwest Transportation Operations Center	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> demand responsive transit request	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit information request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> ISP coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Construction Project Website	
<b>FlowName:</b> traveler information for media	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Local Media	
<b>FlowName:</b> ISP coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Marion County Website	
<b>FlowName:</b> broadcast information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> emergency traveler information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> trip plan	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> yellow pages information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Personal Information Access	
<b>FlowName:</b> broadcast information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Vehicles	
<b>FlowName:</b> emergency traveler information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Vehicles	
<b>FlowName:</b> trip plan	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Vehicles	
<b>FlowName:</b> yellow pages information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Traveler Information Service Provider	<b>Destination:</b> Vehicles	
<b>FlowName:</b> environmental conditions data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Weather Stations	<b>Destination:</b> City/County Maintenance and Construction Vehicles	
<b>FlowName:</b> environmental conditions data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Weather Stations	<b>Destination:</b> ODOT Maintenance and Construction Vehicles	
<b>FlowName:</b> roadway information system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Weather Stations	<b>Destination:</b> ODOT Maintenance and Construction Vehicles	
<b>FlowName:</b> environmental conditions data	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> ODOT Weather Stations	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> City of Salem Emergency Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> transportation system status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> road network probe information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident report	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Oregon State Police CAD	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> transit information user request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Personal Information Access	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> emergency notification	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Personal Information Access	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency traveler information request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Personal Information Access	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> trip confirmation	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Personal Information Access	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> trip request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Personal Information Access	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> yellow pages request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Personal Information Access	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Keizer Traffic Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> remote surveillance control	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> remote surveillance control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> alert notification coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency archive data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Mid Willamette Valley Council of Government (MWVCOG)	
<b>FlowName:</b> alert notification coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency dispatch requests	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Emergency Vehicles	
<b>FlowName:</b> suggested route	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Emergency Vehicles	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> remote surveillance control	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> resource request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Traffic Mangement	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Mangement	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> emergency dispatch response	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Vehicles	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency vehicle tracking data	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Vehicles	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Emergency Vehicles	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> request transit information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> traffic control priority status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transit demand management request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Salem Emergency Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> traffic control coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> traffic information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency routes	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency traffic control information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> resource deployment status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Polk County Emergency Mangement	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> road network conditions	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> road network status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> traffic images	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Polk County Traffic Mangement	<b>Destination:</b> Willamette Valley Communication Center EOC	
<b>FlowName:</b> railroad advisories	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> railroad schedules	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> railroad advisories	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> railroad schedules	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> rail system status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> rail incident response status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> rail system status assessment	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Railroad Operations Center	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> emergency notification	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Vehicles	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency traveler information request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Vehicles	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> trip request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Vehicles	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> yellow pages request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Vehicles	<b>Destination:</b> ODOT Traveler Information Service Provider	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> evacuation information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Cherriots Transit Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Cherriots Transit Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> evacuation information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Traffic Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> evacuation information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident information	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> City of Salem Traffic Management	
<b>FlowName:</b> alert notification coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Marion County Emergency Management	
<b>FlowName:</b> evacuation information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident information	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Oregon State Police CAD	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center (911) CAD	<b>Destination:</b> Railroad Operations Center	
<b>FlowName:</b> transportation system status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> City of Keizer Traffic Management	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> City of Salem Emergency Management	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> City of Salem Emergency Management	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Agency Operations Center (AOC)	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Emergency Management - Incident Response	
<b>FlowName:</b> emergency dispatch requests	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Incident Response Vehicles	
<b>FlowName:</b> suggested route	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Incident Response Vehicles	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency route request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> ODOT Northwest Transportation Operations Center	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Oregon State Police CAD	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Polk County Emergency Mangement	

## Salem-Keizer Regional ITS Architecture

<b>FlowName:</b> resource coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Polk County Emergency Mangement	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> emergency traffic control request	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> incident response status	<b>Status:</b> Planned	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Polk County Traffic Mangement	
<b>FlowName:</b> alert notification coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> emergency plan coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> evacuation coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident command information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident report	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> incident response coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> resource coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> threat information coordination	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	
<b>FlowName:</b> transportation system status	<b>Status:</b> Existing	<b>In Regional Architecture</b>
<b>Source:</b> Willamette Valley Communication Center EOC	<b>Destination:</b> Willamette Valley Communication Center (911) CAD	

# Appendix I: Operational Concept Database

---

High-Level Operational Concept Database

Operational\_Concept

From	To	Relationships				O&M Roles and Responsibilities			Information Flows					Comments	Confirmed	
		Independent	Consultation	Cooperation	Information Sharing	Control Sharing	Operational	Maintenance	Full Responsibility	Data	Video	Status	Request			Control
ODOT Region 2/NW TOC	City of Salem			Existing	Planned	Planned				Planned	Planned	Planned	Existing	Planned		
	City of Keizer				Planned	Consider				Planned	Planned	Planned	Consider	Consider		
	Marion County			Existing	Planned	Consider				Planned	Planned	Planned	Planned	Consider		
	MWVCOG			Existing	Planned					Planned	Consider					
	911 Center		Existing													
	Polk County			Existing	Planned	Consider				Existing	Consider	Consider				
	Cherriots		Existing		Planned											
	Oregon State Police Local Police/Fire				Existing	Existing				Existing	Existing	Consider				
City of Salem	ODOT Region 2/NW TOC			Existing	Planned	Existing		Existing	Existing	Existing	Planned	Planned	Planned	Existing	City of Salem operates and maintains traffic signals	
	City of Keizer			Existing	Planned	Existing		Existing	Existing	Existing	Planned	Consider	Consider	Existing	City of Salem operates and maintains traffic signals	
	Marion County			Existing	Planned	Existing		Existing	Existing	Existing	Planned	Consider	Consider	Existing	City of Salem operates and maintains traffic signals	
	MWVCOG			Existing	Planned					Planned						
	911 Center	Existing			Consider					Consider	Consider	Consider				
	Polk County	Existing		Planned	Planned					Planned						
	Cherriots	Existing			Consider					Consider	Planned	Consider				
	Oregon State Police Local Police/Fire	Existing	Existing								Planned	Planned				
City of Keizer	City of Salem			Existing	Planned	Consider				Existing	Planned	Existing	Consider	Existing	Camera images to Salem	
	ODOT Region 2/NW TOC			Existing	Planned						Planned	Planned	Consider			
	Marion County			Existing	Consider					Planned	Planned	Planned				
	MWVCOG			Existing	Planned					Planned						
	911 Center	Existing			Consider											
	Polk County		Existing													
	Cherriots		Existing		Consider											
	Oregon State Police Local Police/Fire	Existing		Existing	Consider											
Mid Willamette 911 Center	City of Salem	Existing														
	City of Keizer	Existing														
	Marion County	Existing														
	MWVCOG	Existing														
	ODOT Region 2/NW TOC		Existing													
	Polk County	Existing														
	Cherriots	Existing														
	Oregon State Police Local Police/Fire			Existing	Existing					Existing						
Marion County	City of Salem			Existing	Planned					Existing	Planned	Consider	Consider	Consider		
	City of Keizer			Existing	Planned					Consider	Planned	Consider	Consider			
	ODOT Region 2/NW TOC			Existing	Planned					Planned	Planned	Planned	Consider	Consider		
	MWVCOG			Existing	Planned					Planned						
	911 Center				Planned					Consider	Consider	Consider				
	Polk County		Existing		Planned					Planned	Planned	Planned	Consider			
	Cherriots		Existing		Consider					Consider	Consider	Consider	Consider			
	Oregon State Police Local Police/Fire	Existing			Consider					Consider	Consider	Consider				
MWVCOG	City of Salem			Existing	Planned					Consider						
	City of Keizer			Existing	Planned					Consider						
	Marion County			Existing	Planned											
	ODOT Region 2/NW TOC		Existing		Planned											
	911 Center	Existing														
	Polk County			Existing	Planned					Consider						
	Cherriots			Existing	Planned					Consider						
	Oregon State Police Local Police/Fire	Existing	Existing													
City of Salem	City of Salem	Existing			Planned					Consider	Consider	Consider	Planned		Transit signal preemption	
	City of Keizer		Existing										Planned			
	Marion County		Existing							Planned	Planned	Planned	Planned			

Operational\_Concept

From	To	Relationships				O&M Roles and Responsibilities			Information Flows					Comments	Confirmed	
		Independent	Consultation	Cooperation	Information Sharing	Control Sharing	Operational	Maintenance	Full Responsibility	Data	Video	Status	Request			Control
Cherriots	MWVCOG		Existing		Consider											
	911 Center	Existing														
	Polk County	Existing														
	ODOT Region 2/NW TOC	Existing							Consider	Consider		Planned				
	Oregon State Police	Existing														
Oregon State Police	Local Police/Fire	Existing														
	City of Salem	Existing														
	City of Keizer	Existing														
	Marion County	Existing														
	MWVCOG	Existing														
Local Police/Fire	911 Center			Existing												
	Polk County	Existing														
	Cherriots	Existing														
	ODOT Region 2/NW TOC	Existing			Existing											
	Local Police/Fire		Existing													
Polk County	City of Salem			Existing	Planned									Consider		
	City of Keizer			Existing										Consider		
	Marion County			Existing							Planned	Planned	Consider	Consider		
	MWVCOG	Existing														
	911 Center				Planned									Consider		
Polk County	Polk County			Existing												
	Cherriots	Existing														
	Oregon State Police	Existing			Consider											
	ODOT Region 2/NW TOC	Existing								Planned			Consider		Emergency vehicle preemption	
	Local Police/Fire	Existing		Planned	Planned					Planned						
Polk County	City of Salem	Existing														
	City of Keizer		Existing													
	Marion County		Existing													
	MWVCOG			Existing	Consider											
	911 Center			Existing												
Polk County	Local Police/Fire			Existing									Consider			
	Cherriots	Existing														
	Oregon State Police	Existing														
	ODOT Region 2/NW TOC	Existing														
	Local Police/Fire	Existing											Consider			

# Appendix J: Roles and Responsibilities

---

Turbo Output:  
Detailed Roles and Responsibilities by Stakeholder Agency

# Operational Concept (Roles & Responsibilities)

Sorted by Stakeholder

## Salem-Keizer Regional ITS Architecture (Region)

8/16/2005 11:53:29AM



### Cherriots

#### RR Area: Archived Data Management

##### Roles and Responsibilities

##### Status

CONSTRUCTION: Construct and implement communications required to share information within the Salem-Keizer region	Planned
MAINTENANCE: 1) Maintain field devices and systems that provide data to regional data warehouse; 2) Maintain communications infrastructure to support data transfer to the regional data warehouse	Planned
OPERATIONAL PLANNING: Participate in regional data warehouse development	Planned
OPERATIONS: Operate field devices and systems that provide data to regional data warehouse	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Implement regional data warehouse interface	Planned

#### RR Area: Incident Management

##### Roles and Responsibilities

##### Status

OPERATIONS: 1) Participate in emergency response as needed and as defined by interagency agreements, 2) Operate Cherriots on-board systems that support incident management	Existing
CONSTRUCTION: Construct and implement transit-related ITS field devices that support incident management throughout the Salem-Keizer region	Planned
DESIGN: 1) Contribute to the development of Center-to-Center requirements for data and video; 2) Design projects that facilitate data/video sharing	Planned
MAINTENANCE: Maintain transit systems providing data and video	Planned
OPERATIONAL PLANNING: Contribute to regional incident management planning and the development of interagency agreements for coordinated incident response	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Implement connection between traffic operations centers and Cherriots transit management center (center-to-center connection)	Planned

#### RR Area: Public Transportation Services

##### Roles and Responsibilities

##### Status

CONSTRUCTION: 1) Construct and implement transit signal priority devices on Cherriot buses; 2) Implement AVL on buses;	Planned
DESIGN: 1) Design transit signal priority devices for Cherriot coaches;	Planned
MAINTENANCE: 1) Maintain Cherriot buses; 2) Maintain transit signal priority devices; 3) Maintain APC/GPS/AVL; 4) Maintain on-board security cameras	Planned
OPERATIONAL PLANNING: 1) Contribute to regional plan for utilizing ITS field devices and real time information to enhance public transportation; 2) Contribute to plan for ongoing operations and maintenance of transit priority equipment	Planned
OPERATIONS: 1) Operate/manage dispatch for Cherriot routes throughout the Salem-Keizer region; 2) Operate transit signal priority devices on buses; 3) Operate automatic passenger counts/GPS/AVL systems; 4) Operate dissemination of real-time traveler information; 5) Operate on-board security cameras	Planned

**RR Area: Public Transportation Services***Roles and Responsibilities**Status*

SYSTEM DEVELOPMENT & INTEGRATION: Develop uniform CAD dispatch system for fixed route Cherriots and paratransit dispatch	Planned
--	---------

**RR Area: Traveler Information***Roles and Responsibilities**Status*

CONSTRUCTION: Install devices/systems that facilitate real-time traveler information (on-board and in the field)	Planned
--	---------

DESIGN: 1) Design Cherriots projects that will provide traveler information; 2) Design/update Cherriots website to include real-time arrival information	Planned
--	---------

MAINTENANCE: 1) Maintain transit ITS equipment (on-board and in the field)	Planned
--	---------

OPERATIONAL PLANNING: Participate in developing interagency agreements among agencies that provide traveler information in the Salem-Keizer region	Planned
--	---------

OPERATIONS: 1) Operate transit devices that provide real-time transit information; 2) Operate Cherriots website; 3) Support regional trip planner	Planned
---	---------

**City of Keizer****RR Area: Archived Data Management***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement communications to share information within the Salem-Keizer region	Planned
--	---------

MAINTENANCE: 1) Maintain field devices and systems that provide data to regional data warehouse; 2) Maintain communications network infrastructure to support data transfer to the regional data warehouse	Planned
--	---------

OPERATIONAL PLANNING: Participate in regional data warehouse development	Planned
--	---------

OPERATIONS: Operate devices that provide data to regional data warehouse	Planned
--	---------

SYSTEM DEVELOPMENT & INTEGRATION: Implement regional data warehouse interface	Planned
---	---------

**RR Area: Incident Management***Roles and Responsibilities**Status*

OPERATIONS: 1) Participate in incident response as needed and as defined by interagency agreements; 2) Operate systems and field devices that alert travelers of detours or incidents; 3) Coordinate with emergency responders to assist incident clearance	Existing
---	----------

CONSTRUCTION: Construct field devices and communications infrastructure needed for center to center communications within the City of Keizer	Planned
--	---------

DESIGN: 1) Contribute to the development of Center-to-Center requirements that facilitate data/video sharing 2) Design coordinated projects that improve incident response;	Planned
---	---------

MAINTENANCE:	Planned
--------------	---------

OPERATIONAL PLANNING: Participate in regional incident management planning and the development of interagency agreements for coordinated incident response	Planned
--	---------

SYSTEM DEVELOPMENT & INTEGRATION: Implement center to center connections required for emergency management coordination	Planned
---	---------

**RR Area: Maintenance and Construction Management***Roles and Responsibilities**Status*

**RR Area: Maintenance and Construction Management***Roles and Responsibilities**Status*

OPERATIONAL PLANNING: Contribute to regional construction and maintenance planning to provide coordination and information about construction and maintenance activities within the Salem-Keizer region	Existing
CONSTRUCTION: Install field devices and on-board vehicle equipment that supports and improves maintenance and construction activities	Planned
DESIGN: 1) Design work zone safety and maintenance coordination requirements and systems; 2) Design maintenance vehicle location tracking and onboard systems; 3) Design weather monitoring and pavement sensor systems	Planned
MAINTENANCE: 1) Maintain maintenance vehicles and onboard equipment; 2) Maintain weather stations and pavement sensors within the City of Keizer	Planned
OPERATIONS: 1) Operate maintenance vehicles and weather monitoring systems and equipment; 2) Manage operations of work zones to enhance safety	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Integrate with other agencies weather monitoring systems and develop a coordinated method of information dissemination to travelers and maintenance personnel	Planned

**RR Area: Public Transportation Services***Roles and Responsibilities**Status*

DESIGN: Participate in the design of regional multi-modal coordination projects	Existing
OPERATIONAL PLANNING: Contribute to regional plan for utilizing ITS field devices and real time information to enhance public transportation	Planned

**RR Area: Regional Traffic Control***Roles and Responsibilities**Status*

MAINTENANCE: Maintain field equipment within the City of Keizer except where current agreements transfer operations and maintenance functions to the City of Salem	Existing
OPERATIONAL PLANNING: Contribute to planning for field devices, communications and interagency agreements in the Salem-Keizer region	Existing
CONSTRUCTION: 1) Construct and implement ITS field devices within the City of Keizer	Planned
DESIGN: 1) Design field devices within the City of Keizer; 2) Participate in purchase/selection of ITS equipment	Planned
OPERATIONS: Operate field equipment within the City of Keizer except where current agreements transfer operations and maintenance functions to the City of Salem	Planned

**RR Area: Traveler Information***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement ITS field devices that provide traveler information (i.e. cameras, dynamic message signs)	Planned
DESIGN: Contribute to regional traveler information project design	Planned
MAINTENANCE: 1) Maintain City of Keizer systems that provide traveler information; 2) Maintain information connection to ODOT's TripCheck website	Planned
OPERATIONAL PLANNING: Participate in developing interagency agreements among agencies that provide traveler information in the Salem-Keizer region	Planned
OPERATIONS: 1) Operate field devices within the City of Keizer; 2) Provide information to City of Salem website and ODOT's TripCheck	Planned

**City of Salem****RR Area: Archived Data Management**

**RR Area:Archived Data Management**

<i>Roles and Responsibilities</i>	<i>Status</i>
CONSTRUCTION: Construct and implement communications to share information within the Salem-Keizer region	Planned
MAINTENANCE: 1) Maintain Salem, Keizer, ODOT and some Marion County devices that provide data to regional data warehouse; 2) Maintain communications network infrastructure that connects to regional data warehouse	Planned
OPERATIONAL PLANNING: Participate in regional data warehouse development	Planned
OPERATIONS:Operate devices that provide data to regional data warehouse	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Implement regional data warehouse interface	Planned

**RR Area:Incident Management**

<i>Roles and Responsibilities</i>	<i>Status</i>
MAINTENANCE: 1) Maintain systems and field devices providing data and video; 2) Maintain signal pre-emption equipment for emergency vehicles; 3) Maintain City of Keizer and some Marion County field devices	Existing
OPERATIONAL PLANNING: Participate in regional incident management planning and the development of interagency agreements for coordinated incident response	Existing
OPERATIONS: 1) Participate in incident response as needed and as defined by interagency agreements; 2) Operate systems and ITS field devices to alert travelers of detours or incidents (i.e. emergency signal timing plans, dynamic message signs); 3) Coordinate with emergency responders to assist incident clearance	Existing
CONSTRUCTION: Construct field devices and communications infrastructure needed for center to center communications within the City of Salem	Planned
DESIGN: 1) Contribute to the development of Center-to-Center requirements that facilitate data/video sharing; 2) Design field devices and systems to support incident management	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Implement center to center connections required for emergency management coordination	Planned

**RR Area:Maintenance and Construction Management**

<i>Roles and Responsibilities</i>	<i>Status</i>
OPERATIONAL PLANNING: Contribute to regional construction and maintenance planning to provide coordination and information about construction and maintenance activities within the Salem-Keizer region	Existing
OPERATIONS: 1) Operate maintenance vehicles and weather monitoring systems and equipment; 2) Manage operations of work zones to enhance safety	Existing
CONSTRUCTION: Install roadside devices and on-board vehicle equipment that support and improve maintenance and construction activities	Planned
DESIGN: 1) Design work zone safety and maintenance coordination requirements and systems; 2) Design weather monitoring and pavement sensor systems	Planned
MAINTENANCE: 1) Maintain maintenance vehicles and onboard equipment; 2) Maintain weather stations and pavement sensors within the City of Salem	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Integrate with other agencies weather monitoring systems and develop a coordinated method of information dissemination to travelers and maintenance personnel	Planned

**RR Area:Public Transportation Services**

<i>Roles and Responsibilities</i>	<i>Status</i>
DESIGN: Design transit signal priority for key corridors throughout the Salem-Keizer region	Existing

**RR Area: Public Transportation Services***Roles and Responsibilities**Status*

MAINTENANCE: Maintain transit signal priority equipment within the City of Salem and where existing agreements transfer the maintenance and operations to the City of Salem	Planned
OPERATIONAL PLANNING: Contribute to regional plan for utilizing ITS field devices and real time information to enhance public transportation	Planned
OPERATIONS: Operate traffic signals providing transit signal priority within in the City of Salem and where existing agreements transfer the maintenance and operations to the City of Salem	Planned

**RR Area: Regional Traffic Control***Roles and Responsibilities**Status*

MAINTENANCE: 1) Maintain field equipment within the City of Salem and also where current agreements transfer operations and maintenance functions to the City of Salem (i.e. Keizer, ODOT and Marion County traffic signals); 2) Maintain communication network	Existing
OPERATIONAL PLANNING: Contribute to planning for field devices, communications and interagency agreements in the Salem-Keizer region	Existing
OPERATIONS: Operate field equipment within the City of Salem and also where current agreements transfer operations and maintenance functions to the City of Salem (i.e. Keizer, ODOT and Marion County traffic signals)	Existing
CONSTRUCTION: 1) Construct and implement ITS field devices within the City of Salem; 2) Construct and implement communication network	Planned
DESIGN: 1) Design field devices within the City of Salem; 2) Design communication requirements to support field devices; 3) Participate in purchase/selection of ITS equipment	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Implement regional data warehouse interface;	Planned

**RR Area: Traveler Information***Roles and Responsibilities**Status*

OPERATIONAL PLANNING: Participate in developing interagency agreements among agencies that provide traveler information in the Salem-Keizer region	Existing
CONSTRUCTION: Construct and implement ITS field devices that provide traveler information	Planned
DESIGN: Contribute to regional traveler information project design	Planned
MAINTENANCE: 1) Maintain City of Salem systems that provide traveler information (i.e. city website); 2) Maintain flow of information to ODOT's TripCheck website	Planned
OPERATIONS: 1) Operate City of Salem systems that provide traveler information data and video images (i.e. update information, post on websites)	Planned

** Emergency Management****RR Area: Archived Data Management***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement communications to share information within the Salem-Keizer region	Planned
MAINTENANCE: 1) Maintain systems that provide data to regional data warehouse; 2) Maintain communications infrastructure that supports data transfer to the regional data warehouse	Planned
OPERATIONAL PLANNING: Contribute to regional data warehouse development	Planned
OPERATIONS: Operate emergency management systems that provide data to regional data warehouse	Planned

**RR Area: Archived Data Management***Roles and Responsibilities**Status*

<i>Roles and Responsibilities</i>	<i>Status</i>
SYSTEM DEVELOPMENT & INTEGRATION: Implement regional data warehouse interface	Planned

**RR Area: Incident Management***Roles and Responsibilities**Status*

<i>Roles and Responsibilities</i>	<i>Status</i>
MAINTENANCE: 1) Maintain CAD systems; 2) Maintain rescue equipment used in incident response; 3) Maintain signal preemption devices installed on emergency response vehicles	Existing

<i>Roles and Responsibilities</i>	<i>Status</i>
OPERATIONAL PLANNING: Participate in regional incident management planning and the development of interagency agreements for coordinated incident response	Existing

<i>Roles and Responsibilities</i>	<i>Status</i>
OPERATIONS: 1) Manage incident response as required and as defined by interagency agreements;	Existing

**RR Area: Regional Traffic Control***Roles and Responsibilities**Status*

<i>Roles and Responsibilities</i>	<i>Status</i>
DESIGN: Contribute to design process with respect to emergency vehicle signal pre-emption and reduced emergency response times	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
MAINTENANCE: Maintain information flows and communications between traffic operations center and emergency management	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
OPERATIONAL PLANNING: Contribute to regional planning process for coordinated incident management	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
SYSTEM INTEGRATION & PLANNING: Develop interface that facilitates center-to-center communication	Planned

**Marion County****RR Area: Archived Data Management***Roles and Responsibilities**Status*

<i>Roles and Responsibilities</i>	<i>Status</i>
CONSTRUCTION: Manage construction of communications to support regional information sharing	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
MAINTENANCE: 1) Maintain devices that provide data to regional data warehouse; 2) Maintain communications infrastructure that supports data transfer to the regional data warehouse	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
OPERATIONAL PLANNING: Participate in regional data warehouse development	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
OPERATIONS: Operate devices that provide data to regional data warehouse	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
SYSTEM DEVELOPMENT & INTEGRATION: Implement regional data warehouse interface	Planned

**RR Area: Incident Management***Roles and Responsibilities**Status*

<i>Roles and Responsibilities</i>	<i>Status</i>
OPERATIONS: 1) Participate in incident response as required; 2) Operate systems and ITS field devices that alert travelers of detours or incidents 3) Coordinate with emergency responders to assist incident clearance	Existing

<i>Roles and Responsibilities</i>	<i>Status</i>
CONSTRUCTION: Construct field devices and communications infrastructure needed for center to center communications within Marion County.	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
DESIGN: 1) Contribute to the development of Center-to-Center requirements that facilitate data/video sharing; 2) Design field devices and systems to support incident management	Planned

<i>Roles and Responsibilities</i>	<i>Status</i>
MAINTENANCE: Maintain systems and field devices that provide data and video images	Planned

**RR Area: Incident Management***Roles and Responsibilities**Status*

OPERATIONAL PLANNING: Participate in regional incident management planning and the development of interagency agreements for coordinated incident response	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Implement center to center connections required for emergency management coordination	Planned

**RR Area: Maintenance and Construction Management***Roles and Responsibilities**Status*

OPERATIONAL PLANNING: Contribute to regional construction and maintenance planning to provide coordination and information about construction and maintenance activities within the Salem-Keizer region	Existing
CONSTRUCTION: Install roadside devices and on-board vehicle equipment that support and improve maintenance and construction activities	Planned
DESIGN: 1) Design work zone safety and maintenance coordination requirements and systems; 2) Design maintenance vehicle location tracking and onboard systems; 3) Design weather monitoring and pavement sensor systems	Planned
MAINTENANCE: 1) Maintain maintenance vehicles and onboard equipment; 2) Maintain weather stations and pavement sensors within Marion County	Planned
OPERATIONS: 1) Operate maintenance vehicles and weather monitoring systems and equipment; 2) Manage operations of work zones to enhance safety	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Integrate with other agencies weather monitoring systems and develop a coordinated method of information dissemination to travelers and maintenance personnel	Planned

**RR Area: Public Transportation Services***Roles and Responsibilities**Status*

DESIGN: Participate in the design of regional multi-modal coordination projects	Planned
OPERATIONAL PLANNING: Contribute to regional plan for utilizing ITS field devices and real time information to enhance public transportation	Planned

**RR Area: Regional Traffic Control***Roles and Responsibilities**Status*

OPERATIONAL PLANNING: Contribute to planning for field devices, communications and interagency agreements in the Salem-Keizer region	Existing
CONSTRUCTION: 1) Construct and implement ITS field devices within Marion County;	Planned
DESIGN: 1) Design traffic surveillance, vehicle detection systems, flood and slide monitoring systems and other ITS field devices within Marion County; 2) Design communication infrastructure to support ITS field devices	Planned
MAINTENANCE: 1) Maintain ITS field devices within Marion County, except where interagency agreements have transferred the maintenance and operations to City of Salem; 2) Maintain communication networks to other agencies	Planned
OPERATIONS: Operate ITS field devices within Marion County, except where interagency agreements have transferred the maintenance and operations to City of Salem	Planned

**RR Area: Traveler Information***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement ITS field devices that provide traveler information	Planned
DESIGN: Contribute to regional traveler information project design	Planned
MAINTENANCE: 1) Maintain Marion County systems that provide traveler information (i.e. city website); 2) Maintain flow of information to ODOT's TripCheck website	Planned

**RR Area: Traveler Information***Roles and Responsibilities**Status*

OPERATIONAL PLANNING: Participate in developing interagency agreements among agencies that provide traveler information in the Salem-Keizer region	Planned
--	---------

OPERATIONS: 1) Operate Marion County systems that provide traveler information data and video images (i.e. operational status of ferry); 2) Operate Marion County website and provide updated information	Planned
---	---------

**Mid-Willamette Council of Governments (MWVCOG)****RR Area: Archived Data Management***Roles and Responsibilities**Status*

CONSTRUCTION: Install hardware and software equipment for the regional data warehouse	Planned
---	---------

DESIGN: Develop functional interface and communication requirements for regional data warehouse	Planned
---	---------

MAINTENANCE: 1) Maintain regional data warehouse servers; 2) Maintain communication infrastructure that supports regional data warehouse	Planned
--	---------

OPERATIONAL PLANNING: Develop plan for exchanging data to/from regional data warehouse	Planned
--	---------

OPERATIONS: Operate regional data warehouse	Planned
---	---------

SYSTEM DEVELOPMENT & INTEGRATION: Develop regional data warehouse that provides a data exchange to/from agencies throughout the Salem-Keizer region . Implement system upgrades. This could include a partnership with Portland State University to share the Portal data warehouse system software.	Planned
--	---------

**Oregon Department of Transportation****RR Area: Archived Data Management***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement communications that facilitate regional information sharing	Planned
---	---------

MAINTENANCE: 1) Maintain devices that provide data to regional data warehouse; 2) Maintain communications infrastructure that supports data transfer to regional data warehouse	Planned
---	---------

OPERATIONAL PLANNING: Participate in regional data warehouse development	Planned
--	---------

OPERATIONS: Operate devices and systems that provide data to regional data warehouse	Planned
--	---------

SYSTEM DEVELOPMENT & INTEGRATION: Implement regional data warehouse interface	Planned
---	---------

**RR Area: Incident Management***Roles and Responsibilities**Status*

MAINTENANCE: 1) Maintain field devices and systems providing data and video; 2) Maintain signal preemption equipment for emergency vehicles; 3) Maintain incident response vehicles	Existing
---	----------

**RR Area: Incident Management***Roles and Responsibilities**Status*

OPERATIONS: 1) Participate in incident response as needed and as defined by interagency agreements; 2) Operate incident response vehicle 3) Assist local agencies with center to center connections; 4) Operate systems and ITS field devices that alert travelers of detours or alternate routes	Existing
SYSTEM DEVELOPMENT & INTEGRATION: 1) Implement center to center connections required for coordination with local emergency management 2) Assist local agencies with center to center connections; 3) Develop alternate route maps in GIS	Existing
CONSTRUCTION: 1) Manage construction of field devices and communications infrastructure required for center to center communications on ODOT facilities; 2) Construct and implement field devices at key locations to support detours and alternate route notification	Planned
DESIGN: 1) Contribute to the design of Center to Center requirements that facilitate data/video sharing ; 2) Design field devices and systems that support incident management	Planned
OPERATIONAL PLANNING: Participate in regional incident management planning and the development of interagency agreements for coordinated incident response	Planned

**RR Area: Maintenance and Construction Management***Roles and Responsibilities**Status*

CONSTRUCTION: Install roadside devices and on-board vehicle equipment that support and improve maintenance and construction activities through more efficient dispatch and enhanced traveler information through work zones.	Existing
DESIGN: 1) Design work zone safety and maintenance coordination requirements and systems; 2) Design maintenance vehicle location tracking and onboard systems; 3) Design weather monitoring systems and equipment	Existing
MAINTENANCE: 1) Maintain maintenance vehicles and onboard equipment; 2) Maintain weather stations and pavement sensors within ODOT's jurisdiction	Existing
OPERATIONAL PLANNING: Contribute to regional construction and maintenance planning to provide coordination and information about construction and maintenance activities within the Salem-Keizer region	Existing
OPERATIONS: 1) Operate maintenance vehicles and weather monitoring systems and equipment; 2) Manage operations of work zones to enhance safety	Existing
SYSTEM DEVELOPMENT & INTEGRATION: 1) Integrate with other agencies weather monitoring systems and develop a coordinated method of information dissemination to travelers and maintenance personnel; 2) Develop interface for distributing statewide construction information (i.e. website)	Planned

**RR Area: Public Transportation Services***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement transit signal priority installations on ODOT's facilities	Planned
DESIGN: Participate in the design of regional multi-modal projects	Planned
MAINTENANCE: Maintain transit signal priority equipment on ODOT facilities, except where existing agreements transfer the maintenance and operations to the City of Salem	Planned
OPERATIONS: Operate transit signal priority equipment on ODOT facilities, except where existing agreements transfer the maintenance and operations to the City of Salem	Planned

**RR Area: Regional Traffic Control***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement ITS field devices on ODOT's facilities	Planned
DESIGN: 1) Design ITS field devices on ODOT facilities	Planned

**RR Area: Regional Traffic Control***Roles and Responsibilities**Status*

MAINTENANCE: Maintain traffic control and ITS field devices on ODOT's facilities, except where existing agreements have transferred the maintenance and operations to the City of Salem	Planned
OPERATIONAL PLANNING: Contribute to planning for field devices, communications and interagency agreements in the Salem-Keizer region	Planned
OPERATIONS: Operate and control ITS field devices on ODOT's facilities, except where interagency agreements have transferred the maintenance and operations to City of Salem	Planned
SYSTEM INTEGRATION & PLANNING: Implement regional data warehouse interface	Planned

**RR Area: Traveler Information***Roles and Responsibilities**Status*

MAINTENANCE: 1) Maintain statewide TripCheck website; 2) Maintain ODOT owned ITS equipment	Existing
OPERATIONAL PLANNING: Participate in developing interagency agreements among agencies that provide traveler information in the Salem-Keizer region	Existing
OPERATIONS: 1) Lead operations of traveler information devices within ODOT's jurisdiction; 2) Update information on traveler information systems	Existing
CONSTRUCTION: 1) Construct/install new ITS equipment (i.e. cameras, dynamic message signs)	Planned
DESIGN: 1) Design traveler information projects; 2) Provide information in design of regionwide traveler information projects; 3) Update design of TripCheck to accommodate information from the Salem-Keizer region	Planned

**Oregon State Police****RR Area: Incident Management***Roles and Responsibilities**Status*

MAINTENANCE: 1) Maintain OSP CAD system	Existing
OPERATIONAL PLANNING: Participate in regional incident management planning and the development of interagency agreements for coordinated incident response	Existing
OPERATIONS: 1) Support incident response; 2) Assist with coordination of alternate routes during emergencies	Existing

**Polk County****RR Area: Archived Data Management***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement communications to share information within the Salem-Keizer region	Planned
MAINTENANCE: 1) Maintain field devices and systems that provide data to regional data warehouse; 2) Maintain communications infrastructure that supports data transfer to the regional data warehouse	Planned
OPERATIONAL PLANNING: Participate in regional data warehouse development	Planned
OPERATIONS: Operate devices that provide data to regional data warehouse	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Implement regional data warehouse interface	Planned

**RR Area: Incident Management***Roles and Responsibilities**Status*

DESIGN: Participate in coordinating alternate route for detours and major emergencies	Planned
OPERATIONAL PLANNING: Participate in regional incident management planning and the development of interagency agreements for coordinated incident response	Planned

**RR Area: Maintenance and Construction Management***Roles and Responsibilities**Status*

CONSTRUCTION: Install field devices and on-board vehicle equipment that supports and improves maintenance and construction activities	Planned
DESIGN: 1) Design work zone safety and maintenance coordination requirements and systems; 2) Design maintenance vehicle location tracking and onboard systems; 3) Design weather monitoring and pavement sensor systems	Planned
MAINTENANCE: 1) Maintain maintenance vehicles and onboard equipment; 2) Maintain weather stations and pavement sensors within Polk County	Planned
OPERATIONAL PLANNING: Contribute to regional construction and maintenance planning to provide coordination and information about construction and maintenance activities within the Salem-Keizer region	Planned
OPERATIONS: 1) Operate maintenance vehicles and weather monitoring systems and equipment; 2) Manage operations of work zones to enhance safety	Planned
SYSTEM DEVELOPMENT & INTEGRATION: Integrate with other agencies weather monitoring systems and develop a coordinated method of information dissemination to travelers and maintenance personnel	Planned

**RR Area: Public Transportation Services***Roles and Responsibilities**Status*

DESIGN: Participate in the design of regional multi-modal coordination projects	Planned
OPERATIONAL PLANNING: Contribute to regional plan for utilizing ITS field devices and real time information to enhance public transportation	Planned

**RR Area: Regional Traffic Control***Roles and Responsibilities**Status*

CONSTRUCTION: 1) Construct and implement ITS field devices within the Polk County	Planned
DESIGN: 1) Design field devices within the City of Keizer; 2) Participate in purchase/selection of ITS equipment	Planned
MAINTENANCE: Maintain field equipment within Polk County except where current agreements transfer operations and maintenance functions to another agency	Planned
OPERATIONAL PLANNING: Contribute to planning for field devices, communications and interagency agreements in the Salem-Keizer region	Planned
OPERATIONS: Operate field equipment within Polk County except where current agreements transfer operations and maintenance functions to another agency	Planned

**RR Area: Traveler Information***Roles and Responsibilities**Status*

CONSTRUCTION: Construct and implement ITS field devices that provide traveler information (i.e. cameras, dynamic message signs)	Planned
MAINTENANCE: 1) Maintain Polk County systems that provide traveler information; 2) Maintain information connection to ODOT's TripCheck website	Planned
OPERATIONS: 1) Operate field devices within Polk County; 2) Provide information to ODOT's TripCheck website	Planned

---

**Willamette Valley Communication Center (911 Cente**

---

*RR Area: Incident Management**Roles and Responsibilities**Status*

MAINTENANCE: Maintain CAD system

Planned

OPERATIONAL PLANNING: Participate in regional incident management planning and the development of interagency agreements for coordinated incident response

Planned

OPERATIONS: 1) Operate dispatch equipment and coordinate with local responders during emergencies

Planned

SYSTEM DEVELOPMENT &amp; INTEGRATION: 1) Develop CAD interface that facilitates data sharing with other agencies; 2) Develop communication link with NWTOC for information sharing for road closures, major construction and detour routes

Planned

# Appendix K: Deployment Plan Workshop

---

Deployment Plan Workshop Invitation  
Deployment Plan Workshop Agenda  
Deployment Plan Workshop Minutes  
Deployment Plan Workshop Power Point Presentation  
Deployment Plan Workshop Handout

# Salem-Keizer Metropolitan Area Intelligent Transportation Systems Expanded Stakeholder Workshop: Deployment Plan

Intelligent Transportation Systems (ITS) bring technology to transportation. If you are interested or affected by the Salem-Keizer transportation system or you could benefit from:

- ▶ A traveler information website that shows real-time traffic information about what routes are congested
- ▶ Changeable message signs that provide real-time information about accidents, construction, or weather related delays that are on your route
- ▶ Quicker response and clearance of traffic incidents
- ▶ Real-time transit arrival and departure information



## Please Join Us!

**Date:** June 28, 2005  
**Time:** 9:00 am – Noon  
**Location:** Marion County Senator Hearing Room  
**Address:** 555 Court Street, NE  
Salem, OR 97301

Please R.S.V.P by June 22, 2005 to Brandy Sularz at [bms@dksassociates.com](mailto:bms@dksassociates.com) or by calling (503)243-3500

An Intelligent Transportation System Plan is currently being developed to address the regional transportation needs in the Salem-Keizer Metropolitan Area. Over the past several months, regional needs have been established and a list of ITS projects has been developed that is aimed at improving the operational efficiency and safety of the transportation system through the use of technology and a coordinated management approach.

Approximately 50 projects have been selected for the region related to Traffic Management, Traveler Information, Emergency Management, Public Transportation Services, Maintenance and Construction Management and Archived Data Management. These projects will:

- ▶ Reduce congestion by detecting incidents quickly and responding with a coordinated, efficient response
- ▶ Alert motorists, commercial vehicles, and transit operators of congestion by collecting, processing, and disseminating real-time information (construction/incidents/weather)
- ▶ Improve safety by deploying technologies that increase awareness of potential safety hazards such as work zones, floods, slides and sharp curves

This workshop is an excellent opportunity for you to learn about the proposed plan and the technologies that will be deployed in your region over the next 20 years. Your input is important to this plan and your comments and suggestions will affect the final phasing and selection of the projects.

## Meeting Agenda

- 9:00 am: Welcome & Introductions**
- 9:05 am: Project Background**
- What is ITS?
  - Description of plan process
- 9:20 am: Bob Hart, Southwest Washington Regional Transportation Council**
- 9:40 am: Presentation by DKS Associates**
- Update of project status
  - Summary of proposed ITS deployment plan
- 10:00 am: Group Discussion**
- 11:55 am: Next Steps**



Polk County

cityofsalem.



**DKS Associates**  
TRANSPORTATION SOLUTIONS



Mid Willamette Valley  
Council of Governments

Cherriots  
SALEM AREA TRANSIT

# Agenda


## **Regional ITS Operations & Implementation Plan For Salem-Keizer Metropolitan Area Deployment Plan Workshop**

**Tuesday June 28<sup>th</sup>, 2005  
Marion County Senator Hearing Room  
555 Court Street, NE Salem, OR 97301  
9:00 a.m. to Noon**

9:00 a.m.	Welcome and Introductions	5 Minutes
9:05 a.m.	Project Background	15 Minutes
9:25 a.m.	Bob Hart, Southwest Washington Regional Transportation Council Vancouver Area ITS Program	20 Minutes
9:55 a.m.	Deployment Plan Summary	20 Minutes
	A. Summary of Needs	
	B. Summary of Proposed Projects	
10:15 a.m.	BREAK	15 minutes
10:30 a.m.	Breakout Groups	60 minutes
11:30 a.m.	Group Discussion	20 minutes
11:50 a.m.	Next Steps	5 minutes

## Salem-Keizer Metropolitan Area ITS Plan

Regional ITS Operations & Implementation Plan For  
The Salem-Keizer Metropolitan Area



### Deployment Plan Workshop

*DKS Associates*  
June 28, 2005

DKS Associates
Deployment Plan Workshop
June 28, 2005

## Meeting Agenda

- 9:00 am Welcome, Introductions & Workshop Goals
- 9:05 am Project Background
- 9:25 am Vancouver Area ITS Program
- 9:55 am Deployment Plan Summary
  - ✓ Summary of Needs
  - ✓ Summary of Proposed ITS Projects
- 10:15 am BREAK
- 10:30 am Breakout Groups
- 11:30 am Group Discussion
- 11:50 pm Next Steps



DKS Associates
Deployment Plan Workshop
June 28, 2005


## Project Background Outline

- What
- When
- Where
- Who
- Why
- Why are we here? Why are you here?

DKS Associates
Deployment Plan Workshop
June 28, 2005

## What is this Plan?

- Regional ITS Operations & Implementation Plan for the Salem-Keizer Metropolitan Area




DKS Associates
Deployment Plan Workshop
June 28, 2005

## What Does the Plan Include?

Stakeholder Interviews, & Expanded Stakeholder Meetings (Outreach Program)



DKS Associates
Deployment Plan Workshop
June 28, 2005

## Salem-Keizer Metropolitan Area Mission Statement



To enhance economic productivity by improving the safety, efficiency and reliability of our existing and future transportation system using enhanced operations, advanced technologies, coordinated management techniques and real-time information

DKS Associates
Deployment Plan Workshop
June 28, 2005

## Salem-Keizer Metropolitan Area Goals




- Improve the safety, efficiency and reliability of the transportation system
- Enhance management of the transportation system to improve maintenance and operations efficiencies
- Improve traveler mobility
- Provide improved traveler information
- Secure/develop a continuing commitment to ITS deployment by utilizing public-public and public-private partnerships

DKS Associates      Deployment Plan Workshop      June 28, 2005

## Where?

- 20-Year Plan



DKS Associates      Deployment Plan Workshop      June 28, 2005

## Who Is Involved?

- ODOT
- City of Salem
- City of Keizer
- Mid Willamette Valley COG
- Marion County
- Polk County
- Cherriots
- Mid Willamette Valley 911
- Oregon State Police
- FHWA
- DKS Associates




DKS Associates      Deployment Plan Workshop      June 28, 2005

## ITS Plan – Why is it Needed for Salem-Keizer Metropolitan Area?

Over half of traffic delay is non recurring, attributable to:

- ✓Traffic incidents
- ✓Weather
- ✓Work zones
- ✓Special events
- ✓Poor signal timing



DKS Associates      Deployment Plan Workshop      June 28, 2005


## ITS Plan – Why is it Needed for Salem-Keizer Metropolitan Area?

- Maximize efficiencies and improve safety of existing infrastructure
- Demand from public for better information about traffic delays
- IT'S the LAW!
  - ✓FHWA issued a rule on ITS Architecture that requires ITS projects funded by the Highway Trust Fund to conform to the National ITS Architecture, and to USDOT adopted ITS Standards. Each region must have a regional architecture by April 8, 2005

DKS Associates      Deployment Plan Workshop      June 28, 2005

## Why Are We Here Today?

To receive feedback on the Salem-Keizer ITS Plan specifically related to the **20-year project list**



DKS Associates      Deployment Plan Workshop      June 28, 2005

### Why Are You Here?

Operators/ Planners	What tools do you need to manage the transportation network? To plan for future improvements?
Maintenance	What tools do you need to maintain the transportation infrastructure effectively?
Emergency	What tools do you need to manage incidents, reduce response times and arrive better prepared?
Users	What tools do you need to plan your trip? What does your business need to move your goods?

DKS Associates      Deployment Plan Workshop      June 28, 2005

### Workshop Goals

- Obtain stakeholder input
- Identify any additions/modifications to the deployment plan projects and schedule
- Finalize Salem-Keizer deployment plan





DKS Associates      Deployment Plan Workshop      June 28, 2005

## What is ITS?

DKS Associates      Deployment Plan Workshop      June 28, 2005

### What is ITS?



Intelligent Transportation Systems apply technological solutions including computer hardware and software, communications, electronics and safety systems to improve safety and transportation system performance.



DKS Associates      Deployment Plan Workshop      June 28, 2005

### Focus on Improving Operations

- Recognize adding lanes is not the only solution
- Can improve safety and quality of life with improved operations

DKS Associates      Deployment Plan Workshop      June 28, 2005

### ITS Solutions Include:

- Traffic Signal Control
- Freeway Management
- Incident Management
- Traveler Information
- Transit Management
- Work Zone Safety
- Emergency Response
- In-Vehicle Systems





DKS Associates      Deployment Plan Workshop      June 28, 2005

### Real World Example #1



- What: Weather stations with video and pavement sensor
- Why: Provide weather data, pvmt temp, camera image
- Benefit: Info for maintenance, travelers, 911, Fire, planners – save time, know road conditions

DKS Associates      Deployment Plan Workshop      June 28, 2005

### Real World Example #2

- What: Distribution of current traffic conditions and camera images to 911 Center
- Why: Provide dispatchers with more info for better dispatching
- Benefit: Quicker response, time savings – may save a life



DKS Associates      Deployment Plan Workshop      June 28, 2005

### Real World Example #3


- What: Incident response with highway patrols
- Why: Respond and clear incidents, stalled vehicles, etc. quicker
- Benefit: Reduce secondary crashes, improve customer service, save lives



DKS Associates      Deployment Plan Workshop      June 28, 2005


### Real World Example #4

- What: Video & traffic responsive signal timing strategies
- Why: 1) provide timing plans that respond to changing traffic volumes; and 2) using cameras, we can monitor and change signal timing from the office
- Benefit: Maximize arterial efficiency, efficient for staff, provide images for travelers



DKS Associates      Deployment Plan Workshop      June 28, 2005

### Real World Example #5



DKS Associates      Deployment Plan Workshop      June 28, 2005

### A Glimpse Into the Future

Travelers - Vehicle infrastructure integration, Dynamic route guidance, Mayday systems

- ✓ Collision avoidance systems
- ✓ Vehicle to vehicle communications
- ✓ Vehicle to roadside communications



DKS Associates      Deployment Plan Workshop      June 28, 2005


## ITS Provides Regional Transportation Management Opportunities

- Opportunity to manage our (existing and future) infrastructure on the metropolitan area scale to improve safety and efficiency
  - ✓ ODOT Transportation Operations Center
  - ✓ ODOT Incident Response Team
  - ✓ ODOT TripCheck, 511
  - ✓ Salem Central Signal System and Communication Infrastructure

DKS Associates      Deployment Plan Workshop      June 28, 2005

## How are ITS Benefits Measured?

- Safety
- Delay/Time
- Quality of Life
- Cost Savings
- Environment



DKS Associates      Deployment Plan Workshop      June 28, 2005

## Benefits of ITS

- Coordinated Traffic Signals
  - ✓ 10 to 40 percent reduction in stops
  - ✓ Up to 15 percent reduction in fuel consumption
  - ✓ 5 to 25 percent reduction in travel time
  - ✓ 15 to 45 percent reduction in delay
- Transit Management
  - ✓ 10 percent reduction in travel time



DKS Associates      Deployment Plan Workshop      June 28, 2005

## Salem-Keizer ITS Plan Expanded Stakeholder Meeting

*Vancouver Area SmartTrek:  
A Multi-Agency Approach to  
Transportation Management*

Bob Hart, Southwest Regional Transportation Council

DKS Associates      Deployment Plan Workshop      June 28, 2005

**RTC**

## Vancouver Area Smart Trek Program Overview

*Salem-Keizer Deployment Plan  
Workshop*

*June 28, 2005*

www.rtc.wa.gov

**RTC**

## VAST Program

- Background
- Developing the Program
- Current Activities
- Lessons Learned

www.rtc.wa.gov

**RTC**

## Background

- Initiated in 1999 by the City of Vancouver
- VAST Regional Architecture
- Six Key ITS Initiatives
- 20-year Implementation Plan
- RTC management of VAST program since January 2001

www.rtc.wa.gov

**RTC**

## VAST Regional Architecture

www.rtc.wa.gov

**RTC**

## VAST ITS Initiatives

- Traveler Information
- Communications System
- Traffic Signal System
- Freeway and Arterial Operations
- Incident Management
- Transit Management

www.rtc.wa.gov

**RTC**

## 20-Year Implementation Plan

- List of phased projects for VAST
- \$45 million over twenty years

Category	Value
Traveler Information	\$12,450,000
Transit Management	\$2,750,000
Communication	\$4,500,000
Advanced Vehicle Safety System	\$14,000,000
Arterial Operations	\$9,300,000
Freeway Operations	\$2,000,000

www.rtc.wa.gov

## Program Management



- RTC lead and role
- Partnerships, Agreements and Committees
- Funding for VAST

[www.rtc.wa.gov](http://www.rtc.wa.gov)

## RTC as Lead Agency



- Element of success
- Doesn't have to be MPO, but the framework is there
- Already plays regional role in transportation
- VAST/ITS agencies are essentially the same as the MPO members

[www.rtc.wa.gov](http://www.rtc.wa.gov)

## RTC Management of VAST Program



- Develop Agreements
- Institutionalize ITS
- Joint funding applications
- Implement projects in the 20-year plan
- Review and tracking of ITS projects
- Coordination between ITS and road projects and between agencies
- Insuring technologies work together

[www.rtc.wa.gov](http://www.rtc.wa.gov)

## VAST Steering Committee



- Participation by:
  - RTC
  - WSDOT
  - C-TRAN
  - City of Vancouver
  - City of Camas
  - Clark County
  - ODOT
- Executed MOU that defines how SC will work together to develop, fund, and deploy ITS projects in the 20-year plan

[www.rtc.wa.gov](http://www.rtc.wa.gov)

## VAST Communications Infrastructure Committee



- Participation by the same partner agencies
- Focus is on technical elements of communications infrastructure and devices
- Multidisciplinary: includes transportation, information technology, and public safety communication staff from each agency
- Cooperative effort to address the use, sharing, maintenance, and allocation of communications assets

[www.rtc.wa.gov](http://www.rtc.wa.gov)

## VAST Funding Strategy



- Joint funding applications for federal CMAQ
- Participation by partners
- Guided by the 20-year plan
- Reviewed by everyone
- Consensus on priorities and what's next

[www.rtc.wa.gov](http://www.rtc.wa.gov)

**RTC**

## CMAQ VAST Funding History

- VAST I                 \$ 2.3m
- VAST II                \$ 1.1m
- VAST III              \$ 1.6m
- VAST IV??            \$ 1.1m
- Earmarks             \$ 5.0m
- **TOTAL**               **\$11.1m**

[www.rtc.wa.gov](http://www.rtc.wa.gov)

**RTC**

## Current Activities

- Traveler Information Improvements
- Maintenance and Repair of Infrastructure
- Management of ITS/Communications Assets

[www.rtc.wa.gov](http://www.rtc.wa.gov)

**RTC**

## Traveler Information

- WSDOT act as the host for improved traveler information
- Expand website for Vancouver and Portland camera information
- Add camera images on local arterials
- Show construction information for local agencies
- Traffic flow information for Clark County and Portland metro area

[www.rtc.wa.gov](http://www.rtc.wa.gov)

**RTC**





[www.rtc.wa.gov](http://www.rtc.wa.gov)

**RTC**

[www.rtc.wa.gov](http://www.rtc.wa.gov)

**RTC**

[www.rtc.wa.gov](http://www.rtc.wa.gov)



## Maintenance and Repair of Infrastructure RTC


- Multi-agency communications group developed “model” agreements on communications infrastructure
- Covers maintenance, priority traffic, uses, and ownership
- Will maximize communications resources and improve efficiency

www.rtc.wa.gov

## Management of ITS/Communications Assets RTC

- Procurement of shared fiber asset management system
- Mapping and database documentation of communications assets
- Readily identify fiber routes, fiber types and attributes, who owns it, who is using it, and what is not being used

www.rtc.wa.gov



## Lessons Learned

- Partnerships
- Projects and ....
- \$\$\$

RTC

www.rtc.wa.gov

## Partnerships

- Select a lead agency
- Develop cooperative structure
- Stay at the table
- Sign the MOUs
- Have resources to manage the program
- Get agreement on needs and priorities

RTC

www.rtc.wa.gov

## Projects

- You still need the foundation (fiber, cameras, detectors, controllers, etc), but they're not visible
- Look for visible projects and successes
- Policy makers want to see the benefits
- It will help sell the program

RTC

www.rtc.wa.gov

## \$\$\$\$

- Commit funding to manage the program
- Identify funding sources
- Develop a cooperative funding approach
- Take advantage of criteria

RTC

www.rtc.wa.gov

## Questions?

RTC

www.rtc.wa.gov

## Salem-Keizer ITS Plan Expanded Stakeholder Workshop

Summary of Proposed  
Deployment Plan & the  
Needs Addressed



DKS Associates Deployment Plan Workshop June 28, 2005

## Salem-Keizer ITS Plan Project Categories

1. Traffic Management
2. Traveler Information
3. Communications
4. Emergency Management
5. Archived Data Management
6. Public Transportation Services
7. Maintenance & Construction Management

DKS Associates Deployment Plan Workshop June 28, 2005


## Traffic Management Needs

- Real-time traffic condition information
- Automated vehicle collection counts with classification
- Integrate systems between emergency management and transportation agencies

DKS Associates Deployment Plan Workshop June 28, 2005

## Traffic Management Needs

- Parking Management (downtown, convention center)
- Railroad Crossing Occupation
- Flood and Slide Monitoring



DKS Associates Deployment Plan Workshop June 28, 2005

## Incident Management Needs



- Improved detour route management
- Incident detection/classification
- Enhance incident management program
- Provide advanced information to travelers



DKS Associates Deployment Plan Workshop June 28, 2005

## Traffic/Incident Management Projects

- Metropolitan Wide Video Deployment
- Traffic Data Collection System
- Arterial Congestion Mapping
- Downtown Parking Management



DKS Associates Deployment Plan Workshop June 28, 2005

### Traffic/Incident Management Projects


- Incident Management
  - ✓GPS Equipped Incident Response Vehicles
  - ✓West Salem Bridge Plan
  - ✓Interstate 5 Detour Route (Cordon/Kuebler)




DKS Associates      Deployment Plan Workshop      June 28, 2005

### Traveler Information Needs


- Real-time, accessible traveler information
  - ✓ Parking Information
  - ✓ Construction Information
  - ✓ Weather Information
- Information prior to decision points
- Camera images




DKS Associates      Deployment Plan Workshop      June 28, 2005

### Traveler Information Projects

- En-route Traveler Information
- Cable TV Traveler Information Channel
- Wheatland and Buena Vista Traveler Information System

DKS Associates      Deployment Plan Workshop      June 28, 2005

### Emergency Management Needs

- Shared incident information between emergency management agencies, 911 center and transportation
- Real-time information at 911 centers and in vehicles
- Enhance transportation management during evacuations (hazardous materials, Capitol building, terrorism)



DKS Associates      Deployment Plan Workshop      June 28, 2005

### Emergency Management Needs


- Preemption by vehicle ID
- Reduce emergency response times
- Advanced information about incident conditions
- Enhance operations during major emergencies



DKS Associates      Deployment Plan Workshop      June 28, 2005

### Emergency Management Projects

- Intra-Agency Information Sharing
  - ✓ 911, Transportation Operations Centers, and Emergency Operation Centers
- Provide Real-Time Information to Mobile Data Terminals (MDTs)
- 911 Computer Aided Dispatch Interface
- Hazardous Materials Management



DKS Associates      Deployment Plan Workshop      June 28, 2005

## Archived Data Management Needs

- Automated data collection (volumes, speed, occupancy, vehicle classification, incidents)
- Communication between the City of Salem and NWTOC
- Improved information for transportation planning



DKS Associates
Deployment Plan Workshop
June 28, 2005

## Archived Data Management Projects

- Regional Data Management System
  - ✓ Collection and archiving of operational and performance data
  - ✓ Historical counts



DKS Associates
Deployment Plan Workshop
June 28, 2005

## Maintenance & Construction Management Needs

- In-vehicle geo-coding of maintenance items (potholes, tree-limbs, signs)
- Central source for construction information
- Construction zone management to improve safety



Source: International Road Dynamics

DKS Associates
Deployment Plan Workshop
June 28, 2005

## Maintenance & Construction Management Projects

- Work Zone Safety Systems and Monitoring
- Maintenance and Construction Coordination System
- Roadway Weather Info Systems
- Construction Zone Traveler Information Systems



DKS Associates
Deployment Plan Workshop
June 28, 2005

## Public Transportation Management Needs


- Automatic vehicle location (AVL)
- Transit signal priority
- Real-time transit arrival information
- Uniform CAD interface for paratransit vehicles



DKS Associates
Deployment Plan Workshop
June 28, 2005

## Public Transportation Services Projects

- Transit Signal Priority
- Real-Time Transit Arrival Information
- Maintenance Management System
- Automated Vehicle Location System (AVL)
- CAD Transit Management System



DKS Associates
Deployment Plan Workshop
June 28, 2005

## Deployment Plan Phasing Criteria

- # of Collisions
- Corridor Volumes
- Key Decision Point
- Address User Needs
- Part of an Improvement Project
- Project Dependencies
- Technical & Institutional Feasibility
- Operation and Maintenance Costs



DKS Associates Deployment Plan Workshop June 28, 2005

## Salem-Keizer ITS Plan Expanded Stakeholder Workshop

Breakout Session:  
Deployment Plan  
Projects



DKS Associates Deployment Plan Workshop June 28, 2005

## Goals of Breakout Session

- Review Needs
- Review Proposed Deployment Plan Projects
  - ✓ Identify additions/deletions/modifications
  - ✓ Review for completeness/level of detail
- Review Proposed Deployment Schedule
  - ✓ Determine if these projects meet your current needs
  - ✓ Determine if these projects fit with other regional plans

DKS Associates Deployment Plan Workshop June 28, 2005

## Breakout Groups



Group	Moderator
1) Traffic Management, Traveler Information, Public Transportation	Jim Peters
2) Emergency Management, Maintenance & Construction, Archived Data Management	Peter Coffey/ Brandy Sularz

DKS Associates Deployment Plan Workshop June 28, 2005

## Salem-Keizer ITS Plan Expanded Stakeholder Meeting


Group  
Discussion



DKS Associates Deployment Plan Workshop June 28, 2005

## Project Cost Comparison

- 20-Year Plan
  - ✓ 49 Projects
  - ✓ Approximately \$30M for 20-Year Plan



DKS Associates Deployment Plan Workshop June 28, 2005

## Keys to Implementation

- Partner and Coordinate for Funding
- Deploy Projects With Big "Bang for the Buck"
- Do Not Forget Maintenance and Operations
- Learn From Your Peers



DKS Associates

Deployment Plan Workshop

June 28, 2005

# Thank You!!

DKS Associates

Deployment Plan Workshop

June 28, 2005

# Regional ITS Operations & Implementation Plan for the Salem-Keizer Metropolitan Area

## Expanded Stakeholder Workshop Deployment Plan June 28, 2005

### Project Mission Statement:

To enhance economic productivity by improving the safety, efficiency, and reliability of our existing and future transportation system using enhanced operations, advanced technologies, coordinated management techniques and real-time information

### Project Goals:

- 1) Improve the safety, efficiency and reliability of our transportation system
- 2) Enhance management of the transportation system to improve maintenance and operation efficiencies
- 3) Improve traveler mobility
- 4) Provide improved traveler information and access to the information
- 5) Secure/develop a continuing commitment to ITS deployment by utilizing public-public and public-private partnerships



Polk County

**DKS Associates**  
TRANSPORTATION SOLUTIONS

*cityofsalem.*

Mid Willamette Valley  
Council of Governments

Salem 9-1-1 Dispatch Center



# SALEM-KEIZER METROPOLITAN AREA ITS Deployment Plan

## Table of Contents

Deployment Plan Introduction.....	1
Traffic Management.....	2
High Priority Project: SK-TM-01 .....	5
High Priority Project: SK-TM-04 .....	7
Traveler Information.....	10
High Priority Project: SK-TI-01 .....	11
Communications .....	12
Public Transportation Services .....	15
High Priority Project: SK-PT-03 .....	17
High Priority Project: SK-PT-05 .....	19
Emergency Management .....	22
High Priority Project: SK-EM-02 .....	23
Archived Data Management .....	25
Maintenance and Construction Management.....	26
High Priority Project: SK-MC-02 .....	27

## **DEPLOYMENT PLAN INTRODUCTION**

The projects included in the Deployment Plan were developed based on collaboration from the project Steering Committee and input received at the expanded stakeholder workshop. Project rankings were established by scoring each project based on the following criteria:

- ✦ Safety/Collision Prevention
- ✦ Traffic Volumes/Congestion
- ✦ Key Decision Point
- ✦ User Needs
- ✦ State-Wide Consistency
- ✦ Part of an Improvement Project
- ✦ Operation and Maintenance Costs

The resulting project rankings were used to create a prioritized 0-5 Year Plan, 6-10 Year Plan, and 11-20 Year Plan. In addition to specific project rankings, corridors in the study area were prioritized based on future traffic volumes and number of collisions. These corridor rankings also contributed to the phased implementation of deployment plan projects in the region.

<u><b>Study Area Corridors</b></u>	<u><b>Corridor Priority Phasing</b></u>
Highway 22	0-5 Year Plan
Lancaster Drive	0-5 Year Plan
Commercial Street	0-5 Year Plan
Kuebler Blvd/Cordon Rd	0-5 Year Plan
Salem Parkway	0-5 Year Plan
Interstate 5	6-10 Year Plan
N. River Road	6-10 Year Plan
Hawthorne Ave	6-10 Year Plan
Center Street	6-10 Year Plan
Portland Rd	6-10 Year Plan
Wallace Rd	11-20 Year Plan
Chemawa Rd	11-20 Year Plan
Silverton Rd	11-20 Year Plan
Market St	11-20 Year Plan
Broadway St	11-20 Year Plan
25th St	11-20 Year Plan
State St	11-20 Year Plan
12th/13th St SE	11-20 Year Plan
Turner Rd	11-20 Year Plan
Liberty Road SE	11-20 Year Plan

The following sections discuss each ITS program area, including summaries of each project. Some significant projects phased for implementation in 0-5 years have detailed project summaries included in the corresponding program area section.

## TRAFFIC MANAGEMENT



Projects within this program area are focused on improving the safety and efficiency of the existing roadway system by providing tools to better manage the existing infrastructure and to coordinate with regional partners. The purpose of most of these projects is to

improve travel time, reduce crashes and the effects of crashes, and provide incident response. The plan projects are summarized in the following tables.

<b>0-5 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Metropolitan Area Wide Video Deployment	Deploy video monitoring cameras (pan/tilt/zoom) to monitor traffic conditions, emergency events, optimize signal timings, view high accident locations, monitor flood and slide zones, and provide roadway condition information to travelers.
Incident Management Plan for West Salem Bridges	This project will provide reversible lane controls and a specific plan outlining roles, responsibilities and procedures for handling an emergency bridge closure on Marion/Center Street bridges.
Incident Response Program Enhancements	This project will equip incident response vehicles with GPS to enhance dispatch and provide additional incident response vehicles and personnel.
Detour Route Management	This project will improve the existing I-5 detour route plans by mapping routes in GIS, implementing signal timing plans, electronic message sign, communications to field devices and congestion monitoring to support incident responders and traffic management.
Traffic Data Collection Map	Deploy vehicle detection equipment around the metropolitan area to automate the collection of vehicle count, speed and classification information
Advanced Vehicle System-Mayday to TOCS	Provide for information flow from vehicle Mayday systems to the TOC (notification of airbag deployment).

<b>6-10 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Railroad Crossing Traveler Information and Safety System	Deploy railroad crossing train detection/warnings and provide crossing occupation information to the 911 center and the NWTOC.
Coordinated Emergency Management System	Provide a common electronic interface for emergency managers to coordinate response to a major emergency event across jurisdictions.
Center to Center Integration (ODOT, Salem, Keizer, Marion County and Polk County)	Implement center-to-center communications between the ODOT NWTOC and other traffic management centers at the City of Salem, City of Keizer, Marion County and Polk County.
Salem Traffic Management Center Upgrade	Upgrade equipment and expand the existing City of Salem traffic management center.
Downtown Salem Parking Management	This project will deploy DMS and HAR messages to direct motorists to facilities with available parking in downtown Salem.
Central Signal System Upgrade	This project will define and procure a new central signal system to provide additional functionality including: <ul style="list-style-type: none"> <li>* Advanced signal control</li> <li>* Support for camera control</li> <li>* Automated incident response signal timing plans</li> <li>* Signal status integration with the operations centers</li> <li>* Arterial Congestion Mapping</li> </ul>

**11-20 Year Plan Projects**

<b>Name</b>	<b>Description</b>
Adaptive Signal Timing Project	Deploy adaptive signal timing on select signalized corridors in the region with the highest levels of congestion and the most fluctuation in volumes
Railroad Crossing Traveler Information and Safety System	Deploy railroad crossing train detection and warning and provide crossing occupation information to 911 center and the NWTOC. Transmit data to in-vehicle systems.
Flood Warning System	This project will deploy a system to monitor rising water on the roadway and alert transportation managers of high water and will include cameras and dynamic message signs to provide advanced notification to motorists.
Slide Monitoring System	This project will deploy a system to monitor frequent slide zones to identify landslides onto the roadway and will include cameras, dynamic message signs and road closure systems to manage traffic.
Isolated Intersection Safety Warning System	This project would deploy devices at high crash locations to warn drivers of changing conditions such as "tee" intersections or sharp horizontal curves
Weigh-in-Motion	This project will deploy weigh stations in Marion County
Advanced Vehicle System - Vehicle navigation system.	Develop a system to transmit traveler information to in-vehicle navigation systems.

# METROPOLITAN AREA WIDE VIDEO DEPLOYMENT

HIGH PRIORITY PROJECT: SK-TM-01

**Purpose**  
To provide continuous video coverage of congested locations to motorists and assist incident detection and data collection efforts

- Existing Problems**
- ▶ Recurrent traffic congestion
  - ▶ High incident locations at specific intersections
  - ▶ Limited monitoring capabilities
  - ▶ Lack of traveler information



- Stakeholders**
- Primary:
- ▶ City of Salem
  - ▶ ODOT

**Description**  
This project will post existing City of Salem camera images on ODOT’s TripCheck traveler information website. The City of Salem currently has many cameras throughout the study area that are used at the traffic management center to monitor traffic conditions. The first phase of this project will involve modifying the images so they can be posted for public viewing and includes the deployment of new pan-tilt-zoom cameras on the specified 0-5 year corridors. Future phases of this project will deploy more cameras at other key intersections in the City of Salem, the City of Keizer and Marion County. The cameras will be used to monitor the roadway for congestion, trouble spots, incidents, equipment failures, traffic signal operations and to provide roadway condition information to travelers.

**Project Dependencies**  
Existing cameras images have marked vehicle detection zones (lines) that affect the image that would potentially be posted on TripCheck. One option involves building a separate communication link to each camera to send the image back to the City of Salem traffic operation center on a different channel. This image could then be posted on TripCheck without the detection zones. This option adds a significant cost to the deployment of the project.

- Relevant ITS Standards**
- ▶ ITE TM 1.03, TM 2.01
  - ▶ NTCIP 1101, 1102, 1103, 1201, 1205, 1209, 1210, 1211

## METROPOLITAN AREA WIDE VIDEO DEPLOYMENT

SK-TM-01

Page 2 of 2

### Communication Requirements

High speed communications are required between the cameras, the City of Salem Traffic Management Center and the ODOT NWTOC.

### Goals Supported

- ▶ Improve the safety, efficiency, and reliability of the transportation system.
- ▶ Deploy systems with a high benefit-to-cost ratio and maximize the use of existing infrastructure
- ▶ Improve traveler mobility
- ▶ Provide improved traveler information and access to the information

### Cost

\$1,365,000	Project Deployment
\$46,000	Annual Ops & Maintenance

### Benefits

- ▶ Ability to monitor and control traffic control systems in real-time from a remote location.
- ▶ Reduced incident detection times
- ▶ Improved safety and efficiency
- ▶ Increased traveler information

### Phased Plan

0 – 5 Years: Project Deployment

### Associated Market Packages

- ▶ ATMS1 Network Surveillance
- ▶ ATMS6 Traffic Information Dissemination

## DETOUR ROUTE MANAGEMENT

HIGH PRIORITY PROJECT: SK-TM-04

### Purpose

To support incident management in the Salem-Keizer Metropolitan Area



### Existing Problems

- ▶ Lack of traffic management resources when travelers are diverted from I-5
- ▶ Limited infrastructure to notify the public of the detour/use of alternative route.
- ▶ Need for improved inter-agency coordination

### Stakeholders

- |            |  |
|------------|--|
| Primary:   | <ul style="list-style-type: none"> <li>▶ ODOT</li> <li>▶ City of Salem</li> <li>▶ Marion County</li> </ul> |
| Secondary: | <ul style="list-style-type: none"> <li>▶ City of Keizer</li> <li>▶ Emergency Management</li> </ul>         |

### Description

This project includes improvements to the existing detour plan for Cordon Road including: GIS mapping of the detour route, incident signal timing plans, electronic message signs, CCTV cameras for congestion monitoring and interagency communications and coordination to support incident responders and management of the roadway network during incidents. An operational plan discussing specific roles and responsibilities of each agency and their control of the associated field devices will also be developed.

The priority corridor is Kuebler Boulevard/Cordon Road. Another corridor that may be used as an alternate route is Salem Parkway/Commercial/Mission Street.

### Project Dependencies

An incident management operational plan must be developed for each corridor to clearly establish roles and responsibilities of each agency prior to the occurrence of an incident.

### Relevant ITS Standards

- ▶ IEEE IM
- ▶ ITE TM 1.03, TM 2.01
- ▶ NTCIP 1101, 1102, 1103, 1201, 1203, 1204, 1205, 1206, 1209, 1301, 2001, 2101, 2102, 2103, 2104, 2201, 2202

## DETOUR ROUTE MANAGEMENT

SK-TM-04

Page 2 of 2

### Communication Requirements

Communications are required between the field devices and City of Salem traffic management center and the ODOT NWTOC.

### Goals Supported

- ▶ Improve the safety, efficiency, and reliability of the transportation system.
- ▶ Improve emergency response times
- ▶ Improve traveler mobility
- ▶ Provide improved traveler information and access to the information

### Benefits

- ▶ Reduction in congestion and delay due to incidents.
- ▶ Increased capacity and throughput during incident conditions.

### Cost

\$1,800,000	Project Deployment
\$30,000	Annual Ops & Maintenance

### Phased Plan

0 – 5 Years: Project Deployment


### Associated Market Packages

- ▶ ATMS06 Traffic Information Dissemination
- ▶ ATMS08 Traffic Incident Management System



## TRAVELER INFORMATION

These projects are designed to improve the availability and dissemination of real-time traveler information to assist pre-trip and en-route travel decisions. Enhanced traveler information contributes to benefits related to customer satisfaction, improved safety and reliability of the transportation system. The plan projects are summarized in the tables below.



<b>0-5 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
En-Route Traveler Information System	Deploy dynamic message signs, highway advisory radio (HAR) and provide enhanced traveler information to ODOT's TripCheck and 511 systems.
Cable TV Traveler Information Channel	This project will provide camera images and other traveler information to cable TV companies to display on a dedicated traffic channel

<b>6-10 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Broadcast Traveler Information	A dedicated traffic condition radio channel will be provided in the Salem-Keizer metropolitan area

<b>11-20 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Wheatland and Buena Vista Ferry Traveler Information System	This project will provide the operational status of the ferries via arterial message signs that are located at key traveler decision points and highway advisory radio (HAR) messages.
Interactive Traveler Information	This project will allow the motorist to request specific traveler information, utilize dynamic ridesharing, and provide yellow page and reservation services prior to a trip or en-route using wide area wireless connections.

## EN-ROUTE TRAVELER INFORMATION

Page 1 of 2

HIGH PRIORITY PROJECT: SK-TI-01

### Purpose

To provide a source of integrated traveler information for travelers en-route throughout the Salem-Keizer Metropolitan area.



### Existing Problems

- ▶ Limited availability of accessible, pre-trip and en-route real-time traveler information.

### Stakeholders

- Primary:
- ▶ ODOT
  - ▶ City of Salem
- Secondary:
- ▶ Cherriots
  - ▶ City of Keizer
  - ▶ Marion County
  - ▶ Polk County

### Description

This project will include the deployment of dynamic message signs (DMS), enhanced Salem-Keizer area traveler information on the TripCheck website and 511 and highway advisory radio (HAR) in the Salem-Keizer Metropolitan Area to notify motorists of incidents, detour routes, construction, weather or other traveler information. In addition to these deployments, traveler information will be coordinated/sent to TripCheck and 511 and will be downloadable to mobile phones and personal digital assistants (PDA's).

### Project Dependencies

This project depends on the deployment of appropriate field devices to collect real-time traveler information and the ability to provide up to date information to the dissemination sources.

### Relevant ITS Standards

- ▶ ITE TM 1.03, TM 2.01
- ▶ IEEE IM
- ▶ NTCIP 1101, 1102, 1103, 1201, 1205, 1209, 1210, 1211, 2101, 2102, 2103, 2104, 2201

## EN-ROUTE TRAVELER INFORMATION

SK-TI-01

Page 2 of 2

### Communication Requirements

Each agency that has traveler information to disseminate will need to support communications between the field devices and the traffic management centers. Center-to-center network connections will support the exchange of traveler information between the transportation agencies and dissemination sources.

Additional communications will be needed for the deployment of field devices (DMS and HAR) and will depend upon the location.

### Goals Supported

- ▶ Improve the safety, efficiency, and reliability of the transportation system.
- ▶ Improve traveler mobility
- ▶ Provide improved traveler information and access to the information

### Benefits

- ▶ Real-time and static traveler information.
- ▶ Pre-trip planning capabilities and en-route information that allow travelers to make informed travel decisions.
- ▶ Reduced congestion and delay.
- ▶ Customer satisfaction

### Cost

\$2,250,000	Project Deployment
\$43,000	Annual Ops & Maintenance

### Phased Plan

0 – 5 Years: Project Deployment will include HAR and the deployment of DMS on the following corridors at key decision points:


- ▶ Highway 22
- ▶ Lancaster Drive
- ▶ Commercial Street
- ▶ Kuebler/Cordon Road
- ▶ Salem Parkway
- ▶ Interstate 5

### Associated Market Packages

- ▶ ATMS6 Traffic Information Dissemination
- ▶ EM10 Disaster Traveler Information

## COMMUNICATIONS

The communication system provides the backbone for deployment of projects in the other five program areas by providing a network for exchanging information to and from field devices and stakeholder agencies. For the most part, the communication network will be deployed on a project-by-project basis throughout the next 20 years to support the ITS Plan as needed.



<b>0-5 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Communication Network	<p>Expand the communication network to support additional field devices and connect operations centers to the regional communications network as needed. The following corridors support 0-5 year projects:</p> <ul style="list-style-type: none"> <li>▶ Highway 22</li> <li>▶ Lancaster Drive</li> <li>▶ Commercial Street</li> <li>▶ Kuebler Blvd/Cordon Rd</li> <li>▶ Interstate 5</li> </ul>

<b>6-10 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Communication Network	<p>Expand the communication network to support additional field devices and connect operations centers to the regional communications network as needed. The following corridors support 6-10 year projects:</p> <ul style="list-style-type: none"> <li>▶ North River Road</li> <li>▶ State Street</li> <li>▶ Portland Road</li> <li>▶ Salem Parkway</li> </ul>
Communications to Isolated Signalized Intersections	<p>This project will provide communications to all signalized intersections in the metropolitan area that are currently isolated from the central signal system computer.</p>

**11-20 Year Plan Projects**

<b>Name</b>	<b>Description</b>
Communication Network	Expand the communication network to support additional field devices and connect operations centers to the regional communications network as needed. The following corridors support 11-20 year corridor projects: <ul style="list-style-type: none"><li data-bbox="683 468 915 495">▶ Chemewa Road</li><li data-bbox="683 506 906 533">▶ Silverton Road</li><li data-bbox="683 543 889 571">▶ Market Street</li><li data-bbox="683 581 862 609">▶ State Street</li></ul>

## PUBLIC TRANSPORTATION SERVICES



Public transportation services technologies address two major aspects of transit operations: (1) transit agency operations and management and (2) transit traveler information systems. The projects in this program area are intended to enhance the service of Cherriots fixed route service and other demand-responsive paratransit

services that serve the Salem-Keizer area and to improve the availability of real-time transit traveler information.

<b>0-5 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Paratransit Mobile Data Devices	This project will deploy mobile data devices that will provide the capability to monitor fuel usage, mileage, passengers, and trips. This project will also include AVL on paratransit vehicles for enhanced dispatch.
Automated Vehicle Location (AVL)	Install an automated vehicle location (AVL) system on the Cherriots fleet and install a computer aided dispatch (CAD) system at the Cherriots dispatch center. Integrate the CAD system with the AVL system so that dispatchers may track the fleet in real-time and monitor on-time performance.
Real-Time Transit Arrival Information	Deploy real-time dynamic message signs at key locations such as transit centers and bus stops where multiple routes pass through.
Transit Signal Priority	Install transit signal priority equipment and software at key intersections on transit routes and on transit vehicles
Maintenance Management System	This system will support electronic tracking of equipment inventory, and automatic scheduling of transit maintenance.
Transit Management and Maintenance Center Integration	Project would provide communications between the transit management center in downtown Salem and the maintenance management center on Del Webb Avenue.

### 6-10 Year Plan Projects

<b>Name</b>	<b>Description</b>
Transit Computer Aided Dispatch (CAD) Integration Project	This project will integrate the various CAD systems used today by transit providers in the Salem-Keizer metropolitan area.
Real-Time Customer Information Displays	Deploy real-time dynamic message signs at key locations such as transit centers and bus stops where multiple routes pass through.
Transit Security System	Cherriots has two new transit centers planned for the future; one in Keizer and one in South Salem. This project will provide security camera images at both sites and communications infrastructure for remote monitoring of the images.
Transit Signal Priority	Install transit signal priority equipment and software at key intersections on transit routes and on transit vehicles

## TRANSIT SIGNAL PRIORITY

Page 1 of 2

HIGH PRIORITY PROJECT: SK-PT-03

### Purpose

To improve transit travel time reliability on corridors with traffic signals



### Existing Problems

- ▶ Corridors experience changing levels of congestion that affects bus travel arrival time reliability
- ▶ Transit vehicles may not fully benefit from coordinated signal corridors because they service bus stops between intersections

### Stakeholders

- Primary:
- ▶ Cherriots
  - ▶ City of Salem
  - ▶ ODOT
  - ▶ City of Keizer
  - ▶ Marion County

### Description

The project will include the installation of transit priority emitters on select coaches and traffic signal controller software upgrades along the selected corridors to support transit signal priority. The first phase will include the High Priority Transportation Corridor (Broadway/River Road). Future phases of this project will expand transit signal priority capabilities to other corridors in the region that have been selected based on levels of current traffic congestion and transit ridership.

### Project Dependencies

This project depends on the installation of transit detectors on the transit fleet and traffic signal software that supports transit signal priority.

### Relevant ITS Standards

- ▶ IEEE 1455 – 1999
- ▶ ITE TM 1.03, TM 2.01
- ▶ NTCIP 1202, 1206, 1209, 1211, 1401, 1405

## TRANSIT SIGNAL PRIORITY

SK-PT-03

Page 2 of 2

### Communication Requirements

A communications interface will be needed between each transit vehicle and each traffic signal along a transit priority corridor. Potential interfaces include preemption equipment used by emergency response, loops embedded in the pavement that detect bus presence, radio frequency tags and readers or a central management system that requests priority based on vehicle locations.

### Goals Supported

- ▶ Enhance management of transportation system to improve maintenance and operations efficiencies
- ▶ Improve the reliability of the transportation system

### Cost

\$130,000	Project Deployment
\$1,000	Annual Ops & Maintenance

### Benefits

- ▶ Reduced transit delay.
- ▶ Improved schedule adherence and reliability.
- ▶ Reduced operational costs.
- ▶ Enhanced transit service.
- ▶ Increased ridership

### Phased Plan

0 –5 Years:	High Priority Transportation Corridor; Broadway/N River Road Lancaster Drive South Commercial Street
6-10 Years:	Portland Road 12 <sup>th</sup> /13 <sup>th</sup> Couplet Market Street Liberty/Commercial Couplet Silverton Road
11-20 Years:	Salem Parkway Wallace Road Center Street Liberty Road

### Associated Market Packages

- ▶ ATMS03 Surface Street Control

## REAL-TIME TRANSIT ARRIVAL INFORMATION

Page 1 of 2

HIGH PRIORITY PROJECT: SK-PT-05

### Purpose

To enhance the service of public transportation and provide real-time transit traveler information at transit centers and bus stops in the Salem-Keizer Metropolitan Area.



### Existing Problems

- ▶ Need to provide transit arrival/location information to travelers
- ▶ Variable transit travel times due to congestion
- ▶ Need accessible, real-time transit information

### Stakeholders

- Primary: ▶ Cherriots

### Description

This project will provide real-time transit arrival and departure information to riders via an updated Cherriots website, integration with the Regional Trip Planner, electronic message signs at selected stops, cell-phones and PDA's.

### Project Dependencies

Automated vehicle location (AVL) must be installed on the transit fleet in order to provide real-time schedule information.

### Relevant ITS Standards

- ▶ SAE J2353, J2354, J2369
- ▶ NTCIP 1401, 1403, 1404, 1405, 1406, 1407

## REAL-TIME TRANSIT ARRIVAL INFORMATION

SK-PT-05

Page 2 of 2

### Communication Requirements

Communications will be required between each real-time information display and the Cherriot's dispatch center. A wireless connection will provide the most cost-effective method of establishing communications.

Communications will be required between the transit vehicles and the transit management center to transmit vehicle location information.

### Cost

\$290,000	Project Deployment
\$38,500	Annual Ops & Maintenance

### Phased Plan

0 – 5 Years:	Deploy electronic message signs at six locations along the High Priority Transportation Corridor (Broadway/N River Road)
-----------------	--

### Goals Supported

- ▶ Improve traveler mobility
- ▶ Provide improved traveler information and access to the information
- ▶ Provide multi-modal transportation information to travelers

### Benefits

- ▶ Real-time transit information to aid riders with en-route planning
- ▶ Improved customer satisfaction

### Associated Market Packages

- ▶ APTS08: Transit Traveler Information

Ref. No.	Project Title	Years	5-Year Plan					10-Year Plan					20-Year Plan								
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
<b>Communications</b>																					
SK-CO-01	Metropolitan Area Communications																				
SK-CO-02	Communications to Isolated Signalized Intersections																				
<b>Public Transportation Management</b>																					
SK-PT-01	Paratransit Mobile Data Devices																				
SK-PT-02	Maintenance Management System																				
SK-PT-03	Transit Signal Priority																				
SK-PT-04	Automatic Vehicle Location (AVL) System																				
SK-PT-05	Real-Time Transit Arrival Information																				
SK-PT-06	Transit Center Security																				
SK-PT-07	Transit Computer Aided Dispatch (CAD) Integration Project																				
SK-PT-08	Transit Management and Maintenance Center Integration																				

 Proposed Implementation

## EMERGENCY MANAGEMENT



The main purpose of projects included in this program area is to reduce emergency response times and to integrate emergency management with transportation management.



<b>0-5 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Real-Time Transit Information to Mobile Data Terminals	Provide real-time traffic information to emergency responder's mobile data devices.
Intra-Agency Information Sharing	This project will provide a two-way information flow (video images from the roadway cameras, related weather and construction information) between traffic management, 911 center, police, fire and Emergency Operations Centers.
911 Computer Aided Dispatch Interface	This project will provide a direct interface with the 911 Computer Aided Dispatch systems to automatically post traffic-related incidents and to provide traffic congestion and video information.
Traffic Signal Preemption by Vehicle ID	Implement preemption equipment to provide traffic signal preemption by specific vehicle ID.

<b>6-10 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Hazardous Materials Management	This project will detect and classify security sensitive hazardous material information in trains and commercial vehicles traveling through the Salem-Keizer metropolitan area to coordinate emergency response availability.
Responder Video System	Provide emergency/incident responders with video cell phones and develop a link to the TOC to link video to other agencies.

<b>11-20 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Dynamic Routing of Emergency Vehicles	This project will automatically calculate the ideal route between two points based on real-time roadway congestion, construction, and incident information.

# INTRA-AGENCY INFORMATION SHARING

HIGH PRIORITY PROJECT: SK-EM-02

**Purpose**

To enhance communications and coordination between traffic management and emergency management agencies



**Existing Problems**

- ▶ Need for improved coordination and communication between traffic agencies and emergency management agencies
- ▶ Lack of transportation related information (incident status, construction status, etc.) available to emergency responders
- ▶ Continuing need to maintain and/or reduce emergency response times



**Stakeholders**

Primary:

- ▶ ODOT
- ▶ Cities of Salem and Keizer
- ▶ Marion and Polk Counties
- ▶ Emergency Management

**Description**

This project will provide a two-way information flow (video images from the roadway cameras, related congestion, incident, weather and construction information) between traffic management, 911 center, police, fire and Emergency Operations Centers. This project will support dynamically routing emergency vehicles based on real-time transportation conditions.

**Project Dependencies**

New software enhancements will be required at the 911 center, emergency management center and traffic management centers to integrate transportation related information (congestion, incidents, work zones, etc) with the computer aided dispatch (CAD) software. Dynamic emergency vehicle routing depends on the availability of vehicle location information.

**Relevant ITS Standards**

- ▶ NTCIP 1201, 1209
- ▶ ITE TM 1.03, TM 2.01

## INTRA-AGENCY INFORMATION SHARING

SK-EM-02

Page 2 of 2

### Communication Requirements

High speed center-to-center communications are required between emergency management centers and transportation management centers to support the exchange of real time transportation and emergency related information.

### Goals Supported

- ▶ Improve the safety, efficiency, and reliability of the transportation system.
- ▶ Improve traveler mobility
- ▶ Share infrastructure and operations resources between local and regional agencies

### Cost

\$600,000	Project Deployment
\$5,600	Annual Ops & Maintenance

### Benefits

- ▶ Reduced emergency response times
- ▶ More efficient allocation of emergency response resources
- ▶ Improved real-time traffic conditions
- ▶ Enhance interagency communication and coordination

### Phased Plan

0 – 5 Years: Project Deployment

### Associated Market Packages

- ▶ EM02 Emergency Routing
- ▶ ATMS06 Traffic Information Dissemination

## ARCHIVED DATA MANAGEMENT

Collecting, archiving, and managing various types of transportation-related data is an integral part of this ITS Plan. Prior to deploying a regional data management system, field devices and systems to collect data must be deployed. Therefore, the information management project is included in the 6-10 year plan following device deployment.

The screenshot shown below is a sample of the PORTAL data archiving system run by Portland State University (<http://portal.its.pdx.edu>), which archives data for the Portland metropolitan area. This provides a useful example of collecting system data and providing an on-line user interface.

**PORTAL: Portland Transportation Archive Listing**

<p><b>Info</b></p> <p><b>Welcome</b></p> <p><a href="#">People</a></p> <p><a href="#">Project Summary</a></p> <p><a href="#">Our Server</a></p> <p><a href="#">Links</a></p> <p><a href="#">Login</a></p> <p><a href="#">Request Account</a></p> <p><a href="#">Comments</a></p>	<p>Welcome to the Portland Transportation Archive Listing (PORTAL). The purpose of this project is to implement the U.S. National ITS Architecture's Archived Data User Service for the Portland metropolitan region. This system is being developed at Portland State University by students and faculty in the Intelligent Transportation Systems Laboratory under the direction of Dr. Robert Bertini. We are working in close cooperation with the Oregon Department of Transportation, Metro, the City of Portland, TriMet and other regional partners. This work is supported by the National Science Foundation.*</p> <p>We welcome your participation in our project. The current PORTAL system archives the Portland metropolitan region's freeway loop detector data at its most detailed level and also archives area weather data. We plan to expand the capabilities of our system and to include multimodal data sources from both Oregon and Washington. We provide access to the system by password. To request access to the system click on the Request Account link to the left.</p> <p style="text-align: center;"><a href="#">Portland State University - ITS Lab - Oregon DOT - National Science Foundation</a></p> <p style="font-size: small;"><i>*This material is based upon work supported by the National Science Foundation under Grant No. 0236667. Any opinions, findings, and conclusions or recommendations expressed in this material are those of the author(s) and do not necessarily reflect the views of the National Science Foundation.</i></p>
--	---



<b>6-10 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Regional Data Management System	Create a data management system for archiving data, collecting real-time data, and accessing data. The system should have geospatial capabilities and data should include at a minimum traffic counts, speed data, crashes (vehicles, pedestrians, and bicycles), incident information, and transit information.

## MAINTENANCE AND CONSTRUCTION MANAGEMENT

These projects are aimed at improving the safety of motorists and workers in construction zones, improving the efficiency of construction management and control, enhancing construction scheduling, and improving maintenance efficiency.



<b>0-5 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Work Zone Management and Safety Monitoring Systems	This project will provide portable cameras, variable speed limit signs and speed detection devices to monitor and control traffic conditions in construction work zones. It will also deploy technology within work zones that will reduce motor vehicle conflicts with workers by warning workers of vehicles entering work zones.
Maintenance and Construction, Coordination System	Develop an information management system that contains details about region-wide maintenance and construction activities by public agencies, utility companies, and private contractors, as well as special event information including location and event duration.
Construction Traveler Information	This project will provide travel time information through work zones using electronic message signs, the Internet, and highway advisory radio (HAR).

<b>6-10 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Roadway Weather Information Systems (RWIS)	Weather stations with roadway temperature, wind speed, humidity, and precipitation sensors will be installed at the following locations:

<b>11-20 Year Plan Projects</b>	
<b>Name</b>	<b>Description</b>
Maintenance Vehicle Tracking	This project will implement AVL/GPS for tracking maintenance vehicles to enhance dispatch of personnel/equipment to daily events and for management of the transportation network during winter storms
Automated Maintenance Logging System	Log maintenance requirements through an automated system to record items that require maintenance as personnel identify them daily.


# MAINTENANCE AND CONSTRUCTION COORDINATION SYSTEM

HIGH PRIORITY PROJECT: SK-MC-02

**Purpose**

The purpose of this project is to improve traffic mobility throughout the State of Oregon by providing a central source for all current and planned maintenance and construction activity.

- Existing Problems**
- ▶ Lack of centralized source for current and planned maintenance and construction activity information
  - ▶ Many construction projects restrict heavy, wide or tall commercial vehicles resulting in detours for commercial vehicles
  - ▶ No ability to identify active construction projects on potential detour routes



- Stakeholders**
- Primary:**
- ▶ ODOT
- Secondary:**
- ▶ Marion County
  - ▶ City of Salem
  - ▶ City of Keizer
  - ▶ Utilities
  - ▶ Trucking Industry
  - ▶ Other Statewide public agencies and utilities.

**Description**

Develop a construction activity information site that contains details about region-wide/statewide maintenance and construction activities by public agencies and utility companies. The system will include active construction, planned construction, weight and width restrictions, travel times in work zones and other information necessary to manage traffic mobility in Oregon. This central database of construction and maintenance activity will provide transportation managers with the ability to monitor construction activity and schedules and ensure there is always an east-west and north-south route into and out of the State of Oregon for goods movement.

**Communication Requirements**

Interface to make entries to this system will be provided through a standard web browser.

**MAINTENANCE AND CONSTRUCTION COORDINATION SYSTEM**

SK-MC-02

Page 2 of 2

<b>Project Dependencies</b>
None

<b>Goals Supported</b>
<ul style="list-style-type: none"> <li>▶ Improve the safety and efficiency of our transportation system</li> <li>▶ Provide improved traveler information and access to the information</li> <li>▶ Integrate regional ITS projects with local and regional partners</li> <li>▶ Monitor transportation performance measures</li> </ul>

<b>Benefits</b>
<ul style="list-style-type: none"> <li>▶ Improved traffic mobility</li> <li>▶ Improved freight mobility</li> <li>▶ Information sharing between agencies</li> <li>▶ More efficient allocation of maintenance resources</li> <li>▶ Real-time information to travelers</li> <li>▶ Reduced delay</li> </ul>

<b>Relevant ITS Standards</b>
<ul style="list-style-type: none"> <li>▶ ASTM E2259-03</li> <li>▶ SAEJ2353, J2354, J2529</li> <li>▶ ITE TM1.03, TM2.01</li> </ul>

<b>Associated Market Packages</b>
<ul style="list-style-type: none"> <li>▶ ATIS02: Interactive Traveler Information</li> <li>▶ MC07: Roadway Maintenance and Construction</li> <li>▶ MC10: Maintenance and Construction Activity Coordination</li> </ul>

<b>Phased Plan</b>
0 – 5 Years:    Project Deployment

<b>Cost</b>
\$100,000    Project Deployment
\$1,000      Annual Ops & Maintenance

Ref. No.	Project Title	Years	5-Year Plan					10-Year Plan					20-Year Plan									
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20
<b>Emergency Management</b>																						
SK-EM-01	Real-Time Transit Information to mobile data terminals																					
SK-EM-02	Intra-Agency Information Sharing																					
SK-EM-03	911 Computer Aided Dispatch Interface																					
SK-EM-04	Hazardous Materials Management																					
SK-EM-05	Responder Video System																					
SK-EM-06	Dynamic Routing of Emergency Vehicles																					
SK-EM-07	Traffic Signal Preemption by Vehicle ID																					
<b>Archived Data Management</b>																						
SK-AD-01	Archived Data Management System																					
<b>Maintenance and Construction Management</b>																						
SK-MC-01	Maintenance and Construction Coordination System																					
SK-MC-02	Work Zone Management and Safety Monitoring Systems																					
SK-MC-03	Construction Traveler Information																					
SK-MC-04	Roadway Weather Information Systems (RWIS)																					
SK-MC-05	Maintenance Vehicle Tracking																					
SK-MC-06	Automated Maintenance Logging System																					

 Proposed Implementation

# Appendix L: Sample Inter-Agency Agreements

---

## Sample Agreements for Fiber Optic Cable Use

- 1) Inter-agency Agreement for Communications Asset Utilization
- 2) Communications Asset Allocation Information Sheet
- 3) Fiber Allocation Information Sheet

# Inter-agency Agreement for Communications Asset Utilization

Inter-agency Agreement Ref # \_\_\_\_\_  
Associated FAIS or CAAIS Ref # \_\_\_\_\_

This is an AGREEMENT made and entered into this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_, by and between the Grantor, hereinafter called the "GRANTOR" and the Grantee, hereinafter called the GRANTEE. Whereby the GRANTEE will contract for specified communications assets identified in the Fiber/Communications Asset Allocation Information Sheet (include FAIS or CAAIS Ref. #) from the GRANTOR.

WHEREAS, the GRANTOR owns certain communications infrastructure, and

WHEREAS, the GRANTEE would like to have control of specific Communications Assets (identified in the Fiber/Communications Asset Allocation Information Sheet include FAIS/CAAIS Ref #); and

WHEREAS, it would be to the mutual benefit of the GRANTEE and GRANTOR to establish, in writing, the GRANTEE's responsibility toward the operation of the identified communications assets, and

NOW THEREFORE, THE GRANTEE AND GRANTOR agree as follows:

## SECTION 1 – GENERAL

The purpose of this Agreement is to define the assets and services to be provided and the terms and conditions under which they will be provided to the GRANTEE by the GRANTOR for the communications infrastructure identified in Fiber/Communications Asset Allocation Information Sheet (include FAIS/CAAIS Ref #). This agreement also identifies the maintenance and operations responsibilities between the GRANTEE and the GRANTOR for the same.

## SECTION 2 – TERM OF AGREEMENT

The term of AGREEMENT shall be for \_\_\_\_\_, beginning on the date first entered above, and ending on \_\_\_\_\_. ~~ENTER LENGTH AND TIME OF DURATION INFORMATION FROM FAIS.~~ Either the GRANTEE or GRANTOR can terminate this AGREEMENT for any reason with written notice to the other party at the end of sixty (60) calendar days following receipt of notice.

## SECTION 3 – LEGAL RELATIONS

The GRANTEE shall indemnify and hold harmless the GRANTOR, its officials, employees and agents from any and all liability, demands, claims, causes of action, suits or judgments, including costs, attorney fees and expenses incurred in connection therewith, or whatsoever kind of nature, arising out of, or in connection with, or incident to, the execution of the AGREEMENT and/or the GRANTEE performance or failure to perform any aspect of this AGREEMENT. Provided, however, that if such claims are caused by or result from the concurrent negligence of (a) the GRANTEE and (b) the GRANTOR, its officials, employees and agents, this indemnity provision shall be valid and enforceable only to the extent of the negligence of the GRANTEE, and provided further, that nothing herein shall require the GRANTEE to hold harmless or defend the GRANTOR, its officials, employees and agents from any claims arising from the sole negligence of the GRANTOR, its officials, employees and agents.

In the event of litigation between the parties to enforce rights under this section, reasonable attorney's fees and cost shall be allowed to the prevailing party.

## SECTION 4 – ASSIGNMENT/SUBCONTRACTING

Neither the GRANTEE nor the GRANTOR shall transfer or assign, in whole or in part, any or all of their respective rights or obligations under this AGREEMENT without prior written consent of the other.

## SECTION 5 – NOTICE

Ant notices to be given under the AGREEMENT shall at a minimum be delivered, postage prepaid and addressed to:

INSERT GRANTEE ADDRESS

INSERT GRANTOR ADDRESS

Either the GRANTEE or GRANTOR giving the other notice of such change as provided in this section may change the name and address to which notices shall be directed.

## Section 6 – Maintenance and Operations Responsibilities

GRANTOR shall perform all necessary maintenance and repairs on the aforementioned communications infrastructure as required, including emergency repairs.

If maintenance or repair is required solely on the fiber or other communications infrastructure being utilized by the GRANTEE, then GRANTEE shall be responsible for the cost of the maintenance and repair.

If maintenance or repair is required on the entire fiber segment or other communications infrastructure, then GRANTEE shall be responsible for the cost of the maintenance and repairs to the aforementioned fibers or communications infrastructure at a prorated basis, based on the percentage of the fibers (or other communications infrastructure) utilized by GRANTEE.

GRANTEE shall coordinate all splicing, termination and maintenance activities on their strands through GRANTOR. GRANTOR shall coordinate these activities with GRANTEE in a timely fashion, and permission to perform these activities not to be unreasonably withheld.

GRANTOR will inform GRANTEE at least 7 days in advance of any maintenance, repairs or other scheduled outages, (including any maintenance communications assets, which may not result in an outage), per the notification list as attached (Attachment A).

The parties agree that in all ways practical, they shall exchange data, technical support and other goods, as related exclusively to the facilities and services described in this agreement. This exchange shall be on a quid pro quo basis and neither party shall be compensated therefore. Any request for significant levels of data, technical support, or other goods and services not specifically covered under this Agreement, shall be identified prior to performing the work and shall be compensated by direct invoice of the actual cost in providing said data support or other goods and services.

### Example Special Conditions Access:

GRANTOR shall provide to GRANTEE 24-hour per day, seven day per week access or escorted access to \_\_\_\_\_ facility or \_\_\_\_\_ field communications hub for testing and installation/service of termination and network equipment. To access the \_\_\_\_\_ facility, GRANTEE shall first call the appropriate official at GRANTOR (see Attachment A) and arrange a time and access for the necessary work. After normal business hours, GRANTEE shall call GRANTOR special help desk (see Attachment A). GRANTEE shall provide contact names and phone numbers for both on and off-hour notification of an emergency outage (see Attachment B.)

### Special Conditions for Maintenance of High Priority Traffic:

GRANTEE pays the difference in the maintenance cost for premium service or additional equipment rental cost, etc...

**SECTION 7 – AMENDMENT**

The provisions of this AGREEMENT may be amended with the mutual consent of the parties. No additions to, alterations of, the terms of this AGREEMENT shall be valid unless made in writing and formally approved and executed by the duly authorized agents of both parties.

IN WITNESS WHEREOF, the parties hereto have executed this AGREEMENT as of the day and year first above written.

**GRANTEE**

**BY:** \_\_\_\_\_

**TITLE:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

**GRANTOR**

**BY:** \_\_\_\_\_

**TITLE:** \_\_\_\_\_

**DATE:** \_\_\_\_\_

# Communications Asset Allocation Information Sheet (CAAIS)

CAAIS Reference # \_\_\_\_\_

Associated Inter-agency Agreement Reference # \_\_\_\_\_

## SECTION 1 – DEFINITION OF TERMS

**Grantor** – Agency that owns the physical assets being addressed by this CAAIS and associated Inter-agency Agreement. The Grantor is the maintainer of the physical assets, which reside on their properties (or ROW). The Grantor is responsible for repair, replacement, operation and management of their physical assets. The Grantor determines the use of the communication assets described herein. The Grantor has the authority to commit or deny the use of their communication assets.

**Grantee** – Agency that is requesting use of a Communications asset to utilize for a service, from Grantee.

**Communications Path/Route** – The physical communications segments that defines a Grantee's service path.

**Physical Assets** – All route elements. These elements may include conduit, street poles, patch panels, fiber optic cable, inner-duct, duct banks, pull boxes, communication cables, wireless equipment, antenna, towers, etc.

## SECTION 2 – COMMUNICATIONS PATH / ROUTE INFORMATION

**Project Name:**

**Service period for this allocation from:** \_\_\_\_\_ **to:** \_\_\_\_\_

**Path/Route Name:**

**Segments included in this route** (Acquire segment numbers from the Grantor/CIC Asset Management System; attach associated detail drawings or other information as appropriate)

## SECTION 3 – ASSET DESCRIPTION

Brief Description of the Communications Type, Connection Interface Hardware, Other Assets Required, and Service Being Turned Up:

## SECTION 4 – PATH/ROUTE MAP

Depicted on drawing \_\_\_\_\_ dated \_\_\_\_\_  
(See attachment \_\_\_\_\_), and referenced by segment number(s) noted in Section 2 – Communications Path/Route Information.

## SECTION 5 – MAINTENANCE AND OPERATIONAL REQUIREMENTS

Operational Requirements and roles of the participating agencies are discussed in the Interagency Agreement document \_\_\_\_\_ (Interagency Agreement Ref. #).

## SECTION 6 – CIRCUIT PRIORITY

GRANTEE considers this circuit a  **High**  **Medium**  **Low** priority circuit based on the type of communications that will utilize this path, as well as available redundancy options. GRANTOR and GRANTEE agree to all maintenance and operational requirements and compensation as discussed in the Interagency Agreement document \_\_\_\_\_ (Interagency Agreement Ref. #).

THE UNDERSIGNED COMMUNICATIONS INFRASTRUCTURE COMMITTEE MEMBERS HEREBY EXECUTE THIS COMMUNICATION ASSET ALLOCATION INFORMATION SHEET

GRANTOR Agency Name: \_\_\_\_\_

GRANTEE Agency Name: \_\_\_\_\_

By: \_\_\_\_\_

By: \_\_\_\_\_

Title: \_\_\_\_\_

Title: \_\_\_\_\_

Date: \_\_\_\_\_

Date: \_\_\_\_\_

# Fiber Allocation Information Sheet (FAIS)

FAIS Reference # \_\_\_\_\_

Associated Inter-agency Agreement Reference # \_\_\_\_\_

## SECTION 1 – DEFINITION OF TERMS

**Grantor** – Agency that owns physical assets on the fiber optic route(s). The Grantor is the maintainer of the physical assets, which reside on their properties (or ROW). The Grantor is responsible for repair, replacement, operation and management of their physical assets. The grantor determines the use of the fiber assets on this route. They have the authority to commit or deny the use of their fiber assets.

**Grantee** – Agency that is requesting use of a fiber asset to utilize for a service, from one or more owners.

**Fiber Optic Route** – A series of contiguous fiber segments that defines a Grantee's service path.

**Fiber Optic Segment** – A section of the overall fiber route. Section termination points are defined by any patch or tributary splice location.

**Physical Assets** – All route elements. These elements include conduit, street poles, patch panels, fiber optic cable, inner-duct, duct banks, pull boxes, communication cables, etc.

## SECTION 2 – FIBER OPTIC ROUTE INFORMATION

**Project Name:**

**Service period for this allocation from:** \_\_\_\_\_ **to:** \_\_\_\_\_

**Route Name:**

**Segments included in this route** (Acquire segment numbers from the Grantor/CIC Asset Management System; attach a Fiber Route Patch Sheet for segment details)

## SECTION 3 – ASSET DESCRIPTION

Brief Description of the Fiber Type, Count, Connection Interface Hardware, Other Assets Required, and Service Being Turned Up:

## SECTION 4 – ROUTE MAP

Depicted on drawing \_\_\_\_\_ dated \_\_\_\_\_  
(See attachment \_\_\_\_\_), and referenced by segment number(s) noted in Section 2 – Fiber  
Optic Route Information.

## SECTION 5 – MAINTENANCE AND OPERATIONAL REQUIREMENTS

Operational Requirements and roles of the participating agencies are discussed in the  
Interagency Agreement document \_\_\_\_\_ (Interagency Agreement Ref. #).

## SECTION 6 – CIRCUIT PRIORITY

GRANTEE considers this circuit a  **High**  **Medium**  **Low** priority circuit based on the type  
of communications that will utilize this path, as well as available redundancy options.  
GRANTOR and GRANTEE agree to all maintenance and operational requirements and  
compensation as discussed in the Interagency Agreement document  
\_\_\_\_\_ (Interagency Agreement Ref. #).

THE UNDERSIGNED COMMUNICATIONS INFRASTRUCTURE COMMITTEE MEMBERS HEREBY  
EXECUTE THIS FIBER ALLOCATION INFORMATION SHEET

GRANTOR Agency Name: \_\_\_\_\_

GRANTEE Agency Name: \_\_\_\_\_

By: \_\_\_\_\_

By: \_\_\_\_\_

Title: \_\_\_\_\_

Title: \_\_\_\_\_

Date: \_\_\_\_\_

Date: \_\_\_\_\_

## Appendix M: Meeting Minutes and Agendas

---

Meeting #1	December 15, 2004	Agenda and Meeting Minutes
Meeting #2	February 2, 2005	Agenda and Meeting Minutes
Meeting #3	March 17, 2005	Agenda and Meeting Minutes
Meeting #4	April 21, 2005	Agenda and Meeting Minutes
Meeting #5	June 1, 2005	Agenda and Meeting Minutes
Meeting #6	August 8, 2005	Agenda and Meeting Minutes

# Agenda

## Regional ITS Operations & Implementation Plan For Salem Metropolitan Area *Kick-Off Meeting*

Wednesday, December 15, 2004  
ODOT Region 2 Office  
455 Airport Road, SE, Salem, OR 97301  
Building E Conference Room  
1:00 p.m. – 3:00 p.m.

- |      |  |            |
|------|--|------------|
| I.   | Introductions                                  | 5 Minutes  |
| II.  | Project Overview/Project Purpose               | 20 Minutes |
|      | A. Scope of Work                               |            |
|      | B. Project Schedule                            |            |
| III. | Stakeholder Consensus                          | 15 Minutes |
|      | A. Key Stakeholders (Main Contact and Back-up) |            |
|      | • City of Salem                                |            |
|      | • Oregon Department of Transportation          |            |
|      | • Mid Willamette Valley Council of Governments |            |
|      | • City of Keizer                               |            |
|      | • Marion County                                |            |
|      | • Salem Area Mass Transit District (Cherriots) |            |
|      | • Willamette Valley 911                        |            |
|      | • Oregon State Police                          |            |
|      | • Polk County                                  |            |
|      | • Federal Highway Administration               |            |
|      | B. Expanded Stakeholders                       |            |

- IV. Information Needed by DKS Associates: 10 Minutes
- Traffic Signal Locations and Controller Details
  - Traffic Signal Systems
  - Hardware and Software System Platforms
  - System Detectors
  - Bus Priority Equipment
  - Transit Infrastructure
  - Communications Infrastructure (twisted pair, fiber, radio, WAN, etc...)
  - Leased Lines or Phone Drops
  - ITS Devices (CCTV cameras, dynamic message signs, etc...)
  - Existing and Future (2025) Traffic Volumes, V/C, and LOS for Study Area Corridors
- V. List of Documents to Review (up to 10): 10 Minutes
- ODOT ITS Strategic Plan
  - I-5 State of the Interstate Report
  - ODOT STIP (2004-2007)
  - Oregon Transportation Plan Update
  - Marion County Transportation System Plan
  - Marion County Comprehensive Plan/CIP?
  - Polk County Transportation System Plan?
  - City of Salem Transportation System Plan
  - City of Salem Capital Improvement Program
  - Salem-Keizer Transit Strategic Business Plan
  - SKATS Regional Transportation System Plan
  - SKATS TIP
- VI. Project Expectations 25 Minutes
- VII. Mission, Goals, and Objectives 25 Minutes
- VIII. Next Steps 10 Minutes

# Meeting Minutes

## Regional ITS Operations & Implementation Plan For Salem Metropolitan Area *Kick-Off Meeting*

**Wednesday, December 15, 2004**  
**ODOT Region 2 Facilities**  
**Building E meeting room**  
**1:30 p.m. – 3:00 p.m.**

**Attendees:**

<input checked="" type="checkbox"/> Anderson, Edward (ODOT ITS Salem)	<input checked="" type="checkbox"/> Kelley, Jolene (City of Salem)
<input checked="" type="checkbox"/> Black, Craig (ODOT Region 2)	<input checked="" type="checkbox"/> Kissler, Rob (City of Keizer)
<input checked="" type="checkbox"/> Bradford, Adam (ODOT ITS Salem)	<input checked="" type="checkbox"/> McCarthy, Mike (Marion County)
<input checked="" type="checkbox"/> Dollar, Dan (ODOT Region 2)	<input checked="" type="checkbox"/> McGill, Galen (ODOT ITS Unit)
<input checked="" type="checkbox"/> Erickson, Bruce (ODOT Region 2 Traffic)	<input checked="" type="checkbox"/> Morris, Russ (Salem PD Control Unit)
<input checked="" type="checkbox"/> Fijol, Robert (FHWA Oregon)	<input checked="" type="checkbox"/> Peters, Jim (DKS Associates)
<input checked="" type="checkbox"/> Geisler, Aaron (Polk County)	<input checked="" type="checkbox"/> Price, Nathaniel (FHWA Oregon)
<input checked="" type="checkbox"/> Hottmann, Kevin (City of Salem)	<input checked="" type="checkbox"/> Snook, Alan (DKS Associates)
<input checked="" type="checkbox"/> Jackson, Ray (SKATS/MWVCOG)	

INTRODUCTIONS	ACTION ITEMS
A brief round of introductions was conducted.	
PRESENTATION	ACTION ITEMS
<p>DKS distributed a presentation covering the following topics and used this as an outline for a presentation:</p> <ul style="list-style-type: none"> <li>• What is ITS?</li> <li>• The Scope of ITS is Broad</li> <li>• A Focus on Operations</li> <li>• A Glimpse Into the Future</li> <li>• ITS Provides Regional Opportunities</li> <li>• Why Are You Here</li> <li>• Scope of Work</li> <li>• Project Schedule</li> <li>• Stakeholder Consensus</li> <li>• Information Needed</li> <li>• Documents to Review</li> <li>• Project Expectations</li> <li>• Mission, Goals, and Objectives</li> <li>• Goal Ideas</li> </ul>	

<ul style="list-style-type: none"> <li>• Goals</li> <li>• Next Steps</li> </ul>	
<b>SCOPE OF PROJECT</b>	
<p>DKS presented the scope of the project as it has been identified to date and identifies the schedule milestones as well as key deliverables.</p>	
<b>INFORMATION NEEDED</b>	
<p>DKS recently emailed a list of information needed for the current and future transportation conditions portion of this project. Some information has already been received and other information is still being gathered. The information needed includes:</p> <ul style="list-style-type: none"> <li>• Traffic signal locations and controller details</li> <li>• Transit infrastructure and bus priority equipment</li> <li>• Communications Infrastructure</li> <li>• Leased Lines or Phone Drops</li> <li>• ITS Devices</li> <li>• Existing and Future Traffic Volumes</li> <li>• Existing signal system Synchro files</li> <li>• Facility locations</li> <li>• Crash data</li> <li>• Software systems for Transportation Management</li> </ul>	<p><b>ACTION ITEMS</b></p> <p>Steering Committee members will send DKS any outstanding information needed for the project, as requested.</p>
<b>DOCUMENTS TO REVIEW</b>	
<p>DKS provided the following list of potential documents to review:</p> <ul style="list-style-type: none"> <li>• TSPs, CIPs, TIPs (Salem, Keizer, Polk and Marion Counties)</li> <li>• Cherriots Strategic Business Plan</li> <li>• ODOT Critical Infrastructure</li> <li>• SKATS TSP</li> <li>• Emergency Response Plans (Evacuation, fire warning, etc.)</li> <li>• Road Condition Warning Policies</li> <li>• 1999 ODOT Highway Plan</li> <li>• ODOT ITS Strategic Plan</li> <li>• Oregon STIP</li> <li>• OTIA Project List</li> </ul>	<p><b>ACTION ITEMS</b></p> <p>Steering Committee members will direct DKS as to whether these documents are available, and if they are where they can be obtained for review.</p>

<b>PROJECT EXPECTATIONS</b>	<b>ACTION ITEMS</b>
<p>Steering Committee members were asked what their project expectations were. The following is a summary of topics/ideas that were outlined by the Steering Committee members for the project expectations:</p> <ul style="list-style-type: none"> <li>• 24-hour/7 days a week access to traffic data</li> <li>• Identify grant/funding for projects</li> <li>• Identify a list of improvements and an order for them to be implemented</li> <li>• A plan that succeeds and is efficient</li> <li>• A plan that can fit in with OTIA 3, with some potential for tying into bridge projects</li> <li>• Make dreams become reality through projects that can be implemented</li> <li>• Coordination and ease of getting data out (from) the system</li> <li>• Plan that sets stage, grows, allows you to apply and identify funding sources and helps to identify how we can “do it better”</li> <li>• Allow for projects that can go after federal funding and other funding sources</li> <li>• Convert all the “planning” stuff into operational stuff</li> <li>• An easy to implement plan</li> <li>• Maximize existing infrastructure</li> <li>• Project list that is ready to implement</li> <li>• Improved agency coordination and cooperation</li> <li>• Coordinated signal timing</li> <li>• Explore the newest technologies out there</li> <li>• Coordinated utilities with multiple projects</li> <li>• Coordination on multiple jurisdictions</li> <li>• Coordination with 911 response centers</li> </ul>	<p>DKS will utilize this list to help identify goals and objectives for the project.</p>
<b>MISSION, GOALS, AND OBJECTIVES</b>	<b>ACTION ITEMS</b>
<p>DKS discussed project mission statements, provided three examples, and presented a draft version for the Salem ITS Plan.</p>	<p>Steering Committee members reviewed the draft mission statement and made some minor modifications. Additional goals and objectives would be identified/developed later that supported the mission statement.</p> <p>DKS will edit the Mission statement and bring the revised statement to the next meeting as well as draft Goals and Objectives for the group to review.</p>

<b>NEXT STEPS</b>	<b>ACTION ITEMS</b>
<ul style="list-style-type: none"> <li>Next Steering Committee meeting will be the Wednesday February 2<sup>nd</sup>, 2005.</li> </ul>	DKS will send out notification of meeting dates and times.
<b>NEXT MEETING</b>	
<p style="text-align: center;">           Steering Committee Meeting            Agenda: Finalize Mission, Goals, and Objectives, Discuss Draft            Current and Future Transportation Conditions, review Interview Summary            Wednesday February 2, 2005            1:30 PM to 3:30 PM            ODOT Northwest Transportation Operations Center         </p>	

# Agenda

**Regional ITS Operations & Implementation Plan  
For Salem Metropolitan Area  
*Steering Committee Meeting #2***

**Wednesday, February 2, 2005  
ODOT NW Transportation Operations Center  
3225 State Street, Salem, OR 97301  
Large Conference Room  
1:30 p.m. – 3:30 p.m.**

- |      |   |            |
|------|---|------------|
| I.   | Finalize Mission, Goals and Objectives                  | 15 Minutes |
| II.  | Update on Project Status                                | 15 Minutes |
|      | A. Existing Conditions                                  | 30 Minutes |
|      | B. Interview Results/Status                             | 40 Minutes |
| III. | Expanded Stakeholder Meeting (March 16 <sup>th</sup> ?) | 15 Minutes |
|      | A. Finalize Expanded Stakeholder List                   |            |
|      | B. Discuss Meeting Format and Location                  |            |
| IV.  | Next Steps  | 5 Minutes  |

# Meeting Minutes

## Regional ITS Operations & Implementation Plan For Salem Metropolitan Area *Meeting #2*

**Wednesday, February 2, 2005**  
**ODOT Region 2 Operations Center**  
**Large Conference Room**  
**1:30 p.m. – 3:30 p.m.**

**Attendees:**

<input checked="" type="checkbox"/> Anderson, Edward (ODOT ITS Salem)	<input checked="" type="checkbox"/> Kissler, Rob (City of Keizer)
<input checked="" type="checkbox"/> Dollar, Dan (ODOT Region 2)	<input checked="" type="checkbox"/> McCarthy, Mike (Marion County)
<input checked="" type="checkbox"/> Erickson, Bruce (ODOT Region 2 Traffic)	<input checked="" type="checkbox"/> McGill, Galen (ODOT ITS Unit)
<input checked="" type="checkbox"/> Geisler, Aaron (Polk County)	<input checked="" type="checkbox"/> Peters, Jim (DKS Associates)
<input checked="" type="checkbox"/> Hottmann, Kevin (City of Salem)	<input checked="" type="checkbox"/> Price, Nathaniel (FHWA Oregon)
<input checked="" type="checkbox"/> Jackson, Ray (SKATS/MWVCOG)	<input checked="" type="checkbox"/> Snook, Alan (DKS Associates)
<input checked="" type="checkbox"/> LaFreniere, Joe (Salem Area Mass Transit)	<input checked="" type="checkbox"/> Sularz, Brandy (DKS Associates)

DISCUSSION : MISSION STATEMENT & GOALS	ACTION ITEMS
<p>Jim Peters initiated discussion regarding the appropriate name for the project study area, mission statement and goals and objectives. An agreement was reached upon the Salem-Keizer Metropolitan Area. There was also discussion about somehow incorporating the importance of economic productivity (freight, local businesses) within the mission statement. Additional discussion regarding specific wording of goals and objectives resulted in some possible changed wording with respect to goal number (2) and the addition of a goal dedicated to incident response: Goal (9) was added as : Improve the management and operations during incidents and emergencies. Goal (2) was modified to avoid confusion with the public with respect to adding more lanes to improve capacity, the new goal is: Enhance management of the transportation system to improve operational efficiencies.</p> <p>A suggestion was also made to include a pilot project as an outreach tool for goal (7), something with a high benefit-cost ratio to showcase the benefits to the public. It was then decided to include the pilot project as a strategy for deployment.</p>	<p>Steering Committee members and DKS will work with the wording to come up with the incorporation of economic productivity into the mission statement.</p>
DRAFT REPORT CURRENT AND FUTURE CONDITIONS	ACTION ITEMS
<p>The draft report was available January 31<sup>st</sup>.</p>	<p>Steering Committee members</p>

<p>DKS presented an update on the current and future conditions and solicited input from the committee members regarding the accuracy of the data that was collected and included in the draft report. Specific input was collected on the current and future congestion maps, existing and planned traffic signals, accident sites and communication infrastructure. The following areas were included in the presentation:</p> <ul style="list-style-type: none"> <li>• Current and Future Conditions</li> <li>• Stakeholder Interview Summary</li> </ul>	<p>will review the draft and send comments by February 16<sup>th</sup>.</p> <p>DKS will modify the current and future congestion maps based on the specific areas that were designated as “problem” areas from the meeting. Further input may be submitted by the committee members with the draft comments.</p> <p>DKS will correct a legend discrepancy for the SPIS sites in Marion county and City of Salem, switch the top title of map sheets to Salem-Keizer, and update the existing and planned signal map.</p>
<b>USER NEEDS</b>	<b>ACTION ITEMS</b>
<p>DKS presented preliminary results and a list of needs collected from the personal interviews conducted with key stakeholders. A summary of the needs were presented in the following functional areas:</p> <ul style="list-style-type: none"> <li>• Traffic Management Needs</li> <li>• Incident Management Needs</li> <li>• Traveler Information Needs</li> <li>• Public Transportation Needs</li> <li>• Emergency Management Needs</li> <li>• Information Management Needs</li> <li>• Maintenance and Construction Management Needs</li> <li>• Regional Strengths, Weaknesses, Challenges and Opportunities</li> </ul> <p>Freight mobility was specifically discussed as a major statewide issue because of the OTIA projects. Needs for managing mobility and minimizing delay in construction zones was specifically discussed. Additionally, the group discussed the potential to provide images from the existing Salem video detection cameras on ODOT’s TripCheck website because this could be a potential early-winner project for deployment. The policy issues regarding public privacy were also discussed and the group recommended talking to policy makers prior to providing video images from Salem cameras on TripCheck.</p>	<p>DKS will provide a draft needs chapter in approximately three weeks.</p>
<b>EXPANDED STAKEHOLDER MEETING</b>	<b>ACTION ITEMS</b>

<p>The next meeting will include an expanded list of stakeholders. Open discussion was conducted for a list of possible attendees. Suggestions were:</p> <ul style="list-style-type: none"> <li>• Freight lobbyists</li> <li>• Polk County Commissioners</li> <li>• Marion County Commissioners</li> <li>• Transit Board</li> <li>• City of Salem City Council</li> <li>• Chemeketa Area Regional Transportation System (CARTS)</li> <li>• Regional Advisory Committee</li> <li>• Oregon Housing Authority (OHAS)</li> <li>• Chamber of Commerce</li> <li>• Travel Information Council</li> <li>• Oregon Trucking Association</li> </ul> <p>Additional discussion about the importance of including these parties early on, as well as the importance of providing the necessary information about the meeting to encourage participation for those that may not have an ITS background (i.e. short bullets, real life examples).</p> <p>The expanded stakeholder meeting location will be the NWTOC to facilitate the amount of people that may attend and provide an opportunity to view the Transportation Operations Center.</p>	<p>Steering Committee members will assist DKS with obtaining contact information for expanded stakeholders list.</p> <p>DKS will draft invitation and send draft to Steering Committee members for review and date selection.</p>
<b>NEXT STEPS</b>	<b>ACTION ITEMS</b>
<ul style="list-style-type: none"> <li>• The expanded stakeholder meeting is tentatively scheduled for Wednesday March 16, 2005, but is not confirmed.</li> </ul>	<p>DKS will send out a few options for the expanded stakeholder meeting to key stakeholders.</p>
<b>NEXT MEETING</b>	
<p>Expanded Stakeholder Meeting  Agenda: User Needs  Wednesday March 16, 2005 (tentative)  ODOT Northwest Transportation Operations Center</p>	

# Agenda

**Regional ITS Operations & Implementation Plan  
For Salem Metropolitan Area  
*Steering Committee Meeting #3***

**Thursday, March 17, 2005  
ODOT NW Transportation Operations Center  
3225 State Street, Salem, OR 97301  
Large Conference Room  
11:30 a.m. – 1:30 p.m.**

- |      |   |            |
|------|---|------------|
| I.   | Comments on User Needs Chapter                            | 10 minutes |
| II.  | Finalize Mission, Goals and Objectives                    | 5 Minutes  |
| III. | Introduction to National ITS Architecture and Terminology | 20 Minutes |
|      | A. Why are We Creating an Architecture?                   |            |
|      | B. ITS Terminology  |            |
|      | C. Turbo Architecture                                     |            |
| IV.  | Salem-Keizer Metropolitan Area Regional ITS Architecture  | 70 Minutes |
|      | A. Stakeholders   |            |
|      | B. Inventory  |            |
|      | C. Physical Architecture                                  |            |
|      | D. User Services  |            |
|      | C. Market Packages  |            |
|      | D. How Will the Region Maintain the Architecture?         |            |
| V.   | Introduction to Operational Concept                       | 15 Minutes |
| VI.  | Next Steps  | 5 Minutes  |
| VII. | Next Meeting: April 21, 2005?                             |            |

# Meeting Minutes

## Regional ITS Operations & Implementation Plan For Salem Metropolitan Area *Meeting #3*

**Thursday, March 17, 2005**  
**ODOT Northwest Transportation Operations Center**  
**Large Conference Room**

**Attendees:**

<input checked="" type="checkbox"/> Anderson, Edward (ODOT ITS Salem)	<input type="checkbox"/> LaFreniere, Joe (Salem Area Mass Transit)
<input type="checkbox"/> Dollar, Dan (ODOT Region 2)	<input type="checkbox"/> Kissler, Rob (City of Keizer)
<input type="checkbox"/> Erickson, Bruce (ODOT Region 2 Traffic)	<input checked="" type="checkbox"/> McCarthy, Mike (Marion County)
<input type="checkbox"/> Geisler, Aaron (Polk County)	<input checked="" type="checkbox"/> McGill, Galen (ODOT ITS Unit)
<input checked="" type="checkbox"/> Hockett, Terry (City of Salem)	<input checked="" type="checkbox"/> Peters, Jim (DKS Associates)
<input type="checkbox"/> Hottmann, Kevin (City of Salem)	<input checked="" type="checkbox"/> Price, Nathaniel (FHWA Oregon)
<input checked="" type="checkbox"/> Jackson, Ray (SKATS/MWVCOG)	<input checked="" type="checkbox"/> Sularz, Brandy (DKS Associates)

FINALIZE MISSION STATEMENT & GOALS	ACTION ITEMS
The revised mission statement, goals and objectives were finalized.	DKS will incorporate the final goals and objectives into the final User Needs Assessment Chapter.
DRAFT USER NEEDS ASSESSMENT	ACTION ITEMS
No additional comments were made on the existing chapter.	DKS will update the draft document based on the new input from the User Needs Workshop.

REGIONAL AND NATIONAL ITS ARCHITECTURE OVERVIEW	ACTION ITEMS
<p>DKS provided an overview of Regional ITS Architecture, including What is a Regional ITS Architecture and Why Do We Need It? The key highlights of the presentation include:</p> <ul style="list-style-type: none"> <li>• The architecture describes what the region wants to do for transportation improvements and provides a framework for ITS integration.</li> <li>• The architecture identifies key stakeholders and their relationships, providing a blueprint for system integration.</li> <li>• The architecture is not prescriptive and is not a design document.</li> <li>• The architecture is needed to integrate complex systems and to meet FHWA ITS funding policy.</li> </ul>	<p>DKS will provide a draft Architecture chapter in approximately two weeks and submit it to the Steering Committee.</p>
<p>DKS presented an overview of the established National ITS Architecture, focusing on the physical architecture, terminology, and example market packages.</p>	
REVIEW AND SELECTION OF POTENTIAL ITS SOLUTIONS (MARKET PACKAGES)	ACTION ITEMS
<p>DKS introduced Turbo, the software tool that is used to create the ITS architecture. DKS provided handouts of the existing stakeholders and inventory that was output from the Turbo file.</p> <p>DKS also provide handouts of the preliminary selections of user service bundles and market packages. The market packages are organized in the following categories to simplify the selection of packages:</p> <ul style="list-style-type: none"> <li>• Archived Data Management</li> <li>• Advanced Public Transportation Systems</li> <li>• Advanced Traveler Information Systems</li> <li>• Advanced Traffic Management Systems</li> <li>• Advanced Vehicle Safety Systems</li> <li>• Commercial Vehicle Operations</li> <li>• Emergency Management</li> <li>• Maintenance and Construction Management</li> </ul>	
<p>The following comments were made regarding the stakeholders list:</p> <ul style="list-style-type: none"> <li>• Rail should be added as a stakeholder.</li> <li>• Oregon Travel Information should be added as a stakeholder as they will provide information for use with TripCheck</li> <li>• Add taxi companies to the listing of public transportation providers</li> <li>• Remove CherryLift from the category of public transportation providers, as they are part of Cherriots.</li> </ul>	<p>DKS will revise the stakeholder list based on these comments.</p>

REVIEW AND SELECTION OF POTENTIAL ITS SOLUTIONS (MARKET PACKAGES) ...CONTINUED	ACTION ITEMS
<p>The following comments were made regarding the inventory list:</p> <ul style="list-style-type: none"> <li>• Add the following inventory items: <ul style="list-style-type: none"> <li>• Construction Project Website</li> <li>• Ferry Operations</li> <li>• Maintenance Management System</li> <li>• Marion County Traffic Cameras – Planned</li> <li>• Marion County Website</li> </ul> </li> <li>• Add the City of Salem as the associated stakeholder under the City of Salem Traffic Management element inventory.</li> <li>• Change the MWVCOG inventory by eliminating traffic management</li> </ul>	<p>DKS will revise the inventory list based on these comments.</p>
<p>The following comments were made regarding the preliminary market package list:</p> <ul style="list-style-type: none"> <li>• <b>Archived Data Management</b> <ul style="list-style-type: none"> <li>• Add ITS Data Warehouse associated with MWCOG</li> <li>• Eliminate ITS Virtual Data Warehouse</li> </ul> </li> <li>• <b>Advanced Public Transportation Systems</b> <ul style="list-style-type: none"> <li>• Add Transit Passenger and Fare Management</li> </ul> </li> <li>• <b>Advanced Traveler Information Systems</b> <ul style="list-style-type: none"> <li>• Add Yellow pages &amp; Reservation, Dynamic Ridesharing and In-vehicle signing</li> </ul> </li> <li>• <b>Advanced Traffic Management Systems</b> <ul style="list-style-type: none"> <li>• Add Standard railroad grade crossing</li> <li>• Add Railroad operations coordination</li> <li>• Add Parking facility Management</li> <li>• Add Regional Parking Management</li> </ul> </li> <li>• <b>Advanced Vehicle Safety Systems</b> <ul style="list-style-type: none"> <li>• Add Intersection Safety Systems</li> <li>• Add Intersection Collision Avoidance (Marion County)</li> </ul> </li> <li>• <b>Commercial Vehicle Operations</b> <ul style="list-style-type: none"> <li>• Add weigh-in-motion (Marion County)</li> </ul> </li> <li>• <b>Emergency Management</b> <ul style="list-style-type: none"> <li>• Eliminate transportation infrastructure protection</li> <li>• Add Mayday support</li> </ul> </li> <li>• <b>Maintenance and Construction Management</b> <ul style="list-style-type: none"> <li>• Add maintenance and construction vehicle and equipment tracking (Marion County)</li> <li>• Add winter maintenance (ODOT, City of Salem, Marion County)</li> </ul> </li> </ul>	<p>DKS will incorporate these changes into the Turbo Architecture file.</p>

OPERATIONAL CONCEPT	ACTION ITEMS
<p>DKS presented an introduction to Operational Concept for an ITS plan, which includes defining inter and intra-agency relationships, the flow of data, and the agency roles and responsibilities.</p>	
NEXT STEPS	ACTION ITEMS
<ul style="list-style-type: none"> <li>The next meeting has tentatively been scheduled for April 21<sup>st</sup> from 2:00 -4:00 at the City of Salem Public Works Conference Room</li> </ul>	<p>DKS will submit the final User Needs Assessment chapter to the Steering Committee next week.</p> <p>DKS will submit a draft Architecture chapter to the Steering Committee on April 14<sup>th</sup>.</p>
NEXT MEETING	
<p style="text-align: center;">Steering Committee Meeting #4  Agenda: Operational Concept  Thursday April 21, 2005 (tentative)  2:00 -4:00 p.m.  City of Salem</p>	

# Agenda

**Regional ITS Operations & Implementation Plan  
For Salem-Keizer Metropolitan Area  
*Steering Committee Meeting #4***

**Thursday, April 21, 2005  
City of Salem Public Works  
555 Liberty Street, SE  
Main Conference Room  
2:00 p.m. – 4:00 p.m**

I. Comments on Architecture Chapter/User Needs Workshop 10 Minutes

- A. Status of Salem-Keizer Regional Architecture – Draft Architecture Chapter was provided on April 20, 2005. Please review the stakeholder report, inventory report, and user service/market package selection.

Deadline for Comments: May 12, 2005

<b>Subtask</b>	<b>Status</b>
Description of Region	Complete
Inventory	Complete
Selection of Market Packages	Complete
Draft Chapter	Complete – April 20
Interconnects	Underway – May 27
Information Flows	Underway – May 27
Final Chapter	June 17

II. Deployment Plan Introduction 30 Minutes

- A. Discuss the preliminary project list
- B. Discuss the proposed scoring methodology and rate the categories.

### III. Operational Concept

60 Minutes

*Purpose:* The purpose for the operational concept is to define each stakeholder's current and future roles and responsibilities in the implementation and operation of the regional systems. It provides an "executive summary" view of the way the region's systems and stakeholders will work together to provide ITS services. It describes a "day in the life" of the regional surface transportation system.

*Objective:* Work together to come to an agreement on the implementation and operations roles and responsibilities.

A. The Salem-Keizer operational concept will be defined for the following ITS services:

- Regional Traffic Control
- Incident Management
- Traveler Information
- Public Transportation Services
- Maintenance and Construction
- Archived Data

The operational concept for each ITS service is described with a graphic, description of roles and responsibilities and soon to be text in the draft chapter.

B. Work together on the incident management operational concept.

C. Discuss specific details on the operational concept for the other ITS services.

### IV. Next Steps

5 Minutes

A. Draft Operational Concept Chapter – April 29th

B. Deployment Plan Workshop – June 23<sup>rd</sup>

### V. Next Meeting: May 19, 2005?

# Meeting Minutes

## Regional ITS Operations & Implementation Plan For Salem Metropolitan Area *Meeting #4*

**Thursday, April 21, 2005**  
**City of Salem Public Works**  
**Large Conference Room**  
**2:00 p.m. – 4:00 p.m.**

**Attendees:**

<input type="checkbox"/> Anderson, Edward (ODOT ITS Salem)	<input type="checkbox"/> Kissler, Rob (City of Keizer)
<input type="checkbox"/> Dollar, Dan (ODOT Region 2)	<input type="checkbox"/> McCarthy, Mike (Marion County)
<input type="checkbox"/> Erickson, Bruce (ODOT Region 2 Traffic)	<input checked="" type="checkbox"/> McGill, Galen (ODOT ITS Unit)
<input type="checkbox"/> Geisler, Aaron (Polk County)	<input checked="" type="checkbox"/> Peters, Jim (DKS Associates)
<input checked="" type="checkbox"/> Hottmann, Kevin (City of Salem)	<input checked="" type="checkbox"/> Price, Nathaniel (FHWA Oregon)
<input checked="" type="checkbox"/> Jackson, Ray (SKATS/MWVCOG)	<input type="checkbox"/> Snook, Alan (DKS Associates)
<input type="checkbox"/> LaFreniere, Joe (Salem Area Mass Transit)	<input checked="" type="checkbox"/> Sularz, Brandy (DKS Associates)

DRAFT REGIONAL ARCHITECTURE CHAPTER		ACTION ITEMS
<p>The draft report was available April 20<sup>th</sup>.</p> <p>DKS discussed the status of the Regional Architecture chapter.</p>		<p>Steering Committee members will review the draft and submit comments to DKS Associates by May 12<sup>th</sup>.</p>
<b>Subtask</b>	<b>Status</b>	
Description of Region	Complete	
Inventory	Complete	
Selection of Market Packages	Complete	
Draft Chapter	Complete – April 20	
Interconnects	Underway – May 27	
Information Flows	Underway – May 27	
Final Chapter	June 17	

DEPLOYMENT PLAN INTRODUCTION	ACTION ITEMS
<p>A preliminary project list was presented to the Steering Committee members for discussion and review. The following comments were noted:</p> <ul style="list-style-type: none"> <li>• A bridge plan project should replace the evacuation route management project; copies of the plan need to be distributed police, fire, ODOT and other public agencies.</li> <li>• ODOT is going to map the detour routes into GIS.</li> <li>• Railroad crossing information would be beneficial to have at ODOT TOC. Portland Western blocks Commercial and Liberty Street for 20 to 25 minutes sometimes, contributing to traffic delays and impacts emergency responders. Many of the freight shipments do not follow a specific schedule.</li> <li>• The City of Salem would like to allow ODOT to control Salem field devices with limited functionality. They would also like to share control of any message signs that ODOT owns, specifically or Riverfront Park Events or detour routes.</li> <li>• The central signal system upgrade in the City of Salem would be a long term project, but could be considered as part of the 20-year plan.</li> <li>• Vehicle tracking would also be useful on incident response vehicles. A separate project for GPS on incident response vehicles should be added.</li> </ul> <p>A potential project ranking criteria was also presented as one method to determine deployment project priority. Seven categories were ranked as high, medium or low by each of the Steering Committee members. These categories included:</p> <ul style="list-style-type: none"> <li>• Safety/Crash Prevention</li> <li>• Traffic Volumes/Congestion</li> <li>• Key Decision Point</li> <li>• User Need-Workshop Rankings</li> <li>• State-Wide Consistency</li> <li>• Part of an improvement project</li> <li>• Other</li> </ul> <p>One additional suggested criterion was the operation and maintenance cost of the deployment project.</p>	<p>DKS will modify the deployment list based on the comments and discussion.</p> <p>DKS will obtain current bridge closure plan from Dan Dollar.</p> <p>DKS will incorporate the results from the ranking criteria into a project scoring matrix.</p>

OPERATIONAL CONCEPT	ACTION ITEMS
<p>DKS presented an introduction to the operational concept. The Salem-Keizer operational concept will be defined for the following ITS services:</p> <ul style="list-style-type: none"> <li>• Regional Traffic Control</li> <li>• Incident Management</li> <li>• Traveler Information</li> <li>• Public Transportation Services</li> <li>• Maintenance and Construction</li> <li>• Archived Data</li> </ul> <p>Graphic flow diagrams that described roles and responsibilities for each of the program areas listed above were presented and discussed.</p> <p>The following comments were noted:</p> <ul style="list-style-type: none"> <li>• MWVCOG will store a subset of data for the regional data warehouse.</li> <li>• Railroad crossing occupation information should also go to Emergency Management Center</li> <li>• An exchange of information between the transit operations center and the emergency operations center should be added.</li> <li>• Video images from emergency management vehicles (fire, police) should not be included as an information flow to the 911 center.</li> </ul>	<p>DKS will provide a draft Operational Concept chapter in one week.</p>
NEXT STEPS	ACTION ITEMS
<ul style="list-style-type: none"> <li>• The next Steering Committee Meeting is tentatively scheduled for Wednesday June 1, 2005 at the Mid-Willamette Valley 911 Center</li> <li>• The Deployment Plan Workshop is tentatively scheduled for June 23<sup>rd</sup>.</li> </ul>	<p>DKS will send a confirmation e-mail about time and location of Steering Committee meeting #5.</p>
<b>NEXT MEETING</b>	
<p>Steering Committee # 5  Agenda: Communication Requirements and Deployment Plan  Wednesday June 1, 2005  Mid Willamette Valley 911 Center</p>	

# Agenda

**Regional ITS Operations & Implementation Plan  
For Salem-Keizer Metropolitan Area  
*Steering Committee Meeting #5***

**Wednesday, June 1st, 2005  
Mid-Willamette Valley 911 Center  
595 Cottage Street, NE  
10:00 a.m. – 12:00 p.m.**

- |      |   |            |
|------|---|------------|
| I.   | Communications Plan   | 70 Minutes |
| II.  | Deployment Plan Status  | 30 Minutes |
|      | <ul style="list-style-type: none"><li>• Discuss project list changes</li><li>• Discuss project phasing</li></ul>                                |            |
| III. | Workshop Format   | 20 Minutes |
|      | <ul style="list-style-type: none"><li>• Expanded Stakeholders</li><li>• Speaker (Theme: Regional ITS Implementation and Coordination)</li></ul> |            |
| IV.  | Next Meeting: Deployment Plan Workshop  |            |



<ul style="list-style-type: none"> <li>• Marion County Traffic Management Center should be changed to Marion County Public Works</li> <li>• Lancaster/Silverton hub location is a good one because of existing right-of-way</li> <li>• Cherriots transit management center should be shown on the communication map</li> <li>• Dan Dollar is working with Department of Corrections to obtain easement for fiber in the ground to go under Hawthorne and over the freeway to the east side of Interstate 5</li> <li>• ODOT plans to include fiber on Interstate 5 north of State Street</li> <li>• City of Salem plans to include fiber on Portland Road (Hyacinth to Silverton Rd)</li> </ul>	
--	--

<b>DEPLOYMENT PLAN</b>	<b>ACTION ITEMS</b>
<p>An existing project list was presented. The projects were in order of priority, based on preliminary phasing. Draft graphics of the existing and proposed field devices were also presented for review and comments by the steering committee members.</p> <p>The status of the deployment plan was presented. New projects that were added to the list included:</p> <ul style="list-style-type: none"> <li>• Incident Management on West Salem Bridges</li> <li>• Hazardous Material Management</li> <li>• Adaptive Signal Timing</li> <li>• Interactive Traveler Information</li> <li>• Integrate Transit Information with Regional Trip Planner</li> <li>• Program Management Category</li> </ul> <p>An additional project for weigh-in-motion on Brooklake Road and 99 East was suggested and will be added to the project list.</p>	<p>DKS will modify the deployment list based on the comments and discussion.</p> <p>DKS will submit a draft Deployment Plan chapter on June 10<sup>th</sup>.</p>

<b>DEPLOYMENT PLAN WORKSHOP</b>	<b>ACTION ITEMS</b>
<p>A tentative agenda was suggested for the deployment plan workshop, including a guest speaker to discuss Integrating Regional ITS Projects, Planning to Implementation.</p> <p>A draft invitation was also presented for review. There was additional discussion regarding the relatively low turnout at the last expanded stakeholder workshop.</p>	<p>The steering committee will review the draft invitation and submit comments.</p> <p>The steering committee will review the existing contact list and add contact information for other expanded stakeholders that should be included in the Deployment Plan Workshop</p> <p>DKS will send out the deployment plan workshop invitation to the expanded stakeholder group by Friday, June 3<sup>rd</sup>.</p>
<b>NEXT MEETING</b>	
<p>Deployment Plan Workshop  Marion County Senator Hearing Room  June 28<sup>th</sup>, 2005  9:00-noon</p>	

# Agenda

## Regional ITS Operations & Implementation Plan for Salem-Keizer Metropolitan Area *Steering Committee Meeting #6*

Mid-Willamette Valley Council of Governments  
105 High Street, SE

Monday August 8<sup>th</sup>, 2005  
2:00 p.m. – 4:00 p.m.

- |      |  |            |
|------|--|------------|
| I.   | Project Status   | 10 Minutes |
|      | a. 5-Year Deployment Plan  |            |
| II.  | How is the ITS Plan Implemented?   | 10 Minutes |
|      | a. How will the projects be phased?  |            |
|      | b. Should conduit be installed on ITS corridors as part of other projects?   |            |
|      | c. How will the projects be funded?  |            |
| III. | How can we measure benefits of ITS projects? Capacity improvement? Reliability improvement?                            | 10 Minutes |
|      | a. Established performance measures  |            |
|      | b. <a href="http://www.oregon.gov/ODOT/CS/PERFORMANCE/">http://www.oregon.gov/ODOT/CS/PERFORMANCE/</a>                 |            |
|      | c. <a href="http://www.wsdot.wa.gov/accountability/default.htm">http://www.wsdot.wa.gov/accountability/default.htm</a> |            |
|      | d. <a href="http://www.benefitcost.its.dot.gov">www.benefitcost.its.dot.gov</a>  |            |
|      | e. ITS Deployment Analysis System (IDAS)   |            |
| IV.  | Recommendation for Plan Continuation   | 60 Minutes |
|      | i. Maintaining the ITS Architecture  |            |
|      | ii. Incorporating the ITS Plan into RTP/TSPs/SDCs  |            |

iii. Project Requirements

1. Systems Engineering

2. ITS Architecture Compliance

- V. Where do we go from here? 15 Minutes
- a. Designate a lead agency to continue to coordinate ITS project implementation
- VI. Review Draft Executive Summary 10 Minutes
- VII. Next Steps 5 Minutes

# Meeting Minutes

## Regional ITS Operations & Implementation Plan For Salem Metropolitan Area *Meeting #6*

**August 9, 2005**  
**Mid-Willamette Valley Council of Governments**  
**105 High Street, SE**  
**2:00 p.m. – 4:00 p.m.**

**Attendees:**

<input checked="" type="checkbox"/> Anderson, Edward (ODOT ITS Salem)	<input checked="" type="checkbox"/> Chris Maciejewski
<input checked="" type="checkbox"/> Dollar, Dan (ODOT Region 2)	<input checked="" type="checkbox"/> Kissler, Rob (City of Keizer)
<input type="checkbox"/> Erickson, Bruce (ODOT Region 2 Traffic)	<input checked="" type="checkbox"/> McCarthy, Mike (Marion County)
<input type="checkbox"/> Geisler, Aaron (Polk County)	<input checked="" type="checkbox"/> McGill, Galen (ODOT ITS Unit)
<input checked="" type="checkbox"/> Hottmann, Kevin (City of Salem)	<input checked="" type="checkbox"/> Peters, Jim (DKS Associates)
<input checked="" type="checkbox"/> Jackson, Ray (SKATS/MWVCOG)	<input type="checkbox"/> Price, Nathaniel (FHWA Oregon)
<input type="checkbox"/> LaFreniere, Joe (Salem Area Mass Transit)	<input checked="" type="checkbox"/> Sularz, Brandy (DKS Associates)

FIVE-YEAR DEPLOYMENT PLAN	ACTION ITEMS
DKS led a discussion summarizing the Executive Summary and the high priority projects included in the 0-5 Year Deployment Plan. The discussion included project descriptions, cost estimates (capital, operations & maintenance, and staffing), and priorities for implementation.	
PLAN IMPLEMENTATION GUIDELINES/FUNDING ITS PROJECTS	ACTION ITEMS
DKS presented guidelines for implementing the ITS Plan, which include adjusting project phasing (when funding is available, partnerships with other agencies are made, or other improvement projects provide an opportunity), breaking projects into multiple phases, and implementing components of the ITS Plan with other construction projects (e.g. installing conduit for future fiber paths). The presentation also noted potential funding sources that can be pursued to fund projects in the plan.	
MEASURING ITS BENEFITS	ACTION ITEMS
DKS presented several sources that can be used for researching performance measures, benefits, and costs.	

RECOMMENDATIONS FOR PLAN CONTINUATION	ACTION ITEMS
<p>DKS led a discussion to explain the need to maintain the regional ITS Architecture. The group was asked to choose when the plan would be updated and how changes would be tracked.</p> <p>It was decided that Mid Willamette Valley Council of Governments (MWVCOG) will lead the steering committee to help guide the implementation and management of ITS projects in the Salem-Keizer metropolitan area. ODOT staff will serve as a joint manager of the Regional Architecture and will conduct the updates to the Turbo architecture file.</p> <p>Dan Dollar suggested a yearly review of operations and roles and responsibilities along with the architecture update.</p>	
INCORPORATING ITS PROJECTS INTO THE RTP/TSP/SDC	ACTION ITEMS
<p>DKS presented two options for incorporating the ITS plan into the local planning process. The first option would integrate the plan into the existing planning policy framework and would adopt the project list with the appropriate modal plans, where possible. The second option would implement ITS as a new component to local plans and would include a stand alone project list and a separate funding scoring criteria. DKS also discussed TPR issues relating to the ITS Plan implementation.</p> <p>From the City of Salem's and City of Keizer's perspective, it would be useful to have the plan adopted by the MWVCOG so the plan holds some weight with their respective Council members.</p> <p>After some discussion, the group agreed that the SKATS RTSP should be amended to remove the existing references to ITS and replace it with the complete ITS plan. This will enable other agencies (i.e. the City of Salem and the City of Keizer) to incorporate the ITS plan into their TSPs.</p> <p>The current SKATS RTSP was adopted in June, 2005. MWVCOG will lead the effort to amend the SKATS RTSP to include the ITS Plan.</p>	
PROJECT DEVELOPMENT REQUIREMENTS	ACTION ITEMS
<p>DKS lead a brief discussion summarizing the FHWA system engineering requirement and how it would apply to projects in the ITS Plan. Key points included that each project would need to describe the portions of the architecture being deployed and identify applicable ITS standards.</p>	

<b>PLAN CONTINUATION</b>	<b>ACTION ITEMS</b>
<p>DKS led a discussion to identify next steps for plan implementation.</p> <p>The ITS plan will be presented to the SKATS TAC on September 13<sup>th</sup>.</p> <p>The Steering Committee discussed the possibility of a pursuing an initial project as a group and potentially apply for a grant. The Incident Management Plan for the West Salem Bridges was suggested and could include the deployment of highway advisory radio, cameras, and dynamic message signs as well as coordination with numerous agencies</p>	
<b>NEXT STEPS</b>	<b>ACTION ITEMS</b>
<p>The preparation of the final plan and distribution of plan copies will be completed by DKS.</p>	<p>DKS will email the group a distribution list of plan copies for review.</p>