

Actual Measurements	ATR	26-014	26-019	26-005	03-011	24-014	22-005	20-008	R021	09-009	22-016	P06	
Name	Hoyt	Minnesota	Stadium Freeway	Wilsonville	Salem Bridges	North Albany	Willakenzie	Spokane Division St	Bend-Revere	Lake Creek	Camas		
Highway	2	1	61	1	30	1	227	WA 2	4	1	WA 14		
Functional Class	11	11	11	01	12	01	11	12	01				
Missing days	3	0	0	1	1	0	0	0	4	1	0		
AADT	160956	136027	96283	86727	84400	60486	59361	46520	38565	38055	35296		
K-30 Factor	7.4	7.5	8.0	8.9	9.6	9.5	10.1	9.0	10.4	10.5	9.3		
Using Count ADT													
Oregon Procedures	Highest K Factor	7.0	7.2	9.9	12.8	14.9	9.0	14.8	8.4	9.2	8.6	8.6	
	Average K Factor	6.7	6.8	7.2	7.7	8.9	7.9	9.0	7.9	8.8	7.7	8.1	
	Lowest K Factor	6.4	6.5	6.7	7.1	7.5	7.4	8.3	7.4	8.4	7.2	7.7	
	Standard Deviation	0.6	0.3	0.1	0.4	0.6	1.0	0.3	0.8	0.2	0.2	0.2	
	Corresponding K-Level	646	940	831	871	529	339	504	484	981	633	792	695
	Percent Underestimated	27	9	9	10	13	7	17	11	12	15	27	13
Washington Procedures	Highest K Factor	6.8	7.0	8.4	11.2	12.9	8.7	12.7	8.2	9.1	8.5	8.6	
	Average K Factor	6.6	6.8	7.1	7.8	9.0	8.2	9.1	7.9	8.8	8.0	8.1	
	Lowest K Factor	6.4	6.6	6.8	7.3	8.3	7.7	8.4	7.6	8.4	7.6	7.8	
	Standard Deviation	0.5	0.1	0.1	0.3	0.7	1.0	0.3	1.0	0.2	0.2	0.2	
	Corresponding K-Level	563	1137	831	1031	460	305	326	448	981	633	595	695
	Percent Underestimated	25	11	9	11	12	6	14	10	12	15	24	13
Seven Day Counts	Highest K Factor	7.3	7.6	8.3	10.1	10.9	10.1	14.9	9.1	10.3	11.1	9.3	
	Average K Factor	7.1	7.2	7.7	8.5	9.4	9.1	10.1	8.6	9.8	9.4	8.8	
	Lowest K Factor	6.9	6.9	7.4	7.7	8.8	8.3	9.3	8.0	9.2	8.6	8.3	
	Standard Deviation	0.9	0.1	0.2	0.2	0.5	0.5	0.6	0.9	0.3	0.2	0.6	
	Corresponding K-Level	181	333	239	202	114	80	89	30	163	177	150	272
	Percent Underestimated	14	4	4	4	4	2	4	0	4	6	10	5
Using Station AADT													
Oregon Procedures	Highest K Factor	7.5	7.7	8.3	8.6	9.7	8.9	10.1	8.7	10.7	9.1	9.4	
	Average K Factor	7.2	7.3	7.9	7.7	9.3	7.8	9.5	8.2	9.9	7.5	9.0	
	Lowest K Factor	6.9	7.0	7.3	6.9	7.7	7.2	6.0	7.9	9.1	6.5	8.4	
	Standard Deviation	1.1	0.1	0.1	0.2	0.3	0.7	0.4	0.9	0.2	0.3	0.6	
	Corresponding K-Level	503	207	140	55	529	127	572	271	505	131	914	131
	Percent Underestimated	24	3	3	1	13	3	18	6	9	5	29	3
Washington Procedures	Highest K Factor	7.5	7.7	8.3	8.6	9.9	9.3	10.6	8.7	10.7	9.1	9.4	
	Average K Factor	7.3	7.4	7.9	8.0	9.5	8.3	9.8	8.4	10.1	8.1	9.1	
	Lowest K Factor	7.0	7.2	7.6	7.2	9.0	7.7	6.2	8.0	9.5	7.0	8.4	
	Standard Deviation	1.1	0.1	0.1	0.2	0.3	0.4	0.4	0.7	0.2	0.3	0.6	
	Corresponding K-Level	363	100	74	55	325	49	293	96	296	79	553	83
	Percent Underestimated	21	1	1	1	10	1	13	3	7	3	23	2
Seven Day Counts	Highest K Factor	7.5	7.7	8.3	9.2	13.5	10.1	10.6	9.3	10.8	11.5	9.6	
	Average K Factor	7.3	7.5	8.0	8.7	8.5	9.5	10.0	8.8	10.2	9.9	9.2	
	Lowest K Factor	7.0	7.2	7.6	7.7	7.2	8.9	6.2	8.2	9.5	9.0	8.6	
	Standard Deviation	1.7	0.1	0.1	0.2	0.3	0.2	0.3	0.7	0.3	0.3	0.6	
	Corresponding K-Level	83	100	32	34	66	462	33	43	79	58	79	52
	Percent Underestimated	7	1	0	0	2	11	0	1	2	2	6	1

Actual Measurements	ATR	270 36-004	09-020	D12	10-007	09-003	219 24-005	211 16-002	17-005	05-006	08-005			
Name	Eagle Rd	Newberg	Redmond	Covington	Oakland	Lava Butte	West ParkCenter	Aumsville	Warm Springs	Madras	Timber Ridge	Rainier	Winchuck	
Highway	ID SH 55	91	4	WA 18	1	4	ID STP 9493	162	ID SMA 7383	4	25	92	9	
Functional Class	14	14	02		01	14		14	02	16	02	02	02	
Missing days	0	14	4	1	0	0		0	0	0	0	0	0	
AADT	33726	33463	28647	26371	23093	22128		20719	20482	14033	13143	11860	9950	9633
K-30 Factor	9.7	8.8	10.2	9.9	10.5	10.8		12.1	10.6	10.7	11.1	9.8	12.0	10.9
Using Count ADT														
Oregon Procedures	Highest K Factor	8.9	8.6	9.4	8.7	9.1	9.5	11.0	9.4	10.7	9.5	11.4	9.9	9.3
	Average K Factor	8.4	8.1	8.7	8.1	7.8	8.7	10.2	8.7	9.6	8.6	8.4	8.5	8.6
	Lowest K Factor	7.7	7.7	8.3	7.6	7.3	8.3	9.5	8.2	8.7	7.9	7.7	7.6	8.1
	Standard Deviation	0.3	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.4	0.3	0.6	0.3	0.2
	Corresponding K-Level	515	384	563	571	778	503	353	478	189	595	546	617	730
	Percent Underestimated	13	8	15	18	26	19	16	18	10	23	14	29	21
Washington Procedures	Highest K Factor	8.7	8.5	9.2	8.7	9.1	9.4	10.6	9.5	10.5	9.3	10.2	9.6	9.2
	Average K Factor	8.4	8.2	8.8	8.3	8.0	8.8	10.2	8.9	9.7	8.8	8.4	8.7	8.7
	Lowest K Factor	7.6	7.8	8.4	7.9	7.6	8.4	9.6	8.4	9.0	8.3	7.8	8.1	8.4
	Standard Deviation	0.3	0.2	0.2	0.2	0.3	0.2	0.2	0.3	0.4	0.3	0.5	0.3	0.2
	Corresponding K-Level	515	331	523	417	669	459	353	388	173	498	546	529	661
	Percent Underestimated	13	7	14	16	24	19	16	16	9	21	14	28	20
Seven Day Counts	Highest K Factor	9.6	9.0	10.3	10.1	9.7	10.5	12.5	10.4	11.7	10.8	10.6	11.5	10.4
	Average K Factor	8.9	8.5	9.6	9.4	8.9	9.7	11.7	9.7	10.1	9.9	9.1	10.0	9.5
	Lowest K Factor	8.4	8.0	9.1	8.5	8.3	8.9	10.9	9.2	9.3	9.1	8.3	9.0	8.9
	Standard Deviation	0.3	0.3	0.3	0.5	0.3	0.3	0.3	0.3	0.5	0.5	0.5	0.5	0.3
	Corresponding K-Level	268	138	160	92	248	160	114	139	102	164	185	179	306
	Percent Underestimated	8	3	6	5	15	10	3	8	6	11	7	17	13
Using Station AADT														
Oregon Procedures	Highest K Factor	9.7	8.9	11.3	9.6	9.8	11.4	12.7	10.3	12.6	10.7	10.0	10.2	11.0
	Average K Factor	9.3	8.5	9.7	8.5	7.8	9.5	11.9	9.2	10.5	9.1	8.9	8.6	9.0
	Lowest K Factor	8.8	8.0	9.0	8.0	6.7	8.2	11.0	8.4	9.2	7.9	8.0	7.6	7.0
	Standard Deviation	0.3	0.2	0.4	0.2	0.8	0.7	0.4	0.4	0.6	0.6	0.5	0.6	1.0
	Corresponding K-Level	118	138	119	297	778	207	69	275	49	358	259	571	499
	Percent Underestimated	4	3	5	14	26	12	2	13	2	18	9	28	17
Washington Procedures	Highest K Factor	9.8	8.9	11.3	9.6	9.5	11.4	12.6	10.6	12.6	10.7	10.0	10.3	11.0
	Average K Factor	9.4	8.6	9.9	8.9	8.3	9.8	12.0	9.6	10.8	9.5	9.1	9.0	9.2
	Lowest K Factor	8.8	8.2	9.5	8.4	7.2	8.6	11.1	8.8	10.1	8.1	8.3	8.1	7.9
	Standard Deviation	0.3	0.2	0.4	0.3	0.8	0.8	0.3	0.5	0.5	0.7	0.4	0.6	0.9
	Corresponding K-Level	86	86	64	161	488	139	51	162	24	262	185	395	399
	Percent Underestimated	3	2	3	10	21	9	1	9	-1	14	7	25	16
Seven Day Counts	Highest K Factor	10.0	9.0	11.3	10.3	11.1	12.1	12.7	11.8	12.6	11.7	10.5	12.6	11.8
	Average K Factor	9.5	8.8	10.1	9.9	9.4	10.5	12.0	10.4	10.8	10.9	9.6	10.7	10.0
	Lowest K Factor	8.9	8.4	9.6	9.6	8.2	9.3	11.1	9.6	10.0	9.4	9.0	9.1	8.9
	Standard Deviation	0.3	0.2	0.4	0.2	0.9	0.8	0.3	0.6	0.5	0.6	0.4	1.1	1.0
	Corresponding K-Level	66	37	39	30	156	47	51	46	24	42	58	91	167
	Percent Underestimated	2	0	1	0	10	3	1	2	-1	2	2	11	8

Actual Measurements	ATR	09-015	01-011	23-016	15-013	27-005	10 16-006	20-005	10-006	P07	18-022	
	Name	3 Sisters Viewpoint	Baker Valley	Huntington	Shady Cove	Monmouth	Dry Creek	Warm Springs	Noti	Brockway	Washougal	Modoc Point
	Highway	17	6	6	22	91	ID SH 55	53	62	35	WA 14	4
	Functional Class	02	01	01	06	06	14	02	02	02		02
	Missing days	0	4	4	0	0	0	0	5	0	7	4
	AADT	9342	9236	8691	8087	7615	7190	7125	6431	6277	6150	6092
	K-30 Factor	12.3	11.4	11.2	10.9	11.3	16.4	13.3	12.7	9.8	10.3	10.8
Using Count ADT												
Oregon Procedures	Highest K Factor	9.7	10.4	9.7	9.1	10.0	10.0	9.8	10.2	9.2	9.4	10.1
	Average K Factor	8.7	7.4	7.4	8.3	9.2	8.7	8.5	8.7	8.0	8.4	8.4
	Lowest K Factor	8.1	6.9	6.8	7.6	8.5	7.9	7.7	7.8	7.4	7.5	7.4
	Standard Deviation	0.3	0.4	0.3	0.3	0.3	0.5	0.4	0.4	0.3	0.4	0.4
	Corresponding K-Level	778	1117	917	643	337	1175	782	687	629	468	677
	Percent Underestimated	29	35	34	24	19	47	36	31	18	18	22
Washington Procedures	Highest K Factor	9.5	10.1	9.5	8.9	9.8	10.2	10.1	10.1	8.9	9.3	9.7
	Average K Factor	9.1	7.8	7.8	8.4	9.2	9.3	9.0	8.9	8.1	8.6	8.5
	Lowest K Factor	8.6	7.1	7.2	7.9	8.7	8.6	8.6	8.1	7.6	7.9	7.8
	Standard Deviation	0.2	0.4	0.4	0.2	0.3	0.5	0.4	0.5	0.3	0.4	0.4
	Corresponding K-Level	604	832	679	596	337	663	589	584	566	357	626
	Percent Underestimated	26	32	30	23	19	43	32	30	17	17	21
Seven Day Counts	Highest K Factor	12.9	10.1	12.9	10.5	14.7	13.3	12.5	11.3	10.0	14.6	10.3
	Average K Factor	10.6	8.8	8.8	9.6	10.6	12.0	11.4	10.3	9.1	9.5	9.3
	Lowest K Factor	9.6	7.8	7.9	8.7	9.2	10.4	10.3	9.4	8.4	8.2	8.3
	Standard Deviation	0.7	0.5	0.8	0.4	1.4	0.7	0.5	0.4	0.4	1.1	0.5
	Corresponding K-Level	175	329	247	148	68	229	150	223	124	120	275
	Percent Underestimated	14	23	21	12	6	27	14	19	7	8	14
Using Station AADT												
Oregon Procedures	Highest K Factor	11.0	10.5	10.9	10.1	11.0	10.5	10.6	12.4	10.1	9.8	12.0
	Average K Factor	9.0	7.9	7.6	8.8	9.6	8.5	8.2	8.5	8.4	8.6	9.2
	Lowest K Factor	7.2	6.4	4.2	7.7	8.8	6.6	6.9	7.0	7.1	7.7	7.6
	Standard Deviation	0.9	0.9	1.1	0.5	0.5	1.0	0.8	1.0	0.5	0.4	0.8
	Corresponding K-Level	644	759	797	396	220	920	911	791	358	357	299
	Percent Underestimated	27	31	32	19	15	48	38	33	14	17	15
Washington Procedures	Highest K Factor	11.0	10.5	10.9	10.1	11.0	12.9	10.4	12.4	9.4	9.8	12.0
	Average K Factor	9.6	8.6	8.3	9.1	9.9	9.4	9.0	9.0	8.6	9.0	9.6
	Lowest K Factor	7.9	7.0	4.6	7.8	9.1	7.0	7.8	7.5	7.7	8.1	8.1
	Standard Deviation	0.9	1.0	1.2	0.6	0.4	1.5	0.8	1.2	0.4	0.4	0.8
	Corresponding K-Level	406	397	402	291	151	638	589	547	275	227	188
	Percent Underestimated	22	25	26	17	12	43	32	29	12	13	11
Seven Day Counts	Highest K Factor	14.8	12.1	12.0	12.6	15.4	17.9	15.2	14.4	10.3	17.2	12.0
	Average K Factor	11.7	9.7	9.4	10.4	11.2	14.2	12.5	11.1	9.5	10.3	10.3
	Lowest K Factor	9.4	7.9	7.9	8.7	9.3	9.2	10.5	8.9	8.6	8.9	8.4
	Standard Deviation	1.2	1.3	1.1	1.2	1.6	2.6	1.6	1.6	0.5	1.6	0.9
	Corresponding K-Level	63	127	145	49	32	106	64	123	58	29	66
	Percent Underestimated	5	15	16	5	1	13	6	13	3	0	5

Actual Measurements	ATR	03-009	02-007	24-013	24-015	80	03-013	17-003	02-003	03-007	03-008	18-017	22-017	14-003	12-009
	Name	Warm Springs Jct	Monroe	Gates	Detroit	Eckert Rd	Marquam	O'Brien	Alsea	Mt Hood Meadows	Timberline	Beatty	Upper Soda	Mt. Hood	Prairie City
	Highway	53	91	162	162	ID SMA 7643	160	25	27	26	173	20	16	26	5
	Functional Class	02	06	02	02	16	06	02	06	02	07	02	02	02	02
	Missing days	3	4	0	1	0	1	0	4	5	0	0	2	5	1
	AADT	5113	5051	4990	4294	4115	3683	3010	2355	1685	1554	1191	1148	1097	1025
	K-30 Factor	20.6	10.9	23.2	22.8	11.9	10.8	17.3	10.8	34.8	26.7	12.3	21.4	22.2	15.2
Using Count ADT															
Oregon Procedures	Highest K Factor	11.5	11.4	11.6	11.9	15.0	10.9	10.5	12.2	17.3	22.1	10.1	14.9	17.6	11.4
	Average K Factor	9.0	8.7	9.2	9.5	10.6	9.5	9.3	8.9	11.4	12.8	8.7	10.6	11.7	9.4
	Lowest K Factor	7.5	7.7	8.1	8.5	8.9	8.3	8.3	7.6	9.3	8.8	7.7	8.7	9.0	8.0
	Standard Deviation	0.7	0.5	0.6	0.6	0.9	0.5	0.5	0.6	1.1	1.8	0.5	1.1	1.4	0.7
	Corresponding K-Level	968	425	977	954	172	287	910	397	752	650	743	817	470	838
	Percent Underestimated	56	20	60	58	11	12	46	18	67	52	29	50	47	38
Washington Procedures	Highest K Factor	10.4	9.7	11.3	11.8	12.0	10.8	10.1	9.6	15.0	16.5	10.0	13.6	16.2	11.2
	Average K Factor	9.5	8.9	10.0	10.2	10.7	9.7	9.5	8.9	12.0	13.0	9.2	11.3	12.5	9.9
	Lowest K Factor	8.3	8.4	9.3	9.3	9.2	8.8	8.5	8.3	10.3	10.7	8.2	9.7	10.0	8.6
	Standard Deviation	0.6	0.4	0.5	0.6	0.7	0.5	0.4	0.4	1.2	1.5	0.5	1.0	1.5	0.8
	Corresponding K-Level	842	338	791	797	160	230	847	397	687	611	510	688	391	692
	Percent Underestimated	54	18	57	55	10	10	45	18	66	51	25	47	44	35
Seven Day Counts	Highest K Factor	17.2	14.7	18.8	19.0	15.9	11.3	14.7	13.4	25.2	29.5	13.7	21.0	22.5	13.5
	Average K Factor	14.9	10.5	16.5	16.4	10.8	10.2	12.1	10.0	18.5	20.5	10.0	16.8	18.0	10.9
	Lowest K Factor	13.3	9.0	14.1	14.8	9.4	9.4	10.7	8.6	12.9	12.9	8.9	13.1	13.5	9.3
	Standard Deviation	0.8	1.5	0.9	0.9	0.7	0.5	0.9	0.9	2.6	3.8	0.9	2.0	2.0	0.9
	Corresponding K-Level	164	56	145	149	149	108	277	84	242	119	266	143	100	419
	Percent Underestimated	28	4	29	28	9	6	30	7	47	23	19	21	19	28
Using Station AADT															
Oregon Procedures	Highest K Factor	13.1	10.4	12.9	13.9	20.5	11.1	13.5	13.3	11.0	18.7	14.1	13.5	17.3	14.3
	Average K Factor	7.8	8.9	8.0	8.2	11.3	9.9	8.9	9.1	6.9	9.7	9.9	8.7	8.6	10.3
	Lowest K Factor	4.8	6.8	4.8	5.1	9.6	8.6	5.9	7.6	3.6	3.4	6.7	4.9	4.8	6.0
	Standard Deviation	1.9	1.0	2.0	2.0	1.5	0.5	3.2	0.9	1.9	4.5	1.5	2.2	2.5	2.0
	Corresponding K-Level	1373	338	1376	1352	80	179	1047	318	1716	1092	309	1322	1049	566
	Percent Underestimated	62	18	66	64	5	8	49	16	80	64	20	59	61	32
Washington Procedures	Highest K Factor	12.6	10.9	12.9	13.9	13.6	11.5	13.0	10.4	11.0	18.7	14.1	13.5	17.3	14.3
	Average K Factor	8.6	9.2	9.1	9.2	11.5	10.4	9.2	9.3	7.6	9.7	10.7	9.7	9.4	11.1
	Lowest K Factor	5.5	7.1	6.2	5.8	10.2	9.5	6.2	8.0	4.1	4.7	6.9	6.0	5.9	6.0
	Standard Deviation	2.0	1.4	2.2	2.3	0.8	0.5	2.1	0.7	1.1	4.4	1.7	2.4	2.6	2.1
	Corresponding K-Level	1095	243	1007	1015	186	75	944	233	1436	1092	140	1007	867	374
	Percent Underestimated	58	16	61	60	3	4	47	14	78	64	13	55	58	27
Seven Day Counts	Highest K Factor	22.9	13.0	27.4	26.4	20.5	11.9	20.4	14.6	22.4	36.7	17.2	25.3	24.2	15.5
	Average K Factor	17.3	10.9	19.4	19.2	11.8	10.8	13.7	10.6	15.9	19.6	11.5	19.8	16.7	12.6
	Lowest K Factor	12.9	8.9	13.7	13.3	10.3	9.9	9.0	9.1	9.2	10.2	7.9	13.9	9.8	8.7
	Standard Deviation	3.5	0.9	4.6	4.3	1.1	0.4	3.2	1.2	4.1	6.1	2.1	3.3	4.0	2.1
	Corresponding K-Level	85	28	71	72	41	34	140	41	365	144	27	54	143	130
	Percent Underestimated	16	0	16	16	1	0	21	2	54	27	7	7	25	17

Actual Measurements	ATR	19-008	01-001	19-010	11-007	26-012	13-001	18-021	11-004
	Name	New Pine	North Powder	Silver Lake	Shutler	Bridal Veil	Burns	Ft. Klamath	Condon
	Highway	19	66	19	5	100	48	22	300
	Functional Class	02	07	06	06	07	02	07	07
	Missing days	0	0	0	0	1	0	1	0
	AADT	993	823	814	787	697	575	521	201
	K-30 Factor	13.5	11.4	14.7	12.1	36.9	14.4	22.3	15.9

Using Count ADT

Oregon Procedures	Highest K Factor	11.3	11.5	12.6	10.7	21.3	12.6	14.0	15.8
	Average K Factor	9.5	9.7	9.5	8.7	14.7	9.9	10.6	12.2
	Lowest K Factor	8.3	7.9	7.8	7.1	11.4	8.1	8.7	9.6
	Standard Deviation	0.6	0.7	0.7	0.8	2.1	0.8	1.2	1.3
	Corresponding K-Level	654	267	591	836	622	584	1068	202
	Percent Underestimated	30	15	35	28	60	31	52	23
Washington Procedures	Highest K Factor	11.2	10.8	11.5	10.8	20.7	12.3	13.1	15.2
	Average K Factor	9.8	9.8	9.6	9.1	15.3	10.3	10.7	12.4
	Lowest K Factor	8.8	8.6	8.5	7.7	12.1	8.8	8.9	10.0
	Standard Deviation	0.6	0.7	0.7	0.8	2.3	0.9	1.3	1.4
	Corresponding K-Level	518	240	551	612	560	442	1068	202
	Percent Underestimated	27	14	35	25	59	28	52	22
Seven Day Counts	Highest K Factor	13.8	13.8	16.9	14.5	50.9	19.2	17.4	31.6
	Average K Factor	10.9	10.6	11.2	11.1	26.7	11.8	12.6	15.0
	Lowest K Factor	9.5	9.3	9.3	9.2	19.0	9.7	9.6	11.8
	Standard Deviation	0.6	1.0	1.5	1.0	6.6	2.0	1.8	3.7
	Corresponding K-Level	226	102	200	82	149	182	743	43
	Percent Underestimated	19	7	24	8	28	18	43	6

Method

Oregon Start times 6AM to 7PM Monday and Tuesday
Washington Start time Zero hour Tuesday
7 Day Start times Noon hour M-F

Avoiding:
Memorial Day - May 31, 2004
Independence Day - July 4, 2004
Labor Day - September 6, 2004

Using Station AADT

Oregon Procedures	Highest K Factor	14.1	12.2	15.5	15.6	22.1	16.2	20.0	19.4
	Average K Factor	10.6	10.5	10.2	11.2	12.7	11.0	12.9	13.1
	Lowest K Factor	7.7	8.7	7.5	9.5	5.9	7.5	5.4	9.5
	Standard Deviation	1.2	0.9	1.5	0.9	3.8	1.6	4.3	2.1
	Corresponding K-Level	298	114	380	71	822	283	694	128
	Percent Underestimated	21	8	31	7	66	24	42	18
Washington Procedures	Highest K Factor	14.1	12.4	15.5	15.6	18.4	16.2	20.0	19.4
	Average K Factor	11.1	10.9	10.6	11.7	13.0	11.8	13.0	13.6
	Lowest K Factor	9.1	9.6	8.4	10.3	7.7	8.7	6.1	9.5
	Standard Deviation	1.4	0.8	1.7	1.2	3.5	1.9	4.2	2.4
	Corresponding K-Level	194	73	290	43	790	182	694	96
	Percent Underestimated	18	4	28	3	65	18	42	14
Seven Day Counts	Highest K Factor	16.1	15.3	19.9	15.6	59.0	22.4	25.3	36.8
	Average K Factor	12.4	11.4	12.9	12.0	32.9	13.8	15.9	16.2
	Lowest K Factor	9.4	10.0	10.1	9.9	18.4	9.6	6.3	10.4
	Standard Deviation	1.7	1.0	2.5	1.3	9.1	2.9	5.4	5.0
	Corresponding K-Level	71	30	55	32	64	47	294	29
	Percent Underestimated	8	0	12	1	11	4	29	-2