

Oregon Health Plan Report of Results for
Willamette Valley Community Health Adult Population
2020 CAHPS® 5.0H Medicaid Member Experience Survey

## **Prepared for:**

**Oregon Health Authority** 

# **Prepared by:**

Center for the Study of Services 1625 K Street NW, Suite 800 Washington, DC 20006



# **Table of Contents**

Introduction	
What's New in 2020	5
2020 Survey Fielding Updates	5
Impact of COVID-19 on OHA Reporting	6
Updates to the 2020 OHA CAHPS Survey Results Report	6
Executive Summary	
Results on Key Survey Measures	
Top Priorities for Quality Improvement	
Survey Results at a Glance	g
About This Report	10
Survey Methodology	12
Survey Protocol and Timeline	12
Survey Materials	12
Sample Selection	12
Data Capture	13
Member Dispositions and Response Rate	14
Satisfaction with the Experience of Care	
Patient Experience of Care Measures	15
Calculation and Reporting of Results	17
Summary of Survey Results	
Detailed Performance Charts	19

Effect	iveness of Care	35
	Effectiveness of Care Measures	35
	Effectiveness of Care Results	35
Memb	per Profile and Analysis of Plan Ratings by Member Segment	37
	Health Status and Demographics	38
	Use of Services	44
Key D	river Analysis	47
	Objectives	47
	Technical Approach	47
	Industry Key Driver Model	48
	Opportunities for Plan Quality Improvement	
	Health Plan Quality Improvement Resources for Key Drivers	51
Apper	ndix	l
	Cross-Tabulations of Survey Responses	II
	Survey Instrument	III
	Calculation Guidelines for Global Proportions	IV
	Glossary of Terms	VI

### **INTRODUCTION**

The Oregon Health Authority (OHA) contracts with managed care organizations, also known as Coordinated Care Organizations (CCOs), to provide health care services. Understanding the experience of people who are Oregon Health Plan (OHP) members is important to clinicians, policy makers, patients and consumers, quality monitors and regulators, provider organizations, health plans, community collaboratives, and those who are responsible for monitoring and evaluating the quality of and access to health care services.

Introduced by the Agency for Healthcare Research and Quality (AHRQ) in the mid-1990s, the Consumer Assessment of Healthcare Providers and Systems (CAHPS) program encompasses the full range of standardized surveys that ask consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers, such as accessibility of services and communication skills of providers.

OHA conducts annual CAHPS surveys asking consumers and patients to report on and evaluate their experiences with health care. These surveys cover topics that are important to consumers and focus on aspects of quality that consumers are best qualified to assess, such as the communication skills of providers and ease of access to health care services. The survey results help inform decisions for those involved with providing care to OHP members and to improve the quality of health care services.

The survey measures member satisfaction with the experience of care and gives a general indication of how well the health plan meets members' expectations. Surveyed members are asked to rate various aspects of the health plan based on their experience with the plan during the previous six months. In addition, the survey collects data on Effectiveness of Care measures, including influenza vaccinations and smoking cessation measures.

### WHAT'S NEW IN 2020

### **2020 SURVEY FIELDING UPDATES**

#### SAMPLING METHODOLOGY

The sampling methodology consisted of a primary sample for CCOs as well as oversample segments based on race/ethnicity to capture the experience of these members that might not otherwise be captured in the primary sample. Previously, the oversample was drawn independently from the primary sample. However, members sampled as part of the primary sample were counted towards their respective race/ethnicity segments and therefore, we were able to increase the 2020 target sample sizes based on the re-allocation of the oversample.

Two child Medicaid samples were drawn based on the pre-screen status code that identified children that were likely to have a chronic condition (CCC) based on claim and encounter records in the sample frame. However, <u>all</u> child Medicaid sample members received the Child Medicaid with CCC measures instrument regardless of their pre-screen status code to reduce the variation of survey materials and streamline the data collection process.

### SURVEY INSTRUMENTS

The National Committee for Quality Assurance (NCQA) shortened the 2020 HEDIS/CAHPS 5.0H surveys to reduce the burden for health plan members and sponsors. OHA adopted these changes for the surveys administered to OHP members. The following questions were removed from the survey:

- Shared Decision Making questions and the associated composite measure
- Health Promotion and Education question
- Written Materials or Internet Provided Needed Information question (adult only)
- Chronic conditions (adult only) and proxy questions.

To support the Race, Ethnicity, Language, and Disability (REALD) initiative, OHA implemented additional items in the demographics area of the survey to collect these data from OHP members. Kindergarten readiness items were also removed from the child instrument.

#### IMPACT OF COVID-19 ON OHA REPORTING

The 2020 OHA CAHPS survey fielding timeline overlapped with the COVID-19 outbreak in the United States (US). Survey administration began on January 8, 2020 and data collection closed on April 6, 2020. The pandemic gained more widespread national attention during the second half of survey administration. Oregon's response to the outbreak as outlined in Governor's Executive Order No. 20-12 (<a href="https://www.oregon.gov/gov/Documents/executive orders/eo 20-12.pdf">https://www.oregon.gov/gov/Documents/executive orders/eo 20-12.pdf</a>) demonstrates the overlap of the timelines. A multitude of factors, such as COVID-19 infection rates, consumer experience, stay-at-home orders, social distancing guidelines, and "essential business" designations might affect the data collected. It is unclear how all these changes may have impacted CAHPS survey results for 2020 and CCOs should be mindful of this when interpreting results.

#### **UPDATES TO THE 2020 OHA CAHPS SURVEY RESULTS REPORT**

CSS has made several updates to the 2020 CAHPS Results Reports:

- The Member Profile and Analysis of Plan Ratings by Member Segment section has been updated for revised race and gender survey item. Visiting a dentist's office or clinic for care survey item was also included as a utilization measure.
- The CSS Key Driver Model has been updated to reflect the shortened survey instrument. Areas that are no longer being assessed with the survey were removed from consideration as possible key drivers of plan performance.
- An updated and expanded Health Plan Quality Improvement Resource Guide is included.

### **EXECUTIVE SUMMARY**

CSS administered the Adult Medicaid version of the 2020 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of Willamette Valley Community Health, hereafter referred to as WVCH between January 8 and April 8, 2020. The final Adult Medicaid survey sample for WVCH included 1,150 members. 295 members completed the survey, resulting in a response rate of 26.67 percent.

This section highlights some of the key survey findings for WVCH, including trends in CAHPS ratings and composites and comparisons to the State Oregon Health Plan results. Results are based on the rates of members answering 8, 9, or 10 for the ratings questions and *Usually* or *Always* for all other measures. Statistical significance tests were conducted at the 95% confidence level. Up to six organizational priorities for quality improvement are also identified based on CSS's *Key Driver Analysis*.

### **RESULTS ON KEY SURVEY MEASURES**

### STATISTICALLY SIGNIFICANT IMPROVEMENTS OR DECLINES COMPARED TO 2019

Reportable Rate IMPROVED	Reportable Rate DECLINED		
Coordination of Care (by 12.27 points)	No statistically significant declines		

#### STATISTICALLY SIGNIFICANT DIFFERENCES FROM STATE OREGON HEALTH PLAN

Reportable Rate ABOVE Benchmark	Reportable Rate BELOW Benchmark					
2020 State OHP						
None	None					

### TOP PRIORITIES FOR QUALITY IMPROVEMENT

CSS's Key Driver Analysis identifies the areas of health plan performance and aspects of member experience that shape members' overall assessment of their health plan. To the extent that these specific areas or experiences can be improved, the overall rating of the plan should reflect these gains. Up to five quality improvement opportunities with the highest return on investment for WVCH are identified below. Effective interventions in these areas have the greatest potential impact on the *Rating of Health Plan* score.

### **Top Priorities for Quality Improvement**

- 1. Improving member access to care (scheduling appointments for routine care)
- 2. Improving member access to care (ease of getting needed care, tests, or treatment)
- 3. Improving the quality of physicians in health plan network (personal doctors)
- 4. Improving member access to care (visits to doctor's office or clinic)
- 5. Improving member access to care (getting an appointment for urgent care as soon as needed)

The remainder of this report examines these and other findings in greater detail.

### **SURVEY RESULTS AT A GLANCE**

An overview of summary measures is presented in Exhibit 1. This includes CAHPS ratings and composites and comparisons to the state Oregon Health Plan results, and prior year data (where available).

EXHIBIT 1. 2020 OHA CAHPS SURVEY FOR WVCH ADULT MEDICAID SAMPLE: SURVEY RESULTS AT A GLANCE

Global Pr			roporti	ions and Questio	n Sum	mary Rates	Valid Responses			
CAHPS 5.0H Survey Measures		2018		2019		2020	2018	2019	2020	2020 State OHP
	Q8. Rating of All Health Care	71.77%		70.05%		71.96%	209	187	189	71.87%
Overall Ratings	Q18. Rating of Personal Doctor	73.78%		79.40%		81.70%	225	199	224	80.79%
(% 8, 9, or 10)	Q22. Rating of Specialist Seen Most Often	82.46%		78.85%		88.29%	114	104	111	81.37%
	Q28. Rating of Health Plan	64.61%		72.35%		73.28%	243	217	262	71.28%
Getting Needed Care	Getting Needed Care Composite	83.76%		85.14%		83.05%	164	147	154	81.90%
(% Always or Usually)	Q9. Easy to get needed care	82.78%		87.10%		86.10%	209	186	187	85.66%
(% Always or Osually)	Q20. Easy to see specialists	84.75%		83.18%		80.00%	118	107	120	78.14%
Cotting Cone Owields	Getting Care Quickly Composite	82.62%		84.20%		82.29%	147	139	142	82.43%
Getting Care Quickly (% Always or Usually)	Q4. Got urgent care as soon as needed	82.46%		87.25%		87.62%	114	102	105	83.80%
(% Always of Osually)	Q6. Got routine care as soon as needed	82.78%		81.14%		76.97%	180	175	178	81.05%
	How Well Doctors Communicate Composite	86.11%		93.66%		93.71%	177	166	175	92.52%
How Well Doctors	Q12. Doctor explained things	88.07%		95.78%		94.86%	176	166	175	93.55%
Communicate*	Q13. Doctor listened carefully	87.57%		93.33%		94.25%	177	165	174	92.51%
(% Always or Usually)	Q14. Doctor showed respect	87.57%		95.18%		95.98%	177	166	174	93.43%
	Q15. Doctor spent enough time	81.25%		90.36%		89.77%	176	166	176	90.59%
Customer Service	Customer Service Composite	84.09%		86.62%		92.47%	66	68	93	88.16%
(% Always or Usually)	Q24. Provided needed information/help	74.24%		80.60%		88.17%	66	67	93	82.35%
(% Always or Usually)	Q25. Treated with courtesy/respect	93.94%		92.65%		96.77%	66	68	93	93.97%
	Q17. Coordination of Care (% Always or Usually)	73.91%		72.34%		84.62%	115	94	117	82.95%
	Advising Smokers and Tobacco Users to Quit	80.52%	_	78.13%		63.29%	77	64	79	72.29%
Effectiveness of Care	Discussing Cessation Medications	58.44%		60.00%		48.10%	77	65	79	54.79%
Measures	Discussing Cessation Strategies	44.16%		53.13%		41.03%	77	64	78	47.89%
	Flu Vaccinations for Adults	41.13%		40.00%		44.18%	248	220	249	39.19%

If n is less than 30, "Low n" is displayed next to score.

Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All statistical tests are conducted at the 95% confidence level prior to rounding. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as 🛦 when your rate is higher or 🔻 when it is lower.

### **ABOUT THIS REPORT**

The key features of this 2020 CAHPS report, prepared by CSS for WVCH, are highlighted below.

- Survey results presented in this report were calculated following the NCQA guidelines published in *HEDIS* 2020, *Volume 3: Specifications for Survey Measures* unless otherwise noted. Summary Results are reported regardless of whether the denominator threshold is met, however, any summary measure where the denominator is less than 30 is marked as "Low n".
- Throughout the report, the 2020 WVCH survey results are compared to the 2020 State OHP. The 2020 State OHP is calculated by pooling Adult Medicaid survey responses across CCOs surveyed by the Oregon Health Authority.
- Executive Summary provides a high-level overview of survey findings. This section highlights the areas where WVCH performs significantly above or below the state Oregon Health Plan performance. If prior-year survey results are available, any statistically significant improvements or declines on key survey measures are also noted. Up to five top organizational priorities for quality improvement based on CSS's Key Driver Analysis are identified.
- Summary of Survey Results presents the 2020 WVCH survey scores on key measures, including question summary rates (QSRs), global proportions, and changes in QSR and global proportion scores from the previous year (if applicable); and comparisons to relevant state Oregon Health Plan benchmarks. Statistically significant differences in scores are noted.
- Detailed Performance Charts are provided for the rating questions, composite measures, and individual survey items representing the various CAHPS domains of care. The 2020 WVCH QSRs and global proportions are compared to the 2020 State OHP on all measures. Where available, a three-year trend in scores is also shown.
- Member Profile and Analysis of Plan Ratings by Member Segment compares the 2020 WVCH respondent profile to the appropriate reference distribution (i.e., all plans included in the 2020 State OHP) of demographic characteristics and utilization variables. Variation in Rating of Health Plan measure by member segment is examined.
- A one-page summary of the *Effectiveness of Care* measures includes comparisons to prior-year results (if available) as well as to the 2020 State OHP rates. All rates are calculated according to the NCQA guidelines, but are presented regardless of their eligibility for NCQA reporting.

• Key Driver Analysis identifies those aspects of member experience (key drivers) that are closely related to the overall rating of the plan. The CSS Key Driver Model quantifies the contribution of each key driver to the overall evaluation of the plan. The 2020 WVCH results on each key driver are compared to the highest score among all the Adult Medicaid plans contributing to the 2020 State OHP, yielding a measure of available room for improvement in each area. The result is then weighted by the key driver's contribution to the overall Rating of Health Plan score. Opportunities for improvement are prioritized based on the expected improvement in the WVCH Rating of Health Plan score due to improved performance on the key driver. A separate section of the report provides some helpful resources for health plan quality improvement.

### • The *Appendix* includes:

- Detailed cross-tabulations of survey responses for every survey question, with additional tables summarizing performance on key survey measures;
- A copy of the survey instrument;
- Step-by-step guidelines for calculating composite global proportions; and
- A glossary of terms.

### SURVEY METHODOLOGY

### SURVEY PROTOCOL AND TIMELINE

CSS administered the Adult Medicaid version of the 2020 CAHPS Health Plan Survey for the Oregon Health Authority on behalf of WVCH using a mixed methodology of internet, mail, and telephone. The Oregon Health Authority's mixed methodology consisted of the following milestones:

- A prenotification letter with an invitation to complete the survey online, which was mailed on January 8;
- An initial questionnaire with cover letter, which was mailed on January 15;
- A replacement questionnaire with cover letter, which was mailed on February 13;
- A telephone follow-up phase targeting non-respondents, with up to four telephone follow-up attempts spaced at different times of the day and on different days of the week, which started on March 9; and
- Close of data collection on April 6, 2020.

### **SURVEY MATERIALS**

The survey instruments (both English and Spanish) used for WVCH are provided in the Appendix. CSS designed the survey following instructions from OHA and the NCQA specifications detailed in *HEDIS 2020, Volume 3: Specifications for Survey Measures* and *Quality Assurance Plan for HEDIS 2020 Survey Measures*. The materials referred to Oregon Health Plan and included the Oregon Health Authority logo on all the mailing materials. Each survey package included a postage-paid return envelope. Besides the core CAHPS questions, the survey included 32 additional questions added by OHA. These included questions on mobility impairment, cultural competency, access to dental care, and REALD demographics. All mailings included a duplex English and Spanish cover letter. Members received either an English or Spanish survey based on language information provided by Oregon Health Authority. Members had the option to request the survey in the other language using a telephone request line.

#### **SAMPLE SELECTION**

CSS followed Oregon Health Authority's instructions to generate the survey sample for WVCH. Sample-eligible members were defined as plan members who were 18 years old or older as of November 30, 2019; were currently enrolled; had been continuously enrolled for six months (with no more than one enrollment break of 45 days or less); and whose primary coverage was through Medicaid. Prior to sampling, CSS carefully inspected the member file(s) and

informed the Oregon Health Authority of any errors or irregularities found (such as missing address elements or subscriber numbers). Once the quality assurance process had been completed, CSS processed member addresses through the USPS National Change of Address (NCOA) service to ensure that the mailing addresses were up-to-date.

The final sample was generated using a random selection methodology, with no more than one member per household selected to receive the survey. The exception to this rule was any CCO that failed to meet the desired sample size in which case more than one member per household could be selected. CSS assigned each sampled member a unique identification number, which was used to track their progress throughout the data collection process.

The Oregon Health Authority chose to oversample for targeted race and ethnicity groups to ensure these groups were appropriately represented in the state sample. Data for those sample members only appear in the State OHP results and not the individual CCO results. Therefore, the final Adult Medicaid survey sample for WVCH included 1,150 members.

### **DATA CAPTURE**

Questionnaires returned by mail were recorded using either manual data entry or optical scanning. Responses recorded via manual data entry were keyed by two independent data entry operators, and any discrepancies between the two response records were flagged and reconciled by a supervisor. Individual responses on surveys recorded via optical scanning were sent to data entry operators if the scanning technology was unable to identify the specific response option selected with a pre-defined degree of certainty.

Computer Assisted Telephone Interviewing (CATI) technology was used to electronically capture survey responses obtained during telephone interviews. Members were able to complete the survey in either English or Spanish. On-site CATI supervisors maintained quality control by monitoring the telephone interviews and keyboard entry of interviewers in real time. In addition, CSS research staff remotely monitored interviews on a regular basis. Due to the multiple mailings and varied modes of data collection, multiple survey responses could be received from the same sample member. In those cases, CSS included only one survey response (the most complete survey) in the final analysis dataset.

### **MEMBER DISPOSITIONS AND RESPONSE RATE**

Among the WVCH sample members who met final eligibility criteria, 295 completed the survey, resulting in a response rate of 26.67 percent. Additional detail on sample member status at the end of data collection (dispositions) is provided in Exhibit 2.

EXHIBIT 2. 2020 OHA CAHPS SURVEY FOR WVCH ADULT MEDICAID SAMPLE: SAMPLE MEMBER DISPOSITIONS AND RESPONSE RATE

	To		
Disposition	Number	% Initial Sample	2020 State OHP
Initial Sample	1,150	100.00%	
Disposition			
Complete and Eligible - Mail	195	16.96%	17.50%
Complete and Eligible - Phone	91	7.91%	6.20%
Complete and Eligible - Internet	9	0.78%	1.04%
Complete and Eligible - Total	295	25.65%	24.74%
Does not meet Eligible Population criteria	29	2.52%	1.81%
Incomplete (but Eligible)	19	1.65%	1.78%
Ineligible	15	1.30%	0.17%
- Language barrier	0	0.00%	0.06%
- Mentally or physically incapacitated	13	1.13%	0.75%
- Deceased	2	0.17%	0.19%
Refusal	72	6.26%	5.40%
Nonresponse after maximum attempts	713	62.00%	64.69%
Added to Do Not Call (DNC) list	7	0.61%	0.57%
Response Rate*		26.67%	25.45%

32030

<sup>\*</sup>Response rate = Complete and Eligible Surveys/[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts + Added to Do Not Call (DNC) List]

### SATISFACTION WITH THE EXPERIENCE OF CARE

### PATIENT EXPERIENCE OF CARE MEASURES

### **GLOBAL RATINGS**

CAHPS Health Plan Survey (version 5.0H) includes four global rating questions that utilize the scale of 0 to 10, with 0 representing the worst and 10 representing the best possible rating. Results are reported as the proportion of members selecting one of the top three responses (8, 9, or 10).

- Rating of Personal Doctor (0 = worst personal doctor possible; 10 = best personal doctor possible)
- Rating of Specialist Seen Most Often (0 = worst specialist possible; 10 = best specialist possible)
- Rating of All Health Care (0 = worst health care possible; 10 = best health care possible)
- Rating of Health Plan (0 = worst health plan possible; 10 = best health plan possible)

### **CAHPS COMPOSITES**

In addition to the global ratings, the results for several CAHPS composite measures are also reported. CAHPS composites combine results from related survey questions into a single measure to summarize health plan performance in the areas listed below.

- Getting Needed Care combines two survey questions that address member access to care. Both questions use a Never, Sometimes, Usually, or Always response scale, with Always being the most favorable response. Results are based on the proportion of members answering the following questions as Usually or Always.
  - In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?
  - In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?

- **Getting Care Quickly** combines responses to two survey questions that address timely availability of both urgent and check-up/routine care. The questions use a *Never*, *Sometimes*, *Usually*, or *Always* scale, with *Always* being the most favorable response. Results are based on the proportion of members selecting *Usually* or *Always* in response to the following questions:
  - In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?
  - In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?
- How Well Doctors Communicate combines responses to four survey questions that address physician communication. The questions use a Never, Sometimes, Usually, or Always scale, with Always being the most favorable response. Results are reported as the proportion of members answering the following questions as Usually or Always:
  - In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?
  - In the last 6 months, how often did your personal doctor listen carefully to you?
  - In the last 6 months, how often did your personal doctor show respect for what you had to say?
  - In the last 6 months, how often did your personal doctor spend enough time with you?
- **Customer Service** combines responses to two survey questions that ask about member experience with the health plan's customer service. The questions use a *Never, Sometimes, Usually*, or *Always* scale, with *Always* being the most favorable response. Results are reported as the proportion of members selecting *Usually* or *Always* in response to the following questions:
  - In the last 6 months, how often did your health plan's customer service staff give you the information or help you needed?
  - In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?
- Coordination of Care is based on a single survey question, which uses a Never, Sometimes, Usually, or Always scale (with Always being the most favorable response). Results are based on the proportion of members selecting Usually or Always in response to the question below:
  - In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

#### CALCULATION AND REPORTING OF RESULTS

### QUESTION SUMMARY RATES AND COMPOSITE GLOBAL PROPORTIONS

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest from a given question on the survey.

**Composite Global Proportions** express the proportion of respondents selecting the response option(s) of interest from a given group of questions on the survey. They are calculated by first determining the proportion of respondents selecting the reported response(s) on each survey question contributing to the composite and subsequently averaging these proportions across all items in the composite.

Throughout the report, all question summary rates and composite global proportions are rounded to two decimal places for display purposes (e.g., 0.23456 is displayed as 23.46%). However, all calculations involving rates and proportions, including statistical significance testing, are carried out prior to rounding. For more details on the calculations please refer to *HEDIS 2020, Volume 3: Specifications for Survey Measures* or consult the Appendix.

### **DENOMINATOR THRESHOLD**

The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite (note: composite denominators are rounded for display purposes). If the rate denominator is less than 30, a measure result of "Low n" was assigned. This report presents results for all measures, regardless of denominator size. Any result that does not meet the denominator threshold of 30 valid responses is denoted with "Low n" to inform interpretations of results.

#### COMPARISONS TO BENCHMARKS AND PRIOR-YEAR RESULTS

Throughout the report, the 2020 WVCH results are compared to the 2020 State OHP as well as to the highest and lowest performing CCO. The 2020 State OHP is calculated by pooling Adult Medicaid survey responses across CCOs surveyed by the Oregon Health Authority. If available, prior-year survey results are provided for comparison and year-to-year changes in results are tested for statistical significance. All the statistical tests are carried out at the 95% confidence level (i.e., there is a 95% probability that the observed difference is not due to chance).

#### SUMMARY OF SURVEY RESULTS

Exhibit 3 provides a high-level WVCH performance overview on key survey measures. These include overall ratings, composite global proportions, and QSRs for additional content areas. Where applicable, changes in scores over time and comparisons to benchmarks are reported and tested for statistical significance.

### EXHIBIT 3. 2020 OHA CAHPS SURVEY FOR WVCH ADULT MEDICAID SAMPLE: SUMMARY OF RESULTS ON KEY MEASURES

		Difference** between 2020 Rate and			
CAHPS 5.0H Survey Measures*	2020 Rate	2019 Rate	2018 Rate	2020 State OHP	
Ratings					
Rating of Personal Doctor	81.70%	2.30%	7.92% ▲	0.91%	
Rating of Specialist Seen Most Often	88.29%	9.44%	5.83%	6.92%	
Rating of All Health Care	71.96%	1.90%	0.19%	0.09%	
Rating of Health Plan	73.28%	0.93%	8.67% 🔺	2.00%	
Composite Measures	•			•	
Getting Needed Care	83.05%	-2.09%	-0.71%	1.15%	
Getting Care Quickly	82.29%	-1.91%	-0.32%	-0.14%	
How Well Doctors Communicate	93.71%	0.05%	7.60% ▲	1.20%	
Customer Service	92.47%	5.85%	8.38%	4.31%	
Additional Content Areas					
Coordination of Care	84.62%	12.27% ▲	10.70% ▲	1.66%	

<sup>\*</sup> Results were calculated following NCQA specifications and prior year results may differ from those previously reported.

<sup>\*\*</sup> Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the small denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as \( \text{\t

### **DETAILED PERFORMANCE CHARTS**


This section of the report includes detailed charts for composite global proportions, rating question summary rates (QSRs), as well as additional QSRs for individual survey items. The charts have the following features:


#### TREND IN RESULTS


- WVCH survey scores are trended over three consecutive years of data collection, if available. A result may not be available if the survey was not
  administered in a given year, if the measure is new, or if the measure is not deemed appropriate for trending. In such cases, "No data" appears in place of
  the score.
- Where appropriate, changes in the distribution of favorable ratings over time are shown in the *Top Rating Distribution* panel of the chart (i.e., percent responding 8 vs. percent responding 9 or 10, or percent responding *Usually* vs. percent responding *Always*).
- The number of valid responses (*n*) appears above each bar. If the number of responses is less than 30, "Low n" appears next to the value of *n*, indicating that the result does not meet the denominator threshold. CSS calculates all rates regardless of this threshold.
- Statistical comparisons are conducted between the current-year rate and each of the prior-year rates, if available. Where appropriate, differences in both standard (e.g., 8 + 9 + 10 or Usually + Always) as well as top-box (e.g., 9 + 10 or Always) rates are tested for statistical significance at the 95% confidence level. Statistically significant differences are indicated with a ★ symbol next to the comparison score. For example, ★ appearing next to the 2019 rate denotes a statistically significant difference between the 2020 and 2019 rates.


### COMPARISONS TO BENCHMARKS


• The horizontal lines displayed on the charts correspond to the 2020 State OHP as well as to the highest and lowest performing CCO. If the 2020 WVCH score is significantly different from any of these benchmark scores at the 95% confidence level, \* appears next to the relevant score.


































#### **Customer Service (Contributing Items) Percent Responding Always or Usually** Q24. In the last 6 months, how often did your health plan's customer Q25. In the last 6 months, how often did your health plan's customer service give you the information or help you needed? service staff treat you with courtesy and respect? 2018 2019 2020 2018 2019 2020 n = 66 n = 67n = 93n = 66n = 68n = 9398.02% 93.97% 93.94% 92.65% 89.33% 88.179 Always or Usually **Always or Usually** 82.35% 80.60% **69.33%** ★ 74.24% **Top Rating Top Rating** Distribution Distribution 45.45% Always 56.72% Always 74.24% 77.94% Usually Usually 19.70% Low Performing CCO (89.33%) Low Performing CCO (69.33%) -2020 State OHP (93.97%) =2020 State OHP (82.35%) ----High Performing CCO (90.91%) High Performing CCO (98.02%) 32030

Tests of statistical significance were conducted for the following reportable rates: (Always + Usually) and Always. Statistically significant differences, tested at the 95% confidence level, between your organization's current-year rate and a comparison rate (prior-year, or national rate) are marked with a  $\frac{1}{2}$  symbol next to the comparison rate.





### **EFFECTIVENESS OF CARE**

The Effectiveness of Care domain for the AdultMedicaid product line includes the following measures: Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC). The FVA measure is a single-year rate. The MSC measure is typically based on two years of data collection and is calculated using the NCQA rolling average methodology. For OHP, the MSC measure is calculated using a single-year rate. A brief description of each measure, as it appears in HEDIS 2020, Volume 3: Specifications for Survey Measures, Section 2: Effectiveness of Care, is reproduced below. Please refer to Volume 3 for additional information on the measures, including rolling average calculation methodology and NCQA reporting rules.

### **EFFECTIVENESS OF CARE MEASURES**

### FLU VACCINATIONS FOR ADULTS AGES 18-64 (FVA)

This measure represents the percentage of members 18–64 years of age who received a flu vaccination between July 1 of the measurement year and the date when the survey was completed.

### MEDICAL ASSISTANCE WITH SMOKING AND TOBACCO USE CESSATION (MSC)

The following components of the MSC measure assess different facets of providing medical assistance with smoking and tobacco use cessation:

- Advising Smokers and Tobacco Users to Quit —the percentage of current smokers or tobacco users who received advice to quit during the measurement year.
- Discussing Cessation Medications the percentage of current smokers or tobacco users who discussed or were recommended cessation medications during the measurement year.
- Discussing Cessation Strategies the percentage of current smokers or tobacco users who discussed or were provided cessation methods or strategies during the measurement year.

### **EFFECTIVENESS OF CARE RESULTS**

Exhibit 4 provides a summary of WVCH results on HEDIS *Effectiveness of Care* measures. Comparisons to prior-year rates (if available) as well as to the 2020 State OHP rates with statistical significance tests are included.

EXHIBIT 4. 2020 OHA CAHPS SURVEY FOR WVCH ADULT MEDICAID SAMPLE: EFFECTIVENESS OF CARE RESULTS

		Difference** betwe	Difference** between 2020 Rate and			
Effectiveness of Care Measures*	2020 Rate	2019 Rate	2020 State OHP			
Flu Vaccinations for Adults (FVA)						
Flu Vaccinations for Adults	44.18%	4.18%	4.99%			
Medical Assistance with Smoking and Tobacco Use Cessation	(MSC)					
Advising Smokers and Tobacco Users to Quit	63.29%	-14.83%	-9.00%			
Discussing Cessation Medications	48.10%	-11.90%	-6.69%			
Discussing Cessation Strategies	41.03%	-12.10%	-6.86%			

32030

<sup>\*</sup> Effectiveness of Care results were calculated by CSS following NCQA specifications with the exception that rates for the MSC measure were calculated using a single year rate methodology.

<sup>\*\*</sup> Comparisons to prior-year and benchmark rates are reported regardless of whether the rate meets the denominator threshold (n=30). All differences in rates are calculated prior to rounding and are rounded for display purposes only. All statistical tests are conducted at the 95% confidence level. Statistically significant differences between your organization's current-year rate and the comparison rate are marked as ▲ when your rate is higher or ▼ when it is lower.

## MEMBER PROFILE AND ANALYSIS OF PLAN RATINGS BY MEMBER SEGMENT

This section of the report presents a detailed profile of the WVCH membership. In addition to member demographics and health status, responses to survey items that assess utilization of healthcare services are included.

A health plan's membership mix is shaped by multiple factors, most of which are beyond the scope of this survey. These include benefit design, geography, availability of health plan choices, and member self-selection into products that best meet their needs. CSS's analysis of industry data suggests that there is considerable variation in member demographic makeup and utilization patterns across plans. To the extent that various member segments have distinct healthcare needs, utilization patterns, expectations, experiences, as well as attitudes and perceptions, their ratings of the *same* health plan will likely differ.

Certain member characteristics (e.g., health status) appear to be directly related to differences in healthcare needs and utilization levels. For example, some plans have predominantly healthy members, whose interactions with care providers and the plan tend to be limited. By contrast, other plans serve populations with higher rates of illness. These members tend to have more frequent encounters with the healthcare system and as a result may become more experienced users of health plans. The ways in which members use the plan, the frequency of their interactions with providers and staff, and their overall level of familiarity with how the plan works may affect ratings.

In addition to health care needs and utilization patterns, demographic characteristics have been shown to influence survey responses. For example, all else being equal, older respondents and members of certain ethnic groups (e.g., Hispanic or Latino respondents) tend to rate their health care providers and plans more positively. By contrast, more educated members rate more critically, regardless of age or ethnicity.


While the interplay between these membership variables (often referred to as the plan's "case mix") and health plan ratings is complex, health plan ratings clearly vary across demographic groups and user segments. Understanding the plan's case mix can help managers to gain insight into possible sources of this variation.

The charts on the following pages compare the WVCH membership profile to the relevant state Oregon Health Plan benchmark distribution on demographic characteristics and utilization patterns. The pie chart in the upper half of each panel contrasts the distribution of the WVCH membership on a given member attribute (e.g., gender, education level, number of doctor visits, etc.) with the 2020 state Oregon Health Plan distribution on the same attribute. The bar chart in the lower half of each panel shows how the overall rating of the plan varies by member segment.

# **HEALTH STATUS AND DEMOGRAPHICS**


The following characteristics are profiled in this section:

- Respondent's self-reported health status
- Respondent's self-reported mental or emotional health status
- Respondent's age
- Respondent's current gender identity
- Respondent's education level
- Respondent's racial or ethnic identity




<sup>\*</sup>Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10.




<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10.



<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.


<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10.



<sup>†</sup> The self-reported race and ethnicity responses were aggregated into broader race and ethnic categories to help summarize for reporting purposes.

<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10.



 $<sup>\ ^\</sup>dagger \text{The self-reported race and ethnicity responses were aggregated into broader race and ethnic categories to help summarize for reporting purposes.}$ 


<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10.

# **USE OF SERVICES**

The following utilization measures are included in this section:

- Seeking urgent care
- Making appointments for routine care
- Having a personal doctor
- Receiving care from a provider other than personal doctor
- Making an appointment to see a specialist
- Having a regular dentist
- Number of visits to a doctor's office or clinic
- Number of specialists seen





<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10.

Q7. In the last 6 months, not counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to get health care for yourself?

Q21. How many specialists have you seen in the last 6 months? (Note: the question applies only to those respondents who had appointments with specialists.)





Note: all percentages are rounded for display. Rating of Health Plan score should be interpreted with caution if the size of the group (pie slice) is small.

<sup>\*</sup> Represents the combined distribution of responses to this question for all plans included in the 2020 State OHP.

<sup>\*\*</sup> Includes members who answered the question and provided a valid response to Q28 (Rating of Health Plan). "No data" appears in place of the score if none of the group respondents provided a valid response to Q28 or if no one rated the plan as 8, 9, or 10.

## **KEY DRIVER ANALYSIS**

### **OBJECTIVES**

CSS's Key Driver Analysis (KDA) highlights some of the key differences between high- and low-rated health plans at the industry level. The principal objectives of the KDA are:

- To isolate a set of plan attributes, or key drivers, that distinguish high-rated plans from low-rated plans;
- To highlight industry best practices on the key driver measures;
- To compare the current performance of WVCH to industry best practices in these areas; and
- To estimate the impact of improving performance on these measures on the Rating of Health Plan measure.

## **TECHNICAL APPROACH**

### **INDUSTRY VIEW**

Industry-level analysis, which uses health plans as units of analysis, has several important advantages compared to the alternative approach, which focuses on member experiences within a single plan. Certain plan attributes are strongly related to member satisfaction at the industry level. However, these relationships may be missed if we focus on only one plan at a time. For example, it has been shown that plans that are rated highly on measures of access and availability of care tend to have high overall ratings. Conversely, poor access scores are associated with low overall plan scores. This relationship is clear when ratings are compared across plans. However, within a specific plan, member experiences may not be sufficiently varied to reveal the underlying relationship. That is, if all members are equally dissatisfied with access to care, this measure will show a misleadingly low correlation with the overall rating of the plan. As a result, the plan may underestimate the key role of access to care as a driver of member satisfaction and miss a critical opportunity for improvement.

In addition, expressing every CAHPS survey variable as a plan-level rate yields a complete and rich information set on each plan. This effectively eliminates any "gaps" in respondent-level data from a single plan caused by survey skip patterns and allows every response to be used in the analysis.

Finally, in addition to the standard CAHPS performance measures, other sources of differences between health plans can be explored, increasing the explanatory power of the model and allowing for more precise estimation of the individual key driver effects. These include experience rates, which are based on responses to the CAHPS screener questions. Screeners establish whether a member had a particular type of experience or interaction with the plan (e.g.,

contacted customer service, searched for information in the plan's written materials, etc.) CSS's analysis shows that these experience variables explain a significant portion of the plan's overall satisfaction score. Additional components of the overall score include utilization rates and demographic characteristics of the plan's membership, addressed in more detail in the *Member Profile and Analysis of Plan Ratings by Member Segment* section of this report. Clearly, from the plan's perspective, some of these factors are more actionable than others. However, to yield an accurate model of key drivers of member satisfaction, the analysis must consider any and all measurable influences on the overall rating of the plan.

### KEY DRIVER MODEL DEVELOPMENT

The CSS Key Driver Model was developed using a national plan-level dataset of Adult Medicaid CAHPS survey results. The analysis was based on 299 plans included in the 2018 and 2019 NCQA Quality Compass dataset. CSS performed regression analysis of health plan ratings to identify the sources of variation in overall scores across the industry spectrum, using individual health plans as units of analysis. Regression analysis expresses mathematically the relationship between plan attributes (predictors) and the global Rating of Health Plan score, controlling for interdependencies among the predictors and other factors that may influence ratings (e.g., member demographics, utilization patterns, etc.) Predictors were chosen carefully to yield a model that is both meaningful and actionable from the health plan's point of view.

All of the plan variables, including potential drivers of satisfaction (i.e., variables that the plan may consider actionable) and control variables (member demographics, health status, utilization rates, product type, and year of data collection) were entered into the regression model, and the independent contribution of each variable was estimated. As in the past, CSS excluded *Rating of All Health Care* from the list of predictors both because of its high correlation with *Rating of Health Plan* and the presence of other survey items that measure more specific aspects of member experience. If included, *Rating of all Health Care* would account for a large portion of the variance and confound coefficient estimates for the remaining variables in the model.

## **INDUSTRY KEY DRIVER MODEL**

The table below lists seven key drivers of Adult Medicaid member experience in order of importance, from highest to lowest, based on their relative contribution to the *Rating of Health Plan* score. These variables have statistically significant coefficients in the regression model (*p*-value < 0.05). Performance on these variables, together with the control variables, explains 54 percent of the industry variation in Adult Medicaid health plan ratings. Note that this ordering reflects *only* the strength of the overall relationship between each key driver and the health plan score at the industry level. It does not take into account how WVCH is currently performing on these measures. Improvement targets identified specifically for WVCH, which consider both the strength of the key driver and the current level of performance in the area, are presented graphically in the next section.

Member ratings of the plan are strongly related to their ability to get the care they need when they need it (Q9). Being able to obtain needed information from customer service (Q24), access to highly rated providers (Q22 and Q18), and availability of various types of care (Q4, Q5, and Q7) are all significant drivers of member experience.

Key Driver	Interpretation
Q9. Ease of getting needed care, tests, or treatment (percent <i>Always</i> or <i>Usually</i> )	The higher the proportion of plan members reporting that the necessary care, tests, or treatment were easy to get, the higher the overall plan score
Q24. Health plan customer service provided needed information or help (percent <i>Always</i> or <i>Usually</i> )	The higher the proportion of members who were able to get the information or help they needed from customer service, the higher the overall plan score
Q22. Rating of Specialist Seen Most Often (percent 9 or 10)	The higher the proportion of members rating their specialist as $\it 9$ or $\it 10$ , the higher the overall plan score
Q7. Visits to doctor's office or clinic (percent 5 or more)	The higher the proportion of members who visited a provider 5 or more times, the higher the overall plan score
Q18. Rating of Personal Doctor (percent 9 or 10)	The higher the proportion of members rating their personal doctor as $\it 9$ or $\it 10$ , the higher the overall plan score
Q5. Made appointments for routine care at a doctor's office or clinic (percent <i>Yes</i> )	The higher the proportion of members who made appointments for check-up or routine care at a doctor's office or clinic during the past 6 months, the higher the overall plan score
Q4. Got an appointment for urgent care as soon as needed (percent <i>Always</i> or <i>Usually</i> )	The higher the proportion of members reporting favorably on their experience getting urgent care, the higher the overall plan score

# **OPPORTUNITIES FOR PLAN QUALITY IMPROVEMENT**

Specific improvement opportunities for WVCH are presented in Exhibit 5. The ordering reflects both the strength of each key driver in the broad industry context and how WVCH is currently performing on the measure.

The middle panel of the chart compares how WVCH is performing compared to the *best practice* score on each key driver. CSS defined the best practice score as the highest score among all the Adult Medicaid plans contributing to the 2020 State OHP. Room for improvement, represented by the green arrows on the chart, is the difference between the current level of WVCH performance and the best practice score.

The bar chart on the right displays the expected improvement in the overall *Rating of Health Plan* score WVCH could achieve if it performed on par with the best practice plan on each of the key driver measures. Each bar represents room for improvement on the key driver weighted by its contribution to the *Rating of Health Plan* score.

EXHIBIT 5. 2020 OHA CAHPS SURVEY FOR WVCH ADULT MEDICAID SAMPLE: KEY AREAS AND PRIORITIES FOR IMPROVEMENT

Current Key Driver Performance		Room for Improvement on Key Driver	Overall Improvement Opportunity
2020 Rate		Percentage Point Difference Between Current Key Driver Score and the Best Practice Score*	Expected Percentage Point Improvement in Rating of Health Plan score (percent 9 or 10) if Key Driver Performs at Best Practice Level
Q5. Made appointments for routine care at a doctor's office or clinic (percent <i>Yes</i> )	65.25%	+11.46% 76.71%	+1.96%
Q9. Ease of getting needed care, tests, or treatment (percent <i>Usually</i> or <i>Always</i> )	86.10%	+5.27% 91.37%	+1.74%
Q18. Rating of Personal Doctor (percent 9 or 10)	65.63%	+6.86% 72.49%	+1.30%
Q7. Visits to doctor's office or clinic (percent 5 or <i>more</i> )	19.06%	+4.74% -> 23.81%	+1.14%
Q4. Got an appointment for urgent care as soon as needed (percent <i>Usually</i> or <i>Always</i> )	87.62%	+5.66% 93.28%	+1.05%
Q24. Customer service provided needed information or help (percent <i>Usually</i> or <i>Always</i> )	88.17%	+2.74% -> 90.91%	+0.81%
Q22. Rating of Specialist Seen Most Often (percent 9 or 10)	74.77%	Current Key Driver performance is at or above the Best Practice level 74.77%	None

<sup>\*</sup>Best score on the key driver measure among all plans included in the 2020 State OHP

# **HEALTH PLAN QUALITY IMPROVEMENT RESOURCES FOR KEY DRIVERS**

CSS's Industry *Key Driver Analysis* lists improvement opportunities and priorities for WVCH. The following is a list of possible interventions and resources related to each of the key drivers. This section is included as a guide to assist you in your quality improvement efforts. Some of these resources may be more applicable to WVCH than others, especially because many of the cited interventions are intended to be implemented at the practice or provider level. For a useful introduction to quality improvement (QI), refer to the Agency for Health Care Research and Quality's (AHRQ) reference guide that includes descriptions of QI strategies in health delivery systems (<a href="https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf">https://www.ahrq.gov/sites/default/files/wysiwyg/cahps/quality-improvement/improvement-guide/4-approach-qi-process/cahps-section-4-ways-to-approach-qi-process.pdf</a>).

### IMPROVING MEMBER ACCESS TO CARE

Removing barriers to care is central to improving the health care experience of plan members. The following resources suggest ways to improve patient access to care, tests, and treatment.

- Same-Day Appointment Scheduling The Agency for Healthcare Research and Quality (AHRQ) recommends a method of scheduling that leaves part of each physician's day open for same-day appointments, rather than a traditional scheduling model that books appointments weeks or months in advance. Because the method does not differentiate between urgent and routine care, patients with non-urgent concerns are able to schedule appointments sooner than under traditional scheduling methods. For more information, see <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/access/strategy6a-openaccess.html</a>.
- Implement Process Improvements to Streamline Patient Flow Delays experienced by patients while waiting for care, tests, or treatment can be minimized through a variety of mechanisms. For example, reallocating tasks such as physical exams and ordering x-rays to physician's assistants and nurse practitioners frees up physicians' time to attend to more pressing patient concerns. The exact form of these improvements will vary widely by practice. See <a href="http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html">http://www.ahrq.gov/research/findings/final-reports/ptflow/index.html</a> for AHRQ's guide to plan and implement patient flow improvement strategies.
- Patient-Centered Medical Homes (PCMH) This model increases patient access to physicians, reducing barriers to receiving care
   (<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2869425/</a>). There are many valuable sources of information on the medical home model of care and health equity. To start, see this Institute of Medicine report: <a href="https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf">https://nam.edu/wp-content/uploads/2015/06/PatientCenteredMedicalHome.pdf</a>. Family Medicine for America's Health is a collaboration of family medicine organizations dedicated to improving health care by expanding and emphasizing primary care, particularly through the use of patient-centered medical homes. For AHRQ's resources detailing transitioning a practice to a patient-centered medical home model, see <a href="http://www.pcmh.ahrq.gov/">http://www.pcmh.ahrq.gov/</a>.

• Alternative Access Centers – This brief (<a href="http://www.rwjf.org/content/dam/farm/reports/issue">http://www.rwjf.org/content/dam/farm/reports/issue</a> briefs/2015/rwjf419415) from the Robert Wood Johnson Foundation highlights the growing capacity of retail clinics and telemedicine to meet patient medical needs, particularly in rural and underserved communities and for patients with acute but non-serious conditions who need care quickly. Providing patients with alternative venues to access health care, rather than the traditional doctor's office or hospital, lowers barriers to care (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4795318/).

### IMPROVING QUALITY OF PHYSICIANS IN HEALTH PLAN NETWORK

These resources concentrate on improving the physician-patient relationship, with a focus on communication. Implementing the solutions proposed here may result in patients' increased rating of doctors.

- Help Patients Communicate Patients who can effectively communicate their needs tend to have higher satisfaction with their care. AHRQ recommends four interventions that prepare patients to better communicate with their providers, including record sharing, writing down talking points prior to visits, and "coached care" programs. See <a href="http://www.ahrq.gov/cahps/quality-improvement-guide/6-strategies-for-improving/communication/strategy6i-shared-decisionmaking.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/communication/strategy6htools.html</a>. For a sample communication document that providers can distribute to patients before or during visits, see <a href="http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048">http://www.rwjf.org/content/dam/farm/toolkits/toolkits/2013/rwjf404048</a>.
- Build Physician-Patient Relationships An article published in the British Journal of General Practice found that patients seeing their preferred doctor rated their satisfaction with visits significantly higher than patients who did not have a doctor preference or those who would have preferred to see a different doctor. A study of English National Health Service data found that confidence and trust in a doctor is an important predictor of overall patient satisfaction (<a href="http://www.ncbi.nlm.nih.gov/pubmed/18416910/">http://www.ncbi.nlm.nih.gov/pubmed/18416910/</a>), while a Harvard study found that a positive physician-patient relationship correlates with better healthcare outcomes (<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3981763/</a>).

• Improve Referral Communication – The coordination of care between primary and specialist providers can be a challenge and may affect patient perceptions of their specialist care. Improving the coordination of care and case management can increase patient satisfaction with their specialist. For examples of interventions that improve care coordination efficiency and quality, see <a href="https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and">https://innovations.ahrq.gov/profiles/electronic-referrals-and-communications-reduce-wait-times-specialty-appointments-and</a> as well as <a href="https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency">https://innovations.ahrq.gov/profiles/referring-physicians-send-electronic-handoff-note-pertinent-patient-information-emergency</a>.

### IMPROVING CUSTOMER SERVICE AND HEALTH PLAN-RELATED INFORMATION

It is important that health plan information be provided to members and that the information addresses member concerns. As representatives of the plan, customer service staff must ensure that members have confidence and trust in their ability to address their concerns. The following resources contain recommendations for improving customer service.

- Develop Customer Service Standards To improve customer service, the Agency for Healthcare Research and Quality suggests first articulating which aspects of customer service are most important to your organization. After developing these standards, monitor performance and promote accountability among staff. For more information, see <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6q-custservice-standards.html</a>.
- Iterative Improvement for Member Services This RAND paper details a case study in which a health plan used additional surveys to supplement CAHPS results and thoroughly assess member dissatisfaction with customer service. Throughout the process, plan leadership continually examined and adjusted improvement goals. The intervention resulted in a reduction of wait time for customer service calls and increased member satisfaction with customer service, as measured on the CAHPS survey. See <a href="http://www.rand.org/pubs/working\_papers/WR517.html">http://www.rand.org/pubs/working\_papers/WR517.html</a>.
- Implement Service Recovery Procedures When customers have a complaint, service recovery programs support customer service personnel in identifying and remedying the problem. While complaints may be inevitable, proper handling of complaints can reassure patients and restore loyalty to the health plan. For more information, see <a href="http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service/strategy6p-service-recovery.html">http://www.ahrq.gov/cahps/quality-improvement/improvement-guide/6-strategies-for-improving/customer-service-recovery.html</a>.
- Make Plan Information Accessible to All Members A Health Research and Educational Trust study found that demographic characteristics, including education, age, gender, and income, significantly impacted use of an Internet-based decision tool. The tool provided cost information as well as a health and wellness assessment. The study suggests that effort beyond Internet-based tools is necessary to reach certain demographics. For further information, see <a href="http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/">http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3447236/</a>.

- Increase Access to Trusted Health Information Many people look to their health plan for information not only on how the health plan works, but also on resources to help them improve their health, particularly when dealing with chronic illnesses. A recent meta-analysis confirmed that improved access to trusted health information leads to improved outcomes (<a href="https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/">https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5818676/</a>). Also, the Office of the National Coordinator for Health Information Technology (ONC) created the ONC Patient Engagement (PE) Playbook (<a href="https://www.healthit.gov/playbook/pe/">https://www.healthit.gov/playbook/pe/</a>) to help healthcare providers use health information technology (health IT) to provide better care to patients by specifically focusing on electronic health record (EHR) patient portals. This tool would allow both patients and healthcare teams, concurrent with patients' privacy preferences, to easily access patient health information which may lead to increased benefits for healthcare, such as improved health outcomes and lower costs.
- Evaluate the Organization's Health Literacy Programs The CDC has developed guidance on evaluating an organization's health literacy program, including recommended sources of communication and health literacy measures. See <a href="http://www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html">http://www.cdc.gov/healthliteracy/researchevaluate/program-evaluation.html</a>. The CDC's National Prevention Information Network also offers tools to create health materials in plain language to reduce health disparities (<a href="https://npin.cdc.gov/pages/health-communication-language-and-literacy">https://npin.cdc.gov/pages/health-communication-language-and-literacy</a>).
- Improve Patient Health Literacy This guide by the Office of Disease Prevention and Health Promotion outlines steps to improve health literacy, which may help patients to better absorb the information they obtain from written materials or the Internet. For detailed steps, see <a href="https://health.gov/our-work/health-literacy/resources">https://health.gov/our-work/health-literacy/resources</a>. AHRQ has also developed its own health literacy toolkit to support physicians (https://www.ahrq.gov/professionals/quality-patient-safety/quality-resources/tools/literacy-toolkit/healthlittoolkit2.html).

# APPENDIX

# **CROSS-TABULATIONS OF SURVEY RESPONSES**

# **Satisfaction With the Experience of Care**

		Global Pr	oportions	
	2020 State		Plan Rate	
Survey Measures*	0111	2020	2019	2018
Ratings				
Rating of Personal Doctor	80.79%	81.70%	79.40%	73.78%
Rating of Specialist	81.37%	88.29%	78.85%	82.46%
Rating of All Health Care	71.87%	71.96%	70.05%	71.77%
Rating of Health Plan	71.28%	73.28%	72.35%	64.61%
Composites				
Getting Needed Care	81.90%	83.05%	85.14%	83.76%
Getting Care Quickly	82.43%	82.29%	84.20%	82.62%
How Well Doctors Communicate	92.52%	93.71%	93.66%	86.11%
Customer Service	88.16%	92.47%	86.62%	84.09%
Additional Content Areas				
Coordination of Care	82.95%	84.62%	72.34%	73.91%

<sup>\*</sup> Results were calculated by CSS following NCQA specifications. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

# **Effectiveness of Care**

Flu Vaccinations for Adults Ages 18-64 (FVA) Base: All eligible respondents flagged by the plan as being age 18 to 64 as of July 1 of the measurement year  Flu Vaccinations for Adults  Received a flu vaccination  110 8 Usable responses 249 22 FVA Rate 44.2% 40.09  Medical Assistance with Smoking and Tobacco Use Cessation (MSC)  Base: All eligible respondents who smoke or use tobacco  Advising Smokers and Tobacco Users to Quit  Discussed medications  NSC Rate 63.3% 78.19  Discussing Cessation Medications  Discussed strategies 32 33 34 35 36 36 37 38 38 39 39 30 30 30 30 30 30 30 30 30 30 30 30 30				
Received a flu vaccination Flu Vaccinations for Adults  Received a flu vaccination Usable responses FVA Rate  Medical Assistance with Smoking and Tobacco Use Cessation (MSC)  Research All eligible respondents who smoke or use tobacco  Advising Smokers and Tobacco Users to Quit  Advising Smokers and Tobacco Users to Quit  Discussed medications  Discussed medications  Discussed strategies  Discussed strategies  Discussing Cessation Strategies  Discussing Cessation Strategies  Received a flu vaccination 110 8 8 8 8 6 6 7 9 6 7 9 6 7 9 6 7 9 6 9 9 9 9 9 9			(Single	` -
Received a flu vaccination 110 8 Usable responses 249 22 FVA Rate 44.2% 40.09  Medical Assistance with Smoking and Tobacco Use Cessation (MSC)  Base: All eligible respondents who smoke or use tobacco  Advised to quit 50 5 Advising Smokers and Tobacco Users to Quit Usable responses 79 6 MSC Rate 63.3% 78.19 Discussed medications 38 3 Discussing Cessation Medications Usable responses 79 6 MSC Rate 48.1% 60.09 Discussing Cessation Strategies 32 3 Discussing Cessation Strategies 78 6	Flu Vaccinations for Adults Ages 18-64 (FVA)			
Flu Vaccinations for Adults  Usable responses FVA Rate  44.2%  40.09  Medical Assistance with Smoking and Tobacco Use Cessation (MSC)  Base: All eligible respondents who smoke or use tobacco  Advised to quit So So MSC Rate Solution  Discussed medications  Usable responses FVA Rate  150 FVA Rate FVA	Base: All eligible respondents flagged by the plan as being age 18 to	o 64 as of July 1 of the measurement year		
Medical Assistance with Smoking and Tobacco Use Cessation (MSC)  Base: All eligible respondents who smoke or use tobacco  Advised to quit 50 5  MSC Rate 63.3% 78.10  Discussed medications 38 3  Discussing Cessation Medications Usable responses 79 6  MSC Rate 48.1% 60.00  Discussed strategies 32 3  Discussing Cessation Strategies 78 6		Received a flu vaccination	110	88
Medical Assistance with Smoking and Tobacco Use Cessation (MSC)  Base: All eligible respondents who smoke or use tobacco  Advised to quit 50 5  Advised to quit Usable responses 79 6  MSC Rate 63.3% 78.19  Discussed medications 38 3  Discussing Cessation Medications Usable responses 79 6  MSC Rate 48.1% 60.09  Discussed strategies 32 3  Discussing Cessation Strategies 78 6	Flu Vaccinations for Adults	Usable responses	249	220
Advised to quit   50   55     Advising Smokers and Tobacco Users to Quit   Usable responses   79   66     Advising Smokers and Tobacco Users to Quit   Usable responses   79   66     MSC Rate   63.3%   78.1%     Discussed medications   38   3     Discussed medications   Usable responses   79   66     MSC Rate   48.1%   60.0%     Discussed strategies   32   3     Discussing Cessation Strategies   18.1%   18.1%     Discussing Cessation Strategies   32   3     Discussi		FVA Rate	44.2%	40.0%
Advised to quit 50 55 Advising Smokers and Tobacco Users to Quit Usable responses 79 66  MSC Rate 63.3% 78.19 Discussed medications 38 3 Discussing Cessation Medications Usable responses 79 6  MSC Rate 48.1% 60.09 Discussed strategies 32 3 Discussing Cessation Strategies 78 66	Medical Assistance with Smoking and Tobacco Use	e Cessation (MSC)		
Advising Smokers and Tobacco Users to Quit    MSC Rate   63.3%   78.19	Base: All eligible respondents who smoke or use tobacco			
MSC Rate   63.3%   78.19		Advised to quit	50	50
Discussed medications   38   38   38   38   38   38   38   3	Advising Smokers and Tobacco Users to Quit	Usable responses	79	64
Discussing Cessation Medications  Usable responses 79 6  MSC Rate 48.1% 60.0%  Discussed strategies 32 3  Discussing Cessation Strategies Usable responses 78 6		MSC Rate	63.3%	78.1%
MSC Rate 48.1% 60.09 Discussed strategies 32 3 Discussing Cessation Strategies Usable responses 78 6		Discussed medications	38	39
Discussed strategies 32 3 Discussing Cessation Strategies Usable responses 78 6	Discussing Cessation Medications	Usable responses	79	65
Discussing Cessation Strategies  Usable responses 78 6		MSC Rate	48.1%	60.0%
		Discussed strategies	32	34
MSC Rate   41.0%   53.19	Discussing Cessation Strategies	Usable responses	78	64
32030		MSC Rate		53.1%

Note: Results are presented regardless of whether the plan meets the denominator threshold of 30 valid responses. A lighter display is used to indicate that the measure does not meet the denominator threshold (n=30).

32030

### Question 3

In the last 6 months, did you have an illness, injury, or condition that needed care right away in a clinic, emergency room, or doctor's office?

Base: All respondents																												
	_				Ger	der Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	높					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	278	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	77	2	6	0	1	1	0	1	0	1	1	0	1	0	0	0	1	0	0	1	0	0	1	0	1	0	1	1
Number no experience	NA				NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,679	286	239	278	116	154	5	71	83	120	159	87	22	6	1	0	44	1	1	133	8	50	94	92	92	85	139	52
	98.4%	99.3%	97.6%	100.0%	99.1%	0.0%	100.0%	98.6%	100.0%	99.2%	99.4%	100.0%	95.7%	100.0%	100.0%		97.8%	100.0%	100.0%	99.3%	0.0%	100.0%	98.9%	100.0%	98.9%	100.0%	99.3%	98.1%
Yes	1,890	112	106	124	42	63	4	26	34	47	64	34	7	1	0	0	14	0	0	52	5	22	28	28	51	5	64	37
	40.4%	39.2%	44.4%	44.6%	36.2%	40.9%	80.0%	36.6%	41.0%	39.2%	40.3%	39.1%	31.8%	16.7%	0.0%		31.8%	0.0%	0.0%	39.1%	62.5%	44.0%	29.8%	30.4%	55.4%	5.9%	46.0%	71.2%
No	2,789	174	133	154	74	91	1	45	49	73	95	53	15	5	1	0	30	1	1	81	3	28	66	64	41	80	75	15
	59.6%	60.8%	55.6%	55.4%	63.8%	59.1%	20.0%	63.4%	59.0%	60.8%	59.7%	60.9%	68.2%	83.3%	100.0%		68.2%	100.0%	100.0%	60.9%	37.5%	56.0%	70.2%	69.6%	44.6%	94.1%	54.0%	28.8%
Significantly different from column:*																			· ·		1		Υ	Υ	WX	AAAB	ZAB	ZAA

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 4

In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?

Base: All respondents who needed care right away (Q3)

	НР				Ger	der Ider	ntity		Age (Q36)		E	Educatio (Q39)	n					Race (Q40)					He	alth Stat	tus	Doctor	Visits in Months (Q7)	Last 6
	2020 State Ol	2020 Sta	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle & Eastern/Northern & African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Poop	Fair or Poor	None	1 to 4	5 or more	
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,890	112	106	114	42	63	4	26	34	47	64	34	7	1	0	0	14	0	0	52	5	22	28	28	51	5	64	37
Number missing or multiple answer	75	7	4	0	3	4	0	0	2	5	5	1	1	0	0	0	0	0	0	6	0	1	1	1	5	0	4	2
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,815	105	102	114	39	59	4	26	32	42	59	33	6	1	0	0	14	0	0	46	5	21	27	27	46	5	60	35
	96.0%	93.8%	96.2%	100.0%	92.9%	0.0%	100.0%	100.0%	94.1%	89.4%	92.2%	97.1%	85.7%	100.0%			100.0%			88.5%	0.0%	95.5%	96.4%	96.4%	90.2%	100.0%	93.8%	94.6%
Never	55	4	1	4	2	2	0	1	2	1	3	1	0	0	0	0	1	0	0	2	0	1	1	0	3	0	2	2
	3.0%	3.8%	1.0%	3.5%	5.1%	3.4%	0.0%	3.8%	6.3%	2.4%	5.1%	3.0%	0.0%	0.0%			7.1%			4.3%	0.0%	4.8%	3.7%	0.0%	6.5%	0.0%	3.3%	5.7%
Sometimes	239	9	12	16	8	1	0	2	3	2	5	3	0	0	0	0	2	0	0	3	0	3	3	1	5	1	6	2
	13.2%	8.6%	11.8%	14.0%	20.5%	1.7%	0.0%	7.7%	9.4%	4.8%	8.5%	9.1%	0.0%	0.0%			14.3%			6.5%	0.0%	14.3%	11.1%	3.7%	10.9%	20.0%	10.0%	5.7%
Usually	466	31	26	33	7	23	1	6	10	15	13	16	2	0	0	0	4	0	0	14	1	6	7	12	12	0	20	9
	25.7%	29.5%	25.5%	28.9%	17.9%	39.0%	25.0%	23.1%	31.3%	35.7%			33.3%	0.0%			28.6%			30.4%	20.0%	28.6%	25.9%	44.4%	26.1%	0.0%	33.3%	25.7%
Always	1,055	61	63	61	22	33	3	17		24	38			1	0	0	7	0	0	27	4	11	16	14	26	4	32	22
	58.1%	58.1%	61.8%	53.5%	56.4%	55.9%	75.0%	65.4%	53.1%	57.1%	64.4%	39.4%	66.7%	100.0%			50.0%			58.7%	80.0%	52.4%	59.3%	51.9%	56.5%	80.0%	53.3%	62.9%
Significantly different from column:*											L	K																
Usually or Always	1,521	92	89	-	29	56	4	23			51	29		1	0	0	11	0	0	41	5	17	23	26	38	4	52	31
	83.8%	87.6%	87.3%	82.5%	74.4%	94.9%	100.0%	88.5%	84.4%	92.9%	86.4%	87.9%	100.0%	100.0%			78.6%			89.1%	100.0%	81.0%	85.2%	96.3%	82.6%	80.0%	86.7%	88.6%
Significantly different from column:*					F	E																					1	

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 5

In the last 6 months, did you make any appointments for a <a href="mailto:check-up">check-up</a> or routine care at a doctor's office or clinic?

Base: All respondents

	HP				Gen	der Ider	ntity		Age (Q36)		Е	ducation	n					Race (Q40)					He	alth Stat	tus		Visits in Months (Q7)	Last 6
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	278	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	72	6	2	0	4	2	0	2	1	3	4	1	1	1	0	0	2	0	0	2	0	1	1	3	2	2	2	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,684	282	243	278	113	153	5	70	82	118	156	86	22	5	1	0	43	1	1	132	8	49	94	89	91	83	138	53
	98.5%	97.9%	99.2%	100.0%	96.6%	0.0%	100.0%	97.2%	98.8%	97.5%	97.5%	98.9%	95.7%	83.3%	100.0%		95.6%	100.0%	100.0%	98.5%	0.0%	98.0%	98.9%	96.7%	97.8%	97.6%	98.6%	100.0%
Yes	3,244	184	178	204	63	112	3	39	56	82	106	55	14	2	1	0	28	1	0	92	6	29	57	57	66	12	115	53
	69.3%	65.2%	73.3%	73.4%	55.8%	73.2%	60.0%	55.7%	68.3%	69.5%	67.9%	64.0%	63.6%	40.0%	100.0%		65.1%	100.0%	0.0%	69.7%	75.0%	59.2%	60.6%	64.0%	72.5%	14.5%	83.3%	100.0%
No	1,440	98	65	74	50	41	2	31	26	36	50	31	8	3	0	0	15	0	1	40	2	20	37	32	25	71	23	0
	30.7%	34.8%	26.7%	26.6%	44.2%	26.8%	40.0%	44.3%	31.7%	30.5%	32.1%	36.0%	36.4%	60.0%	0.0%		34.9%	0.0%	100.0%	30.3%	25.0%	40.8%	39.4%	36.0%	27.5%	85.5%	16.7%	0.0%
Significantly different from column:*		CD			F	E																				AAAB	ZAB	ZAA

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 6

In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?

Base: All respondents who made an appointment for a check-up or routine care (Q5)

	ОНР				Gen	der Iden (Q38)	tity		Age (Q36)		E	Educatio (Q39)	n					Race (Q40)					He	alth Stat	us		Visits in Months (Q7)	Last 6
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	3,244	184	178	180	63	112	3	39	56	82	106	55	14	2	1	0	28	1	0	92	6	29	57	57	66	12	115	53
Number missing or multiple answer	114	6	3	0	3	3	0	0	0	6	2	2	0	0	0	0	2	0	0	4	0	0	3	1	2	1	5	0
Number no experience	NA	NA		NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,130	178	-	180	60	109	3	39	56	-	104	53		2	1	0	26	1	0	88	6	29	54	56	64	11	110	53
	96.5%	96.7%	98.3%	100.0%	95.2%	0.0%	100.0%	100.0%	100.0%	92.7%	98.1%	96.4%	100.0%	100.0%	100.0%		92.9%	100.0%		95.7%	0.0%	100.0%	94.7%	98.2%	97.0%	91.7%	95.7%	100.0%
Never	87	7	4	8	3	4	0	1	5	1	3	2	2	0	0	0	1	0	0	4	0	2	2	2	3	2	3	2
	2.8%	3.9%			5.0%	3.7%	0.0%	2.6%	8.9%	1.3%	2.9%	3.8%	14.3%	0.0%	0.0%		3.8%	0.0%		4.5%	0.0%	6.9%	3.7%	3.6%	4.7%	18.2%	2.7%	3.8%
Sometimes	506	34	29	23	12	19	1	10	11	11	24	7	1	1	1	0	10	0	0	12	1	5	10	14	10	4	24	6
	16.2%	19.1%	16.6%	12.8%	20.0%	17.4%	33.3%	25.6%	19.6%	14.5%	23.1%	13.2%	7.1%	50.0%	100.0%		38.5%	0.0%		13.6%	16.7%	17.2%	18.5%	25.0%	15.6%	36.4%	21.8%	11.3%
Usually	889	45		56	17	25	1	7	16	19	22	16	4	1	0	0	3	0	0	26	2	8	13	12	19	0	29	13
	28.4%	25.3%				22.9%	33.3%	17.9%	28.6%	25.0%				50.0%	0.0%		11.5%	0.0%		29.5%	33.3%	27.6%	24.1%	21.4%	29.7%	0.0%		24.5%
Always	1,648	92	-	,,,	28	61	1	21	24	45	55	28		0	0	0	12	1	0	46	3	14	29	28	32	5	54	32
	52.7%	51.7%	52.6%	51.7%	46.7%	56.0%	33.3%	53.8%	42.9%	59.2%	52.9%	52.8%	50.0%	0.0%	0.0%		46.2%	100.0%		52.3%	50.0%	48.3%	53.7%	50.0%	50.0%	45.5%	49.1%	60.4%
Significantly different from column:*																												
Usually or Always	2,537	137		-	45	86	2	28	40	-	77	44		1	0	0	15	1	0	72	5	22		40	51	5	83	45
	81.1%	77.0%	81.1%	82.8%	75.0%	78.9%	66.7%	71.8%	71.4%	84.2%	74.0%	83.0%	78.6%	50.0%	0.0%		57.7%	100.0%		81.8%	83.3%	75.9%	77.8%	71.4%	79.7%	45.5%	75.5%	84.9%
Significantly different from column:*																	T			Q								
NA Net Applicable																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

# **Willamette Valley Community Health**

32030 CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 7

In the last 6 months, not counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to get health care for yourself?

Base: All respondents

Base: All respondents	OHP				Ger	der Ider	ntity		Age (Q36)		E	ducation (Q39)	n					Race (Q40)					Не	alth Sta	tus		Visits in Months (Q7)	Last 6
	2020 State Ol	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Kastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	4,756 136 NA	10	245 3 NA	0	117 4 NA	155 4	5 1 NA	72 1 NA	83 1 NA	121 7 NA	160 3 NA	87 4 NA	23 1 NA	6 0 NA	1 0 NA	0 0 NA	45 0 NA	1 0 NA	1 0 NA	134 6 NA	8 0 NA	50 3 NA	95 0 NA	92 4 NA	93 5 NA	85 0 NA	140 0 NA	53 0 NA
Usable responses	4,620 97.1%	278 96.5%	242 98.8%	276 100.0%	113 96.6%	151 0.0%	1	71 98.6%	82 98.8%	114 94.2%		83 95.4%	22 95.7%	6 100.0%	1 100.0%	0	45 100.0%	1 100.0%	1 100.0%	128 95.5%	0.0%	47 94.0%	95 100.0%	88 95.7%	88 94.6%	85 100.0%	140 100.0%	53 100.0%
None	1,148 24.8%	85 30.6%	55 22.7%	64 23.2%	48 42.5%	32 21.2%	1 25.0%	26 36.6%	29 35.4%	26 22.8%		25 30.1%	5 22.7%	50.0%	100.0%	0	17 37.8%	0.0%	100.0%	31 24.2%	2 25.0%	17 36.2%	35 36.8%	32 36.4%	17.0%	85 100.0%	0.0%	0.0%
1 time	906 19.6%	39	40	57	16	20	0	7	10	20 17.5%	19	11 13.3%	3	1	0.0%	0	6	0.0%	0.0%	19 14.8%	1 12.5%	8.5%	15	13 14.8%	9	0.0%	39 27.9%	0
2	843 18.2%	48	57	45	20	28 18.5%	0	12	7	26 22.8%	30	14 16.9%	3	0	0	0	6	1	0.0%	21 16.4%	0.0%	9	18	12 13.6%	17 19.3%	0.0%	48 34.3%	0.0%
3	596 12.9%	28	27	39	10 8.8%	17 11.3%	0	6	9	12 10.5%	17	9.6%	9.1%	16.7%	0.0%	0	5	0.0%	0.0%	16 12.5%	0.0%	5 10.6%	11 11.6%	7 8.0%	9	0.0%	28 20.0%	0.0%
4	359 7.8%	25	26 10.7%		5 4.4%	20 13.2%	0	6 8.5%	10	9 7.9%	12	9 10.8%	3	0	0.0%	0	7	0.0%	0.0%	13 10.2%	1 12.5%	3 6.4%	7 7.4%	6.8%	12 13.6%	0.0%	25 17.9%	0.0%
5 to 9	517 11.2%	38 13.7%	22 9.1%		10 8.8%	25 16.6%	75.0%	10 14.1%	14 17.1%	14 12.3%	20 12.7%	12 14.5%	6 27.3%	1 16.7%	0.0%	0	4.4%	0.0%	0.0%	20 15.6%	4 50.0%	7 14.9%	9 9.5%	11 12.5%	18 20.5%	0.0%	0.0%	38 71.7%
10 or more times	251 5.4%		15 6.2%		4 3.5%	9 6.0%	0.0%	4 5.6%	3 3.7%	7 6.1%	10 6.4%	4 4.8%	0.0%	0.0%	0.0%	0	4.4%	0.0%	0.0%	6.3%	0.0%	2 4.3%	0.0%	7 8.0%	9.1%	0.0%	0.0%	15 28.3%
5 or more times	768 16.6%		_	51 18.5%	14 12.4%	34 22.5%	-	14 19.7%		21 18.4%		16 19.3%	6 27.3%	1 16.7%	0.0%	0	8.9%	0.0%	0.0%	28 21.9%	4 50.0%	9 19.1%	9 9.5%	18 20.5%	26 29.5%	0.0%	0.0%	53 100.0%
Significantly different from column:*					F	Е													-				XY	W	W	AB	AB	ZAA

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

Willamette Valley Community Health
CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 8

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?

Base: All respondents who went to a doctor's office/c	anic to get c	are (Q7)			Ger	ider Ide	ntity		Age		Е	ducatio	n					Race					He	alth Stat	:us		Visits in Months	Last 6
	OHP					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	0202	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,472 45	193 4	0	209 0	2	119 1	0	45 0	53 2	88 2	108 1	58 2	17 0	3 0	0	0	28 0	1 0	0	97 1	6 0	30 1	60 1	56 1	73 2	0	140 2	53 2
Number no experience	NA	NA		NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,427 98.7%	189 97.9%		209 100.0%	63 96.9%	118 0.0%	-	45 100.0%	51 96.2%	86 97.7%	107 99.1%	56 96.6%	17 100.0%	3 100.0%	0	0	28 100.0%	100.0%	0	96 99.0%	0.0%	29 96.7%	59 98.3%	55 98.2%	71 97.3%	0	138 98.6%	51 96.2%
0 Worst health care possible	98.7%	97.9%	100.0%	100.0%	96.9%	0.0%	100.0%	100.0%	96.2%	97.7%	99.1%	96.6%	100.0%	100.0%			100.0%	100.0%		99.0%	0.0%	96.7%	98.3%	98.2%	97.3%		98.6%	96.2%
o vvoist ricultir care possible	0.7%	0.0%	0.5%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%
1	16 0.5%	3 1.6%	1 0.5%	4 1.9%	2 3.2%	0.8%	0.0%	0.0%	0 0.0%	2 2.3%	1 0.9%	2 3.6%	0.0%	0.0%	0	0	0.0%	0.0%	0	3.1%	0.0%	0.0%	1 1.7%	1 1.8%	1 1.4%	0	3 2.2%	0 0.0%
2	28	1	1	1	1	0	0	0	0	1	1	0	0	0	0		0	0	0	1	0	0	0	0	1	0	1	0
_	0.8%	0.5%	0.5%	0.5%	1.6%	0.0%	0.0%	0.0%	0.0%	1.2%	0.9%	0.0%	0.0%	0.0%				0.0%		1.0%	0.0%	0.0%	0.0%	0.0%	1.4%		0.7%	0.0%
3	50 1.5%	0.5%	1.6%	0.5%	0.0%	0.8%	0.0%	0.0%	2.0%	0.0%	0.0%	1.8%	0.0%	0.0%	0	0	Ŭ	0.0%		1.0%	0.0%	0.0%	0.0%	0.0%	1.4%	0	0.7%	0.0%
4	64 1.9%	3 1.6%	2 1.1%	4 1.9%	1.6%	1.7%	0.0%	2.2%	1 2.0%	1.2%	2 1.9%	1.8%	0.0%	0.0%	0	0	Ŭ	0.0%	0	2.1%	0.0%	3.4%	0.0%	1 1.8%	2.8%	0	0.0%	3 5.9%
5	202	12	14	11	4	7	0	2	3	6	5	4	2	0	0	0	1	0	0	5	0	2	5	2	5	0	11	1
c	5.9% 180	6.3%	7.5%	5.3% 15	6.3%	5.9%	0.0%	4.4%	5.9%	7.0%	4.7%	7.1%	11.8%	0.0%			3.6%	0.0%		5.2%	0.0%	6.9%	8.5%	3.6%	7.0%		8.0%	2.0%
0	5.3%	5.8%	3.7%	7.2%	7.9%	5.1%	0.0%	6.7%	11.8%	2.3%	4.7%	7.1%	11.8%	66.7%			3.6%	0.0%		6.3%	0.0%	6.9%	10.2%	3.6%	4.2%		5.8%	5.9%
7	399	22	27	22	10	9	1	8	4	9	13	5	3	1	0	0	3	0	0	12	0	3	7	8	6	0	18	4
	11.6%					7.6%			7.8%	10.5%		8.9%	17.6%	33.3%			10.7%	0.0%		12.5%	0.0%	10.3%	11.9%	14.5%	8.5%		13.0%	7.8%
8	697 20.3%	36 19.0%		51 24.4%	12 19.0%	24 20.3%	-	10 22.2%	8 15.7%	16 18.6%	16 15.0%	12 21.4%	5 29.4%	0.0%	0	0	21.4%	0.0%	0	18 18.8%	2 33.3%	20.7%	9 15.3%	14 25.5%	12 16.9%	0	26 18.8%	10 19.6%
9	601	42		32	11	20.3%		10	9	22	26	12	3	0.0 %	0	0	9	1	0	22	33.376	5	10.5%	14	18	0	28	14
	17.5%	22.2%		15.3%	17.5%	24.6%	33.3%	22.2%	17.6%	25.6%		21.4%	17.6%	0.0%			32.1%	100.0%		22.9%	16.7%	17.2%	16.9%	25.5%	25.4%		20.3%	27.5%
10 Best health care possible	1,165 34.0%	58 30.7%		67 32.1%	17 27.0%	39 33.1%	33.3%	11 24.4%	19 37.3%	27 31.4%	38 35.5%	15 26.8%	2 11.8%	0.0%	0	0	28.6%	0.0%	0	26 27.1%	50.0%	10 34.5%	21 35.6%	13 23.6%	22 31.0%	0	42 30.4%	16 31.4%

NA - Not Applicable

### Question 8

Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?

Base: All respondents who went to a doctor's office.	clinic to get o	are (Q7)			Ger	nder Ide	ntity		Age		-	ducatio	n	I				Race					Не	alth Sta	tuc	Doctor	Visits in	Last 6
	۵				Gei		ititity		-		_												110		tus		Months	
	OHP.					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,472	193	187	209	65	119	3	45	53	88	108	58	17	3	0	0	28	1	0	97	6	30	60	56	73	0	140	53
Number missing or multiple answer  Number no experience	NA	NA NA	NA NA	NA	NA	1	NA	NA	NA	NA	NA	NA NA	NA	NA	NA	NA	NA	NA	NA	NA NA	NA	NA NA	NA	NA	NA	NA.	NA	NA
Usable responses	3,427	189				118		45	51	86	107	56	17	3	0	0	28		0	96	6	29		55	71	0	138	
·	98.7%	97.9%	100.0%	100.0%	96.9%	0.0%	100.0%	100.0%	96.2%	97.7%	99.1%	96.6%	100.0%	100.0%			100.0%	100.0%		99.0%	0.0%	96.7%	98.3%	98.2%	97.3%		98.6%	96.2%
0 to 4	183		8	11		2 40/	0	1	2 2004	4 4.7%	2 704	4	0	0	0	0	0	0	0	7	0	1	1 1.7%	2	5	0	5	5 004
E	5.3%				_	3.4%	0.0%	2.2%	3.9%	4.7%	3.7%	7.1%	0.0%	0.0%			0.0%	0.0%		7.3%	0.0%	3.4%	1.7%	3.6%	7.0%		3.6% 11	5.9%
5	5.9%					5.9%	0.0%	4.4%	5.9%	7.0%	4.7%	7.1%	11.8%	0.0%			3.6%	0.0%		5.2%	0.0%	6.9%	8.5%	3.6%	7.0%		8.0%	2.0%
6 or 7	579	33	34	37	15	15	1	11	10	11	18	9	5	3	0	0	4	0	0	18	0	5	13	10	9	0	26	7
	16.9%							24.4%	19.6%	12.8%		16.1%	29.4%	100.0%			14.3%			18.8%	0.0%		22.0%	18.2%	12.7%		18.8%	13.7%
8 to 10	2,463	136			-		-	31	36	65	80	39	10	0	0	0	23	_	0	66	6	21		41	52	0	96	40
Significantly different from column:*	71.9%	72.0%	70.1%	71.8%	63.5%	78.0% F	66.7%	68.9%	70.6%	75.6%	74.8%	69.6%	58.8%	0.0%			82.1%	100.0%		68.8%	100.0%	72.4%	67.8%	74.5%	73.2%		69.6%	78.4%
0 to 6	565	31	29	37	13		0	6	11	12	14	12	4	2	0	0	2	0	0	18	0	5	12	6	13	0	24	7
	16.5%							13.3%			13.1%	21.4%	23.5%	66.7%			7.1%	0.0%		18.8%	0.0%	17.2%		10.9%			17.4%	
7 to 8	1,096	58		73	22	33		18	12	25	29	17	8	1	0	0	9	0	0	30	2	9	16	22	18	0	44	14
	32.0%	30.7%		34.9%	34.9%	28.0%	33.3%	40.0%	23.5%	29.1%	27.1%	30.4%	47.1%	33.3%			32.1%	0.0%		31.3%	33.3%	31.0%	27.1%	40.0%	25.4%		31.9%	
9 to 10	1,766	100		99			_	21	28	49	64	27	5	0	0	0	17	1	0	48	4	15	-	27	40	0	70	
Civilian III III III III III III III III III I	51.5%	52.9%	52.4%	47.4%	44.4%	57.6%	66.7%	46.7%	54.9%	57.0%	59.8%	48.2%		0.0%			60.7%	100.0%		50.0%	66.7%	51.7%	52.5%	49.1%	56.3%		50.7%	58.8%
Significantly different from column:*											M		K															

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 9

In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?

Base: All respondents who went to a doctor's office/clinic to get care (Q7)

2020 State OHP  2020  2019  2019  2019  2019  Ron-binary, genderqueer, or other other, or other other other other other other or other other or offer other more more and or less have a Asian  American Indian or Asian  Asian  Black or African  Animatican	A Hispanic or Latino/a Middle Eastern/Morthern P African Native Hawaiian or Pacific Islander	White Other	Excellent or Very good Good Good Fair or Poor	None 1 to 4 (20)
		T II V		
A <b>B</b> C D E F G H I J K L M N O P		1 U V	W X Y	Z AA AB
Number in sample 3,472 193 187 209 65 119 3 45 53 88 108 58 17 3 0 0	28 1 0	97 6 30	0 60 56	73 0 140 53
Number missing or multiple answer 69 6 1 0 4 2 0 1 3 2 1 0 0 0	0 0 0	3 0 :	2 2 1	2 0 4 2
Number no experience NA	NA NA NA	NA NA NA		IA NA NA NA
Usable responses   3,403   <b>187</b>   186   209   61   117   3   44   50   86   105   56   16   3   0   0	28 1 0	94 6 2	8 58 55	71 0 136 51
98.0% <b>96.9%</b> 99.5% 100.0% 93.8% 0.0% 100.0% 97.8% 94.3% 97.7% 97.2% 96.6% 94.1% 100.0% 1	100.0% 100.0%	96.9% 0.0% 93.3%	6 96.7% 98.2% 97.3 % of the second se	% 97.1% 96.2%
Never 68 6 2 4 2 4 0 0 0 4 2 2 1 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 0 0 3.6% 0.0%	3 0 3 3.2% 0.0% 7.1%	2 2 1 % 3.4% 1.8% 4.2	3 0 4 2 % 2.9% 3.9%
Sometimes 420 20 22 32 10 8 0 7 6 5 10 7 2 1 0 0	5 0 0	9 0	4 11 4	5 0 18 2
	17.9% 0.0%	9.6% 0.0% 14.3%	% 19.0% 7.3% 7.0	% 13.2% 3.9%
Usually 1,100 49 67 72 13 34 2 14 12 21 25 17 5 0 0 0	9 0 0	24 1	8 7 16	26 0 34 15
	32.1% 0.0%	25.5% 16.7% 28.6%	% 12.1% 29.1% 36.6	% 25.0% 29.4%
Always 1,815 112 95 101 36 71 1 23 28 58 68 31 7 2 0 0	13 1 0	58 5 14	4 38 34 3	37 0 80 32
53.3% 59.9% 51.1% 48.3% 59.0% 60.7% 33.3% 52.3% 56.0% 67.4% 64.8% 55.4% 43.8% 66.7%	46.4% 100.0%	61.7% 83.3% 50.0%	65.5% 61.8% 52.1	% 58.8% 62.7%
Significantly different from column:* D				
Usually or Always 2,915 <b>161</b> 162 173 49 105 3 37 40 79 93 48 12 2 0 0	22 1 0	82 6 23	2 45 50 0	0 114 47
<b>85.7% 86.1% 87.1% 82.8% 80.3% 89.7% 100.0% 84.1% 80.0% 91.9% 88.6% 85.7% 75.0% 66.7%</b>	78.6% 100.0%	87.2% 100.0% 78.6%	% 77.6% 90.9% 88.7	% 83.8% 92.2%
Significantly different from column:*				

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

## **Willamette Valley Community Health**

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

## Question 10

A personal doctor is the one you would see if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor?

Base: All respondents

	ЭНР				Ger	der Iden (Q38)	ntity		Age (Q36)		E	ducation	n					Race (Q40)					He	alth Sta	tus		Visits in Months (Q7)	Last 6
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288	245	279	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	72	8	3	0	5	2	0	2	2	3	4	3	0	0	0	0	2	0	0	3	0	2	3	1	3	3	2	1
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,684	280	242	279	112	153	5	70	81	118	156	84	23	6	1	0	43	1	1	131	8	48	92	91	90	82	138	52
	98.5%	97.2%	98.8%	100.0%	95.7%	0.0%	100.0%	97.2%	97.6%	97.5%	97.5%	96.6%	100.0%	100.0%	100.0%		95.6%	100.0%	100.0%	97.8%	0.0%	96.0%	96.8%	98.9%	96.8%	96.5%	98.6%	98.1%
Yes	3,875	230	205	239	83	135	4	53	67	101	128	71	18	4	0	0	35	1	0	113	8	38	76	74	75	45	128	50
	82.7%	82.1%	84.7%	85.7%	74.1%	88.2%	80.0%	75.7%	82.7%	85.6%	82.1%	84.5%	78.3%	66.7%	0.0%		81.4%	100.0%	0.0%	86.3%	100.0%	79.2%	82.6%	81.3%	83.3%	54.9%	92.8%	96.2%
No	809	50	37	40	29	18	1	17	14	17	28	13	5	2	1	0	8	0	1	18	0	10	16	17	15	37	10	2
	17.3%	17.9%	15.3%	14.3%	25.9%	11.8%	20.0%	24.3%	17.3%	14.4%	17.9%	15.5%	21.7%	33.3%	100.0%		18.6%	0.0%	100.0%	13.7%	0.0%	20.8%	17.4%	18.7%	16.7%	45.1%	7.2%	3.8%
Significantly different from column:*					F	E																				AAAB	Z	Z

32030

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 11

In the last 6 months, how many times did you visit your personal doctor to get care for yourself?

Base: All respondents who have a personal doctor	(Q10)				-	1. 71.					г.			T				<b>D</b>						. lul. Cu . i	1	Doctor	Visits in	Last 6
	_				Ger	der Idei	ntity		Age		l t	ducatio	n					Race					не	alth Stat	tus		Months	
	OH0					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	5019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	3,875	230	205	225	83	135	4	53	67	101	128	71	18	4	0	0	35	1	0	113	8	38	76	74	75	45	128	50
Number missing or multiple answer	118	_	5	0	1	7	0	3	3	3	6	1	1	0	0	0	3	0	0	4	0	1	1		3	3	4	
Number no experience	NA 2.757	NA 224	NA 200		NA	120	NA	NA 50	NA	NA		NA	NA 17	NA	NA	. NA		NA	NA O	NA 100	NA 0	NA 27	NA 75	NA	NA 72	NA 42	NA 124	NA FO
Usable responses	3,757 97.0%	221 96.1%		225 100.0%	82 98.8%	128 0.0%	100.0%		64 95.5%	98 97.0%		70 98.6%	94.4%	100.0%			32 91.4%	100.0%		109 96.5%	0.0%	37 97.4%	98.7%	69 93.2%	96.0%	72	124 96.9%	100.0%
None	766	44	33		20	24		12	15	16		17	4	2	0	0	7	0	0	24	3	7	22	17	5	33	10	1
	20.4%	19.9%	16.5%	21.3%	24.4%	18.8%	0.0%	24.0%	23.4%	16.3%	18.9%	24.3%	23.5%	50.0%			21.9%	0.0%		22.0%	37.5%	18.9%	29.3%	24.6%	6.9%	78.6%	8.1%	2.0%
1 time	1,026	48	49	63	19	25	1	12	11	22	24	11	6	0	0	0	10	0	0	22	1	7	18	13	14	4	37	5
	27.3%			28.0%	23.2%	19.5%		24.0%	17.2%	22.4%		15.7%	35.3%	0.0%			31.3%	0.0%		20.2%	12.5%	18.9%	24.0%	18.8%	19.4%	9.5%	29.8%	10.0%
2	868	62	57		24	37	-	12	14	34		20	5	1	0		6	1	0	30	1	10	19	20	23	4	48	10
	23.1%	28.1%				28.9%	0.0%	24.0%	21.9%	34.7%		28.6%	29.4%	25.0%			18.8%	100.0%		27.5%	12.5%	27.0%	25.3%	29.0%	31.9%	9.5%	38.7%	20.0%
3	500 13.3%	24	29		-	15	0 000	6.004	10	10	10	6	44.00/	0 001	0	1 0	2 404	0 004	0	16 14.7%	0 004	40.00/	6	4 20/	14	0 001	14	20.000
4	256	10.9% 19	14.5%		9.8%	11.7%	0.0%	6.0%	15.6%	10.2%	12.3%	8.6%	11.8%	0.0%			3.1%	0.0%		14.7%	0.0%	10.8%	8.0%	4.3%	19.4%	0.0%	11.3%	20.0%
*	6.8%	8.6%			6.1%	9.4%	25.0%	10.0%	9.4%	7.1%	7.4%	14.3%	0.0%	0.0%		1	15.6%	0.0%		9.2%	0.0%	10.8%	5.3%	13.0%	8.3%	0.0%	10.5%	8.0%
5 to 9	270	17	9	24		10	1	3	6	71170	10	5	0.070	1	0	0	2	0.070	0	5.270	3	3	6	2	8	1	2	14
	7.2%	7.7%	4.5%	10.7%	6.1%	7.8%	25.0%	6.0%	9.4%	7.1%	8.2%	7.1%	0.0%	25.0%			6.3%	0.0%		4.6%	37.5%	8.1%	8.0%	2.9%	11.1%	2.4%	1.6%	28.0%
10 or more times	71 1.9%	7 3.2%	7 3.5%	4 1.8%	1 1.2%	5 3.9%	1 25.0%	3 6.0%	2 3.1%	2.0%	6 4.9%	1 1.4%	0.0%	0 0.0%	0		3.1%	0 0.0%	0	2 1.8%	0.0%	2 5.4%	0.0%	5 7.2%	2 2.8%	0 0.0%	0 0.0%	12.0%
5 or more times	341	3.2%	3.5%			3.9%	23.0%	6.0%	3.1%	2.0%	4.9%	1.4%	0.0%	0.0%				0.0%		1.8%	0.0%	5.4%	0.0%	7.2%	2.8%	0.0%	0.0%	12.0%
o or more arres	9.1%			12.4%	-	11.7%	50.0%	12.0%	12.5%	9.2%	13.1%	8.6%	0.0%	25.0%				0.0%		6.4%	37.5%	13.5%	8.0%	10.1%	13.9%	2.4%	1.6%	40.0%
Significantly different from column:*	3.170	20.5 /0	5.070	12.770	7.570	11.770	55.070	12.070	12.570	J.270	15.170	3.070	0.070	23.070		1	5.470	3.070		3.470	37.1370	15.570	0.070	10.170	13.570	AB	AB	ZAA
																										_	_	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

### Question 12

In the last 6 months, how often did your personal doctor explain things in a way that was easy to understand?

,			onal doctor t			ıder Idei	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	ОНР					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	2,991	177	167	176	62	104	4	38	49	82	99	53	13	2	0	0	25	1	0	85	5	30	53	52	67	9	114	49
Number missing or multiple answer	16	2	1	0	1	1	0	0	1	1	1	1	0	0	0	0	0	0	0	1	0	1	0	1	0	0	1	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,975	175	166	176	61	103	4	38	48	81	98	52	13	2	0	0	25	1	0	84	5	29	53	51	67	9	113	49
	99.5%	98.9%	99.4%	100.0%	98.4%	0.0%	100.0%	100.0%	98.0%	98.8%	99.0%	98.1%	100.0%	100.0%			100.0%	100.0%		98.8%	0.0%	96.7%	100.0%	98.1%	100.0%	100.0%	99.1%	100.0%
Never	31	2	0	2	1	1	0	1	0	1	1	0	0	0	0	0	2	0	0	0	0	0	2	0	0	0	2	0
	1.0%	1.1%	0.0%	1.1%	1.6%	1.0%	0.0%	2.6%	0.0%	1.2%	1.0%	0.0%	0.0%	0.0%			8.0%	0.0%		0.0%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%	1.8%	0.0%
Sometimes	161	7	7	19	3	3	0	1	4	1	3	3	0	0	0	0	0	0	0	2	1	2	2	1	3	0	3	3
	5.4%	4.0%	4.2%	10.8%	4.9%	2.9%	0.0%	2.6%	8.3%	1.2%	3.1%	5.8%	0.0%	0.0%			0.0%	0.0%		2.4%	20.0%	6.9%	3.8%	2.0%	4.5%	0.0%	2.7%	6.1%
Usually	540	33			13	19	0	7	8	17	20	10	1	2	0	0	4	0	0	15	0	7	8	10	15	1	23	8
	18.2%			18.8%	21.3%			18.4%	16.7%	21.0%	20.4%	19.2%	7.7%	100.0%			16.0%	0.0%		17.9%	0.0%	24.1%	15.1%	19.6%	22.4%	11.1%		16.3%
Always	2,243	133	-		44	80		29	36	62	74	39	12	0	0	0	19	1	0	67	4	20	41	40	49	8	85	38
	75.4%	76.0%	75.9%	69.3%	72.1%	77.7%	100.0%	76.3%	75.0%	76.5%	75.5%	75.0%	92.3%	0.0%			76.0%	100.0%		79.8%	80.0%	69.0%	77.4%	78.4%	73.1%	88.9%	75.2%	77.6%
Significantly different from column:*																												
Usually or Always	2,783	166			57	99		36	44	79			13	2	0	0	23	1	0	82	4	27	49	50	64	9	108	46
	93.5%		95.8%	88.1%	93.4%	96.1%	100.0%	94.7%	91.7%	97.5%	95.9%	94.2%	100.0%	100.0%			92.0%	100.0%		97.6%	80.0%	93.1%	92.5%	98.0%	95.5%	100.0%	95.6%	93.9%
Significantly different from column:*		D																										

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 13

In the last 6 months, how often did your personal doctor listen carefully to you?

	ОНР				Ger	der Ider	ntity		Age (Q36)		E	Educatio (Q39)	n					Race (Q40)					He	alth Stat	us		Visits in Months (Q7)	Last 6
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	2,991	177	167	177	62	104	4	38	49	82	99	53	13	2	0	0	25	1	0	85	5	30	53	52	67	9	114	49
Number missing or multiple answer	15	3	2	0	2	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	2	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,976	174	165	177	60	104	4	38	47	82	97	53	13	2	0	0	25	1	0	85	5	28	52	52	67	9	112	49
	99.5%	98.3%	98.8%	100.0%	96.8%	0.0%	100.0%	100.0%	95.9%	100.0%	98.0%	100.0%	100.0%	100.0%			100.0%	100.0%		100.0%	0.0%	93.3%	98.1%	100.0%	100.0%	100.0%	98.2%	100.0%
Never	44	0	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.5%	0.0%	0.0%	3.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	179	10	11	16	5	5	0	1	5	4	6	4	0	1	0	0	0	0	0	2	1	4	3	2	5	1	4	4
	6.0%	5.7%	6.7%	9.0%	8.3%	4.8%	0.0%	2.6%	10.6%	4.9%	6.2%	7.5%	0.0%	50.0%			0.0%	0.0%		2.4%	20.0%	14.3%	5.8%	3.8%	7.5%	11.1%	3.6%	8.2%
Usually	530	42	34	32	16	25	0	10	12		20	15		0	0	0	7	0	0	25	0	6	10	16	16	1	29	12
	17.8%	24.1%				24.0%	0.0%			22.0%	20.6%			0.0%			28.0%	0.0%		29.4%	0.0%	21.4%	19.2%	30.8%	23.9%	11.1%	25.9%	24.5%
Always	2,223	122	120	123	39	, ,	4	27	30	60	71	34	-	1	0	0	18	1	0	58	4	18	39	34	46	7	79	33
	74.7%	70.1%	72.7%	69.5%	65.0%	71.2%	100.0%	71.1%	63.8%	73.2%	73.2%	64.2%	61.5%	50.0%			72.0%	100.0%		68.2%	80.0%	64.3%	75.0%	65.4%	68.7%	77.8%	70.5%	67.3%
Significantly different from column:*																												
Usually or Always	2,753	164	-		55		4	37	42	-	_	49		1	0	0	25		0	83	4	24	-	50	62	8	108	45
	92.5%	94.3%	93.3%	87.6%	91.7%	95.2%	100.0%	97.4%	89.4%	95.1%	93.8%	92.5%	100.0%	50.0%			100.0%	100.0%		97.6%	80.0%	85.7%	94.2%	96.2%	92.5%	88.9%	96.4%	91.8%
Significantly different from column:*		D																										
NA Net Applicable																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 14

In the last 6 months, how often did your personal doctor show respect for what you had to say?

Base. All respondents who have a personal doctor a		p	1	901 0010 (1																					-			
	0				Gen	der Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	:us		Visits in Months	Last 6
	Ä					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	2,991	177	167	177	62	104	4	38	49	82	99	53	13	2	0	0	25	1	0	85	5	30	53	52	67	9	114	49
Number missing or multiple answer	9	3	1	0	2	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	2	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,982	174	166	177	60	104	4	38	48	81	98	53	13	2	0	0	25	1	0	85	5	28	53	52	66	9	112	49
	99.7%	98.3%	99.4%	100.0%	96.8%	0.0%	100.0%	100.0%	98.0%	98.8%	99.0%	100.0%	100.0%	100.0%			100.0%	100.0%		100.0%	0.0%	93.3%	100.0%	100.0%	98.5%	100.0%	98.2%	100.0%
Never	38	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.3%	0.0%	0.0%	4.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	158	7	8	15	3	4	0	0	4	3	4	2	1	1	0	0	0	0	0	3	1	1	2	2	3	0	1	5
	5.3%	4.0%	4.8%	8.5%	5.0%	3.8%	0.0%	0.0%	8.3%	3.7%	4.1%	3.8%	7.7%	50.0%			0.0%	0.0%		3.5%	20.0%	3.6%	3.8%	3.8%	4.5%	0.0%	0.9%	10.2%
Usually	406	29	29	20	9	19	1	6	10	13	14	13	1	0	0	0	3	0	0	12	0	8	8	7	14	1	22	5
	13.6%			11.3%	15.0%		25.0%		20.8%					0.0%			12.0%			14.1%	0.0%		15.1%		21.2%	11.1%	19.6%	10.2%
Always	2,380	138	129	135	48	81	3	32	34		80	38		1	0	0	22		0	70	4	19		43	49	8	89	39
	79.8%	79.3%	77.7%	76.3%	80.0%	77.9%	75.0%	84.2%	70.8%	80.2%	81.6%	71.7%	84.6%	50.0%			88.0%	100.0%		82.4%	80.0%	67.9%	81.1%	82.7%	74.2%	88.9%	79.5%	79.6%
Significantly different from column:*																												
Usually or Always	2,786	167		155	57	100	4	38	44		94	51	12	1	0	0	25	1	0	82	4	27		50	63	9	111	44
a. 10 11 1100 1 1	93.4%	96.0%	95.2%	87.6%	95.0%	96.2%	100.0%	100.0%	91.7%	96.3%	95.9%	96.2%	92.3%	50.0%			100.0%	100.0%		96.5%	80.0%	96.4%	96.2%	96.2%	95.5%	100.0%	99.1%	89.8%
Significantly different from column:*		D																										

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 15

In the last 6 months, how often did your personal doctor spend enough time with you?

			- 1	yer care (C																						D	10.00	1
	0				Gen	der Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	Ä					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Ι	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	2,991	177	167	176	62	104	4	38	49	82	99	53	13	2	0	0	25	1	0	85	5	30	53	52	67	9	114	49
Number missing or multiple answer	16	1	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,975	176	166	176	61	104	4	38	48	82	98	53	13	2	0	0	25	1	0	85	5	29	53	52	67	9	113	49
	99.5%	99.4%	99.4%	100.0%	98.4%	0.0%	100.0%	100.0%	98.0%	100.0%	99.0%	100.0%	100.0%	100.0%			100.0%	100.0%		100.0%	0.0%	96.7%	100.0%	100.0%	100.0%	100.0%	99.1%	100.0%
Never	62	3	3	6	1	2	0	1	1	1	2	1	0	0	0	0	2	. 0	0	1	0	0	1	1	1	1	1	0
	2.1%	1.7%	1.8%	3.4%	1.6%	1.9%	0.0%	2.6%	2.1%	1.2%	2.0%	1.9%	0.0%	0.0%			8.0%	0.0%		1.2%	0.0%	0.0%	1.9%	1.9%	1.5%	11.1%	0.9%	0.0%
Sometimes	218	15	13	27	6	7	0	3	6	4	7	6	0	1	0	0	1	. 0	0	5	1	4	4	3	7	0	8	6
	7.3%	8.5%	7.8%	15.3%	9.8%	6.7%	0.0%	7.9%	12.5%	4.9%	7.1%	11.3%	0.0%	50.0%			4.0%	0.0%		5.9%	20.0%	13.8%	7.5%	5.8%	10.4%	0.0%	7.1%	12.2%
Usually	655	38	48	34	15	20	1	7	9	20	21	12	2	1	0	0	5	0	0	17	0	8	6	16	15	3	23	11
	22.0%	21.6%					25.0%		18.8%		21.4%	22.6%		50.0%			20.0%	0.0%		20.0%	0.0%	27.6%	11.3%		22.4%	33.3%	20.4%	22.4%
Always	2,040	120	102	109	39	75	3	27	32		68	34		0	0	0	17	_	0	62	4	17		32	44	5	81	32
	68.6%	68.2%	61.4%	61.9%	63.9%	72.1%	75.0%	71.1%	66.7%	69.5%	69.4%	64.2%	84.6%	0.0%			68.0%	100.0%		72.9%	80.0%	58.6%	79.2%		65.7%	55.6%	71.7%	65.3%
Significantly different from column:*																							X	W				
Usually or Always	2,695	158		143	54	95	4	34	41	77	89	46		1	0	0	22	-	0	79	4	25	-	48	59	8	104	
	90.6%	89.8%	90.4%	81.3%	88.5%	91.3%	100.0%	89.5%	85.4%	93.9%	90.8%	86.8%	100.0%	50.0%			88.0%	100.0%		92.9%	80.0%	86.2%	90.6%	92.3%	88.1%	88.9%	92.0%	87.8%
Significantly different from column:*		D																										

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

#### Question 16

In the last 6 months, did you get care from a doctor or other health provider besides your personal doctor?

	۵				Gender Identity Age (Q38) (Q36)						Е	ducation	١					Race					He	alth Stat	us		Visits in Months	Last 6
	프					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
A	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample 2,	2,991	177	167	177	62	104	4	38	49	82	99	53	13	2	0	0	25	1	0	85	5	30	53	52	67	9	114	49
Number missing or multiple answer	28	2	1	0	2	0	0	0	1	1	2	0	0	0	0	0	0	0	0	0	0	2	0	0	1	0	2	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses 2,	2,963	175	166	177	60	104	4	38	48	81	97	53	13	2	0	0	25	1	0	85	5	28	53	52	66	9	112	49
99	9.1%	98.9%	99.4%	100.0%	96.8%	0.0%	100.0%	100.0%	98.0%	98.8%	98.0%	100.0%	100.0%	100.0%			100.0%	100.0%		100.0%	0.0%	93.3%	100.0%	100.0%	98.5%	100.0%	98.2%	100.0%
Yes 1,	1,893	118	97	118	36	74	2	23	40	49	59	40	12	1	0	0	15	1	0	60	3	21	29	35	51	2	67	45
63	3.9%	67.4%	58.4%	66.7%	60.0%	71.2%	50.0%	60.5%	83.3%	60.5%	60.8%	75.5%	92.3%	50.0%			60.0%	100.0%		70.6%	60.0%	75.0%	54.7%	67.3%	77.3%	22.2%	59.8%	91.8%
No 1,	1,070	57	69	59	24	30	2	15	8	32	38	13	1	1	0	0	10	0	0	25	2	7	24	17	15	7	45	4
	6.1%	32.6%	41.6%	33.3%	40.0%	28.8%	50.0%	39.5%	16.7%	39.5%	39.2%	24.5%	7.7%	50.0%			40.0%	0.0%		29.4%	40.0%	25.0%	45.3%	32.7%	22.7%	77.8%	40.2%	8.2%
Significantly different from column:*								1	HJ	1													Υ		W		AB	AA

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

## **Willamette Valley Community Health**

32030 CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 17

In the last 6 months, how often did your personal doctor seem informed and up-to-date about the care you got from these doctors or other health providers?

	4				Ger	der Ider	ntity		Age		ı	Educatio	n					Race					He	alth Sta	tus		Visits in Months	Last 6
	ᆼ					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	роо9	Fair or Poor	None	1 to 4	5 or more
	Α	В	C	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,893	118	97	115	36	74	2	23	40	49	59	40	12	1	0	0	15	1	0	60	3	21	29	35	51	2	67	45
Number missing or multiple answer	45	1	3	0	1	0	0	1	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	1
Number no experience	NA	NA			NA		NA	NA	NA	NA		NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,848	117			35	74	2	22	40	49		39	12	1	0	0	15	1	0	59	3	21	29	35	50	2	67	44
	97.6%	99.2%	96.9%	100.0%	97.2%	0.0%	100.0%	95.7%	100.0%	100.0%	100.0%	97.5%	100.0%	100.0%			100.0%	100.0%		98.3%	0.0%	100.0%	100.0%	100.0%	98.0%	100.0%	100.0%	97.8%
Never	87	3	6	8	1	2	0	0	2	1	2	0	1	0	0	0	1	0	0	1	0	0	0	1	2	0	1	2
	4.7%	2.6%	6.4%	7.0%	2.9%	2.7%	0.0%	0.0%	5.0%	2.0%	3.4%	0.0%	8.3%	0.0%			6.7%	0.0%		1.7%	0.0%	0.0%	0.0%	2.9%	4.0%	0.0%	1.5%	4.5%
Sometimes	228	15	20	22	5	8	0	3	5	6	9	5	0	1	0	0	0	0	0	8	0	5	2	7	6	0	4	10
	12.3%				14.3%	10.8%	0.0%	13.6%	12.5%	12.2%	15.3%	12.8%	0.0%	100.0%			0.0%	0.0%		13.6%	0.0%	23.8%	6.9%	20.0%	12.0%	0.0%	6.0%	22.7%
Usually	477	29			9	18	0	1	13	12		9	6	0	0	0	3	0	0	20	1	1	7	6	15	1	19	9
	25.8%	24.8%	25.5%	25.2%	25.7%	24.3%	0.0%	4.5%	32.5%	24.5%	18.6%	23.1%	50.0%	0.0%			20.0%	0.0%		33.9%	33.3%	4.8%	24.1%	17.1%	30.0%	50.0%	28.4%	20.5%
Always	1,056	70	44	56	20	46	2	18	20	30	37	25	5	0	0	0	11	1	0	30	2	15	20	21	27	1	43	23
	57.1%	59.8%	46.8%	48.7%	57.1%	62.2%	100.0%	81.8%	50.0%	61.2%	62.7%	64.1%	41.7%	0.0%			73.3%	100.0%		50.8%	66.7%	71.4%	69.0%	60.0%	54.0%	50.0%	64.2%	52.3%
Significantly different from column:*								- 1	Н																			
Usually or Always	1,533				29	64	_	19	33	42		34	11	0	0	0	14	1	0	50	3	16	27	27	42	2	62	32
	83.0%		72.3%	73.9%	82.9%	86.5%	100.0%	86.4%	82.5%	85.7%	81.4%	87.2%	91.7%	0.0%			93.3%	100.0%		84.7%	100.0%	76.2%	93.1%	77.1%	84.0%	100.0%	92.5%	72.7%
Significantly different from column:*		CD																									AB	AA

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

Willamette Valley Community Health
CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 18

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

Base: All respondents who have a personal doctor (Q10)

Base: All respondents who have a personal doctor (	Q10)																											
					Gen	der Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	tus		Visits in Months	Last 6
	H					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)		1	(Q7)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	3,875	230	205	225	83	135	4	53	67	101	128	71	18	4	0	0	35	1	0	113	8	38	76	74	75	45	128	50
Number missing or multiple answer	107	6	6	0	1	4	0	1	2	2	4	1	. 0	1	0	0	1	0	0	2	1	0	1	4	0	3	2	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA		NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	3,768	224		225	82	131	4	52	65	99	124	70	-	3	0	0	34	_	0	111	7	38		70	75	42	126	50
	97.2%	97.4%	97.1%	100.0%	98.8%	0.0%	100.0%	98.1%	97.0%	98.0%	96.9%	98.6%	100.0%	75.0%			97.1%	100.0%		98.2%	0.0%	100.0%	98.7%	94.6%	100.0%	93.3%	98.4%	100.0%
Worst personal doctor possible	0.6%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	16	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
ľ	0.4%	0.9%	0.0%	0.9%	1.2%	0.8%	0.0%	0.0%	0.0%	1.0%	0.8%	1.4%	0.0%	0.0%			0.0%	0.0%		1.8%	0.0%	0.0%	0.0%	1.4%	1.3%	2.4%	0.8%	0.0%
2	32	1	2	3	0	1	0	0	0	1	0	1	. 0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0
	0.8%	0.4%	1.0%	1.3%	0.0%	0.8%	0.0%	0.0%	0.0%	1.0%	0.0%	1.4%	0.0%	0.0%			0.0%	0.0%		0.9%	0.0%	0.0%	0.0%	1.4%	0.0%	0.0%	0.0%	0.0%
3	49	1	1	4	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1
	1.3%	0.4%	0.5%	1.8%	1.2%	0.0%	0.0%	0.0%	1.5%	0.0%	0.8%	0.0%	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	2.0%
4	53	0	4	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.4%	0.0%	2.0%	3.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%			0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
5	174 4.6%	14 6.3%	3.0%	7 3.1%	8	4.6%	0.0%	5.8%	7 10.8%	4.0%	4.0%	8 11.4%	5.6%	0.0%	0	0	0.0%	0.0%	0	9 8.1%	28.6%	5.3%	9.3%	5.7%	2.7%	7 16.7%	7 5.6%	0.0%
6	4.6%	6.3%	3.0%	3.1%	9.8%	4.6%	0.0%	5.8%	10.8%	4.0%	4.0%	11.4%	3.0%	0.0%			0.0%	0.0%		8.1%	28.6%	5.3%	9.3%	5.7%	2.7%	10.7%	3.0%	0.0%
o a a a a a a a a a a a a a a a a a a a	3.0%	2.2%	4.0%	5.3%	1.2%	3.1%	0.0%	1.9%	3.1%	2.0%	2.4%	1.4%	5.6%	33.3%			2.9%	0.0%		1.8%	0.0%	0.0%	4.0%	0.0%	2.7%	2.4%	2.4%	2.0%
7	265	18	20	22	6	12	0.070	6	7	5	11	6	1	0	0	0	3	0.070	0	8	0.070	5	2	9	7	6	8	3
	7.0%	8.0%	10.1%	9.8%	7.3%	9.2%	0.0%	11.5%	10.8%	5.1%	8.9%	8.6%	5.6%	0.0%			8.8%	0.0%		7.2%	0.0%	13.2%	2.7%	12.9%	9.3%	14.3%	6.3%	6.0%
8	595	36	36	36	15	19	0	10	7	16	19	10		1	0	0	2	0	0	20	0	8	7	16	11	6	21	9
	15.8%	16.1%	18.1%	16.0%	18.3%	14.5%	0.0%	19.2%	10.8%	16.2%	15.3%	14.3%	22.2%	33.3%			5.9%	0.0%		18.0%	0.0%	21.1%	9.3%	22.9%	14.7%	14.3%	16.7%	18.0%
9	676	43	34	28	19	20	2	8	7	26	20	16		0	0	0	9	1	0	22	1	6	13	14	16	6	24	10
	17.9%	19.2%	17.1%	12.4%	23.2%	15.3%	50.0%		10.8%	26.3%	16.1%	22.9%		0.0%			26.5%	100.0%		19.8%	14.3%	15.8%	17.3%	20.0%	21.3%	14.3%	19.0%	20.0%
10 Best personal doctor possible	1,773	104	88	102	31	68	2	24	34	44	64	27		1	0	0	19	0	0	47	4	17	43	25	35	15	62	26
	47.1%	46.4%	44.2%	45.3%	37.8%	51.9%	50.0%	46.2%	52.3%	44.4%	51.6%	38.6%	33.3%	33.3%			55.9%	0.0%		42.3%	57.1%	44.7%	57.3%	35.7%	46.7%	35.7%	49.2%	52.0%

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 18

Using any number from 0 to 10, where 0 is the worst personal doctor possible and 10 is the best personal doctor possible, what number would you use to rate your personal doctor?

Base: All respondents who have a personal doctor (Q10)

Base: All respondents who have a personal doctor	Q10)	I									Ι.	- 1 - 1 - 1 - 1 - 1		I				D						. III. CI		Doctor	Visits in	Last 6
	_				Ger	nder Ide	ntity		Age			ducatio	n					Race					не	alth Sta	tus		Months	
	OHP					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	C	D	E	F	G	H	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	3,875 107	230	205	225	83	135	4	53	67	101	128	71	18	4	0	0	35	1	0	113	8	38	76	74	75	45	128	50
Number missing or multiple answer  Number no experience	NA NA	_	NA	NA	NA	4	NA NA	NA.	NA	NA NA	NA NA	NA.	NA	NA	NA	NA NA	NA NA	NA	NA	NA NA	NA	NA	NA.	NA	NA	NA	∠ NA	NA
Usable responses	3,768					131		52	65	99		70		3	0	0	34		0	111	7	38	75	70	75	42	126	50
	97.2%	97.4%	97.1%	100.0%	98.8%	0.0%	100.0%	98.1%	97.0%	98.0%	96.9%	98.6%	100.0%	75.0%			97.1%	100.0%		98.2%	0.0%	100.0%	98.7%	94.6%	100.0%	93.3%	98.4%	100.0%
0 to 4	173		7	18	2	2	0	0	1	2	2	2	0	0	0	0	-	0	0	3	0	0	0	2	2	1	1	1
	4.6%		3.5%	8.0%	2.4%	1.5%	0.0%	0.0%	1.5%	2.0%	1.6%	2.9%	0.0%	0.0%			0.0%	0.0%		2.7%	0.0%	0.0%	0.0%	2.9%	2.7%	2.4%	0.8%	2.0%
5	174 4.6%		3.0%	3.1%	9.8%	4.6%	0.0%	5.8%	10.8%	4.0%	4.0%	11.4%	5.6%	0.0%	0		0.0%	0.0%		8.1%	28.6%	5.3%	9.3%	5.7%	2.7%	16.7%	5.6%	0.0%
6 or 7	377 10.0%	_	28 14.1%	34 15.1%	7 8.5%	16 12.2%		7 13.5%	9 13.8%	7 7.1%	14 11.3%	7 10.0%	2 11.1%	33.3%	0	0	4 11.8%	0.0%	0	10 9.0%	0.0%	5 13.2%	5 6.7%	9 12.9%	9 12.0%	7 16.7%	11 8.7%	8.0%
8 to 10	3,044					12.2%		13.5%	13.8%	7.1%		10.0%		33.3%			30	0.0%		9.0%	0.0%	13.2%	6.7%	12.9%	12.0%	27	107	8.0%
0 10	80.8%			73.8%			100.0%			86.9%		75.7%		66.7%		Ŭ		100.0%		80.2%	71.4%	81.6%	84.0%	78.6%	82.7%	64.3%	84.9%	90.0%
Significantly different from column:*	00.070	D	7 31 1 70	751070	73.370	011770	100.070	00.070	J	1	03.170	751770	051570	0017 70			001270	100.070		001270	721170	011070	0 110 70	70.070	021770	AAAB	Z	Z
0 to 6	459				11	12		4	10	8	10	11	2	1	0	0	1	0	0	14	2	2	10	6	6	9	11	2
	12.2%				13.4%	9.2%	0.0%	7.7%	15.4%	8.1%	8.1%	15.7%	11.1%	33.3%			2.9%	0.0%		12.6%	28.6%	5.3%	13.3%	8.6%	8.0%	21.4%	8.7%	4.0%
7 to 8	860	_	56		21	31		16	14	21	30	16	5	1	0	Ŭ	5	0	0	28	0	13	9	25	18	12	29	12
9 to 10	22.8%		28.1% 122	25.8% 130		23.7%		30.8%	21.5%	21.2%		22.9% 43		33.3%			14.7% 28	0.0%		25.2% 69	0.0%	34.2%	12.0% 56	35.7% 39	24.0%	28.6%	23.0%	24.0%
9 to 10	65.0%			57.8%			100.0%			70.7%		61.4%		33.3%				100.0%		62.2%	71.4%	60.5%	74.7%	55.7%	68.0%	50.0%	68.3%	72.0%
Significantly different from column:*	55.0 %	33.070	01.570	37.070	01.070	57.270	100.070	01.570	05.170	70.770	57.770	01.470	01.170	55.570			TV	100.070		Q Q	71.470	Q	X	W	00.070	AAAB	Z	Z Z

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 19

In the last 6 months, did you make any appointments to see a specialist?

Base: All respondents

	НР				Gen	der Ider	ntity		Age (Q36)		E	ducation	n					Race (Q40)					Не	alth Stat (Q29)	tus	Doctor	Visits in Months (Q7)	Last 6
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	278	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	35	1	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,721	287	245	278	116	155	5	72	82	121	159	87	23	6	1	0	45	1	1	134	8	49	94	92	93	85	139	53
	99.3%	99.7%	100.0%	100.0%	99.1%	0.0%	100.0%	100.0%	98.8%	100.0%	99.4%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	0.0%	98.0%	98.9%	100.0%	100.0%	100.0%	99.3%	100.0%
Yes	2,055	123	107	123	39	78	3	22	38	60	60	47	11	1	1	0	13	0	0	68	5	23	28	38	55	10	59	48
	43.5%	42.9%	43.7%	44.2%	33.6%	50.3%	60.0%	30.6%	46.3%	49.6%	37.7%	54.0%	47.8%	16.7%	100.0%		28.9%	0.0%	0.0%	50.7%	62.5%	46.9%	29.8%	41.3%	59.1%	11.8%	42.4%	90.6%
No	2,666	164	138	155	77	77	2	50	44	61	99	40	12	5	0	0	32	1	1	66	3	26	66	54	38	75	80	5
	56.5%	57.1%	56.3%	55.8%	66.4%	49.7%	40.0%	69.4%	53.7%	50.4%	62.3%	46.0%	52.2%	83.3%	0.0%		71.1%	100.0%	100.0%	49.3%	37.5%	53.1%	70.2%	58.7%	40.9%	88.2%	57.6%	9.4%
Significantly different from column:*					F	E		IJ	Н	H	Ĺ	K					T			Q			Y	Y	WX	AAAB	ZAB	ZAA

32030

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 20

In the last 6 months, how often did you get an appointment to see a specialist as soon as you needed?

Base: All respondents who made an appointment to see a specialist (Q19)

	ЭНР				Ger	der Ider	ntity		Age (Q36)		E	ducatio	n					Race (Q40)					He	alth Stat	:us	Doctor	Visits in Months (Q7)	Last 6
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	2,055	123	107	118	39	78	3	22	38	60	60	47	11	1	1	0	13	0	0	68	5	23	28	38	55	10	59	48
Number missing or multiple answer	33	3	0	0	0	3	0	0	1	2	0	3	0	0	0	0	0	0	0	2	1	0	0	1	2	0	1	1
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	2,022	120	107	118	39	75	3	22	37	58	60	44	11	1	1	0	13	0	0	66	4	23	28	37	53	10	58	47
	98.4%	97.6%	100.0%	100.0%	100.0%	0.0%	100.0%	100.0%	97.4%	96.7%	100.0%	93.6%	100.0%	100.0%	100.0%		100.0%			97.1%	0.0%	100.0%	100.0%	97.4%	96.4%	100.0%	98.3%	97.9%
Never	124	11	2	5	7	2	0	2	4	4	3	6	1	0	0	0	1	0	0	5	0	4	1	5	5	2	5	4
	6.1%	9.2%	1.9%	4.2%	17.9%	2.7%	0.0%	9.1%	10.8%	6.9%	5.0%	13.6%	9.1%	0.0%	0.0%		7.7%			7.6%	0.0%	17.4%	3.6%	13.5%	9.4%	20.0%	8.6%	8.5%
Sometimes	318	13	16	13	3	10	0	4	3	6	9	3	0	1	1	0	1	0	0	6	0	3	2	6	5	3	6	2
	15.7%	10.8%	15.0%	11.0%	7.7%	13.3%	0.0%	18.2%	8.1%	10.3%	15.0%	6.8%	0.0%	100.0%	100.0%		7.7%			9.1%	0.0%	13.0%	7.1%	16.2%	9.4%	30.0%	10.3%	4.3%
Usually	589	27	42	32	7	19	1	4	9	13	11	11	4	0	0	0	5	0	0	16	0	4	2	11	13	2	13	11
	29.1%	22.5%	39.3%	27.1%	17.9%	25.3%	33.3%	18.2%	24.3%	22.4%		25.0%	36.4%	0.0%	0.0%		38.5%			24.2%	0.0%	17.4%	7.1%	29.7%	24.5%	20.0%	22.4%	23.4%
Always	991	69	47	68	22	44	2	12		35	37	24	6	0	0	0	6	0	0	39	4	12	23	15	30	3	34	30
	49.0%	57.5%	43.9%	57.6%	56.4%	58.7%	66.7%	54.5%	56.8%	60.3%	61.7%	54.5%	54.5%	0.0%	0.0%		46.2%			59.1%	100.0%	52.2%				30.0%	58.6%	63.8%
Significantly different from column:*		С																					XY	W	W		1	
Usually or Always	1,580		89		29	63	3	16		48	48	35		-	0	0	11	0	0	55	4	16	25	26	43	5	47	41
	78.1%	80.0%	83.2%	84.7%	74.4%	84.0%	100.0%	72.7%	81.1%	82.8%	80.0%	79.5%	90.9%	0.0%	0.0%		84.6%			83.3%	100.0%	69.6%	89.3%	70.3%	81.1%	50.0%	81.0%	87.2%
Significantly different from column:*																											l	

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 21

How many specialists have you seen in the last 6 months?

Base: All respondents who made an appointment to see a specialist (Q19)

Conduction Ann Education Desc							
Gender Identity Age Education Race				Health 9	Status	Docto	r Visits in Last 6 Months
(Q38) (Q36) (Q39) (Q40)				(Q2	9)		(Q7)
2020 State C 2020 State C 2019 2019 2019 2019 Pemale Non-binary, genderqueer, or other other other 35 to 54 35 to 54 35 to 54 35 to 54 35 to 64 35 to 7 More more Asian Asian Asian Hispanic or Latino/a Middle Eastern/Northern African Native Hawailan or Pacific Islander White	Other Multiracial	White	Other Multiracial	Excellent or Very good Good	Fair or Poor	None	1 to 4 5 or more
	U V	Т	U V	W X	Y	Z	AA AB
Number in sample 2,055 123 107 118 39 78 3 22 38 60 60 47 11 1 1 0 13 0 0 68	5 23	68	5 2	3 28	38 5	5 10	59 4
Number missing or multiple answer 43 2 1 0 0 2 0 1 0 1 1 1 0 0 0 0 0 0 0 1	1 0	1	1	0 0	1	1 0	0
Number no experience NA	NA NA	NA	NA N	A NA	NA N		
Usable responses   2,012   121   106   118   39   76   3   21   38   59   59   46   11   1   1   0   13   0   0   67	4 23	٠,	4 2	3 28	37 5		59 4
	0.0% 100.0%	98.5%	0.0% 100.0	6 100.0% 97.4	4% 98.2%	6 100.0%	100.0% 97.99
None 76 6 2 4 3 3 0 1 3 2 3 2 0 0 0 0 2 0 0 0 0 0 3.8% 5.0% 1.9% 3.4% 7.7% 3.9% 0.0% 4.8% 7.9% 3.4% 5.1% 4.3% 0.0% 0.0% 0.0% 15.4% 0.0%	0 3	0	0 0% 13 0	3 2 6 7.1% 2.3	1 7% 3.7%	2 1 6 10.0%	6.8% 2.19
Specialist	2 0	29	2 2	9 14	19 1:	8 8	31 1
	50.0% 39.1%	43.3% 5	50.0% 39.1	6 50.0% 51.4	4% 33.3%	6 80.0%	1 21 1
2 553 37 22 36 12 25 0 4 14 18 16 17 4 0 0 0 1 0 0 24	2 6	24	2	5 9	9 1	9 1	17 1
27.5% 30.6% 20.8% 30.5% 30.8% 32.9% 0.0% 19.0% 36.8% 30.5% 27.1% 37.0% 36.4% 0.0% 0.0% 7.7% 35.8% 5	50.0% 26.1%	35.8% 5	50.0% 26.19	6 32.1% 24.3	3% 35.2%	6 10.0%	28.8% 34.09
3 239 <b>17</b> 22 13 6 10 0 3 6 8 10 7 0 0 0 0 2 0 0 10	0 3	10	0	3 2	5 1	0 0	6 1
11.9% 14.0% 20.8% 11.0% 15.4% 13.2% 0.0% 14.3% 15.8% 13.6% 16.9% 15.2% 0.0% 0.0% 0.0% 15.4% 14.9%	0.0% 13.0%	14.9%	0.0% 13.0	6 7.1% 13.5	5% 18.5%	6 0.0%	10.2% 23.49
4 88 <b>6</b> 3 6 1 4 1 2 2 2 4 2 0 0 0 0 0 0 0 3	0 1	3	0	1 1	1 '	4 0	1
4.4% <b>5.0%</b> 2.8% 5.1% 2.6% 5.3% 33.3% 9.5% 5.3% 3.4% 6.8% 4.3% 0.0% 0.0% 0.0% 0.0% 4.5%	0.0% 4.3%	4.5%	0.0% 4.3	3.6% 2.3	7% 7.4%	6 0.0%	1.7% 10.69
5 or more specialists 59 3 4 4 2 0 0 0 1 0 1 1 0 0 0 0 0 0 0 0 0 1 5 0 1 5 0 0 0 0	0 1 0.0% 4.3%	1,5%	0 0.0% 4.3	1 0 6 0.0% 5.4	2 4% 1.9%	1 0 6 0.0%	0.0% 4.3
3 or more specialists 386 26 29 23 9 14 1 6 8 11 15 10 0 0 0 0 2 0 0 14	0 5	14	0	5 3	8 1	5 0	7 1
19.2% 21.5% 27.4% 19.5% 23.1% 18.4% 33.3% 28.6% 21.1% 18.6% 25.4% 21.7% 0.0% 0.0% 0.0% 15.4% 20.9%	0.0% 21.7%	20.9%	0.0% 21.7	6 10.7% 21.6	5% 27.8%	6 0.0%	11.9% 38.39
Significantly different from column:*							AB AA

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

Willamette Valley Community Health
CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 22

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who saw a specialist (Q19 & Q21)

Base: All respondents who saw a specialist (Q19 &	Q2 1)				Ger	der Ide	ntity		Age		E	ducatio	n					Race					He	alth Stat	tus		Visits in	Last 6
	OHP.					(Q38)	•		(Q36)			(Q39)						(Q40)						(Q29)			Months (Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample Number missing or multiple answer	1,936 25	115 4	0	0	0	73 3	0	20 0	35 1	57 2	56 0	44	11	0	0	0	11	0	0	67 2	0	20	26 0	36 1	52 3	9	55 2	46 1
Number no experience	NA 1 O11	NA 111		NA 111		70	NA	NA	NA	NA	NA	NA 44	NA	NA	NA	NA		NA	NA	NA	NA	NA 20	NA 26	NA 25	NA 40	NA	NA 53	NA
Usable responses	1,911 98.7%	111 96.5%		114 100.0%		70 0.0%	100.0%	20 100.0%	34 97.1%	55 96.5%	56 100.0%	41 93.2%	100.0%	100.0%	100.0%		11 100.0%			65 97.0%	0.0%	20 100.0%	26 100.0%	35 97.2%	49 94.2%	100.0%	53 96.4%	45 97.8%
0 Worst specialist possible	18	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.9%	0.0%	1.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%					0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
1	13 0.7%	0.9%	1.0%	0.0%	0.0%	1.4%	0.0%	0.0%	0.0%	1.8%	0.0%	2.4%	0.0%	0.0%	0.0%	0				1.5%	0.0%	0.0%	3.8%	0.0%	0.0%	0.0%	1.9%	0.0%
2	13 0.7%	0.0%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0	Ŭ	0	0	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
3	19 1.0%	0.9%	1 1.0%	0.0%	0.0%	1 1.4%	0.0%	0.0%	0 0.0%	1 1.8%	1 1.8%	0.0%	0.0%	0.0%	0.0%	0	0.0%	0	0	1 1.5%	0.0%	0.0%	0.0%	0 0.0%	1 2.0%	0.0%	1 1.9%	0.0%
4	25 1.3%	2 1.8%	2 1.9%	0.9%	2.8%	1.4%	0.0%	0.0%	1 2.9%	1 1.8%	1 1.8%	1 2.4%	0.0%	0.0%	0.0%	0		0	0	1 1.5%	0.0%	5.0%	0.0%	0.0%	2 4.1%	0.0%	0.0%	4.4%
5	72 3.8%	3 2.7%	7.7%	5.3%	2.8%	2.9%	0.0%	1 5.0%	1 2.9%	1 1.8%	0.0%	2 4.9%	9.1%	0.0%	0.0%	0	0.0%	0	0	2 3.1%	0.0%	5.0%	0.0%	2 5.7%	1 2.0%	0.0%	1 1.9%	4.4%
6	60 3.1%	4 3.6%	5 4.8%	4 3.5%	2.8%	2.9%	0.0%	1 5.0%	1 2.9%	1 1.8%	2 3.6%	1 2.4%	0.0%	0.0%	0.0%	0	9.1%	0	0	2 3.1%	0.0%	0.0%	0.0%	1 2.9%	2 4.1%	0.0%	7.5%	0.0%
7	136 7.1%	2 1.8%	4 3.8%	7 6.1%	0.0%	2.9%	0.0%	0.0%	2 5.9%	0 0.0%	0.0%	2 4.9%	0.0%	0.0%	0.0%	0	0.0%	0	0	2 3.1%	0.0%	0.0%	1 3.8%	0 0.0%	1 2.0%	0.0%	2 3.8%	0.0%
8	297 15.5%	15 13.5%		22 19.3%		7 10.0%	1 33.3%	4 20.0%	4 11.8%	6 10.9%	5 8.9%	8 19.5%	2 18.2%	0.0%	0.0%	0	2 18.2%	0	0	11 16.9%	0.0%	5.0%	2 7.7%	6 17.1%	7 14.3%	1 11.1%	7 13.2%	7 15.6%
9	378 19.8%	28 25.2%				17 24.3%	_	5 25.0%	6 17.6%	17 30.9%	11 19.6%	11 26.8%	5 45.5%	0.0%	1 100.0%	0	27.3%	0	0	16 24.6%	0.0%	6 30.0%	6 23.1%	12 34.3%	10 20.4%	3 33.3%	11 20.8%	13 28.9%
10 Best specialist possible	880 46.0%	55 49.5%		58 50.9%	17	37 52.9%	1	9	19 55.9%	27 49.1%	36	15 36.6%	3	1 100.0%	0.0%	0	5 45.5%	0	0	29 44.6%	4 100.0%	11 55.0%	16 61.5%	14 40.0%	25 51.0%	5 55.6%	26 49.1%	21 46.7%

#### Question 22

Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

Base: All respondents who saw a specialist (Q19 & Q21)

Base: All respondents who saw a specialist (Q19 & C	MHO				Ger	nder Ide	ntity		Age (Q36)		I	ducatio	n					Race (Q40)					He	alth Sta	tus		Visits in Months (Q7)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Poob	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	1,936 25 NA	115 4 NA	0	0	0	73 3	3 0 NA	20 0 NA	35 1 NA	57 2 NA	0	44 3 NA	11 0 NA	1 0 NA	1 0 NA	0 0 NA	11 0 NA	0 0 NA	0 0 NA	67 2 NA	0	20 0 NA	26 0 NA	36 1 NA	52 3 NA	9 0 NA	55 2 NA	46 1 NA
Usable responses	1,911 98.7%	111 96.5%		114 100.0%		70 0.0%	3 100.0%	20 100.0%	34 97.1%	55 96.5%	56 100.0%	41 93.2%	11 100.0%	1 100.0%	1 100.0%	0	11 100.0%	0	0	65 97.0%	4 0.0%	20 100.0%	26 100.0%	35 97.2%	49 94.2%	9 100.0%	53 96.4%	
0 to 4	88 4.6%	4	5	3	1 2.8%	4.3%	0	0	1 2.9%	3 5.5%	2	2 4.9%	0.0%	0.0%	0.0%	0	0	0	0	3 4.6%	0	1 5.0%	1 3.8%	0.0%	3 6.1%	0.0%	2 3.8%	2
5	72 3.8%	3 2.7%	7.7%	5.3%	2.8%	2.9%	0.0%	5.0%	1 2.9%	1 1.8%	0.0%	2 4.9%	9.1%	0.0%	0.0%	0	0.0%	0	0	3.1%	0.0%	1 5.0%	0.0%	2 5.7%	1 2.0%	0.0%	1 1.9%	2 4.4%
6 or 7	196 10.3%	6 5.4%	9 8.7%	9.6%	2.8%	5.7%	0.0%	5.0%	3 8.8%	1 1.8%	2 3.6%	7.3%	0.0%	0.0%	0.0%	0	9.1%	0	0	6.2%	0.0%	0.0%	1 3.8%	1 2.9%	3 6.1%	0.0%	6 11.3%	0.0%
8 to 10	1,555 81.4%					-	3 100.0%	18 90.0%	29 85.3%	50 90.9%		34 82.9%	10 90.9%	1 100.0%	1 100.0%	0	10 90.9%	0	0	56 86.2%		18 90.0%	24 92.3%	32 91.4%	42 85.7%	9 100.0%	44 83.0%	41 91.1%
Significantly different from column:*																												
0 to 6	220 11.5%			13 11.4%	8.3%	7 10.0%	0.0%	2 10.0%	3 8.8%	5 9.1%	7.1%	5 12.2%	9.1%	0.0%	0.0%	0	9.1%	0	0	7 10.8%	0.0%	10.0%	3.8%	8.6%	6 12.2%	0.0%	7 13.2%	8.9%
7 to 8	433 22.7%	17 15.3%				9 12.9%	1 33.3%	4 20.0%	6 17.6%	6 10.9%	5 8.9%	10 24.4%	2 18.2%	0.0%	0.0%	0	2 18.2%	0	0	13 20.0%	0.0%	5.0%	3 11.5%	6 17.1%	8 16.3%	1 11.1%	9 17.0%	7 15.6%
9 to 10	1,258 65.8%			72 63.2%	27 75.0%	54 77.1%	_	14 70.0%	25 73.5%	44 80.0%		26 63.4%	72.7%	1 100.0%	1 100.0%	0		0	0	45 69.2%		17 85.0%	22 84.6%	26 74.3%	35 71.4%	8 88.9%	37 69.8%	34 75.6%
Significantly different from column:*		С									L	K																

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 23

In the last 6 months, did you get information or help from your health plan's customer service?

Base: All respondents																												
	۵				Gen	nder Iden	ntity		Age		E	ducation	n					Race					He	alth Sta	:us	Doctor	Months	
	프					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	280	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	65	5	2	0	1	3	0	1	2	1	2	2	0	0	0	0	1	0	0	2	0	0	1	2	1	2	3	0
Number no experience	NA		NA	NA			NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Usable responses	4,691	283	243	280	116	152	5	71	81	120	158	85	23	6	1	0	44	1	1	132	8	50	94	90	92	83	137	53
	98.6%	98.3%	99.2%	100.0%	99.1%	0.0%	100.0%	98.6%	97.6%	99.2%	98.8%	97.7%	100.0%	100.0%	100.0%		97.8%	100.0%	100.0%	98.5%	0.0%	100.0%	98.9%	97.8%	98.9%	97.6%	97.9%	100.0%
Yes	1,541	95	68	68	30	60	2	18	36	37	50	32	7	1	1	0	20	1	0	40	3	18	31	33	29	16	56	19
	32.9%	33.6%	28.0%	24.3%	25.9%	39.5%	40.0%	25.4%	44.4%	30.8%	31.6%	37.6%	30.4%	16.7%	100.0%		45.5%	100.0%	0.0%	30.3%	37.5%	36.0%	33.0%	36.7%	31.5%	19.3%	40.9%	35.8%
No	3,150	188	175	212	86	92	3	53	45	83	108	53	16	5	0	0	24	0	1	92	5	32	63	57	63	67	81	34
	67.1%	66.4%	72.0%	75.7%	74.1%	60.5%	60.0%	74.6%	55.6%	69.2%	68.4%	62.4%	69.6%	83.3%	0.0%		54.5%	0.0%	100.0%	69.7%	62.5%	64.0%	67.0%	63.3%	68.5%	80.7%	59.1%	64.2%
Significantly different from column:*		D			F	E		1	HJ	1																AAAB	Z	Z

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 24

In the last 6 months, how often did your health plan's customer service give you the information or help you needed?

Base: All respondents who tried to get information from the health plan's customer service (Q23)

Base: All respondents who thed to get information to	om the near	i piano odote	<i>31101 001 1100</i>	(420)	Ger	ıder Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	tus		Visits in Months	Last 6
	물					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,541	95	68	66	30	60	2	18	36	37	50	32	7	1	1	0	20	1	0	40	3	18	31	33	29	16	56	19
Number missing or multiple answer	28	2	1	0	2	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	2	1	0	1	1	1	0
Number no experience	NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,513	93	67	66	28	60	2	18	35	36	49	32	7	1	1	0	20	1	0	40	3	16	30	33	28	15	55	19
	98.2%	97.9%	98.5%	100.0%	93.3%	0.0%	100.0%	100.0%	97.2%	97.3%	98.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%		100.0%	0.0%	88.9%	96.8%	100.0%	96.6%	93.8%	98.2%	100.0%
Never	46	1	0	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	1	0
	3.0%		0.0%	0.0%	0.0%	1.7%	0.0%	0.0%	0.0%	2.8%	2.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%		2.5%	0.0%	0.0%	0.0%	0.0%	3.6%	0.0%	1.8%	0.0%
Sometimes	221	10	13	17	4	4	1	4	4	1	5	2	2	1	0	0	2	0	0	3	0	3	4	3	3	4	2	4
	14.6%	10.8%	19.4%	25.8%	14.3%	6.7%	50.0%	22.2%	11.4%	2.8%	10.2%	6.3%	28.6%	100.0%	0.0%		10.0%	0.0%		7.5%	0.0%	18.8%	13.3%	9.1%	10.7%	26.7%	3.6%	21.1%
Usually	431	23		19	6	16	0	7	5	9	9	13	0	0	1	0	3	0	0	13	0	3	3	12	8	2	11	7
	28.5%			28.8%	21.4%		0.0%	38.9%	14.3%	25.0%	18.4%	40.6%	0.0%	0.0%	100.0%		15.0%	0.0%		32.5%	0.0%	18.8%	10.0%	36.4%	28.6%	13.3%	20.0%	36.8%
Always	815			30	18	39	1	7	26	25	34	17	5	0	0	0	15	1	0	23	3	10	23	18	16	9	41	8
	53.9%		56.7%	45.5%	64.3%	65.0%	50.0%	38.9%	74.3%	69.4%	69.4%	53.1%	71.4%	0.0%	0.0%		75.0%	100.0%		57.5%	100.0%	62.5%	76.7%	54.5%	57.1%	60.0%		42.1%
Significantly different from column:*		D						IJ	Н	Н																	AB	AA
Usually or Always	1,246		-	49	24	55	_	14	31	34	43	30	5	0	1	0	18	1	0	36	3	13	26	30	24	11	52	15
	82.4%	88.2%	80.6%	74.2%	85.7%	91.7%	50.0%	77.8%	88.6%	94.4%	87.8%	93.8%	71.4%	0.0%	100.0%		90.0%	100.0%		90.0%	100.0%	81.3%	86.7%	90.9%	85.7%	73.3%	94.5%	78.9%
Significantly different from column:*		D															l											

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 25

In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?

Base: All respondents who tried to get information from the health plan's customer service (Q23)

,	4				Ger	der Ider	ntity		Age (Q36)		E	ducatio	n					Race (Q40)					He	alth Stat	tus		Visits in Months (Q7)	Last 6
	2020 State Ol	2020	2019	2018	Male	ale	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern - African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	1,541	95	68	66	30	60	2	18	36	37	50	32	7	1	1	0	20	1	0	40	3	18	31	33	29	16	56	19
Number missing or multiple answer	31	2	0	0	1	1	0	0	0	2	1	0	0	0	0	0	0	0	0	1	0	1	0	0	2	1	1	0
Number no experience	NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,510	93	68	66	29	59	2	18	36	35	49	32	7	1	1	0	20	1	0	39	3	17	31	33	27	15	55	19
	98.0%	97.9%	100.0%	100.0%	96.7%	0.0%	100.0%	100.0%	100.0%	94.6%	98.0%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%		97.5%	0.0%	94.4%	100.0%	100.0%	93.1%	93.8%	98.2%	100.0%
Never	29		1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.9%	0.0%	1.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Sometimes	62	3	4	4	1	2	0	1	1	1	2	1	0	0	0	0	0	0	0	2	0	1	1	0	2	1	2	0
	4.1%	3.2%	5.9%	6.1%	3.4%	3.4%	0.0%	5.6%	2.8%	2.9%	4.1%	3.1%	0.0%	0.0%	0.0%		0.0%	0.0%		5.1%	0.0%	5.9%	3.2%	0.0%	7.4%	6.7%	3.6%	0.0%
Usually	260	14	10	13	8	4	0	3	3	5	7	4	1	0	0	0	2	0	0	4	0	5	3	6	5	1	9	4
		15.1%	14.7%	19.7%	27.6%	6.8%	0.0%	16.7%	8.3%	14.3%	14.3%	12.5%	14.3%	0.0%	0.0%		10.0%	0.0%		10.3%	0.0%	29.4%	9.7%	18.2%	18.5%	6.7%	16.4%	21.1%
Always	1,159	76	53	49	20	53	_	14	32	29	40	27	6	1	1	0	18	1	0	33	3	11	27		20	13	44	15
	76.8%	81.7%	77.9%	74.2%	69.0%	89.8%	100.0%	77.8%	88.9%	82.9%	81.6%	84.4%	85.7%	100.0%	100.0%		90.0%	100.0%		84.6%	100.0%	64.7%	87.1%	81.8%	74.1%	86.7%	80.0%	78.9%
Significantly different from column:*																												
Usually or Always	1,419	90	63	62	28	57	2	17	35	34	47	31	7	1	1	0	20	1	0	37	3	16			25	14	53	19
	94.0%	96.8%	92.6%	93.9%	96.6%	96.6%	100.0%	94.4%	97.2%	97.1%	95.9%	96.9%	100.0%	100.0%	100.0%		100.0%	100.0%		94.9%	100.0%	94.1%	96.8%	100.0%	92.6%	93.3%	96.4%	100.0%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 26

In the last 6 months, did your health plan give you any forms to fill out?

Base: All respondents

Base: All respondents				1 1			T																			Doctor	Vicito in	Lact 6
					Ger	ider Ider	ntity		Age		E	ducation	n					Race					He	alth Stat	us		Months	
	₽					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	ō					(230)			(230)		S	(233)	_	<u> </u>			_ro	(Q.10)	Ļ					(422)			(47)	
	ate	20	19	18			, 10			ø	es	ge	0 1	n c		an	luo/	er.	e -				ъъ		Þ			a)
	St	202	20.	20	a)	e	eer r	34	54	ρ	'n	<u>e</u>	grao re	India	_	offric San	Lat	a fi c	ano	a)	<u>.</u>	cial	ابر 80 با	ъ	Po	υ	4	ō
	20				Jal	mg	bin qui	to	<b>t</b>	Ē	Ď	8	e g	- m	Sial	or A	, p	Middl rn/Nc Africa	Haw c Isl	Ë	the the	tira	llei 7 g	00	P	on	t	E
	20.				_	Fe	Non- Inder	18	35	55 0	grē	ше	eg .	ericar Alaska	4	Am	anic	Αra	cific K	>	0	Σ	(ce (er)	O	Ė	Z	1	ō
							Jen N			7	2	So	Colle	me A		Bla	ispi	Eas	Pa				û >		Ϋ́			L .,
	_	_			_	-	0,			-				۷.	_		I	-		-		V	147	V		-	• •	
N	A 756	В	245	D 281		155	G	H	1	J 424	K	L 87	M	IN	- 0	Ρ 0	Q 4F	K .	5	124	U	V ==0	W	Χ 02	Y OO		AA	AB
Number in sample	4,756		245	281	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	159		4	0	6	7	1	4	6	4	9	5	0	1	0	0	4	0	0	3	1	1	4	5	5	6	5	4
Number no experience	NA				NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,597	273	241	281	111	148	4	68	77	117	151	82	23	5	1	0	41	1	1	131	7	49	91	87	88	79	135	49
	96.7%	94.8%	98.4%	100.0%	94.9%	0.0%	80.0%	94.4%	92.8%	96.7%	94.4%	94.3%	100.0%	83.3%	100.0%		91.1%	100.0%	100.0%	97.8%	0.0%	98.0%	95.8%	94.6%	94.6%	92.9%	96.4%	92.5%
Yes	1,479	90	79	102	31	53	2	24	25	37	54	26	2	1	1	0	18	1	1	37	1	12	26	30	31	22	51	16
	32.2%	33.0%	32.8%	36.3%	27.9%	35.8%	50.0%	35.3%	32.5%	31.6%	35.8%	31.7%	8.7%	20.0%	100.0%		43.9%	100.0%	100.0%	28.2%	14.3%	24.5%	28.6%	34.5%	35.2%	27.8%	37.8%	32.7%
No	3,118	183	162	179	80	95	2	44	52	80	97	56	21	4	0	0	23	0	0	94	6	37	65	57	57	57	84	33
	67.8%	67.0%	67.2%	63.7%	72.1%	64.2%	50.0%	64.7%	67.5%	68.4%	64.2%	68.3%	91.3%	80.0%	0.0%		56.1%	0.0%	0.0%	71.8%	85.7%	75.5%	71.4%	65.5%	64.8%	72.2%	62.2%	67.3%
Significantly different from column:*											M	M	KL															1

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 27

In the last 6 months, how often were the forms from your health plan easy to fill out?\*\*

Base: All respondents who received forms to fill out from the health plan (Q26)

	ОНР				Gen	der Ider	ntity		Age (Q36)		E	ducatio	n					Race (Q40)					He	alth Stat	tus	Doctor	Visits in Months (Q7)	Last 6
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,597	273	241	271	111	148	4	68	77	117	151	82	23	5	1	0	41	1	1	131	7	49	91	87	88	79	135	49
Number missing or multiple answer	41	2	0	0	0	2	0	1	0	1	2	0	0	0	0	0	1	0	0	0	0	0	1	0	1	2	0	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,556	271	241	271	111	146	4	67	77	116	149	82	23	5	1	0	40	1	1	131	7	49	90	87	87	77	135	49
	99.1%	99.3%	100.0%	100.0%	100.0%	0.0%	100.0%	98.5%	100.0%	99.1%	98.7%	100.0%	100.0%	100.0%	100.0%		97.6%	100.0%	100.0%	100.0%	0.0%	100.0%	98.9%	100.0%	98.9%	97.5%	100.0%	100.0%
Never	60	4	3	1	1	2	0	1	1	1	1	2	0	0	0	0	0	0	0	1	0	0	1	1	1	1	2	1
	1.3%	1.5%	1.2%	0.4%	0.9%	1.4%	0.0%	1.5%	1.3%	0.9%	0.7%	2.4%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.8%	0.0%	0.0%	1.1%	1.1%	1.1%	1.3%	1.5%	2.0%
Sometimes	215	13	16	17	6	6	1	5	1	7	8	4	0	0	0	0	1	0	0	7	0	3	1	4	8	5	7	1
	4.7%	4.8%	6.6%	6.3%	5.4%	4.1%	25.0%	7.5%	1.3%	6.0%	5.4%	4.9%	0.0%	0.0%	0.0%		2.5%	0.0%	0.0%	5.3%	0.0%	6.1%	1.1%	4.6%	9.2%	6.5%	5.2%	2.0%
Usually	516	34	27		13	18	0	11	8	12	24	4	1	0	1	0	4	0	1	16	1	3	9	15	9	8	18	7
	11.3%	12.5%	11.2%				0.0%	16.4%		10.3%		4.9%			100.0%		10.0%	0.0%	100.0%		14.3%	6.1%	10.0%	17.2%		10.4%	13.3%	14.3%
Always	3,765	220	195	209	91	120	3	50	67	96	116	72			0	0	35	1	0	107	6	43	79	67	69	63	108	40
	82.6%	81.2%	80.9%	77.1%	82.0%	82.2%	75.0%	74.6%	87.0%	82.8%	77.9%	87.8%	95.7%	100.0%	0.0%		87.5%	100.0%	0.0%	81.7%	85.7%	87.8%	87.8%	77.0%	79.3%	81.8%	80.0%	81.6%
Significantly different from column:*																												
Usually or Always	4,281	254	222		104	138	-	61			140	76	_		1	0	39	1	1	123	7	46	88	82	78	71	120	47
	94.0%	93.7%	92.1%	93.4%	93.7%	94.5%	75.0%	91.0%	97.4%	93.1%	94.0%	92.7%	100.0%	100.0%	100.0%		97.5%	100.0%	100.0%	93.9%	100.0%	93.9%	97.8%	94.3%		92.2%	93.3%	95.9%
Significantly different from column:*																							Υ		W			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

<sup>\*\*</sup>Respondents answering "No" to question 26 are reported to NCQA as "Always" in question 27, and are used in calculating the Question Summary Rate.

32030

Willamette Valley Community Health
CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 28

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

Base: All respondents

Base: All respondents																												
					Gen	der Ider	ntity		Age		E	Educatio	n					Race					Не	alth Stat	us	Doctor	Visits in Months	Last 6
	OHP					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Η	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756		245	243	117	155	5	72	83		160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	504		28	0	14	9	0	6	4	12	14	7	2	1	0	0	2	0	0	16	1	1	9	7	7	11	11	2
Number no experience	NA	NA		NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	4,252			243	103	146	5	66	79		146	80	21	5	1	0	43	_	1	118	7	49		85	86	74	129	51
2.11	89.4%		88.6%	100.0%	88.0%	0.0%	100.0%	91.7%	95.2%	90.1%	91.3%	92.0%	91.3%	83.3%	100.0%		95.6%	100.0%	100.0%	88.1%	0.0%	98.0%	90.5%	92.4%	92.5%	87.1%	92.1%	96.2%
0 Worst health plan possible	0.8%		0.5%	0.4%	1.9%	0.0%	0.0%	1.5%	1.3%	0.0%	0.7%	1.3%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	1.2%	1.2%	2.7%	0.0%	0.0%
1	14	0.070	0.570	0.470	1.570	0.070	0.070	1.570	1.5 /0	0.070	0.7 /0	1.5 /0	0.070	0.070	0.070	0	0.070	0.070	0.070	0.070	0.070	2.0 /0	0.070	1.270	1.2 /0	2.7 /0	0.070	0.0 /0
ľ	0.3%	0.4%	1.4%	0.0%	1.0%	0.0%	0.0%	0.0%	0.0%	0.9%	0.7%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.8%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	0.8%	0.0%
2	23	2	1	3	2	0	0	1	1	0	0	2	0	0	0	0	0	0	0	1	0	1	0	1	1	1	1	0
	0.5%	0.8%	0.5%	1.2%	1.9%	0.0%	0.0%	1.5%	1.3%	0.0%	0.0%	2.5%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.8%	0.0%	2.0%	0.0%	1.2%	1.2%	1.4%	0.8%	0.0%
3	56	2	5	2	1	1	0	0	1	1	0	1	1	0	0	0	0	0	0	2	0	0	2	0	0	0	2	0
	1.3%		2.3%	0.8%	1.0%	0.7%	0.0%	0.0%	1.3%	0.9%	0.0%	1.3%	4.8%	0.0%	0.0%		0.0%	0.0%	0.0%	1.7%	0.0%	0.0%	2.3%	0.0%	0.0%	0.0%	1.6%	0.0%
4	71 1.7%	1.1%	0.9%	8 3.3%	2.9%	0.0%	0.0%	0.0%	3.8%	0.0%	1.4%	0.0%	4.8%	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.8%	0.0%	2.0%	0.0%	1.2%	2.3%	1.4%	0.0%	3.9%
5	297			3.3%	2.9%	13	0.0%	0.0%	3.8%	0.0%	1.4%	10	4.8%	0.0%	0.0%		0.0%	0.0%	0.0%	10	0.0%	2.0%	0.0%	1.2%	2.3%	1.4%	14	3.9%
	7.0%	8.0%		10.3%	6.8%	8.9%	0.0%	9.1%	6.3%	8.3%	4.8%	12.5%	14.3%	0.0%	0.0%		2.3%	0.0%	0.0%	8.5%	0.0%	14.3%	9.3%	4.7%	9.3%	8.1%	10.9%	2.0%
6	226	14		15	3	8	3	5	7	2	6	7	1	0	0	0	2	0	0	6	0	5	4	4	6	5	3	5
	5.3%	5.3%	5.5%	6.2%	2.9%	5.5%	60.0%	7.6%	8.9%	1.8%	4.1%	8.8%	4.8%	0.0%	0.0%		4.7%	0.0%	0.0%	5.1%	0.0%	10.2%	4.7%	4.7%	7.0%	6.8%	2.3%	9.8%
7	500	25	22	32	12	13	0	9	8	7	15	4	6	2	0	0	4	0	0	16	0	1	6	11	8	7	11	4
	11.8%	9.5%	10.1%	13.2%	11.7%	8.9%	0.0%		10.1%	6.4%	10.3%	5.0%	28.6%	40.0%	0.0%		9.3%		0.0%	13.6%	0.0%	2.0%	7.0%	12.9%	9.3%	9.5%	8.5%	7.8%
8	776		41	47	26	22	0	17	11	20	28	15		2	0	0	10	-	0	21	2	8	14	23	13	18	23	9
	18.3%		18.9%	19.3% 34	25.2%	15.1% 33	0.0%		13.9%	18.3%	19.2%	18.8%	23.8%	40.0%	0.0%		23.3%	0.0%	0.0%	17.8%	28.6%	16.3%		27.1%	15.1%	24.3%	17.8%	17.6%
9	762 17.9%	48 18.3%	.,	34 14.0%	13.6%	22.6%	0.0%	10 15.2%	11 13.9%	26 23.9%	29 19.9%	15 18.8%	9.5%	0.0%	100.0%		18.6%	0.0%	0.0%	23 19.5%	14.3%	22.4%	13 15.1%	20 23.5%	15 17.4%		24 18.6%	21.6%
10 Best health plan possible	1,493	18.3%	69	76	32	22.6%	0.0%	15.2%	31	43	19.9%	18.8%	9.5%	0.0%	100.0%	0	18	0.0%	0.0%	19.5%	14.5%	22.4%	39	23.3%	31	23	50	19
To Social and production	35.1%		31.8%	31.3%	31.1%		40.0%		39.2%	39.4%	39.0%	31.3%	9.5%	20.0%	0.0%		41.9%	100.0%	100.0%	31.4%	57.1%	28.6%	45.3%	23.5%	36.0%	31.1%	38.8%	37.3%
							/0								/0													

## **Willamette Valley Community Health**

32030

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 28

Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?

Base: All respondents

Base. All respondents	ОНР				Gen	der Idei	ntity		Age (Q36)		E	ducatio	n					Race (Q40)					Не	alth Stat	tus		Visits in Months (Q7)	Last 6
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	4,756 504 NA	288 26 NA	245 28 NA	0	117 14 NA	155 9	5 0 NA	72 6 NA	83 4 NA	121 12 NA		87 7 NA	23 2 NA	6 1 NA	1 0 NA	0 0 NA	45 2 NA	1 0 NA	1 0 NA	134 16 NA	1	50 1 NA	95 9 NA	92 7 NA	93 7 NA	85 11 NA	140 11 NA	53 2 NA
Usable responses	4,252 89.4%	262 91.0%	217 88.6%	243 100.0%	103 88.0%	146 0.0%	5 100.0%	66 91.7%	79 95.2%	109 90.1%	146 91.3%	80 92.0%	21 91.3%	_	1 100.0%	0	43 95.6%	1 100.0%	100.0%	118 88.1%	7 0.0%	49 98.0%	86 90.5%	85 92.4%	86 92.5%	74 87.1%	129 92.1%	51 96.2%
0 to 4	198 4.7%	10 3.8%	12	14	9 8.7%	0.7%	0	2	6	2 1.8%	4	4 5.0%	9.5%	0	0.0%	0		0.0%	0.0%	5 4.2%	0.0%	3 6.1%	2.3%	3 3.5%	5 5.8%	4 5.4%	4 3.1%	2 3.9%
5	297 7.0%	21 8.0%	14 6.5%		7 6.8%	13 8.9%	-	6 9.1%	5 6.3%	9 8.3%	7 4.8%	10 12.5%	3 14.3%	0.0%	0.0%	0	1 2.3%	0.0%	0.0%	10 8.5%	0.0%	7 14.3%	8 9.3%	4 4.7%	9.3%	6 8.1%	14 10.9%	1 2.0%
6 or 7	726 17.1%	39 14.9%			15 14.6%	21 14.4%		14 21.2%	15 19.0%	9 8.3%	21 14.4%	11 13.8%	7 33.3%	2 40.0%	0.0%	0	6 14.0%	0.0%	0.0%	22 18.6%		6 12.2%	10 11.6%	15 17.6%	14 16.3%	12 16.2%	14 10.9%	9 17.6%
8 to 10	3,031 71.3%	192 73.3%		157 64.6%	72 69.9%	111 76.0%	_	44 66.7%	53 67.1%	89 81.7%		55 68.8%	9 42.9%	3 60.0%	100.0%	0	36 83.7%	1 100.0%	1 100.0%	81 68.6%		33 67.3%	66 76.7%	63 74.1%	59 68.6%	52 70.3%	97 75.2%	39 76.5%
Significantly different from column:*		D						J	J	HI	М	M	KL															
0 to 6	721 17.0%				19 18.4%	22 15.1%		13 19.7%	18 22.8%	13 11.9%		21 26.3%	6 28.6%	0.0%	0.0%	0	7.0%	0.0%	0.0%	21 17.8%		15 30.6%	14 16.3%	11 12.9%	19 22.1%	15 20.3%	21 16.3%	8 15.7%
7 to 8	1,276 30.0%	76 29.0%			38 36.9%	35 24.0%		26 39.4%	19 24.1%	27 24.8%		19 23.8%	11 52.4%	4 80.0%	0.0%	0	14 32.6%	0.0%	0.0%	37 31.4%		9 18.4%	20 23.3%	34 40.0%	21 24.4%	25 33.8%	34 26.4%	13 25.5%
9 to 10	2,255 53.0%	141 53.8%	116 53.5%	-	46 44.7%	89 61.0%	_	27 40.9%	42 53.2%	69 63.3%		40 50.0%	4 19.0%	1 20.0%	1 100.0%	0		1 100.0%	1 100.0%	60 50.8%	_	25 51.0%	52 60.5%	40 47.1%	46 53.5%	34 45.9%	74 57.4%	30 58.8%
Significantly different from column:*					F	Е		J		Н	М	М	KL															

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

## **Willamette Valley Community Health**

32030 CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 28a

In the last 6 months, did you have a health problem for which you needed special medical equipment, such as a cane, a wheelchair, or oxygen equipment?

Base: All respondents

	4				Ger	nder Ider (Q38)	ntity		Age (Q36)		E	ducation	n					Race (Q40)					He	alth Sta	tus		Visits in Months (Q7)	Last 6
	2020 State Ol	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle & Eastem/Northern & African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Х	Υ	Z	AA	AB
Number in sample	4,756	288	245	269	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	276	10	11	0	7	1	0	1	1	5	5	3	0	0	0	0	0	0	0	5	0	1	4	2	3	3	6	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,480	278	234	269	110	154	5	71	82	116	155	84	23	6	1	0	45	1	1	129	8	49	91	90	90	82	134	53
	94.2%	96.5%	95.5%	100.0%	94.0%	0.0%	100.0%	98.6%	98.8%	95.9%	96.9%	96.6%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	96.3%	0.0%	98.0%	95.8%	97.8%	96.8%	96.5%	95.7%	100.0%
Yes	671	39	39	43	15	22	1	5	10	23	24	11	1	0	0	0	5	0	0	25	1	4	7	10	22	4	19	14
	15.0%	14.0%	16.7%	16.0%	13.6%	14.3%	20.0%	7.0%	12.2%	19.8%	15.5%	13.1%	4.3%	0.0%	0.0%		11.1%	0.0%	0.0%	19.4%	12.5%	8.2%	7.7%	11.1%	24.4%	4.9%	14.2%	26.4%
No	3,809	239	195	226	95	132	4	66	72	93	131	73	22	6	1	0	40	1	1	104	7	45	84	80	68	78	115	39
	85.0%	86.0%	83.3%	84.0%	86.4%	85.7%	80.0%	93.0%	87.8%	80.2%	84.5%	86.9%	95.7%	100.0%	100.0%		88.9%	100.0%	100.0%	80.6%	87.5%	91.8%	92.3%	88.9%	75.6%	95.1%	85.8%	73.6%
Significantly different from column:*								J		Τ													Υ	Υ	WX	AAAB	ZAB	ZAA

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 28b

In the last 6 months, how often was it easy to get the medical equipment you needed through your health plan?

Base: All respondents who needed special equipment (Q28a)

	ОНР				Gen	der Ider	ntity		Age (Q36)		E	ducatio	n					Race (Q40)					He	alth Stat	tus	Doctor	Visits in Months (Q7)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	PooD	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	671	39	39	42	15	22	1	5	10	23	24	11	1	0	0	0	5	0	0	25	1	4	7	10	22	4	19	14
Number missing or multiple answer	38	1	1	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	1
Number no experience	NA	NA		NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	633	38	38	42	14	22	1	5	9	23	23	11	1	0	0	0	5	0	0	25	0	4	7	10	21	4	19	13
	94.3%	97.4%	97.4%	100.0%	93.3%	0.0%	100.0%	100.0%	90.0%	100.0%	95.8%	100.0%	100.0%				100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	95.5%	100.0%	100.0%	92.9%
Never	107	6	5	6	4	1	1	1	1	4	4	2	0	0	0	0	1	0	0	4	0	1	2	1	3	1	3	2
	16.9%	15.8%	13.2%	14.3%	28.6%	4.5%	100.0%	20.0%	11.1%	17.4%	17.4%	18.2%	0.0%				20.0%			16.0%		25.0%	28.6%	10.0%	14.3%	25.0%	15.8%	15.4%
Sometimes	88	5	10	9	3	2	0	1	2	2	3	2	0	0	0	0	0	0	0	5	0	0	1	0	4	1	3	1
	13.9%	13.2%	26.3%	21.4%	21.4%	9.1%	0.0%	20.0%	22.2%	8.7%	13.0%	18.2%	0.0%				0.0%			20.0%		0.0%	14.3%	0.0%	19.0%	25.0%	15.8%	7.7%
Usually	152	5	8	8	2	3	0	0	1	3	4	0	1	0	0	0	0	0	0	4	0	1	1	1	3	0	4	1
	24.0%	13.2%	21.1%	19.0%	14.3%	13.6%	0.0%	0.0%	11.1%	13.0%	17.4%	0.0%	100.0%				0.0%			16.0%		25.0%	14.3%	10.0%	14.3%	0.0%	21.1%	7.7%
Always	286	22	15	19	5	16	0	3	5	14	12	7	0	0	0	0	4	0	0	12	0	2	3	8	11	2	9	9
	45.2%	57.9%	39.5%	45.2%	35.7%	72.7%	0.0%	60.0%	55.6%	60.9%	52.2%	63.6%	0.0%				80.0%			48.0%		50.0%	42.9%	80.0%	52.4%	50.0%	47.4%	69.2%
Significantly different from column:*					F	E																						
Usually or Always	438	27	23	27	7	19	0	3	6	17	16	7	1	0	0	0	4	0	0	16	0	3	4	9	14	2	13	10
	69.2%	71.1%	60.5%	64.3%	50.0%	86.4%	0.0%	60.0%	66.7%	73.9%	69.6%	63.6%	100.0%				80.0%			64.0%		75.0%	57.1%	90.0%	66.7%	50.0%	68.4%	76.9%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 28c

In the last 6 months, did you have any health problems that needed special therapy, such as physical, occupational, or speech therapy?

Base: All respondents																												
					Ger	ider Iden	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	동					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	279	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	153	11	2	0	3	6	0	2	2	5	6	3	0	1	0	0	1	0	0	5	0	2	0	2	7	4	6	. 1
Number no experience	NA				NA		NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,603	277	243	279	114	149	5	70	-	116		84	23	5	1	0	44	1	1	129	8	48	95	90	86	81	134	52
	96.8%	96.2%	99.2%	100.0%	97.4%	0.0%	100.0%	97.2%	97.6%	95.9%	96.3%	96.6%	100.0%	83.3%	100.0%		97.8%	100.0%	100.0%	96.3%	0.0%	96.0%	100.0%	97.8%	92.5%	95.3%	95.7%	98.1%
Yes	858	49	41	49	15	28	2	12	17	17	19	18	6	1	0	0	5	1	0	23	2	10	15	14	19	3	25	20
	18.6%	17.7%	16.9%	17.6%	13.2%	18.8%	40.0%	17.1%	21.0%	14.7%	12.3%	21.4%	26.1%	20.0%	0.0%		11.4%	100.0%	0.0%	17.8%	25.0%	20.8%	15.8%	15.6%	22.1%	3.7%	18.7%	38.5%
No	3,745	228	202	230	99	121	3	58	64	99	135	66	17	4	1	0	39	0	1	106	6	38	80	76	67	78	109	32
	81.4%	82.3%	83.1%	82.4%	86.8%	81.2%	60.0%	82.9%	79.0%	85.3%	87.7%	78.6%	73.9%	80.0%	100.0%		88.6%	0.0%	100.0%	82.2%	75.0%	79.2%	84.2%	84.4%	77.9%	96.3%	81.3%	61.5%
Significantly different from column:*																										AAAB	ZAB	ZAA

32030

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 28d

In the last 6 months, how often was it easy to get the special therapy you needed through your health plan?

Base: All respondents who needed special therapy (Q28c)

	НО				Gen	der Ider	ntity		Age (Q36)		E	ducatio	n					Race (Q40)					He	alth Stat	:us		Visits in Months (Q7)	Last 6
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	858	49	41	47	15	28	2	12	17	17	19	18	6	1	0	0	5	1	0	23	2	10	15	14	19	3	25	20
Number missing or multiple answer	26	1	1	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	832	48	40	47	15	28	1	11	17	17	18	18	-	1	0	0	5	1	0	22	2	10		14	19	3	25	19
	97.0%	98.0%	97.6%	100.0%	100.0%	0.0%	50.0%	91.7%	100.0%	100.0%	94.7%	100.0%	100.0%	100.0%			100.0%	100.0%		95.7%	0.0%	100.0%	93.3%	100.0%	100.0%	100.0%	100.0%	95.0%
Never	90	8	4	6	4	3	0	0	5	2	2	3	2	0	0	0	0	0	0	4	0	3	2	2	4	2	4	2
	10.8%	16.7%	10.0%	12.8%	26.7%	10.7%	0.0%	0.0%	29.4%	11.8%	11.1%	16.7%	33.3%	0.0%			0.0%	0.0%		18.2%	0.0%	30.0%	14.3%	14.3%	21.1%	66.7%	16.0%	10.5%
Sometimes	137	10	13	13	4	5	0	3	3	3	3	4	1	0	0	0	1	0	0	5	1	2	2	1	7	0	5	4
	16.5%	20.8%	32.5%	27.7%	26.7%	17.9%	0.0%	27.3%	17.6%	17.6%	16.7%	22.2%	16.7%	0.0%			20.0%	0.0%		22.7%	50.0%	20.0%	14.3%	7.1%	36.8%	0.0%	20.0%	21.1%
Usually	224	10	6	11	4	5	0	2	3	5	2	6	2	0	0	0	0	0	0	6	1	2	3	4	3	0	6	4
	26.9%		15.0%	23.4%	26.7%	17.9%	0.0%	18.2%	17.6%	29.4%	11.1%	33.3%	33.3%	0.0%			0.0%	0.0%		27.3%	50.0%	20.0%	21.4%	28.6%	15.8%	0.0%	24.0%	21.1%
Always	381	20	17	17	3	15	1	6	6	7	11	5	1	1	0	0	4	1	0	7	0	3	7	7	5	1	10	9
	45.8%	41.7%	42.5%	36.2%	20.0%	53.6%	100.0%	54.5%	35.3%	41.2%	61.1%	27.8%	16.7%	100.0%			80.0%	100.0%		31.8%	0.0%	30.0%	50.0%	50.0%	26.3%	33.3%	40.0%	47.4%
Significantly different from column:*					F	E					L	K																
Usually or Always	605	30		-	7	20	1	8	9	12	13	11	3	1	0	0	4	1	0	13	1	5	10	11	8	1	16	13
	72.7%	62.5%	57.5%	59.6%	46.7%	71.4%	100.0%	72.7%	52.9%	70.6%	72.2%	61.1%	50.0%	100.0%			80.0%	100.0%		59.1%	50.0%	50.0%	71.4%	78.6%	42.1%	33.3%	64.0%	68.4%
Significantly different from column:*																								Y	Х			

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 28e

In the last 6 months, how often did a doctor or other health provider talk too fast when talking to you?

	Д				Gen	der Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	HO HE					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	٧	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	275	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	191	14	8	0	6	4	0	2	3	5	6	3	1	0	0	0	0	0	0	4	0	2	4	1	5	10	4	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,565	274	237	275	111	151	5	70	80	116	154	84	22	6	1	0	45	1	1	130	8	48	91	91	88	75	136	53
	96.0%	95.1%	96.7%	100.0%	94.9%	0.0%	100.0%	97.2%	96.4%	95.9%	96.3%	96.6%	95.7%	100.0%	100.0%		100.0%	100.0%	100.0%	97.0%	0.0%	96.0%	95.8%	98.9%	94.6%	88.2%	97.1%	100.0%
Never	3,527	200	193	214	80	116	2	52	59	87	114	59		6	1	0	36	1	1	98	4	30	76	62	60	61	98	37
	77.3%	73.0%	81.4%	77.8%	72.1%	76.8%	40.0%	74.3%	73.8%	75.0%	74.0%	70.2%	90.9%	100.0%	100.0%		80.0%	100.0%	100.0%	75.4%	50.0%	62.5%	83.5%	68.1%	68.2%	81.3%	72.1%	69.8%
Sometimes	738	55	34	36	22	27	2	16	14	20	28	22	2	0	0	0	6	0	0	27	3	12	9	25	20	11	25	14
	16.2%	20.1%	14.3%	13.1%	19.8%	17.9%	40.0%	22.9%	17.5%	17.2%	18.2%	26.2%	9.1%	0.0%	0.0%		13.3%	0.0%	0.0%	20.8%	37.5%	25.0%	9.9%	27.5%	22.7%	14.7%	18.4%	26.4%
Usually	149	9	7	16	4	4	1	1	4	4	5	2	0	0	0	0	1	0	0	1	1	5	3	0	6	1	5	2
	3.3%	3.3%	3.0%	5.8%	3.6%	2.6%	20.0%	1.4%	5.0%	3.4%	3.2%	2.4%	0.0%	0.0%	0.0%		2.2%	0.0%	0.0%	0.8%	12.5%	10.4%	3.3%	0.0%	6.8%	1.3%	3.7%	3.8%
Always	151	10	3	9	5	4	0	1	3	5	7	1	0	0	0	0	2	0	0	4	0	1	3	4	2	2	8	0
	3.3%	3.6%	1.3%	3.3%	4.5%	2.6%	0.0%	1.4%	3.8%	4.3%	4.5%	1.2%	0.0%	0.0%	0.0%		4.4%	0.0%	0.0%	3.1%	0.0%	2.1%	3.3%	4.4%	2.3%	2.7%	5.9%	0.0%
Significantly different from column:*																												
Never or Sometimes	4,265	255	227	250	102	143	4	68	73	107	142	81	22	6	1	0	42	1	1	125	7	42	85	87	80	72	123	51
	93.4%	93.1%	95.8%	90.9%	91.9%	94.7%	80.0%	97.1%	91.3%	92.2%	92.2%	96.4%	100.0%	100.0%	100.0%		93.3%	100.0%	100.0%	96.2%	87.5%	87.5%	93.4%	95.6%	90.9%	96.0%	90.4%	96.2%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 28f

In the last 6 months, how often did a doctor or other health provider interrupt you when you were talking?

Base. All respondents		-																										
	0				Gen	der Iden	itity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	Ä					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Ι	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	274	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	199	9	5	0	4	1	0	1	2	2	2	3	0	0	0	0	0	0	0	3	0	1	2	2	2	8	1	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,557	279	240	274	113	154	5	71	81	119	158	84	23	6	1	0	45	1	1	131	8	49	93	90	91	77	139	53
	95.8%	96.9%	98.0%	100.0%	96.6%	0.0%	100.0%	98.6%	97.6%	98.3%	98.8%	96.6%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	97.8%	0.0%	98.0%	97.9%	97.8%	97.8%	90.6%	99.3%	100.0%
Never	3,792	232	200	224	92	130	4	60	65	101	136	67	18	6	1	0	42	1	1	111	6	35	85	75	68	65	115	44
	83.2%	83.2%	83.3%	81.8%	81.4%	84.4%	80.0%	84.5%	80.2%	84.9%	86.1%	79.8%	78.3%	100.0%	100.0%		93.3%	100.0%	100.0%	84.7%	75.0%	71.4%	91.4%	83.3%	74.7%	84.4%	82.7%	83.0%
Sometimes	623	37	35	43	16	20	0	10	11	14	16	16	3	0	0	0	3	0	0	15	2	10	7	13	17	8	20	. 8
	13.7%	13.3%	14.6%	15.7%	14.2%	13.0%	0.0%	14.1%	13.6%	11.8%	10.1%	19.0%	13.0%	0.0%	0.0%		6.7%	0.0%	0.0%	11.5%	25.0%	20.4%	7.5%	14.4%	18.7%	10.4%	14.4%	15.1%
Usually	73	6	1	3	3	3	0	0	3	3	4	1	1	0	0	0	0	0	0	3	0	2	1	0	5	2	3	1
	1.6%	2.2%	0.4%	1.1%	2.7%	1.9%	0.0%	0.0%	3.7%	2.5%	2.5%	1.2%	4.3%	0.0%	0.0%		0.0%	0.0%	0.0%	2.3%	0.0%	4.1%	1.1%	0.0%	5.5%	2.6%	2.2%	1.9%
Always	69	4	4	4	2	1	1	1	2	1	2	0	1	0	0	0	0	0	0	2	0	2	0	2	1	2	1	. 0
	1.5%	1.4%	1.7%	1.5%	1.8%	0.6%	20.0%	1.4%	2.5%	0.8%	1.3%	0.0%	4.3%	0.0%	0.0%		0.0%	0.0%	0.0%	1.5%	0.0%	4.1%	0.0%	2.2%	1.1%	2.6%	0.7%	0.0%
Significantly different from column:*																												
Never or Sometimes	4,415	269			108	150	4	70	76	115	152	83		6	1	0	45	1	1	126	8	45		88	85	73	135	
	96.9%	96.4%	97.9%	97.4%	95.6%	97.4%	80.0%	98.6%	93.8%	96.6%	96.2%	98.8%	91.3%	100.0%	100.0%		100.0%	100.0%	100.0%	96.2%	100.0%	91.8%	98.9%	97.8%	93.4%	94.8%	97.1%	98.1%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 28g

In the last 6 months, how often did a doctor or other health provider use a condescending, sarcastic or rude tone or manner with you?

	ЭНР				Gen	der Ider (Q38)	itity		Age (Q36)		E	ducatio	n					Race (Q40)					He	alth Stat	:us		Visits in Months (Q7)	Last 6
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288	245	275	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	184	12	6	0	6	1	0	1	4	2	4	3	0	0	0	0	0	0	0	3	0	3	3	2	2	9	3	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,572	276	239	275	111	154	5	71	79	119	156	84	23	6	1	0	45	1	1	131	8	47	92	90	91	76	137	53
	96.1%	95.8%	97.6%	100.0%	94.9%	0.0%	100.0%	98.6%	95.2%	98.3%	97.5%	96.6%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	97.8%	0.0%	94.0%	96.8%	97.8%	97.8%	89.4%	97.9%	100.0%
Never	4,037	242	215	241	99	137	3	62	72	103	142	71	19	6	1	0	44	1	1	113	7	41	87	81	72	69	121	45
	88.3%	87.7%	90.0%	87.6%	89.2%	89.0%	60.0%	87.3%	91.1%	86.6%	91.0%	84.5%	82.6%	100.0%	100.0%		97.8%	100.0%	100.0%	86.3%	87.5%	87.2%	94.6%	90.0%	79.1%	90.8%	88.3%	84.9%
Sometimes	394	25	19	28	8	13	1	7	4	12	10	11	2	0	0	0	1	0	0	11	1	5	4	6	15	4	11	8
	8.6%	9.1%	7.9%	10.2%	7.2%	8.4%	20.0%	9.9%	5.1%	10.1%	6.4%	13.1%	8.7%	0.0%	0.0%		2.2%	0.0%	0.0%	8.4%	12.5%	10.6%	4.3%	6.7%	16.5%	5.3%	8.0%	15.1%
Usually	84	3	3	3	0	3	0	0	2	1	0	2	1	0	0	0	0	0	0	3	0	0	1	1	1	1	2	0
	1.8%	1.1%	1.3%	1.1%	0.0%	1.9%	0.0%	0.0%	2.5%	0.8%	0.0%	2.4%	4.3%	0.0%	0.0%		0.0%	0.0%	0.0%	2.3%	0.0%	0.0%	1.1%	1.1%	1.1%	1.3%	1.5%	0.0%
Always	57	6	2	3	4	1	1	2	1	3	4	0	1	0	0	0	0	0	0	4	0	1	0	2	3	2	3	0
	1.2%	2.2%	0.8%	1.1%	3.6%	0.6%	20.0%	2.8%	1.3%	2.5%	2.6%	0.0%	4.3%	0.0%	0.0%		0.0%	0.0%	0.0%	3.1%	0.0%	2.1%	0.0%	2.2%	3.3%	2.6%	2.2%	0.0%
Significantly different from column:*																												
Never or Sometimes	4,431		234		107	150	4	69	76	115	152	82		6	1	0	45	1	1	124	8	46	91	87	87	73	132	53
	96.9%	96.7%	97.9%	97.8%	96.4%	97.4%	80.0%	97.2%	96.2%	96.6%	97.4%	97.6%	91.3%	100.0%	100.0%		100.0%	100.0%	100.0%	94.7%	100.0%	97.9%	98.9%	96.7%	95.6%	96.1%	96.4%	100.0%
Significantly different from column:*																												

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 28h

In the last 6 months, did you feel you could trust a doctor or other health provider with your medical care?

	ЭНР				Gen	der Ider (Q38)	ntity		Age (Q36)		E	ducatio	n					Race (Q40)					He	alth Stat	us	Doctor	Visits in Months (Q7)	Last 6
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288	245	273	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	233	14	7	0	7	3	0	2	5	3	7	3	0	1	0	0	1	0	0	2	1	1	4	2	4	10	3	1
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,523	274	238		110	152	5	70	78	118	153	84	23		1	0	44	-	1	132	7	49	91	90	89	75	137	52
	95.1%	95.1%	97.1%	100.0%	94.0%	0.0%	100.0%	97.2%	94.0%	97.5%	95.6%	96.6%	100.0%	83.3%	100.0%		97.8%	100.0%	100.0%	98.5%	0.0%	98.0%	95.8%	97.8%	95.7%	88.2%	97.9%	98.1%
Yes, definitely	3,292	203	168	197	86	110	3	51	58	90	119	60	16	4	1	0	39	1	1	103	4	28	73	69	58	47	108	41
	72.8%	74.1%	70.6%	72.2%	78.2%	72.4%	60.0%	72.9%	74.4%	76.3%	77.8%	71.4%	69.6%	80.0%	100.0%		88.6%	100.0%	100.0%	78.0%	57.1%	57.1%	80.2%	76.7%	65.2%	62.7%	78.8%	78.8%
Yes, somewhat	977	57	56	56	16	38	2	17	16	23	27	20	6	1	0	0	5	0	0	20	3	20	16	15	26	20	25	10
	21.6%	20.8%	23.5%	20.5%	14.5%	25.0%	40.0%	24.3%	20.5%	19.5%	17.6%	23.8%	26.1%	20.0%	0.0%		11.4%	0.0%	0.0%	15.2%	42.9%	40.8%	17.6%	16.7%	29.2%	26.7%	18.2%	19.2%
No	254	14	14	20	8	4	0	2	4	5	7	4	1	0	0	0	0	0	0	9	0	1	2	6	5	8	4	1
	5.6%	5.1%	5.9%	7.3%	7.3%	2.6%	0.0%	2.9%	5.1%	4.2%	4.6%	4.8%	4.3%	0.0%	0.0%		0.0%	0.0%	0.0%	6.8%	0.0%	2.0%	2.2%	6.7%	5.6%	10.7%	2.9%	1.9%
Yes, definitely or Yes, somewhat	4,269	260	224	253	102	-	-	68			146	80			1	0	44	1	1	123	7	48	89	84	84	67	133	51
	94.4%	94.9%	94.1%	92.7%	92.7%	97.4%	100.0%	97.1%	94.9%	95.8%	95.4%	95.2%	95.7%	100.0%	100.0%		100.0%	100.0%	100.0%	93.2%	100.0%	98.0%	97.8%	93.3%	94.4%	89.3%	97.1%	98.1%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

#### Question 28i

A regular dentist is one you would go to for check-ups and cleanings or when you have a cavity or tooth pain. Do you have a regular dentist?

Base: All respondents																												
	0				Gen	der Iden	itity		Age		E	ducation	n					Race					He	alth Stat	:us	Doctor	Visits in Months	
	포					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288	245	277	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	206	8	6	0	2	1	0	0	0	3	2	1	0	0	0	0	0	0	0	0	0	1	1	0	3	6	2	0
Number no experience	NA			NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,550	280	239	277	115	154	5	72	83	118	158	86	23	6	1	0	45	1	1	134	8	49	94	92	90	79	138	53
	95.7%	97.2%	97.6%	100.0%	98.3%	0.0%	100.0%	100.0%	100.0%	97.5%	98.8%	98.9%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	0.0%	98.0%	98.9%	100.0%	96.8%	92.9%	98.6%	100.0%
Yes	2,495	165	138	172	57	100	4	41	50	70		52	16	3	0	0	28	1	1	86	6	22	51	58	55	38	80	40
	54.8%	58.9%	57.7%	62.1%	49.6%	64.9%	80.0%	56.9%	60.2%	59.3%	57.6%	60.5%	69.6%	50.0%	0.0%		62.2%	100.0%	100.0%	64.2%	75.0%	44.9%	54.3%	63.0%	61.1%	48.1%	58.0%	75.5%
No	2,055	115	101	105	58	54	1	31	33	48	67	34	7	3	1	0	17	0	0	48	2	27	43	34	35	41	58	13
	45.2%	41.1%	42.3%	37.9%	50.4%	35.1%	20.0%	43.1%	39.8%	40.7%	42.4%	39.5%	30.4%	50.0%	100.0%		37.8%	0.0%	0.0%	35.8%	25.0%	55.1%	45.7%	37.0%	38.9%	51.9%	42.0%	24.5%
Significantly different from column:*					F	Е												1		V		T				AB	AB	ZAA

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 28j

In the last 6 months, did you go to a dentist's office or clinic for care?

Base: All respondents																												
	_				Ger	ider Iden	ntity		Age		E	ducatio	n					Race					He	alth Stat	:us	Doctor	Months	Last 6
	픙					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288	245	277	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	170	7	5	0	2	0	0	0	0	2	1	1	0	0	0	0	0	0	0	1	0	1	2	0	1	5	2	
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,586	281	240	277	115	155	5	72	83	119	159	86	23	6	1	0	45	1	1	133	8	49	93	92	92	80	138	53
	96.4%	97.6%	98.0%	100.0%	98.3%	0.0%	100.0%	100.0%	100.0%	98.3%	99.4%	98.9%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	99.3%	0.0%	98.0%	97.9%	100.0%	98.9%	94.1%	98.6%	100.0%
Yes	1,796	110	95	113	34	72	2	26	29	52	58	36	12	2	0	0	19	1	0	59	4	15	37	39	34	18	57	28
	39.2%	39.1%	39.6%	40.8%	29.6%	46.5%	40.0%	36.1%	34.9%	43.7%	36.5%	41.9%	52.2%	33.3%	0.0%		42.2%	100.0%	0.0%	44.4%	50.0%	30.6%	39.8%	42.4%	37.0%	22.5%	41.3%	52.8%
No	2,790	171	145	164	81	83	3	46	54	67	101	50	11	4	1	0	26	-	1	74	4	34	56	53	58	62	81	25
	60.8%	60.9%	60.4%	59.2%	70.4%	53.5%	60.0%	63.9%	65.1%	56.3%	63.5%	58.1%	47.8%	66.7%	100.0%		57.8%	0.0%	100.0%	55.6%	50.0%	69.4%	60.2%	57.6%	63.0%	77.5%	58.7%	47.2%
Significantly different from column:*					F	E																				AAAB	Z	Z

32030

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 28k

In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating you?

Base: All respondents who went to a dentist's office/clinic to get care (Q28j)

·	4	Jare (426))			Gen	der Ider	ntity		Age (Q36)		E	Educatio (Q39)	n					Race (Q40)					He	alth Stat	tus	Doctor	Visits in Months (Q7)	Last 6
	2020 State OH	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	1,796	110	95	109	34	72	2	26	29	52	58	36	12	2	0	0	19	1	0	59	4	15	37	39	34	18	57	28
Number missing or multiple answer	24	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,772	110	94	109	34	72	2	26	29	52	58	36	12	2	0	0	19	1	0	59	4	15	37	39	34	18	57	28
	98.7%	100.0%	98.9%	100.0%	100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%			100.0%	100.0%		100.0%	0.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%
Never	34 1.9%	2 1.8%	1.1%	0.9%	1 2.9%	1 1.4%	0.0%	1 3.8%	0.0%	1 1.9%	1 1.7%	1 2.8%	0.0%	0.0%	0	0	0.0%	0.0%	0	1 1.7%	0.0%	0.0%	0.0%	1 2.6%	1 2.9%	1 5.6%	1.8%	0.0%
Sometimes	142	6	8	6	0	6	0	2	1	3	3	2	1	0	0	0	0	0	0	5	0	0	2	2	2	0	3	3
	8.0%	5.5%	8.5%	5.5%	0.0%	8.3%	0.0%	7.7%	3.4%	5.8%	5.2%	5.6%	8.3%	0.0%			0.0%	0.0%		8.5%	0.0%	0.0%	5.4%	5.1%	5.9%	0.0%	5.3%	10.7%
Usually	326	23	18	21	9	12	1	6	4	10	8	8	6	1	0	0	3	0	0	12	1	4	4	11	8	1	12	7
	18.4%	20.9%	19.1%	19.3%	26.5%	16.7%	50.0%	23.1%	13.8%	19.2%	13.8%	22.2%	50.0%	50.0%			15.8%	0.0%		20.3%	25.0%	26.7%	10.8%	28.2%	23.5%	5.6%	21.1%	25.0%
Always	1,270	79	67	81	24	53	1	17	24	38	46	25	5	1	0	0	16	1	0	41	3	11	31	25	23	16	41	18
	71.7%	71.8%	71.3%	74.3%	70.6%	73.6%	50.0%	65.4%	82.8%	73.1%	79.3%	69.4%	41.7%	50.0%			84.2%	100.0%		69.5%	75.0%	73.3%	83.8%	64.1%	67.6%	88.9%	71.9%	64.3%
Significantly different from column:*																												
Usually or Always	1,596	102	85	102	33	65	2	23	28	48	54	33	11	2	0	0	19	1	0	53	4	15	35	36	31	17	53	25
	90.1%	92.7%	90.4%	93.6%	97.1%	90.3%	100.0%	88.5%	96.6%	92.3%	93.1%	91.7%	91.7%	100.0%			100.0%	100.0%		89.8%	100.0%	100.0%	94.6%	92.3%	91.2%	94.4%	93.0%	89.3%
Significantly different from column:*																												

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

## **Willamette Valley Community Health**

32030 CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 28I

If you tried to get an appointment for yourself with a dentist who specializes in a particular type of dental care (such as root canals or gum disease) in the last 6 months, how often did you get an appointment as soon as you wanted?

	ОНР				Gen	der Iden (Q38)	itity		Age (Q36)		E	ducatio	n					Race (Q40)					Не	alth Stat (Q29)	us		Visits in Months (Q7)	Last 6
	2020 State OF	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle (A) Eastem/Northern A	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Pood	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	275	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	309	16	11	0	9	3	0	3	4	5	9	2	0	0	0	0	1	0	0	6	0	2	3	3	5	8	8	0
Number no experience	3,074	176	151	165	66	102	4	46	49	78	95	58	18	3	0	0	25	1	1	85	8	27	64	54	58	50	90	34
Usable responses	1,373	96	83	110	42	50	1	23	30	38	56	27	5	3	1	0	19	0	0	43	0	21	28	35	30	27	42	19
	28.9%	33.3%	33.9%	40.0%	35.9%	0.0%	20.0%	31.9%	36.1%	31.4%	35.0%	31.0%	21.7%	50.0%	100.0%		42.2%	0.0%	0.0%	32.1%	0.0%	42.0%	29.5%	38.0%	32.3%	31.8%	30.0%	35.8%
Never	516	30	26	44	14	13	0	6	9	12	11	10	3	0	1	0	4	0	0	11	0	10	8	6	13	9	12	7
	37.6%	31.3%	31.3%	40.0%	33.3%	26.0%	0.0%	26.1%	30.0%	31.6%	19.6%	37.0%	60.0%	0.0%	100.0%		21.1%			25.6%		47.6%	28.6%	17.1%	43.3%	33.3%	28.6%	36.8%
Sometimes	229	15	13	22	6	9	0	5	2	7	5	8	2	1	0	0	2	0	0	7	0	3	3	6	6	4	7	2
	16.7%	15.6%	15.7%	20.0%	14.3%	18.0%	0.0%	21.7%	6.7%	18.4%	8.9%	29.6%	40.0%	33.3%	0.0%		10.5%			16.3%		14.3%	10.7%	17.1%	20.0%	14.8%	16.7%	10.5%
Usually	273	16	17	16	8	8	0	4	8	4	13	2	0	1	0	0	6	0	0	5	0	3	6	7	3	6	9	1
	19.9%	16.7%	20.5%	14.5%	19.0%	16.0%	0.0%	17.4%	26.7%	10.5%	23.2%	7.4%	0.0%	33.3%	0.0%		31.6%			11.6%		14.3%	21.4%	20.0%	10.0%	22.2%	21.4%	5.3%
Always	355	35	27	28	14	20	1	8	11	15	27	7	0	1	0	0	7	0	0	20	0	5	11	16	8	8	14	9
	25.9%	36.5%	32.5%	25.5%	33.3%	40.0%	100.0%	34.8%	36.7%	39.5%	48.2%	25.9%	0.0%	33.3%	0.0%		36.8%			46.5%		23.8%	39.3%	45.7%	26.7%	29.6%	33.3%	47.4%
Significantly different from column:*		Α																										
Usually or Always	628	51	44	44	22	28	1	12	19	19	40	9	0	2	0	0	13	0	0	25	0	8	17	23	11	14	23	10
	45.7%	53.1%	53.0%	40.0%	52.4%	56.0%	100.0%	52.2%	63.3%	50.0%	71.4%	33.3%	0.0%	66.7%	0.0%		68.4%			58.1%		38.1%	60.7%	65.7%	36.7%	51.9%	54.8%	52.6%
Significantly different from column:*											L	K												Υ	Х			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

# Question 28m

In the last 6 months, if you needed to see a dentist right away because of a dental emergency, how often did you get to see a dentist as soon as you wanted?

	ОНР				Gen	der Iden (Q38)	ntity		Age (Q36)		E	ducatio	n					Race (Q40)					Не	alth Stat (Q29)	us:		Visits in Months (Q7)	Last 6
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Η	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	273	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	267	14	9	0	8	2	0	2	3	5	5	3	1	0	0	0	0	0	0	6	0	2	2	3	3	5	9	0
Number no experience	3,273	197	168	157	74	115	4	58	53	82	113	61	17	4	1	0	31	1	1	92	7	29	71	63	63	60	94	37
Usable responses	1,216	77	68	116	35	38	1	12	27	34	42	23	5	2	0	0	14	0	0	36	1	19	22	26	27	20	37	16
	25.6%	26.7%	27.8%	42.5%	29.9%	0.0%	20.0%	16.7%	32.5%	28.1%	26.3%	26.4%	21.7%	33.3%	0.0%		31.1%	0.0%	0.0%	26.9%	0.0%	38.0%	23.2%	28.3%	29.0%	23.5%	26.4%	30.2%
Never	453	29	27	47	13	13	0	4	10	12	11	10	3	0	0	0	5	0	0	12	0	9	7	7	13	7	17	4
	37.3%	37.7%	39.7%	40.5%	37.1%	34.2%	0.0%	33.3%	37.0%	35.3%	26.2%	43.5%	60.0%	0.0%			35.7%			33.3%	0.0%	47.4%	31.8%	26.9%	48.1%	35.0%	45.9%	25.0%
Sometimes	199	9	8	25	6	3	0	2	4	3	6	2	1	0	0	0	1	0	0	3	0	4	3	4	2	4	3	1
	16.4%		11.8%		17.1%	7.9%	0.0%	16.7%	14.8%	8.8%	14.3%	8.7%	20.0%	0.0%			7.1%			8.3%	0.0%	21.1%	13.6%	15.4%	7.4%	20.0%	8.1%	6.3%
Usually	219	14	12	21	6	8	0	2	3	8	7	5	1	1	0	0	3	0	0	8	0	1	5	5	4	3	6	5
	18.0%	18.2%		18.1%	17.1%	21.1%	0.0%	16.7%	11.1%	23.5%	16.7%	21.7%	20.0%	50.0%			21.4%			22.2%	0.0%	5.3%	22.7%	19.2%	14.8%	15.0%	16.2%	31.3%
Always	345	25	21	23	10	14	1	4	10	11	18	6	0	1	0	0	5	0	0	13	1	5	7	10	8	6	11	6
	28.4%	32.5%	30.9%	19.8%	28.6%	36.8%	100.0%	33.3%	37.0%	32.4%	42.9%	26.1%	0.0%	50.0%			35.7%			36.1%	100.0%	26.3%	31.8%	38.5%	29.6%	30.0%	29.7%	37.5%
Significantly different from column:*		D																										
Usually or Always	564	39	33	44	16	22	1	6	13	19	25	11	1	2	0	0	8	0	0	21	1	6	12	15	12	9	17	11
	46.4%	50.6%	48.5%	37.9%	45.7%	57.9%	100.0%	50.0%	48.1%	55.9%	59.5%	47.8%	20.0%	100.0%			57.1%			58.3%	100.0%	31.6%	54.5%	57.7%	44.4%	45.0%	45.9%	68.8%
Significantly different from column:*																												

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

Willamette Valley Community Health
CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 28n

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?

Base: All respondents

Base: All respondents																												
					Gen	der Iden	ntity		Age		Е	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	OHP					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288	245	254	117	155	5	72	83		160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	755	42	36	0	17	16	1	6	7	21	21	8	3	1	0	0	1	0	0	14	0	7	12	7	15	12	23	6
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,001	246	209	254	100	139	4	66	76		139	79		5	1	0	44	1	1	120	8	43	83	85	78	73	117	47
	84.1%	85.4%	85.3%	100.0%	85.5%	0.0%	80.0%	91.7%	91.6%	82.6%	86.9%	90.8%	87.0%	83.3%	100.0%		97.8%	100.0%	100.0%	89.6%	0.0%	86.0%		92.4%	83.9%	85.9%	83.6%	88.7%
0 Extremely difficult	356	35	26	17	14	18	0	5	13	16	15	12		1	0	0	4	0	0	14	1	10	-	11	15	8	17	8
	8.9%	14.2%	12.4%	6.7%	14.0%	12.9%	0.0%	7.6%	17.1%	16.0%	10.8%	15.2%	20.0%	20.0%	0.0%		9.1%	0.0%	0.0%	11.7%	12.5%	23.3%	10.8%	12.9%	19.2%	11.0%	14.5%	17.0%
1	91 2.3%	5 2.0%	6 2.9%	3 1.2%	2.0%	2.2%	0.0%	4.5%	1.3%	1.0%	2.2%	2 2.5%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	4 3.3%	0.0%	2.3%	2.4%	3 3.5%	0.0%	2 2.7%	1.7%	0.0%
2	114	2.0%	2.9%	1.270	2.070	2.270	0.0%	4.370	1.3%	1.0%	2.270	2.3%	0.0%	0.0%	0.0%	0	0.0%	0.0%	0.0%	3.370	0.0%	2.3%	2.470	3.370	0.0%	2.770	1.770	0.0%
2	2.8%	3.3%	4.3%	2.4%	4.0%	2.9%	0.0%	3.0%	3.9%	2.0%	2.2%	6.3%	0.0%	0.0%	0.0%		2.3%	0.0%	0.0%	2.5%	0.0%	7.0%	1.2%	3.5%	5.1%	4.1%	2.6%	4.3%
3	124	10	5	11	8	2	0	2	1	7	5	2	3	1	0	0	2	0	0	4	0	3	3	4	3	4	4	1
	3.1%	4.1%	2.4%	4.3%	8.0%	1.4%	0.0%	3.0%	1.3%	7.0%	3.6%	2.5%	15.0%	20.0%	0.0%		4.5%	0.0%	0.0%	3.3%	0.0%	7.0%	3.6%	4.7%	3.8%	5.5%	3.4%	2.1%
4	115	7	6	11	2	5	0	2	4	1	2	5	0	0	0	0	1	0	0	5	0	0	2	3	2	3	3	1
	2.9%	2.8%	2.9%	4.3%	2.0%	3.6%	0.0%	3.0%	5.3%	1.0%	1.4%	6.3%	0.0%	0.0%	0.0%		2.3%	0.0%	0.0%	4.2%	0.0%	0.0%	2.4%	3.5%	2.6%	4.1%	2.6%	2.1%
5	494	28	29	37	10	17	1	13	4	11	21	4	3	1	1	0	2	0	0	15	0	5	7	10	11	8	14	6
	12.3%	11.4%	13.9%	14.6%	10.0%	12.2%	25.0%	19.7%	5.3%	11.0%	15.1%	5.1%	15.0%	20.0%	100.0%		4.5%	0.0%	0.0%	12.5%	0.0%	11.6%	8.4%	11.8%	14.1%	11.0%	12.0%	12.8%
6	175	7	9	20	3	3	1	4	3	0	6	0	1	0	0	0	3	0	0	2	0	2	4	2	1	3	2	2
	4.4%	2.8%	4.3%	7.9%	3.0%	2.2%	25.0%	6.1%	3.9%	0.0%	4.3%	0.0%	5.0%	0.0%	0.0%		6.8%	0.0%	0.0%	1.7%	0.0%	4.7%	4.8%	2.4%	1.3%	4.1%	1.7%	4.3%
7	297	16	12	14	4	12	0	4	6	6	7	7	2	0	0	0	2	0	0	9	1	3	4	5	7	4	8	3
	7.4%	6.5%	5.7%	5.5%	4.0%	8.6%	0.0%	6.1%	7.9%	6.0%	5.0%	8.9%	10.0%	0.0%	0.0%		4.5%	0.0%	0.0%	7.5%	12.5%	7.0%	4.8%	5.9%	9.0%	5.5%	6.8%	6.4%
8	445 11.1%	30 12.2%	20 9.6%	30 11.8%	14 14.0%	15 10.8%	25.0%	10 15.2%	10 13.2%	9.0%	17 12.2%	12 15.2%	5.0%	20.0%	0.0%		15.9%	0.0%	0.0%	17 14.2%	0.0%	2.3%	7.2%	14 16.5%	10	9.6%	14 12.0%	19.1%
9	394	28	16	25	12	16	0	6	5	16	15	8	3.070	0	0.070	0	7	1	0.070	12	3	4	15	11	2	10	14	3
	9.8%	11.4%	7.7%	9.8%	12.0%	11.5%	0.0%	9.1%	6.6%	16.0%	10.8%	10.1%	20.0%	0.0%	0.0%		15.9%	100.0%	0.0%	10.0%	37.5%	9.3%	18.1%	12.9%	2.6%	13.7%	12.0%	6.4%
10 Extremely easy	1,396	72	71	80	27	44	1	15	26	31	45	22	2	1	0	0	15	0	1	35	3	11	30	19	23	21	36	12
	34.9%	29.3%	34.0%	31.5%	27.0%	31.7%	25.0%	22.7%	34.2%	31.0%	32.4%	27.8%	10.0%	20.0%	0.0%		34.1%	0.0%	100.0%	29.2%	37.5%	25.6%	36.1%	22.4%	29.5%	28.8%	30.8%	25.5%

#### Question 28n

Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?

Base: All respondents

Base: All respondents	ОНР				Gen	der Ider (Q38)	ntity		Age (Q36)		ı	ducatio	n					Race (Q40)					He	alth Sta	tus		Visits in Months (Q7)	Last 6
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern 'African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	A	В	C	D	Ē	F	G	Н	I	J	K	Ĺ	М	N	0	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB
Number in sample Number missing or multiple answer Number no experience	4,756 755 NA	288 42 NA	245 36 NA	0	117 17 NA	155 16		72 6 NA	83 7 NA	121 21 NA	160 21 NA	87 8 NA	23 3 NA	6 1 NA	1 0 NA	0 0 NA	45 1 NA	1 0 NA	1 0 NA	134 14 NA	8 0 NA	50 7 NA	95 12 NA	92 7 NA	93 15 NA	85 12 NA	140 23 NA	53 6 NA
Usable responses	4,001 84.1%	246 85.4%	209 85.3%	254 100.0%	100 85.5%	139 0.0%		66 91.7%	76 91.6%	100 82.6%		79 90.8%	20 87.0%	5 83.3%	1 100.0%	0	44 97.8%	1 100.0%	100.0%	120 89.6%	8 0.0%	43 86.0%	83 87.4%	85 92.4%	78 83.9%	73 85.9%	117 83.6%	47 88.7%
0 to 4	800 20.0%	65	52	48	30	32 23.0%	0	14	22	27 27.0%	28	26 32.9%	7 35.0%	2 40.0%	0.0%	0	8	0.0%	0.0%	30 25.0%	1 12.5%	17 39.5%	17 20.5%	24 28.2%	24 30.8%	20 27.4%	29 24.8%	12
5	494 12.3%	28 11.4%	29 13.9%		10 10.0%	17 12.2%	1 25.0%	13 19.7%	4 5.3%	11 11.0%	21 15.1%	4 5.1%	3 15.0%	1 20.0%	1 100.0%	0	2 4.5%	0.0%	0.0%	15 12.5%	0.0%	5 11.6%	7 8.4%	10 11.8%	11 14.1%	8 11.0%	14 12.0%	6 12.8%
6 or 7	472 11.8%	23 9.3%	21 10.0%	34 13.4%	7 7.0%	15 10.8%	1 25.0%	8 12.1%	9 11.8%	6.0%	13 9.4%	7 8.9%	3 15.0%	0.0%	0.0%	0	5 11.4%	0.0%	0.0%	11 9.2%	1 12.5%	5 11.6%	9.6%	7 8.2%	8 10.3%	7 9.6%	10 8.5%	5 10.6%
8 to 10	2,235 55.9%	130 52.8%			53 53.0%	75 54.0%	2 50.0%	31 47.0%	41 53.9%	56 56.0%		42 53.2%	7 35.0%	2 40.0%	0.0%	0	29 65.9%	1 100.0%	1 100.0%	64 53.3%	6 75.0%	16 37.2%	51 61.4%	44 51.8%	35 44.9%	38 52.1%	64 54.7%	24 51.1%
Significantly different from column:*									_								V		•			Q	Υ		W			
0 to 6	1,469 36.7%		90 43.1%		43 43.0%	52 37.4%		31 47.0%	29 38.2%	38 38.0%		30 38.0%	11 55.0%	60.0%	1 100.0%	0	13 29.5%	0.0%	0.0%	47 39.2%	1 12.5%	24 55.8%	28 33.7%	36 42.4%	36 46.2%	31 42.5%	45 38.5%	20 42.6%
7 to 8	742 18.5%	46 18.7%			18 18.0%	27 19.4%		14 21.2%	16 21.1%	15 15.0%	24 17.3%	19 24.1%	3 15.0%	1 20.0%	0.0%	0		0.0%	0.0%	26 21.7%	1 12.5%	4 9.3%	10 12.0%	19 22.4%	17 21.8%	11 15.1%	22 18.8%	12 25.5%
9 to 10	1,790 44.7%	100 40.7%			39 39.0%	60 43.2%	_	21 31.8%	31 40.8%	47 47.0%	60 43.2%	30 38.0%	6 30.0%	1 20.0%	0.0%	0	22 50.0%	1 100.0%	1 100.0%	47 39.2%	6 75.0%	15 34.9%	45 54.2%	30 35.3%	25 32.1%	31 42.5%	50 42.7%	15 31.9%
Significantly different from column:*																							XY	W	W			

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 29

In general, how would you rate your overall health?

Base: All respondents																												
					Gen	ider Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	tus		Visits in Months	Last 6
	불					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	5019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756		245	276	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	189		5	0	2	0	0	1	1	0	1	0	1	0	0	0	0	0	0	1	0	1	0	0	0	3	4	0
Number no experience	NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA
Usable responses	4,567	280	240		115	155	1	71	82	121	159	87	22	6	1	0	45	1	1	133	8	49		92	93	82	136	53
	96.0%				98.3%	0.0%	100.0%	98.6%	98.8%	100.0%		100.0%	95.7%	100.0%	100.0%		100.0%	100.0%	100.0%	99.3%	0.0%	98.0%	100.0%	100.0%		96.5%	97.1%	100.0%
Poor	395			33	10	11	1	2	7	13	13	7	1	0	0	0	2	0	0	11	0	9	0	0	22	3	10	7
	8.6%	7.9%		12.0%	8.7%	7.1%	20.0%	2.8%	8.5%	10.7%	8.2%	8.0%	4.5%	0.0%	0.0%		4.4%	0.0%	0.0%	8.3%	0.0%	18.4%	0.0%	0.0%	23.7%	3.7%	7.4%	13.2%
Fair	1,174		65	66	21	46	2	14	17	39	40	21	3	1	0	0	8	0	1	32	3	13	0	0	71	12	37	19
	25.7%					29.7%	40.0%	19.7%	20.7%	32.2%			13.6%	16.7%	0.0%		17.8%	0.0%	100.0%	24.1%	37.5%	26.5%	0.0%		76.3%		27.2%	35.8%
Good	1,534		91	103	37	52	1	29	23	37	50	34	7	1	1	0	15	0	0	46	3	15	0	92	0	32	38	18
	33.6%							40.8%		30.6%			31.8%	16./%	100.0%		33.3%	0.0%	0.0%	34.6%	37.5%	30.6%		100.0%	0.0%		27.9%	34.0%
Very good	1,042			58	35	34	_	16	28	25	41	21	24.00/	50.00/	0 00/	U	24 404	100.004	0 004	37	25.00/	46 204	70	0 00/	0 004	20	43	12.20/
Excellent	22.8%			21.0%	30.4%	21.9%	20.0%	22.5%	34.1%	20.7%	25.8%	24.1%	31.8%	50.0%	0.0%		24.4%	100.0%	0.0%	27.8%	25.0%	16.3%	73.7%	0.0%	0.0%	24.4%	31.6%	13.2%
Excellent	422 9.2%	_		5.8%	10.4%	7.7%	0.00%	14.1%	8.5%	5.8%	9.4%	4.6%	18.2%	16.7%	0.0%		20.0%	0.0%	0.0%	5.3%	0.0%	8.2%	26.3%	0.0%	0.0%	18.3%	5.9%	3.8%
Significantly different from column:*	9.270	0.9%	7.370	3.070	10.470	7.770	0.076	14.170	0.370	3.070	9.470	4.070	10.270	10.770	0.076		20.0%	0.076	0.0%	3.370	0.0%	0.270	XY	W	W	AAAB	7	7.0%
Excellent, Very good, or Good	2,998	187	156	177	84	98	2	55	58	69	106	59	18	5	1	0	35	1	0	90	5	27	95	92	.,	67	89	27
Excession, very good, or coold	65.6%				-		_	77.5%		57.0%		67.8%	81.8%	83.3%	100.0%			100.0%	0.0%		62.5%	55.1%	100.0%		0.0%		65.4%	50.9%
Significantly different from column:*	231070	23.070	221070	2.1270	. 210 70	231E70	.51070	J	J	HI	2217 70	2.1070	221070	231370			V	223.070	21070	2.17 70	221070	Q	Υ Υ	Υ Υ	WX	AAAB	Z	Z Z

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 30

In general, how would you rate your overall mental or emotional health?

	4				Gen	der Ider (Q38)	itity		Age (Q36)		E	Educatio (Q39)	n					Race (Q40)					Не	alth Stat	us		Visits in Months (Q7)	Last 6
	2020 State OHI	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern A	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288	245	276	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	184	10	3	0	3	1	0	2	1	1	2	2	0	0	0	0	1	0	0	1	0	1	1	0	2	3	5	1
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA
Usable responses	4,572	278	242	276	114	154	5	70	82	120	158	85	23	6	1	0	44	1	1	133	8	49	94	92	91	82	135	52
	96.1%	96.5%	98.8%	100.0%	97.4%	0.0%	100.0%	97.2%	98.8%	99.2%	98.8%	97.7%	100.0%	100.0%	100.0%		97.8%	100.0%	100.0%	99.3%	0.0%	98.0%	98.9%	100.0%	97.8%	96.5%	96.4%	98.1%
Poor	336	28	21	25	14	12	2	9	7	12	16	7	4	0	0	0	1	0	0	13	0	12	2	4	21	5	14	, 7
	7.3%	10.1%			12.3%	7.8%	40.0%	12.9%	8.5%		10.1%	8.2%	17.4%	0.0%	0.0%		2.3%	0.0%	0.0%	9.8%	0.0%	24.5%	2.1%	4.3%	23.1%	6.1%	10.4%	13.5%
Fair	1,030	63	55	65	21		2	12	18	32	37	18	4	0	0	0	8	0	0	34	1	8	7	20	36	13	30	17
	22.5%	22.7%	22.7%	23.6%	18.4%	25.3%	40.0%	17.1%	22.0%	26.7%	23.4%	21.2%	17.4%	0.0%	0.0%		18.2%	0.0%	0.0%	25.6%	12.5%	16.3%	7.4%	21.7%	39.6%	15.9%	22.2%	32.7%
Good	1,335	81	83	73	31	48	1	22	23	34	49	24	8	3	0	0	13	0	0	45	3	9	24	38	19	28	36	14
	29.2%	29.1%		26.4%	27.2%	31.2%	20.0%	31.4%	28.0%			28.2%		50.0%	0.0%		29.5%	0.0%	0.0%	33.8%	37.5%	18.4%		41.3%	20.9%		26.7%	26.9%
Very good	1,175	76	49	70	31	43	0	18	24	32	41	24		2	1	0	13	1	0	36	1	15	47	18	11	25	42	9
	25.7%	27.3%	20.2%	25.4%	27.2%	27.9%	0.0%	25.7%	29.3%	26.7%	25.9%	28.2%	26.1%	33.3%	100.0%		29.5%	100.0%	0.0%	27.1%	12.5%	30.6%	50.0%	19.6%	12.1%	30.5%	31.1%	17.3%
Excellent	696	30		43	17	12	0	9	10	10	15	12	_	1	0	0	9	0	1	5	3	5	14	12	4	11	13	. 5
	15.2%	10.8%	14.0%	15.6%	14.9%	7.8%	0.0%	12.9%	12.2%	8.3%	9.5%	14.1%	4.3%	16.7%	0.0%		20.5%	0.0%	100.0%	3.8%	37.5%	10.2%	14.9%	13.0%	4.4%	13.4%	9.6%	9.6%
Significantly different from column:*		Α																					Υ	Y	WX			
Excellent, Very good, or Good	3,206	187			79	103	1	49	57	-	105	60		6	1	0	35		1	86	7	29		68	34	64	91	
	70.1%	67.3%	68.6%	67.4%	69.3%	66.9%	20.0%	70.0%	69.5%	63.3%	66.5%	70.6%	65.2%	100.0%	100.0%			100.0%	100.0%	64.7%	87.5%	59.2%	90.4%	73.9%	37.4%	78.0%	67.4%	53.8%
Significantly different from column:*																	V					Q	XY	WY	WX	AB		Z

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 31

Have you had either a flu shot or flu spray in the nose since July 1, 2019?\*\*

Base: All respondents who were flagged as being 18 to 64 as of July 1 of the measurement year

Base: All respondents who were flagged as being 18	10 04 43 01	ouly 1 of the 1	neasareme	пк уби																								
	Р				Ger	nder Ider	ntity		Age		E	ducatio	n					Race					Не	alth Stat	:us		Visits in Months	Last 6
	프					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	C	D	Е	F	G	Η	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,094	258	227	256	108	136	5	68	82	99	146	77	23	4	0	0	38	1	1	124	8	47	87	79	85	76	126	49
Number missing or multiple answer	129	6	2	0	0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	3	0
Number no experience	107	3	5	8	1	2	0	2	1	0	3	0	0	0	0	0	2	0	0	1	0	0	1	1	1	1	1	1
Usable responses	3,858	249	220	248	107	133	5	66	81	98	142	77	23	4	0	0	36	1	1	122	8	47	86	78	83	73	122	48
	94.2%	96.5%	96.9%	96.9%	99.1%	0.0%	100.0%	97.1%	98.8%	99.0%	97.3%	100.0%	100.0%	100.0%			94.7%	100.0%	100.0%	98.4%	0.0%	100.0%	98.9%	98.7%	97.6%	96.1%	96.8%	98.0%
Yes	1,512	110	88	102	40	65	4	26	30	53	66	28	14	1	0	0	20	1	0	54	3	19	40	32	38	15	64	27
	39.2%	44.2%	40.0%	41.1%	37.4%	48.9%	80.0%	39.4%	37.0%	54.1%	46.5%	36.4%	60.9%	25.0%			55.6%	100.0%	0.0%	44.3%	37.5%	40.4%	46.5%	41.0%	45.8%	20.5%	52.5%	56.3%
No	2,346	139	132	146	67	68	1	40	51	45	76	49	9	3	0	0	16	0	1	68	5	28	46	46	45	58	58	21
	60.8%	55.8%	60.0%	58.9%	62.6%	51.1%	20.0%	60.6%	63.0%	45.9%	53.5%	63.6%	39.1%	75.0%			44.4%	0.0%	100.0%	55.7%	62.5%	59.6%	53.5%	59.0%	54.2%	79.5%	47.5%	43.8%
Significantly different from column:*									J	Ī		М	L													AAAB	Z	Z

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

<sup>\*\*</sup>A plan's score for the HEDIS Flu Vaccinations for Adults measure will include only those members flagged as being age 18 to 64 as of July 1 of the measurement year.

#### Question 32

Do you now smoke cigarettes or use tobacco every day, some days, or not at all?

Base: All respondents

Base: All respondents				1																						Doctor	Vicite in	Lact 6
					Ger	der Ider	ntity		Age		E	ducatio	n					Race					He	ealth Sta	tus		Months	
	౼					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)		i	(Q7)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern ' African	Native Hawaiian or Pacific Islander	White	Other	Multracial	Excellent or Very good	Poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288	245	277	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	155	8	2	0	1	1	0	1	1	0	0	1	1	0	0	0	0	0	0	1	0	0	1	0	0	4	3	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Usable responses	4,601	280	243	277	116	154	5	71	82	121	160	86	22	6	1	0	45	1	1	133	8	50	94	92	93	81	137	53
	96.7%	97.2%	99.2%	100.0%	99.1%	0.0%	100.0%	98.6%	98.8%	100.0%	100.0%	98.9%	95.7%	100.0%	100.0%		100.0%	100.0%	100.0%	99.3%	0.0%	100.0%	98.9%	100.0%	100.0%	95.3%	97.9%	100.0%
Every day	882	49	39	56	26	22	1	9	12	28	35	14	0	3	0	0	0	0	0	25	3	8	15	13	21	15	24	10
	19.2%	17.5%	16.0%	20.2%	22.4%	14.3%	20.0%	12.7%	14.6%	23.1%	21.9%	16.3%	0.0%	50.0%	0.0%		0.0%	0.0%	0.0%	18.8%	37.5%	16.0%	16.0%	14.1%	22.6%	18.5%	17.5%	18.9%
Some days	432	31	26	21	12	18	1	5	15	11	22	8	0	0	0	0	5	0	0	15	0	6	6	12	12	4	19	7
	9.4%		10.7%		10.3%	11.7%	20.0%	7.0%	18.3%	9.1%	13.8%	9.3%	0.0%	0.0%	0.0%		11.1%	0.0%	0.0%	11.3%	0.0%	12.0%	6.4%	13.0%	12.9%	4.9%	13.9%	13.2%
Not at all	3,261	197	177		76	113	3	57	52	82	101	64		3	1	0	40	1	1	91	5	35	71	66	60		94	35
	70.9%	70.4%	72.8%	71.5%	65.5%	73.4%	60.0%	80.3%	63.4%	67.8%	63.1%	74.4%	95.5%	50.0%	100.0%		88.9%	100.0%	100.0%	68.4%	62.5%	70.0%	75.5%	71.7%	64.5%	74.1%	68.6%	66.0%
Don't know	26	3	1	2	2	1	0	0	3	0	2	0	1	0	0	0	0	0	0	2	0	1	2	1	0	2	0	1
	0.6%		0.4%	0.7%		0.6%	0.0%	0.0%	3.7%	0.0%	1.3%	0.0%		0.0%	0.0%		0.0%	0.0%	0.0%	1.5%	0.0%	2.0%	2.1%	1.1%	0.0%	2.5%	0.0%	
Every day or Some days	1,314		65	77	50	40	2	14	27	39	57	22		3	0	0	5	0	0	40	3	14	21	25	33		43	
	28.6%	28.6%	26.7%	27.8%	32.8%	26.0%	40.0%	19.7%	32.9%	32.2%		25.6%	0.0%	50.0%	0.0%		11.1%	0.0%	0.0%		37.5%		22.3%	27.2%		23.5%	31.4%	32.1%
Significantly different from column:*		l									M		K		l		TV			Q		Q	Υ		W			. '

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 33

In the last 6 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan?

Base: All respondents who smoke cigarettes or use tobacco (Q32)

	НР				Ger	der Ider (Q38)	ntity		Age (Q36)		E	Educatio	n					Race (Q40)					He	alth Sta	tus	Doctor	Visits in Months (Q7)	
	2020 State OH	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern : African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Poop	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	1,314	80	65	77	38	40	2	14	27	39	57	22	0	3	0	0	5	0	0	40	3	14	21	25	33	19	43	17
Number missing or multiple answer	40	1	1	0	1	0	0	0	1	0	0	1	0	0	0	0	1	0	0	0	0	0	0	1	0	1	0	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,274	79	64	77	37	40	2	14	26	39	57	21	0	3	0	0	4	0	0	40	3	14	21	24	33	18	43	17
	97.0%	98.8%	98.5%	100.0%	97.4%	0.0%	100.0%	100.0%	96.3%	100.0%	100.0%	95.5%		100.0%			80.0%			100.0%	0.0%	100.0%	100.0%	96.0%	100.0%	94.7%	100.0%	100.0%
Never	353	29	14	15	11	17	1	5	10	14	23	5	0	1	0	0	2	0	0	14	0	3	8	12	9	14	13	2
	27.7%	36.7%	21.9%	19.5%	29.7%	42.5%	50.0%	35.7%	38.5%	35.9%	40.4%	23.8%		33.3%			50.0%			35.0%	0.0%	21.4%	38.1%	50.0%	27.3%	77.8%	30.2%	11.8%
Sometimes	250	14	15	18	9	4	1	4	2	8	12	2	0	0	0	0	1	0	0	8	1	1	6	2	6	1	10	3
	19.6%	17.7%	23.4%	23.4%	24.3%	10.0%	50.0%	28.6%	7.7%	20.5%	21.1%	9.5%		0.0%			25.0%			20.0%	33.3%	7.1%	28.6%	8.3%	18.2%	5.6%	23.3%	17.6%
Usually	248	15	8	9	7	8	0	2	7	6	8	7	0	1	0	0	1	0	0	8	0	4	4	3	8	0	10	4
	19.5%	19.0%	12.5%	11.7%	18.9%	20.0%	0.0%	14.3%	26.9%	15.4%	14.0%	33.3%		33.3%			25.0%			20.0%	0.0%	28.6%	19.0%	12.5%	24.2%	0.0%	23.3%	23.5%
Always	423	21	27	35	10	11	0	3	7	11	14	7	0	1	0	0	0	0	0	10	2	6	3	7	10	3	10	8
	33.2%		42.2%	45.5%	27.0%	27.5%	0.0%	21.4%	26.9%	28.2%	24.6%	33.3%		33.3%			0.0%			25.0%	66.7%	42.9%	14.3%	29.2%	30.3%	16.7%	23.3%	47.1%
Significantly different from column:*		CD																										
Sometimes, Usually, or Always	921	50	50	62	26	23	_	9	16	25	34	16	0	2	0	0	2	0	0	26	3	11	13	12	24	4	30	15
	72.3%	63.3%	78.1%	80.5%	70.3%	57.5%	50.0%	64.3%	61.5%	64.1%	59.6%	76.2%		66.7%			50.0%			65.0%	100.0%	78.6%	61.9%	50.0%	72.7%		69.8%	88.2%
Significantly different from column:*		D																								AAAB	Z	Z

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 34

In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco? Examples of medication are: nicotine gum, patch, nasal spray, inhaler, or prescription medication.

Base: All respondents who smoke cigarettes or use tobacco (Q32)

		/		_	_									_														
	0				Ger	der Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	us	Doctor	Visits in Months	Last 6
	Ä					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	1,314	80	65	77	38	40	2	14	27	39	57	22	0	3	0	0	5	0	0	40	3	14	21	25	33	19	43	17
Number missing or multiple answer	51	1	0	0	0	0	1	1	0	0	1	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	1
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,263	79	65	77	38	40	1	13	27	39	56	22	0	3	0	0	5	0	0	39	3	14	20	25	33	19	43	16
	96.1%	98.8%			100.0%	0.0%	50.0%	92.9%	100.0%	100.0%	98.2%	100.0%		100.0%			100.0%			97.5%	0.0%	100.0%	95.2%	100.0%	100.0%	100.0%	100.0%	94.1%
Never	571	41	26	٥.		19	1	9	13	19	32	9	0	1	0	0	3	0	0	22	0	6	11	14	16	15	20	6
	45.2%	51.9%	40.0%	41.6%	55.3%	47.5%	100.0%	69.2%	48.1%	48.7%	57.1%	40.9%		33.3%			60.0%			56.4%	0.0%	42.9%	55.0%	56.0%	48.5%	78.9%	46.5%	37.5%
Sometimes	266	13	13	18	9	4	0	1	4	8	10	3	0	0	0	0	0	0	0	8	0	4	1	3	8	0	9	3
	21.1%		20.0%	23.4%	23.7%	10.0%	0.0%	7.7%	14.8%	20.5%	17.9%	13.6%		0.0%			0.0%			20.5%	0.0%	28.6%	5.0%	12.0%	24.2%	0.0%	20.9%	18.8%
Usually	181	10	11	8	4	6	0	1	2	7	7	2	0	1	0	0	1	0	0	1	1	3	2	4	4	2	7	1
	14.3%	12.7%	16.9%	10.4%	10.5%	15.0%	0.0%	7.7%	7.4%	17.9%	12.5%	9.1%		33.3%			20.0%			2.6%	33.3%	21.4%	10.0%	16.0%	12.1%	10.5%	16.3%	6.3%
Always	245	15	15	19	4	11	0	2	8	5	7	8	0	1	0	0	1	0	0	8	2	1	6	4	5	2	7	, 6
	19.4%	19.0%	23.1%	24.7%	10.5%	27.5%	0.0%	15.4%	29.6%	12.8%	12.5%	36.4%		33.3%			20.0%			20.5%	66.7%	7.1%	30.0%	16.0%	15.2%	10.5%	16.3%	37.5%
Significantly different from column:*																												
Sometimes, Usually, or Always	692	38	39		17	21	0	4	14	20	24	13	0	2	0	0	2	0	0	17	3	8	9	11	17	4	23	10
21 15 11 115 15	54.8%	48.1%	60.0%	58.4%	44.7%	52.5%	0.0%	30.8%	51.9%	51.3%	42.9%	59.1%		66.7%			40.0%			43.6%	100.0%	57.1%	45.0%	44.0%	51.5%		53.5%	
Significantly different from column:*																										AAAB	Z	Z

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### **Willamette Valley Community Health**

32030 CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 35

In the last 6 months, how often did your doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using tobacco? Examples of methods and strategies are: telephone helpline, individual or group counseling, or cessation program.

Base: All respondents who smoke cigarettes or use tobacco (Q32)

Base: All respondents wno smoke cigarettes or use	lobacco (Q3.	2)																										
					Ger	nder Ide	ntity		Age		E	ducatio	n					Race					He	alth Sta	tus		Visits in Months	Last 6
	H H					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	1,314	80	65	77	38	40	2	14	27	39	57	22	0	3	0	0	5	0	0	40	3	14	21	25	33	19	43	17
Number missing or multiple answer	59	2	1	0	1	1	. 0	0	0	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0	2	1	1	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	1,255	78	64	77	37	39	2	14	27	37	56	21	0	3	0	0	5	0	0	40	3	14	21	25	31	18	42	17
	95.5%	97.5%	98.5%	100.0%	97.4%	0.0%	100.0%	100.0%	100.0%	94.9%	98.2%	95.5%		100.0%			100.0%			100.0%	0.0%	100.0%	100.0%	100.0%	93.9%	94.7%	97.7%	100.0%
Never	654	46			24		1	10		23		10	0	2	0	0	3	0	0	24	1	7	15	15	15	15	25	5
	52.1%		46.9%	55.8%	64.9%	53.8%	50.0%	71.4%	48.1%	62.2%	62.5%	47.6%		66.7%			60.0%			60.0%	33.3%	50.0%	71.4%	60.0%	48.4%	83.3%	59.5%	29.4%
Sometimes	244		11	9	6	4	1	1	5	5	9	2	0	1	0	0	1	0	0	5	0	3	3	2	6	1	6	4
	19.4%		17.2%	11.7%	16.2%	10.3%	50.0%	7.1%	18.5%	13.5%	16.1%	9.5%		33.3%			20.0%			12.5%	0.0%	21.4%	14.3%	8.0%	19.4%	5.6%	14.3%	23.5%
Usually	149	_	6	9	3	6	0	2	2	5	7	2	0	0	0	0	0	0	0	4	1	2	0	4	5	1	5	3
	11.9%			11.7%	8.1%	15.4%	0.0%	14.3%	7.4%	13.5%	12.5%	9.5%		0.0%			0.0%			10.0%	33.3%	14.3%	0.0%	16.0%	16.1%	5.6%	11.9%	17.6%
Always	208	12		16	4	8	0	1	7	4	5	7	0	0	0	0	1	0	0	7	1	2	3	4	5	1	6	5
	16.6%	15.4%	26.6%	20.8%	10.8%	20.5%	0.0%	7.1%	25.9%	10.8%	8.9%	33.3%		0.0%			20.0%			17.5%	33.3%	14.3%	14.3%	16.0%	16.1%	5.6%	14.3%	29.4%
Significantly different from column:*																												
Sometimes, Usually, or Always	601				13	18	1	4	14	14		11	0	1	0	0	2	0	0	16	2	7	6	10	16	3	17	12
	47.9%	41.0%	53.1%	44.2%	35.1%	46.2%	50.0%	28.6%	51.9%	37.8%	37.5%	52.4%		33.3%			40.0%			40.0%	66.7%	50.0%	28.6%	40.0%	51.6%		40.5%	
Significantly different from column:*																										AB	AB	ZAA

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

#### Question 36

What is your age?

Base: All respondents

Base: All respondents																												
					Gen	der Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	ОНР					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288		276	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	148	12		0	3	0	0	0	0	0	2		0	0	0	0	0	0	0	3	0	0		3	1	4	6	11
Number no experience Usable responses	NA 4,608	NA 276	NA 243	NA 276	NA 114	155	NA	NA 72	NA 83	NA 121	NA 158	NA 86	NA 23	NA	NA 1	NA 0	NA 45	NA 1	NA 1	NA 131	NA	NA 50	NA 93	NA 89	92	NA 81	NA 134	NA 52
Usable responses	96.9%	95.8%	-	-	97.4%	0.0%	100.0%		100.0%		98.8%	98.9%		100.0%	100.0%		100.0%	100.0%	100.0%	97.8%	0.0%	100.0%		96.7%	98.9%	95.3%	95.7%	
18 to 24	396	33			12	19	2	33	0	0	24	8	1	0	0	0	18	0	0	8	1	3	13	13	7	15	13	4
	8.6%	12.0%		10.5%	10.5%	12.3%	40.0%		0.0%	0.0%	15.2%	9.3%	4.3%	0.0%	0.0%		40.0%	0.0%	0.0%	6.1%	12.5%	6.0%	14.0%	14.6%	7.6%	18.5%	9.7%	7.7%
25 to 34	598	39	38	43	22	15	2	39	0	0	25	9	5	1	0	0	8	0	0	14	2	9	13	16	9	11	18	10
	13.0%	14.1%	15.6%	15.6%	19.3%	9.7%	40.0%	54.2%	0.0%	0.0%	15.8%	10.5%	21.7%	16.7%	0.0%		17.8%	0.0%	0.0%	10.7%	25.0%	18.0%	14.0%	18.0%	9.8%	13.6%	13.4%	19.2%
35 to 44	560	40	36	42	17	23	0	0	40	0	23	14		1	0	0	2	0	0	21	1	10	10	14	11	16	18	5
	12.2%	14.5%			14.9%	14.8%	0.0%	0.0%	48.2%	0.0%	14.6%	16.3%		16.7%	0.0%		4.4%	0.0%	0.0%	16.0%	12.5%	20.0%	16.1%	15.7%	12.0%	19.8%	13.4%	9.6%
45 to 54	788	43	47	65	17	26	0	0	43	0	23	15		1	0	0	9	1	0	19	1	9	20	9	13	13	18	12
55 to 64	17.1%	15.6%	19.3%	23.6%	14.9%	16.8%	0.0%	0.0%	51.8%		14.6%	17.4%		16.7%	0.0%		20.0%	100.0%	0.0%		12.5%	18.0%		10.1%	14.1%	16.0%	13.4%	23.1%
55 t0 64	1,560 33.9%	94 34.1%	31.3%	, ,	33.3%	34.8%	20.0%	0.0%	0.0%	94 77.7%	50 31.6%	32 37.2%	-	16.7%	0.0%		11.1%	0.0%	100.0%	57 43.5%	37.5%	32.0%	25 26.9%	26 29.2%	46.7%	20 24.7%	54 40.3%	32.7%
65 to 74	469	23	13	11	7	15	20.070	0.070	0.070	23	12	77.270	33.170	20.770	0.070	0	11.170	0.070	100.070	11	0 0	32.0 /0	20.976	23.270	8	5	10	32.7 /0
	10.2%	8.3%	5.3%	4.0%	6.1%	9.7%	0.0%	0.0%	0.0%	19.0%	7.6%	8.1%	4.3%	33.3%	100.0%		2.2%	0.0%	0.0%	8.4%	0.0%	6.0%	6.5%	10.1%	8.7%	6.2%	7.5%	7.7%
75 or older	237	4	6	10	1	3	0	0	0	4	1	1	0	0	0	0	2	0	0	1	0	0	1	2	1	1	3	0
	5.1%	1.4%	2.5%	3.6%	0.9%	1.9%	0.0%	0.0%	0.0%	3.3%	0.6%	1.2%	0.0%	0.0%	0.0%		4.4%	0.0%	0.0%	0.8%	0.0%	0.0%	1.1%	2.2%	1.1%	1.2%	2.2%	0.0%
55 or older	2,266	121	95	97	46	72	1	0	0	121	63	40		3	1	0	8	0	1	69	3	19		37	52	26	67	21
	49.2%	43.8%	39.1%	35.1%	40.4%	46.5%	20.0%	0.0%	0.0%		39.9%	46.5%	43.5%	50.0%	100.0%		17.8%	0.0%	100.0%	52.7%	37.5%	38.0%	34.4%	41.6%	56.5%		50.0%	40.4%
Significantly different from column:*		D						J	J	HI							TV			Q		Q	Υ	Υ	WX	AA	Z	

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 37

What was your biological sex at birth?

Base: All respondents																												
	0				Ger	ider Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	:us	Doctor	Visits in Months	Last 6
	포					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288	245	278	117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	158	10	2	0	1	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	2	1	1	4	4	. 1
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.F
Usable responses	4,598	278	243	278	116	155	5	72	83	121	159	87	23	6	1	0	45	1	1	133	8	50	93	91	92	81	136	52
	96.7%	96.5%	99.2%	100.0%	99.1%	0.0%	100.0%	100.0%	100.0%	100.0%	99.4%	100.0%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	99.3%	0.0%	100.0%	97.9%	98.9%	98.9%	95.3%	97.1%	98.1%
Male	1,944	115	100	106	113	0	2	34	34	45	71	34	7	4	0	0	16	0	1	52	3	28	47	37	30	48	47	16
	42.3%	41.4%	41.2%	38.1%	97.4%	0.0%	40.0%	47.2%	41.0%	37.2%	44.7%	39.1%	30.4%	66.7%	0.0%		35.6%	0.0%	100.0%	39.1%	37.5%	56.0%	50.5%	40.7%	32.6%	59.3%	34.6%	30.8%
Female	2,654	163	143	172	3	155	3	38	49	76	88	53	16	2	1	0	29	1	0	81	5	22	46	54	62	33	89	36
	57.7%	58.6%	58.8%	61.9%	2.6%	100.0%	60.0%	52.8%	59.0%	62.8%	55.3%	60.9%	69.6%	33.3%	100.0%		64.4%	100.0%	0.0%	60.9%	62.5%	44.0%	49.5%	59.3%	67.4%	40.7%	65.4%	69.2%
Significantly different from column:*					F	E											V			V		QT	Υ		W	AAAB	Z	Z

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 38

What is your current gender identity?

Base: All respondents

	Ь				Ger	nder Ider	ntity		Age		Е	ducatio	n					Race					Не	alth Sta	tus		Visits in Months	Last 6
						(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	рооб	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	194	11			0	0	0	0	0	2	0	1	0	0	0	0	0	0	0	1	0	0	1	2	2	4	4	2
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,562	277			117	155	5	72	83	119	160	86	23	6	1	0	45	1	1	133	8	50	94	90	91	81	136	51
	95.9%	96.2%			100.0%	0.0%	100.0%	100.0%	100.0%	98.3%	100.0%	98.9%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	99.3%	0.0%	100.0%	98.9%	97.8%	97.8%	95.3%	97.1%	96.2%
Male	1,918	117			117	0	0	34	34	46	72	33	8	4	0	0	15	0	1	54	3	29	47	37	31	48	51	14
	42.0%	42.2%			100.0%	0.0%	0.0%	47.2%	41.0%	38.7%	45.0%	38.4%	34.8%	66.7%	0.0%		33.3%	0.0%	100.0%	40.6%	37.5%	58.0%	50.0%	41.1%	34.1%	59.3%	37.5%	27.5%
Female	2,596	155			0	155	0	34	49	72	85	52	15	2	1	0	29	1	0	78	5	19	46	52	57	32	85	34
	56.9%	56.0%			0.0%	100.0%	0.0%	47.2%	59.0%	60.5%	53.1%	60.5%	65.2%	33.3%	100.0%		64.4%	100.0%	0.0%	58.6%	62.5%	38.0%	48.9%	57.8%	62.6%	39.5%	62.5%	66.7%
Transgender	15	2			0	0	2	2	0	0	1	1	0	0	0	0	1	0	0	1	0	0	1	1	0	0	0	2
	0.3%	0.7%			0.0%	0.0%	40.0%	2.8%	0.0%	0.0%	0.6%	1.2%	0.0%	0.0%	0.0%		2.2%	0.0%	0.0%	0.8%	0.0%	0.0%	1.1%	1.1%	0.0%	0.0%	0.0%	3.9%
Non-binary, genderqueer, or other	33	_				0	3	2	0	1	2	0	0	0	0	0	0	0	0	0	0	2	0	0	3	1	0	1
	0.7%	1.1%			0.0%	0.0%	60.0%	2.8%	0.0%	0.8%	1.3%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	4.0%	0.0%	0.0%	3.3%	1.2%	0.0%	2.0%
Significantly different from column:*																												

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 39

What is the highest grade or level of school that you have completed?

Base: All respondents

8th grade or less 244 17 12 21 6 11 0 1 7 8 17 0 0 0 0 0 0 8 0 0 3 0 4 7 4 6 6 6 5.4% 6.3% 5.0% 7.6% 5.3% 7.2% 0.0% 1.4% 8.5% 7.1% 10.6% 0.0% 0.0% 0.0% 0.0% 19.5% 0.0% 0.0% 2.2% 0.0% 8.7% 7.6% 4.4% 7.1% 7.6% Some high school, but did not graduate 534 39 23 45 18 20 1 14 11 14 39 0 0 1 0 0 4 0 0 16 1 9 14 12 13 15	sits in Last 6 onths Q7)
Number in sample 4,756 288 245 275 117 155 5 72 83 121 160 87 23 6 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 to 4 5 or more
Number missing or multiple answer NA	AA AB
Number no experience  NA  NA  NA  NA  NA  NA  NA  NA  NA  N	140 53
Usable responses 4,533 270 241 275 113 152 4 72 82 113 160 87 23 6 1 0.0% 10.0	9 1
8th grade or less 244 17 12 21 6 11 0 1 7 8 17 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	NA NA 131 52
8th grade or less 244 17 12 21 6 11 0 1 7 8 17 0 0 0 0 0 0 8 0 0 3 0 4 7 4 6 6 6 5.4% 6.3% 5.0% 7.6% 5.3% 7.2% 0.0% 1.4% 8.5% 7.1% 10.6% 0.0% 0.0% 0.0% 0.0% 19.5% 0.0% 0.0% 2.2% 0.0% 8.7% 7.6% 4.4% 7.1% 7.6% Some high school, but did not graduate 534 39 23 45 18 20 1 14 11 14 39 0 0 1 0 0 4 0 0 16 1 9 14 12 13 15	101
5.4% 6.3% 5.0% 7.6% 5.3% 7.2% 0.0% 1.4% 8.5% 7.1% 10.6% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0%	3.6% 98.1%
Some high school, but did not graduate 534 39 23 45 18 20 1 14 11 14 39 0 0 1 0 0 4 0 0 16 1 9 14 12 13 15	6.9% 3.8%
	16 5.070
11.8% 14.4% 9.5% 16.4% 15.9% 13.2% 25.0% 19.4% 13.4% 12.4% 24.4% 0.0% 16.7% 0.0% 9.8% 0.0% 0.0% 11.9% 12.5% 19.6% 15.2% 13.2% 15.3% 19.0%	2.2% 15.4%
High school graduate or GED 1,547 104 77 91 48 54 2 34 28 41 104 0 0 5 0 0 19 0 0 47 2 18 35 34 34 28	53 20
34.1% 38.5% 32.0% 33.1% 42.5% 35.5% 50.0% 47.2% 34.1% 36.3% 65.0% 0.0% 0.0% 83.3% 0.0% 46.3% 0.0% 0.0% 35.1% 25.0% 39.1% 38.0% 37.4% 40.0% 35.4%	0.5% 38.5%
Some college or 2-year degree 1,665 87 93 94 33 52 1 17 29 40 0 87 0 0 1 0 8 1 1 50 5 12 25 34 28 25	42 16
36.7% 32.2% 38.6% 34.2% 29.2% 34.2% 25.0% 23.6% 35.4% 0.0% 100.0% 0.0% 100.0% 19.5% 100.0% 100.0% 37.3% 62.5% 26.1% 27.2% 37.4% 32.9% 31.6%	2.1% 30.8%
4-year college graduate 335 15 21 15 3 12 0 5 3 7 0 0 15 0 0 0 2 0 0 12 0 1 6 5 4 3	6 .
7.4% <b>5.6%</b> 8.7% 5.5% 2.7% 7.9% 0.0% 6.9% 3.7% 6.2% 0.0% 0.0% 65.2% 0.0% 0.0% 0.0% 4.9% 0.0% 0.0% 9.0% 0.0% 2.2% 6.5% 5.5% 4.7% 3.8%	4.6% 9.6%
More than 4-year college degree 208 8 15 9 5 3 0 1 4 3 0 0 8 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0	5 3.8% 1.9%
4-year college graduate or more 543 23 36 24 8 15 0 6 7 10 0 0 23 0 0 0 0 2 0 0 18 0 3 11 7 4 5 12.0% 8.5% 14.9% 8.7% 7.1% 9.9% 0.0% 8.3% 8.5% 8.8% 0.0% 0.0% 100.0% 0.0% 0.0% 0.0% 0.0% 0	11 6 8.4% 11.5%
Significantly different from column:*  C  C  C  C  C  C  C  C  C  C  C  C  C	5.470 11.370

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 40

Which of the following describes your racial or ethnic identity? Please check ALL that apply.

Base: All respondents																												
					Gen	der Ider	ntity		Age		1	Educatio	n					Race					He	alth Stat	tus	Doctor	Visits in Months	Last 6
	OH <sub>P</sub>					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83		160		23	6	1	0	45	1	1	134	8	50		92	93	85	140	53
Number missing or multiple answer	725	42			11	20	1	8	8	17	23		0	0	0	0	0	0	0	0	0	0	12	11	13	13	21	, 7
Number no experience	NA	NA	NA	NA	NA		NA		NA	NA	NA			NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,031	246			106	135	4	64	75		137	78		6	1	0	45	1	1	134	8	50	83	81	80	72	119	46
	84.8%	85.4%			90.6%	0.0%	80.0%	88.9%	90.4%		85.6%	89.7%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	87.4%	88.0%	86.0%	84.7%	85.0%	86.8%
American Indian	477	26			15	10	1	5	11	10	18		2	5	0	0	0	0	0	0	0	21	11	6	44.004	, ===	13	4
	11.8%	10.6%			14.2%	7.4%	25.0%	7.8%	14.7%	9.6%	13.1%	6.4%	8.7%	83.3%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	42.0%	13.3%	7.4%	11.3%	9.7%	10.9%	8.7%
Alaska Native	0.5%	0.404			0 004	0.70/	0 00/	0.0%	0 004	1 00/	0.70/	0.0%	0 000	10.70/	0 000	U	0.004	0 000	0 004	0 004	0 004	0 004	0 00/	0 00/	1 20/	1 40/	0 004	0 000
One-dies levit Made on First Notice	0.5%	0.4%			0.0%	0.7%	0.0%	0.0%	0.0%	1.0%	0.7%	0.0%	0.0%	16.7%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	1.4%	0.0%	0.0%
Canadian Inuit, Metis, or First Nation	0.7%	0.4%			0.9%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	1.2%	0.0%	0.0%	1.4%	0.0%	0.0%
Indigenous Mexican, Central	170	17			11	6.070	0.070	0.070	1.370	0.070	11		3 0.070	0.070	0.070	0	0.070	0.070	0.070	0.070	0.0 /0	17	3	0.070	0.070	7.470	0.070	0.070
American, or South American	4.2%	6.9%			10.4%	4.4%	0.0%	4.7%	6.7%	8.7%	8.0%	-	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	34.0%	3.6%	4.9%	11.3%	9.7%	6.7%	4.3%
Asian Indian	34	2			10.470	1	0.070	1.770	0.770	1	0.070	2.0 /	0.070	0.070	1	0	0.070	0.070	0.070	0.070	0.070	1	0.070	7.570	0	1	0.7 70	1.570
rotal ilidai	0.8%	0.8%			0.9%	0.7%	0.0%	1.6%	0.0%	1.0%	0.0%	2.6%	0.0%	0.0%	100.0%		0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	2.5%	0.0%	1.4%	0.0%	2.2%
Chinese	56	0.070			0.570	0.770	0.070	0	0.070	0	0.070	0	0.070	0.070	0	0	0.070	0.070	0.070	0.070	0.070	0	0.070	0	0.070	0	0.070	0
	1.4%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Filipino/a	50	1			0	1	0	0	0	1	0	1	. 0	0	1	0	0	0	0	0	0	0	0	1	0	1	0	0
	1.2%	0.4%			0.0%	0.7%	0.0%	0.0%	0.0%	1.0%	0.0%	1.3%	0.0%	0.0%	100.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	1.4%	0.0%	0.0%
Hmong	7	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Japanese	23	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.6%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Korean	25	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	. 0
	0.6%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Laotian	6	1			0	1	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	0	. 0
	0.1%	0.4%			0.0%	0.7%	0.0%	0.0%	0.0%	1.0%	0.7%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	0.0%	1.3%	1.4%	0.0%	0.0%
South Asian	13	1			0	1	0	0	0	1	0	1	. 0	0	1	0	0	0	0	0	0	0	0	1	0	1	0	0
ie i	0.3%	0.4%			0.0%	0.7%	0.0%	0.0%	0.0%	1.0%	0.0%	1.3%	0.0%	0.0%	100.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.2%	0.0%	1.4%	0.0%	0.0%
Vietnamese	57	0			0	0	0	0	0	0 000	0		1	0	0	0	0 000	0	0	0	0	0	0 000	0	0	0	0	0
Other Asian	1.4%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Asian	1.0%	2			0 000	0.70	25.00/	1	0 004	1 4 004	0.70	1 201	1		1	"	0.004	1	0 000	0 004	0 004	2 00/	0 000	1 20/	1 20/	2 00/	0 004	0 000
	1.0%	0.8%			0.0%	0.7%	25.0%	1.6%	0.0%	1.0%	0.7%	1.3%	0.0%	0.0%	100.0%		0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	1.2%	1.3%	2.8%	0.0%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

#### Question 40

Which of the following describes your racial or ethnic identity? Please check ALL that apply.

Base: All respondents

Base: All respondents																												
	۵				Ger	der Idei	ntity		Age		-	Educatio	n					Race					He	alth Stat	:us		Visits in Months	Last 6
	OH <sub>P</sub>					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State (	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	рооЭ	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Η	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83			87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	
Number missing or multiple answer	725				11	20	1	8	8	17			0	0	0	0	0	0	0	0	0	0	12	11	13		21	
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA.	NA	NA	NA	NA	NA	NA	NA	NA	NA	
Usable responses	4,031	246			106	135	4	64	75			78		6	1	0	45	1	1	134	8	50	83	81	80	72	119	
	84.8%	85.4%			90.6%	0.0%	80.0%	88.9%	90.4%	86.0%	85.6%	89.7%	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	87.4%	88.0%	86.0%	84.7%	85.0%	86.8%
African American	133	2			1	1	0	0	0	2	0	1	1	0	0	0	0	0	0	0	0	2	1	1	0	0	2	0
	3.3%	0.8%			0.9%	0.7%	0.0%	0.0%	0.0%	1.9%	0.0%	1.3%	4.3%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	4.0%	1.2%	1.2%	0.0%	0.0%	1.7%	0.0%
African (Black)	42	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	1.0%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Caribbean (Black)	10	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.2%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Black	20	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.5%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Hispanic or Latino/a Central American	67 1.7%	11			6 60/	2 204	25.00/	10.00/	1 20/	2.004	4 400	2.00/	1 200	0 004	0 000	0	42.20/	0 000	0 004	0 004	0 004	40.000	5 004	4 004	2 50/	6.004	2 400	4 204
ie i le / M :	342	4.5% 53			6.6%	2.2%	25.0%	10.9%	1.3%		4.4%	3.8%	4.3%	0.0%	0.0%		13.3%		0.0%	0.0%	0.0%	10.0%	6.0%	4.9% 18	2.5% 16	6.9%	3.4% 27	4.3%
Hispanic or Latino/a Mexican	8.5%	21.5%			20.8%	22.2%	25.0%	23 35.9%	21.3%			11.5%	8.7%	0.0%	0.0%		38 84.4%		0.0%	0.0%	0.0%	30.0%	21.7%	22.2%	20.0%		22.7%	10.9%
Hispanic or Latino/a South American	36	21.5%			20.8%	22.2%	25.0%	35.9%	21.5%	13.5%	25.5%	11.5%	8.7%	0.0%	0.0%		84.4%	0.0%	0.0%	0.0%	0.0%	30.0%	21.7%	22.2%	20.0%	29.2%	22.7%	10.9%
i iispanic or Edunora South American	0.9%	1.2%			0.9%	1.5%	0.0%	1.6%	0.0%	1.9%	0.7%	0.0%	0.0%	0.0%	0.0%		4.4%	0.0%	0.0%	0.0%	0.0%	2.0%	1.2%	1.2%	1.3%	1.4%	1.7%	0.0%
Other Hispanic or Latino/a	114	13			3.370	1.3 /0	0.070	1.070	2.0 /0	1.970	9.770	2.0 /0	0.070	0.070	0.070	0	4.470	0.070	0.070	0.070	0.070	2.0 /0	6	3.270	1.5 /0	2.470	9	2.070
Other Inspante of Eathfula	2.8%	5.3%			0.9%	8.9%	0.0%	9.4%	2.7%	4.8%	6.6%	2.6%	0.0%	0.0%	0.0%		20.0%	0.0%	0.0%	0.0%	0.0%	8.0%	7.2%	3.7%	5.0%	2.8%	7.6%	4.3%
Middle Eastern	33	4			3	1	0	0	4	0	0	4	0	0	0	0	0	1	0	0	0	3	2	0	2	2	2	0
	0.8%	1.6%			2.8%	0.7%	0.0%	0.0%	5.3%	0.0%	0.0%	5.1%	0.0%	0.0%	0.0%		0.0%	100.0%	0.0%	0.0%	0.0%	6.0%	2.4%	0.0%	2.5%	2.8%	1.7%	0.0%
Northern African	13	1			1	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0
	0.3%	0.4%			0.9%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	1.2%	0.0%	0.0%	1.4%	0.0%	0.0%

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

#### Question 40

Which of the following describes your racial or ethnic identity? Please check ALL that apply.

Base: All respondents

Base: All respondents																												
					Gen	der Ider	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in I Months	Last 6
	OHP					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)		i	(07)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Poog	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83		160	87	23	6	1	0	45	1	1	134	8	50		92	93	85	140	53
Number missing or multiple answer	725	42			11	20	1	8	8	17	23	9	0	0	0	0	0	0	0	0	0	0	12	11	13	13	21	7
Number no experience	NA 4 024	NA 246	NA	NA	NA 106	125	NA	NA	NA 75	NA 101	NA 127	NA	NA 22	NA	NA	NA	NA 45	NA	NA	NA 124	NA	NA 50		NA	NA	NA	NA 110	NA 46
Usable responses	4,031 84.8%	246 85.4%			106 90.6%	135 0.0%	80.0%	64 88.9%	90.4%	104 86.0%	137 85.6%	78 89.7%		100.0%	100.0%		100.0%	100.0%	100.0%	134 100.0%	0.0%		83 87.4%	81 88.0%	80 86.0%	72 84.7%	119 85.0%	86.8%
Guamanian or Chamorro	64.676	03.4%			90.0%	0.0%	00.0%	00.970	90.476	00.0%	03.0%	09.770	100.0%	100.0%	100.0%		100.0%	100.0%	100.0%	100.0%	0.0%	100.0%	07.470	00.0%	00.0%	04.770	03.0%	00.070
Suamanum of Shamono	0.1%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Micronesian	3	1			1	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0
	0.1%	0.4%			0.9%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%	1.3%	0.0%	0.0%	0.0%		0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	1.4%	0.0%	0.0%
Native Hawaiian	13	0			0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	0.3%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Samoan	5	1			1	0	0	0	0	1	0	1	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	0
T	0.1%	0.4%			0.9%	0.0%	0.0%	0.0%	0.0%	1.0%	0.0%	1.3%	0.0%	0.0%	0.0%		0.0%	0.0%	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.3%	1.4%	0.0%	0.0%
Tongan	0.1%	0.0%			0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Other Pacific Islander	16	1			1	0.070	0.070	1	0.070	0.070	0.070	1	0.070	0.070	0.070	0	0.070	0.070	0.070	0.070	0.070	1	0.070	1	0.070	0.070	0.070	1
	0.4%	0.4%			0.9%	0.0%	0.0%	1.6%	0.0%	0.0%	0.0%	1.3%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	0.0%	2.0%	0.0%	1.2%	0.0%	0.0%	0.0%	2.2%
Eastern European	458	23			13	7	3	10	4	9	11	8	3	0	0	0	0	0	0	14	0	9	7	6	9	8	5	7
	11.4%	9.3%			12.3%	5.2%	75.0%	15.6%	5.3%	8.7%	8.0%	10.3%	13.0%	0.0%	0.0%		0.0%	0.0%	0.0%	10.4%	0.0%	18.0%	8.4%	7.4%	11.3%	11.1%	4.2%	15.2%
Slavic	79	4			2	0	2	2	0	2	1	2	0	0	0	0	0	0	0	2	0	2	0	0	4	1	0	2
	2.0%	1.6%			1.9%	0.0%	50.0%	3.1%	0.0%	1.9%	0.7%	2.6%	0.0%	0.0%	0.0%		0.0%	0.0%	0.0%	1.5%	0.0%	4.0%	0.0%	0.0%	5.0%	1.4%	0.0%	4.3%
Western European	1,146 28.4%	72			32	38	2	17 20/	26	35	29	25		0 000	0.0%	0	0 001	0 000	0.0%	53	0 000	19		24	18	19	34 28.6%	14 30.4%
Other White	1,740	29.3% 95			30.2%	28.1%	50.0%	17.2% 16	34.7% 30	33.7% 46	21.2%	32.1%	73.9%	0.0%	0.0%		0.0%	0.0%	0.0%	39.6%	0.0%	38.0%	36.1% 26	29.6%	22.5%	26.4%	28.6%	30.4%
Other Willia	43.2%	38.6%			35.8%	40.7%	25.0%	25.0%	40.0%		43.1%	39.7%	17.4%	0.0%	0.0%		0.0%	0.0%	0.0%	56.0%	0.0%	40.0%	31.3%	40.7%	45.0%	26.4%	43.7%	41.3%
Other	312	24			13	9	23.070	23.0%	8	8	43.176	10	17.470	0.0%	0.0%	0	0.0%	0.0%	0.0%	0.076	8	16	71.576	7	10	9	3.7 /8	71.576
	7.7%	9.8%			12.3%	6.7%	50.0%	12.5%	10.7%	7.7%	8.0%	12.8%	4.3%	0.0%	0.0%		0.0%	0.0%	0.0%	0.0%	100.0%	32.0%	8.4%	8.6%	12.5%	12.5%	6.7%	13.0%
NA - Not Applicable	•												•															

NA - Not Applicable

Please note that respondents could select more than one response option, therefore percentages may not add up to 100%.

#### Question 42

How well do you speak English?

Base: All respondents

Base. All respondents					Gen	ıder Ider	ntity		Age		Е	ducatio	n					Race					Не	alth Stat	:us		Visits in Months	Last 6
	용					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	258	17			4	6	0	1	1	8	5	5	0	0	0	0	0	0	1	4	0	0	0	3	8	5	10	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,498	271			113	149	5	71	82	113	155	82	23	6	1	0	45	1	0	130	8	50	95	89	85	80	130	53
	94.6%	94.1%			96.6%	0.0%	100.0%	98.6%	98.8%	93.4%	96.9%	94.3%	100.0%	100.0%	100.0%		100.0%	100.0%	0.0%	97.0%	0.0%	100.0%	100.0%	96.7%	91.4%	94.1%	92.9%	100.0%
Very well	3,658	214			81	125	4	55	63	91	112	76	22	4	1	0	21	1	0	117	7	38	75	76	63	59	103	45
	81.3%	79.0%			71.7%	83.9%	80.0%	77.5%	76.8%	80.5%	72.3%	92.7%	95.7%	66.7%	100.0%		46.7%	100.0%		90.0%	87.5%	76.0%	78.9%	85.4%	74.1%	73.8%	79.2%	84.9%
Well	563	26			16	9	1	8	7	11	22	3	0	2	0	0	6	0	0	9	1	4	8	6	11	11	11	4
	12.5%	9.6%			14.2%	6.0%	20.0%	11.3%	8.5%	9.7%	14.2%	3.7%	0.0%	33.3%	0.0%		13.3%	0.0%		6.9%	12.5%	8.0%	8.4%	6.7%	12.9%	13.8%	8.5%	7.5%
Not well	164	19			11	8	0	6	8	5	14	3	1	0	0	0	9	0	0	3	0	6	6	6	6	6	9	3
	3.6%	7.0%			9.7%	5.4%	0.0%	8.5%	9.8%	4.4%	9.0%	3.7%	4.3%	0.0%	0.0%		20.0%	0.0%		2.3%	0.0%	12.0%	6.3%	6.7%	7.1%	7.5%	6.9%	5.7%
Not at all	113				5	7	0	2	4	6	7	0	0	0	0	0	9	0	0	1	0	2	6	1	5	4	7	1
	2.5%				4.4%	4.7%	0.0%	2.8%	4.9%	5.3%	4.5%	0.0%	0.0%	0.0%	0.0%		20.0%	0.0%		0.8%	0.0%	4.0%	6.3%	1.1%	5.9%	5.0%	5.4%	1.9%
Very well or Well	4,221	240			97	134	-	63	70	102		79	22		1	0	27	1	0	126	8	42	83	82	74	70	114	49
	93.8%	88.6%			85.8%	89.9%	100.0%	88.7%	85.4%	90.3%	86.5%	96.3%	95.7%	100.0%	100.0%			100.0%		96.9%	100.0%	84.0%	87.4%	92.1%	87.1%	87.5%	87.7%	92.5%
Significantly different from column:*		Α									L	K		I	l		TV	1		Q		Q						ı I

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

Willamette Valley Community Health
CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

#### Question 43

What language do you mainly speak at home?

Base: All respondents

	HP				Gen	der Iden (Q38)	tity		Age (Q36)		E	ducatio	on Race (Q40)										Не	alth Stat (Q29)	us		Visits in Months (Q7)	Last 6
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	Х	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	351	23			7	8	0	3	2	10	7	7	0	0	0	0	2	0	1	4	0	3	1	4	11	7	11	. 3
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,405	265			110	147	5	69	81	111	153	80	23	6	1	0	43	1	0	130	8	47	94	88	82	78	129	50
	92.6%	92.0%			94.0%	0.0%	100.0%	95.8%	97.6%	91.7%	95.6%	92.0%	100.0%	100.0%	100.0%		95.6%	100.0%	0.0%	97.0%	0.0%	94.0%	98.9%	95.7%	88.2%	91.8%	92.1%	94.3%
English	4,069	226			93	126	4	52	68	102	127	72	23	6	0	0	14	1	0	129	8	40	77	76	72	63	110	45
	92.4%	85.3%			84.5%	85.7%	80.0%	75.4%	84.0%	91.9%	83.0%	90.0%	100.0%	100.0%	0.0%		32.6%	100.0%		99.2%	100.0%	85.1%	81.9%	86.4%	87.8%	80.8%	85.3%	90.0%
Spanish	207	36			15	20	1	16	12	8	25	6	0	0	0	0	29	0	0	1	0	5	17	10	9	14	19	3
	4.7%	13.6%			13.6%	13.6%	20.0%	23.2%	14.8%	7.2%	16.3%	7.5%	0.0%	0.0%	0.0%		67.4%	0.0%		0.8%	0.0%	10.6%	18.1%	11.4%	11.0%	17.9%	14.7%	6.0%
Other	129	3			2	1	0	1	1	1	1	2	0	0	1	0	0	0	0	0	0	2	0	2	1	1	0	2
	2.9%	1.1%			1.8%	0.7%	0.0%	1.4%	1.2%	0.9%	0.7%	2.5%	0.0%	0.0%	100.0%		0.0%	0.0%		0.0%	0.0%	4.3%	0.0%	2.3%	1.2%	1.3%	0.0%	4.0%

#### Question 44

Do you need an interpreter for us to communicate with you?

lumber missing or multiple answer 260 17 5 5 0 1 1 7 5 5 0 0 0 0 0 0 1 4 0 0 0 4 7 5 10 1 1 7 5 5 0 0 0 0 0 0 1 4 0 0 0 0 0 0 0 0 0 0 0 0	Base: All respondents																												
C   C   C   C   C   C   C   C   C   C		_				Ger		ntity		_		E		n										He		:us		Months	
A B C D E F G H I J K L M N O P Q R S T U V W X Y Z AA		포					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
Tumber in sample with the properties of the prop		20 State	2020		-	Male	Female	Non-binary, genderqueer, or other	18 to 34	유	55 or more	HS grad or less	Some college	ge grad o	- a	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	llent / goo	Good	Fair or Poor	None	1 to 4	5 or more
Jumber missing or multiple answer lumber missing or multiple answer         260         17          5         5         0         1         1         7         5         5         0         1         1         7         5         5         0         0         0         0         0         1         4         0         0         0         0         0         1         4         0         0         0         4         7         5         10           Iumber no experience         4,496         271          112         150         82         114         155         82         23         6         1         0         45         1         0         130         8         50         95         88         86         80         130           es         256         29           95.7%         0.0%         99.8%         94.2%         96.9%         94.3%         100.0%         100.0%         100.0%         100.0%         94.2%         96.9%         94.3%         100.0%         100.0%         100.0%         94.2%         96.9%         12.3%         100.0%         100.0%         100.0%         94.2%         96.9% <th></th> <th>Α</th> <th></th> <th>С</th> <th>D</th> <th>Е</th> <th>F</th> <th>G</th> <th>Н</th> <th>I</th> <th>J</th> <th>K</th> <th>L</th> <th>М</th> <th>N</th> <th>0</th> <th>P</th> <th>Q</th> <th>R</th> <th>S</th> <th>T</th> <th>U</th> <th>V</th> <th>W</th> <th>Χ</th> <th>Υ</th> <th>Z</th> <th>AA</th> <th>AB</th>		Α		С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Iumber no experience         NA         NA <td>Number in sample</td> <td>4,756</td> <td>288</td> <td></td> <td></td> <td>117</td> <td>155</td> <td>5</td> <td>72</td> <td>83</td> <td>121</td> <td>160</td> <td>87</td> <td>23</td> <td>6</td> <td>1</td> <td>0</td> <td>45</td> <td>1</td> <td>1</td> <td>134</td> <td>8</td> <td>50</td> <td>95</td> <td>92</td> <td>93</td> <td>85</td> <td>140</td> <td>53</td>	Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Sable responses	Number missing or multiple answer	260	17			5	5	0	1	1	7	5	5	0	0	0	0	0	0	1	4	0	0	0	4	7	5	10	(
94.5% 94.1%	Number no experience	NA			NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
es 256 29 11.6% 10.0% 20.0% 9.9% 13.4% 9.6% 12.3% 3.7% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0.0% 0	Usable responses	4,496	271			112	150	5	71	82	114	155	82	23	6	1	0	45	1	0	130	8	50	95	88	86	80	130	53
5.7%   10.7%       11.6%   10.0%   20.0%   9.9%   13.4%   9.6%   12.3%   3.7%   0.0%   0.0%     40.0%   0.0%     2.3%   0.0%   14.0%   10.5%   9.1%   12.8%   11.3%   11.5%		94.5%	94.1%			95.7%	0.0%	100.0%	98.6%	98.8%	94.2%	96.9%	94.3%	100.0%	100.0%	100.0%		100.0%	100.0%	0.0%	97.0%	0.0%	100.0%	100.0%	95.7%	92.5%	94.1%	92.9%	100.0%
0 4,240 242 99 135 4 64 71 103 136 79 23 6 1 0 27 1 0 127 8 43 85 80 75 71 115 94.3% 89.3% 88.4% 90.0% 80.0% 90.1% 86.6% 90.4% 87.7% 96.3% 100.0% 100.0% 60.0% 100.0% 97.7% 100.0% 86.0% 89.5% 90.9% 87.2% 88.8% 88.5%	Yes	256	29			13	15	1	7	11			3	0	0	0	0	18	0	0	3	0	7	10	8	11	9	15	4
94.3% <b>89.3%</b> 88.4% 90.0% 80.0% 90.1% 86.6% 90.4% 87.7% 96.3% 100.0% 100.0% 60.0% 100.0% 97.7% 100.0% 86.0% 89.5% 90.9% 87.2% 88.8% 88.5%		5.7%	10.7%			11.6%	10.0%	20.0%	9.9%	13.4%	9.6%	12.3%	3.7%	0.0%	0.0%	0.0%		40.0%	0.0%		2.3%	0.0%	14.0%	10.5%	9.1%	12.8%	11.3%	11.5%	7.5%
	No	4,240	242			99	135	4	64				-	_	_	1	0	27	1	0	127	8		85	80	75		115	49
ignificantly different from column:* A L K TV Q Q Q		94.3%	89.3%			88.4%	90.0%	80.0%	90.1%	86.6%	90.4%	87.7%	96.3%	100.0%	100.0%	100.0%			100.0%		97.7%	100.0%	86.0%	89.5%	90.9%	87.2%	88.8%	88.5%	92.5%
	Significantly different from column:*		Α									L	K					TV			Q		Q						<u> </u>

32030

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

#### Question 45

Do you need a sign language interpreter for us to communicate with you?

Base: All respondents										1															1	D = = + = ::	\ /:=:k= :-	1
					Gen	der Iden	ntity		Age		E	ducation	n					Race					He	alth Stat	us	Doctor	Months	
	우					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	Ö					(Q36)			(Q30)			(Q39)						(Q40)						(Q29)			(Q/)	
	<u>t</u> e	0	6	18			o			a)	esa	ge	o	n 0		L C	,/or	됴	er o				ьp		<u> </u>			
	Sta	202	201	201	<b>a</b> )	<u>o</u>	ary eer,	34	54	0	Ë	<u>e</u>	rad e	idia ativ	_	frica	ati	£	aiia	<b>a</b> )		<u>ia</u>	) t c		00	n)	4	ore
	20		,,		ale	πa	bin que	2	2		р	8	g a	r is	siar	eric A	or I	iddle i/No irica	Isk	hite	the	irac	ller g	ŏ	-	None	9	Ē
	202				Σ	Fel	der of	8	32	ō	Jra	μ	ege m	ican aska	¥	A K	nic	Af Af	e H	3	Ò	Ę	er ce	Ō	.⊑	Ž	1	٥
	14						Non ende		(-)	55	S	50.	S S	ner Ala		Bla	spa	ast	ativ			-	₹ >		Ба			2
							6				I	•,		₹			Î	ш	z									
	Α	В	С	D	E	F	G	Н	I	J	K	L	M	N	0	P	Q	R	S	T	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756				117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	282	20			7	6	0	3	2	8	6	7	0	0	0	0	2	0	1	4	0	0	1	5	8	7	11	(
Number no experience	NA		NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N.F
Usable responses	4,474	268			110	149	5	69	81	113		80	23	6	1	0	43	1	0	130	8	50	94	87	85	78	129	53
	94.1%	93.1%			94.0%	0.0%	100.0%	95.8%	97.6%	93.4%	96.3%	92.0%	100.0%	100.0%	100.0%		95.6%	100.0%	0.0%	97.0%	0.0%	100.0%	98.9%	94.6%	91.4%	91.8%	92.1%	100.0%
Yes	43	5				0	1	1	1	2	3	1	0	0	0	0	1	0	0	1	0	3	1	2	1	0	3	
	1.0%	1.9%			3.6%	0.0%	20.0%	1.4%	1.2%	1.8%	1.9%	1.3%	0.0%	0.0%	0.0%		2.3%	0.0%		0.8%	0.0%	6.0%	1.1%	2.3%	1.2%	0.0%	2.3%	1.9%
No	4,431	263			106	149	4	68	80	111		79	23	6	1	0	42	1	0	129	8	47	93	85	84	78	126	52
	99.0%	98.1%			96.4%	100.0%	80.0%	98.6%	98.8%	98.2%	98.1%	98.8%	100.0%	100.0%	100.0%		97.7%	100.0%		99.2%	100.0%	94.0%	98.9%	97.7%	98.8%	100.0%	97.7%	98.1%
Significantly different from column:*																												l

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

#### Question 46

Do you need written materials in an alternate format (Braille, large print, audio recordings, etc.)?

Number missing or multiple answer Number no experience  Number missing or multiple answer Number no experience  Number no experience  Number no experience  Number missing or multiple answer Number no experience Number missing or multiple answer Number no experience Number no	Base: All respondents																												
Columber in sample   A   B   C   D   E   F   G   H   I   J   K   L   M   N   O   P   Q   R   S   T   U   V   W   X   Y   Z   AA		_				Gen	der Iden	ntity		Age		E	ducation	n					Race					He	alth Stat	:us			
A B C D E F G H I D S B D S B D S B D S B D S B D S B D D D D		포					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
Number in sample Number		20 State	2020		-	Male	Female	Non-binary, genderqueer, or other	18 to 34	\$	55 or more	HS grad or less	Some college	ge grad e more	_ e	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	llent / goo	Good	Fair or Poor	None	1 to 4	5 or more
Number missing or multiple answer Number no experience  Number missing or multiple answer Number no experience  Number no experience  Number no experience  Number missing or multiple answer Number no experience Number missing or multiple answer Number no experience Number no		Α		С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number no experience Number no	Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Jasable responses 4,247 254 103 142 5 67 75 107 146 77 21 6 1 0 42 1 0 121 7 46 90 82 81 77 120 89.3% 88.2% 88.0% 0.0% 100.0% 93.1% 90.4% 88.4% 91.3% 88.5% 91.3% 100.0% 100.0% 93.3% 100.0% 0.0% 90.3% 0.0% 92.0% 94.7% 89.1% 87.1% 90.6% 85.7% 91.3% 91	Number missing or multiple answer	509	34			14	13	0	5	8	14	14	10	2	0	0	0	3	0	1	13	1	4	5	10	12	8	20	4
89.3% 88.2% 88.0% 0.0% 100.0% 93.1% 90.4% 88.4% 91.3% 88.5% 91.3% 100.0% 100.0% 93.3% 100.0% 0.0% 90.3% 0.0% 92.0% 94.7% 89.1% 87.1% 90.6% 85.7% 91.3%	Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	N/
Fes 203 19 4 14 1 1 2 5 12 11 4 1 0 0 0 0 0 7 0 0 0 6 0 5 7 3 9 9 4 11 4 8 7 1 1 1 4 8 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Usable responses	4,247	254			103	142	5	67	75					6	1	0	42	1	0	121	7	46	90	82	81	77	120	49
4.8% 7.5% 3.9% 9.9% 2.0% 3.0% 6.7% 11.2% 7.5% 5.2% 4.8% 0.0% 0.0% 16.7% 0.0% 5.0% 0.0% 10.9% 7.8% 3.7% 11.1% 5.2% 9.2% 4.0% 4.0% 9.2% 9.2% 9.2% 9.2% 9.2% 9.2% 9.2% 9.2		89.3%	88.2%			88.0%	0.0%	100.0%	93.1%	90.4%	88.4%	91.3%	88.5%	91.3%	100.0%	100.0%		93.3%	100.0%	0.0%	90.3%	0.0%	92.0%	94.7%	89.1%	87.1%	90.6%	85.7%	92.5%
6 4,044 235 99 128 4 65 70 95 135 73 20 6 1 0 35 1 0 115 7 41 83 79 72 73 109 95.29 92.5% 96.1% 90.1% 80.0% 97.0% 93.3% 88.8% 92.5% 94.8% 95.2% 100.0% 100.0% 83.3% 100.0% 95.0% 100.0% 89.1% 92.2% 96.3% 88.9% 94.8% 90.8%	Yes	203	19				14	1	2	5	12	11	4	1	0	0	0	7	0	0	6	0	5	7	3	9	4	11	2
95.2% <b>92.5</b> % 96.1% 90.1% 80.0% 97.0% 93.3% 88.8% 92.5% 94.8% 95.2% 100.0% 100.0% 83.3% 100.0% 95.0% 100.0% 89.1% 92.2% 96.3% 88.9% 94.8% 90.		4.8%	7.5%			3.9%	9.9%	20.0%	3.0%	6.7%	11.2%	7.5%	5.2%	4.8%	0.0%	0.0%		16.7%	0.0%		5.0%	0.0%	10.9%	7.8%	3.7%	11.1%	5.2%	9.2%	4.1%
	No	4,044	235			99	128	4			95	135	73		6	1	0	35	1	0	115	7	41	83	79	72	73	109	47
Significantly different from column:*		95.2%	92.5%			96.1%	90.1%	80.0%	97.0%	93.3%	88.8%	92.5%	94.8%	95.2%	100.0%	100.0%		83.3%	100.0%		95.0%	100.0%	89.1%	92.2%	96.3%	88.9%	94.8%	90.8%	95.9%
	Significantly different from column:*																												1

NA - Not Applicable

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 47

Are you deaf or do you have serious difficulty hearing?

Base: All respondents

Base: All respondents																		_								Doctor	Visits in	Last 6
	_				Ger	ider Ider	ntity		Age		Е	ducation	n					Race					He	alth Stat	us		Months	
	불					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State O	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	Т	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	275	19			6	6	0	2	2	8	5	7	0	0	0	0	1	0	1	4	0	0	0	5	8	7	10	0
Number no experience	NA			NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,481	269			111	149	5	70	81	113	155	80	23	6	1	0	44	1	0	130	8	50	95	87	85	78	130	53
	94.2%	93.4%			94.9%	0.0%	100.0%	97.2%	97.6%	93.4%	96.9%	92.0%	100.0%	100.0%	100.0%		97.8%	100.0%	0.0%	97.0%	0.0%	100.0%	100.0%	94.6%	91.4%	91.8%	92.9%	100.0%
Yes	310	19			13	6	0	3	7	8	12	6	1	1	0	0	1	0	0	9	0	7	4	8	7	3	6	7
	6.9%	7.1%			11.7%	4.0%	0.0%	4.3%	8.6%	7.1%	7.7%	7.5%	4.3%	16.7%	0.0%		2.3%	0.0%		6.9%	0.0%	14.0%	4.2%	9.2%	8.2%	3.8%	4.6%	13.2%
No	4,171	250			98	143	5	67	74	105	143	74	22	5	1	0	43	1	0	121	8	43	91	79	78	75	124	46
	93.1%	92.9%			88.3%	96.0%	100.0%	95.7%	91.4%	92.9%	92.3%	92.5%	95.7%	83.3%	100.0%		97.7%	100.0%		93.1%	100.0%	86.0%	95.8%	90.8%	91.8%	96.2%	95.4%	86.8%
Significantly different from column:*					F	E																						

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 48

Are you blind or do you have serious difficulty seeing, even when wearing glasses?

Base: All respondents																												
	_				Ger	der Iden	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	동					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	281	19			6	6	0	2	2	8	6	6	0	0	0	0	1	0	1	4	0	0	0	5	8	8	9	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,475	269			111	149	5	70	81	113	154	81	23	6	1	0	44	1	0	130	8	50	95	87	85	77	131	53
	94.1%	93.4%			94.9%	0.0%	100.0%	97.2%	97.6%	93.4%	96.3%	93.1%	100.0%	100.0%	100.0%		97.8%	100.0%	0.0%	97.0%	0.0%	100.0%	100.0%	94.6%	91.4%	90.6%	93.6%	100.0%
Yes	323	24			8	15	1	3	7	14	13	7	2	1	1	0	2	0	0	8	2	9	6	3	14	6	8	8
	7.2%	8.9%			7.2%	10.1%	20.0%	4.3%	8.6%	12.4%	8.4%	8.6%	8.7%	16.7%	100.0%		4.5%	0.0%		6.2%	25.0%	18.0%	6.3%	3.4%	16.5%	7.8%	6.1%	15.1%
No	4,152	245			100	134	4	67	74	99	141	74	21	5	0	0	42	1	0	122	6	41	89	84	71	71	123	45
	92.8%	91.1%			92.8%	89.9%	80.0%	95.7%	91.4%	87.6%	91.6%	91.4%	91.3%	83.3%	0.0%		95.5%	100.0%		93.8%	75.0%	82.0%	93.7%	96.6%	83.5%	92.2%	93.9%	84.9%
Significantly different from column:*																	V					Q	Υ	Υ	WX			1

32030

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 49

Does a physical, mental, or emotional condition limit your activities in any way?

Base: All respondents																												
	Δ.				Gen	ider Iden	ntity		Age		E	ducatio	n					Race					He	alth Stat	us		Visits in Months	Last 6
	포					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	296	25			9	8	0	2	4	11	10	6	0	0	0	0	2	0	1	7	0	1	2	7	10	11	11	1
Number no experience	NA		NA	NA	NA		NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,460	263			100	147	5	70	79	110	150	81	23	6	1	0	43	1	0	127	8	49	93	85	83	74	129	52
	93.8%	91.3%			92.3%	0.0%	100.0%	97.2%	95.2%	90.9%	93.8%	93.1%	100.0%	100.0%	100.0%		95.6%	100.0%	0.0%	94.8%	0.0%	98.0%	97.9%	92.4%	89.2%	87.1%	92.1%	98.1%
Yes	1,918	104				57	3	23	32	48	61	29	13	0	0	0	8	0	0	63	3	21	21	33	49	17	47	37
	43.0%	39.5%			38.9%	38.8%	60.0%	32.9%	40.5%	43.6%	40.7%	35.8%	56.5%	0.0%	0.0%		18.6%	0.0%		49.6%	37.5%	42.9%	22.6%	38.8%	59.0%	23.0%	36.4%	71.2%
No	2,542	159			66	90	2	47	47	62		52	-	6	1	0	35	1	0	64	5	28	72	52	34	57	82	15
	57.0%	60.5%			61.1%	61.2%	40.0%	67.1%	59.5%	56.4%	59.3%	64.2%	43.5%	100.0%	100.0%		81.4%	100.0%		50.4%	62.5%	57.1%	77.4%	61.2%	41.0%	77.0%	63.6%	28.8%
Significantly different from column:*																	TV			Q		Q	XY	WY	WX	AAAB	ZAB	ZAA

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

32030

### Question 50

Do you have serious difficulty walking or climbing stairs?

A B C D E F G H I J J K L M N O P Q R S T U V W X Y Q Z AA umber in sample umber in sample umber messing or multiple answer N N N N N N N N N N N N N N N N N N N	Base: All respondents																												
A B C D E F G H I J J K L M N N O P Q R S T U V W X Y Z AA						Ger	der Iden	ntity		Age		E	ducation	n					Race					He	alth Stat	us			Last 6
Part   Part		포					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
umber in sample umber in sample umber in sample umber in sample umber missing or multiple answer 301 23 7 8 0 2 1 4 9 7 8 0 0 0 0 0 0 0 2 0 1 1 6 0 0 1 1 1 8 8 8 8 11 1 umber no experience NA		20 State	2020		-	Male	Female	Non-binary, genderqueer, or other	18 to 34	\$	55 or more	HS grad or less	Some college	ge grad e more	c @	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	llent / goo	Good	Fair or Poor	None	1 to 4	5 or more
umber missing or multiple answer NA		Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
umber no experience         NA         NA <td>Number in sample</td> <td>4,756</td> <td>288</td> <td></td> <td></td> <td>117</td> <td>155</td> <td>5</td> <td>72</td> <td>83</td> <td>121</td> <td>160</td> <td>87</td> <td>23</td> <td>6</td> <td>1</td> <td>0</td> <td>45</td> <td>1</td> <td>1</td> <td>134</td> <td>8</td> <td>50</td> <td>95</td> <td>92</td> <td>93</td> <td>85</td> <td>140</td> <td>53</td>	Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
sable responses	Number missing or multiple answer	301	23			7	8	0	2	4	9	7	8	0	0	0	0	2	0	1	6	0	1	1	8	8	8	11	1
93.7% 92.0% 94.0% 0.0% 100.0% 97.2% 95.2% 95.6% 95.6% 90.8% 100.0% 1	Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
1,271	Usable responses	4,455	265			110	147	5	70	79	112	153	79	23	6	1	0	43	1	0	128	8	49	94	84	85	77	129	52
28.5% 24.2% 29.1% 21.1% 0.0% 5.7% 22.8% 35.7% 26.8% 20.3% 13.0% 16.7% 0.0% 11.6% 0.0% 22.7% 25.0% 40.8% 11.7% 15.5% 45.9% 10.4% 27.1% 35.7% 37.2%		93.7%	92.0%			94.0%	0.0%	100.0%	97.2%	95.2%	92.6%	95.6%	90.8%	100.0%	100.0%	100.0%		95.6%	100.0%	0.0%	95.5%	0.0%	98.0%	98.9%	91.3%	91.4%	90.6%	92.1%	98.1%
3,184 <b>201</b> 78 116 5 66 61 72 112 63 20 5 1 0 38 1 0 99 6 29 83 71 46 69 94 71.5% <b>75.8%</b> 70.9% 78.9% 100.0% 94.3% 77.2% 64.3% 73.2% 79.7% 87.0% 83.3% 100.0% 88.4% 100.0% 77.3% 75.0% 59.2% 88.3% 84.5% 54.1% 89.6% 72.9% 6	Yes	1,271	64			32	31	0	4	18	40	41	16	3	1	0	0	5	0	0	29	2	20	11	13	39	8	35	19
71.5% <b>75.8%</b> 70.9% 78.9% 100.0% 94.3% 77.2% 64.3% 73.2% 79.7% 87.0% 83.3% 100.0% 88.4% 100.0% 77.3% 75.0% 59.2% 88.3% 84.5% 54.1% 89.6% 72.9% 6		28.5%	24.2%			29.1%	21.1%	0.0%	5.7%	22.8%	35.7%	26.8%	20.3%	13.0%	16.7%	0.0%		11.6%	0.0%		22.7%	25.0%	40.8%	11.7%	15.5%	45.9%	10.4%	27.1%	36.5%
	No	3,184	201			78	-	-		-				-	5	1	0		1	0		6	-	83	71	46	69	94	33
gnificantly different from column:*		71.5%	75.8%			70.9%	78.9%	100.0%	94.3%	77.2%	64.3%	73.2%	79.7%	87.0%	83.3%	100.0%		88.4%	100.0%		77.3%	75.0%	59.2%	88.3%	84.5%	54.1%	89.6%	72.9%	63.5%
	Significantly different from column:*								IJ	Н	Н							V			V		QT	Υ	Υ	WX	AAAB	Z	Z

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 51

Do you have difficulty dressing or bathing?

Base: All respondents																												
	0				Ger	der Iden	ntity		Age		E	ducatio	n					Race					He	alth Stat	:us		Visits in Months	Last 6
	포					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	281	21			7	6	0	2	3	8	6	7	0	0	0	0	1	0	1	4	0	1	1	6	8	8	10	1
Number no experience	NA		NA	NA	NA		NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,475	267			110	149	5	70	80	113		80	23	6	1	0	44	1	0	130	8	49	94	86	85	77	130	52
	94.1%	92.7%			94.0%	0.0%	100.0%	97.2%	96.4%	93.4%	96.3%	92.0%	100.0%	100.0%	100.0%		97.8%	100.0%	0.0%	97.0%	0.0%	98.0%	98.9%	93.5%	91.4%	90.6%	92.9%	98.1%
Yes	614					20	1	6	10	22	29	7	0	1	0	0	5	0	0	18	0	11	8	6	24	6	19	12
	13.7%	14.2%			15.5%	13.4%	20.0%	8.6%	12.5%	19.5%	18.8%	8.8%	0.0%	16.7%	0.0%		11.4%	0.0%		13.8%	0.0%	22.4%	8.5%	7.0%	28.2%	7.8%	14.6%	23.1%
No	3,861	229			,,,	129	4	64	70	91		73	_	5	1	0	39	1	0	112	8	38	86	80	61	71	111	40
	86.3%	85.8%			84.5%	86.6%	80.0%	91.4%	87.5%	80.5%	81.2%	91.3%	100.0%	83.3%	100.0%		88.6%	100.0%		86.2%	100.0%	77.6%	91.5%	93.0%	71.8%	92.2%	85.4%	76.9%
Significantly different from column:*								J		Н	L	K											Y	Y	WX	AB		Z

32030

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### Question 52

Because of a physical, mental, or emotional condition, do you have serious difficulty concentrating, remembering or making decisions?

Base: All respondents																												
	0				Gen	der Iden	ntity		Age		E	ducatio	n					Race					He	alth Stat	:us	Doctor	Visits in Months	Last 6
	포					(Q38)			(Q36)			(Q39)						(Q40)						(Q29)			(Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastern/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	Е	F	G	Н	I	J	K	L	М	N	0	P	Q	R	S	T	U	V	W	Χ	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	324	22			7	7	0	2	3	9	7	7	0	0	0	0	1	0	1	4	0	2	2	7	7	8	11	1
Number no experience	NA		NA	NA	NA		NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,432				110	148	5	70	80	112	153	80	23	6	1	0	44	1	0	130	8	48	93	85	86	77	129	52
	93.2%	92.4%			94.0%	0.0%	100.0%	97.2%	96.4%	92.6%	95.6%	92.0%	100.0%	100.0%	100.0%		97.8%	100.0%	0.0%	97.0%	0.0%	96.0%	97.9%	92.4%	92.5%	90.6%	92.1%	98.1%
Yes	1,285	90			50	51	3	25	26	39	58	21	6	0	0	0	9	0	0	49	3	23	12	27	50	15	45	26
	29.0%	33.8%			32.7%	34.5%	60.0%	35.7%	32.5%	34.8%	37.9%	26.3%	26.1%	0.0%	0.0%		20.5%	0.0%		37.7%	37.5%	47.9%	12.9%	31.8%	58.1%	19.5%	34.9%	50.0%
No	3,147	176			74	97	2	45	54	73	95	59	17	6	1	0	35	1	0	81	5	25	81	58	36	62	84	26
	71.0%	66.2%			67.3%	65.5%	40.0%	64.3%	67.5%	65.2%	62.1%	73.8%	73.9%	100.0%	100.0%		79.5%	100.0%		62.3%	62.5%	52.1%	87.1%	68.2%	41.9%	80.5%	65.1%	50.0%
Significantly different from column:*																	TV			Q		Q	XY	WY	WX	AAAB	Z	Z

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

### **Willamette Valley Community Health**

CAHPS® 5.0H Adult Medicaid Member Satisfaction Survey for Measurement Year 2019 (Fielded January - April 2020)

### Question 53

Because of a physical, mental, or emotional condition, do you have serious difficulty doing errands alone such as visiting a doctor's office or shopping?

Base: All respondents

	ЭНР				Ger	ider Iden (Q38)	ntity		Age (Q36)		E	ducation (Q39)	n					Race (Q40)					He	alth Stat	us	Doctor '	Visits in Months (Q7)	
	2020 State C	2020	2019	2018	Male	Female	Non-binary, genderqueer, or other	18 to 34	35 to 54	55 or more	HS grad or less	Some college	College grad or more	American Indian or Alaska Native	Asian	Black or African American	Hispanic or Latino/a	Middle Eastem/Northern African	Native Hawaiian or Pacific Islander	White	Other	Multiracial	Excellent or Very good	Good	Fair or Poor	None	1 to 4	5 or more
	Α	В	С	D	E	F	G	Н	I	J	K	L	М	N	0	Р	Q	R	S	Т	U	V	W	X	Υ	Z	AA	AB
Number in sample	4,756	288			117	155	5	72	83	121	160	87	23	6	1	0	45	1	1	134	8	50	95	92	93	85	140	53
Number missing or multiple answer	305	22			8	7	0	2	3	10	8	6	0	0	0	0	2	0	1	5	0	1	1	5	10	10	10	0
Number no experience	NA	NA	NA	NA	NA		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Usable responses	4,451	266			109	148	5	70	80	111	152	81	23	6	1	0	43	1	0	129	8	49	94	87	83	75	130	53
	93.6%	92.4%			93.2%	0.0%	100.0%	97.2%	96.4%	91.7%	95.0%	93.1%	100.0%	100.0%	100.0%		95.6%	100.0%	0.0%	96.3%	0.0%	98.0%	98.9%	94.6%	89.2%	88.2%	92.9%	100.0%
Yes	1,025	60			27	27	4	18	18	22	44	10	2	1	0	0	5	0	0	29	2	15	12	15	33	16	24	18
	23.0%	22.6%			24.8%	18.2%	80.0%	25.7%	22.5%	19.8%	28.9%	12.3%	8.7%	16.7%	0.0%		11.6%	0.0%		22.5%	25.0%	30.6%	12.8%	17.2%	39.8%	21.3%	18.5%	34.0%
No	3,426	206			82	121	1	52	62	89	108	71	21	5	1	0	38	1	0	100	6	34	82	72	50	59	106	35
	77.0%	77.4%			75.2%	81.8%	20.0%	74.3%	77.5%	80.2%	71.1%	87.7%	91.3%	83.3%	100.0%		88.4%	100.0%		77.5%	75.0%	69.4%	87.2%	82.8%	60.2%	78.7%	81.5%	66.0%
Significantly different from column:*											LM	K	K				V		,			Q	Υ	Y	WX		AB	AA

32030

<sup>\*</sup>A letter in a cell means the percentage in the cell immediately above is significantly different from the percentage in the column headed by that letter (in that same row). The significance test was conducted at the 95% confidence level.

## **SURVEY INSTRUMENT**

0HP3E



## **Survey Instructions**

Answer each question by marking the box to the left of your answer.

You are sometimes told to skip over some questions in this survey. When this happens you will see an arrow with a note that tells you what question to answer next, like this:

 $\square_1$  Yes  $\rightarrow$  *If Yes, Go to Question 1*  $\square_2$  No

Personally identifiable information will not be made public and will only be released in accordance with federal laws and regulations.

You may choose to answer this survey or not. If you choose not to, this will not affect the benefits you get. You may notice a number on the cover of this survey. This number is ONLY used to let us know if you returned your survey so we don't have to send you reminders.

If you want to know more about this study, please call 1-833-257-1377. For the hearing or speech impaired, call 711 to use the Telecommunications Relay Service (TRS).

- 1. Our records show that you are now in Oregon Health Plan. Is that right?
  - $\square_{\scriptscriptstyle 1}$  Yes  $\rightarrow$  If Yes, Go to Question 3
  - □, No
- 2. What is the name of your health plan? (Please print)

## **Your Health Care in the Last 6 Months**

These questions ask about your own health care. Do <u>not</u> include care you got when you stayed overnight in a hospital. Do <u>not</u> include the times you went for dental care visits.

- 3. In the last 6 months, did you have an illness, injury, or condition that <u>needed care right away</u> in a clinic, emergency room, or doctor's office?
  - □, Yes
  - $\square_2$  No  $\rightarrow$  If No, Go to Question 5

•		
4.	In the last 6 months, when you needed care right away, how often did you get care as soon as you needed?  \[ \begin{array}{c} \text{\texi{\text{\text{\text{\texi\tex{\text{\text{\text{\text{\text{\t	<ul> <li>Using any number from 0 to 10, where 0 is the worst health care possible and 10 is the best health care possible, what number would you use to rate all your health care in the last 6 months?</li> <li>0 Worst health care possible</li> <li>1</li> <li>2</li> </ul>
5.	In the last 6 months, did you make any appointments for a <u>check-up or routine care</u> at a doctor's office or clinic? $\square_1$ Yes $\square_2$ No $\rightarrow$ <i>If No, Go to Question 7</i>	□ <sub>3</sub> 3 □ <sub>4</sub> 4 □ <sub>5</sub> 5 □ <sub>6</sub> 6 □ <sub>7</sub> 7 □ <sub>8</sub> 8
6.	In the last 6 months, how often did you get an appointment for a check-up or routine care at a doctor's office or clinic as soon as you needed?  \[ \bigcup_1  \text{Never} \] \[ \bigcup_2  \text{Sometimes} \] \[ \bigcup_3  \text{Usually} \] \[ \bigcup_4  \text{Always}	<ul> <li>9</li> <li>10 Best health care possible</li> <li>In the last 6 months, how often was it easy to get the care, tests, or treatment you needed?</li> <li>Never</li> <li>Sometimes</li> <li>Usually</li> <li>Always</li> </ul>
7.	In the last 6 months, <u>not</u> counting the times you went to an emergency room, how many times did you go to a doctor's office or clinic to	□₄ Always
	get health care for yourself?	Your Personal Doctor
	$\square_0$ None → <i>If None, Go to Question 10</i> $\square_1$ 1 time $\square_2$ 2 $\square_3$ 3 $\square_4$ 4 $\square_5$ 5 to 9 $\square_6$ 10 or more times	<ul> <li>10. A personal doctor is the one you would see if you need a check-up, want advice about a health problem, or get sick or hurt. Do you have a personal doctor?</li> <li>□₁ Yes</li> <li>□₂ No → If No, Go to Question 19</li> </ul>

11.	In the last 6 months, how many times did you visit your personal doctor to get care for yourself?	15.	In the last 6 months, how often did your personal doctor spend enough time with you?  Never
	$\square_{\circ}$ None $\rightarrow$ <i>If None, Go to Question 18</i>		$\square_{\scriptscriptstyle 2}$ Sometimes
	1 time		□ <sub>3</sub> Usually
			□₄ Always
	□ <sub>3</sub> 3 □ <sub>4</sub> 4		
	□₅ 5 to 9	16.	In the last 6 months, did you get care from a
	$\square_6$ 10 or more times		doctor or other health provider besides your personal doctor?
			□₁ Yes
12.	In the last 6 months, how often did your		$\square_1$ No $\rightarrow$ <i>If No, Go to Question 18</i>
	personal doctor explain things in a way that was		
	easy to understand?	17.	In the last 6 months, how often did your
	☐₁ Never		personal doctor seem informed and up-to-date
	☐₂ Sometimes		about the care you got from these doctors or
	☐₃ Usually		other health providers?
	□₄ Always		☐₁ Never
12	In the last 6 menths, how often did your		☐₂ Sometimes
15.	In the last 6 months, how often did your personal doctor listen carefully to you?		□₃ Usually □₄ Always
	□₁ Never		L <sub>4</sub> Always
	☐₂ Sometimes	18	Using any number from 0 to 10, where 0 is the
	☐₃ Usually	10.	worst personal doctor possible and 10 is the
	□₄ Always		best personal doctor possible, what number
			would you use to rate your personal doctor?
14.	In the last 6 months, how often did your		0 Worst personal doctor possible
	personal doctor show respect for what you had		$\square_1$ 1
	to say?		$\square_2$ 2 $\square_3$ 3
	<ul><li>□₁ Never</li><li>□₂ Sometimes</li></ul>		□ <sub>3</sub> 3 □ <sub>4</sub> 4
	☐₃ Usually		□ <sub>s</sub> 5
	□₄ Always		□ <sub>6</sub> 6
	,		$\square_{7}$ 7
			□₅ 8
			$\square_{\scriptscriptstyle 10}$ 10 Best personal doctor possible

## **Getting Health Care From Specialists**

When you answer the next questions, do <u>not</u> include dental visits or care you got when you stayed overnight in a hospital.

19.	Specialists are doctors like surgeons, heart
	doctors, allergy doctors, skin doctors, and other
	doctors who specialize in one area of health
	care. In the last 6 months, did you make any
	appointments to see a specialist?
	□₁ Yes

$\bigsqcup_{1}$	Yes			
	No $\rightarrow$ <i>If No,</i>	Go to	Question	<b>2</b> 3

20.	In the last 6 months, how often did you get an
	appointment to see a specialist as soon as you
	needed?

$\square_1$	Never
	Sometimes
$\square_3$	Usually
	Always

21. How many specialists have you seen in the last 6 months?

to Question 23

$\bigsqcup_{0}$	None $\rightarrow$ <i>If None, Go</i>
	1 specialist
	2
	3
	4
	5 or more specialists

22. We want to know your rating of the specialist you saw most often in the last 6 months. Using any number from 0 to 10, where 0 is the worst specialist possible and 10 is the best specialist possible, what number would you use to rate that specialist?

	0 Worst specialist possible
	1
	2
$\square_3$	3
$\square_4$	4
5	5
	6
$\square_7$	7
	8
	9
	10 Best specialist possible

## **Your Health Plan**

The next questions ask about your experience with your health plan.

23. In the last 6 months, did you get information or help from your health plan's customer service?

 $\square_1$  Yes  $\square_2$  No  $\rightarrow$  *If No, Go to Question 26* 

24. In the last 6 months, how often did your health plan's customer service give you the information or help you needed?

☐<sub>1</sub> Never
☐<sub>2</sub> Sometimes
☐<sub>3</sub> Usually
☐<sub>4</sub> Always

25.	In the last 6 months, how often did your health plan's customer service staff treat you with courtesy and respect?  Never Sometimes Usually Always	28a. In the last 6 months, did you have a health problem for which you needed special medica equipment, such as a cane, a wheelchair, or oxygen equipment?  ☐₁ Yes ☐₂ No → If No, Go to Question 28c
26.	In the last 6 months, did your health plan give you any forms to fill out? $\square_1$ Yes $\square_2$ No $\Rightarrow$ If No, Go to Question 28	28b. In the last 6 months, how often was it easy to get the medical equipment you needed through your health plan?  □₁ Never □₂ Sometimes □₃ Usually
27.	In the last 6 months, how often were the forms from your health plan easy to fill out?  Never Sometimes Usually Always	<ul> <li>□₄ Always</li> <li>28c. In the last 6 months, did you have any health problems that needed special therapy, such as physical, occupational, or speech therapy?</li> <li>□₁ Yes</li> <li>□₂ No → If No, Go to Question 28e</li> </ul>
28.	Using any number from 0 to 10, where 0 is the worst health plan possible and 10 is the best health plan possible, what number would you use to rate your health plan?  0 Worst health plan possible 1 2 3 4 5 6 6 7 8 9 10 Best health plan possible	28d. In the last 6 months, how often was it easy to get the special therapy you needed through your health plan?  □₁ Never □₂ Sometimes □₃ Usually □₄ Always

## **Additional Questions**

The following questions ask about how much you think your doctor or other health provider respects your beliefs, attitudes, language and behavior.

28e. In the last 6 months, how often did a doctor or other health provider talk too fast when talking to you?	<ul> <li>☐₁ Yes</li> <li>☐₂ No</li> <li>28j. In the last 6 months, did you go to a dentist's</li> </ul>
<ul> <li>□₁ Never</li> <li>□₂ Sometimes</li> <li>□₃ Usually</li> <li>□₄ Always</li> </ul>	office or clinic for care? $\square_1 \text{ Yes}$ $\square_2 \text{ No } \rightarrow \textit{If No, Go to Question 28l}$
28f. In the last 6 months, how often did a doctor or other health provider interrupt you when you were talking?  □₁ Never □₂ Sometimes □₃ Usually □₄ Always	28k. In the last 6 months, how often did the dentists or dental staff explain what they were doing while treating you?  ☐ Never ☐ Sometimes ☐ Usually ☐ Always
28g. In the last 6 months, how often did a doctor or other health provider use a condescending, sarcastic or rude tone or manner with you?  □₁ Never □₂ Sometimes □₃ Usually □₄ Always	28l. If you tried to get an appointment for yourself with a dentist who specializes in a particular type of dental care (such as root canals or gum disease) in the last 6 months, how often did you get an appointment as soon as you wanted?  □₁ Never □₂ Sometimes □₃ Usually
28h. In the last 6 months, did you feel you could trust a doctor or other health provider with your medical care?  Yes, definitely Yes, somewhat No	☐₄ Always ☐₅ I did not try to get an appointment with a specialist dentist for myself in the last 6 months

**Access to Dental Care** 

dentist?

28i. A regular dentist is one you would go to for

check-ups and cleanings or when you have

a cavity or tooth pain. Do you have a regular

28m.In the last 6 months, if you needed to see a dentist right away because of a <u>dental</u>	About You
emergency, how often did you get to see a dentist as soon as you wanted?  \[ \begin{align*} \text{\text{\text{o}}} & \text{\text{Never}} \\ \text{\text{\text{\text{\text{o}}}} & \text{\text{\text{Sometimes}}} \\ \text{\text{\text{\text{o}}} & \text{\text{\text{o}}} & \text{\text{\text{o}}} \\ \text{\text{\text{\text{o}}} & \text{\text{d}} & \text{\text{d}} \\ \text{\text{\text{o}}} & \text{\text{d}} & \text{\text{d}} & \text{\text{\text{o}}} \\ \text{\text{\text{o}}} & \text{\text{d}} & \text{\text{d}} & \text{\text{o}} & \text{\text{d}} \\ \text{\text{\text{o}}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} \\ \text{\text{\text{d}}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} \\ \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} \\ \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} \\ \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} \\ \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} & \text{\text{d}} \\ \text{\text{d}} & \text{\text{d}} \\ \text{\text{d}} & \t	29. In general, how would you rate your overall health?  Excellent Very Good Good Fair Poor
28n. Using any number from 0 to 10, where 0 is extremely difficult and 10 is extremely easy, what number would you use to rate how easy it was for you to find a dentist?  0 Extremely difficult 1 2 3	30. In general, how would you rate your overall mental or emotional health?  Excellent Very Good Good Fair Poor
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	31. Have you had either a flu shot or flu spray in the nose since July 1, 2019?  □₁ Yes □₂ No □₃ Don't know
□ 10 Extremely easy	32. Do you now smoke cigarettes or use tobacco every day, some days, or not at all?  □₁ Every day □₂ Some days □₃ Not at all → If Not at All, Go to Question 36 □₄ Don't know → If Don't know, Go to Question 36

	In the last 6 months, how often were you advised to quit smoking or using tobacco by a doctor or other health provider in your plan?  Never Sometimes Usually Always	36.	What is your age?  1 18 to 24  2 25 to 34  3 35 to 44  45 to 54  5 55 to 64  6 65 to 74  7 75 or older
34.	In the last 6 months, how often was medication recommended or discussed by a doctor or health provider to assist you with quitting smoking or using tobacco? Examples of medication are: nicotine gum, patch, nasal spray, inhaler, or prescription medication.  Never Sometimes Usually Always		What was your biological sex at birth?  Male Female  What is your current gender identity?  Male Female Transgender Non-binary, genderqueer, or other
35.	In the last 6 months, how often did your doctor or health provider discuss or provide methods and strategies other than medication to assist you with quitting smoking or using tobacco? Examples of methods and strategies are: telephone helpline, individual or group counseling, or cessation program.  Never Sometimes Usually Always	39.	What is the highest grade or level of school that you have completed?  8th grade or less Some high school, but did not graduate High school graduate or GED Some college or 2-year degree 4-year college graduate More than 4-year college degree

40. Which of the following describes your racial or ethnic identity? Please check ALL that apply.  American Indian or Alaska Native  American Indian  Balaska Native  Canadian Inuit, Metis, or First Nation Indigenous Mexican, Central American, or South American  Asian  Asian  Asian  Chinese  Filipino/a  Hmong  Japanese  Japanese  Journal Korean  Korean  Korean  South Asia  Multiput Nicholse	Middle Eastern/Northern African  □w Middle Eastern □x Northern African  Native Hawaiian or Pacific Islander □y Guamanian or Chamorro □z Micronesian □AAA Native Hawaiian □AB Samoan □AC Tongan □AC Tongan □AC Tongan □AC Tongan □AC Other Pacific Islander  White □AE Eastern European □AF Slavic □AG Western European □AH Other White  Other Categories □AH Other
Black or African American  African American  African (Black)  Caribbean (Black)  Cher Black  Hispanic or Latino/a  Hispanic or Latino/a Central American  Hispanic or Latino/a Mexican  Hispanic or Latino/a South American  Other Hispanic or Latino/a	41. Regardless of your response to the previous question, how do you identify your race, ethnicity, tribal affiliation, country of origin, or ancestry?  (Please print)

42. How well do you speak English? ☐₁ Very well ☐₂ Well ☐₃ Not well ☐₄ Not at all	<ul> <li>46. Do you need written materials in an alternate format (Braille, large print, audio recordings, etc.)?</li> <li>□₁ Yes</li> <li>□₂ No → If No, Go to Question 47</li> </ul>
43. What language do you mainly speak at home?  English Spanish Other (Please print)	46a. Which alternate format do you need? (Please print)
<ul> <li>44. Do you need an <u>interpreter</u> for us to communicate with you?</li> <li>□₁ Yes</li> <li>□₂ No</li> </ul>	47. Are you <u>deaf</u> or do you have <u>serious difficulty</u> <u>hearing</u> ?  □₁ Yes □₂ No
<ul> <li>45. Do you need a <u>sign language</u> interpreter for us to communicate with you?</li> <li>□₁ Yes</li> <li>□₂ No → If No, Go to Question 46</li> </ul>	48. Are you <u>blind</u> or do you have <u>serious difficulty</u> <u>seeing</u> , even when wearing glasses?  ☐₁ Yes ☐₂ No
45a. Which type of sign language interpreter do you need us to communicate with you? (ASL, PSE, tactile interpreting, etc.) (Please print)	<ul> <li>49. Does a <u>physical</u>, <u>mental</u>, <u>or emotional condition limit your activities</u> in any way?</li> <li>□₁ Yes</li> <li>□₂ No</li> </ul>
	50. Do you have serious difficulty <u>walking or climbing stairs</u> ?  □₁ Yes □₂ No
	51. Do you have <u>difficulty dressing or bathing</u> ?  □₁ Yes □₂ No

	<u>condition</u> , do you have serious difficulty concentrating, remembering or making
	decisions?
	<u>uecisions</u> :
	□₁ Yes
	$\square_2$ No
53.	Because of a physical, mental, or emotional
	condition, do you have serious difficulty doing
	<u>errands alone</u> such as visiting a doctor's office
	or shopping?

 $\square_1$  Yes  $\square_2$  No

52. Because of a physical, mental, or emotional

## Thank You

Please return the completed survey in the postage-paid envelope to:

Center for the Study of Services PO Box 10820 Herndon, VA 20172

Please do not include any other correspondence.



## Instrucciones para el cuestionario

Conteste cada pregunta marcando el cuadro que aparece a la izquierda de su respuesta.

A veces hay que saltarse alguna pregunta del cuestionario. Cuando esto ocurra, verá una flecha con una nota que le indicará cuál es la siguiente pregunta a la que tiene que pasar. Por ejemplo:

 $\square_1$  Sí  $\rightarrow$  Si contestó "Sí", pase a la pregunta 1  $\square_2$  No

La información personal identificable no se hará pública y solo se dará a conocer de conformidad con las leyes y reglamentos federales.

Usted puede optar por responder a esta encuesta o no. Si decide no participar, esto no afectará los beneficios que obtenga. Usted notará un número en la portada de esta encuesta. Este número se utiliza SOLO para hacernos saber si usted ya envió su encuesta para que no tengamos que enviarle recordatorios.

Si quiere informarse más sobre este estudio, llame al 1-833-257-1377. Las personas con problemas de audición o del habla pueden llamar al 711 para usar el Servicio de Retransmisión de Telecomunicaciones (TRS).

- Nuestros registros muestran que usted actualmente está inscrito en Oregon Health Plan. ¿Es correcta esta información?
  - $\square_{\scriptscriptstyle 1}$  Sí  $\rightarrow$  Si contestó "Sí", pase a la pregunta 3
  - □₂ No
- 2. ¿Cómo se llama su plan de salud? (Escriba en letra imprenta)

# La atención médica que usted recibió en los últimos 6 meses

Estas preguntas son acerca de la atención médica que usted ha recibido. <u>No</u> incluya la atención que recibió cuando pasó la noche hospitalizado. <u>No</u> incluya las consultas al dentista.

- 3. En los últimos 6 meses, ¿tuvo usted una enfermedad, lesión o problema de salud para el cual <u>necesitó atención inmediata</u> en una clínica, en una sala de emergencia o en un consultorio médico?
  - □₁ Sí
  - No → Si contestó "No", pase a la pregunta 5

4.	En los últimos 6 meses, cuando usted <u>necesitó</u> <u>atención inmediata</u> , ¿con qué frecuencia lo atendieron tan pronto como lo necesitaba?	8. Usando un número del 0 al 10, siendo 0 la peor atención médica posible y 10 la mejor atención médica posible, ¿qué número usaría para calificar toda la atención médica que ha recibido en los últimos 6 meses?	
5.	En los últimos 6 meses, ¿hizo alguna cita para un chequeo o una consulta de rutina en un consultorio médico o en una clínica?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 7		□ <sub>3</sub> 3 □ <sub>4</sub> 4 □ <sub>5</sub> 5 □ <sub>6</sub> 6 □ <sub>7</sub> 7 □ <sub>8</sub> 8 □ <sub>9</sub> 9
6.	En los últimos 6 meses, ¿con qué frecuencia consiguió una cita para un chequeo o una consulta de rutina en un consultorio médico o en una clínica tan pronto como la necesitaba?		□ 10 La mejor atención médica posible  En los últimos 6 meses, ¿con qué frecuencia le fue fácil conseguir la atención médica, los exámenes o el tratamiento que usted necesitaba? □ Nunca □ A veces □ La mayoría de las veces
7.	En los últimos 6 meses, <u>sin</u> contar las veces que fue a una sala de emergencia, ¿cuántas veces fue a un consultorio médico o a una clínica para recibir atención médica para usted mismo?	S	□₄ Siempre u doctor personal
	$\square_{\circ}$ Ninguna vez $\rightarrow$ <i>Si contestó "Ninguna vez", pase a la pregunta 10</i> $\square_{\scriptscriptstyle 1}$ 1 vez $\square_{\scriptscriptstyle 2}$ 2 $\square_{\scriptscriptstyle 3}$ 3 $\square_{\scriptscriptstyle 4}$ 4 $\square_{\scriptscriptstyle 5}$ 5 a 9 $\square_{\scriptscriptstyle 6}$ 10 veces o más		El doctor personal es aquel a quien usted acude si necesita un chequeo, quiere pedir consejo sobre un problema de salud o si se enferma o lastima. ¿Tiene usted un doctor personal?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 19

11.	En los últimos 6 meses, ¿cuántas veces fue a ver a su doctor personal para recibir atención médica para usted mismo?  □₀ Ninguna vez → Si contestó "Ninguna vez", pase a la pregunta 18 □₁ 1 vez □₂ 2	15.	En los últimos 6 meses, ¿con qué frecuencia su doctor personal pasó suficiente tiempo con usted?  Nunca A veces La mayoría de las veces Siempre
	□₃ 3	16.	En los últimos 6 meses, ¿lo atendió algún
	□ <sub>4</sub> 4		doctor u otro profesional médico además de su
	$\square_{s}$ 5 a 9 $\square_{e}$ 10 veces o más		doctor personal? $\square_1$ Sí
	Lie veces e mas		$\square_1$ No $\Rightarrow$ Si contestó "No", pase a la
12.	En los últimos 6 meses, ¿con qué frecuencia		pregunta 18
	su doctor personal le explicó las cosas de una		
	manera fácil de entender?  Nunca A veces La mayoría de las veces Siempre	17.	En los últimos 6 meses, ¿con qué frecuencia parecía su doctor personal estar informado y al día acerca de la atención que usted había recibido de estos doctores u otros profesionales médicos?  Nunca
13.	En los últimos 6 meses, ¿con qué frecuencia su doctor personal le escuchó con atención?  Nunca A veces		<ul> <li>□₂ A veces</li> <li>□₃ La mayoría de las veces</li> <li>□₄ Siempre</li> </ul>
	<ul><li>□₃ La mayoría de las veces</li><li>□₄ Siempre</li></ul>	18.	Usando un número del 0 al 10, siendo 0 el peor doctor personal posible y 10 el mejor doctor personal posible, ¿qué número usaría
14.	En los últimos 6 meses, ¿con qué frecuencia su doctor personal demostró respeto por lo que usted tenía que decir?		para calificar a su doctor personal?

# La atención médica que recibió de especialistas

Al contestar las siguientes preguntas <u>no</u> incluya las consultas al dentista ni la atención que recibió cuando pasó la noche hospitalizado.

	recibió cuando pasó la noche hospitalizado.	
15	9. Los especialistas son doctores que se especializan en un área de la medicina. Pueden ser cirujanos, doctores especialistas en el corazón, las alergias, la piel y otras áreas. En los últimos 6 meses, ¿hizo alguna cita con un especialista?	
	$\square_2$ No $\rightarrow$ Si contestó "No", pase a la	
	pregunta 23	
2	<ul> <li>O. En los últimos 6 meses, ¿con qué frecuencia consiguió una cita con un especialista tan pronto como usted la necesitaba?</li> <li>□₁ Nunca</li> <li>□₂ A veces</li> <li>□₃ La mayoría de las veces</li> <li>□₄ Siempre</li> </ul>	
2	<ol> <li>¿Cuántos especialistas ha visto en los últimos 6 meses?</li> </ol>	23
	$\square_{\circ}$ Ninguno $\rightarrow$ <i>Si contestó "Ninguno",</i>	
	pase a la pregunta 23	
	□₁ 1 especialista	
	$\square_{\scriptscriptstyle 2}$ 2	

☐ 3 3

 $\square_{4}$  4

☐ 5 especialistas o más

22. Queremos saber cómo califica al especialista al que visitó con más frecuencia en los últimos 6 meses. Usando un número del 0 al 10, siendo 0 el peor especialista posible y 10 el mejor especialista posible, ¿qué número usaría para calificar al especialista? □<sub>0</sub> 0 El peor especialista posible  $\square_1$  1  $\square$ , 2 □ 3 □ 5  $\square_6$  6 \_<sub>7</sub> 7 □ , 8 \_\_\_。9  $\square_{10}$  10 El mejor especialista posible Su plan de salud Las siguientes preguntas son acerca de su experiencia con su plan de salud. 3. En los últimos 6 meses, ¿recibió información o ayuda por parte del servicio al cliente de su plan de salud? □₁ Sí  $\square_{2}$  No  $\rightarrow$  Si contestó "No", pase a la pregunta 26 24. En los últimos 6 meses, ¿con qué frecuencia el servicio al cliente de su plan de salud le dio la información o ayuda que usted necesitaba?

□₁ Nunca□₂ A veces

☐<sub>4</sub> Siempre

□₃ La mayoría de las veces

25.	En los últimos 6 meses, ¿con qué frecuencia el personal de servicio al cliente de su plan de salud le trató con cortesía y respeto?  Nunca A veces La mayoría de las veces Siempre	28a. En los últimos 6 meses, ¿tuvo usted un problema de salud para el cual necesitó equipo especial, tal como un bastón, silla de rueda, o equipo de oxígeno?  □₁ Sí □₂ No → Si contestó "No", pase a la pregunta 28c
26.	En los últimos 6 meses, ¿le dio su plan de salud algún formulario para completar?  ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 28	28b. En los últimos 6 meses, ¿con qué frecuencia fue fácil para usted conseguir el equipo médico que usted necesitaba a través de su plan de salud?  ☐₁ Nunca ☐₂ A veces ☐₃ La mayoría de las veces
27.	En los últimos 6 meses, ¿con qué frecuencia fueron fáciles de completar los formularios de su plan de salud?  Nunca A veces La mayoría de las veces Siempre	<ul> <li>□₄ Siempre</li> <li>28c. En los últimos 6 meses, ¿tuvo usted un problema de salud para el cual necesitó terapia especial, tal como terapia física, ocupacional o terapia del habla?</li> <li>□₁ Sí</li> <li>□₂ No → Si contestó "No", pase a la</li> </ul>
28.	Usando un número del 0 al 10, siendo 0 el peor plan de salud posible y 10 el mejor plan de salud posible, ¿qué número usaría para calificar su plan de salud?	pregunta 28e  28d. En los últimos 6 meses, ¿con qué frecuencia fue fácil para usted conseguir la terapia especial que usted necesitaba a través de su plan de salud?  □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre

# **Preguntas adicionales**

Las siguientes preguntas son sobre cuánto usted piensa que su doctor u otro proveedor de salud respeta sus creencias, actitudes, lenguaje y comportamiento.

	dentista regular?
28e. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud le habló muy rápido?	□₁ Sí □₂ No
Tapido:  □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₄ Siempre	28j. En los últimos 6 meses, ¿fue usted al consultorio de un dentista o a una clínica dental para recibir atención?  □₁ Sí □₂ No → Si contestó "No", pase a la
28f. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud le interumpió cuando usted estaba hablando?  Nunca A veces La mayoría de las veces Siempre	pregunta 281  28k. En los últimos 6 meses, ¿con qué frecuencia el personal dental o el dentista le explicaron lo que le hacian durante el tratamiento?  Nunca A veces La mayoría de las veces
28g. En los últimos 6 meses, ¿con qué frecuencia un doctor u otro proveedor de salud uso un tono condescendiente, sarcástico o grosero con usted?  □₁ Nunca □₂ A veces □₃ La mayoría de las veces □₃ Siempre	□₄ Siempre  281. Si usted trató de conseguir una cita para usted con un dentista que se especializaba en un tipo de atención dental en particular (como una endodoncia (root canal) o enfermedad de las encias) en los últimos 6 meses, ¿con qué frecuencia le dieron una cita tan pronto como la quería?
28h. En los últimos 6 meses, ¿sintió usted que podía confiarle su atención médica al doctor u otro proveedor de salud?  □₁ Sí, definitivamente □₂ Sí, algo □₃ No	<ul> <li>□₁ Nunca</li> <li>□₂ A veces</li> <li>□₃ La mayoría de las veces</li> <li>□₄ Siempre</li> <li>□₅ No traté de conseguir una cita con un especialista dental para mí en los últimos 6 meses</li> </ul>

Acceso a atención dental

28i. Un dentista regular es a quien usted va a ver

para un chequeo y limpieza o cuando tiene

una carie o un dolor de diente. ¿Usted tiene un

Acerca de usted
29. En general, ¿cómo calificaría toda su salud?  Excelente Muy buena Buena Regular Mala
30. En general, ¿cómo calificaría toda su salud mental o emocional?  ☐₁ Excelente ☐₂ Muy buena ☐₃ Buena ☐₄ Regular ☐₅ Mala
31. Desde el 1 de julio de 2019, ¿le han puesto una vacuna para la gripe o aplicado un aerosol nasal?  □₁ Sí □₂ No □₃ No sé
32. Actualmente, ¿fuma cigarrillos o usa tabaco todos los días, algunos días o nunca?  ☐ Todos los días ☐ Algunos días ☐ No fumo en absoluto → Si contestó "No fumo en absoluto", pase a la pregunta 36 ☐ No sé → Si contestó "No sé", pase a la pregunta 36

33.	En los últimos 6 meses, ¿qué tan seguido le aconsejó un doctor u otro profesional médico de su plan de salud que dejara de fumar o usar tabaco?  Nunca A veces La mayoría de las veces Siempre	36.	¿Qué edad tiene?  18 a 24 años 25 a 34 35 a 44 45 a 54 55 a 64 65 a 74 75 años o más
34.	En los últimos 6 meses, ¿qué tan seguido le recomendó, o habló un doctor o profesional médico sobre medicamentos para ayudarlo a dejar de fumar o usar tabaco? Ejemplos de medicamentos son: chicle o goma de mascar con nicotina, parche, rociador o aerosol nasal, inhalador o medicamentos con receta.  Nunca A veces La mayoría de las veces Siempre		¿Cuál es su sexo biológico?  Masculino Femenino  ¿Cuál es su identidad de género actual?  Masculino Femenino Transgénero No binario, intergénero, u otra
35.	En los últimos 6 meses, ¿qué tan seguido le ofreció o habló su doctor o profesional médico sobre métodos y estrategias, aparte de medicamentos, para ayudarlo a dejar de fumar o usar tabaco? Ejemplos de métodos y estrategias son: una línea telefónica de ayuda, consejería individual o terapia de grupo o un programa para dejar de fumar.  Nunca A veces La mayoría de las veces Siempre	39.	¿Cuál es el grado o nivel escolar más alto que ha completado?  \$\Bigcim_1 8 a\tilde{n}\tilde{o}s de escuela o menos \$\Bigcim_2 9 a 12 a\tilde{n}\tilde{o}s de escuela, pero sin graduarse \$\Bigcim_3 Graduado de la escuela secundaria (high school), Diploma de escuela secundaria, preparatoria o su equivalente (o GED) \$\Bigcim_4 Algunos cursos universitarios o un título universitario de un programa de 2 a\tilde{n}\tilde{o}s \$\Bigcim_5 Título universitario de 4 a\tilde{n}\tilde{o}s \$\Bigcim_6 Título universitario de más de 4 a\tilde{n}\tilde{o}s

¿Cuál de las siguientes opciones describe su identidad racial o étnica? Marque TODAS las opciones que correspondan.	$\frac{\text{Medio oriental/norteafricano}}{\square_{w}} \text{ Del oriente medio} \\ \boxed{\square_{x}} \text{ Norafricano/a}$
Indígena estadounidense o nativo de Alaska  □A Indígena norteamericano/a □B Indígena de Alaska □C Inuit canadiense, métis o indígena canadiense (First Nation) □D Indígena mexicano/a, centroamericano/a o sudamericano/a	Nativo/a de Hawái o de las Islas del Pacífico  ☐ Guameño/a o chamorro/a ☐ Micronesio/a ☐ AAA Indígena de Hawái ☐ ABA Samoano/a ☐ Tongano/a ☐ AD De otras islas del Pacífico
Asiático/a	Blanco/a
<ul><li>□<sub>s</sub> Centroamericano/a, hispano/a o latino/a</li><li>□<sub>τ</sub> Mexicano/a hispano/a o latino/a</li></ul>	

42. ¿Qué tan bien habla inglés? ☐₁ Muy bien ☐₂ Bien ☐₃ No bien ☐₄ Para nada	<ul> <li>46. ¿Necesita materiales escritos en un formato alternativo (Braille, letra grande, grabaciones de audio, etc.)?</li> <li>□₁ Sí</li> <li>□₂ No → Si contestó "No", pase a la pregunta 47</li> </ul>
43. ¿Qué idioma habla usted principalmente en el hogar?  ☐₁ Inglés ☐₂ Español ☐₃ Otra (Escriba en letra imprenta)	46a. ¿Qué formato alternativo necesita? (Escriba en letra imprenta)
<ul> <li>44. ¿Necesita un <u>intérprete</u> para que nos podamos comunicar con usted?</li> <li>□₁ Sí</li> <li>□₂ No</li> </ul>	47. ¿Es usted <u>sordo/a</u> o tiene <u>dificultad seria para oír</u> ?  □₁ Sí □₂ No
45. ¿Necesita usted un intérprete de <u>lenguaje</u> <u>de señas</u> para que nosotros podamos comunicarnos con usted?  ☐₁ Sí ☐₂ No → Si contestó "No", pase a la pregunta 46	<ul> <li>48. ¿Es usted ciego/a o tiene dificultad seria para ver, aunque lleve puestos lentes?  □₁ Sí □₂ No</li> <li>49. ¿Alguna condición física, mental o emocional limita sus actividades de alguna manera?</li> </ul>
45a. ¿Qué tipo de intérprete necesita para que nosotros podamos comunicarnos con usted? (Intérprete ASL, inglés Pidgin por señas [PSE, por sus siglas en inglés], interpretación táctil, etc.) (Escriba en letra imprenta)	□₁ Sí □₂ No  50. ¿Tiene dificultad seria para <u>caminar o subir</u> <u>escaleras</u> ? □₁ Sí □₂ No
	51. ¿Tiene <u>dificultad para vestirse o bañarse</u> ?  □₁ Sí □₂ No

emocional, ¿tiene dificultad seria para
concentrarse, recordar o tomar decisiones?
□₁ Sí
□₂ No
Debido a una condición física, mental o

52. Debido a una condición física, mental o

53. Debido a una condición física, mental o emocional, ¿tiene dificultad seria para hacer los mandados solo/a, por ejemplo, ir a ver al médico o ir de compras?

 $\square_1$  Sí  $\square_2$  No

# **Gracias**

Por favor devuelva esta encuesta en el sobre con el porte o franqueo pagado a:

Center for the Study of Services PO Box 10820 Herndon, VA 20172

Por favor no incluya cualquier otra correspondencia.

#### CALCULATION GUIDELINES FOR GLOBAL PROPORTIONS

NCQA's HEDIS 2020, Volume 3: Specifications for Survey Measures contains detailed guidelines for calculation of survey results. These guidelines include:

- Criteria for including a survey in the results calculation. A questionnaire must have the final disposition code of *Complete and Valid Survey* to be included in the calculation of plan-level scores.
- Rules for handling appropriately answered questions (i.e., questions that comply with survey skip-pattern instructions).
- Rules for handling inappropriately answered questions (e.g., unanswered questions, multiple-mark questions, questions that should have been skipped, and questions within a skip pattern of an inappropriately answered or skipped gate item).
- Rules for calculating denominators for questions and composites. The denominator for a question is equal to the total number of responses to that question. The denominator for a composite is the average number of responses across all questions in the composite.
- Rules for calculating rolling average composites and question summary rates. For OHA analysis, rolling average measures were calculated using single year rates.
- Rules for handling changes in submission entity (i.e., if a health plan changes how it reports CAHPS results from one year to the next.)

#### COMPOSITE GLOBAL PROPORTIONS

Global Proportions are *average* proportions of respondents who gave the plan a favorable rating on each question in a composite. There are three steps needed to calculate the composite global proportion:

#### Step 1

For each question in a composite, count the number of members who selected a favorable response option (i.e., Usually/Always or Yes).

#### Step 2

For each question, determine the proportion of respondents rating favorably (i.e., Usually/Always or Yes).

#### Step 3

Calculate the average proportion rating favorably across all the questions in the composite. These are the composite global proportions. Note: each question in a composite is weighted equally, regardless of how many members respond.

Using the example above, here is an illustration of the step-by-step calculation of the *Getting Care Quickly* composite global proportion. Missing responses are not included in the denominator.

Response option	Q4	Q6	Global Proportion
Never or Sometimes	1 / 5 = 0.20	1 / 4 = 0.25	(0.20 + 0.25) / 2 = 0.2250
Usually	2 / 5 = 0.40	1 / 4 = 0.25	(0.40 + 0.25) / 2 = 0.3250
Always	2 / 5 = 0.40	2 / 4 = 0.50	(0.40 + 0.50) / 2 = 0.4500
Always or Usually	4 / 5 = 0.80	3 / 4 = 0.75	(0.80 + 0.75) / 2 = 0.7750

Therefore, 80.00 percent and 75.00 percent of members respectively provided favorable responses to the *Getting Care Quickly* questions Q4 and Q6. Averaging these two proportions yields the global proportion score of 77.50 percent for the *Getting Care Quickly* composite.

#### **GLOSSARY OF TERMS**

**Attributes** 

Areas of health plan performance and member experience assessed with the CAHPS survey

Benchmark

A reference score (e.g., the State Oregon Health Plan, the CSS Average, the highest or lowest performing CCO, or the CCO's own prior-year rate) against which performance on the measure is assessed. See *Comparisons to Benchmarks and Prior-Year Results*.

**CAHPS 5.0H Surveys** 

Consumer Assessment of Healthcare Providers and Systems (CAHPS) is a series of surveys designed to collect consumer feedback on their health care experiences. The CAHPS 5.0H Health Plan Survey asks members to report on their experiences with access to appointments and care through their health plan, communication with doctors available through the plan, and customer service. The Commercial plan version asks about member experiences in the previous 12 months, whereas the Medicaid version refers to the previous six (6) months. The Medicaid version is available for adults and children; the Commercial version is for adults only. The Adult survey is intended for respondents who are 18 and older; the Child survey asks parents or guardians about the experiences of children 17 and younger. Health plans report survey results as part of HEDIS data collection. NCQA uses survey results in health plan performance reports, to inform accreditation decisions, and to create national benchmarks for care. Health plans might also collect CAHPS survey data for internal quality improvement purposes.

**Composite Measures** 

Composite measures combine results from related survey questions into a single score to summarize health plan performance in a specific area of care or service. The set of applicable composites varies slightly by survey version. See *Patient Experience of Care* Measures.

Confidence Level

A confidence level is associated with tests of statistical significance of observed differences in survey scores. It is expressed as a percentage and represents how often the observed difference (e.g., between the plan's current-year rate and the relevant benchmark rate) is real and not simply due to chance. A 95% confidence level associated with a statistical test means that if repeated samples were surveyed, in 95 out of 100 samples the observed measure score would be truly different from the comparison score.

Correlation

A degree of association between two variables, or attributes, typically measured by the *Pearson correlation coefficient*. The coefficient value of 1 indicates a strong positive relationship; -1 indicates a strong negative relationship; zero indicates no relationship at all.

Denominator (*n*, or Usable Responses)

Number of valid (appropriately answered) responses available to calculate a measure result. Examples of inappropriately answered questions include ambiguously marked answers, multiple marks when a single answer choice is expected, and responses that violate survey skip patterns. The denominator for an individual question is the total number of valid responses to that question. The denominator for a composite is the average number of responses across all questions in the composite. If the denominator is less than 30 responses, a measure result of "Low n" was assigned.

### Disposition

The final status given to a member record in the survey sample at the end of the study (e.g., completed survey, refusal, non-response, etc.) See *Member Dispositions and Response Rate*.

#### **Effectiveness of Care**

Effectiveness of Care measures are relevant to Adult surveys only and include Flu Vaccinations for Adults Ages 18–64 (FVA) and Medical Assistance with Smoking and Tobacco Use Cessation (MSC).

#### **Eligible Population**

Members who are eligible to participate in the survey based on the following criteria:

- Current enrollment (as of the date the sample frame is generated). Some members may no longer be enrolled by the time they complete the survey. They become ineligible and will be excluded from survey results based on their responses to the first two questions on the survey, which confirm membership.
- Continuous enrollment (six months for Medicaid, with no more than one enrollment break of 45 days or less);
- Member age (18 years old or older for the Adult survey and 17 years old or younger for the Child survey as of November 30 of the measurement year);
- Primary coverage (through Medicaid or a commercial product line for Medicaid and Commercial surveys, respectively).

#### **Global proportions**

Applies to composite measures. The proportion of respondents selecting the favorable response(s) (e.g., Always or Usually) averaged across the questions that make up the composite. See Question Summary Rates and Composite Global Proportions.

#### **HEDIS**

The Healthcare Effectiveness Data and Information Set (HEDIS) is a set of performance measures in the managed care industry, developed and maintained by NCQA. HEDIS was designed to allow consumers to compare health plan performance to other plans and to national or regional benchmarks as well as to track year-to-year performance. HEDIS is one component of NCQA's accreditation process, although some plans submit HEDIS data without seeking accreditation. CAHPS measures are a subset of HEDIS.

# Key Drivers and Priorities for Improvement

Key Drivers are plan attributes that have been shown to be closely related to members' overall assessment of the plan. Performance on these attributes predicts how the plan is rated overall and, viewed from the industry perspective, helps to distinguish high-rated plans from poorly rated plans. Specific priorities for improvement for *your organization* are identified based on how it is currently performing on the key driver attributes compared to industry best practices.

#### **NCQA**

The National Committee for Quality Assurance (NCQA) is an independent non-profit organization that works to improve health care quality through the administration of evidence-based standards, measures, programs, and accreditation. NCQA manages voluntary accreditation programs for individual physicians, health plans, and medical groups. Health plans seek accreditation and measure performance through the administration and submission of the Healthcare Effectiveness Data and Information Set (HEDIS) and Consumer Assessment of Healthcare Providers and Systems (CAHPS) survey.

## Question Summary Rate

Question Summary Rates (QSRs) express the proportion of respondents selecting the response option(s) of interest (typically representing the most favorable outcome(s) from a given question on the survey). Many survey items use a *Never, Sometimes, Usually*, or *Always* response scale, with *Always* being the most favorable outcome. Results are typically reported as the proportion of members selecting *Usually* or *Always*. See *Question Summary Rates and Composite Global Proportions*.

#### Response Rate

Survey response rate is calculated using the following formula:

Posnonso Pato -	Complete and Eligible Surveys
Response Rate = —	[Complete and Eligible + Incomplete (but Eligible) + Refusal + Nonresponse after maximum attempts
	+ Added to Do Not Call (DNC) List]

#### Sample size

OHA's methodology used a sample size of 1,125 for Adult Medicaid samples, 925 for Child Medicaid samples, and 575 for Child Medicaid with Chronic Conditions samples.

## Statistically Significant Difference

When survey results are calculated based on sample data and compared to a benchmark score (e.g., State Oregon Health Plan, the highest or lowest performing CCO, or the CCO's own prior-year rate), the question is whether the observed difference is real or due to chance. A difference is said to be statistically significant at a given confidence level (e.g., 95%) if it has a 95% chance of being true.

#### Trending

Comparison of survey results over time

#### Usable Responses (n)

See Denominator

#### Valid Response

Any acceptable (falling within a pre-defined set) response to a survey question that follows the NCQA skip pattern rules and data cleaning guidelines.