

2012 Oregon Physician Workforce Survey

Table of Content

| | |
|--|----|
| Background..... | 1 |
| Methodology | 2 |
| Respondent Demographics | 4 |
| Gender and Age..... | 4 |
| Race and Ethnicity | 4 |
| Practice Characteristic..... | 5 |
| Practice Region..... | 5 |
| Specialty | 5 |
| Professional Characteristics | 6 |
| Years Licensed | 6 |
| Employment Status | 6 |
| Current professional activities..... | 8 |
| Physician retirement plans | 8 |
| Professional Satisfaction | 10 |
| Providing Care | 14 |
| Physician Time | 15 |
| Taking call | 16 |
| Changes in Hospital Privileges..... | 17 |
| Charity Care | 17 |
| Primary Care | 19 |
| Practice Characteristics (continued)..... | 20 |
| Practice Size..... | 20 |
| Practice Organization | 21 |
| Patient Volume..... | 21 |
| Medical Home Status | 23 |
| Use of Practice Guidelines..... | 24 |
| Second Practice Location..... | 25 |
| Payer Acceptance | 25 |
| Medicare..... | 25 |
| Commercial Insurance..... | 28 |
| Worker’s Compensation Insurance | 31 |
| Medicaid | 32 |
| Access to services for Medicaid patients | 36 |

| | |
|---|-----|
| Anticipated Practice Changes..... | 37 |
| Health Policy Issues | 38 |
| Oregon Medical Malpractice Reinsurance Program | 40 |
| Rural Provider State Income Tax Credit Program..... | 40 |
| Reaction to potential Medicare reimbursement reduction..... | 40 |
| Coordinated Care Organizations-Knowledge and Participation..... | 41 |
| Appendix A: Mailing List Methods and Results..... | 43 |
| Appendix B: Tables..... | 44 |
| Appendix C: 2012 Survey Instruments..... | 209 |

Background

The 2012 Oregon Physician Workforce Survey marks the fourth collaborative effort. A formal joint project of a public-private partnership between the Oregon Health Authority, the Oregon Medical Association, the Oregon Medical Board, and the Oregon Healthcare Workforce Institute, the 2012 survey builds on years of data collection to present findings on important changes in the physician population, practice environment, and delivery of services in the state of Oregon from 2004 to 2012. This effort builds upon the work of the Oregon Medical Association, which conducted physician workforce assessments going back to the 1990s.

The survey is meant to understand the facilitating and hindering forces related to effective health care from a physician's perspective. More specifically, the Oregon Physician Workforce Survey assesses impacts of state and federal policies, identifies potential shortage areas both geographically and by sub-specialty, and provide guidance to navigating through times of change.

Physicians are critical players in the delivery of health care. Understanding who they are, their practice activities, the environment in which they work, and the barriers and opportunities they see to providing care helps inform short- and long-term planning for health care workforce needs. The findings from this study will help to guide health policy formation to more effectively meet the needs of Oregon residents.

Methodology

As in previous versions, the survey seeks to:

- Provide reliable data on the current capacity of Oregon’s medical community to deliver health care to Oregon healthcare consumers as well as forecast the future capacity of the state’s physicians.
- Identify barriers to physician participation in OHP, in addition to reimbursement.
- Assess the effects of professional liability insurance costs on access to care.

The data also identifies the characteristics of physicians who do and do not participate in OHP/Medicaid, Medicare, other lines of insurance, or treating the uninsured.

The 2012 edition of the survey introduces several unique questions intended to shed new light on important issues facing physicians and their delivery of health care services to Oregonians. These questions include:

- Self-identification as primary care physicians
- Ranking of effective reforms in health care delivery
- Attitudes and reactions to the federal Affordable Care Act

The physician workforce survey has been administered since 2004 as a cross-sectional survey, using a unique survey instrument to assess current physician practice characteristics, capacity and attitudes. This survey includes many questions carried over from previous iterations of the workforce survey to allow the exploration of changes over time. Both longitudinal and cohort-specific findings are generated by this data. For the 2012 physician workforce survey, the number of questions was reduced by using information from the Oregon Medical Board licensing dataset. The survey also went “paperless,” delivering and receiving all survey materials electronically.

Respondents were sent a post card through the mail prior to the deployment of the survey. After the survey was opened online and email invitations were sent, non-respondents were sent up to five email reminders. Of the eligible respondents, the response rate was 34 percent. While the 2012 on-line survey response was less than the 39 percent response rate achieved in 2009 mailed version, the response rate is comparable to web and email based surveys of physicians without incentives.

Using the Oregon Medical Board (OMB) dataset, the survey was sent to all licensed Oregon physicians meeting the following criteria:

- In-state practice address;
- Valid email address;
- MD and DO license types;
- Active;
- Good standing; and
- No license limitations or restrictions.

Using these inclusion criteria, the original OMB list of 16,682 records, was reduced to 9613 eligible physicians. This survey was conducted as a web-based survey only. The survey used a secure server and was built and deployed using Inquisite™ version 9.5. The survey was deployed June 6, 2012 and was closed to responses July 13, 2012.

Table 1: Respondent characteristics

| | | <i>Respondents (n=3226)</i> |
|-----------|------------------------------|---------------------------------|
| Gender | Male | 67.7% |
| | Female | 32.2% |
| | Other | .1% |
| Age | 49 and Under | 40.1% |
| | 50 to 64 years | 43.7% |
| | 65 years+ | 16.2% |
| Region | Portland Metro Area | 49.5% |
| | Mid-Willamette Valley | 18.0% |
| | Northwestern | 2.4% |
| | Southern | 7.9% |
| | Eastern | 2.1% |
| | Southwestern | 1.5% |
| | Central | 7.8% |
| | Other | 10.8% |
| Specialty | Family or General Practice | 17.4% |
| | Obstetrics and/or Gynecology | 4.9% |
| | General Internal Medicine | 16.0% |
| | General Pediatrics | 6.2% |
| | General Surgery | 3.8% |
| | Medical Subspecialty | 15.9% |
| | Pediatric Subspecialty | 1.7% |
| | Surgical Subspecialty | 6.6% |
| | Neurological Surgery | 0.8% |
| | Psychiatry | 6.9% |
| | Hospital Based Specialty | 17.5% |
| Other | 2.0% | |


Respondent Demographics

Gender and Age

Of the physicians who responded to the 2012 survey, 67.7% male, 32.2% female, and .1% identified their gender as other.

Nearly 30% of the respondents were 50 to 59 years of age (see Figure 1). Sixteen percent were under age 40 and just over six percent were 70 years of age or older.


Figure 1: Age distribution, 2012



Race and Ethnicity

Of the respondents to the 2012 survey, 86.5% described themselves as White, 9.1% as Asian, 4.3% as Other race, 0.7% as Black or African American, 0.6% as American Indian or Alaska Native, and 0.3% as Native Hawaiian or Pacific Islander. Four percent of respondents described themselves as multi-racial. Of the respondents, 2.4% identified as Hispanic, Latino, or Spanish. These percentages differ from the distribution of responses to racial and ethnic data collection in the State of Oregon as a whole, especially in the case of ethnic self-identification; while only 2.4% of physician respondents report as Hispanic or Latino, 12% of Oregon’s population so self-identifies.

Figure 2: Oregon’s physician self-reported race compared to Oregon’s general population, 2012




Practice Characteristic

Practice Region

The majority of respondents are Portland Metro-based physicians, comprising 49.5 % of respondents. Eighteen percent of the respondents were from the Mid-Willamette Valley. The Central and Southern regions comprise 16% of respondents.


Figure 3: Physician Response by Region



Specialty

The 2012 physician workforce survey included 12 specialty categories. Family/General medicine specialists and hospital-based specialists are the largest groups responding, at 17.5% of the total each, followed by general internal medicine specialty, at 16.1% of the total.

Figure 4: Specialty Categories 2012




Professional Characteristics

Years Licensed

In 2012, the largest group of respondents at 37% report being licensed for over 20 years. Nearly 9% have been licensed for less than two years.

Figure 5: Years licensed any state, 2012



Employment Status

Nearly half of physician respondents identified their employment status as employees (48.3%). Thirty-nine percent of the respondents were full or part owners in their practice. Almost nine percent were independent contractors.

In the Northwestern region, 59 percent of respondents were employees. Southern and Southwest areas of the state had the lowest percent of physician-respondents who are employees. Figures 6 through 13 show physicians' employment status in their primary practice within each region of the state. The number of physician-respondents reporting their status as employees is up from 42.2 percent in 2009 and nearly ten percent higher than the 38.7 percent in 2006.

Figure 6: Statewide




Figure 7: Portland




Figure 8: Mid-Willamette Valley




Figure 9: Northwestern




Figure 10: Southern




Figure 11: Eastern




Figure 12: Southwestern





Figure 13: Central




The overall percentage of respondents reporting employee status in the state has increased by 6% over 2009, with employee status of respondents increasing by 28% in the Eastern region and 15% in the Central region of the state. Other areas have seen more modest growth in employee status since 2009. Respondents who reported full practice ownership declined in every region of the state between 2009 and 2012. The percentage of respondents who reported that they worked as independent contractors has increased in every region.

Current professional activities

Respondents were asked to select their professional activities from six categories: direct patient care, administration, research, resident or fellow, and teaching. Over 92% of respondents indicated that they performed clinic practice related to direct patient care. Nearly 32% of physician-respondents reported teaching in some capacity.


Figure 14: Additional Non-clinical Professional Activities, 2012



Physician retirement plans


Nearly 25 percent of respondents indicated plans to retire in the next five years.

Figure 15: Retirement plans by age category, 2012




Two specialty groups, general pediatrics and obstetrics and gynecology, show about one out of ten physicians have plans to retire within two years. Twenty five percent or more of respondent psychiatrists, neurosurgeons, surgical and medical subspecialists, and family/general medical specialists plan to retire in the next 2 to 5 years.

Figure 16: Plans to retire by specialty, 2012



While the outcome should be taken with some caution due to the small number of respondents, nearly 39 percent of the physicians in the Southwestern region of the state report that they are planning to retire within the next five years, up from 19 percent in 2009. By contrast, the Northwestern region saw a drop in physicians planning retirement, from 31 percent in 2009 to 26 percent in 2012. The Eastern region also witnessed an even larger reduction in the percentage of physicians planning to retire, 33 percent in 2009 to 24 percent. Given the change in ages in the region and numbers of physicians, it appears that physicians in both regions have retired as indicated in the previous survey.

Figure 17: Plans for Retirement by Region




Professional Satisfaction

This survey included three questions about career satisfaction. The first asked about satisfaction in the last 12 months; the second asked about respondent satisfaction with his/her medical career overall and the third asked about the greatest source of respondent’s professional satisfaction.

General surgeons (31%) and neurosurgeons (33.3%) were the least satisfied with their careers over the previous 12 months, reporting either somewhat or very dissatisfied. This mirrors the findings from the 2006 survey.

Figure 18: Physician Satisfaction over the Last 12 Months by Specialty



Overall career satisfaction was higher (52% very satisfied) than satisfaction over the last 12 months (35 percent very satisfied). Surgical specialists (63.8% very satisfied) and pediatric sub-specialists (70.9% very satisfied) expressed the greatest levels of satisfaction with their careers overall. While pediatric subspecialists had the highest rate of satisfaction with their overall careers, nearly 1 in 10 also reported being at least somewhat dissatisfied with their careers, as did 1 in 10 family medicine specialists, and roughly 10% of general surgeon respondents. Psychiatrists and hospital-based specialists reported the least dissatisfaction in their areas.

Figure 19: Physician Satisfaction with Overall Career by Specialty




Figure 20: Overall Career Satisfaction






Figure 22: Satisfaction Last 12 Months



The three career satisfaction questions were introduced in 2006. The findings for 2012 align with the 2006 and 2009 findings, with overall career satisfaction much higher than satisfaction over the last 12 months. In addition, the pediatric specialists consistently reported the highest career satisfaction over time. General surgeons and neurosurgeons reported the most short-term dissatisfaction.


Physicians pointed to patient interaction as their greatest source of satisfaction, as 33.7% reported in 2012. Income ranked the lowest among named categories at 5.3%. Moreover, female respondents reported patient interaction as their greatest source of professional satisfaction by a margin of 12.2%. This gap has widened by 7.5% since the 2009 report, and is 2% wider than when the question was first asked in 2006.

Figure 23: Physician Source of Satisfaction



For some specialties, however, clinic practice was reported as more satisfying than patient interaction, as reflected in Figure 24:


Figure 24: Physician Satisfaction by Specialty: Clinical Practice vs. Patient Relationship



Providing Care

Over half of respondents (56.7%) reported seeing established patients for non-urgent appointments in less than seven days. This varies somewhat by region and specialty. Thirty to thirty-five percent of physicians in the Southern and Southwestern region reported seeing established patients for non-urgent appointments in less than seven days. By contrast, nearly half (47.1%) of respondents in the Eastern region did so in less than seven days. Sixty-six percent of respondents reported a wait of less than seven days in 2004, 50.9% in 2006, and 54.8% in 2009. From 2004 to 2009, at least 40% of respondents reported that patients waited six days or less in every region. That percentage has diminished in 2012.

Figure 25: Percentage of physicians reporting a less-than-seven-day wait for non-urgent appointments for established patients, by region, 2012



The higher number of responses from family and general internal medicine physicians may mask the longer wait-times statewide in specialty areas. While 56.7% of *total* respondents could see patients within seven days, most of those physicians were not specialists. Over a quarter of psychiatric appointments (26.6%) reportedly take more than two weeks to schedule, and nearly 40% of medical subspecialty appointments take this amount of time to schedule.

Figure 26: Percentage of physicians reporting a less-than-seven-day wait for non-urgent appointments for established patients, by specialty, 2012





Figure 27: Non-urgent appoints needing two weeks or more to schedule by specialty



Physician Time

Physicians were asked to give two estimates of the total amount of time spent in a typical week. One question asked about time spent in direct patient care and the other asked about time spent in administrative tasks associated with patient care.

Figure 28: Hours spent in direct patient care in a typical week, all specialties, 2012





Figure 29: Hours spent doing administrative tasks associated with patient care in a typical week, all specialties, 2012



Taking call

The percent of the responding physicians who reported that they take call continues to decline. This question was not asked in 2004. In 2006, 65.1% of respondent physicians saw at least 1-2 patients a week as a result of taking call. In 2009, that percentage had declined to 58.1%. In 2012, only 48.1% of respondent physicians reported seeing one or more patients a week as a result of call-taking. Nonetheless, at the high end, the percent of respondents seeing six patients or more has remained more stable, at roughly 20% in 2006, 2009, and 2012. Excluding hospital-based specialties, surgeons, pediatric specialists, and OB/GYN specialists were most likely to see patients from taking call.

Figure 30: Average weekly patients as a result of taking call, all specialties, 2012






Figure 32: More than 6 patients/week as a result of taking call by specialty, 2012



Changes in Hospital Privileges

Of the responding physicians, 9.4 percent, or 142, had changed hospital privileges in the previous 12 months. Hospital practice changes remain the most significant a factor in 2012, with 58.4% of physicians citing it in 2012 as compared to 49% in 2009 and 65% in 2006. Other factors remained essentially the same between the two time periods, although changes based on increasing uncompensated care have slightly increased over 2009, from 14.6% to 17.7%. Physicians sometimes noted multiple reasons for changing, including those listed in Figure 33:


Figure 33: Reasons for changing privileges, all specialties



Charity Care


Physicians were asked to estimate the number of hours in a typical month they spend providing charity care. Physicians providing from one to 10 hours of charity care in an average month has declined from 47.9% of respondents in 2006 to 41.4% in 2012. Overall, 57.5% of respondents reported providing some charity care per month.

Figure 34: Overall Charity Care provided, all specialties



Neurosurgeons and OB/GYNs are most likely to provide charity care, with 73% reporting at least one hour per month, closely followed by 72.2% of general surgeons.

Figure 35: Percent Providing Charity Care by Specialty



Primary Care

The 2012 survey asked for the first time whether or not the respondent considers him or herself a primary care physician.

Figure 36: Primary Care Physicians Statewide, 2012





Figure 37: Primary Care Physicians by Gender, 2012



Among respondents, there is a sizable gap between male and female physicians who identified themselves as primary care physicians, as evidenced in Figure 37 above.

In addition, the number of respondents from the Portland Metro region did affect the statewide distribution of primary care physician identification. Regional distribution and distribution by specialty show a more complete picture of statewide identification by respondents.

Figure 38: Regional Identification as Primary Care Physician





Figure 39: Identification as Primary Care Physician by Specialty



On most other characteristics (age, practice size, etc.), responses clustered fairly closely together. See Appendix B for detailed tables.

Practice Characteristics (continued)

Practice characteristics are broken into three areas: size, organization, and patient volume. Of these questions, only patient volume was introduced in 2004. This 2012 survey introduces some new questions: whether or not the practice has or seeks recognized medical home status, and what practice guidelines are commonly in use by the respondents. Physicians were also asked about second practice location and volume, if any.


Practice Size

Statewide, the most commonly reported practice size were group practices of 4 to 9 physicians (23.8%), close to the 5-10 physician category from older surveys. Solo practices remain most common in the Eastern region (26.9%) and are least common in the Portland Metro (13.5%) and Central Valley regions (15.6%). For the first time since the question was introduced, the percentage of Mid-Willamette solo practices respondents increased. Solo practices, not surprisingly, correlated most strongly to full-owner respondent employment status, with over 70% of full owners in solo practice. Increasing practice size diminishes for respondents until very large groups (30 or more) were introduced, when participation rises again to over 20%.

These large group practices were concentrated in the Metro and Mid-Willamette areas. The practice size question has been adjusted slightly across the categories since 2006. More categories have been added, looking at practice sizes in a finer-grained distribution. Similarities in categories, however, are close enough for some comparisons.

Respondents reporting solo practices have declined since 2006. From 2006 to 2012, solo practice went from 19.8% of respondents to 16.8% of respondents. The percentage of physicians in the Southern region who reported working in group practice of more than 50 physicians more than doubled from 2006 to 2012. This trend seems to have continued, with 4.8% of respondents from the Southern region reported working in practices of more than 30 physicians.


Figure 40: Practice Size Statewide, 2012



Practice Organization

Most of the physicians-respondents practice in single specialty practices (46.8%). Internal medicine (20.9%), general pediatricians (41.7%), and family/general medicine physicians (43.2%) were the least likely to work in single-specialty practices. Many respondents (28.4%), however, reported other practice arrangements. This is a very large increase from the 2006 and 2009 surveys, in which about five percent of physicians in each survey reported this response.

Figure 41: Practice Organization, Statewide 2012



Patient Volume

Respondents who identified as family practice physicians and pediatricians saw the highest volume of patients weekly; 38.4% of family practice physicians and 38.4% of pediatricians reported that they see between 75 and 100 patients weekly. Pediatric sub-specialists (43.8%) and psychiatrists (50.5%) report the smallest volumes, seeing between 1 and 25 patients a week.

Family/General medicine specialists reported seeing more than 50 new patients per week. This is the highest rate of any specialty at 63.2 percent. They are followed by general pediatricians at 57.1%. Excluding hospital-

based specialties, more than 70% of all respondents saw at least one new patient per week. Psychiatrists reported the highest rate of seeing *no* new patients, at nearly 15% of respondents in this specialty.

Figure 42: Average Weekly Patient Volume, All Specialties, 2012






Figure 43: Average Weekly New Patient Volume, All Specialties, 2012



Responses to the average weekly patient volume question were sorted by whether or not respondents described themselves as “a primary care physician”. Figure 44 (below) shows an expected and notable difference between primary care and non-primary care in weekly patient volume.


Figure 44: Average Weekly Patient Volume, Primary Care Physicians vs. Non-Primary Care Physicians



Medical Home Status


In the 2012 survey, participants were asked if their practice had formal medical home/patient-centered primary care home recognition, and if so, which organizations granted recognition. They were also asked if their practice was seeking such recognition.

Figure 45: Statewide formal medical home/patient-centered primary care home recognition, 2012



Nearly twice the percentage of female (20%) as male (12.4%) respondents reported being in a medical home/patient-centered primary care home practice in 2012. Family/General medicine and general internal medicine specialties together made up the majority of medical home/patient-centered primary care home practices at 50.2% combined, but general pediatrics had the highest individual percentage of medical home responders at 33.3% of all general pediatricians.


Figure 46: Statewide formal medical home/patient-centered primary care home: recognizing organizations, 2012



Most respondents did not know which organization recognizes their medical home/patient-centered primary care standard practice. Family/General medicine specialists, at 87.2%, are most likely to know what organization grants this recognition, as are sole proprietors. The Metro region has the largest percentage of medical home responses at 17.7%, while the Eastern region had the fewest at 4.4%.


A higher percentage of female physicians (22.1%) reported seeking medical home recognition than male physicians did (14.1%). The largest percentage of respondents seeking recognition is from the Eastern region at 28.6%. Only 11.8% of respondents from the Southern region reported that their practices were seeking medical home recognition.

Figure 47: Statewide formal medical home/patient-centered primary care home recognition sought, 2012



Use of Practice Guidelines

For the 2012 survey, respondents were asked to identify current guidelines in place. Statewide, the breakdown was as follows:

Figure 48: Practice Guidelines Statewide

Second Practice Location

Of the responding physicians, 15.4% reported having a second practice location. The general pediatrics specialists (21.1%) and surgical sub-specialists (28.1%) were most likely to have a second practice location. Patient volume is typically small in these secondary locations; 80.6% of respondents with a second practice location reported seeing less than 25 patients in a typical week there. Fewer respondents reported second locations in 2012 than in past surveys; in both 2006 and 2009, about a quarter of respondents reported a second location.

Payer Acceptance

A key series of questions in the physician workforce survey were about acceptance of specific payer types. In 2012, physicians were asked if their practices were closed, limited or completely unrestricted in their acceptance of Medicare, commercial, Worker's Compensation, and Medicaid as insurance payer types. Further, physicians who indicated that they limited or were closed to specific payer types were asked a series of questions about the factors affecting those decisions. The mix of insurance types included in the survey has varied from iteration to iteration. In 2006, physicians were asked about Worker's Compensation but not commercial insurance. In 2009, commercial insurance was added and Worker's Compensation was subtracted. In addition, questions about Medicaid patients and access to services have been asked on all three surveys.

Medicare

Statewide, 71% of responding physicians reported no restrictions on accepting new Medicare patients, 13.5% report limiting their acceptance to Advantage and Medicare FFS patients, and 15.6% report that their primary practice is completely closed to new Medicare patients. This is a slight change in total closure of 17% in 2006, but not of 15% in 2009; in 2004 the figure was 10.8% of respondents (See Figure 49 [all figures exclude hospital-based specialties]). By specialty, psychiatrists and general pediatricians reported the highest closure rates in 2012 (see Figure 50), with more than half of all respondent psychiatrists (54.9 percent) limiting or closing their primary practice to new Medicare patients. By region, Mid-Willamette and Southern respondents were most likely to report complete closure, at 17.0 and 14.6 percent respectively (Figure 51).

Figure 49: Acceptance of new Medicare patients 2004-2012




Figure 50: Acceptance of Medicare patients by specialty, 2012






Figure 51: Acceptance of Medicare patients by region, 2012




Primary care physicians were most likely to restrict Medicare. While the percentage of primary care physicians completely closed to new Medicare physicians has dropped from about 24% in 2006 to 19.4% in 2012, this is still a third greater than the 2004 figure of 12%. However, the percentage of completely open practices has increased by nearly 75%. Furthermore, the percentage of primary care respondents reporting limited Medicare acceptance has steadily diminished.

Figure 52 - Primary care acceptance of new Medicare patients, 2004-2012




Those who reported that their practice was completely closed or was limiting acceptance of Medicare as a payer were also asked about the role of a series of factors on their decision to limit. By far the most important factor identified was reimbursement level, followed by the need to balance payer mix, and then administrative requirements (Figure 53). This is consistent with 2006 and 2009 results.

Figure 53 - Factors in the decision to limit Medicare, 2012



As noted above (Figure 52), primary care physicians were more likely to restrict Medicare acceptance. Figure 54 compares primary care physician acceptance of new Medicare patients to non-primary care respondents.

Figure 54 - Primary care vs. non-primary care acceptance of new Medicare patients, 2012



Commercial Insurance

Seven percent of the responding physicians reported that they were completely closed to commercial insurance. The pediatric and neurosurgical specialties are most likely to be open with no restrictions; family practice and psychiatry are most likely to limit commercial payers. About 11% of physicians worked in practices that restrict acceptance of new commercially-insured patients. (All figures exclude hospital-based specialties.)

Figure 55 - Acceptance of commercial insurance as a payer by specialty, 2012




Figure 56 - Acceptance of commercial insurance as a payer by region, 2012




Figure 57 – Acceptance of new commercial insurance patients, 2004, 2009 and 2012




Figure 58 – Primary care acceptance of new commercial insurance patients, 2004, 2009, 2012




Figure 59 - Factors in the decision to limit commercial insurance, 2012





Figure 60: Primary care vs. non-primary care acceptance of new commercial insurance patients, 2012



Worker’s Compensation Insurance

About 60% of the responding non-hospital specialist physicians reported they were completely open to Workers’ Compensation as a payer in 2012, and 28.1% reported being completely closed. Pediatric subspecialists and the neurosurgical specialty are most likely to be open with no restrictions.

Psychiatrists and OB/GYNs were most likely to restrict this payer as shown in Figure 61. Figure 62 also describes acceptance of Workers’ Compensation by region.

Figure 61– Acceptance of Workers’ Compensation as a Payer by Specialty, 2012




Figure 62 – Acceptance of Workers’ Compensation as a Payer by Region, 2012





Figure 63 – Factors in the Decision to Limit Workers’ Compensation, 2012



Medicaid

In 2012, 17.3% reported that they were completely closed, a decrease from 2009 (17.9%) and continuing to improve over 2006 when more than 20% of respondents reported full closure. An additional 27% of physicians were in practices that restrict acceptance of new Medicaid patients.

There is broad variation by specialty, with more than a 40% difference in the low and high ends of unlimited acceptance among specialties. Only 43.2% of psychiatrists and 44.3% of family/general medicine physicians

accepted Medicaid as a payer without any limitations. The percentage of general internal medicine specialists reporting being completely open to new Medicaid patients has increased, from 42.2% in 2009 to 57.1% in 2012 (Figure 64). Figure 65 describes acceptance of Medicaid by region.

Figure 64: Acceptance of Medicaid by specialty, 2012






Figure 65: Acceptance of Medicaid by region, 2012



In 2012, the percentage of physicians accepting new Medicaid patients with no limitations increased slightly over 2009. At the same time, the percentage of physicians completely closed to new Medicaid patients decreased by only 0.6 percentage points (Figure 66).

Figure 66 - Acceptance of new Medicaid/OHP patients, 2006-2012



Primary care acceptance of Medicaid/OHP improved over the last two surveys. Fully open responses have increased by more than 8% and closed practices are reported by 5% fewer respondents over 2012, with the reportage of closed practices falling almost 10% since 2006.

Figure 67 - Primary care acceptance of Medicaid/OHP, 2006-2012




Figure 68 - Primary care vs. non-primary care acceptance of Medicaid/OHP, 2012





Figure 69 - Factors contributing to the decision to limit Medicaid, 2012



Access to services for Medicaid patients

Of respondent physicians, 73.5 percent had Medicaid patients under their care. Certain access to all services has declined since 2009.

Figure 70: How often are you able to refer to specialists?




Figure 71- How often are you able to obtain ancillary services?




Figure 72- How often are you able to obtain a non-emergency hospital admission?





Figure 73 - How often are you able to obtain diagnostic imaging services?



Physicians reported particular difficulty obtaining mental health and substance abuse services for Medicaid patients. Nearly 70% of responding physicians reported being able to find inpatient mental health services for Medicaid patients only part of the time or not at all. That percent increases to over 70% for outpatient mental health services. Substance abuse services followed a similar pattern. Certain access to these services has also declined since 2009. While the percentage of physicians reporting they are never able to find referrals for Medicaid patients needing inpatient mental health services has increased only slightly, the percent of doctors always able to obtain those services has fallen by more than 4%. For inpatient substance abuse, the situation has become more acute, with double the percentage of physicians in 2012 reported that they cannot find access to services for substance abuse services.

Figure 74- How often are you able to obtain inpatient mental health services?





Figure 75 - How often are you able to obtain inpatient substance abuse services?



In the case of outpatient services, there has been some improvement, especially in access to mental health services. Physician response indicated that the percent of physicians never able to find services has dropped more than 20 percent. Outpatient substance abuse services have remained largely stable.

Figure 76 - How often are you able to obtain outpatient mental health services?






Figure 77 - How often are you able to obtain outpatient substance abuse services?



Anticipated Practice Changes

Figure 78 indicates the findings for 2012. In this survey year, respondents ranked increasing patient volume, increasing complex referrals, and retiring as the top three likely changes. 5.4% would stop all direct care, and 6.0% would close or sell primary practice. These represent increases in the percentages of physicians anticipating retirement or cession of practice over 2006 and 2009.

Figure 78: Anticipate practice changes in the next two years




Health Policy Issues

Physicians were asked to rate the importance of several issues related to the practice of medicine and health policy. Figure 79 exhibits the percentage of physician-respondents rating each of the issues as “very important” for both 2012 and 2009. In 2012, respondents noted the health care reform, cost of care to patients, and patient safety were their top three policy concerns. Cost of care to patients was a new question, introduced for this iteration of the survey, and was broken into the top three concerns noted by respondents.

Reported concerns about job stress and burnout increased in 2012, following a pattern that began in 2006. Retention of physicians, a new question in 2012, ranked in the middle of very important issues surveyed. Two of the top three issues of 2009, Medicare reimbursement and overhead, have dropped considerably in importance in 2012.

Figure 79: Importance of health policy issues and issues related to the practice of medicine, 2012 & 2009



New to the 2012 physician workforce survey was a series of questions asking physicians to rate how effective they thought each of a number of policy strategies would be in improving Oregon’s health system performance. A majority of physicians ranked increasing the amount of time available for direct patient care, professional liability reform, improving care coordination across settings and disciplines as effective strategies for improving Oregon’s health system performance. Respondents ranked ‘low cost’ market reforms (public provider quality, public value measures) lowest among the strategies.

Table 2: Effectiveness of strategy for improving Oregon's health system performance, 2012

| Strategy improvement OR Health Care | Rank 1 or 2 | Rank 3 or 4 | Rank 5 to 7 | Rank 8 or lower |
|---|-------------|-------------|-------------|-----------------|
| Increasing amount of time available for direct patient care | 41.4% | 25.8% | 21.7% | 11.1% |
| Professional liability reform | 38.2% | 19.9% | 21.3% | 20.6% |
| Improving care coordination across settings and disciplines | 34.7% | 33.4% | 25.1% | 6.8% |
| Adoption and use of evidence-based clinical practice guidelines | 33.2% | 29.3% | 27.3% | 10.2% |
| Physician Payment Reform | 29.0% | 19.7% | 24.1% | 27.2% |

| | | | | |
|--|-------|-------|-------|-------|
| Use of electronic medical records state-wide | 18.7% | 26.5% | 33.4% | 21.4% |
| Increased availability of health information | 11.1% | 22.6% | 41.6% | 24.7% |
| Increased outreach and education by Public Health | 11.0% | 19.4% | 36.6% | 33.0% |
| Public reporting on value | 7.2% | 11.2% | 31.1% | 50.5% |
| Public reporting on provider quality using standardized measures | 2.7% | 6.4% | 23.2% | 67.7% |

Oregon Medical Malpractice Reinsurance Program

About a third (33.5%) of physicians reported that they did not know if they participated in the program or not. Eleven percent reported participation. General medicine physicians (19.7%), OB/GYNs (19.5%) and general surgeons (19.0%) are the specialties most likely to participate in the program. General pediatricians (44.8%) are the least likely to know about the program. See Appendix for detailed data tables.


Rural Provider State Income Tax Credit Program

Responses to this question generally reflected the Malpractice Reinsurance program: 16.2% of respondents reported that they receive this tax credit.

Reaction to potential Medicare reimbursement reduction

Almost a third of psychiatrists reported that they will close to new Medicare patients if reimbursement declines this year. Nearly 1 in 4 family and general medicine physicians reported that they will close to new Medicare patients under these circumstances. (Figure 80 shows physician response overall; detailed tables are in the Appendix.)

Figure 80: Reaction to Medicare Reimbursement Reduction, 2012



Coordinated Care Organizations-Knowledge and Participation

Figure 81: Knowledge of CCO's, 2012




Figure 82: Knowledge of CCO's by region, 2012





Figure 83: Future participation in CCO's by region, 2012



Appendix A: Mailing list methods and results

As in previous versions, the survey seeks to

- provide reliable data on the current capacity of Oregon’s medical community to deliver health care to Oregon healthcare consumers as well as forecast the future capacity of the state’s physicians
- identify barriers to physician participation in OHP, in addition to reimbursement
- assess the effects of professional liability insurance costs on access to care

The data identify the characteristics of physicians who do and do not participate in

- OHP/Medicaid
- Medicare
- other lines of insurance
- treating the uninsured

The 2012 edition of the survey introduces several unique questions to the past data collection rubric, which the participant organization hope will shed new light on important issues facing physicians in the state and their delivery of health care services to Oregonians. These questions include:

- Physician self-identification as primary care physicians
- Physician ranking of effective reforms in health care delivery
- Physician attitudes & reactions to the Affordable Care Act

The physician workforce survey has been administered since 2004 as a cross-sectional survey, using a unique survey instrument to assess current physician practice characteristics, capacity and attitudes. This survey includes many questions carried over from previous iterations of the physician workforce survey to allow the exploration of changes over time. For the 2012 physician workforce survey, the surveyors reduced the number of questions by using information from the Oregon Medical Board dataset. The survey also went “paperless,” delivering and receiving all survey materials electronically. As noted above, this iteration of the survey also includes several unique questions. Both longitudinal and cohort-specific findings are therefore generated by this data.

Respondents were sent a post card through the mail prior to the deployment of the survey. After the survey was opened and email invitations were sent, non-respondents were sent up to five email reminders as well. Of the eligible respondents, the response rate was 34 percent. While the 2012 on-line survey response was less than the 39 percent response rate achieved in 2009 mailed version, the response rate is comparable to web and email based surveys of physicians without incentives.

Using the Oregon Medical Board (OMB) dataset, the survey was sent to all licensed Oregon physicians meeting the following criteria:

- In-state practice address;
- Valid email address;
- MD and DO license types;
- Active;
- Good standing; and
- No license limitations or restrictions.

Using these inclusion criteria, the original OMB list of 16,682 records, was reduced to 9613 eligible physicians. This survey was conducted as a web-based survey only. The survey used a secure server and was built and deployed using Inquisite™ version 9.5. The survey was deployed June 6, 2012 and was closed to responses July 13, 2012.

Appendix B: Tables

Physician Demographics

| | | <i>Count</i> | <i>Percent</i> |
|---------------------------|-------------------------------------|--------------|----------------|
| Gender | Male | 2185 | 67.7% |
| | Female | 1039 | 32.2% |
| | Other/Decline | 2 | .1% |
| Age | Under 50 | 1291 | 40.0% |
| | 50 to 64 years | 1411 | 43.8% |
| | 65+ years | 524 | 16.2% |
| Hispanic, Latino, Spanish | Yes | 77 | 2.4% |
| | No | 3043 | 94.3% |
| | Missing/Decline | 106 | 3.3% |
| Race | White | 2743 | 85.0% |
| | African-American or Black | 23 | 0.7% |
| | Asian | 287 | 8.9% |
| | Native Hawaiian or Pacific Islander | 11 | 0.4% |
| | American Indian or Native Alaskan | 19 | 0.6% |
| | Other | 136 | 4.2% |
| | Missing/Decline | 7 | .2% |
| Region | Portland Metro Area | 1596 | 49.5% |
| | Mid-Willamette Valley | 582 | 18.0% |
| | Northwestern | 78 | 2.4% |
| | Southern | 254 | 7.9% |
| | Eastern | 68 | 2.1% |
| | Southwestern | 47 | 1.5% |
| | Central | 253 | 7.8% |
| | Other | 348 | 10.8% |
| Specialty Categories | Family/ General Medicine | 562 | 17.4% |
| | Obstetrics and/or Gynecology | 159 | 4.9% |
| | General Internal Medicine | 517 | 16.0% |
| | General Pediatrics | 201 | 6.2% |
| | General Surgery | 122 | 3.8% |
| | Medical Subspecialty | 512 | 15.9% |
| | Pediatric Subspecialty | 55 | 1.7% |
| | Surgical Subspecialty | 213 | 6.6% |
| | Neurological Surgery | 26 | 0.8% |
| | Psychiatry | 222 | 6.9% |
| | Hospital-based Specialty | 561 | 17.4% |
| | Other | 63 | 2.0% |
| | No Response | 13 | 0.4% |

Physician Demographics, cont.

| | | Count | Percent |
|--|--|-------|---------|
| Which of the following best describes your primary practice setting: | Private Clinic or Office | 68 | 2.1% |
| | Community clinic/public health clinic | 11 | .3% |
| | University/college health service clinic | 15 | .5% |
| | Hospital-based ambulatory care clinic | 33 | 1.0% |
| | Inpatient setting | 35 | 1.1% |
| | Emergency Department | 16 | .5% |
| | Urgent Care Clinic | 2 | .1% |
| | Nursing Facility | 2 | .1% |
| | Other | 104 | 3.2% |
| No Response | | 2940 | 91.1% |

Specialty Categories: Family or general medicine

| | | Yes | No | Not applicable | Total |
|--|-----------------------|-------|-------|----------------|-------|
| <i>If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care?</i> | | | | | |
| Region | Portland Metro | 29.8% | 67.4% | 2.8% | 181 |
| | Mid-Willamette Valley | 6.9% | 89.3% | 3.8% | 130 |
| | Northwestern | 20.0% | 80.0% | 0.0% | 15 |
| | Southern | 5.9% | 84.3% | 9.8% | 51 |
| | Eastern | 44.4% | 50.0% | 5.6% | 18 |
| | Southwestern | 0.0% | 88.9% | 11.1% | 9 |
| | Central | 36.4% | 62.1% | 1.5% | 66 |
| | Other | 25.0% | 65.0% | 10.0% | 40 |
| Overall | | 21.8% | 73.9% | 4.3% | 510 |

Specialty Categories: Obstetrics and/or Gynecology

| | | Yes | No | Not applicable | Total |
|--|-----------------------|--------|-------|----------------|-------|
| <i>If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care?</i> | | | | | |
| Region | Portland Metro | 66.7% | 28.8% | 4.5% | 66 |
| | Mid-Willamette Valley | 53.3% | 40.0% | 6.7% | 30 |
| | Northwestern | 100.0% | 0.0% | 0.0% | 5 |
| | Southern | 57.2% | 35.7% | 7.1% | 14 |
| | Eastern | 100.0% | 0.0% | 0.0% | 2 |
| | Southwestern | 66.7% | 33.3% | 0.0% | 6 |
| | Central | 70.0% | 30.0% | 0.0% | 10 |
| | Other | 73.3% | 26.7% | 0.0% | 15 |
| Overall | | 65.6% | 30.4% | 4.1% | 148 |

Physician demographics by region

| | | <i>Portland Metro</i> | <i>Mid-Willamette Valley</i> | <i>Northwestern</i> | <i>Southern</i> | <i>Eastern</i> | <i>Southwestern</i> | <i>Central</i> | <i>Other</i> | <i>Total</i> |
|--|--|-----------------------|------------------------------|---------------------|-----------------|----------------|---------------------|----------------|--------------|--------------|
| When do you plan to retire? | Within the next two years | 43.6% | 26.5% | 2.0% | 7.8% | 2.9% | 1.0% | 8.3% | 7.8% | 204 |
| | In the next 2 to 5 years | 46.8% | 19.8% | 3.0% | 9.7% | 1.8% | 3.0% | 8.3% | 7.7% | 496 |
| | More than 5 years from now | 52.0% | 18.2% | 2.5% | 7.8% | 2.3% | 1.3% | 8.0% | 7.9% | 2133 |
| Which of the following best describes your primary practice setting? | Private clinic or office | 30.9% | 14.7% | 0.0% | 4.4% | 1.5% | 0.0% | 5.9% | 42.6% | 68 |
| | Community clinic/public health clinic | 27.3% | 0.0% | 0.0% | 9.1% | 9.1% | 0.0% | 18.2% | 36.4% | 11 |
| | University/college health service clinic | 33.3% | 13.3% | 0.0% | 6.7% | 0.0% | 0.0% | 0.0% | 46.7% | 15 |
| | Hospital-based ambulatory care clinic | 24.2% | 3.0% | 0.0% | 3.0% | 3.0% | 0.0% | 6.1% | 60.6% | 33 |
| | Inpatient setting | 31.4% | 11.4% | 0.0% | 8.6% | 2.9% | 5.7% | 0.0% | 40% | 35 |
| | Emergency department | 18.8% | 0.0% | 0.0% | 12.5% | 0.0% | 0.0% | 0.0% | 68.8% | 16 |
| | Urgent care clinic | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 50% | 2 |
| | Nursing facility | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50% | 2 |
| | Other | 56.7% | 10.6% | 1.9% | 6.7% | 0.0% | 0.0% | 2.9% | 21.2% | 104 |
| What is your employment status at your primary practice? | Full owner | 44.7% | 19.8% | 2.2% | 12.1% | 1.8% | 2.5% | 7.0% | 9.9% | 555 |
| | Part owner (or shareholder) | 47.9% | 24.0% | 1.4% | 10.2% | 1.4% | 1.3% | 7.3% | 6.4% | 699 |
| | Employee | 54.0% | 16.1% | 3.0% | 5.2% | 2.6% | 0.9% | 7.4% | 10.8% | 1551 |
| | Independent contractor | 37.2% | 13.0% | 2.8% | 9.1% | 2.8% | 2.8% | 14.0% | 18.2% | 285 |
| | Volunteer | 46.4% | 21.4% | 0.0% | 14.3% | 0.0% | 3.6% | 7.1% | 7.1% | 28 |
| | Other | 51.6% | 9.5% | 2.1% | 3.2% | 0.0% | 1.1% | 6.3% | 26.3% | 95 |
| Specialty Categories | Family/General Medicine | 34.5% | 24.2% | 3.2% | 9.6% | 3.6% | 1.8% | 12.5% | 10.7% | 562 |
| | Obstetrics/Gynecology | 44.7% | 18.9% | 3.1% | 9.4% | 1.3% | 3.8% | 6.3% | 12.6% | 159 |
| | General Internal Medicine | 55.1% | 15.5% | 2.9% | 9.1% | 1.4% | 1.4% | 6.6% | 8.1% | 517 |
| | General Pediatrics | 55.7% | 17.4% | 1.5% | 5.5% | 3.0% | 2.0% | 7.5% | 7.5% | 201 |
| | General Surgery | 44.3% | 23.8% | 4.9% | 5.7% | 4.1% | 0.0% | 7.4% | 9.8% | 122 |
| | Medical Subspecialty | 53.3% | 16.8% | 1.2% | 7.0% | 1.6% | 1.2% | 6.6% | 12.3% | 512 |
| | Pediatric Subspecialty | 74.5% | 7.3% | 0.0% | 9.1% | 0.0% | 0.0% | 3.6% | 5.5% | 55 |
| | Surgical Subspecialty | 55.4% | 17.4% | 1.4% | 8.5% | 1.4% | .9% | 5.2% | 9.9% | 213 |
| | Neurological Surgery | 50.0% | 19.2% | 0.0% | 7.7% | 0.0% | 0.0% | 0.0% | 23.1% | 26 |
| | Psychiatry | 55.0% | 22.1% | 0.9% | 4.1% | 0.0% | 2.3% | 4.1% | 11.7% | 222 |
| | Hospital-based Specialty | 48.0% | 14.1% | 3.4% | 8.4% | 2.7% | .9% | 9.4% | 13.2% | 561 |
| Other | 61.9% | 15.9% | 0.0% | 4.8% | 3.2% | 3.2% | 6.3% | 4.8% | 63 | |
| Overall | | 49.5% | 18.1% | 2.4% | 7.9% | 2.1% | 1.5% | 7.8% | 10.7% | 3213 |

Years Licensed

| | | <i>Less than 2 years</i> | <i>2 to 5 years</i> | <i>6 to 10 years</i> | <i>11 to 20 years</i> | <i>More than 20 years</i> | <i>Total</i> |
|---------------------------|-------------------------------------|------------------------------|-------------------------|--------------------------|---------------------------|-----------------------------------|--------------|
| Gender | Female | 11.5% | 21.2% | 19.4% | 25.4% | 22.4% | 1039 |
| | Male | 7.4% | 14.3% | 13.0% | 21.5% | 43.9% | 2185 |
| | Other/Decline | 0% | 100% | 0% | 0% | 0% | 2 |
| Age | Under 50 | 17.6% | 30.3% | 26.2% | 24.6% | 1.3% | 1291 |
| | 50 to 64 years | 3.3% | 8.0% | 8.2% | 26.9% | 53.6% | 1411 |
| | 65+ years | 1.5% | 5.7% | 6.1% | 6.7% | 80.0% | 524 |
| Hispanic, Latino, Spanish | Yes | 11.7% | 28.6% | 28.6% | 16.9% | 14.3% | 77 |
| Race | White | 7.7% | 15.8% | 14.5% | 22.6% | 39.4% | 2743 |
| | African-American or Black | 8.7% | 26.1% | 30.4% | 34.8% | 0.0% | 23 |
| | Asian | 19.2% | 21.3% | 22.0% | 22.6% | 15.0% | 287 |
| | Native Hawaiian or Pacific Islander | 9.1% | 9.1% | 36.4% | 18.2% | 23.7% | 11 |
| | American Indian or Native Alaskan | 5.3% | 15.8% | 5.3% | 52.6% | 21.1% | 19 |
| | Other | 7.4 | 21.3% | 11.8% | 25.0% | 34.6% | 136 |
| Specialty Categories | Family/General Medicine | 6.9% | 14.9% | 16.7% | 23.5% | 37.9% | 562 |
| | Obstetrics/Gynecology | 7.5% | 13.8% | 18.9% | 22.0% | 37.7% | 159 |
| | General Internal Medicine | 9.3% | 16.6% | 14.1% | 24.2% | 35.8% | 517 |
| | General Pediatrics | 10.9% | 16.4% | 16.4% | 22.9% | 33.3% | 201 |
| | General Surgery | 8.2% | 27.9% | 12.3% | 17.2% | 34.4% | 122 |
| | Medical Subspecialty | 9.0% | 15.0% | 12.5% | 21.7% | 41.8% | 512 |
| | Pediatric Subspecialty | 9.1% | 14.5% | 16.4% | 29.1% | 30.9% | 55 |
| | Surgical Subspecialty | 6.6% | 15.0% | 11.7% | 24.4% | 42.3% | 213 |
| | Neurological Surgery | 11.5% | 3.8% | 15.4% | 23.1% | 46.2% | 26 |
| | Psychiatry | 5.9% | 10.8% | 15.8% | 20.7% | 46.8% | 222 |
| | Hospital-based Specialty | 11.2% | 20.3% | 16.2% | 21.2% | 31.0% | 561 |
| | Other | 9.5% | 17.5% | 19.0% | 33.3% | 20.6% | 63 |
| Region | Portland Metro | 6.3% | 15.3% | 15.9% | 23.1% | 39.5% | 1596 |
| | Mid-Willamette Valley | 6.0% | 15.5% | 14.1% | 24.1% | 40.4% | 582 |
| | Northwestern | 10.3% | 19.2% | 11.5% | 28.2% | 30.8% | 78 |
| | Southern | 4.7% | 16.9% | 14.6% | 27.6% | 36.2% | 254 |
| | Eastern | 16.2% | 25.0% | 17.6% | 13.2% | 27.9% | 68 |
| | Southwestern | 4.3% | 21.3% | 19.1% | 27.7% | 27.7% | 47 |
| | Central | 11.1% | 17.0% | 19.0% | 24.9% | 28.1% | 253 |
| | Other | 24.1% | 20.7% | 10.1% | 13.8% | 31.3% | 348 |
| Overall/Statewide | | 8.7% | 16.6% | 15.0% | 22.7% | 37.0% | 3226 |

Current Professional Activities

| | | <i>Administration (not related to patient care)</i> | <i>Clinical practice</i> | <i>Research</i> | <i>Resident or Fellow</i> | <i>Teaching</i> | <i>Other</i> | <i>Total</i> |
|-----------------------------|-------------------------------------|---|--------------------------|-----------------|-------------------------------|-----------------|--------------|--------------|
| Gender | Female | 30.8% | 93.3% | 10.6% | 5.0% | 31.0% | 5.4% | 1039 |
| | Male | 30.7% | 91.8% | 12.2% | 3.2% | 32.0% | 6.1% | 2185 |
| | Decline/Other | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| Age | Under 50 years | 31.8% | 94.0% | 14.2% | 7.6% | 35.1% | 2.3% | 1291 |
| | 50 to 64 years | 33.7% | 94.8% | 10.2% | 1.2% | 31.9% | 5.5% | 1411 |
| | 65 years or more | 19.8% | 81.5% | 9.5% | 1.5% | 22.7% | 15.6% | 524 |
| Hispanic, Spanish or Latino | Yes | 30.0% | 96.1% | 13.0% | 0.1% | 42.9% | 3.9% | 77 |
| Race | White | 31.6% | 92.1% | 12.0% | 3.5% | 32.7% | 6.1% | 2743 |
| | African-American | 26.1% | 100.0% | 13.0% | 0.0% | 26.1% | 0.0% | 23 |
| | Asian | 24.0% | 94.1% | 12.2% | 5.2% | 26.1% | 3.1% | 287 |
| | Native Hawaiian or Pacific Islander | 18.2% | 100.0% | 9.1% | 0.0% | 18.2% | 0.0% | 11 |
| | American Indian or Alaska Native | 47.4% | 89.5% | 21.1% | 5.3% | 31.6% | 10.5% | 19 |
| | Other | 30.9% | 91.9% | 8.8% | 5.9% | 31.6% | 6.6% | 136 |
| Specialty Categories | Family/General Medicine | 31.5% | 92.0% | 6.6% | 2.5% | 29.5% | 6.4% | 562 |
| | Obstetrics/Gynecology | 23.3% | 90.6% | 10.1% | 4.4% | 25.8% | 7.5% | 159 |
| | General Internal Medicine | 29.4% | 91.5% | 8.5% | 2.9% | 26.5% | 6.0% | 517 |
| | General Pediatrics | 27.4% | 92.0% | 12.4% | 6.0% | 33.8% | 4.5% | 201 |
| | General Surgery | 32.0% | 93.4% | 21.3% | 9.0% | 39.3% | 4.1% | 122 |
| | Medical Subspecialty | 29.9% | 93.8% | 18.4% | 3.3% | 34.0% | 4.5% | 512 |
| | Pediatric Subspecialty | 50.9% | 94.5% | 40.0% | 9.1% | 60.0% | 3.6% | 55 |
| | Surgical Subspecialty | 23.5% | 84.5% | 14.6% | 6.1% | 29.6% | 12.7% | 213 |
| | Neurological Surgery | 42.3% | 92.3% | 15.4% | 0.0% | 23.1% | 15.4% | 26 |
| | Psychiatry | 30.6% | 95.0% | 8.6% | 1.4% | 38.7% | 5.4% | 222 |
| | Hospital-based Specialty | 33.2% | 94.1% | 8.4% | 4.6% | 30.7% | 4.1% | 561 |
| Other | 46.0% | 90.5% | 19.0% | 0.0% | 39.7% | 9.5% | 63 | |
| Overall | | 30.7% | 92.3% | 11.7% | 3.8% | 31.7% | 5.9% | 3213 |

Retirement Plans

| <i>When do you plan to retire?</i> | | <i>Within the next 2 years</i> | <i>2 to 5 years</i> | <i>More than 5 years</i> | <i>Total</i> |
|------------------------------------|-------------------------------------|--|-------------------------|----------------------------------|--------------|
| Gender | Female | 4.0% | 11.3% | 84.7% | 943 |
| | Male | 8.8% | 20.6% | 70.6% | 1889 |
| Age | Under 50 years | 0.4% | 0.6% | 99.0% | 1178 |
| | 50 to 64 years | 5.8% | 23.7% | 70.5% | 1261 |
| | 65 years or more | 32.0% | 48.2% | 19.8% | 394 |
| Hispanic, Spanish or Latino | Yes | 4.3% | 7.1% | 88.6% | 70 |
| Race | White | 7.6% | 19.1% | 73.3% | 2423 |
| | African-American | 0.0% | 5.6% | 94.4% | 18 |
| | Asian | 2.4% | 5.5% | 92.1% | 253 |
| | Native Hawaiian or Pacific Islander | 10.0% | 20.0% | 70.0% | 10 |
| | American Indian or Alaska Native | 5.9% | 0.0% | 94.1% | 17 |
| | Other | 7.6% | 14.3% | 78.2% | 119 |
| Specialty Categories | Family/General Medicine | 8.6% | 17.3% | 74.1% | 509 |
| | Obstetrics/Gynecology | 10.5% | 15.8% | 73.7% | 133 |
| | General Internal Medicine | 5.2% | 16.9% | 77.9% | 461 |
| | General Pediatrics | 9.6% | 13.9% | 76.5% | 166 |
| | General Surgery | 3.7% | 16.8% | 79.4% | 107 |
| | Medical Subspecialty | 8.1% | 20.8% | 71.1% | 447 |
| | Pediatric Subspecialty | 4.1% | 18.4% | 77.6% | 49 |
| | Surgical Subspecialty | 8.2% | 19.1% | 72.7% | 183 |
| | Neurological Surgery | 5.6% | 22.2% | 72.2% | 18 |
| | Psychiatry | 8.3% | 20.0% | 71.7% | 205 |
| | Hospital-based Specialty | 5.5% | 15.6% | 78.9% | 488 |
| | Other | 7.0% | 15.8% | 77.2% | 57 |
| | Total | 7.2% | 17.5% | 75.2% | 2823 |
| Region | Portland Metro | 6.2% | 16.2% | 77.6% | 1431 |
| | Mid-Willamette Valley | 10.0% | 18.1% | 71.9% | 540 |
| | Northwestern | 5.6% | 20.8% | 73.6% | 72 |
| | Southern | 6.9% | 20.8% | 72.3% | 231 |
| | Eastern | 9.4% | 14.1% | 76.6% | 64 |
| | Southwestern | 4.5% | 34.1% | 61.4% | 44 |
| | Central | 7.4% | 17.9% | 74.7% | 229 |
| Statewide | | 7.2% | 17.5% | 75.3% | 2823 |

Satisfaction with medical career in the last 12 months

| <i>How satisfied have you been with your medical career in the past 12 months?</i> | | <i>Very satisfied</i> | <i>Somewhat satisfied</i> | <i>Neither satisfied nor dissatisfied</i> | <i>Somewhat dissatisfied</i> | <i>Very dissatisfied</i> | <i>Total</i> |
|--|-------------------------------------|-----------------------|---------------------------|---|------------------------------|--------------------------|--------------|
| Gender | Female | 27.9% | 44.6% | 5.9% | 17.1% | 4.5% | 1037 |
| | Male | 33.7% | 41.0% | 6.6% | 14.9% | 3.9% | 2178 |
| Age | Under 50 years | 28.8% | 47.9% | 6.2% | 14.6% | 3.3% | 1289 |
| | 50 to 64 years | 28.9% | 40.9% | 5.9% | 18.8% | 5.5% | 1406 |
| | 65 years or more | 46.9% | 33.5% | 7.9% | 9.2% | 2.5% | 522 |
| Hispanic, Spanish or Latino | Yes | 35.1% | 42.9% | 5.2% | 15.6% | 1.3% | 77 |
| Race | White | 32.4% | 42.0% | 6.0% | 15.6% | 4.0% | 2737 |
| | African-American | 17.4% | 47.8% | 4.3% | 26.1% | 4.3% | 23 |
| | Asian | 25.4% | 47.4% | 10.5% | 12.2% | 4.5% | 287 |
| | Native Hawaiian or Pacific Islander | 18.2% | 45.5% | 18.2% | 18.2% | 0.0% | 11 |
| | American Indian or Alaska Native | 15.8% | 52.6% | 10.5% | 5.3% | 15.8% | 19 |
| | Other | 31.1% | 37.8% | 9.6% | 16.3% | 5.2% | 135 |
| Specialty Categories | Family/General Medicine | 30.4% | 42.3% | 6.1% | 17.3% | 3.9% | 560 |
| | Obstetrics/Gynecology | 24.1% | 43.0% | 8.2% | 18.4% | 6.3% | 158 |
| | General Internal Medicine | 30.7% | 40.4% | 7.8% | 15.3% | 5.8% | 515 |
| | General Pediatrics | 36.3% | 47.8% | 2.0% | 11.4% | 2.5% | 201 |
| | General Surgery | 31.7% | 36.7% | 6.7% | 20.8% | 4.2% | 120 |
| | Medical Subspecialty | 32.7% | 43.1% | 5.1% | 16.0% | 3.1% | 511 |
| | Pediatric Subspecialty | 38.2% | 43.6% | 1.8% | 12.7% | 3.6% | 55 |
| | Surgical Subspecialty | 35.7% | 37.6% | 9.4% | 15.0% | 2.3% | 213 |
| | Neurological Surgery | 19.2% | 42.3% | 7.7% | 26.9% | 3.8% | 26 |
| | Psychiatry | 38.7% | 36.9% | 6.3% | 14.4% | 3.6% | 222 |
| | Hospital-based Specialty | 30.3% | 45.3% | 6.8% | 13.5% | 4.1% | 561 |
| Other | 27.4% | 48.4% | 3.2% | 12.9% | 8.1% | 62 | |
| What is your employment status at your primary practice? | Full owner | 34.3% | 37.2% | 6.0% | 17.9% | 4.7% | 554 |
| | Part owner (or shareholder) | 26.9% | 48.1% | 5.0% | 16.6% | 3.3% | 698 |
| | Employee | 32.2% | 42.4% | 6.5% | 15.1% | 3.9% | 1548 |
| | Independent contractor | 32.7% | 39.4% | 8.1% | 13.7% | 6.0% | 284 |
| | Volunteer | 25.9% | 37.0% | 18.5% | 7.4% | 11.1% | 27 |
| Other | 41.5% | 35.1% | 7.4% | 11.7% | 4.3% | 94 | |
| Region | Portland Metro | 33.2% | 41.7% | 6.0% | 15.2% | 3.9% | 1592 |
| | Mid-Willamette Valley | 30.8% | 41.8% | 6.9% | 16.9% | 3.6% | 581 |
| | Northwestern | 25.6% | 35.9% | 7.7% | 20.5% | 10.3% | 78 |
| | Southern | 23.7% | 47.4% | 8.7% | 17.0% | 3.2% | 253 |
| | Eastern | 29.4% | 44.1% | 5.9% | 16.2% | 4.4% | 68 |
| | Southwestern | 25.5% | 44.7% | 4.3% | 19.1% | 6.4% | 47 |
| | Central | 33.2% | 37.5% | 7.1% | 18.2% | 4.0% | 253 |
| Statewide | | 31.8% | 42.2% | 6.3% | 15.6% | 4.1% | 3217 |

Satisfaction with medical career overall

| <i>How satisfied have you been with your medical career overall?</i> | | <i>Very satisfied</i> | <i>Somewhat satisfied</i> | <i>Neither satisfied nor dissatisfied</i> | <i>Somewhat dissatisfied</i> | <i>Very dissatisfied</i> | <i>Total</i> |
|--|-------------------------------------|-----------------------|---------------------------|---|------------------------------|--------------------------|--------------|
| Gender | Female | 47.3% | 41.6% | 3.4% | 6.6% | 1.1% | 1033 |
| | Male | 55.5% | 33.1% | 3.7% | 6.4% | 1.2% | 2172 |
| Age | Under 50 years | 41.6% | 43.8% | 5.8% | 7.5% | 1.3% | 1285 |
| | 50 to 64 years | 54.3% | 34.7% | 2.6% | 7.1% | 1.2% | 1404 |
| | 65 years or more | 76.8% | 19.5% | 1.0% | 1.9% | 0.8% | 518 |
| Hispanic, Spanish or Latino | Yes | 36.8% | 55.3% | 2.6% | 3.9% | 1.3% | 76 |
| Race | White | 54.2% | 35.2% | 3.2% | 6.2% | 1.2% | 2725 |
| | African-American | 30.4% | 56.5% | 0.0% | 8.7% | 4.3% | 23 |
| | Asian | 41.8% | 41.5% | 8.4% | 7.7% | 0.7% | 287 |
| | Native Hawaiian or Pacific Islander | 45.5% | 27.3% | 9.1% | 18.2% | 0.0% | 11 |
| | American Indian or Alaska Native | 47.4% | 52.6% | 0.0% | 0.0% | 0.0% | 19 |
| | Other | 50.0% | 36.8% | 2.2% | 9.6% | 1.5% | 136 |
| Specialty Categories | Family/General Medicine | 49.1% | 37.1% | 3.4% | 9.5% | 0.9% | 560 |
| | Obstetrics/Gynecology | 52.5% | 34.8% | 5.1% | 5.1% | 2.5% | 158 |
| | General Internal Medicine | 43.0% | 43.0% | 5.1% | 6.8% | 2.1% | 512 |
| | General Pediatrics | 56.6% | 35.9% | 2.5% | 4.5% | 0.5% | 198 |
| | General Surgery | 52.5% | 31.1% | 6.6% | 8.2% | 1.6% | 122 |
| | Medical Subspecialty | 58.1% | 31.9% | 3.5% | 6.1% | 0.4% | 508 |
| | Pediatric Subspecialty | 70.9% | 16.4% | 3.6% | 9.1% | 0.0% | 55 |
| | Surgical Subspecialty | 63.8% | 28.2% | 2.3% | 3.8% | 1.9% | 213 |
| | Neurological Surgery | 61.5% | 30.8% | 0.0% | 7.7% | 0.0% | 26 |
| | Psychiatry | 58.8% | 34.8% | 0.9% | 4.5% | 0.9% | 221 |
| | Hospital-based Specialty | 51.7% | 38.1% | 3.9% | 5.2% | 1.1% | 559 |
| Other | 51.6% | 38.7% | 1.6% | 6.5% | 1.6% | 62 | |
| What is your employment status at your primary practice? | Full owner | 60.2% | 29.8% | 2.4% | 6.4% | 1.3% | 550 |
| | Part owner (or shareholder) | 55.9% | 35.0% | 2.3% | 5.9% | 0.9% | 694 |
| | Employee | 48.4% | 38.8% | 4.9% | 6.9% | 1.0% | 1546 |
| | Independent contractor | 50.9% | 38.2% | 3.2% | 6.0% | 1.8% | 283 |
| | Volunteer | 57.1% | 25.0% | 3.6% | 3.6% | 10.7% | 28 |
| Other | 58.5% | 30.9% | 2.1% | 6.4% | 2.1% | 94 | |
| Region | Portland Metro | 54.7% | 34.0% | 3.7% | 6.4% | 1.1% | 1584 |
| | Mid-Willamette Valley | 52.9% | 37.1% | 4.0% | 5.2% | 0.9% | 580 |
| | Northwestern | 51.3% | 32.1% | 5.1% | 7.7% | 3.8% | 78 |
| | Southern | 47.0% | 43.1% | 2.4% | 7.1% | 0.4% | 253 |
| | Eastern | 47.8% | 38.8% | 3.0% | 10.4% | 0.0% | 67 |
| | Southwestern | 55.3% | 27.7% | 0.0% | 10.6% | 6.4% | 47 |
| Central | 49.6% | 36.9% | 5.2% | 6.7% | 1.6% | 252 | |
| Statewide | | 52.9% | 35.9% | 3.6% | 6.4% | 1.2% | 3207 |

Professional satisfaction

| <i>Which is the greatest source of your professional satisfaction?</i> | | <i>Intellectual challenge</i> | <i>Clinical practice</i> | <i>Income</i> | <i>Patient relationship</i> | <i>Practice environment</i> | <i>Other</i> | <i>Total</i> |
|--|-------------------------------------|-------------------------------|--------------------------|---------------|-----------------------------|-----------------------------|--------------|--------------|
| Gender | Female | 19.6% | 22.5% | 3.0% | 44.3% | 7.6% | 3.0% | 1019 |
| | Male | 22.3% | 29.9% | 5.3% | 32.1% | 7.4% | 2.9% | 2144 |
| Age | Under 50 years | 19.6% | 27.5% | 5.4% | 36.0% | 8.3% | 3.2% | 1278 |
| | 50 to 64 years | 20.9% | 28.6% | 3.7% | 36.9% | 7.7% | 2.2% | 1382 |
| | 65 years or more | 27.5% | 24.8% | 4.8% | 33.7% | 4.8% | 4.6% | 505 |
| Hispanic, Spanish or Latino | Yes | 22.1% | 32.5% | 5.2% | 29.3% | 6.5% | 3.9% | 77 |
| Race | White | 21.6% | 26.0% | 4.3% | 37.4% | 7.8% | 2.9% | 2693 |
| | African-American | 17.4% | 34.8% | 4.3% | 39.1% | 4.3% | 0.0% | 23 |
| | Asian | 19.3% | 53.7% | 6.8% | 27.1% | 7.5% | 3.6% | 280 |
| | Native Hawaiian or Pacific Islander | 18.2% | 18.2% | 18.2% | 45.5% | 0.0% | 0.0% | 11 |
| | American Indian or Alaska Native | 21.1% | 26.3% | 10.5% | 36.8% | 5.3% | 0.0% | 19 |
| | Other | 23.5% | 29.2% | 5.1% | 27.9% | 0.7% | 4.4% | 136 |
| Specialty Categories | Family/General Medicine | 15.3% | 21.6% | 3.3% | 49.3% | 6.4% | 4.2% | 550 |
| | Obstetrics/Gynecology | 11.7% | 25.3% | 1.3% | 52.6% | 5.8% | 3.2% | 154 |
| | General Internal Medicine | 25.2% | 23.2% | 3.9% | 34.4% | 9.3% | 3.9% | 508 |
| | General Pediatrics | 15.7% | 24.9% | 3.0% | 50.3% | 4.1% | 2.0% | 197 |
| | General Surgery | 18.3% | 37.5% | 4.2% | 30.0% | 6.7% | 3.3% | 120 |
| | Medical Subspecialty | 24.8% | 28.6% | 5.2% | 34.2% | 4.4% | 2.8% | 500 |
| | Pediatric Subspecialty | 32.7% | 27.3% | 5.5% | 25.5% | 9.1% | 0.0% | 55 |
| | Surgical Subspecialty | 21.2% | 33.0% | 4.2% | 32.5% | 6.6% | 2.4% | 212 |
| | Neurological Surgery | 30.8% | 38.5% | 3.8% | 26.9% | 0.0% | 0.0% | 26 |
| | Psychiatry | 19.8% | 27.2% | 2.8% | 44.2% | 3.2% | 2.8% | 217 |
| | Hospital-based Specialty | 25.2% | 33.8% | 8.3% | 17.1% | 13.8% | 1.8% | 551 |
| | Other | 27.4% | 27.4% | 3.2% | 33.9% | 3.2% | 4.8% | 62 |
| What is your employment status at your primary practice? | Full owner | 15.9% | 31.9% | 3.2% | 43.5% | 4.5% | 1.1% | 536 |
| | Part owner (or shareholder) | 16.6% | 30.6% | 5.5% | 38.9% | 7.2% | 1.2% | 692 |
| | Employee | 23.9% | 25.4% | 4.2% | 34.6% | 7.9% | 4.1% | 1530 |
| | Independent contractor | 27.2% | 26.8% | 7.2% | 25.0% | 12.0% | 1.8% | 276 |
| | Volunteer | 35.7% | 17.9% | 3.6% | 35.7% | 0.0% | 7.1% | 28 |
| | Other | 24.2% | 19.8% | 3.3% | 30.8% | 9.9% | 12.1% | 91 |
| Region | Portland Metro | 25.1% | 27.2% | 3.5% | 33.7% | 6.9% | 3.6% | 1568 |
| | Mid-Willamette Valley | 16.4% | 28.8% | 5.1% | 40.1% | 7.3% | 2.3% | 573 |
| | Northwestern | 20.8% | 36.4% | 1.3% | 28.6% | 11.7% | 1.3% | 77 |
| | Southern | 18.5% | 25.4% | 6.5% | 40.7% | 6.9% | 2.0% | 248 |
| | Eastern | 17.6% | 20.6% | 8.8% | 39.7% | 8.8% | 4.4% | 68 |
| | Southwestern | 20.0% | 22.2% | 11.1% | 40.0% | 4.4% | 2.2% | 45 |
| | Central | 18.0% | 24.9% | 5.7% | 40.4% | 8.6% | 2.4% | 245 |
| Statewide | | 18.8% | 30.5% | 5.3% | 33.7% | 9.4% | 2.3% | 3165 |

Practice size

| What is the size of your primary practice? | | Solo practice | Partnership (2 to 3 physicians) | Group practice (4 to 9 physicians) | Group practice (10 to 13 physicians) | Group practice (14 to 19 physicians) | Group practice (20 to 29 physicians) | Group practice (More than 30 physicians) | Other | Total |
|--|-------------------------------------|---------------|---------------------------------|------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|--|-------|-------|
| Gender | Female | 15.3% | 11.7% | 26.7% | 9.3% | 5.9% | 5.1% | 21.1% | 5.0% | 1027 |
| | Male | 17.5% | 14.1% | 22.4% | 8.8% | 6.7% | 5.3% | 20.7% | 4.5% | 2156 |
| Age | Under 50 years | 8.2% | 14.3% | 26.8% | 10.3% | 8.2% | 6.9% | 22.3% | 3.0% | 1284 |
| | 50 to 64 years | 20.7% | 12.0% | 23.0% | 8.9% | 5.5% | 4.7% | 21.3% | 4.0% | 1389 |
| | 65 years or more | 27.7% | 14.5% | 18.4% | 5.7% | 4.7% | 2.3% | 16.2% | 10.5% | 512 |
| Hispanic, Spanish or Latino | Yes | 18.2% | 7.8% | 20.8% | 15.6% | 6.5% | 5.2% | 23.4% | 2.6% | 77 |
| Race | White | 17.0% | 13.1% | 24.4% | 8.9% | 6.2% | 5.4% | 20.5% | 4.6% | 2707 |
| | African-American | 8.7% | 21.7% | 21.7% | 8.7% | 4.3% | 13.0% | 17.4% | 4.3% | 23 |
| | Asian | 12.6% | 13.3% | 22.8% | 10.9% | 6.7% | 3.9% | 26.0% | 3.9% | 285 |
| | Native Hawaiian or Pacific Islander | 36.4% | 9.1% | 0.0% | 18.2% | 0.0% | 9.1% | 27.3% | 0.0% | 11 |
| | American Indian or Alaska Native | 21.1% | 26.3% | 0.0% | 21.1% | 5.3% | 0.0% | 15.8% | 10.5% | 19 |
| | Other | 22.4% | 11.9% | 18.7% | 7.5% | 9.7% | 5.2% | 17.9% | 6.7% | 134 |
| Specialty Categories | Family/General Medicine | 17.5% | 13.5% | 30.1% | 7.9% | 5.4% | 4.0% | 16.1% | 5.4% | 554 |
| | Obstetrics/Gynecology | 22.8% | 20.9% | 24.7% | 8.2% | 5.1% | 0.6% | 13.3% | 4.4% | 158 |
| | General Internal Medicine | 9.2% | 8.6% | 24.1% | 12.9% | 9.6% | 4.1% | 26.6% | 4.9% | 511 |
| | General Pediatrics | 8.0% | 18.0% | 28.0% | 10.5% | 7.0% | 9.0% | 15.0% | 4.5% | 200 |
| | General Surgery | 16.7% | 18.3% | 27.5% | 5.0% | 5.0% | 0.8% | 20.0% | 6.7% | 120 |
| | Medical Subspecialty | 19.0% | 15.2% | 22.9% | 10.9% | 5.1% | 2.4% | 21.1% | 3.4% | 506 |
| | Pediatric Subspecialty | 3.8% | 11.3% | 47.2% | 9.4% | 9.4% | 3.8% | 13.2% | 1.9% | 53 |
| | Surgical Subspecialty | 31.0% | 21.9% | 15.2% | 3.8% | 7.1% | 5.7% | 11.0% | 4.3% | 210 |
| | Neurological Surgery | 50.0% | 23.1% | 11.5% | 3.8% | 0.0% | 0.0% | 7.7% | 3.8% | 26 |
| | Psychiatry | 41.8% | 11.4% | 14.1% | 1.4% | 0.9% | 3.6% | 18.6% | 8.2% | 220 |
| | Hospital-based Specialty | 5.4% | 7.4% | 20.7% | 10.2% | 7.7% | 12.3% | 31.6% | 3.6% | 551 |
| Other | 27.0% | 17.5% | 23.8% | 7.9% | 1.8% | 0.5% | 0.6% | 1.5% | 63 | |
| Region | Portland Metro | 13.5% | 9.7% | 21.0% | 9.8% | 7.4% | 5.7% | 27.8% | 5.0% | 1574 |
| | Mid-Willamette Valley | 18.3% | 15.0% | 26.3% | 7.8% | 5.9% | 4.2% | 20.3% | 2.3% | 575 |
| | Northwestern | 23.4% | 28.6% | 29.9% | 9.1% | 2.6% | 0.0% | 3.9% | 2.6% | 77 |
| | Southern | 25.9% | 15.1% | 31.5% | 7.2% | 6.0% | 7.6% | 2.0% | 4.8% | 251 |
| | Eastern | 26.9% | 22.4% | 32.8% | 4.5% | 3.0% | 6.0% | 1.5% | 3.0% | 67 |
| | Southwestern | 25.5% | 19.1% | 23.4% | 6.4% | 4.3% | 0.0% | 14.9% | 6.4% | 47 |
| | Central | 15.6% | 18.4% | 25.2% | 10.4% | 7.2% | 4.4% | 12.0% | 6.8% | 250 |
| | Other | 18.9% | 16.3% | 22.4% | 7.8% | 4.4% | 5.2% | 18.9% | 6.1% | 344 |
| Statewide | | 16.8% | 13.3% | 23.8% | 8.9% | 6.4% | 5.2% | 20.9% | 4.7% | 3185 |

Physician employment status

| | | <i>Full owner or sole proprietor</i> | <i>Part-owner (or shareholder)</i> | <i>Employee</i> | <i>Independent contractor</i> | <i>Volunteer</i> | <i>Other</i> | <i>Total</i> |
|-----------------------------|-------------------------------------|--------------------------------------|------------------------------------|-----------------|-------------------------------|------------------|--------------|--------------|
| Gender | Female | | | | | | | |
| | Male | | | | | | | |
| Age | Under 50 years | 9.2% | 22.6% | 60.0% | 5.7% | 0.2% | 2.3% | 1290 |
| | 50 to 64 years | 22.8% | 24.0% | 42.4% | 7.8% | 0.7% | 2.4% | 1401 |
| | 65 years or more | 22.4% | 13.8% | 35.1% | 19.7% | 2.9% | 6.1% | 522 |
| Hispanic, Spanish or Latino | Yes | 14.3% | 22.1% | 51.9% | 9.1% | 0.0% | 2.6% | 77 |
| Race | White | 17.3% | 22.0% | 48.0% | 9.0% | 0.9% | 2.7% | 2733 |
| | African-American | 17.4% | 13.0% | 56.5% | 13.0% | 0.0% | 0.0% | 23 |
| | Asian | 14.3% | 17.5% | 57.3% | 7.7% | 0.3% | 2.8% | 286 |
| | Native Hawaiian or Pacific Islander | 27.3% | 36.4% | 27.3% | 9.1% | 0.0% | 0.0% | 11 |
| | American Indian or Alaska Native | 15.8% | 21.1% | 47.4% | 10.5% | 0.0% | 5.3% | 19 |
| | Other | 20.7% | 20.7% | 43.7% | 9.6% | 0.0% | 5.2% | 135 |
| Specialty Categories | Family/General Medicine | 16.5% | 15.1% | 58.1% | 7.2% | 1.3% | 2.0% | 558 |
| | Obstetrics/Gynecology | 26.4% | 18.9% | 44.0% | 3.8% | 1.3% | 5.7% | 159 |
| | General Internal Medicine | 9.5% | 15.7% | 63.5% | 7.6% | 1.0% | 2.7% | 515 |
| | General Pediatrics | 13.4% | 27.4% | 47.3% | 8.5% | 0.5% | 3.0% | 201 |
| | General Surgery | 15.6% | 22.1% | 50.0% | 6.6% | 2.5% | 3.3% | 122 |
| | Medical Subspecialty | 20.0% | 25.1% | 44.4% | 7.3% | 0.4% | 2.8% | 509 |
| | Pediatric Subspecialty | 11.1% | 22.2% | 55.6% | 7.4% | 0.0% | 3.7% | 54 |
| | Surgical Subspecialty | 33.0% | 19.3% | 36.3% | 7.5% | 0.9% | 2.8% | 212 |
| | Neurological Surgery | 53.8% | 7.7% | 30.8% | 3.8% | 0.0% | 3.8% | 26 |
| | Psychiatry | 33.8% | 6.3% | 44.6% | 11.3% | 0.9% | 3.2% | 222 |
| | Hospital-based Specialty | 7.9% | 37.9% | 35.2% | 15.2% | 0.2% | 3.6% | 559 |
| | Other | 17.5% | 19.0% | 49.2% | 7.9% | 4.8% | 1.6% | 63 |
| Region | Portland Metro | 15.6% | 21.1% | 52.7% | 6.7% | 0.8% | 3.1% | 1589 |
| | Mid-Willamette Valley | 19.0% | 29.0% | 43.1% | 6.4% | 1.0% | 1.6% | 250 |
| | Northwestern | 15.4% | 12.8% | 59.0% | 10.3% | 0.0% | 2.6% | 78 |
| | Southern | 26.6% | 28.2% | 32.1% | 10.3% | 1.6% | 1.2% | 252 |
| | Eastern | 14.7% | 14.7% | 58.8% | 11.8% | 0.0% | 0.0% | 68 |
| | Southwestern | 29.8% | 19.1% | 29.8% | 17.0% | 2.1% | 2.1% | 47 |
| | Central | 15.4% | 20.2% | 45.5% | 15.8% | 0.8% | 2.4% | 253 |
| | Other | 15.9% | 13.0% | 48.3% | 15.0% | 0.6% | 7.2% | 346 |
| Statewide | | 17.3% | 21.8% | 48.3% | 8.9% | 0.9% | 3.0% | 3213 |

Patient volume by specialty and region

Statewide

| <i>In a typical week, how many patients do you see in your primary practice setting?</i> | | <i>Does not apply</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Specialty | Family/General Medicine | 3.8% | 11.8% | 21.2% | 31.3% | 26.1% | 5.6% | 0.2% | 552 |
| Categories | Obstetrics/Gynecology | 5.7% | 15.3% | 23.6% | 28.7% | 21.0% | 5.7% | 0.0% | 157 |
| | General Internal Medicine | 10.4% | 16.5% | 23.5% | 29.0% | 16.9% | 3.1% | 0.6% | 510 |
| | General Pediatrics | 3.5% | 20.2% | 19.2% | 25.8% | 23.7% | 7.6% | 0.0% | 198 |
| | General Surgery | 4.9% | 27.0% | 47.5% | 18.9% | 1.6% | 0.0% | 0.0% | 122 |
| | Medical Subspecialty | 4.4% | 16.9% | 27.8% | 25.8% | 14.7% | 9.1% | 1.2% | 503 |
| | Pediatric Subspecialty | 9.3% | 35.2% | 35.2% | 11.1% | 9.3% | 0.0% | 0.0% | 54 |
| | Surgical Subspecialty | 6.6% | 15.6% | 24.1% | 20.8% | 26.4% | 6.1% | 0.5% | 212 |
| | Neurological Surgery | 19.2% | 15.4% | 46.2% | 11.5% | 7.7% | 0.0% | 0.0% | 26 |
| | Psychiatry | 8.2% | 35.0% | 43.6% | 8.6% | 3.2% | 0.9% | 0.5% | 220 |
| | Hospital-based Specialty | 21.1% | 20.4% | 22.7% | 17.8% | 10.0% | 4.9% | 3.1% | 550 |
| | Other | 11.5% | 31.1% | 21.3% | 14.8% | 16.4% | 4.9% | 0.0% | 61 |
| Statewide | | 8.9% | 18.8% | 26.1% | 23.7% | 16.5% | 5.1% | 0.9% | 3165 |

Region Portland Metropolitan

| <i>In a typical week, how many patients do you see in your primary practice setting?</i> | | <i>Does not apply</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Specialty | Family/General Medicine | 6.3% | 15.9% | 24.9% | 29.1% | 21.7% | 2.1% | 0.0% | 189 |
| Categories | Obstetrics/Gynecology | 5.8% | 18.8% | 24.6% | 34.8% | 14.5% | 1.4% | 0.0% | 69 |
| | General Internal Medicine | 11.3% | 19.8% | 24.4% | 23.3% | 18.4% | 1.8% | 1.1% | 283 |
| | General Pediatrics | 3.6% | 21.8% | 25.5% | 28.2% | 15.5% | 5.5% | 0.0% | 110 |
| | General Surgery | 7.4% | 31.5% | 44.4% | 14.8% | 1.9% | 0.0% | 0.0% | 54 |
| | Medical Subspecialty | 3.4% | 21.0% | 30.7% | 25.1% | 10.9% | 7.5% | 1.5% | 267 |
| | Pediatric Subspecialty | 10.0% | 30.0% | 42.5% | 10.0% | 7.5% | 0.0% | 0.0% | 40 |
| | Surgical Subspecialty | 7.7% | 17.1% | 29.9% | 17.9% | 22.2% | 4.3% | 0.9% | 117 |
| | Neurological Surgery | 23.1% | 15.4% | 46.2% | 15.4% | 0.0% | 0.0% | 0.0% | 13 |
| | Psychiatry | 10.7% | 37.2% | 38.8% | 7.4% | 3.3% | 1.7% | 0.8% | 121 |
| | Hospital-based Specialty | 20.8% | 21.5% | 23.4% | 18.1% | 6.8% | 5.7% | 3.8% | 265 |
| | Other | 15.8% | 34.2% | 23.7% | 13.2% | 10.5% | 2.6% | 0.0% | 38 |
| Overall | | 9.9% | 22.0% | 28.3% | 21.7% | 13.1% | 3.8% | 1.2% | 1566 |

Region Mid-Willamette Valley

| <i>In a typical week, how many patients do you see in your primary practice setting?</i> | | <i>Does not apply</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Specialty | Family/General Medicine | 1.5% | 9.8% | 14.3% | 33.1% | 31.6% | 9.8% | 0.0% | 133 |
| Categories | Obstetrics/Gynecology | 6.7% | 13.3% | 23.3% | 16.7% | 30.0% | 10.0% | 0.0% | 30 |
| | General Internal Medicine | 8.9% | 8.9% | 22.8% | 43.0% | 13.9% | 2.5% | 0.0% | 79 |
| | General Pediatrics | 5.7% | 8.6% | 22.9% | 11.4% | 40.0% | 11.4% | 0.0% | 35 |
| | General Surgery | 3.4% | 17.2% | 51.7% | 24.1% | 3.4% | 0.0% | 0.0% | 29 |
| | Medical Subspecialty | 7.1% | 7.1% | 26.2% | 25.0% | 20.2% | 13.1% | 1.2% | 84 |
| | Pediatric Subspecialty | 0.0% | 25.0% | 0.0% | 25.0% | 50.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 5.4% | 16.2% | 13.5% | 24.3% | 29.7% | 10.8% | 0.0% | 37 |
| | Neurological Surgery | 0.0% | 20.0% | 80.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Psychiatry | 4.2% | 39.6% | 45.8% | 8.3% | 2.1% | 0.0% | 0.0% | 48 |
| | Hospital-based Specialty | 20.8% | 22.1% | 20.8% | 11.7% | 18.2% | 3.9% | 2.6% | 77 |
| | Other | 0.0% | 22.2% | 0.0% | 33.3% | 33.3% | 11.1% | 0.0% | 9 |
| Overall | | 7.0% | 14.7% | 23.9% | 24.7% | 21.9% | 7.2% | 0.5% | 570 |

Region Northwestern

| <i>In a typical week, how many patients do you see in your primary practice setting?</i> | | <i>Does not apply</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Specialty | Family/General Medicine | 11.1% | 0.0% | 22.2% | 33.3% | 16.7% | 16.7% | 0.0% | 18 |
| Categories | Obstetrics/Gynecology | 0.0% | 0.0% | 60.0% | 20.0% | 20.0% | 0.0% | 0.0% | 5 |
| | General Internal Medicine | 0.0% | 7.1% | 28.6% | 28.6% | 35.7% | 0.0% | 0.0% | 14 |
| | General Pediatrics | 0.0% | 33.3% | 0.0% | 33.3% | 33.3% | 0.0% | 0.0% | 3 |
| | General Surgery | 16.7% | 16.7% | 66.7% | 0.0% | 0.0% | 0.0% | 0.0% | 6 |
| | Medical Subspecialty | 0.0% | 16.7% | 33.3% | 16.7% | 16.7% | 16.7% | 0.0% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 0.0% | 0.0% | 33.3% | 0.0% | 33.3% | 33.3% | 0.0% | 3 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | Hospital-based Specialty | 10.5% | 15.8% | 26.3% | 21.1% | 26.3% | 0.0% | 0.0% | 19 |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| Overall | | 6.6% | 9.2% | 32.9% | 22.4% | 22.4% | 6.6% | 0.0% | 76 |

Region Southwestern

| <i>In a typical week, how many patients do you see in your primary practice setting?</i> | | <i>Does not apply</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|--|-------------------------|-----------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Specialty | Family/General Medicine | 10.0% | 0.0% | 0.0% | 40.0% | 30.0% | 20.0% | 0.0% | 10 |
| Categories | Obstetrics/Gynecology | 16.7% | 0.0% | 16.7% | 33.3% | 16.7% | 16.7% | 0.0% | 6 |

| | | | | | | | | |
|---------------------------|-------|-------|-------|-------|--------|-------|------|----|
| General Internal Medicine | 0.0% | 14.3% | 28.6% | 28.6% | 28.6% | 0.0% | 0.0% | 7 |
| General Pediatrics | 0.0% | 0.0% | 0.0% | 25.0% | 50.0% | 25.0% | 0.0% | 4 |
| General Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| Medical Subspecialty | 0.0% | 16.7% | 16.7% | 0.0% | 33.3% | 33.3% | 0.0% | 6 |
| Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| Surgical Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 0.0% | 0.0% | 2 |
| Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| Psychiatry | 0.0% | 0.0% | 80.0% | 20.0% | 0.0% | 0.0% | 0.0% | 5 |
| Hospital-based Specialty | 40.0% | 20.0% | 20.0% | 20.0% | 0.0% | 0.0% | 0.0% | 5 |
| Other | 0.0% | 0.0% | 50.0% | 0.0% | 50.0% | 0.0% | 0.0% | 2 |
| Overall | 8.5% | 6.4% | 21.3% | 23.4% | 27.7% | 12.8% | 0.0% | 47 |

Region Southern

| <i>In a typical week, how many patients do you see in your primary practice setting?</i> | | <i>Does not apply</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Specialty | Family/General Medicine | 5.7% | 5.7% | 26.4% | 20.8% | 34.0% | 7.5% | 0.0% | 53 |
| Categories | Obstetrics/Gynecology | 6.7% | 6.7% | 26.7% | 33.3% | 26.7% | 0.0% | 0.0% | 15 |
| | General Internal Medicine | 6.8% | 13.6% | 11.4% | 38.6% | 20.5% | 9.1% | 0.0% | 44 |
| | General Pediatrics | 0.0% | 30.0% | 0.0% | 40.0% | 20.0% | 10.0% | 0.0% | 10 |
| | General Surgery | 0.0% | 42.9% | 42.9% | 14.3% | 0.0% | 0.0% | 0.0% | 7 |
| | Medical Subspecialty | 5.6% | 11.1% | 27.8% | 27.8% | 16.7% | 11.1% | 0.0% | 36 |
| | Pediatric Subspecialty | 20.0% | 40.0% | 20.0% | 20.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Surgical Subspecialty | 5.6% | 0.0% | 11.1% | 38.9% | 44.4% | 0.0% | 0.0% | 18 |
| | Neurological Surgery | 50.0% | 0.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | Psychiatry | 11.1% | 22.2% | 22.2% | 33.3% | 11.1% | 0.0% | 0.0% | 9 |
| | Hospital-based Specialty | 34.1% | 11.4% | 20.5% | 18.2% | 9.1% | 4.5% | 2.3% | 44 |
| | Other | 0.0% | 0.0% | 33.3% | 0.0% | 33.3% | 33.3% | 0.0% | 3 |
| Overall | | 11.4% | 11.8% | 21.1% | 27.2% | 21.5% | 6.5% | 0.4% | 246 |

Region Central

| <i>In a typical week, how many patients do you see in your primary practice setting?</i> | | <i>Does not apply</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 0.0% | 14.3% | 28.6% | 34.3% | 20.0% | 2.9% | 0.0% | 70 |
| | Obstetrics/Gynecology | 0.0% | 20.0% | 10.0% | 30.0% | 30.0% | 10.0% | 0.0% | 10 |
| | General Internal Medicine | 11.8% | 14.7% | 29.4% | 35.3% | 5.9% | 2.9% | 0.0% | 34 |
| | General Pediatrics | 6.7% | 20.0% | 6.7% | 26.7% | 40.0% | 0.0% | 0.0% | 15 |
| | General Surgery | 0.0% | 11.1% | 55.6% | 33.3% | 0.0% | 0.0% | 0.0% | 9 |
| | Medical Subspecialty | 5.9% | 2.9% | 26.5% | 29.4% | 23.5% | 11.8% | 0.0% | 34 |
| | Pediatric Subspecialty | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | Surgical Subspecialty | 9.1% | 0.0% | 54.5% | 9.1% | 18.2% | 9.1% | 0.0% | 11 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 44.4% | 44.4% | 0.0% | 11.1% | 0.0% | 0.0% | 9 |
| | Hospital-based Specialty | 17.6% | 25.5% | 23.5% | 25.5% | 3.9% | 3.9% | 0.0% | 51 |
| | Other | 0.0% | 75.0% | 25.0% | 0.0% | 0.0% | 0.0% | 0.0% | 4 |
| Overall | | 6.8% | 17.7% | 27.7% | 28.1% | 15.3% | 4.4% | 0.0% | 249 |

Region Eastern

| <i>In a typical week, how many patients do you see in your primary practice setting?</i> | | <i>Does not apply</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 5.0% | 20.0% | 20.0% | 30.0% | 20.0% | 5.0% | 0.0% | 20 |
| | Obstetrics/Gynecology | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 50.0% | 0.0% | 2 |
| | General Internal Medicine | 0.0% | 28.6% | 0.0% | 71.4% | 0.0% | 0.0% | 0.0% | 7 |
| | General Pediatrics | 0.0% | 16.7% | 0.0% | 33.3% | 50.0% | 0.0% | 0.0% | 6 |
| | General Surgery | 0.0% | 40.0% | 40.0% | 20.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Medical Subspecialty | 0.0% | 25.0% | 12.5% | 37.5% | 25.0% | 0.0% | 0.0% | 8 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 0.0% | 33.3% | 0.0% | 33.3% | 33.3% | 0.0% | 0.0% | 3 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 1 |
| | Hospital-based Specialty | 20.0% | 20.0% | 13.3% | 6.7% | 6.7% | 13.3% | 20.0% | 15 |
| | Other | 0.0% | 0.0% | 50.0% | 50.0% | 0.0% | 0.0% | 0.0% | 2 |
| Overall | | 5.9% | 22.1% | 14.7% | 29.4% | 17.6% | 5.9% | 4.4% | 68 |

Weekly new patient by specialty and region

Statewide

| <i>In a typical week, how many NEW patients do you see in your primary practice setting?</i> | | <i>None</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>More than 100 patients</i> | <i>Does not apply</i> | <i>Total</i> |
|--|---------------------------|-------------|-------------------------|--------------------------|--------------------------|---------------------------|-------------------------------|-----------------------|--------------|
| Specialty Categories | Family/General Medicine | 9.3% | 79.3% | 5.7% | 0.7% | 0.4% | 0.2% | 4.4% | 547 |
| | Obstetrics/Gynecology | 3.8% | 88.1% | 3.1% | 1.3% | 0.0% | 0.0% | 3.8% | 159 |
| | General Internal Medicine | 12.4% | 65.0% | 9.4% | 2.0% | 0.4% | 0.4% | 10.4% | 508 |
| | General Pediatrics | 4.0% | 86.9% | 3.0% | 1.0% | 0.5% | 0.0% | 4.5% | 199 |
| | General Surgery | 5.8% | 86.7% | 5.0% | 0.0% | 0.0% | 0.0% | 2.5% | 120 |
| | Medical Subspecialty | 4.2% | 79.8% | 12.8% | 1.2% | 0.6% | 0.0% | 1.4% | 499 |
| | Pediatric Subspecialty | 7.5% | 83.0% | 3.8% | 0.0% | 1.9% | 0.0% | 3.8% | 53 |
| | Surgical Subspecialty | 3.3% | 78.0% | 13.4% | 1.0% | 0.0% | 0.0% | 4.3% | 209 |
| | Neurological Surgery | 11.5% | 73.1% | 7.7% | 0.0% | 0.0% | 0.0% | 7.7% | 26 |
| | Psychiatry | 14.7% | 82.6% | 0.9% | 0.5% | 0.0% | 0.0% | 1.4% | 218 |
| | Hospital-based Specialty | 6.4% | 26.4% | 14.1% | 9.0% | 3.9% | 1.7% | 38.5% | 545 |
| | Other | 7.9% | 74.6% | 3.2% | 3.2% | 0.0% | 0.0% | 11.1% | 63 |
| Overall | | 7.7% | 69.2% | 8.7% | 2.5% | 1.0% | 0.4% | 10.6% | 3146 |

Region Portland Metropolitan

| <i>In a typical week, how many NEW patients do you see in your primary practice setting?</i> | | <i>None</i> | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>More than 100 patients</i> | <i>Does not apply</i> | <i>Total</i> |
|--|---------------------------|-------------|-------------------------|--------------------------|--------------------------|---------------------------|-------------------------------|-----------------------|--------------|
| Specialty Categories | Family/General Medicine | 11.7% | 78.7% | 5.3% | 0.0% | 0.5% | 0.0% | 3.7% | 188 |
| | Obstetrics/Gynecology | 4.2% | 87.3% | 4.2% | 2.8% | 0.0% | 0.0% | 1.4% | 71 |
| | General Internal Medicine | 14.5% | 64.5% | 9.2% | 1.4% | 0.4% | 0.4% | 9.6% | 282 |
| | General Pediatrics | 5.5% | 86.4% | 3.6% | 0.9% | 0.0% | 0.0% | 3.6% | 110 |
| | General Surgery | 7.5% | 86.8% | 3.8% | 0.0% | 0.0% | 0.0% | 1.9% | 53 |
| | Medical Subspecialty | 3.4% | 79.7% | 12.6% | 1.5% | 1.1% | 0.0% | 1.5% | 261 |
| | Pediatric Subspecialty | 7.5% | 80.0% | 5.0% | 0.0% | 2.5% | 0.0% | 5.0% | 40 |
| | Surgical Subspecialty | 3.4% | 76.7% | 15.5% | 0.0% | 0.0% | 0.0% | 4.3% | 116 |
| | Neurological Surgery | 23.1% | 76.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 13 |
| | Psychiatry | 20.7% | 76.9% | 0.8% | 0.8% | 0.0% | 0.0% | 0.8% | 121 |
| | Hospital-based Specialty | 6.9% | 27.5% | 14.9% | 7.3% | 4.6% | 1.5% | 37.4% | 262 |
| | Other | 10.3% | 69.2% | 5.1% | 2.6% | 0.0% | 0.0% | 12.8% | 39 |
| Overall | | 9.1% | 68.4% | 9.0% | 2.1% | 1.2% | 0.3% | 10.0% | 1556 |

Region Mid-Willamette Valley

| <i>In a typical week, how many NEW patients do you see in your primary practice setting?</i> | | None | 1 to 25 patients | 26 to 50 patients | 51 to 75 patients | 76 to 100 patients | More than 100 patients | Does not apply | Total |
|--|---------------------------|-------|------------------|-------------------|-------------------|--------------------|------------------------|----------------|-------|
| Specialty Categories | Family/General Medicine | 9.8% | 82.0% | 4.5% | 0.0% | 0.8% | 0.0% | 3.0% | 133 |
| | Obstetrics/Gynecology | 0.0% | 90.0% | 3.3% | 0.0% | 0.0% | 0.0% | 6.7% | 30 |
| | General Internal Medicine | 10.3% | 73.1% | 6.4% | 2.6% | 0.0% | 0.0% | 7.7% | 78 |
| | General Pediatrics | 0.0% | 82.9% | 2.9% | 2.9% | 0.0% | 0.0% | 11.4% | 35 |
| | General Surgery | 3.4% | 93.1% | 3.4% | 0.0% | 0.0% | 0.0% | 0.0% | 29 |
| | Medical Subspecialty | 5.8% | 77.9% | 16.3% | 0.0% | 0.0% | 0.0% | 0.0% | 86 |
| | Pediatric Subspecialty | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 5.4% | 75.7% | 10.8% | 5.4% | 0.0% | 0.0% | 2.7% | 37 |
| | Neurological Surgery | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Psychiatry | 10.9% | 87.0% | 2.2% | 0.0% | 0.0% | 0.0% | 0.0% | 46 |
| | Hospital-based Specialty | 6.5% | 22.1% | 9.1% | 10.4% | 7.8% | 1.3% | 42.9% | 77 |
| | Other | 0.0% | 90.0% | 0.0% | 0.0% | 0.0% | 0.0% | 10.0% | 10 |
| Overall | | 6.8% | 73.5% | 7.0% | 2.3% | 1.2% | 0.2% | 8.9% | 570 |

Region Northwestern

| <i>In a typical week, how many NEW patients do you see in your primary practice setting?</i> | | None | 1 to 25 patients | 26 to 50 patients | 51 to 75 patients | 76 to 100 patients | More than 100 patients | Does not apply | Total |
|--|---------------------------|-------|------------------|-------------------|-------------------|--------------------|------------------------|----------------|-------|
| Specialty Categories | Family/General Medicine | 16.7% | 72.2% | 0.0% | 5.6% | 0.0% | 0.0% | 5.6% | 18 |
| | Obstetrics/Gynecology | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | General Internal Medicine | 7.1% | 85.7% | 7.1% | 0.0% | 0.0% | 0.0% | 0.0% | 14 |
| | General Pediatrics | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 3 |
| | General Surgery | 33.3% | 50.0% | 16.7% | 0.0% | 0.0% | 0.0% | 0.0% | 6 |
| | Medical Subspecialty | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 3 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |

| | | | | | | | | |
|--------------------------|------|--------|-------|------|------|------|------|----|
| Psychiatry | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| Hospital-based Specialty | 0.0% | 31.6% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 19 |
| Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| Overall | 7.9% | 69.7% | 10.5% | 2.6% | 0.0% | 1.3% | 7.9% | 76 |

Region Southern

| <i>In a typical week, how many NEW patients do you see in your primary practice setting?</i> | | None | 1 to 25 patients | 26 to 50 patients | 51 to 75 patients | 76 to 100 patients | More than 100 patients | Does not apply | Total |
|--|---------------------------|-------|------------------|-------------------|-------------------|--------------------|------------------------|----------------|-------|
| Specialty Categories | Family/General Medicine | 17.6% | 60.8% | 15.7% | 0.0% | 0.0% | 5.9% | 0.0% | 51 |
| | Obstetrics/Gynecology | 13.3% | 80.0% | 6.7% | 0.0% | 0.0% | 0.0% | 0.0% | 15 |
| | General Internal Medicine | 13.0% | 56.5% | 13.0% | 2.2% | 2.2% | 13.0% | 0.0% | 46 |
| | General Pediatrics | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 11 |
| | General Surgery | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 7 |
| | Medical Subspecialty | 2.8% | 80.6% | 11.1% | 0.0% | 0.0% | 5.6% | 0.0% | 36 |
| | Pediatric Subspecialty | 25.0% | 75.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 5.6% | 83.3% | 11.1% | 0.0% | 0.0% | 0.0% | 0.0% | 18 |
| | Neurological Surgery | 0.0% | 50.0% | 0.0% | 0.0% | 0.0% | 50.0% | 0.0% | 2 |
| | Psychiatry | 22.2% | 77.8% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 9 |
| | Hospital-based Specialty | 4.5% | 20.5% | 11.4% | 9.1% | 2.3% | 52.3% | 0.0% | 44 |
| | Other | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 3 |
| Overall | | 9.8% | 62.6% | 10.6% | 2.0% | 0.8% | 14.2% | 0.0% | 246 |

Region Eastern

| <i>In a typical week, how many NEW patients do you see in your primary practice setting?</i> | | None | 1 to 25 patients | 26 to 50 patients | 51 to 75 patients | 76 to 100 patients | More than 100 patients | Does not apply | Total |
|--|---------------------------|-------|------------------|-------------------|-------------------|--------------------|------------------------|----------------|-------|
| Specialty Categories | Family/General Medicine | 5.0% | 85.0% | 0.0% | 0.0% | 0.0% | 0.0% | 10.0% | 20 |
| | Obstetrics/Gynecology | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | General Internal Medicine | 0.0% | 85.7% | 14.3% | 0.0% | 0.0% | 0.0% | 0.0% | 7 |
| | General Pediatrics | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 6 |
| | General Surgery | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Medical Subspecialty | 0.0% | 87.5% | 12.5% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 3 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Hospital-based Specialty | 13.3% | 33.3% | 0.0% | 13.3% | 0.0% | 0.0% | 40.0% | 15 |
| | Other | 0.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 2 |
| Overall | | 4.4% | 76.5% | 2.9% | 0.0% | 0.0% | 2.9% | 13.2% | 68 |

Region Southwestern

| <i>In a typical week, how many NEW patients do you see in your primary practice setting?</i> | | None | 1 to 25 patients | 26 to 50 patients | 51 to 75 patients | 76 to 100 patients | More than 100 patients | Does not apply | Total |
|--|---------------------------|-------|------------------|-------------------|-------------------|--------------------|------------------------|----------------|-------|
| Specialty Categories | Family/General Medicine | 0.0% | 80.0% | 10.0% | 0.0% | 0.0% | 0.0% | 10.0% | 10 |
| | Obstetrics/Gynecology | 0.0% | 83.3% | 0.0% | 0.0% | 0.0% | 0.0% | 16.7% | 6 |
| | General Internal Medicine | 0.0% | 85.7% | 14.3% | 0.0% | 0.0% | 0.0% | 0.0% | 7 |
| | General Pediatrics | 0.0% | 75.0% | 0.0% | 0.0% | 25.0% | 0.0% | 0.0% | 4 |
| | General Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Medical Subspecialty | 0.0% | 66.7% | 33.3% | 0.0% | 0.0% | 0.0% | 0.0% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 0.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Hospital-based Specialty | 40.0% | 40.0% | 0.0% | 20.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Other | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| Overall | | 4.3% | 74.5% | 12.8% | 2.1% | 2.1% | 0.0% | 4.3% | 47 |

Region Central

| <i>In a typical week, how many NEW patients do you see in your primary practice setting?</i> | | None | 1 to 25 patients | 26 to 50 patients | 51 to 75 patients | 76 to 100 patients | More than 100 patients | Does not apply | Total |
|--|---------------------------|-------|------------------|-------------------|-------------------|--------------------|------------------------|----------------|-------|
| Specialty Categories | Family/General Medicine | 4.3% | 82.6% | 5.8% | 2.9% | 0.0% | 0.0% | 4.3% | 69 |
| | Obstetrics/Gynecology | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 10 |
| | General Internal Medicine | 15.2% | 48.5% | 12.1% | 3.0% | 0.0% | 0.0% | 21.2% | 33 |
| | General Pediatrics | 13.3% | 86.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 15 |
| | General Surgery | 0.0% | 87.5% | 12.5% | 0.0% | 0.0% | 0.0% | 0.0% | 8 |
| | Medical Subspecialty | 5.9% | 85.3% | 5.9% | 2.9% | 0.0% | 0.0% | 0.0% | 34 |
| | Pediatric Subspecialty | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | Surgical Subspecialty | 0.0% | 90.9% | 0.0% | 0.0% | 0.0% | 0.0% | 9.1% | 11 |

| | | | | | | | | |
|-----------------------------|-------|--------|-------|------|------|------|-------|-----|
| Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| Psychiatry | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 9 |
| Hospital-based Specialty | 2.0% | 28.0% | 18.0% | 6.0% | 0.0% | 0.0% | 46.0% | 50 |
| Other | 25.0% | 75.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 4 |
| Overall | 5.7% | 69.4% | 8.2% | 2.9% | 0.0% | 0.0% | 13.9% | 245 |

Usual non-urgent appointment-wait by specialty and region

Statewide

How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice setting?

| | | Not applicable | Same day | 1 day | 2 days | 3 days | 4 to 6 days | 7 to 14 days | 15 to 21 days | 22 to 30 days | 31 to 45 days | 46 to 60 days | More than 60 days | Total |
|------------|---------------------------|----------------|----------|-------|--------|--------|-------------|--------------|---------------|---------------|---------------|---------------|-------------------|-------|
| Specialty | Family/General Medicine | 14.7% | 21.7% | 12.2% | 10.0% | 8.1% | 9.9% | 14.2% | 5.4% | 1.6% | 1.8% | 0.4% | 0.2% | 55 |
| Categories | Obstetrics/Gynecology | 15.1% | 4.4% | 6.3% | 6.9% | 5.0% | 13.8% | 24.5% | 9.4% | 6.3% | 5.0% | 2.5% | 0.6% | 15 |
| | General Internal Medicine | 34.6% | 11.1% | 7.2% | 9.3% | 5.8% | 8.0% | 12.5% | 4.5% | 2.5% | 2.3% | 1.4% | 0.8% | 51 |
| | General Pediatrics | 17.5% | 22.5% | 7.5% | 7.0% | 8.0% | 12.5% | 11.5% | 5.5% | 5.5% | 2.0% | 0.0% | 0.5% | 20 |
| | General Surgery | 7.4% | 7.4% | 9.8% | 7.4% | 7.4% | 15.6% | 35.2% | 4.9% | 3.3% | 1.6% | 0.0% | 0.0% | 12 |
| | Medical Subspecialty | 8.3% | 4.7% | 6.1% | 4.5% | 3.1% | 11.6% | 22.4% | 13.4% | 8.9% | 7.9% | 5.3% | 3.7% | 50 |
| | Pediatric Subspecialty | 38.9% | 5.6% | 3.7% | 1.9% | 0.0% | 3.7% | 20.4% | 3.7% | 7.4% | 9.3% | 1.9% | 3.7% | 5 |
| | Surgical Subspecialty | 11.8% | 3.8% | 7.1% | 4.7% | 6.6% | 13.2% | 25.9% | 10.8% | 7.5% | 6.1% | 1.9% | 0.5% | 21 |
| | Neurological Surgery | 23.1% | 3.8% | 0.0% | 0.0% | 0.0% | 15.4% | 19.2% | 26.9% | 7.7% | 0.0% | 3.8% | 0.0% | 2 |
| | Psychiatry | 23.5% | 0.0% | 5.4% | 3.2% | 5.0% | 11.3% | 24.9% | 9.0% | 7.2% | 3.2% | 5.4% | 1.8% | 22 |
| | Hospital-based Specialty | 76.4% | 6.5% | 3.8% | 1.6% | 0.7% | 3.6% | 3.4% | 1.6% | 0.9% | 0.0% | 0.7% | 0.7% | 55 |
| | Other | 28.6% | 12.7% | 9.5% | 3.2% | 1.6% | 12.7% | 14.3% | 4.8% | 4.8% | 3.2% | 3.2% | 1.6% | 6 |
| Overall | | 28.7% | 28.7% | 10.0% | 7.2% | 6.0% | 4.8% | 9.7% | 16.2% | 6.8% | 4.3% | 3.2% | 2.0% | 319 |

Region Portland Metropolitan

How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice setting?

| | | Not applicable | Same day | 1 day | 2 days | 3 days | 4 to 6 days | 7 to 14 days | 15 to 21 days | 22 to 30 days | 31 to 45 days | 46 to 60 days | More than 60 days | Total |
|------------|---------------------------|----------------|----------|-------|--------|--------|-------------|--------------|---------------|---------------|---------------|---------------|-------------------|-------|
| Specialty | Family/General Medicine | 15.0% | 24.9% | 11.4% | 13.0% | 8.3% | 6.7% | 12.4% | 5.7% | 0.5% | 1.0% | 0.5% | 0.5% | 19 |
| Categories | Obstetrics/Gynecology | 16.9% | 4.2% | 7.0% | 5.6% | 4.2% | 15.5% | 26.8% | 7.0% | 8.5% | 2.8% | 1.4% | 0.0% | 7 |
| | General Internal Medicine | 33.9% | 12.4% | 6.7% | 10.6% | 6.4% | 9.9% | 11.7% | 3.9% | 2.1% | 1.4% | 0.7% | 0.4% | 28 |
| | General Pediatrics | 20.7% | 23.4% | 8.1% | 7.2% | 8.1% | 9.9% | 8.1% | 4.5% | 6.3% | 2.7% | 0.0% | 0.9% | 11 |
| | General Surgery | 9.3% | 5.6% | 7.4% | 7.4% | 9.3% | 16.7% | 31.5% | 9.3% | 3.7% | 0.0% | 0.0% | 0.0% | 5 |
| | Medical Subspecialty | 8.5% | 4.8% | 5.6% | 3.7% | 4.4% | 9.6% | 22.2% | 16.7% | 9.3% | 7.0% | 5.2% | 3.0% | 27 |
| | Pediatric Subspecialty | 30.0% | 5.0% | 5.0% | 2.5% | 0.0% | 5.0% | 25.0% | 2.5% | 10.0% | 10.0% | 2.5% | 2.5% | 4 |
| | Surgical Subspecialty | 14.5% | 2.6% | 6.8% | 6.0% | 8.5% | 12.0% | 23.9% | 9.4% | 9.4% | 6.0% | 0.9% | 0.0% | 11 |
| | Neurological Surgery | 23.1% | 0.0% | 0.0% | 0.0% | 0.0% | 7.7% | 30.8% | 23.1% | 7.7% | 0.0% | 7.7% | 0.0% | 1 |
| | Psychiatry | 21.3% | 0.0% | 2.5% | 4.1% | 5.7% | 14.8% | 31.1% | 4.9% | 4.9% | 0.8% | 8.2% | 1.6% | 12 |
| | Hospital-based Specialty | 74.2% | 6.7% | 3.7% | 1.5% | 0.4% | 4.1% | 3.7% | 2.2% | 1.9% | 0.0% | 0.7% | 0.7% | 26 |
| | Other | 35.9% | 5.1% | 10.3% | 2.6% | 2.6% | 15.4% | 17.9% | 0.0% | 2.6% | 5.1% | 2.6% | 0.0% | 3 |
| Overall | | 29.0% | 9.7% | 6.4% | 6.3% | 5.2% | 9.5% | 16.4% | 6.9% | 4.7% | 2.8% | 2.2% | 1.0% | 158 |

Region Mid-Willamette Valley

How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice setting?

| | | Not applicable | Same day | 1 day | 2 days | 3 days | 4 to 6 days | 7 to 14 days | 15 to 21 days | 22 to 30 days | 31 to 45 days | 46 to 60 days | More than 60 days | Total |
|----------------------|---------------------------|----------------|----------|-------|--------|--------|-------------|--------------|---------------|---------------|---------------|---------------|-------------------|-------|
| Specialty Categories | Family/General Medicine | 9.6% | 22.2% | 15.6% | 11.9% | 5.9% | 14.1% | 11.1% | 3.7% | 2.2% | 3.0% | 0.7% | 0.0% | 13.3% |
| | Obstetrics/Gynecology | 13.3% | 10.0% | 6.7% | 6.7% | 6.7% | 13.3% | 16.7% | 16.7% | 0.0% | 10.0% | 0.0% | 0.0% | 3.3% |
| | General Internal Medicine | 27.5% | 11.3% | 5.0% | 6.3% | 3.8% | 8.8% | 16.3% | 5.0% | 6.3% | 6.3% | 3.8% | 0.0% | 8.8% |
| | General Pediatrics | 17.1% | 20.0% | 11.4% | 8.6% | 2.9% | 17.1% | 14.3% | 2.9% | 5.7% | 0.0% | 0.0% | 0.0% | 3.3% |
| | General Surgery | 6.9% | 3.4% | 17.2% | 3.4% | 3.4% | 20.7% | 44.8% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2.2% |
| | Medical Subspecialty | 7.0% | 2.3% | 9.3% | 10.5% | 1.2% | 7.0% | 23.3% | 12.8% | 8.1% | 11.6% | 3.5% | 3.5% | 8.1% |
| | Pediatric Subspecialty | 75.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 25.0% | 0.0% | 0.0% | 0.0% |
| | Surgical Subspecialty | 8.1% | 2.7% | 10.8% | 2.7% | 2.7% | 13.5% | 35.1% | 8.1% | 8.1% | 5.4% | 2.7% | 0.0% | 3.3% |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 20.0% | 60.0% | 20.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Psychiatry | 25.0% | 0.0% | 14.6% | 2.1% | 4.2% | 10.4% | 14.6% | 12.5% | 10.4% | 4.2% | 2.1% | 0.0% | 4.2% |
| | Hospital-based Specialty | 83.3% | 7.7% | 1.3% | 1.3% | 1.3% | 2.6% | 1.3% | 1.3% | 0.0% | 0.0% | 0.0% | 0.0% | 7.7% |
| | Other | 10.0% | 30.0% | 10.0% | 0.0% | 0.0% | 10.0% | 10.0% | 10.0% | 10.0% | 0.0% | 0.0% | 0.0% | 10.0% |
| Overall | | 23.7% | 10.7% | 9.9% | 6.8% | 3.5% | 10.6% | 16.3% | 6.9% | 4.7% | 4.7% | 1.7% | 0.5% | 57.3% |

Region Northwestern

How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice setting?

| | | Not applicable | Same day | 1 day | 2 days | 3 days | 4 to 6 days | 7 to 14 days | 15 to 21 days | 22 to 30 days | 31 to 45 days | 46 to 60 days | More than 60 days | Total |
|----------------------|---------------------------|----------------|----------|-------|--------|--------|-------------|--------------|---------------|---------------|---------------|---------------|-------------------|-------|
| Specialty Categories | Family/General Medicine | 22.0% | 22.2% | 0.0% | 11.1% | 5.6% | 11.1% | 16.7% | 5.6% | 0.0% | 5.6% | 0.0% | 0.0% | 11.1% |
| | Obstetrics/Gynecology | 0.0% | 0.0% | 0.0% | 40.0% | 0.0% | 0.0% | 40.0% | 0.0% | 20.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | General Internal Medicine | 13.3% | 13.3% | 13.3% | 6.7% | 13.3% | 6.7% | 13.3% | 13.3% | 6.7% | 0.0% | 0.0% | 0.0% | 13.3% |
| | General Pediatrics | 0.0% | 33.3% | 0.0% | 0.0% | 33.3% | 0.0% | 33.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | General Surgery | 16.7% | 16.7% | 0.0% | 0.0% | 16.7% | 0.0% | 33.3% | 16.7% | 0.0% | 0.0% | 0.0% | 0.0% | 16.7% |
| | Medical Subspecialty | 0.0% | 0.0% | 0.0% | 16.7% | 0.0% | 0.0% | 33.3% | 33.3% | 0.0% | 0.0% | 16.7% | 0.0% | 16.7% |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Surgical Subspecialty | 0.0% | 0.0% | 0.0% | 16.7% | 0.0% | 0.0% | 33.3% | 33.3% | 0.0% | 0.0% | 16.7% | 0.0% | 16.7% |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 33.3% | 33.3% | 0.0% | 33.3% | 0.0% | 0.0% | 0.0% |
| | Psychiatry | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| | Hospital-based Specialty | 63.2% | 21.1% | 5.3% | 0.0% | 0.0% | 0.0% | 0.0% | 10.5% | 0.0% | 0.0% | 0.0% | 0.0% | 10.5% |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% |
| Overall | | 24.7% | 15.6% | 3.9% | 7.8% | 6.5% | 3.9% | 16.9% | 13.0% | 3.9% | 2.6% | 1.3% | 0.0% | 70.3% |

Region Southern

| How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice setting? | | Not applicable | Same day | 1 day | 2 days | 3 days | 4 to 6 days | 7 to 14 days | 15 to 21 days | 22 to 30 days | 31 to 45 days | 46 to 60 days | More than 60 days | Total |
|--|---------------------------|----------------|----------|-------|--------|--------|-------------|--------------|---------------|---------------|---------------|---------------|-------------------|-------|
| Specialty Categories | Family/General Medicine | 20.8% | 15.1% | 7.5% | 9.4% | 7.5% | 5.7% | 18.9% | 9.4% | 3.8% | 1.9% | 0.0% | 0.0% | 53 |
| | Obstetrics/Gynecology | 6.7% | 0.0% | 6.7% | 0.0% | 6.7% | 6.7% | 40.0% | 20.0% | 6.7% | 6.7% | 0.0% | 0.0% | 15 |
| | General Internal Medicine | 39.1% | 6.5% | 10.9% | 10.9% | 4.3% | 4.3% | 10.9% | 10.9% | 0.0% | 0.0% | 0.0% | 2.2% | 46 |
| | General Pediatrics | 9.1% | 18.2% | 0.0% | 0.0% | 18.2% | 9.1% | 36.4% | 0.0% | 9.1% | 0.0% | 0.0% | 0.0% | 11 |
| | General Surgery | 0.0% | 28.6% | 0.0% | 0.0% | 0.0% | 28.6% | 14.3% | 0.0% | 14.3% | 14.3% | 0.0% | 0.0% | 7 |
| | Medical Subspecialty | 8.3% | 2.8% | 8.3% | 2.8% | 0.0% | 13.9% | 16.7% | 8.3% | 13.9% | 5.6% | 8.3% | 11.1% | 36 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Surgical Subspecialty | 5.6% | 0.0% | 5.6% | 5.6% | 5.6% | 22.2% | 11.1% | 16.7% | 5.6% | 11.1% | 5.6% | 5.6% | 18 |
| | Neurological Surgery | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | Psychiatry | 22.2% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 22.2% | 11.1% | 11.1% | 22.2% | 0.0% | 11.1% | 9 |
| | Hospital-based Specialty | 84.8% | 2.2% | 0.0% | 2.2% | 0.0% | 2.2% | 4.3% | 0.0% | 0.0% | 0.0% | 2.2% | 2.2% | 46 |
| Other | 0.0% | 33.3% | 0.0% | 33.3% | 0.0% | 0.0% | 0.0% | 0.0% | 33.3% | 0.0% | 0.0% | 0.0% | 3 | |
| Overall | | 32.7% | 7.2% | 5.6% | 5.6% | 4.0% | 8.0% | 15.1% | 8.4% | 4.8% | 3.6% | 2.0% | 3.2% | 251 |

Region Eastern

| How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice setting? | | Not applicable | Same day | 1 day | 2 days | 3 days | 4 to 6 days | 7 to 14 days | 15 to 21 days | 22 to 30 days | 31 to 45 days | 46 to 60 days | More than 60 days | Total |
|--|---------------------------|----------------|----------|-------|--------|--------|-------------|--------------|---------------|---------------|---------------|---------------|-------------------|-------|
| Specialty Categories | Family/General Medicine | 25.0% | 10.0% | 20.0% | 5.0% | 0.0% | 0.0% | 20.0% | 20.0% | 0.0% | 0.0% | 0.0% | 0.0% | 20 |
| | Obstetrics/Gynecology | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 0.0% | 0.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | General Internal Medicine | 28.6% | 14.3% | 14.3% | 14.3% | 14.3% | 14.3% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 7 |
| | General Pediatrics | 0.0% | 16.7% | 0.0% | 0.0% | 16.7% | 16.7% | 0.0% | 16.7% | 16.7% | 0.0% | 0.0% | 0.0% | 6 |
| | General Surgery | 16.7% | 0.0% | 20.0% | 60.0% | 0.0% | 0.0% | 20.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Medical Subspecialty | 0.0% | 25.0% | 12.5% | 12.5% | 0.0% | 25.0% | 25.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 8 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 0.0% | 0.0% | 33.3% | 0.0% | 0.0% | 0.0% | 33.3% | 33.3% | 0.0% | 0.0% | 0.0% | 0.0% | 15 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Hospital-based Specialty | 66.7% | 13.3% | 13.3% | 0.0% | 6.7% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 15 |
| Other | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 0.0% | 0.0% | 0.0% | 2 | |
| Overall | | 27.9% | 11.8% | 14.7% | 8.8% | 5.9% | 5.9% | 11.8% | 11.8% | 1.5% | 0.0% | 0.0% | 0.0% | 68 |

Region Southwestern

How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice setting?

| | | Not applicable | Same day | 1 day | 2 days | 3 days | 4 to 6 days | 7 to 14 days | 15 to 21 days | 22 to 30 days | 31 to 45 days | 46 to 60 days | More than 60 days | Total |
|----------------------|---------------------------|----------------|----------|-------|--------|--------|-------------|--------------|---------------|---------------|---------------|---------------|-------------------|-------|
| Specialty Categories | Family/General Medicine | 20.0% | 0.0% | 10.0% | 10.0% | 30.0% | 10.0% | 20.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 10 |
| | Obstetrics/Gynecology | 16.7% | 0.0% | 16.7% | 0.0% | 0.0% | 16.7% | 16.7% | 0.0% | 16.7% | 16.7% | 0.0% | 0.0% | 6 |
| | General Internal Medicine | 42.9% | 0.0% | 0.0% | 0.0% | 0.0% | 14.3% | 14.3% | 0.0% | 0.0% | 0.0% | 0.0% | 28.6% | 7 |
| | General Pediatrics | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 14.3% | 14.3% | 0.0% | 0.0% | 0.0% | 28.6% | 0.0% | 4 |
| | General Surgery | 0.0% | 25.0% | 25.0% | 25.0% | 0.0% | 0.0% | 0.0% | 25.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Medical Subspecialty | 0.0% | 0.0% | 0.0% | 16.7% | 0.0% | 0.0% | 33.3% | 16.7% | 33.3% | 0.0% | 0.0% | 0.0% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 20.0% | 0.0% | 0.0% | 0.0% | 20.0% | 0.0% | 0.0% | 60.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 2 | |
| Overall | | 25.5% | 2.1% | 6.4% | 6.4% | 8.5% | 10.6% | 17.0% | 10.6% | 6.4% | 2.1% | 0.0% | 4.3% | 47 |

Region Central

How many calendar days are normally required to schedule a non-urgent appointment for established patients at your primary practice setting?

| | | Not applicable | Same day | 1 day | 2 days | 3 days | 4 to 6 days | 7 to 14 days | 15 to 21 days | 22 to 30 days | 31 to 45 days | 46 to 60 days | More than 60 days | Total |
|----------------------|---------------------------|----------------|----------|-------|--------|--------|-------------|--------------|---------------|---------------|---------------|---------------|-------------------|-------|
| Specialty Categories | Family/General Medicine | 15.7% | 15.7% | 12.9% | 5.7% | 11.4% | 14.3% | 15.7% | 5.7% | 1.4% | 1.4% | 0.0% | 0.0% | 70 |
| | Obstetrics/Gynecology | 10.0% | 0.0% | 0.0% | 20.0% | 0.0% | 20.0% | 20.0% | 0.0% | 10.0% | 10.0% | 10.0% | 0.0% | 10 |
| | General Internal Medicine | 47.1% | 11.8% | 2.9% | 5.9% | 5.9% | 0.0% | 11.8% | 2.9% | 2.9% | 2.9% | 5.9% | 0.0% | 34 |
| | General Pediatrics | 13.3% | 33.3% | 0.0% | 6.7% | 6.7% | 26.7% | 6.7% | 6.7% | 0.0% | 0.0% | 0.0% | 0.0% | 15 |
| | General Surgery | 0.0% | 22.2% | 0.0% | 11.1% | 11.1% | 11.1% | 44.4% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 9 |
| | Medical Subspecialty | 5.9% | 2.9% | 2.9% | 0.0% | 5.9% | 14.7% | 26.5% | 5.9% | 8.8% | 17.6% | 2.9% | 5.9% | 34 |
| | Pediatric Subspecialty | 0.0% | 50.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 50.0% | 2 |
| | Surgical Subspecialty | 9.1% | 9.1% | 9.1% | 0.0% | 0.0% | 27.3% | 27.3% | 9.1% | 0.0% | 9.1% | 0.0% | 0.0% | 11 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 22.2% | 0.0% | 0.0% | 0.0% | 11.1% | 0.0% | 33.3% | 11.1% | 0.0% | 11.1% | 11.1% | 0.0% | 9 |
| | Hospital-based Specialty | 86.5% | 1.9% | 3.8% | 0.0% | 1.9% | 3.8% | 1.9% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 52 |
| Other | 25.0% | 25.0% | 25.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 25.0% | 0.0% | 0.0% | 0.0% | 4 | |
| Overall | | 32.4% | 10.8% | 6.0% | 4.0% | 6.4% | 10.8% | 15.2% | 4.0% | 2.8% | 4.4% | 2.0% | 1.2% | 250 |

Second practice location

| <i>Do you see patients at more than one practice/clinic location?</i> | | <i>Yes</i> | <i>No</i> | <i>Total</i> |
|---|-------------------------------------|------------|-----------|--------------|
| Gender | Female | 12.4% | 87.6% | 249 |
| | Male | 16.7% | 83.3% | 600 |
| | Other | 0.0% | 100.0% | 851 |
| | Missing | NA | NA | 2375 |
| Age | Under 50 years | 15.4% | 84.6% | 293 |
| | 50 to 64 years | 17.2% | 82.8% | 360 |
| | 65 years or more | 12.1% | 87.9% | 198 |
| | Missing | NA | NA | 2375 |
| Race | White | 16.2% | 83.8% | 705 |
| | African-American | 12.5% | 87.5% | 8 |
| | Asian | 9.7% | 90.3% | 93 |
| | Native Hawaiian or Pacific Islander | 33.3% | 66.7% | 3 |
| | American Indian or Alaska Native | 66.7% | 33.3% | 6 |
| | Other | 16.7% | 83.3% | 30 |
| | Missing | NA | NA | 2390 |
| Specialty Categories | Family/General Medicine | 17.7% | 82.3% | 124 |
| | Obstetrics/Gynecology | 6.9% | 93.1% | 29 |
| | General Internal Medicine | 7.1% | 92.9% | 141 |
| | General Pediatrics | 21.1% | 78.9% | 19 |
| | General Surgery | 11.1% | 88.9% | 27 |
| | Medical Subspecialty | 20.5% | 79.5% | 122 |
| | Pediatric Subspecialty | 0.0% | 100.0% | 5 |
| | Surgical Subspecialty | 28.1% | 71.9% | 57 |
| | Neurological Surgery | 16.7% | 83.3% | 6 |
| | Psychiatry | 12.1% | 87.9% | 107 |
| | Hospital-based Specialty | 17.5% | 82.5% | 189 |
| | Other | 10.0% | 90.0% | 20 |
| Region | Portland Metro | 16.7% | 83.3% | 454 |
| | Mid-Willamette Valley | 21.3% | 78.7% | 108 |
| | Northwestern | 0.0% | 100.0% | 8 |
| | Southern | 23.4% | 76.6% | 47 |
| | Eastern | 14.3% | 85.7% | 14 |
| | Southwestern | 14.3% | 85.7% | 7 |
| | Central | 11.1% | 88.9% | 45 |
| | Other | 7.7% | 92.3% | 168 |
| Statewide | 15.4% | 84.6% | 851 | |

Second practice patient volume

| <i>In a typical week, how many patients do you see in your second practice setting?</i> | | <i>1 to 25 patients</i> | <i>26 to 50 patients</i> | <i>51 to 75 patients</i> | <i>76 to 100 patients</i> | <i>101 to 200 patients</i> | <i>More than 200 patients</i> | <i>Total</i> |
|---|-------------------------------------|-------------------------|--------------------------|--------------------------|---------------------------|----------------------------|-------------------------------|--------------|
| Gender | Female | 93.3% | 3.3% | 3.3% | 0.0% | 0.0% | 0.0% | 30 |
| | Male | 76.8% | 9.1% | 7.1% | 2.0% | 0.0% | 5.1% | 99 |
| Age | Under 50 years | 80.0% | 6.7% | 6.7% | 0.0% | NA | 6.7% | 45 |
| | 50 to 64 years | 76.7% | 8.3% | 8.3% | 3.3% | NA | 3.3% | 60 |
| | 65 years or more | 91.7% | 8.3% | 0.0% | 0.0% | NA | 0.0% | 24 |
| Hispanic, Spanish or Latino Race | Yes | 100.0% | 0.0% | 0.0% | 0.0% | NA | 0.0% | 3 |
| | White | 83.9% | 7.1% | 5.4% | 0.0% | NA | 3.6% | 112 |
| | African-American | 0.0% | 0.0% | 100.0% | 0.0% | NA | 0.0% | 1 |
| | Asian | 66.7% | 22.2% | 0.0% | 0.0% | NA | 11.1% | 9 |
| | Native Hawaiian or Pacific Islander | 0.0% | 100.0% | 0.0% | 0.0% | NA | 0.0% | 1 |
| | American Indian or Alaska Native | 50.0% | 0.0% | 50.0% | 0.0% | NA | 0.0% | 4 |
| | Other | 60.0% | 0.0% | 0.0% | 40.0% | NA | 0.0% | 5 |
| Specialty Categories | Family/General Medicine | 71.4% | 14.3% | 9.5% | 4.8% | NA | 0.0% | 21 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 0.0% | NA | 0.0% | 2 |
| | General Internal Medicine | 90.0% | 10.0% | 0.0% | 0.0% | NA | 0.0% | 10 |
| | General Pediatrics | 75.0% | 0.0% | 25.0% | 0.0% | NA | 0.0% | 4 |
| | General Surgery | 100.0% | 0.0% | 0.0% | 0.0% | NA | 0.0% | 3 |
| | Medical Subspecialty | 96.0% | 4.0% | 0.0% | 0.0% | NA | 0.0% | 25 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0.0% | NA | 0.0% | 0 |
| | Surgical Subspecialty | 93.8% | 0.0% | 6.3% | 0.0% | NA | 0.0% | 16 |
| | Neurological Surgery | 100.0% | 0.0% | 0.0% | 0.0% | NA | 0.0% | 1 |
| | Psychiatry | 84.6% | 15.4% | 0.0% | 0.0% | NA | 0.0% | 13 |
| | Hospital-based Specialty | 59.4% | 9.4% | 12.5% | 3.1% | NA | 15.6% | 32 |
| Other | 100.0% | 0.0% | 0.0% | 0.0% | NA | 0.0% | 2 | |
| Region | Portland Metro | 82.70% | 8.00% | 5.30% | 0.00% | NA | 4.00% | 75 |
| | Mid-Willamette Valley | 56.50% | 13.00% | 17.40% | 4.30% | NA | 8.7% | 23 |
| | Northwestern | 0.00% | 0.00% | 0.00% | 0.00% | NA | 0.0% | 0 |
| | Southern | 100.00% | 0.00% | 0.00% | 0.00% | NA | 0.0% | 10 |
| | Eastern | 100.00% | 0.00% | 0.00% | 0.00% | NA | 0.0% | 2 |
| | Southwestern | 100.00% | 0.00% | 0.00% | 0.00% | NA | 0.0% | 1 |
| | Central | 100.00% | 0.00% | 0.00% | 0.00% | NA | 0.0% | 5 |
| | Other | 84.60% | 7.70% | 0.00% | 7.70% | NA | 0.0% | 13 |
| Statewide | 80.60% | 7.80% | 6.20% | 1.60% | NA | 3.9% | 129 | |

Medicare acceptance

Statewide

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|--|--------------------------|--------------|
| Gender | Female | 74.80% | 11.20% | 14.10% | 1039 |
| | Male | 75.30% | 11.80% | 13.00% | 2185 |
| | Other | NA | NA | NA | 0 |
| | Missing | NA | NA | NA | 2 |
| Age | Under 50 years | 81.30% | 9.90% | 8.80% | 1291 |
| | 50 to 64 years | 71.70% | 13.50% | 14.80% | 1411 |
| | 65 years or more | 69.10% | 10.50% | 20.40% | 524 |
| | Missing | NA | NA | NA | 0 |
| Specialty Categories | Family/General Medicine | 62.60% | 19.20% | 18.10% | 562 |
| | Obstetrics/Gynecology | 73.60% | 18.20% | 8.20% | 159 |
| | General Internal Medicine | 75.80% | 12.60% | 11.60% | 517 |
| | General Pediatrics | 54.70% | 10.90% | 34.30% | 201 |
| | General Surgery | 89.30% | 6.60% | 4.10% | 122 |
| | Medical Subspecialty | 83.60% | 10.50% | 5.90% | 512 |
| | Pediatric Subspecialty | 90.90% | 0.00% | 9.10% | 55 |
| | Surgical Subspecialty | 74.20% | 13.60% | 12.20% | 213 |
| | Neurological Surgery | 80.80% | 7.70% | 11.50% | 26 |
| | Psychiatry | 45.00% | 14.40% | 40.50% | 222 |
| | Hospital-based Specialty | 95.00% | 2.50% | 2.50% | 561 |
| | Other | 69.80% | 12.70% | 17.50% | 63 |
| | Missing | NA | NA | NA | 13 |
| Region | Portland Metro | 74.20% | 11.90% | 13.90% | 1596 |
| | Mid-Willamette Valley | 68.00% | 14.90% | 17.00% | 582 |
| | Northwestern | 91.00% | 3.80% | 5.10% | 78 |
| | Southern | 73.20% | 12.20% | 14.60% | 254 |
| | Eastern | 91.20% | 5.90% | 2.90% | 68 |
| | Southwestern | 85.10% | 8.50% | 6.40% | 47 |
| | Central | 85.00% | 7.50% | 7.50% | 253 |
| | Other | 77.60% | 10.10% | 12.40% | 348 |
| Statewide | | 75.10% | 11.60% | 13.30% | 3226 |

Region Portland Metro

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|-------------------------|-----------------------|--|--------------------------|--------------|
| Gender | Female | 73.30% | 11.30% | 15.30% | 574 |
| | Male | 74.60% | 12.20% | 13.10% | 1021 |
| Age | Under 50 years | 80.50% | 11.00% | 8.50% | 672 |
| | 50 to 64 years | 72.00% | 12.50% | 15.50% | 682 |
| | 65 years or more | 62.80% | 12.80% | 24.40% | 242 |
| Specialty Categories | Family/General Medicine | 59.30% | 19.60% | 21.10% | 194 |
| | Obstetrics/Gynecology | 77.50% | 15.50% | 7.00% | 71 |

| | | | | |
|---------------------------|--------|--------|--------|------|
| General Internal Medicine | 75.10% | 13.30% | 11.60% | 285 |
| General Pediatrics | 54.50% | 12.50% | 33.00% | 112 |
| General Surgery | 54.50% | 12.50% | 33.00% | 54 |
| Medical Subspecialty | 81.00% | 14.30% | 4.80% | 273 |
| Pediatric Subspecialty | 90.20% | 0.00% | 9.80% | 41 |
| Surgical Subspecialty | 73.70% | 15.30% | 11.00% | 118 |
| Neurological Surgery | 76.90% | 15.40% | 7.70% | 13 |
| Psychiatry | 39.30% | 13.90% | 46.70% | 122 |
| Hospital-based Specialty | 95.50% | 2.20% | 2.20% | 269 |
| Other | 71.80% | 5.10% | 23.10% | 39 |
| Overall | 74.30% | 11.80% | 13.90% | 1591 |

Region Mid-Willamette Valley

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitation</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|----------------------|--|--------------------------|--------------|
| Gender | Female | 64.90% | 17.90% | 17.30% | 168 |
| | Male | 69.30% | 13.80% | 16.90% | 414 |
| Age | Under 50 years | 78.50% | 9.80% | 11.70% | 205 |
| | 50 to 64 years | 63.00% | 19.20% | 17.80% | 276 |
| | 65 years or more | 60.40% | 13.90% | 25.70% | 101 |
| Specialty Categories | Family/General Medicine | 48.50% | 27.20% | 24.30% | 136 |
| | Obstetrics/Gynecology | 63.30% | 30.00% | 6.70% | 30 |
| | General Internal Medicine | 72.50% | 18.80% | 8.80% | 80 |
| | General Pediatrics | 37.10% | 8.60% | 54.30% | 35 |
| | General Surgery | 86.20% | 6.90% | 6.90% | 29 |
| | Medical Subspecialty | 79.10% | 9.30% | 11.60% | 86 |
| | Pediatric Subspecialty | 75.00% | 0.00% | 25.00% | 4 |
| | Surgical Subspecialty | 75.70% | 13.50% | 10.80% | 37 |
| | Neurological Surgery | 100.00% | 0.00% | 0.00% | 5 |
| | Psychiatry | 55.10% | 10.20% | 34.70% | 49 |
| | Hospital-based Specialty | 96.20% | 1.30% | 2.50% | 79 |
| | Other | 60.00% | 20.00% | 20.00% | 10 |
| Overall | | 67.90% | 15.00% | 17.10% | 580 |

Region Northwestern

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|--|--------------------------|--------------|
| Gender | Female | 93.30% | 6.70% | 0.00% | 15 |
| | Male | 90.50% | 3.20% | 6.30% | 63 |
| Age | Under 50 years | 90.90% | 4.50% | 4.50% | 22 |
| | 50 to 64 years | 89.50% | 5.30% | 5.30% | 38 |
| | 65 years or more | 94.40% | 0.00% | 5.60% | 18 |
| Specialty Categories | Family/General Medicine | 94.40% | 0.00% | 5.60% | 18 |
| | Obstetrics/Gynecology | 100.00% | 0.00% | 0.00% | 5 |
| | General Internal Medicine | 80.00% | 6.70% | 13.30% | 15 |
| | General Pediatrics | 66.70% | 33.30% | 0.00% | 3 |
| | General Surgery | 100.00% | 0.00% | 0.00% | 6 |
| | Medical Subspecialty | 100.00% | 0.00% | 0.00% | 6 |
| | Pediatric Subspecialty | 0.00% | 0.00% | 0.00% | 0 |
| | Surgical Subspecialty | 66.70% | 33.30% | 0.00% | 3 |
| | Neurological Surgery | 0.00% | 0.00% | 0.00% | 0 |
| | Psychiatry | 50.00% | 0.00% | 50.00% | 2 |
| | Hospital-based Specialty | 100.00% | 0.00% | 0.00% | 19 |
| Other | 0.00% | 0.00% | 0.00% | 0 | |
| Overall | | 90.90% | 3.90% | 5.20% | 77 |

Region Southern

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|--|--------------------------|--------------|
| Gender | Female | 73.90% | 13.00% | 13.00% | 69 |
| | Male | 72.80% | 12.00% | 15.20% | 184 |
| Age | Under 50 years | 77.70% | 12.80% | 9.60% | 94 |
| | 50 to 64 years | 69.40% | 13.20% | 17.40% | 121 |
| | 65 years or more | 74.40% | 7.70% | 17.90% | 39 |
| Specialty Categories | Family/General Medicine | 63.00% | 18.50% | 18.50% | 54 |
| | Obstetrics/Gynecology | 53.30% | 26.70% | 20.00% | 15 |
| | General Internal Medicine | 70.20% | 10.60% | 19.10% | 47 |
| | General Pediatrics | 45.50% | 0.00% | 54.50% | 11 |
| | General Surgery | 85.70% | 0.00% | 14.30% | 7 |
| | Medical Subspecialty | 94.40% | 5.60% | 0.00% | 36 |
| | Pediatric Subspecialty | 100.00% | 0.00% | 0.00% | 5 |
| | Surgical Subspecialty | 77.80% | 11.10% | 11.10% | 18 |
| | Neurological Surgery | 50.00% | 0.00% | 50.00% | 2 |
| | Psychiatry | 22.20% | 33.30% | 44.40% | 9 |
| | Hospital-based Specialty | 91.50% | 6.40% | 2.10% | 47 |
| Other | 33.30% | 66.70% | 0.00% | 3 | |
| Overall | | 73.20% | 12.20% | 14.60% | 254 |

Region Eastern

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|--|--------------------------|--------------|
| Gender | Female | 90.0% | 0.0% | 10.0% | 10 |
| | Male | 91.4% | 6.9% | 1.70% | 58 |
| Age | Under 50 years | 100.0% | 0.0% | 0.0% | 30 |
| | 50 to 64 years | 90.0% | 6.7% | 3.3% | 30 |
| | 65 years or more | 62.5% | 25.0% | 12.5% | 8 |
| Specialty Categories | Family/General Medicine | 85.0% | 10.0% | 5.0% | 20 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 2 |
| | General Internal Medicine | 71.4% | 14.3% | 14.3% | 7 |
| | General Pediatrics | 100.0% | 0.0% | 0.0% | 6 |
| | General Surgery | 100.0% | 0.0% | 0.0% | 5 |
| | Medical Subspecialty | 87.5% | 12.5% | 0.0% | 8 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 3 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 0.0% | 0.0% | 0 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 15 |
| | Other | 100.0% | 0.0% | 0.0% | 2 |
| Overall | | 91.2% | 5.9% | 2.9% | 68 |

Region Southwestern

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|--|--------------------------|--------------|
| Gender | Female | 87.50% | 0.00% | 12.50% | 16 |
| | Male | 83.90% | 12.90% | 3.20% | 31 |
| Age | Under 50 years | 66.70% | 8.30% | 25.00% | 12 |
| | 50 to 64 years | 87.00% | 13.00% | 0.00% | 23 |
| | 65 years or more | 100.00% | 0.00% | 0.00% | 12 |
| Specialty Categories | Family/General Medicine | 70.00% | 20.00% | 10.00% | 10 |
| | Obstetrics/Gynecology | 100.00% | 0.00% | 0.00% | 6 |
| | General Internal Medicine | 85.70% | 0.00% | 14.30% | 7 |
| | General Pediatrics | 75.00% | 25.00% | 0.00% | 4 |
| | General Surgery | 0.00% | 0.00% | 0.00% | 0 |
| | Medical Subspecialty | 100.00% | 0.00% | 0.00% | 6 |
| | Pediatric Subspecialty | 0.00% | 0.00% | 0.00% | 0 |
| | Surgical Subspecialty | 100.00% | 0.00% | 0.00% | 2 |
| | Neurological Surgery | 0.00% | 0.00% | 0.00% | 0 |
| | Psychiatry | 60.00% | 20.00% | 20.00% | 5 |
| | Hospital-based Specialty | 100.00% | 0.00% | 0.00% | 5 |
| | Other | 100.00% | 0.00% | 0.00% | 2 |
| Overall | | 85.10% | 8.50% | 6.40% | 47 |

Region Central

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|--|--------------------------|--------------|
| Gender | Female | 88.1% | 3.6% | 8.3% | |
| | Male | 83.4% | 9.5% | 7.1% | |
| Age | Under 50 years | 86.5% | 5.4% | 8.1% | 111 |
| | 50 to 64 years | 81.8% | 11.1% | 7.1% | 99 |
| | 65 years or more | 88.4% | 4.7% | 7.0% | 43 |
| Specialty Categories | Family/General Medicine | 82.9% | 10.0% | 7.1% | 70 |
| | Obstetrics/Gynecology | 70.0% | 10.0% | 20.0% | 10 |
| | General Internal Medicine | 76.5% | 8.8% | 14.7% | 34 |
| | General Pediatrics | 66.7% | 6.7% | 26.7% | 15 |
| | General Surgery | 77.8% | 22.2% | 0.0% | 9 |
| | Medical Subspecialty | 94.1% | 2.9% | 2.9% | 34 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 2 |
| | Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 11 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 55.6% | 22.2% | 22.2% | 9 |
| | Hospital-based Specialty | 98.1% | 1.9% | 0.0% | 53 |
| | Other | 75.0% | 25.0% | 0.0% | 4 |
| Overall | | 84.9% | 7.6% | 7.6% | 251 |

Region Other

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice (Advantage and Medicare FFS)</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|--|--------------------------|--------------|
| Gender | Female | 82.5% | 7.8% | 9.7% | 103 |
| | Male | 75.5% | 11.0% | 13.5% | 245 |
| Age | Under 50 years | 83.4% | 9.7% | 6.9% | 145 |
| | 50 to 64 years | 71.1% | 12.7% | 16.2% | 142 |
| | 65 years or more | 78.7% | 4.9% | 16.4% | 61 |
| Specialty Categories | Family/General Medicine | 63.3% | 20.0% | 16.7% | 60 |
| | Obstetrics/Gynecology | 75.0% | 20.0% | 5.0% | 20 |
| | General Internal Medicine | 90.5% | 4.8% | 4.8% | 42 |
| | General Pediatrics | 66.7% | 13.3% | 20.0% | 15 |
| | General Surgery | 91.7% | 8.3% | 0.00% | 12 |
| | Medical Subspecialty | 85.7% | 4.8% | 9.50% | 63 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.00% | 3 |
| | Surgical Subspecialty | 52.4% | 14.3% | 33.3% | 21 |
| | Neurological Surgery | 83.3% | 0.0% | 16.7% | 6 |
| | Psychiatry | 53.8% | 15.4% | 30.8% | 26 |
| | Hospital-based Specialty | 89.2% | 4.1% | 6.8% | 74 |
| | Other | 66.7% | 33.3% | 0.0% | 3 |

By practice characteristics

| <i>To what extent is your primary practice accepting new Medicare patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|--|-----------------------|-----------------------|--------------------------|--------------|
| What is the size of your primary practice? | Solo practice | 56.3% | 14.6% | 29.2% | 535 |
| | Partnership (2 to 3 physicians) | 72.6% | 12.7% | 14.6% | 424 |
| | Group practice (4 to 9 physicians) | 80.4% | 9.6% | 9.9% | 757 |
| | Group practice (10 to 13 physicians) | 87.0% | 7.0% | 6.0% | 284 |
| | Group practice (14 to 19 physicians) | 80.0% | 11.2% | 8.8% | 205 |
| | Group practice (20 to 29 physicians) | 79.5% | 11.4% | 9.0% | 166 |
| | Group practice (More than 30 physicians) | 79.5% | 14.4% | 6.0% | 665 |
| What is your employment status at your primary practice? | Full owner or sole proprietor | 56.0% | 16.6% | 27.4% | 555 |
| | Part-owner(or shareholder) | 71.00% | 17.30% | 11.70% | 699 |
| | Employee | 83.80% | 8.80% | 7.40% | 1551 |
| | Independent contractor | 81.40% | 7.00% | 11.60% | 285 |
| | Volunteer | 35.70% | 3.60% | 60.70% | 28 |
| | Other | 69.50% | 1.10% | 29.50% | 95 |
| | Total | 75.10% | 11.60% | 13.30% | 3213 |

Importance of administrative requirements in decision to limit acceptance

| <i>How important were Medicare administrative requirements in your decision to limit or close your primary practice to new Medicare patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|---|---|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 24.5% | 28.2% | 47.3% | 188 |
| | Male | 23.3% | 32.9% | 43.8% | 429 |
| Age | Under 50 years | 21.5% | 35.4% | 43.1% | 181 |
| | 50 to 64 years | 21.0% | 32.4% | 46.7% | 315 |
| | 65 years or more | 33.9% | 23.1% | 43.0% | 121 |
| Specialty Categories | Family/General Medicine | 27.2% | 31.2% | 41.6% | 173 |
| | Obstetrics/Gynecology | 28.2% | 28.2% | 43.6% | 39 |
| | General Internal Medicine | 22.4% | 33.6% | 43.9% | 107 |
| | General Pediatrics | 45.5% | 31.8% | 22.7% | 44 |
| | General Surgery | 12.5% | 37.5% | 50.0% | 8 |
| | Medical Subspecialty | 23.8% | 39.7% | 36.5% | 63 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 16.3% | 27.9% | 55.8% | 43 |
| | Neurological Surgery | 0.0% | 60.0% | 40.0% | 5 |
| | Psychiatry | 17.2% | 24.7% | 58.1% | 93 |
| | Hospital-based Specialty | 16.7% | 33.3% | 50.0% | 24 |
| Other | 6.3% | 18.8% | 75.0% | 16 | |
| Region | Portland Metro | 22.3% | 35.2% | 42.6% | 310 |
| | Mid-Willamette Valley | 25.9% | 28.0% | 46.2% | 143 |
| | Northwestern | 16.7% | 16.7% | 66.7% | 6 |
| | Southern | 18.2% | 34.5% | 47.3% | 55 |
| | Eastern | 33.3% | 16.7% | 50.0% | 6 |
| | Southwestern | 40.0% | 0.0% | 60.0% | 5 |
| | Central | 24.2% | 33.3% | 42.4% | 33 |
| | Other | 28.8% | 22.0% | 49.2% | 59 |
| What is the size of your primary practice? | Solo practice | 16.1% | 23.1% | 60.8% | 199 |
| | Partnership (2-3 physicians) | 21.9% | 31.3% | 46.9% | 96 |
| | Group practice (4 to 9 physicians) | 24.1% | 31.3% | 44.6% | 112 |
| | Group practice (10-13 physicians) | 23.3% | 46.7% | 30.0% | 30 |
| | Group practice (14-19 physicians) | 34.4% | 40.6% | 25.0% | 32 |
| | Group practice (20-29 physicians) | 29.6% | 44.4% | 25.9% | 27 |
| | Group practice (30 or more than physicians) | 31.9% | 42.6% | 25.5% | 94 |
| | Other | 34.8% | 17.4% | 47.8% | 23 |
| Statewide | | 23.7% | 31.4% | 44.9% | 617 |

Importance of need to balance payer sources in decision to limit acceptance

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|---|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| <i>How important was the need to balance payer sources in your decision to limit or close your primary practice to new Medicare patients?</i> | | | | | |
| Gender | Female | 28.1% | 16.2% | 55.7% | 185 |
| | Male | 24.1% | 25.1% | 50.8% | 427 |
| Age | Under 50 years | 24.3% | 18.8% | 56.9% | 181 |
| | 50 to 64 years | 24.4% | 22.5% | 53.1% | 311 |
| | 65 years or more | 29.2% | 27.5% | 43.3% | 120 |
| Specialty Categories | Family/General Medicine | 22.8% | 24.6% | 52.6% | 171 |
| | Obstetrics/Gynecology | 22.5% | 10.0% | 67.5% | 40 |
| | General Internal Medicine | 21.5% | 18.7% | 59.8% | 107 |
| | General Pediatrics | 43.2% | 18.2% | 38.6% | 44 |
| | General Surgery | 25.0% | 25.0% | 50.0% | 8 |
| | Medical Subspecialty | 29.0% | 30.6% | 40.3% | 62 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 16.7% | 19.0% | 64.3% | 42 |
| | Neurological Surgery | 0.0% | 0.0% | 100.0% | 5 |
| | Psychiatry | 30.8% | 26.4% | 42.9% | 91 |
| | Hospital-based Specialty | 25.0% | 20.8% | 54.2% | 24 |
| | Other | 18.8% | 31.2% | 50.0% | 16 |
| Region | Portland Metro | 24.3% | 25.6% | 50.2% | 309 |
| | Mid-Willamette Valley | 24.8% | 19.9% | 55.3% | 141 |
| | Northwestern | 33.3% | 0.0% | 66.7% | 6 |
| | Southern | 12.7% | 20.0% | 67.3% | 55 |
| | Eastern | 50.0% | 0.0% | 50.0% | 6 |
| | Southwestern | 20.0% | 0.0% | 80.0% | 5 |
| | Central | 30.3% | 27.3% | 42.4% | 33 |
| | Other | 38.6% | 17.5% | 43.9% | 57 |

How important was the need to balance payer sources in your decision to limit or close your primary practice to new Medicare patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very Important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 24.5% | 23.5% | 52.0% | 196 |
| | Partnership (2-3 physicians) | 26.0% | 17.7% | 56.2% | 96 |
| | Group practice (4 to 9 physicians) | 24.5% | 22.7% | 52.7% | 110 |
| | Group practice (10-13 physicians) | 24.1% | 13.8% | 62.1% | 29 |
| | Group practice (14-19 physicians) | 15.6% | 25.0% | 59.4% | 32 |
| | Group practice (20-29 physicians) | 22.2% | 18.5% | 59.3% | 27 |
| | Group practice (30 or more than physicians) | 27.4% | 30.5% | 42.1% | 95 |
| | Other | 34.8% | 13.0% | 52.2% | 23 |
| Statewide | 25.3% | 22.4% | 52.3% | 612 | |

Importance of complex patient needs in decision to limit acceptance

How important were the complex needs of patients in your decision to limit or close your primary practice to new Medicare patients?

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>Total</i> | |
|--------------------------|---------------------------|-----------------------|---------------------------|-----------------------|--------------|-----|
| Gender | Female | 45.6% | 27.5% | 26.9% | 182 | |
| | Male | 47.4% | 29.8% | 22.9% | 420 | |
| Age | Under 50 years | 46.6% | 32.6% | 20.8% | 178 | |
| | 50 to 64 years | 45.0% | 28.0% | 27.0% | 307 | |
| | 65 years or more | 52.1% | 26.5% | 21.4% | 117 | |
| Specialty Categories | Family/General Medicine | 40.0% | 33.5% | 26.5% | 170 | |
| | Obstetrics/Gynecology | 50.0% | 39.5% | 10.5% | 38 | |
| | General Internal Medicine | 52.9% | 23.5% | 23.5% | 102 | |
| | General Pediatrics | 62.8% | 16.3% | 20.9% | 43 | |
| | General Surgery | 75.0% | 12.5% | 12.5% | 8 | |
| | Medical Subspecialty | 45.2% | 33.9% | 21.0% | 62 | |
| | Pediatric Subspecialty | | | | | |
| | Surgical Subspecialty | 35.7% | 33.3% | 31.0% | 42 | |
| | Neurological Surgery | 0.0% | 40.0% | 60.0% | 5 | |
| | Psychiatry | 50.5% | 22.0% | 27.5% | 91 | |
| Hospital-based Specialty | | 52.2% | 30.4% | 17.4% | 23 | |
| | Other | 37.5% | 37.5% | 25.0% | 16 | |
| | Region | Portland Metro | 48.4% | 28.6% | 23.0% | 304 |
| | | Mid-Willamette Valley | 47.1% | 26.1% | 26.8% | 138 |
| Northwestern | | 33.3% | 50.0% | 16.7% | 6 | |
| Southern | | 33.3% | 40.7% | 25.9% | 54 | |
| Eastern | | 83.3% | 16.7% | 0.0% | 6 | |
| Southwestern | | 50.0% | 0.0% | 50.0% | 4 | |
| Central | | 59.4% | 18.8% | 21.9% | 32 | |
| Other | 41.4% | 34.5% | 24.1% | 58 | | |
| Statewide | | 46.8% | 29.1% | 24.1% | 602 | |

How important were the complex needs of patients in your decision to limit or close your primary practice to new Medicare patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 40.9% | 27.5% | 31.6% | 193 |
| | Partnership (2-3 physicians) | 50.0% | 22.9% | 27.1% | 96 |
| | Group practice (4 to 9 physicians) | 48.2% | 30.0% | 21.8% | 110 |
| | Group practice (10-13 physicians) | 43.3% | 26.7% | 30.0% | 30 |
| | Group practice (14-19 physicians) | 46.7% | 36.7% | 16.7% | 30 |
| | Group practice (20-29 physicians) | 59.3% | 29.6% | 11.1% | 27 |
| | Group practice (30 or more than physicians) | 49.5% | 38.5% | 12.1% | 91 |
| | Other | 50.0% | 22.7% | 27.3% | 22 |
| How is your primary practice organized? | Single-specialty practice | 44.0% | 28.0% | 28.0% | 25 |
| | Multi-specialty practice | 66.7% | 16.7% | 16.7% | 6 |
| | Other | 66.7% | 8.3% | 25.0% | 12 |
| Statewide | | 46.8% | 29.1% | 24.1% | 602 |

Importance of cost/availability of professional liability insurance in decision to limit acceptance

How important was the cost or availability of professional liability insurance in your decision to limit or close your primary practice to new Medicare patients?

| | | Not important | Somewhat important | Very important | Total |
|----------------------|---------------------------|---------------|--------------------|----------------|-------|
| Gender | Female | 65.4% | 26.4% | 8.2% | 182 |
| | Male | 68.9% | 20.9% | 10.1% | 425 |
| Age | Under 50 years | 59.3% | 32.2% | 8.5% | 177 |
| | 50 to 64 years | 69.8% | 20.9% | 9.3% | 311 |
| | 65 years or more | 75.6% | 12.6% | 11.8% | 119 |
| Specialty Categories | Family/General Medicine | 71.8% | 22.4% | 5.9% | 170 |
| | Obstetrics/Gynecology | 65.8% | 23.7% | 10.5% | 38 |
| | General Internal Medicine | 77.1% | 17.1% | 5.7% | 105 |
| | General Pediatrics | 69.8% | 18.6% | 11.6% | 43 |
| | General Surgery | 50.0% | 50.0% | 0.0% | 8 |
| | Medical Subspecialty | 63.5% | 28.6% | 7.9% | 63 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 51.2% | 23.3% | 25.6% | 43 |
| | Neurological Surgery | 20.0% | 0.0% | 80.0% | 5 |
| | Psychiatry | 74.4% | 20.0% | 5.6% | 90 |
| | Hospital-based Specialty | 37.5% | 37.5% | 25.0% | 24 |
| | Other | 56.2% | 31.2% | 12.5% | 16 |
| Region | Portland Metro | 69.3% | 22.5% | 8.2% | 306 |
| | Mid-Willamette Valley | 70.7% | 20.7% | 8.6% | 140 |
| | Northwestern | 66.7% | 16.7% | 16.7% | 6 |
| | Southern | 51.9% | 33.3% | 14.8% | 54 |
| | Eastern | 83.3% | 0.0% | 16.7% | 6 |
| | Southwestern | 75.0% | 0.0% | 25.0% | 4 |
| | Central | 75.8% | 18.2% | 6.1% | 33 |
| | Other | 62.1% | 24.1% | 13.8% | 58 |
| Statewide | | 46.8% | 29.1% | 24.1% | 607 |

How important was the cost or availability of professional liability insurance in your decision to limit or close your primary practice to new Medicare patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 65.6% | 21.5% | 12.8% | 195 |
| | Partnership (2-3 physicians) | 60.0% | 29.5% | 10.5% | 95 |
| | Group practice (4 to 9 physicians) | 75.5% | 20.0% | 4.5% | 110 |
| | Group practice (10-13 physicians) | 66.7% | 23.3% | 10.0% | 30 |
| | Group practice (14-19 physicians) | 71.0% | 22.6% | 6.5% | 31 |
| | Group practice (20-29 physicians) | 81.5% | 18.5% | 0.0% | 27 |
| | Group practice (30 or more than physicians) | 68.8% | 23.7% | 7.5% | 93 |
| | Other | 56.5% | 17.4% | 26.1% | 23 |
| How is your primary practice organized? | Single-specialty practice | 60.0% | 28.0% | 12.0% | 25 |
| | Multi-specialty practice | 66.7% | 16.7% | 16.7% | 6 |
| | Other | 58.3% | 25.0% | 16.7% | 12 |
| Statewide | | 46.8% | 29.1% | 24.1% | 607 |

Importance of patient compliance in decision to limit acceptance

| <i>How important was non-compliance of patients in your decision to limit or close your primary practice to new Medicare patients?</i> | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>Total</i> |
|--|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 70.0% | 20.6% | 9.4% | 180 |
| | Male | 72.0% | 21.9% | 6.2% | 421 |
| Age | Under 50 years | 67.0% | 24.4% | 8.5% | 176 |
| | 50 to 64 years | 72.7% | 20.5% | 6.8% | 308 |
| | 65 years or more | 74.4% | 19.7% | 6.0% | 117 |
| Specialty Categories | Family/General Medicine | 77.1% | 18.8% | 4.1% | 170 |
| | Obstetrics/Gynecology | 73.7% | 21.1% | 5.3% | 38 |
| | General Internal Medicine | 72.8% | 23.3% | 3.9% | 103 |
| | General Pediatrics | 69.0% | 16.7% | 14.3% | 42 |
| | General Surgery | 75.0% | 25.0% | 0.0% | 8 |
| | Medical Subspecialty | 71.4% | 27.0% | 1.6% | 63 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 52.4% | 23.8% | 23.8% | 42 |
| | Neurological Surgery | 20.0% | 40.0% | 40.0% | 5 |
| | Psychiatry | 77.3% | 14.8% | 8.0% | 88 |
| | Hospital-based Specialty | 45.8% | 41.7% | 12.5% | 24 |
| | Other | 68.8% | 25.0% | 6.2% | 16 |
| Region | Portland Metro | 69.4% | 22.0% | 8.6% | 304 |
| | Mid-Willamette Valley | 76.8% | 17.4% | 5.8% | 138 |
| | Northwestern | 66.7% | 33.3% | 0.0% | 6 |
| | Southern | 65.5% | 23.6% | 10.9% | 55 |
| | Eastern | 66.7% | 33.3% | 0.0% | 6 |
| | Southwestern | 75.0% | 25.0% | 0.0% | 4 |
| | Central | 78.1% | 21.9% | 0.0% | 32 |
| | Other | 71.4% | 23.2% | 5.4% | 56 |
| Statewide | | 71.4% | 21.5% | 7.2% | 601 |

| <i>How important was non-compliance of patients in your decision to limit or close your primary practice to new Medicare patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 68.2% | 21.9% | 9.9% | 192 |
| | Partnership (2-3 physicians) | 68.4% | 25.3% | 6.3% | 95 |
| | Group practice (4 to 9 physicians) | 72.5% | 21.1% | 6.4% | 109 |
| | Group practice (10-13 physicians) | 69.0% | 20.7% | 10.3% | 29 |
| | Group practice (14-19 physicians) | 74.2% | 25.8% | 0.0% | 31 |
| | Group practice (20-29 physicians) | 81.5% | 14.8% | 3.7% | 27 |
| | Group practice (30 or more than physicians) | 79.3% | 18.5% | 2.2% | 92 |
| | Other | 60.9% | 21.7% | 17.4% | 23 |
| How is your primary practice organized? | Single-specialty practice | 75.0% | 20.8% | 4.2% | 24 |
| | Multi-specialty practice | 66.7% | 16.7% | 16.7% | 6 |
| | Other | 66.7% | 16.7% | 16.7% | 12 |
| Statewide | | 71.4% | 21.5% | 7.2% | 601 |

Importance of patient load in decision to limit acceptance

How important was patient load in your decision to limit or close your primary practice to new Medicare patients?

| | | Not important | Somewhat Important | Very important | Total |
|----------------------|---------------------------|---------------|--------------------|----------------|-------|
| Gender | Female | 41.8% | 31.0% | 27.2% | 184 |
| | Male | 41.7% | 34.2% | 24.1% | 424 |
| Age | Under 50 years | 39.7% | 33.0% | 27.4% | 179 |
| | 50 to 64 years | 37.9% | 36.3% | 25.7% | 311 |
| | 65 years or more | 55.1% | 25.4% | 19.5% | 118 |
| | Missing | NA | NA | NA | 2618 |
| Specialty Categories | Family/General Medicine | 38.6% | 39.2% | 22.2% | 171 |
| | Obstetrics/Gynecology | 51.3% | 30.8% | 17.9% | 39 |
| | General Internal Medicine | 37.1% | 32.4% | 30.5% | 105 |
| | General Pediatrics | 48.8% | 25.6% | 25.6% | 43 |
| | General Surgery | 50.0% | 12.5% | 37.5% | 8 |
| | Medical Subspecialty | 42.2% | 37.5% | 20.3% | 64 |
| | Pediatric Subspecialty | | | | |
| | Surgical Subspecialty | 27.9% | 32.6% | 39.5% | 43 |
| | Neurological Surgery | 0.0% | 20.0% | 80.0% | 5 |
| | Psychiatry | 48.9% | 31.1% | 20.0% | 90 |
| | Hospital-based Specialty | 43.5% | 30.4% | 26.1% | 23 |
| Region | Other | 66.7% | 13.3% | 20.0% | 15 |
| | Portland Metro | 43.3% | 34.5% | 22.1% | 307 |
| | Mid-Willamette Valley | 38.8% | 33.1% | 28.1% | 139 |
| | Northwestern | 50.0% | 33.3% | 16.7% | 6 |
| | Southern | 21.8% | 43.6% | 34.5% | 55 |
| | Eastern | 50.0% | 33.3% | 16.7% | 6 |
| | Southwestern | 25.0% | 25.0% | 50.0% | 4 |
| | Central | 63.6% | 18.2% | 18.2% | 33 |
| Statewide | Other | 46.6% | 25.9% | 27.6% | 58 |
| | | 41.8% | 33.2% | 25.0% | 608 |

How important was patient load in your decision to limit or close your primary practice to new Medicare patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 39.3% | 35.2% | 25.5% | 196 |
| | Partnership (2-3 physicians) | 42.7% | 31.2% | 26.0% | 96 |
| | Group practice (4 to 9 physicians) | 40.4% | 36.7% | 22.9% | 109 |
| | Group practice (10-13 physicians) | 43.3% | 23.3% | 33.3% | 30 |
| | Group practice (14-19 physicians) | 32.3% | 38.7% | 29.0% | 31 |
| | Group practice (20-29 physicians) | 55.6% | 29.6% | 14.8% | 27 |
| | Group practice (30 or more than physicians) | 40.9% | 34.4% | 24.7% | 93 |
| | Other | 56.5% | 17.4% | 26.1% | 23 |
| Statewide | | 41.8% | 33.2% | 25.0% | 608 |

Importance of reimbursement rates in decision to limit acceptance

| <i>How important were reimbursement rates in your decision to limit or close your primary practice to new Medicare patients?</i> | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>Total</i> |
|--|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 16.3% | 10.9% | 72.8% | 184 |
| | Male | 15.3% | 13.3% | 71.4% | 430 |
| Age | Under 50 years | 14.4% | 13.8% | 71.8% | 181 |
| | 50 to 64 years | 13.5% | 12.5% | 74.0% | 312 |
| | 65 years or more | 23.1% | 10.7% | 66.1% | 121 |
| | Missing | NA | NA | NA | 2612 |
| Specialty Categories | Family/General Medicine | 13.4% | 12.8% | 73.8% | 172 |
| | Obstetrics/Gynecology | 12.8% | 7.7% | 79.5% | 39 |
| | General Internal Medicine | 17.9% | 13.2% | 68.9% | 106 |
| | General Pediatrics | 40.5% | 9.5% | 50.0% | 42 |
| | General Surgery | 12.5% | 0.0% | 87.5% | 8 |
| | Medical Subspecialty | 17.5% | 14.3% | 68.3% | 63 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 14.0% | 11.6% | 74.4% | 43 |
| | Neurological Surgery | 0.0% | 20.0% | 80.0% | 5 |
| | Psychiatry | 9.7% | 12.9% | 77.4% | 93 |
| | Hospital-based Specialty | 16.0% | 12.0% | 72.0% | 25 |
| | Other | 6.2% | 25.0% | 68.8% | 16 |
| Region | Portland Metro | 16.9% | 14.6% | 68.5% | 308 |
| | Mid-Willamette Valley | 12.1% | 10.6% | 77.3% | 141 |
| | Northwestern | 16.7% | 0.0% | 83.3% | 6 |
| | Southern | 7.3% | 5.5% | 87.3% | 55 |
| | Eastern | 33.3% | 16.7% | 50.0% | 6 |
| | Southwestern | 0.0% | 20.0% | 80.0% | 5 |
| | Central | 14.7% | 8.8% | 76.5% | 34 |
| | Other | 25.4% | 15.3% | 59.3% | 59 |
| Statewide | | 15.6% | 12.5% | 71.8% | 614 |

How important were reimbursement rates in your decision to limit or close your primary practice to new Medicare patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 8.0% | 11.1% | 80.9% | 199 |
| | Partnership (2-3 physicians) | 18.8% | 12.5% | 68.8% | 96 |
| | Group practice (4 to 9 physicians) | 15.5% | 10.0% | 74.5% | 110 |
| | Group practice (10-13 physicians) | 20.7% | 13.8% | 65.5% | 29 |
| | Group practice (14-19 physicians) | 15.6% | 15.6% | 68.8% | 32 |
| | Group practice (20-29 physicians) | 18.5% | 14.8% | 66.7% | 27 |
| | Group practice (30 or more than physicians) | 22.3% | 19.1% | 58.5% | 94 |
| | Other | 26.1% | 4.3% | 69.6% | 23 |
| Statewide | | 15.6% | 12.5% | 71.8% | 614 |

Commercial Insurance Acceptance

Statewide

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 81.6% | 11.7% | 6.6% | 1039 |
| | Male | 85.1% | 8.9% | 5.9% | 2185 |
| | Other | 0.0% | 0.0% | 0.0% | 0 |
| Age | Under 50 years | 88.3% | 7.5% | 4.2% | 1291 |
| | 50 to 64 years | 82.0% | 11.7% | 6.3% | 1411 |
| | 65 years or more | 78.8% | 10.5% | 10.7% | 524 |
| Specialty Categories | Family/General Medicine | 74.6% | 14.6% | 10.9% | 562 |
| | Obstetrics/Gynecology | 89.3% | 8.2% | 2.5% | 159 |
| | General Internal Medicine | 80.7% | 11.8% | 7.5% | 517 |
| | General Pediatrics | 89.1% | 6.5% | 4.5% | 201 |
| | General Surgery | 94.3% | 2.5% | 3.3% | 122 |
| | Medical Subspecialty | 88.3% | 6.6% | 5.1% | 512 |
| | Pediatric Subspecialty | 96.4% | 3.6% | 0.0% | 55 |
| | Surgical Subspecialty | 86.9% | 8.5% | 4.7% | 213 |
| | Neurological Surgery | 96.2% | 0.0% | 3.8% | 26 |
| | Psychiatry | 55.0% | 31.1% | 14.0% | 222 |
| | Hospital-based Specialty | 95.5% | 2.5% | 2.0% | 561 |
| | Other | 84.1% | 11.1% | 4.8% | 63 |
| | Region | Portland Metro | 82.0% | 11.4% | 6.6% |
| Mid-Willamette Valley | | 82.0% | 11.9% | 6.2% | 582 |
| Northwestern | | 96.2% | 2.6% | 1.3% | 78 |
| Southern | | 85.4% | 9.1% | 5.5% | 254 |
| Eastern | | 92.6% | 4.4% | 2.9% | 68 |
| Southwestern | | 87.2% | 10.6% | 2.1% | 47 |
| Central | | 93.3% | 3.6% | 3.2% | 253 |
| Other | | 84.2% | 6.9% | 8.9% | 348 |
| Statewide | | 84.00% | 9.80% | 6.20% | 3226 |

Region Portland Metro

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 79.8% | 12.9% | 7.3% | 574 |
| | Male | 83.2% | 10.6% | 6.3% | 1021 |
| Age | Under 50 years | 85.4% | 9.5% | 5.1% | 672 |
| | 50 to 64 years | 81.4% | 13.0% | 5.6% | 682 |
| | 65 years or more | 74.0% | 12.0% | 14.0% | 242 |
| Specialty Categories | Family/General Medicine | 70.6% | 16.0% | 13.4% | 194 |
| | Obstetrics/Gynecology | 87.3% | 8.5% | 4.2% | 71 |
| | General Internal Medicine | 77.5% | 13.0% | 9.5% | 285 |
| | General Pediatrics | 87.5% | 7.1% | 5.4% | 112 |
| | General Surgery | 92.6% | 1.9% | 5.6% | 54 |
| | Medical Subspecialty | 87.9% | 8.8% | 3.3% | 273 |
| | Pediatric Subspecialty | 95.1% | 4.9% | 0.0% | 41 |

| | | | | | |
|---------|--------------------------|-------|-------|-------|------|
| | Surgical Subspecialty | 83.9% | 11.0% | 5.1% | 118 |
| | Neurological Surgery | 92.3% | 0.0% | 7.7% | 13 |
| | Psychiatry | 47.5% | 36.9% | 15.6% | 122 |
| | Hospital-based Specialty | 94.8% | 3.7% | 1.5% | 269 |
| | Other | 84.6% | 10.3% | 5.1% | 39 |
| Overall | | 82.0% | 11.4% | 6.7% | 1591 |

Region Mid-Willamette

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 78.0% | 17.9% | 4.2% | 168 |
| | Male | 83.6% | 9.4% | 7.0% | 414 |
| Age | Under 50 years | 92.7% | 5.4% | 2.0% | 205 |
| | 50 to 64 years | 76.4% | 15.6% | 8.0% | 276 |
| | 65 years or more | 75.2% | 14.9% | 9.9% | 101 |
| Specialty Categories | Family/General Medicine | 66.2% | 22.8% | 11.0% | 136 |
| | Obstetrics/Gynecology | 93.3% | 6.7% | 0.0% | 30 |
| | General Internal Medicine | 86.2% | 11.2% | 2.5% | 80 |
| | General Pediatrics | 85.7% | 8.6% | 5.7% | 35 |
| | General Surgery | 93.1% | 3.4% | 3.4% | 29 |
| | Medical Subspecialty | 84.9% | 5.8% | 9.3% | 86 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 89.2% | 10.8% | 0.0% | 37 |
| | Neurological Surgery | 100.0% | 0.0% | 0.0% | 5 |
| | Psychiatry | 67.3% | 24.5% | 8.2% | 49 |
| | Hospital-based Specialty | 96.2% | 0.0% | 3.8% | 79 |
| Other | 70.0% | 20.0% | 10.0% | 10 | |
| Overall | | 81.9% | 11.9% | 6.2% | 580 |

Region Northwestern

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 100.0% | 0.0% | 0.0% | 15 |
| | Male | 95.2% | 3.2% | 1.6% | 63 |
| Age | Under 50 years | 100.0% | 0.0% | 0.0% | 22 |
| | 50 to 64 years | 94.7% | 5.3% | 0.0% | 38 |
| | 65 years or more | 94.4% | 0.0% | 5.6% | 18 |
| Specialty Categories | Family/General Medicine | 94.4% | 0.0% | 5.6% | 18 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 5 |
| | General Internal Medicine | 93.3% | 6.7% | 0.0% | 15 |
| | General Pediatrics | 100.0% | 0.0% | 0.0% | 3 |
| | General Surgery | 100.0% | 0.0% | 0.0% | 6 |
| | Medical Subspecialty | 100.0% | 0.0% | 0.0% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 3 | |

| | | | | | |
|---------|--------------------------|--------|-------|------|----|
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 50.0% | 50.0% | 0.0% | 2 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 19 |
| | Other | 0.0% | 0.0% | 0.0% | 0 |
| <hr/> | | | | | |
| Overall | | 96.1% | 2.6% | 1.3% | 77 |

Region Southern

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 87.0% | 7.2% | 5.8% | 69 |
| | Male | 84.8% | 9.8% | 5.4% | 184 |
| Age | Under 50 years | 91.5% | 6.4% | 2.1% | 94 |
| | 50 to 64 years | 80.2% | 11.6% | 8.3% | 121 |
| | 65 years or more | 87.2% | 7.7% | 5.1% | 39 |
| Specialty Categories | Family/General Medicine | 72.2% | 14.8% | 13.0% | 54 |
| | Obstetrics/Gynecology | 86.7% | 6.7% | 6.7% | 15 |
| | General Internal Medicine | 78.7% | 12.8% | 8.5% | 47 |
| | General Pediatrics | 90.9% | 9.1% | 0.0% | 11 |
| | General Surgery | 100.0% | 0.0% | 0.0% | 7 |
| | Medical Subspecialty | 88.9% | 8.3% | 2.8% | 36 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 5 |
| | Surgical Subspecialty | 94.4% | 0.0% | 5.6% | 18 |
| | Neurological Surgery | 100.0% | 0.0% | 0.0% | 2 |
| | Psychiatry | 55.6% | 44.4% | 0.0% | 9 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 47 |
| Other | 100.0% | 0.0% | 0.0% | 3 | |
| <hr/> | | | | | |
| Overall | | 85.4% | 9.1% | 5.5% | 254 |

Region Eastern

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 90.0% | 0.0% | 10.0% | 10 |
| | Male | 93.1% | 5.2% | 1.7% | 58 |
| Age | Under 50 years | 96.7% | 3.3% | 0.0% | 30 |
| | 50 to 64 years | 93.3% | 3.3% | 3.3% | 30 |
| | 65 years or more | 75.0% | 12.5% | 12.5% | 8 |
| Specialty Categories | Family/General Medicine | 90.0% | 5.0% | 5.0% | 20 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 2 |
| | General Internal Medicine | 71.4% | 14.3% | 14.3% | 7 |
| | General Pediatrics | 100.0% | 0.0% | 0.0% | 6 |
| | General Surgery | 100.0% | 0.0% | 0.0% | 5 |
| | Medical Subspecialty | 100.0% | 0.0% | 0.0% | 8 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 3 |
| Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 | |

| | | | | | |
|---------|--------------------------|--------|-------|------|----|
| | Psychiatry | 0.0% | 0.0% | 0.0% | 0 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 15 |
| | Other | 50.0% | 50.0% | 0.0% | 2 |
| Overall | | 92.6% | 4.4% | 2.9% | 68 |

Region Southwestern

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 93.8% | 0.0% | 6.2% | 16 |
| | Male | 83.9% | 16.1% | 0.0% | 31 |
| Age | Under 50 years | 75.0% | 16.7% | 8.3% | 12 |
| | 50 to 64 years | 87.0% | 13.0% | 0.0% | 23 |
| | 65 years or more | 100.0% | 0.0% | 0.0% | 12 |
| Specialty Categories | Family/General Medicine | 70.0% | 30.0% | 0.0% | 10 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 6 |
| | General Internal Medicine | 85.7% | 14.3% | 0.0% | 7 |
| | General Pediatrics | 100.0% | 0.0% | 0.0% | 4 |
| | General Surgery | 0.0% | 0.0% | 0.0% | 4 |
| | Medical Subspecialty | 100.0% | 0.0% | 0.0% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 2 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 60.0% | 20.0% | 20.0% | 5 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 5 |
| | Other | 100.0% | 0.0% | 0.0% | 2 |
| Overall | | 87.2% | 10.6% | 2.1% | 47 |

Region Central

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 90.5% | 6.0% | 3.6% | 84 |
| | Male | 94.7% | 2.4% | 3.0% | 169 |
| Age | Under 50 years | 94.6% | 2.7% | 2.7% | 111 |
| | 50 to 64 years | 91.9% | 5.1% | 3.0% | 99 |
| | 65 years or more | 93.0% | 2.3% | 4.7% | 43 |
| Specialty Categories | Family/General Medicine | 94.3% | 1.4% | 4.3% | 70 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 10 |
| | General Internal Medicine | 79.4% | 11.8% | 8.8% | 34 |
| | General Pediatrics | 93.3% | 6.7% | 0.0% | 15 |
| | General Surgery | 100.0% | 0.0% | 0.0% | 9 |
| | Medical Subspecialty | 97.1% | 0.0% | 2.9% | 34 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 2 |
| | Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 11 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 66.7% | 33.3% | 0.0% | 9 |

| | | | | | |
|---------|--------------------------|--------|------|------|-----|
| | Hospital-based Specialty | 98.1% | 0.0% | 1.9% | 53 |
| | Other | 100.0% | 0.0% | 0.0% | 4 |
| Overall | | 93.2% | 3.6% | 3.2% | 251 |

Region Other

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 81.6% | 7.8% | 10.7% | 103 |
| | Male | 85.3% | 6.5% | 8.2% | 245 |
| Age | Under 50 years | 86.2% | 6.9% | 6.9% | 145 |
| | 50 to 64 years | 83.8% | 5.6% | 10.6% | 142 |
| | 65 years or more | 80.3% | 9.8% | 9.8% | 61 |
| Specialty Categories | Family/General Medicine | 75.0% | 11.7% | 13.3% | 60 |
| | Obstetrics/Gynecology | 80.0% | 20.0% | 0.0% | 20 |
| | General Internal Medicine | 90.5% | 4.8% | 4.8% | 42 |
| | General Pediatrics | 93.3% | 0.0% | 6.7% | 15 |
| | General Surgery | 91.7% | 8.3% | 0.0% | 12 |
| | Medical Subspecialty | 85.7% | 3.2% | 11.1% | 63 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 3 |
| | Surgical Subspecialty | 81.0% | 4.8% | 14.3% | 21 |
| | Neurological Surgery | 100.0% | 0.0% | 0.0% | 6 |
| | Psychiatry | 61.5% | 11.5% | 26.9% | 26 |
| | Hospital-based Specialty | 90.5% | 5.4% | 4.1% | 74 |
| | Other | 100.0% | 0.0% | 0.0% | 3 |
| Overall | | 84.1% | 7.0% | 9.0% | 345 |

By practice characteristics

| <i>To what extent is your primary practice accepting new commercial insurance patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|--|-----------------------|-----------------------|--------------------------|--------------|
| What is the size of your primary practice? | Solo practice | 72.9% | 17.2% | 9.9% | 535 |
| | Partnership (2 to 3 physicians) | 85.6% | 9.4% | 5.0% | 424 |
| | Group practice (4 to 9 physicians) | 88.4% | 7.3% | 4.4% | 757 |
| | Group practice (10 to 13 physicians) | 93.7% | 3.5% | 2.8% | 284 |
| | Group practice (14 to 19 physicians) | 88.8% | 6.3% | 4.9% | 205 |
| | Group practice (20 to 29 physicians) | 92.8% | 4.8% | 2.4% | 166 |
| | Group practice (More than 30 physicians) | 81.8% | 13.2% | 5.0% | 665 |
| | Other | 73.2% | 6.7% | 20.1% | 149 |
| | | | | | |
| | Full owner or sole proprietor | 77.1% | 16.6% | 6.3% | 555 |
| | Part-owner(or shareholder) | 86.60% | 11.90% | 1.60% | 699 |

| | | | | | |
|--|------------------------|--------|-------|--------|------|
| What is your employment status at your primary practice? | Employee | 86.70% | 7.50% | 5.90% | 1551 |
| | Independent contractor | 86.30% | 6.70% | 7.00% | 285 |
| | Volunteer | 32.10% | 7.10% | 60.70% | 28 |
| | Other | 70.50% | 5.30% | 24.20% | 95 |
| Total | | 84.00% | 9.90% | 6.10% | 3213 |

Importance of administrative requirements in decision to limit acceptance

How important were commercial insurance administrative requirements in your decision to limit or close your primary practice to new commercial insurance patients?

| | | Not important | Somewhat Important | Very important | Total |
|--|---|---------------|--------------------|----------------|-------|
| Gender | Female | 45.2% | 26.1% | 28.7% | 115 |
| | Male | 35.7% | 29.0% | 35.3% | 221 |
| Age | Under 50 years | 41.1% | 31.6% | 27.4% | 95 |
| | 50 to 64 years | 39.8% | 26.5% | 33.7% | 166 |
| | 65 years or more | 34.7% | 26.7% | 38.7% | 75 |
| Specialty Categories | Family/General Medicine | 48.4% | 24.2% | 27.4% | 95 |
| | Obstetrics/Gynecology | 54.5% | 18.2% | 27.3% | 11 |
| | General Internal Medicine | 40.9% | 28.8% | 30.3% | 66 |
| | General Pediatrics | 53.8% | 23.1% | 23.1% | 13 |
| | General Surgery | 20.0% | 20.0% | 60.0% | 5 |
| | Medical Subspecialty | 33.3% | 36.7% | 30.0% | 30 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 100.0% | 1 |
| | Surgical Subspecialty | 37.5% | 25.0% | 37.5% | 16 |
| | Neurological Surgery | 0.0% | 100.0% | 0.0% | 1 |
| | Psychiatry | 27.0% | 32.4% | 40.5% | 74 |
| | Hospital-based Specialty | 35.3% | 29.4% | 35.3% | 17 |
| Other | 33.3% | 16.7% | 50.0% | 6 | |
| Region | Portland Metro | 37.4% | 29.8% | 32.7% | 171 |
| | Mid-Willamette Valley | 40.0% | 30.0% | 30.0% | 80 |
| | Northwestern | 0.0% | 50.0% | 50.0% | 2 |
| | Southern | 44.8% | 24.1% | 31.0% | 29 |
| | Eastern | 25.0% | 0.0% | 75.0% | 4 |
| | Southwestern | 25.0% | 0.0% | 75.0% | 4 |
| | Central | 58.3% | 25.0% | 16.7% | 12 |
| | Other | 38.2% | 23.5% | 38.2% | 34 |
| What is the size of your primary practice? | Solo practice | 25.0% | 28.4% | 46.6% | 116 |
| | Partnership (2-3 physicians) | 24.3% | 32.4% | 43.2% | 37 |
| | Group practice (4 to 9 physicians) | 42.9% | 28.6% | 28.6% | 63 |
| | Group practice (10-13 physicians) | 57.1% | 42.9% | 0.0% | 7 |
| | Group practice (14-19 physicians) | 52.9% | 35.3% | 11.8% | 17 |
| | Group practice (20-29 physicians) | 44.4% | 44.4% | 11.1% | 9 |
| | Group practice (30 or more than physicians) | 50.8% | 26.2% | 23.1% | 65 |
| | Other | 72.2% | 5.6% | 22.2% | 18 |
| What is your employment status at your primary practice? | Full owner | 20.2% | 34.2% | 45.6% | 114 |
| | Part owner (or shareholder) | 42.5% | 32.9% | 24.7% | 73 |
| | Employee | 51.4% | 21.9% | 26.7% | 105 |
| | Independent contractor | 38.1% | 19.0% | 42.9% | 21 |
| | Volunteer | 66.7% | 8.3% | 25.0% | 12 |
| | Other | 63.6% | 27.3% | 9.1% | 11 |
| Statewide | | 39.0% | 28.0% | 33.0% | 336 |

Importance of need to balance payers in decision to limit acceptance

How important was the need to balance payer sources in your decision to limit or close your primary practice to new commercial insurance patients?

| | | Not important | Somewhat important | Very important | Total |
|----------------------|---------------------------|---------------|--------------------|----------------|-------|
| Gender | Female | 51.8% | 25.0% | 23.2% | 112 |
| | Male | 50.7% | 26.2% | 23.1% | 221 |
| Age | Under 50 years | 46.3% | 32.6% | 21.1% | 95 |
| | 50 to 64 years | 50.0% | 21.7% | 28.3% | 166 |
| | 65 years or more | 59.7% | 26.4% | 13.9% | 72 |
| | Missing | 51.1% | 25.8% | 23.1% | 2890 |
| Specialty Categories | Family/General Medicine | 50.5% | 29.5% | 20.0% | 95 |
| | Obstetrics/Gynecology | 63.6% | 18.2% | 18.2% | 11 |
| | General Internal Medicine | 53.8% | 23.1% | 23.1% | 65 |
| | General Pediatrics | 66.7% | 8.3% | 25.0% | 12 |
| | General Surgery | 80.0% | 0.0% | 20.0% | 5 |
| | Medical Subspecialty | 46.7% | 30.0% | 23.3% | 30 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 1 |
| | Surgical Subspecialty | 41.2% | 29.4% | 29.4% | 17 |
| | Neurological Surgery | 0.0% | 100.0% | 0.0% | 1 |
| | Psychiatry | 42.5% | 27.4% | 30.1% | 73 |
| | Hospital-based Specialty | 68.8% | 18.8% | 12.5% | 16 |
| Region | Other | 66.7% | 16.7% | 16.7% | 6 |
| | Portland Metro | 48.2% | 27.6% | 24.1% | 170 |
| | Mid-Willamette Valley | 52.6% | 25.6% | 21.8% | 78 |
| | Northwestern | 0.0% | 50.0% | 50.0% | 2 |
| | Southern | 51.7% | 20.7% | 27.6% | 29 |
| | Eastern | 50.0% | 25.0% | 25.0% | 4 |
| | Southwestern | 25.0% | 0.0% | 75.0% | 4 |
| | Central | 75.0% | 8.3% | 16.7% | 12 |
| Other | 58.8% | 29.4% | 11.8% | 34 | |

How important was the need to balance payer sources in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 42.5% | 31.9% | 25.7% | 113 |
| | Partnership (2-3 physicians) | 39.5% | 23.7% | 36.8% | 38 |
| | Group practice (4 to 9 physicians) | 54.7% | 21.9% | 23.4% | 64 |
| | Group practice (10-13 physicians) | 42.9% | 42.9% | 14.3% | 7 |
| | Group practice (14-19 physicians) | 52.9% | 23.5% | 23.5% | 17 |
| | Group practice (20-29 physicians) | 55.6% | 44.4% | 0.0% | 9 |
| | Group practice (30 or more than physicians) | 56.2% | 25.0% | 18.8% | 64 |
| | Other | 88.9% | 0.0% | 11.1% | 18 |
| What is your employment status at your primary practice? | Full owner | 40.7% | 31.9% | 27.4% | 113 |
| | Part owner (or shareholder) | 50.7% | 24.7% | 24.7% | 73 |
| | Employee | 55.8% | 23.1% | 21.2% | 104 |
| | Independent contractor | 55.0% | 25.0% | 20.0% | 20 |
| | Volunteer | 75.0% | 8.3% | 16.7% | 12 |
| | Other | 81.8% | 18.2% | 0.0% | 11 |
| Statewide | | 51.1% | 25.8% | 23.1% | 333 |

Importance of patients' complex needs in decision to limit acceptance

How important were the complex needs of patients in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|----------------------|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 64.0% | 24.3% | 11.7% | 111 |
| | Male | 69.9% | 20.4% | 9.7% | 216 |
| Age | Under 50 years | 68.1% | 24.5% | 7.4% | 94 |
| | 50 to 64 years | 68.5% | 19.8% | 11.7% | 162 |
| | 65 years or more | 66.2% | 22.5% | 11.3% | 71 |
| Specialty Categories | Family/General Medicine | 71.6% | 21.1% | 7.4% | 95 |
| | Obstetrics/Gynecology | 72.7% | 18.2% | 9.1% | 11 |
| | General Internal Medicine | 68.8% | 20.3% | 10.9% | 64 |
| | General Pediatrics | 72.7% | 18.2% | 9.1% | 11 |
| | General Surgery | 100.0% | 0.0% | 0.0% | 5 |
| | Medical Subspecialty | 69.0% | 20.7% | 10.3% | 29 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 1 |
| | Surgical Subspecialty | 68.8% | 6.2% | 25.0% | 16 |
| | Neurological Surgery | 100.0% | 0.0% | 0.0% | 1 |
| | Psychiatry | 59.2% | 26.8% | 14.1% | 71 |
| | Hospital-based Specialty | 58.8% | 35.3% | 5.9% | 17 |
| Other | 60.0% | 40.0% | 0.0% | 5 | |
| Region | Portland Metro | 68.5% | 20.2% | 11.3% | 168 |
| | Mid-Willamette Valley | 71.1% | 21.1% | 7.9% | 76 |
| | Northwestern | 50.0% | 0.0% | 50.0% | 2 |
| | Southern | 55.2% | 24.1% | 20.7% | 29 |
| | Eastern | 100.0% | 0.0% | 0.0% | 4 |
| | Southwestern | 66.7% | 33.3% | 0.0% | 3 |
| | Central | 83.3% | 16.7% | 0.0% | 12 |
| | Other | 60.6% | 33.3% | 6.1% | 33 |

| <i>How important were the complex needs of patients in your decision to limit or close your primary practice to new commercial insurance patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 59.8% | 25.9% | 14.3% | 112 |
| | Partnership (2-3 physicians) | 60.5% | 15.8% | 23.7% | 38 |
| | Group practice (4 to 9 physicians) | 67.7% | 24.2% | 8.1% | 62 |
| | Group practice (10-13 physicians) | 100.0% | 0.0% | 0.0% | 7 |
| | Group practice (14-19 physicians) | 82.4% | 11.8% | 5.9% | 17 |
| | Group practice (20-29 physicians) | 77.8% | 22.2% | 0.0% | 9 |
| | Group practice (30 or more than physicians) | 72.1% | 24.6% | 3.3% | 61 |
| | Other | 83.3% | 11.1% | 5.6% | 18 |
| What is your employment status at your primary practice? | Full owner | 58.9% | 24.1% | 17.0% | 112 |
| | Part owner (or shareholder) | 70.4% | 21.1% | 8.5% | 71 |
| | Employee | 75.5% | 18.6% | 5.9% | 102 |
| | Independent contractor | 63.2% | 26.3% | 10.5% | 19 |
| | Volunteer | 66.7% | 25.0% | 8.3% | 12 |
| | Other | 81.8% | 18.2% | 0.0% | 11 |
| Statewide | | 67.9% | 21.7% | 10.4% | 327 |

Importance of cost/availability of liability insurance in decision to limit acceptance

How important was the cost or availability of professional liability insurance in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 81.1% | 15.3% | 3.6% | 111 |
| | Male | 73.8% | 18.1% | 8.1% | 221 |
| Age | Under 50 years | 70.2% | 23.4% | 6.4% | 94 |
| | 50 to 64 years | 77.6% | 15.8% | 6.7% | 165 |
| | 65 years or more | 80.8% | 12.3% | 6.8% | 73 |
| Specialty Categories | Family/General Medicine | 76.8% | 17.9% | 5.3% | 95 |
| | Obstetrics/Gynecology | 72.7% | 18.2% | 9.1% | 11 |
| | General Internal Medicine | 75.4% | 16.9% | 7.7% | 65 |
| | General Pediatrics | 81.8% | 0.0% | 18.2% | 11 |
| | General Surgery | 60.0% | 40.0% | 0.0% | 5 |
| | Medical Subspecialty | 76.7% | 23.3% | 0.0% | 30 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 1 |
| | Surgical Subspecialty | 64.7% | 17.6% | 17.6% | 17 |
| | Neurological Surgery | 100.0% | 0.0% | 0.0% | 1 |
| | Psychiatry | 80.6% | 13.9% | 5.6% | 72 |
| | Hospital-based Specialty | 64.7% | 23.5% | 11.8% | 17 |
| | Other | 83.3% | 16.7% | 0.0% | 6 |
| Region | Portland Metro | 76.3% | 18.3% | 5.3% | 169 |
| | Mid-Willamette Valley | 79.7% | 13.9% | 6.3% | 79 |
| | Northwestern | 0.0% | 50.0% | 50.0% | 2 |
| | Southern | 72.4% | 20.7% | 6.9% | 29 |
| | Eastern | 100.0% | 0.0% | 0.0% | 4 |
| | Southwestern | 66.7% | 0.0% | 33.3% | 3 |
| | Central | 100.0% | 0.0% | 0.0% | 12 |
| | Other | 64.7% | 23.5% | 11.8% | 34 |
| What is the size of your primary practice? | Solo practice | 74.3% | 17.7% | 8.0% | 113 |
| | Partnership (2-3 physicians) | 68.4% | 18.4% | 13.2% | 38 |
| | Group practice (4 to 9 physicians) | 79.7% | 17.2% | 3.1% | 64 |
| | Group practice (10-13 physicians) | 100.0% | 0.0% | 0.0% | 7 |
| | Group practice (14-19 physicians) | 82.4% | 11.8% | 5.9% | 17 |
| | Group practice (20-29 physicians) | 75.0% | 25.0% | 0.0% | 8 |
| | Group practice (30 or more than physicians) | 71.9% | 23.4% | 4.7% | 64 |
| | Other | 80.0% | 3.3% | 16.7% | 30 |

How important was the cost or availability of professional liability insurance in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|-----------------------------|----------------------|---------------------------|-----------------------|--------------|
| What is your employment status at your primary practice? | Full owner | 73.5% | 17.7% | 8.8% | 113 |
| | Part owner (or shareholder) | 80.6% | 13.9% | 5.6% | 72 |
| | Employee | 76.9% | 19.2% | 3.8% | 104 |
| | Independent contractor | 65.0% | 25.0% | 10.0% | 20 |
| | Volunteer | 75.0% | 8.3% | 16.7% | 12 |
| | Other | 90.9% | 9.1% | 0.0% | 11 |
| Statewide | | 76.2% | 17.2% | 6.6% | 332 |

Importance of patient noncompliance in decision to limit acceptance

How important was non-compliance of patients in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|-----------------------|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 74.8% | 16.2% | 9.0% | 111 |
| | Male | 72.7% | 22.3% | 5.0% | 220 |
| Age | Under 50 years | 71.9% | 21.9% | 6.2% | 96 |
| | 50 to 64 years | 75.3% | 17.3% | 7.4% | 162 |
| | 65 years or more | 71.2% | 24.7% | 4.1% | 73 |
| Specialty Categories | Family/General Medicine | 76.6% | 19.1% | 4.3% | 94 |
| | Obstetrics/Gynecology | 81.8% | 9.1% | 9.1% | 11 |
| | General Internal Medicine | 73.4% | 21.9% | 4.7% | 64 |
| | General Pediatrics | 83.3% | 0.0% | 16.7% | 12 |
| | General Surgery | 80.0% | 20.0% | 0.0% | 5 |
| | Medical Subspecialty | 65.5% | 31.0% | 3.4% | 29 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 1 |
| | Surgical Subspecialty | 61.1% | 22.2% | 16.7% | 18 |
| | Neurological Surgery | 100.0% | 0.0% | 0.0% | 1 |
| | Psychiatry | 72.2% | 19.4% | 8.3% | 72 |
| | Hospital-based Specialty | 64.7% | 29.4% | 5.9% | 17 |
| | Other | 83.3% | 16.7% | 0.0% | 6 |
| | Region | Portland Metro | 73.7% | 19.3% | 7.0% |
| Mid-Willamette Valley | | 75.9% | 19.0% | 5.1% | 79 |
| Northwestern | | 0.0% | 50.0% | 50.0% | 2 |
| Southern | | 71.4% | 25.0% | 3.6% | 28 |
| Eastern | | 100.0% | 0.0% | 0.0% | 4 |
| Southwestern | | 66.7% | 33.3% | 0.0% | 3 |
| Central | | 90.9% | 9.1% | 0.0% | 11 |
| Other | | 63.6% | 27.3% | 9.1% | 33 |

How important was non-compliance of patients in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 65.5% | 25.7% | 8.8% | 113 |
| | Partnership (2-3 physicians) | 62.2% | 21.6% | 16.2% | 37 |
| | Group practice (4 to 9 physicians) | 77.4% | 17.7% | 4.8% | 62 |
| | Group practice (10-13 physicians) | 100.0% | 0.0% | 0.0% | 7 |
| | Group practice (14-19 physicians) | 82.4% | 17.6% | 0.0% | 17 |
| | Group practice (20-29 physicians) | 80.0% | 20.0% | 0.0% | 10 |
| | Group practice (30 or more than physicians) | 79.7% | 18.8% | 1.6% | 64 |
| | Other | 83.3% | 11.1% | 5.6% | 18 |
| What is your employment status at your primary practice? | Full owner | 65.5% | 25.7% | 8.8% | 113 |
| | Part owner (or shareholder) | 78.9% | 16.9% | 4.2% | 71 |
| | Employee | 79.8% | 16.3% | 3.8% | 104 |
| | Independent contractor | 65.0% | 25.0% | 10.0% | 20 |
| | Volunteer | 75.0% | 16.7% | 8.3% | 12 |
| | Other | 72.7% | 18.2% | 9.1% | 11 |
| Statewide | | 73.4% | 20.2% | 6.3% | 331 |

Importance of patient load in decision to limit acceptance

How important was patient load in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 39.3% | 17.9% | 42.9% | 112 |
| | Male | 39.3% | 29.2% | 31.5% | 219 |
| Age | Under 50 years | 47.9% | 25.5% | 26.6% | 94 |
| | 50 to 64 years | 32.7% | 21.8% | 45.5% | 165 |
| | 65 years or more | 43.1% | 33.3% | 23.6% | 72 |
| Specialty Categories | Family/General Medicine | 33.7% | 29.5% | 36.8% | 95 |
| | Obstetrics/Gynecology | 36.4% | 36.4% | 27.3% | 11 |
| | General Internal Medicine | 31.7% | 25.4% | 42.9% | 63 |
| | General Pediatrics | 58.3% | 8.3% | 33.3% | 12 |
| | General Surgery | 60.0% | 40.0% | 0.0% | 5 |
| | Medical Subspecialty | 55.2% | 24.1% | 20.7% | 29 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 100.0% | 1 |
| | Surgical Subspecialty | 50.0% | 22.2% | 27.8% | 18 |
| | Neurological Surgery | 100.0% | 0.0% | 0.0% | 1 |
| | Psychiatry | 33.3% | 19.4% | 47.2% | 72 |
| | Hospital-based Specialty | 52.9% | 35.3% | 11.8% | 17 |
| | Other | 66.7% | 33.3% | 0.0% | 6 |
| Region | Portland Metro | 44.0% | 22.6% | 33.3% | 168 |
| | Mid-Willamette Valley | 35.1% | 23.4% | 41.6% | 77 |
| | Northwestern | 0.0% | 100.0% | 0.0% | 2 |
| | Southern | 20.7% | 37.9% | 41.4% | 29 |
| | Eastern | 50.0% | 25.0% | 25.0% | 4 |
| | Southwestern | 33.3% | 0.0% | 66.7% | 3 |
| | Central | 38.5% | 23.1% | 38.5% | 13 |
| | Other | 42.9% | 31.4% | 25.7% | 35 |
| What is the size of your primary practice? | Solo practice | 31.0% | 29.2% | 39.8% | 113 |
| | Partnership (2-3 physicians) | 39.5% | 36.8% | 23.7% | 38 |
| | Group practice (4 to 9 physicians) | 40.0% | 23.1% | 36.9% | 65 |
| | Group practice (10-13 physicians) | 57.1% | 14.3% | 28.6% | 7 |
| | Group practice (14-19 physicians) | 35.3% | 17.6% | 47.1% | 17 |
| | Group practice (20-29 physicians) | 40.0% | 30.0% | 30.0% | 10 |
| | Group practice (30 or more than physicians) | 43.3% | 20.0% | 36.7% | 60 |
| | Other | 61.1% | 16.7% | 22.2% | 18 |
| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
| What is your employment status at | Full owner | 26.5% | 30.1% | 43.4% | 113 |
| | Part owner (or shareholder) | 27.4% | 30.1% | 42.5% | 73 |
| | Employee | 53.9% | 16.7% | 29.4% | 102 |
| | Independent contractor | 55.0% | 25.0% | 20.0% | 20 |

| | | | | | |
|------------------------|-----------|-------|-------|-------|-----|
| your primary practice? | Volunteer | 66.7% | 25.0% | 8.3% | 12 |
| | Other | 54.5% | 27.3% | 18.2% | 11 |
| Statewide | | 39.3% | 25.4% | 35.3% | 331 |

Importance of reimbursement rates in decision to limit acceptance

How important were reimbursement rates in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|----------------------|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 39.8% | 23.9% | 36.3% | 113 |
| | Male | 36.9% | 26.6% | 36.5% | 222 |
| Age | Under 50 years | 43.0% | 19.4% | 37.6% | 93 |
| | 50 to 64 years | 35.5% | 26.5% | 38.0% | 166 |
| | 65 years or more | 36.8% | 31.6% | 31.6% | 76 |
| Specialty Categories | Family/General Medicine | 42.1% | 30.5% | 27.4% | 95 |
| | Obstetrics/Gynecology | 45.5% | 9.1% | 45.5% | 11 |
| | General Internal Medicine | 46.9% | 25.0% | 28.1% | 64 |
| | General Pediatrics | 58.3% | 8.3% | 33.3% | 12 |
| | General Surgery | 20.0% | 40.0% | 40.0% | 5 |
| | Medical Subspecialty | 40.0% | 23.3% | 36.7% | 30 |
| | Pediatric Subspecialty | 0.0% | 100.0% | 0.0% | 1 |
| | Surgical Subspecialty | 27.8% | 16.7% | 55.6% | 18 |
| | Neurological Surgery | 0.0% | 100.0% | 0.0% | 1 |
| | Psychiatry | 25.7% | 23.0% | 51.4% | 74 |
| | Hospital-based Specialty | 44.4% | 27.8% | 27.8% | 18 |
| | Other | 0.0% | 40.0% | 60.0% | 5 |
| Region | Portland Metro | 38.7% | 24.9% | 36.4% | 173 |
| | Mid-Willamette Valley | 37.2% | 28.2% | 34.6% | 78 |
| | Northwestern | 0.0% | 50.0% | 50.0% | 2 |
| | Southern | 37.9% | 27.6% | 34.5% | 29 |
| | Eastern | 25.0% | 25.0% | 50.0% | 4 |
| | Southwestern | 0.0% | 25.0% | 75.0% | 4 |
| | Central | 63.6% | 18.2% | 18.2% | 11 |
| | Other | 35.3% | 23.5% | 41.2% | 34 |

How important were reimbursement rates in your decision to limit or close your primary practice to new commercial insurance patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 25.9% | 23.3% | 50.9% | 116 |
| | Partnership (2-3 physicians) | 23.7% | 36.8% | 39.5% | 38 |
| | Group practice (4 to 9 physicians) | 38.7% | 30.6% | 30.6% | 62 |
| | Group practice (10-13 physicians) | 57.1% | 42.9% | 0.0% | 7 |
| | Group practice (14-19 physicians) | 58.8% | 17.6% | 23.5% | 17 |
| | Group practice (20-29 physicians) | 10.0% | 30.0% | 60.0% | 10 |
| | Group practice (30 or more than physicians) | 50.0% | 25.0% | 25.0% | 64 |
| | Other | 77.8% | 5.6% | 16.7% | 18 |
| What is your employment status at your primary practice? | Full owner | 22.8% | 27.2% | 50.0% | 114 |
| | Part owner (or shareholder) | 29.6% | 31.0% | 39.4% | 71 |
| | Employee | 51.4% | 22.9% | 25.7% | 105 |
| | Independent contractor | 47.6% | 23.8% | 28.6% | 21 |
| | Volunteer | 66.7% | 16.7% | 16.7% | 12 |
| | Other | 37.9% | 25.7% | 36.4% | 12 |
| Statewide | | 37.9% | 25.7% | 36.4% | 335 |

Worker's Compensation Insurance Acceptance

| <i>To what extent is your primary practice accepting new Worker's Compensation patients?</i> | | <i>No limitations- open to all new Worker's Compensation patients</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|--|---------------------------|---|-----------------------|------------------------------|--------------|
| Gender | Female | 60.9% | 11.1% | 28.0% | 917 |
| | Male | 68.3% | 10.5% | 21.3% | 1990 |
| | Other | 50.0% | 0.0% | 50.0% | 2 |
| | Missing | NA | NA | NA | 317 |
| Age | Under 50 years | 72.4% | 10.1% | 17.5% | 1194 |
| | 50 to 64 years | 62.1% | 11.6% | 26.2% | 1246 |
| | 65 years or more | 59.7% | 9.4% | 30.9% | 469 |
| | Missing | 0.0% | 0.0% | 0.0% | 317 |
| Specialty Categories | Family/General Medicine | 49.0% | 19.0% | 32.1% | 480 |
| | Obstetrics/Gynecology | 54.1% | 4.1% | 41.8% | 146 |
| | General Internal Medicine | 58.1% | 12.9% | 28.9% | 456 |
| | General Pediatrics | 53.2% | 8.0% | 38.8% | 188 |
| | General Surgery | 87.4% | 6.7% | 5.9% | 119 |
| | Medical Subspecialty | 64.2% | 14.0% | 21.8% | 478 |
| | Pediatric Subspecialty | 75.5% | 3.8% | 20.8% | 53 |
| | Surgical Subspecialty | 72.8% | 16.4% | 10.8% | 195 |
| | Neurological Surgery | 73.1% | 11.5% | 15.4% | 26 |
| | Psychiatry | 34.0% | 10.5% | 55.6% | 153 |
| | Hospital-based Specialty | 95.2% | 1.5% | 3.3% | 547 |
| | Other | 82.1% | 0.0% | 17.9% | 56 |
| Missing | NA | NA | NA | 329 | |
| Region | Portland Metro | 66.2% | 10.5% | 23.3% | 1414 |
| | Mid-Willamette Valley | 61.0% | 13.1% | 25.9% | 513 |
| | Northwestern | 75.0% | 3.9% | 21.1% | 76 |
| | Southern | 58.4% | 9.1% | 32.5% | 231 |
| | Eastern | 81.5% | 10.8% | 7.7% | 65 |
| | Southwestern | 45.2% | 21.4% | 33.3% | 42 |
| | Central | 72.5% | 9.0% | 18.4% | 244 |
| | Other | 70.4% | 10.2% | 19.4% | 324 |
| Statewide | | 65.90% | 10.70% | 23.40% | 2909 |

Region Portland Metro

| <i>To what extent is your primary practice accepting new Worker's Compensation patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|--|----------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 61.6% | 11.0% | 27.4% | 500 |
| | Male | 68.8% | 10.2% | 21.0% | 913 |
| Age | Under 50 years | 72.0% | 10.2% | 17.8% | 608 |

| | | | | | |
|----------------------|---------------------------|-------|-------|-------|------|
| | 50 to 64 years | 63.7% | 11.5% | 24.8% | 593 |
| | 65 years or more | 56.3% | 8.5% | 35.2% | 213 |
| Specialty Categories | Family/General Medicine | 42.9% | 20.9% | 36.2% | 163 |
| | Obstetrics/Gynecology | 58.5% | 6.2% | 35.4% | 65 |
| | General Internal Medicine | 57.3% | 14.1% | 28.6% | 248 |
| | General Pediatrics | 56.7% | 5.8% | 37.5% | 104 |
| | General Surgery | 88.7% | 5.7% | 5.7% | 53 |
| | Medical Subspecialty | 63.5% | 14.5% | 22.1% | 249 |
| | Pediatric Subspecialty | 74.4% | 2.6% | 23.1% | 39 |
| | Surgical Subspecialty | 73.3% | 18.1% | 8.6% | 105 |
| | Neurological Surgery | 69.2% | 7.7% | 23.1% | 13 |
| | Psychiatry | 33.8% | 7.8% | 58.4% | 77 |
| | Hospital-based Specialty | 96.5% | 0.8% | 2.7% | 259 |
| | Other | 82.9% | 0.0% | 17.1% | 35 |
| Overall | | 66.2% | 10.4% | 23.3% | 1410 |

Region Mid-Willamette

To what extent is your primary practice accepting new Worker's Compensation patients?

| | | No limitations | Limit practice | Completely closed | Total |
|----------------------|---------------------------|----------------|----------------|-------------------|-------|
| Gender | Female | 51.4% | 14.5% | 34.1% | 138 |
| | Male | 64.5% | 12.5% | 22.9% | 375 |
| Age | Under 50 years | 70.6% | 11.9% | 17.5% | 194 |
| | 50 to 64 years | 57.5% | 14.2% | 28.3% | 233 |
| | 65 years or more | 48.8% | 12.8% | 38.4% | 86 |
| Specialty Categories | Family/General Medicine | 41.9% | 19.0% | 39.0% | 105 |
| | Obstetrics/Gynecology | 53.6% | 3.6% | 42.9% | 28 |
| | General Internal Medicine | 54.9% | 16.9% | 28.2% | 71 |
| | General Pediatrics | 40.6% | 9.4% | 50.0% | 32 |
| | General Surgery | 85.7% | 10.7% | 3.6% | 28 |
| | Medical Subspecialty | 61.7% | 17.3% | 21.0% | 81 |
| | Pediatric Subspecialty | 75.0% | 0.0% | 25.0% | 4 |
| | Surgical Subspecialty | 75.8% | 18.2% | 6.1% | 33 |
| | Neurological Surgery | 80.0% | 20.0% | 0.0% | 5 |
| | Psychiatry | 35.1% | 13.5% | 51.4% | 37 |
| | Hospital-based Specialty | 94.9% | 1.3% | 3.8% | 79 |
| | Other | 87.5% | 0.0% | 12.5% | 8 |
| Overall | | 61.1% | 12.9% | 26.0% | 511 |

Region Northwestern

To what extent is your primary practice accepting new Worker's Compensation patients?

| | | No limitations | Limit practice | Completely closed | Total |
|--------|----------------|----------------|----------------|-------------------|-------|
| Gender | Female | 73.3% | 0.0% | 26.7% | 15 |
| | Male | 75.4% | 4.9% | 19.7% | 61 |
| Age | Under 50 years | 81.8% | 4.5% | 13.6% | 22 |
| | 50 to 64 years | 66.7% | 2.8% | 30.6% | 36 |

| | | | | | |
|----------------------|---------------------------|-------|-------|--------|----|
| | 65 years or more | 83.3% | 5.6% | 11.1% | 18 |
| Specialty Categories | Family/General Medicine | 88.9% | 0.0% | 11.1% | 18 |
| | Obstetrics/Gynecology | 40.0% | 0.0% | 60.0% | 5 |
| | General Internal Medicine | 50.0% | 14.3% | 35.7% | 14 |
| | General Pediatrics | 66.7% | 33.3% | 0.0% | 3 |
| | General Surgery | 83.3% | 0.0% | 16.7% | 6 |
| | Medical Subspecialty | 83.3% | 0.0% | 16.7% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 66.7% | 0.0% | 33.3% | 3 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 0.0% | 100.0% | 1 |
| | Hospital-based Specialty | 89.5% | 0.0% | 10.5% | 19 |
| | Other | 0.0% | 0.0% | 0.0% | 0 |
| Overall | | 74.7% | 4.0% | 21.3% | 75 |

Region Southern

To what extent is your primary practice accepting new Worker's Compensation patients?

| | | No limitations | Limit practice | Completely closed | Total |
|----------------------|---------------------------|----------------|----------------|-------------------|-------|
| Gender | Female | 56.2% | 10.9% | 32.8% | 64 |
| | Male | 59.0% | 8.4% | 32.5% | 166 |
| Age | Under 50 years | 67.0% | 9.1% | 23.9% | 88 |
| | 50 to 64 years | 50.5% | 9.3% | 40.2% | 107 |
| | 65 years or more | 61.1% | 8.3% | 30.6% | 36 |
| Specialty Categories | Family/General Medicine | 45.7% | 15.2% | 39.1% | 46 |
| | Obstetrics/Gynecology | 28.6% | 0.0% | 71.4% | 14 |
| | General Internal Medicine | 48.8% | 7.3% | 43.9% | 41 |
| | General Pediatrics | 40.0% | 10.0% | 50.0% | 10 |
| | General Surgery | 71.4% | 14.3% | 14.3% | 7 |
| | Medical Subspecialty | 51.5% | 9.1% | 39.4% | 33 |
| | Pediatric Subspecialty | 80.0% | 0.0% | 20.0% | 5 |
| | Surgical Subspecialty | 61.1% | 22.2% | 16.7% | 18 |
| | Neurological Surgery | 50.0% | 0.0% | 50.0% | 2 |
| | Psychiatry | 40.0% | 0.0% | 60.0% | 5 |
| | Hospital-based Specialty | 93.6% | 4.3% | 2.1% | 47 |
| Other | 66.7% | 0.0% | 33.3% | 3 | |
| Overall | | 58.4% | 9.1% | 32.5% | 231 |

Region Eastern

To what extent is your primary practice accepting new Worker's Compensation patients?

| | | No limitations | Limit practice | Completely closed | Total |
|----------------------|-------------------------|----------------|----------------|-------------------|-------|
| Gender | Female | 80.0% | 0.0% | 20.0% | 10 |
| | Male | 81.8% | 12.7% | 5.5% | 55 |
| Age | Under 50 years | 89.7% | 6.9% | 3.4% | 29 |
| | 50 to 64 years | 72.4% | 17.2% | 10.3% | 29 |
| | 65 years or more | 85.7% | 0.0% | 14.3% | 7 |
| Specialty Categories | Family/General Medicine | 84.2% | 10.5% | 5.3% | 19 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 2 |

| | | | | |
|---------------------------|--------|-------|-------|----|
| General Internal Medicine | 83.3% | 0.0% | 16.7% | 6 |
| General Pediatrics | 66.7% | 16.7% | 16.7% | 6 |
| General Surgery | 100.0% | 0.0% | 0.0% | 5 |
| Medical Subspecialty | 62.5% | 37.5% | 0.0% | 8 |
| Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| Surgical Subspecialty | 33.3% | 33.3% | 33.3% | 3 |
| Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| Psychiatry | 0.0% | 0.0% | 0.0% | 0 |
| Hospital-based Specialty | 93.3% | 0.0% | 6.7% | 15 |
| Other | 100.0% | 0.0% | 0.0% | 1 |
| Overall | 81.5% | 10.8% | 7.7% | 65 |

Region Southwestern

| <i>To what extent is your primary practice accepting new Worker's Compensation patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 31.2% | 18.8% | 50.0% | 16 |
| | Male | 53.8% | 23.1% | 23.1% | 26 |
| Age | Under 50 years | 30.0% | 20.0% | 50.0% | 10 |
| | 50 to 64 years | 50.0% | 25.0% | 25.0% | 20 |
| | 65 years or more | 50.0% | 16.7% | 33.3% | 12 |
| Specialty Categories | Family/General Medicine | 28.6% | 42.9% | 28.6% | 7 |
| | Obstetrics/Gynecology | 33.3% | 0.0% | 66.7% | 6 |
| | General Internal Medicine | 33.3% | 50.0% | 16.7% | 6 |
| | General Pediatrics | 25.0% | 25.0% | 50.0% | 4 |
| | General Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Medical Subspecialty | 50.0% | 16.7% | 33.3% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 2 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 25.0% | 25.0% | 50.0% | 4 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 5 |
| Other | 50.0% | 0.0% | 50.0% | 2 | |
| Overall | | 45.2% | 21.4% | 33.3% | 42 |

Region Central

| <i>To what extent is your primary practice accepting new Worker's Compensation patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|--|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 67.1% | 13.9% | 19.0% | 79 |
| | Male | 75.2% | 6.7% | 18.2% | 165 |
| Age | Under 50 years | 74.1% | 10.2% | 15.7% | 108 |
| | 50 to 64 years | 71.3% | 7.4% | 21.3% | 94 |
| | 65 years or more | 71.4% | 9.5% | 19.0% | 42 |
| Specialty Categories | Family/General Medicine | 60.9% | 17.4% | 21.7% | 69 |
| | Obstetrics/Gynecology | 60.0% | 0.0% | 40.0% | 10 |
| | General Internal Medicine | 66.7% | 3.3% | 30.0% | 30 |
| | General Pediatrics | 71.4% | 0.0% | 28.6% | 14 |

| | | | | |
|--------------------------|--------|-------|-------|-----|
| General Surgery | 88.9% | 0.0% | 11.1% | 9 |
| Medical Subspecialty | 70.6% | 14.7% | 14.7% | 34 |
| Pediatric Subspecialty | 50.0% | 50.0% | 0.0% | 2 |
| Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 11 |
| Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| Psychiatry | 16.7% | 33.3% | 50.0% | 6 |
| Hospital-based Specialty | 94.3% | 0.0% | 5.7% | 53 |
| Other | 75.0% | 0.0% | 25.0% | 4 |
| Overall | 72.7% | 8.7% | 18.6% | 242 |

Region Other

To what extent is your primary practice accepting new Worker's Compensation patients?

| | | No limitations | Limit practice | Completely closed | Total |
|----------------------|---------------------------|----------------|----------------|-------------------|-------|
| Gender | Female | 69.5% | 6.3% | 24.2% | 95 |
| | Male | 70.7% | 11.8% | 17.5% | 229 |
| Age | Under 50 years | 76.3% | 8.9% | 14.8% | 135 |
| | 50 to 64 years | 64.2% | 11.9% | 23.9% | 134 |
| | 65 years or more | 70.9% | 9.1% | 20.0% | 55 |
| Specialty Categories | Family/General Medicine | 45.3% | 24.5% | 30.2% | 53 |
| | Obstetrics/Gynecology | 62.5% | 6.2% | 31.2% | 16 |
| | General Internal Medicine | 75.0% | 7.5% | 17.5% | 40 |
| | General Pediatrics | 46.7% | 13.3% | 40.0% | 15 |
| | General Surgery | 90.9% | 9.1% | 0.0% | 11 |
| | Medical Subspecialty | 73.8% | 8.2% | 18.0% | 61 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 3 |
| | Surgical Subspecialty | 65.0% | 10.0% | 25.0% | 20 |
| | Neurological Surgery | 83.3% | 16.7% | 0.0% | 6 |
| | Psychiatry | 39.1% | 8.7% | 52.2% | 23 |
| | Hospital-based Specialty | 94.3% | 4.3% | 1.4% | 70 |
| | Other | 100.0% | 0.0% | 0.0% | 3 |
| Overall Other | 70.1% | 10.3% | 19.6% | 321 | |

By practice characteristics

| | | No limitations | Limit practice | Completely closed | Total |
|--|--------------------------------------|----------------|----------------|-------------------|-------|
| What is the size of your primary practice? | Solo practice | 50.1% | 13.8% | 36.1% | 443 |
| | Partnership (2 to 3 physicians) | 63.5% | 11.5% | 25.0% | 384 |
| | Group practice (4 to 9 physicians) | 64.1% | 12.0% | 23.9% | 702 |
| | Group practice (10 to 13 physicians) | 68.2% | 11.3% | 20.4% | 274 |
| | Group practice (14 to 19 physicians) | 71.9% | 9.9% | 18.2% | 192 |
| | Group practice (20 to 29 physicians) | 79.1% | 8.9% | 12.0% | 158 |

| | | | | | |
|--|--|--------|--------|--------|------|
| | Group practice (More than 30 physicians) | 77.5% | 7.8% | 14.7% | 577 |
| | Other | 58.3% | 7.9% | 33.8% | 139 |
| How is your primary practice organized? | Single-specialty practice | 81.3% | 5.7% | 13.0% | 123 |
| | Multi-specialty practice | 80.3% | 1.6% | 18.0% | 61 |
| | Other | 52.0% | 5.3% | 42.7% | 75 |
| What is your employment status at your primary practice? | Full owner or sole proprietor | 49.7% | 17.1% | 33.3% | 463 |
| | Part-owner(or shareholder) | 72.20% | 11.20% | 16.60% | 616 |
| | Employee | 68.40% | 9.30% | 22.30% | 1435 |
| | Independent contractor | 73.30% | 8.30% | 18.40% | 266 |
| | Volunteer | 30.80% | 0.00% | 69.20% | 26 |
| | Other | 55.60% | 7.80% | 36.70% | 90 |
| Total | | 66.00% | 10.70% | 23.30% | 2896 |

Importance of administrative requirements in decision to limit acceptance

How important were Worker's Compensation administrative requirements in your decision to limit or close your primary practice to new Worker's Compensation patients?

| | | Not important | Somewhat Important | Very important | Total |
|----------------------|---------------------------|---------------|--------------------|----------------|-------|
| Gender | Female | 21.2% | 11.9% | 66.8% | 226 |
| | Male | 17.2% | 13.8% | 69.0% | 477 |
| Age | Under 50 years | 18.1% | 10.6% | 71.4% | 277 |
| | 50 to 64 years | 18.7% | 14.3% | 67.0% | 342 |
| | 65 years or more | 18.7% | 14.9% | 66.4% | 134 |
| Specialty Categories | Family/General Medicine | 12.9% | 14.4% | 72.7% | 194 |
| | Obstetrics/Gynecology | 28.6% | 2.4% | 69.0% | 42 |
| | General Internal Medicine | 18.5% | 13.7% | 67.8% | 146 |
| | General Pediatrics | 47.1% | 14.7% | 38.2% | 34 |
| | General Surgery | 23.1% | 0.0% | 76.9% | 13 |
| | Medical Subspecialty | 11.5% | 15.4% | 73.1% | 130 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 4.4% | 15.6% | 80.0% | 45 |
| | Neurological Surgery | 0.0% | 28.6% | 71.4% | 7 |
| | Psychiatry | 30.2% | 12.7% | 57.1% | 63 |
| | Hospital-based Specialty | 33.3% | 13.3% | 53.3% | 15 |
| | Other | 28.6% | 0.0% | 71.4% | 7 |
| Region | Portland Metro | 22.5% | 14.6% | 62.9% | 329 |
| | Mid-Willamette Valley | 10.7% | 13.4% | 75.8% | 149 |
| | Northwestern | 40.0% | 0.0% | 60.0% | 10 |
| | Southern | 6.9% | 6.9% | 86.1% | 72 |
| | Eastern | 33.3% | 11.1% | 55.6% | 9 |
| | Southwestern | 11.1% | 11.1% | 77.8% | 18 |
| | Central | 24.0% | 14.0% | 62.0% | 50 |
| | Other | 21.2% | 15.2% | 63.6% | 66 |

| | | | | | |
|--|---|-------|-------|-------|-----|
| What is the size of your primary practice? | Solo practice | 10.7% | 10.1% | 79.2% | 178 |
| | Partnership (2-3 physicians) | 19.2% | 11.5% | 69.2% | 104 |
| | Group practice (4 to 9 physicians) | 20.2% | 12.9% | 66.9% | 178 |
| | Group practice (10-13 physicians) | 16.9% | 20.3% | 62.7% | 59 |
| | Group practice (14-19 physicians) | 14.3% | 14.3% | 71.4% | 35 |
| | Group practice (20-29 physicians) | 21.1% | 10.5% | 68.4% | 19 |
| | Group practice (30 or more than physicians) | 21.5% | 17.2% | 61.3% | 93 |
| | Other | 43.3% | 13.3% | 43.3% | 30 |

How important were Worker's Compensation administrative requirements in your decision to limit or close your primary practice to new Worker's Compensation patients?

| | | Not important | Somewhat Important | Very important | Total |
|--|-----------------------------|---------------|--------------------|----------------|-------|
| What is your employment status at your primary practice? | Full owner | 10.1% | 11.6% | 78.3% | 189 |
| | Part owner (or shareholder) | 10.2% | 14.6% | 75.2% | 137 |
| | Employee | 22.4% | 14.4% | 63.2% | 299 |
| | Independent contractor | 29.2% | 12.5% | 58.3% | 48 |
| | Volunteer | 54.5% | 0.0% | 45.5% | 11 |
| | Other | 58.8% | 5.9% | 35.3% | 17 |
| Statewide | | 18.5% | 13.1% | 68.3% | 701 |

Importance of balanced payer mix in decision to limit acceptance

How important was the need to balance payer sources in your decision to limit or close your primary practice to new Worker's Compensation patients?

| | | Not important | Somewhat Important | Very important | Total |
|----------------------|---------------------------|---------------|--------------------|----------------|-------|
| Gender | Female | 63.2% | 22.3% | 14.5% | 220 |
| | Male | 57.7% | 26.0% | 16.3% | 466 |
| Age | Under 50 years | 57.8% | 25.1% | 17.0% | 223 |
| | 50 to 64 years | 60.7% | 25.6% | 13.7% | 336 |
| | 65 years or more | 59.1% | 22.0% | 18.9% | 127 |
| | Missing | NA | NA | NA | 2540 |
| Specialty Categories | Family/General Medicine | 65.6% | 23.3% | 11.1% | 189 |
| | Obstetrics/Gynecology | 65.0% | 10.0% | 25.0% | 40 |
| | General Internal Medicine | 58.9% | 28.4% | 12.8% | 141 |
| | General Pediatrics | 67.6% | 17.6% | 14.7% | 34 |
| | General Surgery | 46.2% | 23.1% | 30.8% | 13 |
| | Medical Subspecialty | 46.5% | 29.1% | 24.4% | 127 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 47.7% | 34.1% | 18.2% | 44 |
| Neurological Surgery | 57.1% | 14.3% | 28.6% | 7 | |

| | | | | | |
|--------|--------------------------|-------|-------|-------|-----|
| | Psychiatry | 71.4% | 17.5% | 11.1% | 63 |
| | Hospital-based Specialty | 53.3% | 33.3% | 13.3% | 15 |
| | Other | 66.7% | 33.3% | 0.0% | 6 |
| Region | Portland Metro | 58.8% | 24.5% | 16.7% | 318 |
| | Mid-Willamette Valley | 63.3% | 23.1% | 13.6% | 147 |
| | Northwestern | 88.9% | 11.1% | 0.0% | 9 |
| | Southern | 54.9% | 25.4% | 19.7% | 71 |
| | Eastern | 50.0% | 37.5% | 12.5% | 8 |
| | Southwestern | 58.8% | 41.2% | 0.0% | 17 |
| | Central | 64.0% | 18.0% | 18.0% | 50 |
| | Other | 53.0% | 30.3% | 16.7% | 66 |

How important was the need to balance payer sources in your decision to limit or close your primary practice to new Worker's Compensation patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 53.2% | 28.9% | 17.9% | 173 |
| | Partnership (2-3 physicians) | 56.4% | 28.7% | 14.9% | 101 |
| | Group practice (4 to 9 physicians) | 65.7% | 20.0% | 14.3% | 175 |
| | Group practice (10-13 physicians) | 64.9% | 26.3% | 8.8% | 57 |
| | Group practice (14-19 physicians) | 51.4% | 25.7% | 22.9% | 35 |
| | Group practice (20-29 physicians) | 68.4% | 21.1% | 10.5% | 19 |
| | Group practice (30 or more than physicians) | 61.8% | 23.6% | 14.6% | 89 |
| | Other | 56.7% | 13.3% | 30.0% | 30 |
| What is your employment status at your primary practice? | Part owner (or shareholder) | 51.1% | 27.4% | 21.5% | 135 |
| | Employee | 64.6% | 22.6% | 12.8% | 288 |
| | Independent contractor | 55.1% | 24.5% | 20.4% | 49 |
| | Volunteer | 70.0% | 10.0% | 20.0% | 10 |
| | Other | 82.4% | 5.9% | 11.8% | 17 |
| Statewide | | 59.6% | 24.6% | 15.8% | 684 |

Importance of complex patient needs in decision to limit acceptance

How important were the complex needs of patients in your decision to limit or close your primary practice to new Worker's Compensation patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|----------------------|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 38.4% | 21.9% | 39.7% | 219 |
| | Male | 34.1% | 27.9% | 38.0% | 463 |
| Age | Under 50 years | 35.0% | 26.5% | 38.5% | 226 |
| | 50 to 64 years | 35.3% | 25.7% | 39.0% | 331 |
| | 65 years or more | 36.8% | 25.6% | 37.6% | 125 |
| Specialty Categories | Family/General Medicine | 34.9% | 33.9% | 31.2% | 189 |
| | Obstetrics/Gynecology | 33.3% | 12.8% | 53.8% | 39 |
| | General Internal Medicine | 33.8% | 25.9% | 40.3% | 139 |
| | General Pediatrics | 61.8% | 14.7% | 23.5% | 34 |
| | General Surgery | 36.4% | 0.0% | 63.6% | 11 |
| | Medical Subspecialty | 25.2% | 23.6% | 51.2% | 127 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 18.6% | 23.3% | 58.1% | 43 |

| | | | | | |
|--|---|-------|-------|-------|-----|
| | Neurological Surgery | 42.9% | 28.6% | 28.6% | 7 |
| | Psychiatry | 52.4% | 27.0% | 20.6% | 63 |
| | Hospital-based Specialty | 50.0% | 31.2% | 18.8% | 16 |
| | Other | 42.9% | 28.6% | 28.6% | 7 |
| Region | Portland Metro | 37.3% | 20.9% | 41.8% | 316 |
| | Mid-Willamette Valley | 31.5% | 32.9% | 35.7% | 143 |
| | Northwestern | 40.0% | 20.0% | 40.0% | 10 |
| | Southern | 30.4% | 24.6% | 44.9% | 69 |
| | Eastern | 22.2% | 44.4% | 33.3% | 9 |
| | Southwestern | 35.3% | 52.9% | 11.8% | 17 |
| | Central | 45.1% | 29.4% | 25.5% | 51 |
| | Other | 34.3% | 25.4% | 40.3% | 67 |
| What is the size of your primary practice? | Solo practice | 31.4% | 23.8% | 44.8% | 172 |
| | Partnership (2-3 physicians) | 40.8% | 21.4% | 37.9% | 103 |
| | Group practice (4 to 9 physicians) | 31.8% | 26.6% | 41.6% | 173 |
| | Group practice (10-13 physicians) | 28.1% | 36.8% | 35.1% | 57 |
| | Group practice (14-19 physicians) | 25.0% | 50.0% | 25.0% | 36 |
| | Group practice (20-29 physicians) | 52.6% | 10.5% | 36.8% | 19 |
| | Group practice (30 or more than physicians) | 39.1% | 26.4% | 34.5% | 87 |
| | Other | 64.3% | 10.7% | 25.0% | 28 |
| What is your employment status at your primary practice? | Full owner | 32.1% | 26.1% | 41.8% | 184 |
| | Part owner (or shareholder) | 29.9% | 28.4% | 41.8% | 134 |
| | Employee | 35.4% | 26.7% | 37.8% | 288 |
| | Independent contractor | 45.8% | 22.9% | 31.2% | 48 |
| | Volunteer | 60.0% | 10.0% | 30.0% | 10 |
| | Other | 81.2% | 6.2% | 12.5% | 16 |
| Statewide | | 35.6% | 25.9% | 38.5% | 680 |

Importance of professional liability insurance in decision to limit acceptance

| <i>How important was the cost or availability of professional liability insurance in your decision to limit or close your primary practice to new Worker's Compensation patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> | |
|---|---------------------------|------------------------------------|---------------------------|-----------------------|--------------|-----|
| Gender | Female | 74.3% | 14.2% | 11.5% | 218 | |
| | Male | 69.8% | 20.6% | 9.5% | 461 | |
| Age | Under 50 years | 69.2% | 19.0% | 11.8% | 221 | |
| | 50 to 64 years | 71.6% | 19.5% | 9.0% | 334 | |
| | 65 years or more | 74.2% | 15.3% | 10.5% | 119 | |
| Specialty Categories | Family/General Medicine | 76.2% | 16.9% | 6.9% | 189 | |
| | Obstetrics/Gynecology | 74.4% | 10.3% | 15.4% | 39 | |
| | General Internal Medicine | 74.3% | 16.4% | 9.3% | 140 | |
| | General Pediatrics | 79.4% | 11.8% | 8.8% | 34 | |
| | General Surgery | 61.5% | 30.8% | 7.7% | 13 | |
| | Medical Subspecialty | 61.8% | 24.4% | 13.8% | 123 | |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 | |
| | Surgical Subspecialty | 58.1% | 25.6% | 16.3% | 43 | |
| | Neurological Surgery | 57.1% | 14.3% | 28.6% | 7 | |
| | Psychiatry | 77.4% | 17.7% | 4.8% | 62 | |
| | Hospital-based Specialty | 53.3% | 33.3% | 13.3% | 15 | |
| Other | 71.4% | 0.0% | 28.6% | 7 | | |
| Region | Portland Metro | 74.4% | 16.8% | 8.9% | 316 | |
| | Mid-Willamette Valley | 67.6% | 19.0% | 13.4% | 142 | |
| | Northwestern | 100.0% | 0.0% | 0.0% | 10 | |
| | Southern | 62.9% | 28.6% | 8.6% | 70 | |
| | Eastern | 87.5% | 12.5% | 0.0% | 8 | |
| | Southwestern | 58.8% | 29.4% | 11.8% | 17 | |
| | Central | 82.0% | 10.0% | 8.0% | 50 | |
| | Other | 62.1% | 22.7% | 15.2% | 66 | |
| | | Solo practice | 64.5% | 22.1% | 13.4% | 172 |
| | | Partnership (2-3 physicians) | 66.0% | 25.0% | 9.0% | 100 |
| | | Group practice (4 to 9 physicians) | 76.3% | 15.6% | 8.1% | 173 |

| | | | | | |
|--|---|-------|-------|-------|-----|
| What is the size of your primary practice? | Group practice (10-13 physicians) | 73.7% | 14.0% | 12.3% | 57 |
| | Group practice (14-19 physicians) | 65.7% | 25.7% | 8.6% | 35 |
| | Group practice (20-29 physicians) | 78.9% | 15.8% | 5.3% | 19 |
| | Group practice (30 or more than physicians) | 74.4% | 17.4% | 8.1% | 86 |
| | Other | 80.0% | 3.3% | 16.7% | 30 |
| What is your employment status at your primary practice? | Full owner | 66.8% | 21.7% | 11.4% | 184 |
| | Part owner (or shareholder) | 65.4% | 23.3% | 11.3% | 133 |
| | Employee | 75.7% | 15.1% | 9.2% | 284 |
| | Independent contractor | 71.4% | 22.4% | 6.1% | 49 |
| | Volunteer | 70.0% | 10.0% | 20.0% | 10 |
| | Other | 88.2% | 0.0% | 11.8% | 17 |
| Statewide | | 71.2% | 18.6% | 10.2% | 677 |

Importance of patient non-compliance in decision to limit acceptance

| <i>How important was non-compliance of patients in your decision to limit or close your primary practice to new Worker's Compensation patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|---|---|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 57.5% | 25.8% | 16.7% | 221 |
| | Male | 51.8% | 31.9% | 16.3% | 461 |
| Age | Under 50 years | 56.1% | 25.8% | 18.1% | 221 |
| | 50 to 64 years | 53.4% | 31.0% | 15.5% | 335 |
| | 65 years or more | 50.0% | 34.1% | 15.9% | 126 |
| | Missing | NA | NA | NA | 2544 |
| Specialty Categories | Family/General Medicine | 62.6% | 26.7% | 10.7% | 187 |
| | Obstetrics/Gynecology | 63.2% | 15.8% | 21.1% | 38 |
| | General Internal Medicine | 47.1% | 38.6% | 14.3% | 140 |
| | General Pediatrics | 79.4% | 8.8% | 11.8% | 34 |
| | General Surgery | 46.2% | 23.1% | 30.8% | 13 |
| | Medical Subspecialty | 43.0% | 33.6% | 23.4% | 128 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 31.8% | 36.4% | 31.8% | 44 |
| | Neurological Surgery | 14.3% | 42.9% | 42.9% | 7 |
| | Psychiatry | 66.1% | 29.0% | 4.8% | 62 |
| | Hospital-based Specialty | 46.7% | 33.3% | 20.0% | 15 |
| | Other | 42.9% | 28.6% | 28.6% | 7 |
| Region | Portland Metro | 53.0% | 31.7% | 15.4% | 319 |
| | Mid-Willamette Valley | 53.5% | 27.8% | 18.8% | 144 |
| | Northwestern | 55.6% | 33.3% | 11.1% | 9 |
| | Southern | 50.0% | 35.7% | 14.3% | 70 |
| | Eastern | 37.5% | 37.5% | 25.0% | 8 |
| | Southwestern | 64.7% | 23.5% | 11.8% | 17 |
| | Central | 66.0% | 18.0% | 16.0% | 50 |
| | Other | 50.8% | 29.2% | 20.0% | 65 |
| What is the size of your primary practice? | Solo practice | 42.8% | 36.4% | 20.8% | 173 |
| | Partnership (2-3 physicians) | 54.9% | 28.4% | 16.7% | 102 |
| | Group practice (4 to 9 physicians) | 56.1% | 29.5% | 14.5% | 173 |
| | Group practice (10-13 physicians) | 56.1% | 21.1% | 22.8% | 57 |
| | Group practice (14-19 physicians) | 52.9% | 41.2% | 5.9% | 34 |
| | Group practice (20-29 physicians) | 78.9% | 15.8% | 5.3% | 19 |
| | Group practice (30 or more than physicians) | 58.6% | 29.9% | 11.5% | 87 |
| | Other | 60.0% | 13.3% | 26.7% | 30 |
| What is your employment status at your primary practice? | Full owner | 45.7% | 35.5% | 18.8% | 186 |
| | Part owner (or shareholder) | 47.7% | 33.3% | 18.9% | 132 |
| | Employee | 57.3% | 28.3% | 14.3% | 286 |
| | Independent contractor | 63.3% | 22.4% | 14.3% | 49 |
| | Volunteer | 80.0% | 0.0% | 20.0% | 10 |
| | Other | 82.4% | 5.9% | 11.8% | 17 |
| Statewide | | 53.7% | 29.9% | 16.5% | 680 |

Importance of patient load in decision to limit acceptance

| <i>How important was patient load in your decision to limit or close your primary practice to new Worker's Compensation patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|---|---|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 48.0% | 26.2% | 25.8% | 221 |
| | Male | 46.1% | 30.8% | 23.1% | 464 |
| Age | Under 50 years | 49.1% | 27.5% | 23.4% | 222 |
| | 50 to 64 years | 46.2% | 29.0% | 24.9% | 338 |
| | 65 years or more | 44.0% | 33.6% | 22.4% | 125 |
| Specialty Categories | Family/General Medicine | 45.8% | 34.2% | 20.0% | 190 |
| | Obstetrics/Gynecology | 61.5% | 12.8% | 25.6% | 39 |
| | General Internal Medicine | 43.3% | 31.2% | 25.5% | 141 |
| | General Pediatrics | 55.9% | 23.5% | 20.6% | 34 |
| | General Surgery | 53.8% | 0.0% | 46.2% | 13 |
| | Medical Subspecialty | 40.2% | 29.9% | 29.9% | 127 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 40.9% | 38.6% | 20.5% | 44 |
| | Neurological Surgery | 42.9% | 42.9% | 14.3% | 7 |
| | Psychiatry | 59.0% | 19.7% | 21.3% | 61 |
| | Hospital-based Specialty | 46.7% | 40.0% | 13.3% | 15 |
| Other | 42.9% | 14.3% | 42.9% | 7 | |
| Region | Portland Metro | 48.6% | 29.8% | 21.6% | 315 |
| | Mid-Willamette Valley | 46.2% | 26.9% | 26.9% | 145 |
| | Northwestern | 60.0% | 30.0% | 10.0% | 10 |
| | Southern | 34.3% | 34.3% | 31.4% | 70 |
| | Eastern | 44.4% | 44.4% | 11.1% | 9 |
| | Southwestern | 55.6% | 27.8% | 16.7% | 18 |
| | Central | 50.0% | 22.0% | 28.0% | 50 |
| | Other | 45.6% | 30.9% | 23.5% | 68 |
| What is the size of your primary practice? | Solo practice | 43.1% | 29.3% | 27.6% | 174 |
| | Partnership (2-3 physicians) | 49.5% | 28.7% | 21.8% | 101 |
| | Group practice (4 to 9 physicians) | 47.7% | 27.9% | 24.4% | 172 |
| | Group practice (10-13 physicians) | 44.8% | 32.8% | 22.4% | 58 |
| | Group practice (14-19 physicians) | 42.9% | 45.7% | 11.4% | 35 |
| | Group practice (20-29 physicians) | 52.6% | 31.6% | 15.8% | 19 |
| | Group practice (30 or more than physicians) | 43.8% | 28.1% | 28.1% | 89 |
| | Other | 60.0% | 16.7% | 23.3% | 30 |
| What is your employment status at your primary practice? | Full owner | 42.5% | 32.8% | 24.7% | 186 |
| | Part owner (or shareholder) | 43.3% | 29.1% | 27.6% | 134 |
| | Employee | 48.1% | 28.9% | 23.0% | 287 |
| | Independent contractor | 49.0% | 32.7% | 18.4% | 49 |
| | Volunteer | 70.0% | 0.0% | 30.0% | 10 |
| | Other | 76.5% | 5.9% | 17.6% | 17 |
| Statewide | | 46.7% | 29.3% | 24.0% | 683 |

Importance of reimbursement rate in decision to limit acceptance

| <i>How important were reimbursement rates in your decision to limit or close your primary practice to new Worker's Compensation patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|---|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 54.5% | 25.0% | 20.5% | 220 |
| | Male | 42.9% | 32.9% | 24.2% | 462 |
| Age | Under 50 years | 50.2% | 30.5% | 19.3% | 223 |
| | 50 to 64 years | 45.5% | 30.4% | 24.1% | 332 |
| | 65 years or more | 43.3% | 29.9% | 26.8% | 127 |
| Specialty Categories | Family/General Medicine | 49.5% | 30.9% | 19.7% | 188 |
| | Obstetrics/Gynecology | 51.3% | 20.5% | 28.2% | 39 |
| | General Internal Medicine | 47.2% | 35.2% | 17.6% | 142 |

| | | | | | |
|--|---|--------|-------|-------|-----|
| | General Pediatrics | 70.6% | 20.6% | 8.8% | 34 |
| | General Surgery | 33.3% | 25.0% | 41.7% | 12 |
| | Medical Subspecialty | 36.3% | 29.0% | 34.7% | 124 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 29.5% | 38.6% | 31.8% | 44 |
| | Neurological Surgery | 42.9% | 28.6% | 28.6% | 7 |
| | Psychiatry | 54.8% | 24.2% | 21.0% | 62 |
| | Hospital-based Specialty | 37.5% | 43.8% | 18.8% | 16 |
| | Other | 57.1% | 28.6% | 14.3% | 7 |
| Region | Portland Metro | 51.6% | 28.6% | 19.8% | 318 |
| | Mid-Willamette Valley | 43.1% | 28.5% | 28.5% | 144 |
| | Northwestern | 50.0% | 30.0% | 20.0% | 10 |
| | Southern | 39.1% | 36.2% | 24.6% | 69 |
| | Eastern | 50.0% | 37.5% | 12.5% | 8 |
| | Southwestern | 47.1% | 41.2% | 11.8% | 17 |
| | Central | 49.0% | 27.5% | 23.5% | 51 |
| | Other | 35.4% | 35.4% | 29.2% | 65 |
| What is the size of your primary practice? | Solo practice | 31.8% | 32.4% | 35.8% | 176 |
| | Partnership (2-3 physicians) | 46.5% | 31.3% | 22.2% | 99 |
| | Group practice (4 to 9 physicians) | 55.8% | 28.5% | 15.7% | 172 |
| | Group practice (10-13 physicians) | 48.3% | 34.5% | 17.2% | 58 |
| | Group practice (14-19 physicians) | 42.4% | 42.4% | 15.2% | 33 |
| | Group practice (20-29 physicians) | 47.4% | 36.8% | 15.8% | 19 |
| | Group practice (30 or more than physicians) | 54.0% | 28.7% | 17.2% | 87 |
| | Other | 63.3% | 10.0% | 26.7% | 30 |
| What is your employment status at your primary practice? | Full owner | 36.9% | 32.1% | 31.0% | 187 |
| | Part owner (or shareholder) | 32.8% | 41.0% | 26.1% | 134 |
| | Employee | 58.2% | 27.0% | 14.9% | 282 |
| | Independent contractor | 46.9% | 26.5% | 26.5% | 49 |
| | Volunteer | 60.0% | 10.0% | 30.0% | 10 |
| | Other | 66.7% | 5.6% | 27.8% | 18 |
| Statewide | | 46.8% | 30.3% | 22.9% | 680 |

Medicaid/OHP acceptance

Statewide

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations- open to all new Medicaid/OHP patients</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|--|-----------------------|------------------------------|--------------|
| Gender | Female | 60.0% | 25.1% | 14.9% | 1039 |
| | Male | 62.9% | 22.0% | 15.1% | 2185 |
| | Other | 100.0% | 0.0% | 0.0% | 2 |
| Age | Under 50 years | 68.9% | 20.8% | 10.2% | 1291 |
| | 50 to 64 years | 57.1% | 26.3% | 16.7% | 1411 |
| | 65 years or more | 58.2% | 19.5% | 22.3% | 524 |
| | Missing | NA | NA | NA | 0 |
| Specialty Categories | Family/General Medicine | 44.3% | 32.9% | 22.8% | 562 |
| | Obstetrics/Gynecology | 61.6% | 29.6% | 8.8% | 159 |
| | General Internal Medicine | 57.1% | 24.4% | 18.6% | 517 |
| | General Pediatrics | 59.7% | 33.8% | 6.5% | 201 |
| | General Surgery | 78.7% | 16.4% | 4.9% | 122 |

| | | | | | |
|-----------|--------------------------|--------|--------|--------|------|
| | Medical Subspecialty | 60.5% | 28.9% | 10.5% | 512 |
| | Pediatric Subspecialty | 92.7% | 7.3% | 0.0% | 55 |
| | Surgical Subspecialty | 51.2% | 31.9% | 16.9% | 213 |
| | Neurological Surgery | 50.0% | 30.8% | 19.2% | 26 |
| | Psychiatry | 43.2% | 14.9% | 41.9% | 222 |
| | Hospital-based Specialty | 91.8% | 3.9% | 4.3% | 561 |
| | Other | 61.9% | 17.5% | 20.6% | 63 |
| Region | Portland Metro | 57.7% | 26.3% | 16.0% | 1596 |
| | Mid-Willamette Valley | 61.9% | 22.7% | 15.5% | 582 |
| | Northwestern | 84.6% | 10.3% | 5.1% | 78 |
| | Southern | 59.4% | 26.8% | 13.8% | 254 |
| | Eastern | 88.2% | 7.4% | 4.4% | 68 |
| | Southwestern | 68.1% | 14.9% | 17.0% | 47 |
| | Central | 72.3% | 17.8% | 9.9% | 253 |
| | Other | 65.2% | 16.4% | 18.4% | 348 |
| Statewide | | 62.00% | 23.00% | 15.00% | 3226 |

Region Portland Metro

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 54.7% | 28.0% | 17.2% | 574 |
| | Male | 59.4% | 25.4% | 15.3% | 1021 |
| Age | Under 50 years | 64.1% | 25.6% | 10.3% | 672 |
| | 50 to 64 years | 53.5% | 28.6% | 17.9% | 682 |
| | 65 years or more | 51.7% | 21.9% | 26.4% | 242 |
| Specialty Categories | Family/General Medicine | 34.0% | 37.6% | 28.4% | 194 |
| | Obstetrics/Gynecology | 56.3% | 32.4% | 11.3% | 71 |
| | General Internal Medicine | 52.6% | 29.1% | 18.2% | 285 |
| | General Pediatrics | 50.0% | 42.0% | 8.0% | 112 |
| | General Surgery | 74.1% | 20.4% | 5.6% | 54 |
| | Medical Subspecialty | 54.6% | 35.2% | 10.3% | 273 |
| | Pediatric Subspecialty | 90.2% | 9.8% | 0.0% | 41 |
| | Surgical Subspecialty | 47.5% | 38.1% | 14.4% | 118 |
| | Neurological Surgery | 53.8% | 30.8% | 15.4% | 13 |
| | Psychiatry | 38.5% | 13.1% | 48.4% | 122 |
| | Hospital-based Specialty | 91.4% | 4.5% | 4.1% | 269 |
| Other | 66.7% | 10.3% | 23.1% | 39 | |
| Overall | | 57.8% | 26.3% | 15.9% | 1591 |

Region Mid-Willamette Valley

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 54.2% | 30.4% | 15.5% | 168 |
| | Male | 65.0% | 19.6% | 15.5% | 414 |
| Age | Under 50 years | 70.7% | 18.5% | 10.7% | 205 |
| | 50 to 64 years | 56.9% | 26.8% | 16.3% | 276 |
| | 65 years or more | 57.4% | 19.8% | 22.8% | 101 |
| Specialty Categories | Family/General Medicine | 36.8% | 39.7% | 23.5% | 136 |
| | Obstetrics/Gynecology | 60.0% | 36.7% | 3.3% | 30 |
| | General Internal Medicine | 65.0% | 17.5% | 17.5% | 80 |
| | General Pediatrics | 60.0% | 31.4% | 8.6% | 35 |
| | General Surgery | 86.2% | 10.3% | 3.4% | 29 |
| | Medical Subspecialty | 66.3% | 19.8% | 14.0% | 86 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 4 |
| | Surgical Subspecialty | 59.5% | 21.6% | 18.9% | 27 |
| | Neurological Surgery | 80.0% | 20.0% | 0.0% | 5 |
| | Psychiatry | 53.1% | 14.3% | 32.7% | 49 |
| | Hospital-based Specialty | 94.9% | 1.3% | 3.8% | 79 |
| | Other | 40.0% | 50.0% | 10.0% | 10 |
| Overall | | 61.7% | 22.8% | 15.5% | 580 |

Region Northwestern

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 86.7% | 13.3% | 0.0% | 15 |
| | Male | 84.1% | 9.5% | 6.3% | 63 |
| Age | Under 50 years | 90.9% | 4.5% | 4.5% | 22 |
| | 50 to 64 years | 81.6% | 13.2% | 5.3% | 38 |
| | 65 years or more | 83.3% | 11.1% | 5.6% | 18 |
| Specialty Categories | Family/General Medicine | 88.9% | 5.6% | 5.6% | 18 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 5 |
| | General Internal Medicine | 66.7% | 26.7% | 6.7% | 15 |
| | General Pediatrics | 100.0% | 0.0% | 0.0% | 3 |
| | General Surgery | 66.7% | 16.7% | 16.7% | 6 |
| | Medical Subspecialty | 100.0% | 0.0% | 0.0% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 33.3% | 66.7% | 0.0% | 3 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 50.0% | 0.0% | 50.0% | 2 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 19 |
| | Other | 0.0% | 0.0% | 0.0% | 0 |
| Overall | | 84.4% | 10.4% | 5.2% | 77 |

Region Southern

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 63.8% | 26.1% | 10.1% | 69 |
| | Male | 57.6% | 27.2% | 15.2% | 184 |
| Age | Under 50 years | 67.0% | 22.3% | 10.6% | 94 |
| | 50 to 64 years | 51.2% | 33.1% | 15.7% | 121 |
| | 65 years or more | 66.7% | 17.9% | 15.4% | 39 |
| Specialty Categories | Family/General Medicine | 37.0% | 44.4% | 18.5% | 54 |
| | Obstetrics/Gynecology | 53.3% | 40.0% | 6.7% | 15 |
| | General Internal Medicine | 51.1% | 25.5% | 23.4% | 47 |
| | General Pediatrics | 63.6% | 36.4% | 0.0% | 11 |
| | General Surgery | 85.7% | 0.0% | 14.3% | 7 |
| | Medical Subspecialty | 69.4% | 30.6% | 0.0% | 36 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 5 |
| | Surgical Subspecialty | 55.6% | 33.3% | 11.1% | 18 |
| | Neurological Surgery | 0.0% | 50.0% | 50.0% | 2 |
| | Psychiatry | 22.2% | 22.2% | 55.6% | 9 |
| | Hospital-based Specialty | 89.4% | 4.3% | 6.4% | 47 |
| | Other | 66.7% | 0.0% | 33.3% | 3 |
| Overall | | 59.4% | 26.8% | 13.8% | 254 |

Region Eastern

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 90.0% | 0.0% | 10.0% | 10 |
| | Male | 87.9% | 8.6% | 3.4% | 58 |
| Age | Under 50 years | 96.7% | 3.3% | 0.0% | 30 |
| | 50 to 64 years | 83.3% | 10.0% | 6.7% | 30 |
| | 65 years or more | 75.0% | 12.5% | 12.5% | 8 |
| Specialty Categories | Family/General Medicine | 85.0% | 5.0% | 10.0% | 20 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 2 |
| | General Internal Medicine | 71.4% | 14.3% | 14.3% | 7 |
| | General Pediatrics | 100.0% | 0.0% | 0.0% | 6 |
| | General Surgery | 100.0% | 0.0% | 0.0% | 5 |
| | Medical Subspecialty | 87.5% | 12.5% | 0.0% | 8 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 66.7% | 33.3% | 0.0% | 3 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 0.0% | 0.0% | 0.0% | 0 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 15 |
| | Other | 50.0% | 50.0% | 0.0% | 1 |

| | | | | | |
|---------|--|-------|------|------|----|
| Overall | | 88.2% | 7.4% | 4.4% | 68 |
|---------|--|-------|------|------|----|

Region Southwestern

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 87.5% | 0.0% | 12.5% | 16 |
| | Male | 83.9% | 12.9% | 3.2% | 31 |
| Age | Under 50 years | 66.7% | 8.3% | 25.0% | 12 |
| | 50 to 64 years | 87.0% | 13.0% | 0.0% | 23 |
| | 65 years or more | 100.0% | 0.0% | 0.0% | 12 |
| Specialty Categories | Family/General Medicine | 70.0% | 20.0% | 10.0% | 10 |
| | Obstetrics/Gynecology | 100.0% | 0.0% | 0.0% | 6 |
| | General Internal Medicine | 85.7% | 0.0% | 14.3% | 7 |
| | General Pediatrics | 75.0% | 25.0% | 0.0% | 4 |
| | General Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Medical Subspecialty | 100.0% | 0.0% | 0.0% | 6 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 0.0% | 0 |
| | Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 2 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 60.0% | 20.0% | 20.0% | 5 |
| | Hospital-based Specialty | 100.0% | 0.0% | 0.0% | 5 |
| Other | 100.0% | 0.0% | 0.0% | 2 | |
| Overall | | 85.1% | 8.5% | 6.4% | 47 |

Region Central

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 88.1% | 3.6% | 8.3% | 84 |
| | Male | 83.4% | 9.5% | 7.1% | 169 |
| Age | Under 50 years | 86.5% | 5.4% | 8.1% | 111 |
| | 50 to 64 years | 81.8% | 11.1% | 7.1% | 99 |
| | 65 years or more | 88.4% | 4.7% | 7.0% | 43 |
| Specialty Categories | Family/General Medicine | 82.9% | 10.0% | 7.1% | 70 |
| | Obstetrics/Gynecology | 70.0% | 10.0% | 20.0% | 10 |
| | General Internal Medicine | 76.5% | 8.8% | 14.7% | 34 |
| | General Pediatrics | 66.7% | 6.7% | 26.7% | 15 |
| | General Surgery | 77.8% | 22.2% | 0.0% | 9 |
| | Medical Subspecialty | 94.1% | 2.9% | 2.9% | 34 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 2 |
| | Surgical Subspecialty | 100.0% | 0.0% | 0.0% | 11 |
| Neurological Surgery | 0.0% | 0.0% | 0.0% | 0 | |

| | | | | | |
|---------|--------------------------|-------|-------|-------|-----|
| | Psychiatry | 55.6% | 22.2% | 22.2% | 9 |
| | Hospital-based Specialty | 98.1% | 1.9% | 0.0% | 53 |
| | Other | 75.0% | 25.0% | 0.0% | 4 |
| Overall | | 84.9% | 7.6% | 7.6% | 251 |

Region Other

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|---------------------------|-----------------------|-----------------------|--------------------------|--------------|
| Gender | Female | 82.5% | 7.8% | 9.7% | 103 |
| | Male | 75.5% | 11.0% | 13.5% | 242 |
| Age | Under 50 years | 83.4% | 9.7% | 6.9% | 145 |
| | 50 to 64 years | 71.1% | 12.7% | 16.2% | 142 |
| | 65 years or more | 78.7% | 4.9% | 16.4% | 61 |
| Specialty Categories | Family/General Medicine | 63.3% | 20.0% | 16.7% | 60 |
| | Obstetrics/Gynecology | 75.0% | 20.0% | 5.0% | 20 |
| | General Internal Medicine | 90.5% | 4.8% | 4.8% | 42 |
| | General Pediatrics | 66.7% | 13.3% | 20.0% | 15 |
| | General Surgery | 91.7% | 8.3% | 0.0% | 12 |
| | Medical Subspecialty | 85.7% | 4.8% | 9.5% | 63 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 3 |
| | Surgical Subspecialty | 52.4% | 14.3% | 33.3% | 21 |
| | Neurological Surgery | 83.3% | 0.0% | 16.7% | 6 |
| | Psychiatry | 53.8% | 15.4% | 30.8% | 26 |
| | Hospital-based Specialty | 89.2% | 4.1% | 6.8% | 74 |
| | Other | 66.7% | 33.3% | 0.0% | 3 |
| Total Other | | 77.4% | 10.1% | 12.5% | 345 |

By practice characteristics

| <i>To what extent is your primary practice accepting new Medicaid/OHP patients?</i> | | <i>No limitations</i> | <i>Limit practice</i> | <i>Completely closed</i> | <i>Total</i> |
|---|--|-----------------------|-----------------------|--------------------------|--------------|
| What is the size of your primary practice? | Solo practice | 56.3% | 14.6% | 29.2% | 535 |
| | Partnership (2 to 3 physicians) | 72.6% | 12.7% | 14.6% | 424 |
| | Group practice (4 to 9 physicians) | 80.4% | 9.6% | 9.9% | 757 |
| | Group practice (10 to 13 physicians) | 87.0% | 7.0% | 6.0% | 284 |
| | Group practice (14 to 19 physicians) | 80.0% | 11.2% | 8.8% | 205 |
| | Group practice (20 to 29 physicians) | 79.5% | 11.4% | 9.0% | 166 |
| | Group practice (More than 30 physicians) | 79.5% | 14.4% | 6.0% | 665 |
| | Other | 69.8% | 5.4% | 24.8% | 149 |
| What is your employment status at your primary practice? | Full owner or sole proprietor | 56.0% | 16.6% | 27.4% | 555 |
| | Part-owner(or shareholder) | 71.0% | 17.3% | 11.7% | 699 |
| | Employee | 83.8% | 8.8% | 7.4% | 1551 |
| | Independent contractor | 81.4% | 7.0% | 11.6% | 285 |

| | | | | | |
|-------|-----------|-------|-------|-------|------|
| | Volunteer | 35.7% | 3.6% | 60.7% | 28 |
| | Other | 69.5% | 1.1% | 29.5% | 95 |
| <hr/> | | | | | |
| Total | | 75.1% | 11.6% | 13.3% | 3213 |

Importance of administrative requirements in decision to limit acceptance

How important were Medicaid\OHP administrative requirements in your decision to limit or close your primary practice to new Medicaid\OHP patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 24.0% | 33.0% | 43.0% | 321 |
| | Male | 18.8% | 32.0% | 49.2% | 659 |
| Age | Under 50 years | 20.8% | 34.3% | 44.9% | 332 |
| | 50 to 64 years | 19.8% | 32.6% | 47.6% | 485 |
| | 65 years or more | 22.1% | 27.6% | 50.3% | 163 |
| Specialty Categories | Family/General Medicine | 24.9% | 35.3% | 39.8% | 249 |
| | Obstetrics/Gynecology | 24.0% | 30.0% | 46.0% | 50 |
| | General Internal Medicine | 20.2% | 33.1% | 46.6% | 178 |
| | General Pediatrics | 32.4% | 45.6% | 22.1% | 68 |
| | General Surgery | 9.5% | 52.4% | 38.1% | 21 |
| | Medical Subspecialty | 19.0% | 29.4% | 51.6% | 153 |
| | Pediatric Subspecialty | 0.0% | 33.3% | 66.7% | 3 |
| | Surgical Subspecialty | 11.0% | 33.0% | 56.0% | 91 |
| | Neurological Surgery | 15.4% | 38.5% | 46.2% | 13 |
| | Psychiatry | 18.9% | 16.8% | 64.2% | 95 |
| | Hospital-based Specialty | 16.2% | 27.0% | 56.8% | 37 |
| Other | 10.0% | 30.0% | 60.0% | 20 | |
| Region | Portland Metro | 20.3% | 33.7% | 46.1% | 523 |
| | Mid-Willamette Valley | 21.7% | 33.3% | 45.0% | 189 |
| | Northwestern | 11.1% | 44.4% | 44.4% | 9 |
| | Southern | 14.9% | 28.7% | 56.3% | 87 |
| | Eastern | 16.7% | 33.3% | 50.0% | 6 |
| | Southwestern | 7.7% | 23.1% | 69.2% | 13 |
| | Central | 33.3% | 31.7% | 34.9% | 63 |
| | Other | 18.9% | 26.7% | 54.4% | 90 |
| What is the size of your primary practice? | Solo practice | 9.9% | 25.5% | 64.5% | 282 |
| | Partnership (2-3 physicians) | 13.2% | 34.9% | 51.9% | 129 |
| | Group practice (4 to 9 physicians) | 23.5% | 34.7% | 41.8% | 196 |
| | Group practice (10-13 physicians) | 31.3% | 37.3% | 31.3% | 67 |
| | Group practice (14-19 physicians) | 22.6% | 35.8% | 41.5% | 53 |
| | Group practice (20-29 physicians) | 25.5% | 53.2% | 21.3% | 47 |
| | Group practice (30 or more than physicians) | 32.5% | 32.0% | 35.5% | 169 |
| Other | 29.6% | 22.2% | 48.1% | 27 | |
| What is your employment status at your primary practice? | Full owner | 9.2% | 29.2% | 61.6% | 336 |
| | Part owner (or shareholder) | 21.6% | 38.8% | 39.6% | 255 |
| | Employee | 28.8% | 32.7% | 38.5% | 312 |
| | Independent contractor | 22.0% | 30.0% | 48.0% | 50 |
| | Volunteer | 55.6% | 11.1% | 33.3% | 9 |
| | Other | 56.2% | 6.2% | 37.5% | 16 |
| Statewide | | 20.6% | 32.3% | 47.1% | 978 |

Importance of balanced payer mix in decision to limit acceptance

How important was need to balance payer sources in your decision to limit or close your primary practice to new Medicaid/OHP patients?

| | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--------|------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 21.0% | 22.3% | 56.7% | 319 |
| | Male | 21.7% | 26.0% | 52.3% | 650 |
| Age | Under 50 years | 16.5% | 23.5% | 60.1% | 328 |
| | 50 to 64 years | 24.1% | 24.1% | 51.9% | 482 |
| | 65 years or more | 23.9% | 29.6% | 46.5% | 159 |

| | | | | | |
|--|---|-------|-------|-------|-----|
| Specialty Categories | Family/General Medicine | 22.4% | 22.0% | 55.6% | 241 |
| | Obstetrics/Gynecology | 18.0% | 26.0% | 56.0% | 50 |
| | General Internal Medicine | 18.9% | 28.0% | 53.1% | 175 |
| | General Pediatrics | 11.6% | 21.7% | 66.7% | 69 |
| | General Surgery | 23.8% | 14.3% | 61.9% | 21 |
| | Medical Subspecialty | 19.2% | 27.6% | 53.2% | 156 |
| | Pediatric Subspecialty | 33.3% | 33.3% | 33.3% | 3 |
| | Surgical Subspecialty | 14.3% | 28.6% | 57.1% | 91 |
| | Neurological Surgery | 30.8% | 7.7% | 61.5% | 13 |
| | Psychiatry | 37.2% | 25.5% | 37.2% | 94 |
| | Hospital-based Specialty | 23.5% | 23.5% | 52.9% | 34 |
| | Other | 35.0% | 20.0% | 45.0% | 20 |
| Region | Portland Metro | 18.5% | 28.8% | 52.7% | 520 |
| | Mid-Willamette Valley | 24.1% | 23.0% | 52.9% | 187 |
| | Northwestern | 11.1% | 22.2% | 66.7% | 9 |
| | Southern | 13.3% | 18.1% | 68.7% | 83 |
| | Eastern | 50.0% | 16.7% | 33.3% | 6 |
| | Southwestern | 23.1% | 15.4% | 61.5% | 13 |
| | Central | 30.2% | 19.0% | 50.8% | 63 |
| | Other | 34.1% | 17.0% | 48.9% | 88 |
| What is the size of your primary practice? | Solo practice | 22.2% | 25.4% | 52.3% | 279 |
| | Partnership (2-3 physicians) | 14.8% | 25.8% | 59.4% | 128 |
| | Group practice (4 to 9 physicians) | 22.9% | 22.4% | 54.7% | 192 |
| | Group practice (10-13 physicians) | 19.7% | 21.2% | 59.1% | 66 |
| | Group practice (14-19 physicians) | 15.1% | 30.2% | 54.7% | 53 |
| | Group practice (20-29 physicians) | 17.0% | 29.8% | 53.2% | 47 |
| | Group practice (30 or more than physicians) | 24.7% | 25.9% | 49.4% | 166 |
| Other | 35.7% | 14.3% | 50.0% | 28 | |
| What is your employment status at your primary practice? | Full owner | 17.7% | 27.2% | 55.1% | 334 |
| | Part owner (or shareholder) | 14.6% | 26.5% | 58.9% | 253 |
| | Employee | 26.2% | 21.6% | 52.1% | 305 |
| | Independent contractor | 34.7% | 22.4% | 42.9% | 49 |
| | Volunteer | 66.7% | 11.1% | 22.2% | 6 |
| | Other | 56.2% | 25.0% | 18.8% | 16 |
| Statewide | | 21.5% | 24.8% | 53.6% | 966 |

Importance of complex patient needs in decision to limit acceptance

| <i>How important were the complex needs of patients in your decision to limit or close your primary practice to new Medicaid\OHP patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 34.4% | 33.4% | 32.2% | 320 |
| | Male | 41.2% | 27.7% | 31.1% | 650 |
| Age | Under 50 years | 40.4% | 30.3% | 29.4% | 327 |
| | 50 to 64 years | 36.5% | 29.7% | 33.8% | 485 |
| | 65 years or more | 43.7% | 27.8% | 28.5% | 158 |
| Specialty Categories | Family/General Medicine | 41.5% | 32.1% | 26.4% | 246 |
| | Obstetrics/Gynecology | 42.9% | 32.7% | 24.5% | 49 |
| | General Internal Medicine | 33.3% | 24.3% | 42.4% | 177 |
| | General Pediatrics | 51.5% | 33.8% | 14.7% | 68 |
| | General Surgery | 42.9% | 23.8% | 33.3% | 21 |
| | Medical Subspecialty | 38.1% | 33.5% | 28.4% | 155 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 3 |
| | Surgical Subspecialty | 29.2% | 27.0% | 43.8% | 89 |
| | Neurological Surgery | 30.8% | 23.1% | 46.2% | 13 |
| | Psychiatry | 39.8% | 31.2% | 29.0% | 93 |
| | Hospital-based Specialty | 50.0% | 23.5% | 26.5% | 34 |
| Other | 30.0% | 25.0% | 45.0% | 20 | |
| Region | Portland Metro | 39.0% | 29.4% | 31.7% | 521 |
| | Mid-Willamette Valley | 34.9% | 36.0% | 29.0% | 186 |

| | | | | | |
|--|---|-------|-------|-------|-----|
| | Northwestern | 33.3% | 11.1% | 55.6% | 9 |
| | Southern | 23.8% | 34.5% | 41.7% | 84 |
| | Eastern | 66.7% | 33.3% | 0.0% | 6 |
| | Southwestern | 38.5% | 30.8% | 30.8% | 13 |
| | Central | 62.9% | 14.5% | 22.6% | 62 |
| | Other | 43.8% | 24.7% | 31.5% | 89 |
| What is the size of your primary practice? | Solo practice | 34.9% | 31.3% | 33.8% | 281 |
| | Partnership (2-3 physicians) | 37.3% | 29.4% | 33.3% | 126 |
| | Group practice (4 to 9 physicians) | 40.8% | 25.1% | 34.0% | 191 |
| | Group practice (10-13 physicians) | 35.8% | 35.8% | 28.4% | 67 |
| | Group practice (14-19 physicians) | 32.1% | 37.7% | 30.2% | 53 |
| | Group practice (20-29 physicians) | 53.2% | 27.7% | 19.1% | 47 |
| | Group practice (30 or more than physicians) | 43.4% | 28.9% | 27.7% | 166 |
| | Other | 46.4% | 25.0% | 28.6% | 28 |
| What is your employment status at your primary practice? | Full owner | 32.2% | 32.8% | 34.9% | 355 |
| | Part owner (or shareholder) | 38.7% | 28.9% | 32.4% | 253 |
| | Employee | 43.0% | 27.2% | 29.8% | 305 |
| | Independent contractor | 52.0% | 26.0% | 22.0% | 50 |
| | Volunteer | 62.5% | 25.0% | 12.5% | 8 |
| | Other | 56.2% | 25.0% | 18.8% | 16 |
| Statewide | | 39.0% | 29.5% | 31.5% | 967 |

Importance of professional liability insurance in decision to limit acceptance

How important was the cost or availability of professional liability insurance in your decision to limit or close your primary practice to new Medicaid\OHP patients?

| | | Not important | Somewhat Important | Very important | Total |
|--|---|---------------|--------------------|----------------|-------|
| Gender | Female | 72.7% | 18.5% | 8.8% | 319 |
| | Male | 64.5% | 21.5% | 14.0% | 648 |
| Age | Under 50 years | 62.7% | 23.2% | 14.1% | 327 |
| | 50 to 64 years | 70.2% | 18.6% | 11.2% | 483 |
| | 65 years or more | 67.5% | 20.4% | 12.1% | 157 |
| Specialty Categories | Family/General Medicine | 73.4% | 19.3% | 7.4% | 244 |
| | Obstetrics/Gynecology | 67.3% | 22.4% | 10.2% | 49 |
| | General Internal Medicine | 70.1% | 18.6% | 11.3% | 177 |
| | General Pediatrics | 77.9% | 16.2% | 5.9% | 68 |
| | General Surgery | 61.9% | 28.6% | 9.5% | 21 |
| | Medical Subspecialty | 63.2% | 23.0% | 13.8% | 152 |
| | Pediatric Subspecialty | 100.0% | 0.0% | 0.0% | 3 |
| | Surgical Subspecialty | 46.2% | 26.4% | 27.5% | 91 |
| | Neurological Surgery | 30.8% | 23.1% | 46.2% | 13 |
| | Psychiatry | 76.6% | 14.9% | 8.5% | 94 |
| Hospital-based Specialty | 51.5% | 33.3% | 15.2% | 33 | |
| | Other | 65.0% | 10.0% | 25.0% | 20 |
| Region | Portland Metro | 68.0% | 20.8% | 11.2% | 519 |
| | Mid-Willamette Valley | 67.9% | 21.2% | 10.9% | 184 |
| | Northwestern | 44.4% | 33.3% | 22.2% | 9 |
| | Southern | 54.8% | 26.2% | 19.0% | 84 |
| | Eastern | 100.0% | 0.0% | 0.0% | 6 |
| | Southwestern | 61.5% | 23.1% | 15.4% | 13 |
| | Central | 81.0% | 9.5% | 9.5% | 63 |
| | Other | 64.0% | 19.1% | 16.9% | 89 |
| What is the size of your primary practice? | Solo practice | 63.8% | 20.8% | 15.4% | 279 |
| | Partnership (2-3 physicians) | 56.2% | 27.3% | 16.4% | 128 |
| | Group practice (4 to 9 physicians) | 72.3% | 16.8% | 11.0% | 191 |
| | Group practice (10-13 physicians) | 76.1% | 17.9% | 6.0% | 67 |
| | Group practice (14-19 physicians) | 61.5% | 17.3% | 21.2% | 52 |
| | Group practice (20-29 physicians) | 76.6% | 19.1% | 4.3% | 47 |
| | Group practice (30 or more than physicians) | 70.9% | 21.8% | 7.3% | 165 |

| | | | | | |
|--|-----------------------------|-------|-------|-------|-----|
| | Other | 60.7% | 21.4% | 17.9% | 28 |
| What is your employment status at your primary practice? | Full owner | 62.0% | 23.1% | 15.0% | 334 |
| | Part owner (or shareholder) | 69.4% | 19.8% | 10.7% | 252 |
| | Employee | 70.8% | 18.4% | 10.8% | 305 |
| | Independent contractor | 63.3% | 24.5% | 12.2% | 49 |
| | Volunteer | 75.0% | 12.5% | 12.5% | 8 |
| | Other | 81.2% | 6.2% | 12.5% | 16 |
| Statewide | | 67.2% | 20.4% | 12.3% | 964 |

Importance of patient compliance in decision to limit acceptance

| <i>How important was non-compliance of patients in your decision to limit or close your primary practice to new Medicaid\OHP patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 42.2% | 29.8% | 27.9% | 315 |
| | Male | 38.1% | 31.3% | 30.7% | 646 |
| Age | Under 50 years | 42.5% | 27.1% | 30.5% | 325 |
| | 50 to 64 years | 37.7% | 32.1% | 30.2% | 477 |
| | 65 years or more | 38.4% | 34.6% | 27.0% | 159 |
| Specialty Categories | Family/General Medicine | 45.4% | 34.2% | 20.4% | 240 |
| | Obstetrics/Gynecology | 44.9% | 26.5% | 28.6% | 49 |
| | General Internal Medicine | 35.8% | 31.2% | 33.0% | 176 |
| | General Pediatrics | 60.3% | 29.4% | 10.3% | 68 |
| | General Surgery | 33.3% | 38.1% | 28.6% | 21 |
| | Medical Subspecialty | 30.9% | 29.6% | 39.5% | 152 |
| | Pediatric Subspecialty | 66.7% | 33.3% | 0.0% | 3 |
| | Surgical Subspecialty | 17.8% | 30.0% | 52.2% | 90 |
| | Neurological Surgery | 30.8% | 23.1% | 46.2% | 13 |
| | Psychiatry | 47.3% | 31.2% | 21.5% | 93 |
| | Hospital-based Specialty | 50.0% | 26.5% | 23.5% | 34 |
| Other | 30.0% | 20.0% | 50.0% | 20 | |
| Region | Portland Metro | 42.4% | 30.2% | 27.4% | 514 |
| | Mid-Willamette Valley | 35.0% | 32.8% | 32.2% | 183 |
| | Northwestern | 33.3% | 22.2% | 44.4% | 9 |
| | Southern | 25.0% | 38.1% | 36.9% | 84 |
| | Eastern | 33.3% | 33.3% | 33.3% | 6 |
| | Southwestern | 38.5% | 38.5% | 23.1% | 13 |
| | Central | 48.4% | 22.6% | 29.0% | 62 |
| | Other | 40.0% | 28.9% | 31.1% | 90 |
| What is the size of your primary practice? | Solo practice | 27.9% | 32.5% | 39.6% | 280 |
| | Partnership (2-3 physicians) | 33.9% | 32.3% | 33.9% | 127 |
| | Group practice (4 to 9 physicians) | 40.3% | 34.6% | 25.1% | 191 |
| | Group practice (10-13 physicians) | 49.2% | 27.7% | 23.1% | 65 |
| | Group practice (14-19 physicians) | 32.0% | 32.0% | 36.0% | 50 |
| | Group practice (20-29 physicians) | 55.3% | 31.9% | 12.8% | 47 |
| | Group practice (30 or more than physicians) | 54.9% | 26.2% | 18.9% | 164 |
| | Other | 48.1% | 14.8% | 37.0% | 27 |
| What is your employment status at your primary practice? | Full owner | 27.0% | 34.2% | 38.7% | 333 |
| | Part owner (or shareholder) | 36.9% | 34.1% | 29.0% | 252 |
| | Employee | 52.0% | 27.0% | 21.0% | 300 |
| | Independent contractor | 46.0% | 22.0% | 32.0% | 50 |
| | Volunteer | 62.5% | 25.0% | 12.5% | 8 |
| | Other | 62.5% | 12.5% | 25.0% | 16 |
| Statewide | | 39.3% | 30.9% | 29.8% | 959 |

Importance of patient load in decision to limit acceptance

| <i>How important was patient load in your decision to limit or close your primary practice to new Medicaid\OHP patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|----------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 34.6% | 39.6% | 25.8% | 318 |
| | Male | 32.7% | 32.7% | 34.7% | 652 |
| Age | Under 50 years | 33.6% | 35.8% | 30.6% | 327 |

| | | | | | |
|--|---|-------|-------|-------|-----|
| | 50 to 64 years | 31.9% | 35.8% | 32.3% | 486 |
| | 65 years or more | 36.9% | 30.6% | 32.5% | 157 |
| Specialty Categories | Family/General Medicine | 33.6% | 37.2% | 29.1% | 247 |
| | Obstetrics/Gynecology | 42.9% | 40.8% | 16.3% | 49 |
| | General Internal Medicine | 30.7% | 29.0% | 40.3% | 176 |
| | General Pediatrics | 35.8% | 43.3% | 20.9% | 67 |
| | General Surgery | 47.6% | 33.3% | 19.0% | 21 |
| | Medical Subspecialty | 31.8% | 35.1% | 33.1% | 154 |
| | Pediatric Subspecialty | 33.3% | 0.0% | 66.7% | 3 |
| | Surgical Subspecialty | 24.4% | 34.4% | 41.1% | 90 |
| | Neurological Surgery | 23.1% | 30.8% | 46.2% | 13 |
| | Psychiatry | 36.2% | 34.0% | 29.8% | 94 |
| | Hospital-based Specialty | 38.2% | 38.2% | 23.5% | 34 |
| | Other | 40.0% | 25.0% | 35.0% | 20 |
| Region | Portland Metro | 33.5% | 34.9% | 31.6% | 519 |
| | Mid-Willamette Valley | 29.6% | 37.6% | 32.8% | 186 |
| | Northwestern | 22.2% | 33.3% | 44.4% | 9 |
| | Southern | 25.0% | 36.9% | 38.1% | 84 |
| | Eastern | 16.7% | 33.3% | 50.0% | 6 |
| | Southwestern | 30.8% | 38.5% | 30.8% | 13 |
| | Central | 42.2% | 35.9% | 21.9% | 64 |
| | Other | 43.8% | 27.0% | 29.2% | 89 |
| What is the size of your primary practice? | Solo practice | 32.4% | 34.5% | 33.1% | 281 |
| | Partnership (2-3 physicians) | 28.1% | 35.9% | 35.9% | 128 |
| | Group practice (4 to 9 physicians) | 31.9% | 33.5% | 34.6% | 191 |
| | Group practice (10-13 physicians) | 39.4% | 34.8% | 25.8% | 66 |
| | Group practice (14-19 physicians) | 18.9% | 37.7% | 43.4% | 53 |
| | Group practice (20-29 physicians) | 42.6% | 38.3% | 19.1% | 47 |
| | Group practice (30 or more than physicians) | 37.1% | 36.5% | 26.3% | 167 |
| Other | 44.4% | 25.9% | 29.6% | 27 | |
| What is your employment status at your primary practice? | Full owner | 27.7% | 38.4% | 33.9% | 336 |
| | Part owner (or shareholder) | 29.1% | 38.2% | 32.7% | 254 |
| | Employee | 39.0% | 30.2% | 30.8% | 305 |
| | Independent contractor | 43.8% | 31.2% | 25.0% | 48 |
| | Volunteer | 75.0% | 12.5% | 12.5% | 8 |
| | Other | 56.2% | 18.8% | 25.0% | 16 |
| Statewide | | 33.3% | 34.9% | 31.9% | 967 |

Importance of reimbursement rates in decision to limit acceptance

| <i>How important were reimbursement rates in your decision to limit or close your primary practice to new Medicaid\OHP patients?</i> | | <i>Not important</i> | <i>Somewhat Important</i> | <i>Very important</i> | <i>Total</i> |
|--|---------------------------|----------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 13.2% | 16.6% | 70.2% | 325 |
| | Male | 13.1% | 15.1% | 71.7% | 654 |
| Age | Under 50 years | 9.9% | 15.7% | 74.4% | 332 |
| | 50 to 64 years | 13.9% | 13.9% | 72.3% | 483 |
| | 65 years or more | 17.7% | 20.7% | 61.6% | 164 |
| Specialty Categories | Family/General Medicine | 14.5% | 16.5% | 69.1% | 249 |
| | Obstetrics/Gynecology | 8.2% | 22.4% | 69.4% | 49 |
| | General Internal Medicine | 17.8% | 15.0% | 67.2% | 180 |
| | General Pediatrics | 17.6% | 22.1% | 60.3% | 68 |
| | General Surgery | 4.8% | 9.5% | 85.7% | 21 |
| | Medical Subspecialty | 11.1% | 15.7% | 73.2% | 153 |
| | Pediatric Subspecialty | 33.3% | 0.0% | 66.7% | 3 |
| | Surgical Subspecialty | 7.8% | 12.2% | 80.0% | 90 |
| | Neurological Surgery | 0.0% | 7.7% | 92.3% | 13 |
| | Psychiatry | 14.6% | 12.5% | 72.9% | 96 |
| | Hospital-based Specialty | 11.4% | 17.1% | 71.4% | 35 |

| | | | | | |
|--|---|-------|-------|-------|-----|
| | Other | 5.0% | 15.0% | 80.0% | 20 |
| Region | Portland Metro | 11.8% | 17.6% | 70.6% | 527 |
| | Mid-Willamette Valley | 14.4% | 17.0% | 68.6% | 188 |
| | Northwestern | 0.0% | 11.1% | 88.9% | 9 |
| | Southern | 10.5% | 10.5% | 79.1% | 86 |
| | Eastern | 16.7% | 0.0% | 83.3% | 6 |
| | Southwestern | 15.4% | 15.4% | 69.2% | 13 |
| | Central | 18.8% | 10.9% | 70.3% | 64 |
| | Other | 18.6% | 10.5% | 70.9% | 86 |
| What is the size of your primary practice? | Solo practice | 8.5% | 12.0% | 79.6% | 284 |
| | Partnership (2-3 physicians) | 8.7% | 13.4% | 78.0% | 127 |
| | Group practice (4 to 9 physicians) | 11.4% | 20.7% | 67.9% | 193 |
| | Group practice (10-13 physicians) | 18.2% | 15.2% | 66.7% | 66 |
| | Group practice (14-19 physicians) | 16.7% | 14.8% | 68.5% | 54 |
| | Group practice (20-29 physicians) | 10.6% | 14.9% | 74.5% | 47 |
| | Group practice (30 or more than physicians) | 21.4% | 20.8% | 57.7% | 168 |
| | Other | 28.6% | 3.6% | 67.9% | 28 |
| What is your employment status at your primary practice? | Full owner | 5.3% | 12.1% | 82.6% | 339 |
| | Part owner (or shareholder) | 7.5% | 18.1% | 74.4% | 254 |
| | Employee | 22.1% | 17.3% | 60.6% | 307 |
| | Independent contractor | 21.6% | 15.7% | 62.7% | 51 |
| | Volunteer | 62.5% | 12.5% | 25.0% | 8 |
| | Other | 47.1% | 17.6% | 35.3% | 17 |
| Statewide | | 13.2% | 15.6% | 71.2% | 976 |

Currently have OHP patients

| <i>Do you currently have Medicaid/Oregon Health Plan (OHP) patients under your care?</i> | | <i>Yes</i> | <i>No</i> | <i>Don't know</i> | <i>Total</i> |
|--|---------------------------|------------|-----------|-------------------|--------------|
| Specialty Categories | Family/General Medicine | 77.5% | 18.4% | 4.1% | 560 |
| | Obstetrics/Gynecology | 81.8% | 11.9% | 6.3% | 159 |
| | General Internal Medicine | 72.5% | 14.5% | 13.0% | 517 |
| | General Pediatrics | 90.5% | 6.5% | 3.0% | 201 |
| | General Surgery | 77.9% | 11.5% | 10.7% | 122 |
| | Medical Subspecialty | 76.1% | 14.1% | 9.8% | 510 |
| | Pediatric Subspecialty | 90.9% | 7.3% | 1.8% | 55 |
| | Surgical Subspecialty | 73.2% | 18.3% | 8.5% | 213 |
| | Neurological Surgery | 76.9% | 23.1% | 0.0% | 26 |
| | Psychiatry | 51.4% | 40.5% | 8.1% | 222 |
| | Hospital-based Specialty | 66.3% | 13.9% | 19.8% | 560 |
| Other | 68.3% | 19.0% | 12.7% | 63 | |
| Region | Portland Metro | 71.5% | 17.2% | 11.3% | 1595 |
| | Mid-Willamette Valley | 81.1% | 12.9% | 6.0% | 581 |
| | Northwestern | 89.7% | 3.8% | 6.4% | 78 |
| | Southern | 81.5% | 12.2% | 6.3% | 254 |
| | Eastern | 79.1% | 6.0% | 14.9% | 67 |
| | Southwestern | 84.8% | 10.9% | 4.3% | 46 |
| | Central | 82.1% | 10.7% | 7.1% | 252 |
| Overall | | 73.5% | 16.4% | 10.1% | 3221 |

Access to services for OHP patients

Access to specialists

| <i>How often are you able to refer to specialists for your Medicaid/Oregon Health Plan (OHP) patients when you think it is medically necessary?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Don't know, doesn't know</i> | <i>Total</i> |
|---|---------------------------|---------------|----------------|------------------|--------------|---------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 10.1% | 50.9% | 34.3% | 0.5% | 4.2% | 426 |
| | Obstetrics/Gynecology | 12.4% | 40.3% | 34.9% | 1.6% | 10.9% | 129 |
| | General Internal Medicine | 16.2% | 39.5% | 29.9% | 1.4% | 13.2% | 365 |
| | General Pediatrics | 15.6% | 57.0% | 24.0% | 0.0% | 3.4% | 179 |
| | General Surgery | 9.6% | 52.1% | 27.7% | 2.1% | 8.5% | 94 |
| | Medical Subspecialty | 16.1% | 37.8% | 29.0% | 1.0% | 16.1% | 386 |
| | Pediatric Subspecialty | 40.8% | 34.7% | 18.4% | 0.0% | 6.1% | 49 |
| | Surgical Subspecialty | 7.8% | 27.5% | 43.8% | 3.3% | 17.6% | 153 |
| | Neurological Surgery | 5.3% | 26.3% | 36.8% | 10.5% | 21.1% | 19 |
| | Psychiatry | 10.8% | 33.3% | 30.6% | 4.5% | 20.7% | 111 |
| | Hospital-based Specialty | 12.8% | 21.7% | 19.2% | 1.1% | 45.1% | 359 |
| Other | 7.0% | 30.2% | 44.2% | 4.7% | 14.0% | 43 | |
| Region | Portland Metro | 15.7% | 33.9% | 30.9% | 1.5% | 18.0% | 1118 |
| | Mid-Willamette Valley | 13.5% | 48.7% | 22.7% | 1.7% | 13.3% | 466 |
| | Northwestern | 10.4% | 35.8% | 43.3% | 0.0% | 10.4% | 67 |
| | Southern | 9.5% | 37.5% | 35.5% | 1.5% | 16.0% | 200 |
| | Eastern | 3.8% | 38.5% | 38.5% | 0.0% | 19.2% | 52 |
| | Southwestern | 12.8% | 51.3% | 20.5% | 2.6% | 12.8% | 39 |
| | Central | 11.2% | 45.9% | 25.4% | 1.0% | 16.6% | 205 |
| Overall | | 13.5% | 39.0% | 29.7% | 1.4% | 16.4% | 2321 |

Access to ancillary services

| <i>How often are you able to obtain ancillary services for your Medicaid/Oregon Health Plan (OHP) patients when you think it is medically necessary?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Don't know, doesn't apply</i> | <i>Total</i> |
|--|---------------------------|---------------|----------------|------------------|--------------|----------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 1.9% | 15.3% | 56.7% | 19.5% | 6.6% | 425 |
| | Obstetrics/Gynecology | 4.7% | 17.8% | 45.0% | 17.8% | 14.7% | 129 |
| | General Internal Medicine | 13.7% | 18.1% | 42.3% | 10.7% | 15.1% | 364 |
| | General Pediatrics | 9.5% | 34.6% | 46.4% | 5.6% | 3.9% | 179 |
| | General Surgery | 4.3% | 28.0% | 44.1% | 7.5% | 16.1% | 93 |
| | Medical Subspecialty | 7.3% | 21.6% | 29.9% | 7.0% | 34.3% | 385 |
| | Pediatric Subspecialty | 20.4% | 46.9% | 22.4% | 0.0% | 10.2% | 49 |
| | Surgical Subspecialty | 2.6% | 16.3% | 48.4% | 21.6% | 11.1% | 153 |
| | Neurological Surgery | 5.0% | 15.0% | 40.0% | 30.0% | 10.0% | 20 |
| | Psychiatry | 7.3% | 17.3% | 27.3% | 7.3% | 40.9% | 110 |
| | Hospital-based Specialty | 4.2% | 8.0% | 19.1% | 4.4% | 64.3% | 361 |
| | Other | 11.6% | 14.0% | 41.9% | 20.9% | 11.6% | 43 |
| Region | Portland Metro | 8.4% | 19.7% | 36.3% | 10.0% | 25.5% | 1117 |
| | Mid-Willamette Valley | 5.6% | 17.1% | 43.0% | 13.5% | 20.8% | 467 |
| | Northwestern | 0.0% | 19.4% | 44.8% | 19.4% | 16.4% | 67 |
| | Southern | 3.5% | 16.9% | 43.8% | 13.9% | 21.9% | 201 |
| | Eastern | 3.8% | 13.5% | 46.2% | 9.6% | 26.9% | 52 |
| | Southwestern | 5.1% | 20.5% | 41.0% | 5.1% | 28.2% | 39 |
| | Central | 6.4% | 17.2% | 40.9% | 9.4% | 26.1% | 203 |
| Overall | 6.7% | 18.7% | 39.1% | 11.3% | 24.2% | 2319 | |

Access to non-emergency hospital admission

How often are you able to obtain non-emergency hospital admission for your Medicaid/Oregon Health Plan (OHP) patients when you think it is medically necessary?

| | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Don't know, doesn't apply</i> | <i>Total</i> |
|----------------------|---------------------------|---------------|----------------|------------------|--------------|----------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 17.0% | 27.8% | 22.9% | 9.2% | 23.1% | 424 |
| | Obstetrics/Gynecology | 17.2% | 42.2% | 22.7% | 0.8% | 17.2% | 128 |
| | General Internal Medicine | 21.7% | 25.6% | 14.2% | 7.8% | 30.8% | 360 |
| | General Pediatrics | 24.6% | 25.1% | 17.3% | 1.7% | 31.3% | 179 |
| | General Surgery | 12.8% | 31.9% | 40.4% | 2.1% | 12.8% | 94 |
| | Medical Subspecialty | 13.9% | 25.4% | 14.4% | 3.1% | 43.2% | 382 |
| | Pediatric Subspecialty | 18.4% | 24.5% | 16.3% | 0.0% | 40.8% | 49 |
| | Surgical Subspecialty | 7.2% | 15.1% | 31.6% | 10.5% | 35.5% | 152 |
| | Neurological Surgery | 10.0% | 40.0% | 30.0% | 5.0% | 15.0% | 20 |
| | Psychiatry | 9.9% | 18.9% | 27.0% | 14.4% | 29.7% | 111 |
| | Hospital-based Specialty | 5.3% | 8.6% | 9.4% | 4.7% | 71.9% | 360 |
| | Other | 7.0% | 23.3% | 9.3% | 2.3% | 58.1% | 43 |
| Region | Portland Metro | 15.2% | 23.3% | 19.3% | 4.7% | 37.5% | 1110 |
| | Mid-Willamette Valley | 13.7% | 22.3% | 19.1% | 7.3% | 37.6% | 466 |
| | Northwestern | 13.6% | 27.3% | 22.7% | 6.1% | 30.3% | 66 |
| | Southern | 12.9% | 21.9% | 16.9% | 8.5% | 39.8% | 201 |
| | Eastern | 17.3% | 25.0% | 19.2% | 7.7% | 30.8% | 52 |
| | Southwestern | 17.9% | 38.5% | 10.3% | 15.4% | 17.9% | 39 |
| | Central | 14.8% | 24.1% | 17.2% | 5.4% | 38.4% | 203 |
| Overall | | 14.6% | 23.5% | 18.8% | 5.9% | 37.2% | 2310 |

Access to diagnostic imaging services

| <i>How often are you able to obtain diagnostic imaging services for your Medicaid/Oregon Health Plan (OHP) patients when you think it is medically necessary?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Don't know, doesn't apply</i> | <i>Total</i> |
|---|---------------------------|---------------|----------------|------------------|--------------|----------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 17.1% | 52.1% | 25.4% | 0.9% | 4.5% | 426 |
| | Obstetrics/Gynecology | 22.7% | 54.7% | 14.8% | 0.0% | 7.8% | 128 |
| | General Internal Medicine | 28.3% | 37.1% | 23.0% | 0.0% | 11.6% | 361 |
| | General Pediatrics | 34.1% | 49.7% | 14.0% | 0.0% | 2.2% | 179 |
| | General Surgery | 15.2% | 43.5% | 38.0% | 0.0% | 3.3% | 92 |
| | Medical Subspecialty | 19.5% | 43.2% | 23.7% | 0.8% | 12.8% | 384 |
| | Pediatric Subspecialty | 40.8% | 34.7% | 16.3% | 0.0% | 8.2% | 49 |
| | Surgical Subspecialty | 9.2% | 33.3% | 45.1% | 1.3% | 11.1% | 153 |
| | Neurological Surgery | 5.3% | 31.6% | 47.4% | 5.3% | 10.5% | 19 |
| | Psychiatry | 16.4% | 23.6% | 27.3% | 3.6% | 29.1% | 110 |
| | Hospital-based Specialty | 29.9% | 15.8% | 10.0% | 1.1% | 43.2% | 361 |
| | Other | 16.7% | 35.7% | 31.0% | 0.0% | 16.7% | 42 |
| Region | Portland Metro | 25.7% | 37.3% | 20.7% | 0.6% | 15.6% | 1109 |
| | Mid-Willamette Valley | 19.9% | 41.3% | 25.3% | 1.1% | 12.4% | 467 |
| | Northwestern | 23.9% | 41.8% | 23.9% | 0.0% | 10.4% | 67 |
| | Southern | 17.5% | 38.5% | 29.0% | 1.0% | 14.0% | 200 |
| | Eastern | 11.5% | 51.9% | 17.3% | 0.0% | 19.2% | 52 |
| | Southwestern | 12.8% | 43.6% | 28.2% | 0.0% | 15.4% | 39 |
| | Central | 20.0% | 42.0% | 20.0% | 1.0% | 17.1% | 205 |
| Overall | | 22.6% | 38.8% | 22.9% | 0.8% | 14.9% | 2312 |

Access to inpatient mental health services

How often are you able to obtain inpatient mental health services for your Medicaid/Oregon Health Plan (OHP) patients when you think it is medically necessary?

| | | Always | Usually | Sometimes | Never | Don't know, doesn't apply | Total |
|----------------------|---------------------------|--------|---------|-----------|-------|------------------------------|-------|
| Specialty Categories | Family/General Medicine | 2.8% | 11.6% | 41.7% | 21.2% | 22.6% | 424 |
| | Obstetrics/Gynecology | 1.6% | 13.3% | 21.1% | 19.5% | 44.5% | 128 |
| | General Internal Medicine | 6.9% | 14.4% | 27.4% | 16.9% | 34.3% | 361 |
| | General Pediatrics | 5.1% | 13.5% | 42.1% | 14.6% | 24.7% | 178 |
| | General Surgery | 0.0% | 4.3% | 8.6% | 8.6% | 78.5% | 93 |
| | Medical Subspecialty | 2.9% | 4.7% | 9.7% | 7.6% | 75.1% | 382 |
| | Pediatric Subspecialty | 4.2% | 12.5% | 18.8% | 6.3% | 58.3% | 48 |
| | Surgical Subspecialty | 0.7% | 3.3% | 6.0% | 5.3% | 84.8% | 151 |
| | Neurological Surgery | 0.0% | 0.0% | 5.3% | 10.5% | 84.2% | 19 |
| | Psychiatry | 17.3% | 33.6% | 33.6% | 4.5% | 10.9% | 110 |
| | Hospital-based Specialty | 8.1% | 7.2% | 19.2% | 3.9% | 61.6% | 359 |
| | Other | 2.3% | 9.3% | 9.3% | 20.9% | 58.1% | 43 |
| Region | Portland Metro | 5.3% | 11.3% | 23.5% | 9.5% | 50.5% | 1104 |
| | Mid-Willamette Valley | 6.0% | 11.2% | 24.3% | 12.7% | 45.8% | 465 |
| | Northwestern | 0.0% | 6.0% | 29.9% | 19.4% | 44.8% | 67 |
| | Southern | 2.5% | 7.5% | 25.4% | 17.4% | 47.3% | 201 |
| | Eastern | 2.0% | 6.0% | 16.0% | 16.0% | 60.0% | 50 |
| | Southwestern | 10.3% | 17.9% | 20.5% | 12.8% | 38.5% | 39 |
| | Central | 3.4% | 8.8% | 26.3% | 15.6% | 45.9% | 205 |
| Overall | | 4.8% | 10.6% | 24.1% | 12.2% | 48.3% | 2304 |

Access to inpatient substance abuse services

| <i>How often are you able to obtain inpatient substance abuse services for your Medicaid/Oregon Health Plan (OHP) patients when you think it is medically necessary?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Don't know, doesn't apply</i> | <i>Total</i> |
|--|---------------------------|---------------|----------------|------------------|--------------|----------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 0.9% | 6.4% | 33.3% | 32.5% | 26.9% | 424 |
| | Obstetrics/Gynecology | 0.0% | 7.8% | 24.2% | 16.4% | 51.6% | 128 |
| | General Internal Medicine | 2.8% | 6.9% | 21.0% | 26.2% | 43.1% | 362 |
| | General Pediatrics | 1.7% | 5.0% | 24.0% | 10.6% | 58.7% | 179 |
| | General Surgery | 1.1% | 0.0% | 8.6% | 6.5% | 83.9% | 93 |
| | Medical Subspecialty | 2.3% | 3.4% | 8.6% | 7.8% | 77.9% | 385 |
| | Pediatric Subspecialty | 4.1% | 4.1% | 6.1% | 4.1% | 81.6% | 49 |
| | Surgical Subspecialty | 0.7% | 2.6% | 3.9% | 6.5% | 86.3% | 153 |
| | Neurological Surgery | 0.0% | 0.0% | 5.3% | 10.5% | 84.2% | 19 |
| | Psychiatry | 7.3% | 18.2% | 40.0% | 14.5% | 20.0% | 110 |
| | Hospital-based Specialty | 2.5% | 2.0% | 15.5% | 13.3% | 66.7% | 354 |
| | Other | 0.0% | 4.9% | 14.6% | 19.5% | 61.0% | 41 |
| Region | Portland Metro | 2.4% | 5.5% | 19.5% | 13.7% | 58.9% | 1106 |
| | Mid-Willamette Valley | 2.4% | 5.0% | 19.2% | 20.0% | 53.4% | 464 |
| | Northwestern | 0.0% | 0.0% | 26.9% | 20.9% | 52.2% | 67 |
| | Southern | 0.5% | 3.0% | 15.6% | 24.6% | 56.3% | 199 |
| | Eastern | 1.9% | 3.8% | 13.5% | 17.3% | 63.5% | 52 |
| | Southwestern | 0.0% | 2.6% | 23.7% | 23.7% | 50.0% | 38 |
| | Central | 2.0% | 5.9% | 22.4% | 21.0% | 48.8% | 205 |
| Overall | | 2.1% | 5.2% | 19.5% | 17.2% | 56.1% | 2305 |

Access to outpatient mental health services

| <i>How often are you able to obtain outpatient mental health services for your Medicaid/Oregon Health Plan (OHP) patients when you think it is medically necessary?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Don't know, doesn't apply</i> | <i>Total</i> |
|---|---------------------------|---------------|----------------|------------------|--------------|----------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 4.0% | 22.8% | 53.6% | 11.5% | 8.0% | 425 |
| | Obstetrics/Gynecology | 1.6% | 7.0% | 40.3% | 16.3% | 34.9% | 129 |
| | General Internal Medicine | 2.5% | 12.1% | 39.7% | 19.8% | 25.9% | 363 |
| | General Pediatrics | 7.3% | 23.5% | 48.6% | 6.7% | 14.0% | 179 |
| | General Surgery | 0.0% | 6.5% | 12.9% | 7.5% | 73.1% | 93 |
| | Medical Subspecialty | 2.6% | 3.4% | 13.8% | 11.5% | 68.7% | 383 |
| | Pediatric Subspecialty | 4.1% | 0.0% | 36.7% | 10.2% | 49.0% | 49 |
| | Surgical Subspecialty | 0.0% | 2.6% | 8.6% | 5.9% | 82.9% | 152 |
| | Neurological Surgery | 0.0% | 5.3% | 10.5% | 5.3% | 78.9% | 19 |
| | Psychiatry | 21.8% | 30.9% | 23.6% | 3.6% | 20.0% | 110 |
| | Hospital-based Specialty | 4.2% | 9.5% | 18.7% | 4.2% | 63.4% | 358 |
| Other | 2.4% | 7.1% | 16.7% | 23.8% | 50.0% | 42 | |
| Region | Portland Metro | 3.5% | 10.3% | 29.7% | 12.4% | 44.2% | 1109 |
| | Mid-Willamette Valley | 3.7% | 15.3% | 32.3% | 9.9% | 38.9% | 465 |
| | Northwestern | 7.6% | 21.2% | 27.3% | 9.1% | 34.8% | 66 |
| | Southern | 1.5% | 8.5% | 31.5% | 15.0% | 43.5% | 200 |
| | Eastern | 3.8% | 26.9% | 19.2% | 3.8% | 46.2% | 52 |
| | Southwestern | 2.6% | 7.7% | 41.0% | 10.3% | 38.5% | 39 |
| | Central | 5.4% | 16.1% | 37.6% | 4.9% | 36.1% | 205 |
| Overall | | 4.0% | 12.5% | 30.8% | 10.8% | 41.8% | 2310 |

Access to outpatient substance abuse services

| <i>How often are you able to obtain outpatient substance abuse services for your Medicaid/Oregon Health Plan (OHP) patients when you think it is medically necessary?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Don't know, doesn't apply</i> | <i>Total</i> |
|---|---------------------------|---------------|----------------|------------------|--------------|----------------------------------|--------------|
| Specialty Categories | Family/General Medicine | 2.6% | 13.7% | 46.0% | 16.3% | 21.5% | 424 |
| | Obstetrics/Gynecology | 0.0% | 8.6% | 31.3% | 12.5% | 47.7% | 128 |
| | General Internal Medicine | 2.5% | 8.9% | 32.7% | 18.6% | 37.4% | 361 |
| | General Pediatrics | 1.1% | 9.0% | 33.1% | 6.7% | 50.0% | 178 |
| | General Surgery | 0.0% | 3.3% | 3.3% | 8.8% | 84.6% | 91 |
| | Medical Subspecialty | 1.6% | 2.9% | 10.0% | 7.9% | 77.6% | 380 |
| | Pediatric Subspecialty | 4.2% | 0.0% | 8.3% | 10.4% | 77.1% | 48 |
| | Surgical Subspecialty | 0.0% | 2.6% | 6.6% | 5.3% | 85.5% | 152 |
| | Neurological Surgery | 0.0% | 0.0% | 5.3% | 5.3% | 89.5% | 19 |
| | Psychiatry | 11.7% | 27.9% | 33.3% | 5.4% | 21.6% | 111 |
| | Hospital-based Specialty | 2.8% | 3.7% | 19.5% | 7.1% | 66.9% | 354 |
| Other | 0.0% | 9.3% | 18.6% | 14.0% | 58.1% | 43 | |
| Region | Portland Metro | 2.4% | 6.8% | 24.6% | 10.6% | 55.5% | 1104 |
| | Mid-Willamette Valley | 2.0% | 8.0% | 27.6% | 12.0% | 50.4% | 460 |
| | Northwestern | 1.5% | 14.9% | 22.4% | 16.4% | 44.8% | 67 |
| | Southern | 1.5% | 6.0% | 23.5% | 12.0% | 57.0% | 200 |
| | Eastern | 1.9% | 9.6% | 19.2% | 5.8% | 63.5% | 52 |
| | Southwestern | 2.6% | 13.2% | 28.9% | 13.2% | 42.1% | 38 |
| | Central | 2.0% | 12.3% | 30.5% | 9.4% | 45.8% | 203 |
| Overall | | 2.3% | 8.1% | 25.5% | 11.1% | 53.1% | 2297 |

Awareness of Oregon Tobacco Quit Line

| <i>Are you aware of the Oregon Tobacco Quit Line?</i> | | <i>Yes</i> | <i>No</i> | <i>Total</i> |
|---|-------------------------------------|------------|-----------|--------------|
| Gender | Female | 70.8% | 29.2% | 1031 |
| | Male | 56.4% | 43.6% | 2153 |
| | Other | 0.0% | 0.0% | 0 |
| Age | Under 50 years | 59.8% | 40.2% | 1282 |
| | 50 to 64 years | 62.7% | 37.3% | 1387 |
| | 65 years or more | 60.0% | 40.0% | 517 |
| Hispanic, Spanish or Latino | Yes | 61.0% | 39.0% | 77 |
| Race | White | 62.5% | 37.5% | 2708 |
| | African-American | 52.2% | 47.8% | 23 |
| | Asian | 47.2% | 52.8% | 284 |
| | Native Hawaiian or Pacific Islander | 63.6% | 36.4% | 11 |
| | American Indian or Alaska Native | 57.9% | 42.1% | 19 |
| | Other | 60.3% | 39.7% | 136 |
| Specialty Categories | Family/General Medicine | 84.2% | 15.8% | 557 |
| | Obstetrics/Gynecology | 74.7% | 25.3% | 158 |
| | General Internal Medicine | 74.5% | 25.5% | 510 |
| | General Pediatrics | 74.5% | 25.5% | 200 |
| | General Surgery | 50.0% | 50.0% | 122 |
| | Medical Subspecialty | 48.1% | 51.9% | 503 |
| | Pediatric Subspecialty | 54.7% | 45.3% | 53 |
| | Surgical Subspecialty | 38.4% | 61.6% | 211 |
| | Neurological Surgery | 34.6% | 65.4% | 26 |
| | Psychiatry | 60.4% | 39.6% | 217 |
| | Hospital-based Specialty | 43.1% | 56.9% | 554 |
| Other | 49.2% | 50.8% | 63 | |
| Region | Portland Metro | 60.6% | 39.4% | 1575 |
| | Mid-Willamette Valley | 64.2% | 35.8% | 575 |
| | Northwestern | 79.2% | 20.8% | 77 |
| | Southern | 64.3% | 35.7% | 252 |
| | Eastern | 47.8% | 52.2% | 67 |
| | Southwestern | 62.2% | 37.8% | 45 |
| | Central | 66.8% | 33.2% | 250 |
| | Other | 50.1% | 49.9% | 345 |
| Statewide | | 61.1% | 38.9% | 3186 |

Anticipated changes in next two years

Closing or selling primary practice

| <i>Closing or selling primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|---|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 43.8% | 15.8% | 12.3% | 28.1% | 203 |
| | Partnership (2 to 3 physicians) | 41.5% | 8.5% | 9.6% | 40.4% | 94 |
| | Group practice (4 to 9 physicians) | 34.5% | 2.2% | 4.3% | 59.0% | 139 |
| | Group practice (10 to 13 physicians) | 43.9% | 1.8% | 1.8% | 52.6% | 57 |
| | Group practice (14 to 19 physicians) | 38.9% | 5.6% | 0.0% | 55.6% | 36 |
| | Group practice (20 to 29 physicians) | 37.8% | 8.1% | 2.7% | 51.4% | 37 |
| | Group practice (More than 30 physicians) | 30.3% | 1.6% | 2.7% | 65.4% | 185 |
| Specialty Categories | Family/General Medicine | 27.0% | 8.7% | 7.1% | 57.1% | 126 |
| | Obstetrics/Gynecology | 24.1% | 3.4% | 10.3% | 62.1% | 29 |
| | General Internal Medicine | 28.9% | 3.5% | 4.9% | 62.7% | 142 |
| | General Pediatrics | 26.3% | 0.0% | 5.3% | 68.4% | 19 |
| | General Surgery | 33.3% | 0.0% | 7.4% | 59.3% | 27 |
| | Medical Subspecialty | 40.2% | 5.7% | 5.7% | 48.4% | 122 |
| | Pediatric Subspecialty | 40.0% | 0.0% | 0.0% | 60.0% | 5 |
| | Surgical Subspecialty | 33.3% | 7.0% | 8.8% | 50.9% | 57 |
| | Neurological Surgery | 33.3% | 33.3% | 33.3% | 0.0% | 6 |
| | Psychiatry | 50.0% | 9.3% | 6.5% | 34.3% | 108 |
| | Hospital-based Specialty | 37.0% | 5.8% | 2.6% | 54.5% | 189 |
| Other | 40.0% | 10.0% | 10.0% | 40.0% | 20 | |
| Region | Portland Metro | 36.5% | 5.7% | 4.8% | 53.0% | 455 |
| | Mid-Willamette Valley | 28.2% | 9.1% | 11.8% | 50.9% | 110 |
| | Northwestern | 75.0% | 0.0% | 25.0% | 0.0% | 8 |
| | Southern | 25.5% | 2.1% | 8.5% | 63.8% | 47 |
| | Eastern | 42.9% | 7.1% | 7.1% | 42.9% | 14 |
| | Southwestern | 57.1% | 14.3% | 0.0% | 28.6% | 7 |
| | Central | 31.1% | 6.7% | 4.4% | 57.8% | 45 |
| Overall | | 35.4% | 6.3% | 6.0% | 52.3% | 855 |

Expand scope of practice

| <i>Expand scope of your primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|---|--------------------------------------|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 54.7% | 11.8% | 9.9% | 23.6% | 203 |
| | Partnership (2 to 3 physicians) | 51.1% | 13.8% | 10.6% | 24.5% | 94 |
| | Group practice (4 to 9 physicians) | 41.7% | 14.4% | 10.1% | 33.8% | 139 |
| | Group practice (10 to 13 physicians) | 47.4% | 8.8% | 3.5% | 40.4% | 57 |
| | Group practice (14 to 19 physicians) | 38.9% | 30.6% | 0.0% | 30.6% | 36 |
| | Group practice (20 to 29 physicians) | 45.9% | 18.9% | 10.8% | 24.3% | 37 |

| | | | | | | |
|----------------------|--|--------|-------|-------|-------|-----|
| | Group practice (More than 30 physicians) | 44.9% | 13.5% | 3.8% | 37.8% | 185 |
| Specialty Categories | Family/General Medicine | 43.7% | 12.7% | 4.8% | 38.9% | 126 |
| | Obstetrics/Gynecology | 58.6% | 0.0% | 6.9% | 34.5% | 29 |
| | General Internal Medicine | 38.0% | 13.4% | 8.5% | 40.1% | 142 |
| | General Pediatrics | 36.8% | 10.5% | 5.3% | 47.4% | 19 |
| | General Surgery | 40.7% | 11.1% | 18.5% | 29.6% | 27 |
| | Medical Subspecialty | 48.4% | 9.8% | 8.2% | 33.6% | 122 |
| | Pediatric Subspecialty | 40.0% | 20.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 47.4% | 5.3% | 5.3% | 42.1% | 57 |
| | Neurological Surgery | 33.3% | 33.3% | 33.3% | 0.0% | 6 |
| | Psychiatry | 63.0% | 9.3% | 4.6% | 23.1% | 108 |
| | Hospital-based Specialty | 38.6% | 19.0% | 4.2% | 38.1% | 189 |
| | Other | 30.0% | 20.0% | 20.0% | 30.0% | 20 |
| Region | Portland Metro | 46.6% | 12.3% | 6.6% | 34.5% | 455 |
| | Mid-Willamette Valley | 45.5% | 14.5% | 7.3% | 32.7% | 110 |
| | Northwestern | 100.0% | 0.0% | 0.0% | 0.0% | 8 |
| | Southern | 19.1% | 21.3% | 8.5% | 51.1% | 47 |
| | Eastern | 28.6% | 28.6% | 7.1% | 35.7% | 14 |
| | Southwestern | 71.4% | 14.3% | 14.3% | 0.0% | 7 |
| | Central | 46.7% | 4.4% | 2.2% | 46.7% | 45 |
| Overall | | 45.0% | 12.6% | 6.9% | 35.4% | 855 |

Reduce scope of practice

| <i>Reduce scope of your primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|---|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 51.7% | 19.2% | 7.9% | 21.2% | 203 |
| | Partnership (2 to 3 physicians) | 58.5% | 11.7% | 4.3% | 25.5% | 94 |
| | Group practice (4 to 9 physicians) | 50.4% | 9.4% | 5.8% | 34.5% | 139 |
| | Group practice (10 to 13 physicians) | 50.9% | 5.3% | 3.5% | 40.4% | 57 |
| | Group practice (14 to 19 physicians) | 61.1% | 8.3% | 2.8% | 27.8% | 36 |
| | Group practice (20 to 29 physicians) | 59.5% | 8.1% | 2.7% | 29.7% | 37 |
| | Group practice (More than 30 physicians) | 47.6% | 8.1% | 7.6% | 36.8% | 185 |
| Specialty Categories | Family/General Medicine | 42.1% | 15.9% | 5.6% | 36.5% | 126 |
| | Obstetrics/Gynecology | 44.8% | 6.9% | 13.8% | 34.5% | 29 |
| | General Internal Medicine | 47.2% | 6.3% | 5.6% | 40.8% | 142 |
| | General Pediatrics | 42.1% | 5.3% | 5.3% | 47.4% | 19 |
| | General Surgery | 51.9% | 14.8% | 3.7% | 29.6% | 27 |
| | Medical Subspecialty | 50.8% | 6.6% | 4.9% | 37.7% | 122 |
| | Pediatric Subspecialty | 40.0% | 20.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 49.1% | 14.0% | 8.8% | 28.1% | 57 |
| | Neurological Surgery | 33.3% | 33.3% | 0.0% | 33.3% | 6 |
| | Psychiatry | 57.4% | 14.8% | 5.6% | 22.2% | 108 |
| | Hospital-based Specialty | 49.2% | 9.0% | 4.8% | 37.0% | 189 |
| Other | 50.0% | 5.0% | 10.0% | 35.0% | 20 | |
| Region | Portland Metro | 49.9% | 10.1% | 5.9% | 34.1% | 455 |
| | Mid-Willamette Valley | 46.4% | 15.5% | 5.5% | 32.7% | 110 |
| | Northwestern | 75.0% | 12.5% | 12.5% | 0.0% | 8 |
| | Southern | 38.3% | 6.4% | 6.4% | 48.9% | 47 |
| | Eastern | 57.1% | 7.1% | 0.0% | 35.7% | 14 |
| | Southwestern | 42.9% | 42.9% | 14.3% | 0.0% | 7 |
| | Central | 42.2% | 4.4% | 2.2% | 51.1% | 45 |
| Overall | | 48.9% | 10.4% | 5.7% | 35.0% | 855 |

Increase referrals of complex patients

| <i>Increase referrals of complex cases in your primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|--|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 47.8% | 11.8% | 11.3% | 29.1% | 203 |
| | Partnership (2 to 3 physicians) | 50.0% | 13.8% | 9.6% | 26.6% | 94 |
| | Group practice (4 to 9 physicians) | 45.3% | 10.1% | 12.2% | 32.4% | 139 |
| | Group practice (10 to 13 physicians) | 52.6% | 10.5% | 5.3% | 31.6% | 57 |
| | Group practice (14 to 19 physicians) | 50.0% | 8.3% | 8.3% | 33.3% | 36 |
| | Group practice (20 to 29 physicians) | 43.2% | 10.8% | 2.7% | 43.2% | 37 |
| | Group practice (More than 30 physicians) | 46.5% | 10.8% | 4.9% | 37.8% | 185 |
| Specialty Categories | Family/General Medicine | 42.1% | 11.1% | 7.1% | 39.7% | 126 |
| | Obstetrics/Gynecology | 37.9% | 10.3% | 13.8% | 37.9% | 29 |
| | General Internal Medicine | 45.1% | 9.2% | 9.2% | 36.6% | 142 |
| | General Pediatrics | 36.8% | 15.8% | 5.3% | 42.1% | 19 |
| | General Surgery | 51.9% | 14.8% | 7.4% | 25.9% | 27 |
| | Medical Subspecialty | 47.5% | 13.1% | 11.5% | 27.9% | 122 |
| | Pediatric Subspecialty | 40.0% | 20.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 43.9% | 5.3% | 7.0% | 43.9% | 57 |
| | Neurological Surgery | 16.7% | 50.0% | 16.7% | 16.7% | 6 |
| | Psychiatry | 53.7% | 13.0% | 5.6% | 27.8% | 108 |
| | Hospital-based Specialty | 40.7% | 6.9% | 5.8% | 46.6% | 189 |
| Other | 45.0% | 5.0% | 10.0% | 40.0% | 20 | |
| Region | Portland Metro | 44.2% | 9.9% | 7.9% | 38.0% | 455 |
| | Mid-Willamette Valley | 44.5% | 12.7% | 9.1% | 33.6% | 110 |
| | Northwestern | 75.0% | 0.0% | 12.5% | 12.5% | 8 |
| | Southern | 29.8% | 6.4% | 10.6% | 53.2% | 47 |
| | Eastern | 42.9% | 14.3% | 14.3% | 28.6% | 14 |
| | Southwestern | 71.4% | 14.3% | 0.0% | 14.3% | 7 |
| | Central | 48.9% | 8.9% | 4.4% | 37.8% | 45 |
| Overall | | 44.6% | 10.3% | 8.0% | 37.2% | 855 |

Increase diagnostic procedures

| <i>Increase diagnostic procedures performed in your primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|---|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 54.7% | 7.4% | 4.9% | 33.0% | 203 |
| | Partnership (2 to 3 physicians) | 59.6% | 8.5% | 4.3% | 27.7% | 94 |
| | Group practice (4 to 9 physicians) | 46.8% | 15.8% | 8.6% | 28.8% | 139 |
| | Group practice (10 to 13 physicians) | 52.6% | 14.0% | 7.0% | 26.3% | 57 |
| | Group practice (14 to 19 physicians) | 41.7% | 25.0% | 2.8% | 30.6% | 36 |
| | Group practice (20 to 29 physicians) | 45.9% | 18.9% | 2.7% | 32.4% | 37 |
| | Group practice (More than 30 physicians) | 48.6% | 9.2% | 4.9% | 37.3% | 185 |
| Specialty Categories | Family/General Medicine | 46.0% | 13.5% | 1.6% | 38.9% | 126 |
| | Obstetrics/Gynecology | 51.7% | 6.9% | 3.4% | 37.9% | 29 |
| | General Internal Medicine | 48.6% | 10.6% | 5.6% | 35.2% | 142 |
| | General Pediatrics | 31.6% | 21.1% | 5.3% | 42.1% | 19 |
| | General Surgery | 74.1% | 3.7% | 0.0% | 22.2% | 27 |
| | Medical Subspecialty | 55.7% | 10.7% | 7.4% | 26.2% | 122 |
| | Pediatric Subspecialty | 40.0% | 20.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 49.1% | 3.5% | 5.3% | 42.1% | 57 |
| | Neurological Surgery | 33.3% | 16.7% | 16.7% | 33.3% | 6 |
| | Psychiatry | 54.6% | 4.6% | 3.7% | 37.0% | 108 |
| | Hospital-based Specialty | 38.1% | 13.8% | 5.8% | 42.3% | 189 |
| | Other | 35.0% | 10.0% | 15.0% | 40.0% | 20 |
| Region | Portland Metro | 47.5% | 10.5% | 4.8% | 37.1% | 455 |
| | Mid-Willamette Valley | 49.1% | 12.7% | 4.5% | 33.6% | 110 |
| | Northwestern | 87.5% | 0.0% | 0.0% | 12.5% | 8 |
| | Southern | 34.0% | 12.8% | 8.5% | 44.7% | 47 |
| | Eastern | 42.9% | 7.1% | 21.4% | 28.6% | 14 |
| | Southwestern | 71.4% | 14.3% | 0.0% | 14.3% | 7 |
| Central | 53.3% | 8.9% | 2.2% | 35.6% | 45 | |
| Overall | | 47.8% | 10.4% | 5.0% | 36.7% | 855 |

Stop all direct patient care

| <i>Stop providing all direct patient care in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|--|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 57.1% | 7.4% | 10.8% | 24.6% | 203 |
| | Partnership (2 to 3 physicians) | 70.2% | 7.4% | 5.3% | 17.0% | 94 |
| | Group practice (4 to 9 physicians) | 67.6% | 4.3% | 3.6% | 24.5% | 139 |
| | Group practice (10 to 13 physicians) | 66.7% | 5.3% | 3.5% | 24.6% | 57 |
| | Group practice (14 to 19 physicians) | 63.9% | 2.8% | 2.8% | 30.6% | 36 |
| | Group practice (20 to 29 physicians) | 70.3% | 2.7% | 2.7% | 24.3% | 37 |
| | Group practice (More than 30 physicians) | 53.0% | 9.7% | 2.7% | 34.6% | 185 |
| Specialty Categories | Family/General Medicine | 54.8% | 9.5% | 4.8% | 31.0% | 126 |
| | Obstetrics/Gynecology | 55.2% | 13.8% | 10.3% | 20.7% | 29 |
| | General Internal Medicine | 55.6% | 7.0% | 4.9% | 32.4% | 142 |
| | General Pediatrics | 47.4% | 5.3% | 0.0% | 47.4% | 19 |
| | General Surgery | 70.4% | 7.4% | 3.7% | 18.5% | 27 |
| | Medical Subspecialty | 61.5% | 6.6% | 8.2% | 23.8% | 122 |
| | Pediatric Subspecialty | 60.0% | 0.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 47.4% | 5.3% | 5.3% | 42.1% | 57 |
| | Neurological Surgery | 66.7% | 0.0% | 33.3% | 0.0% | 6 |
| | Psychiatry | 67.6% | 6.5% | 5.6% | 20.4% | 108 |
| | Hospital-based Specialty | 55.0% | 4.8% | 3.2% | 37.0% | 189 |
| Other | 50.0% | 0.0% | 10.0% | 40.0% | 20 | |
| Region | Portland Metro | 56.5% | 7.0% | 5.7% | 30.8% | 455 |
| | Mid-Willamette Valley | 56.4% | 6.4% | 6.4% | 30.9% | 110 |
| | Northwestern | 62.5% | 12.5% | 12.5% | 12.5% | 8 |
| | Southern | 48.9% | 2.1% | 8.5% | 40.4% | 47 |
| | Eastern | 64.3% | 7.1% | 0.0% | 28.6% | 14 |
| | Southwestern | 71.4% | 14.3% | 0.0% | 14.3% | 7 |
| | Central | 57.8% | 4.4% | 6.7% | 31.1% | 45 |
| Overall | | 57.5% | 6.5% | 5.4% | 30.5% | 855 |

Stop services to specific groups of patients

| <i>Stop providing services to specific groups of patients in your primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|---|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 56.2% | 12.3% | 5.4% | 26.1% | 203 |
| | Partnership (2 to 3 physicians) | 70.2% | 5.3% | 2.1% | 22.3% | 94 |
| | Group practice (4 to 9 physicians) | 65.5% | 4.3% | 2.9% | 27.3% | 139 |
| | Group practice (10 to 13 physicians) | 61.4% | 10.5% | 1.8% | 26.3% | 57 |
| | Group practice (14 to 19 physicians) | 66.7% | 5.6% | 0.0% | 27.8% | 36 |
| | Group practice (20 to 29 physicians) | 67.6% | 10.8% | 0.0% | 21.6% | 37 |
| | Group practice (More than 30 physicians) | 55.7% | 5.9% | 1.1% | 37.3% | 185 |
| Specialty Categories | Family/General Medicine | 49.2% | 10.3% | 3.2% | 37.3% | 126 |
| | Obstetrics/Gynecology | 69.0% | 3.4% | 3.4% | 24.1% | 29 |
| | General Internal Medicine | 56.3% | 5.6% | 2.8% | 35.2% | 142 |
| | General Pediatrics | 52.6% | 0.0% | 0.0% | 47.4% | 19 |
| | General Surgery | 63.0% | 14.8% | 3.7% | 18.5% | 27 |
| | Medical Subspecialty | 63.9% | 7.4% | 0.8% | 27.9% | 122 |
| | Pediatric Subspecialty | 60.0% | 0.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 47.4% | 8.8% | 3.5% | 40.4% | 57 |
| | Neurological Surgery | 66.7% | 0.0% | 16.7% | 16.7% | 6 |
| | Psychiatry | 62.0% | 8.3% | 3.7% | 25.9% | 108 |
| | Hospital-based Specialty | 58.2% | 5.3% | 0.0% | 36.5% | 189 |
| Other | 50.0% | 5.0% | 15.0% | 30.0% | 20 | |
| Region | Portland Metro | 57.4% | 7.3% | 2.6% | 32.7% | 455 |
| | Mid-Willamette Valley | 54.5% | 9.1% | 3.6% | 32.7% | 110 |
| | Northwestern | 75.0% | 0.0% | 12.5% | 12.5% | 8 |
| | Southern | 46.8% | 6.4% | 0.0% | 46.8% | 47 |
| | Eastern | 64.3% | 7.1% | 0.0% | 28.6% | 14 |
| | Southwestern | 71.4% | 14.3% | 0.0% | 14.3% | 7 |
| | Central | 60.0% | 0.0% | 0.0% | 40.0% | 45 |
| Overall | | 57.5% | 7.0% | 2.5% | 33.0% | 855 |

Reduce hours

| <i>Reduce patient care hours in your primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|--|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 50.2% | 19.7% | 10.3% | 19.7% | 203 |
| | Partnership (2 to 3 physicians) | 61.7% | 11.7% | 8.5% | 18.1% | 94 |
| | Group practice (4 to 9 physicians) | 60.4% | 12.2% | 5.8% | 21.6% | 139 |
| | Group practice (10 to 13 physicians) | 61.4% | 7.0% | 7.0% | 24.6% | 57 |
| | Group practice (14 to 19 physicians) | 61.1% | 8.3% | 0.0% | 30.6% | 36 |
| | Group practice (20 to 29 physicians) | 67.6% | 5.4% | 2.7% | 24.3% | 37 |
| | Group practice (More than 30 physicians) | 48.1% | 13.0% | 7.6% | 31.4% | 185 |
| Specialty Categories | Family/General Medicine | 50.0% | 14.3% | 5.6% | 30.2% | 126 |
| | Obstetrics/Gynecology | 65.5% | 3.4% | 13.8% | 17.2% | 29 |
| | General Internal Medicine | 51.4% | 12.0% | 4.2% | 32.4% | 142 |
| | General Pediatrics | 36.8% | 15.8% | 5.3% | 42.1% | 19 |
| | General Surgery | 55.6% | 14.8% | 14.8% | 14.8% | 27 |
| | Medical Subspecialty | 59.0% | 14.8% | 2.5% | 23.8% | 122 |
| | Pediatric Subspecialty | 60.0% | 0.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 45.6% | 12.3% | 8.8% | 33.3% | 57 |
| | Neurological Surgery | 50.0% | 16.7% | 16.7% | 16.7% | 6 |
| | Psychiatry | 50.9% | 21.3% | 9.3% | 18.5% | 108 |
| | Hospital-based Specialty | 49.2% | 7.9% | 8.5% | 34.4% | 189 |
| | Other | 50.0% | 0.0% | 15.0% | 35.0% | 20 |
| Region | Portland Metro | 53.0% | 11.9% | 6.8% | 28.4% | 455 |
| | Mid-Willamette Valley | 46.4% | 13.6% | 7.3% | 32.7% | 110 |
| | Northwestern | 50.0% | 25.0% | 12.5% | 12.5% | 8 |
| | Southern | 38.3% | 12.8% | 10.6% | 38.3% | 47 |
| | Eastern | 50.0% | 14.3% | 7.1% | 28.6% | 14 |
| | Southwestern | 42.9% | 28.6% | 14.3% | 14.3% | 7 |
| | Central | 53.3% | 8.9% | 4.4% | 33.3% | 45 |
| Overall | | 51.8% | 12.5% | 7.0% | 28.7% | 855 |

Relocate practice within Oregon

| <i>Relocate primary practice within Oregon in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|---|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 70.9% | 5.4% | 2.0% | 21.7% | 203 |
| | Partnership (2 to 3 physicians) | 59.6% | 11.7% | 5.3% | 23.4% | 94 |
| | Group practice (4 to 9 physicians) | 66.2% | 5.8% | 2.2% | 25.9% | 139 |
| | Group practice (10 to 13 physicians) | 66.7% | 7.0% | 3.5% | 22.8% | 57 |
| | Group practice (14 to 19 physicians) | 61.1% | 8.3% | 0.0% | 30.6% | 36 |
| | Group practice (20 to 29 physicians) | 75.7% | 8.1% | 2.7% | 13.5% | 37 |
| | Group practice (More than 30 physicians) | 56.8% | 8.1% | 1.6% | 33.5% | 185 |
| Specialty Categories | Family/General Medicine | 59.5% | 7.9% | 2.4% | 30.2% | 126 |
| | Obstetrics/Gynecology | 62.1% | 6.9% | 3.4% | 27.6% | 29 |
| | General Internal Medicine | 52.8% | 8.5% | 2.8% | 35.9% | 142 |
| | General Pediatrics | 52.6% | 0.0% | 5.3% | 42.1% | 19 |
| | General Surgery | 66.7% | 11.1% | 0.0% | 22.2% | 27 |
| | Medical Subspecialty | 63.9% | 3.3% | 2.5% | 30.3% | 122 |
| | Pediatric Subspecialty | 60.0% | 0.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 50.9% | 5.3% | 5.3% | 38.6% | 57 |
| | Neurological Surgery | 66.7% | 0.0% | 16.7% | 16.7% | 6 |
| | Psychiatry | 67.6% | 11.1% | 0.9% | 20.4% | 108 |
| | Hospital-based Specialty | 61.9% | 5.8% | 1.6% | 30.7% | 189 |
| Other | 60.0% | 0.0% | 5.0% | 35.0% | 20 | |
| Region | Portland Metro | 60.4% | 5.7% | 2.2% | 31.6% | 455 |
| | Mid-Willamette Valley | 60.0% | 7.3% | 1.8% | 30.9% | 110 |
| | Northwestern | 100.0% | 0.0% | 0.0% | 0.0% | 8 |
| | Southern | 44.7% | 8.5% | 4.3% | 42.6% | 47 |
| | Eastern | 85.7% | 0.0% | 7.1% | 7.1% | 14 |
| | Southwestern | 71.4% | 14.3% | 14.3% | 0.0% | 7 |
| | Central | 68.9% | 0.0% | 2.2% | 28.9% | 45 |
| Overall | | 60.4% | 6.7% | 2.5% | 30.5% | 855 |

Relocate practice to another state

| <i>Relocate primary practice to another state in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|--|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 63.5% | 7.9% | 5.4% | 23.2% | 203 |
| | Partnership (2 to 3 physicians) | 60.6% | 14.9% | 2.1% | 22.3% | 94 |
| | Group practice (4 to 9 physicians) | 64.0% | 5.0% | 6.5% | 24.5% | 139 |
| | Group practice (10 to 13 physicians) | 64.9% | 8.8% | 3.5% | 22.8% | 57 |
| | Group practice (14 to 19 physicians) | 52.8% | 16.7% | 2.8% | 27.8% | 36 |
| | Group practice (20 to 29 physicians) | 75.7% | 8.1% | 2.7% | 13.5% | 37 |
| | Group practice (More than 30 physicians) | 54.1% | 9.2% | 4.9% | 31.9% | 185 |
| Specialty Categories | Family/General Medicine | 58.7% | 9.5% | 4.0% | 27.8% | 126 |
| | Obstetrics/Gynecology | 55.2% | 10.3% | 6.9% | 27.6% | 29 |
| | General Internal Medicine | 52.8% | 9.2% | 2.8% | 35.2% | 142 |
| | General Pediatrics | 36.8% | 5.3% | 10.5% | 47.4% | 19 |
| | General Surgery | 55.6% | 14.8% | 0.0% | 29.6% | 27 |
| | Medical Subspecialty | 57.4% | 6.6% | 7.4% | 28.7% | 122 |
| | Pediatric Subspecialty | 60.0% | 0.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 50.9% | 8.8% | 0.0% | 40.4% | 57 |
| | Neurological Surgery | 33.3% | 33.3% | 16.7% | 16.7% | 6 |
| | Psychiatry | 69.4% | 6.5% | 1.9% | 22.2% | 108 |
| | Hospital-based Specialty | 56.6% | 9.5% | 5.8% | 28.0% | 189 |
| Other | 60.0% | 0.0% | 5.0% | 35.0% | 20 | |
| Region | Portland Metro | 59.3% | 6.8% | 2.6% | 31.2% | 455 |
| | Mid-Willamette Valley | 55.5% | 8.2% | 4.5% | 31.8% | 110 |
| | Northwestern | 100.0% | 0.0% | 0.0% | 0.0% | 8 |
| | Southern | 38.3% | 10.6% | 6.4% | 44.7% | 47 |
| | Eastern | 71.4% | 14.3% | 0.0% | 14.3% | 14 |
| | Southwestern | 57.1% | 14.3% | 28.6% | 0.0% | 7 |
| | Central | 62.2% | 2.2% | 8.9% | 26.7% | 45 |
| Overall | | 57.2% | 8.5% | 4.3% | 29.9% | 855 |

Retire from practice

| <i>Retire from your primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|---|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 59.1% | 19.2% | 12.3% | 9.4% | 203 |
| | Partnership (2 to 3 physicians) | 62.8% | 13.8% | 10.6% | 12.8% | 94 |
| | Group practice (4 to 9 physicians) | 69.8% | 10.8% | 5.0% | 14.4% | 139 |
| | Group practice (10 to 13 physicians) | 68.4% | 14.0% | 3.5% | 14.0% | 57 |
| | Group practice (14 to 19 physicians) | 69.4% | 11.1% | 5.6% | 13.9% | 36 |
| | Group practice (20 to 29 physicians) | 78.4% | 8.1% | 2.7% | 10.8% | 37 |
| | Group practice (More than 30 physicians) | 56.2% | 14.1% | 6.5% | 23.2% | 185 |
| Specialty Categories | Family/General Medicine | 54.0% | 20.6% | 7.1% | 18.3% | 126 |
| | Obstetrics/Gynecology | 55.2% | 13.8% | 24.1% | 6.9% | 29 |
| | General Internal Medicine | 58.5% | 12.0% | 4.2% | 25.4% | 142 |
| | General Pediatrics | 36.8% | 21.1% | 15.8% | 26.3% | 19 |
| | General Surgery | 66.7% | 7.4% | 14.8% | 11.1% | 27 |
| | Medical Subspecialty | 63.9% | 12.3% | 7.4% | 16.4% | 122 |
| | Pediatric Subspecialty | 60.0% | 0.0% | 20.0% | 20.0% | 5 |
| | Surgical Subspecialty | 50.9% | 17.5% | 12.3% | 19.3% | 57 |
| | Neurological Surgery | 66.7% | 16.7% | 16.7% | 0.0% | 6 |
| | Psychiatry | 66.7% | 11.1% | 6.5% | 15.7% | 108 |
| | Hospital-based Specialty | 60.3% | 15.9% | 5.8% | 18.0% | 189 |
| Other | 45.0% | 15.0% | 10.0% | 30.0% | 20 | |
| Region | Portland Metro | 57.1% | 15.6% | 8.1% | 19.1% | 455 |
| | Mid-Willamette Valley | 59.1% | 10.9% | 9.1% | 20.9% | 110 |
| | Northwestern | 75.0% | 12.5% | 12.5% | 0.0% | 8 |
| | Southern | 48.9% | 14.9% | 10.6% | 25.5% | 47 |
| | Eastern | 71.4% | 14.3% | 0.0% | 14.3% | 14 |
| | Southwestern | 57.1% | 42.9% | 0.0% | 0.0% | 7 |
| | Central | 62.2% | 17.8% | 4.4% | 15.6% | 45 |
| Overall | | 59.1% | 14.5% | 7.8% | 18.6% | 855 |

Increase patient volume

| <i>Increase patient volume of your primary practice in the next two years?</i> | | <i>Not anticipated</i> | <i>Might do</i> | <i>Definitely will do</i> | <i>Not applicable</i> | <i>Total</i> |
|--|--|------------------------|-----------------|---------------------------|-----------------------|--------------|
| What is the size of your primary practice? | Solo practice | 53.7% | 16.3% | 10.3% | 19.7% | 203 |
| | Partnership (2 to 3 physicians) | 48.9% | 12.8% | 20.2% | 18.1% | 94 |
| | Group practice (4 to 9 physicians) | 41.7% | 20.9% | 15.8% | 21.6% | 139 |
| | Group practice (10 to 13 physicians) | 50.9% | 10.5% | 15.8% | 22.8% | 57 |
| | Group practice (14 to 19 physicians) | 30.6% | 27.8% | 22.2% | 19.4% | 36 |
| | Group practice (20 to 29 physicians) | 48.6% | 27.0% | 10.8% | 13.5% | 37 |
| | Group practice (More than 30 physicians) | 51.4% | 13.5% | 7.6% | 27.6% | 185 |
| Specialty Categories | Family/General Medicine | 44.4% | 12.7% | 15.9% | 27.0% | 126 |
| | Obstetrics/Gynecology | 58.6% | 6.9% | 10.3% | 24.1% | 29 |
| | General Internal Medicine | 44.4% | 18.3% | 9.2% | 28.2% | 142 |
| | General Pediatrics | 31.6% | 15.8% | 10.5% | 42.1% | 19 |
| | General Surgery | 37.0% | 18.5% | 22.2% | 22.2% | 27 |
| | Medical Subspecialty | 49.2% | 12.3% | 17.2% | 21.3% | 122 |
| | Pediatric Subspecialty | 40.0% | 20.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 49.1% | 8.8% | 8.8% | 33.3% | 57 |
| | Neurological Surgery | 50.0% | 16.7% | 33.3% | 0.0% | 6 |
| | Psychiatry | 59.3% | 13.9% | 8.3% | 18.5% | 108 |
| | Hospital-based Specialty | 41.3% | 19.0% | 10.1% | 29.6% | 189 |
| Other | 25.0% | 30.0% | 10.0% | 35.0% | 20 | |
| Region | Portland Metro | 43.7% | 17.6% | 12.7% | 25.9% | 455 |
| | Mid-Willamette Valley | 49.1% | 12.7% | 11.8% | 26.4% | 110 |
| | Northwestern | 100.0% | 0.0% | 0.0% | 0.0% | 8 |
| | Southern | 34.0% | 10.6% | 12.8% | 42.6% | 47 |
| | Eastern | 50.0% | 21.4% | 7.1% | 21.4% | 14 |
| | Southwestern | 85.7% | 14.3% | 0.0% | 0.0% | 7 |
| | Central | 57.8% | 6.7% | 6.7% | 28.9% | 45 |
| Overall | | 45.8% | 15.6% | 12.2% | 26.4% | 855 |

Weekly hours in direct patient care

| <i>In a typical week, how many hours do you spend in direct patient care at all of your practice locations?</i> | | <i>Not applicable</i> | <i>Less than 8 hours</i> | <i>8 to 16 hours</i> | <i>17 to 24 hours</i> | <i>25 to 32 hours</i> | <i>33 to 40 hours</i> | <i>41 to 48 hours</i> | <i>49 to 60 hours</i> | <i>More than 60 hours</i> | <i>Total</i> |
|---|---|-----------------------|--------------------------|----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------------|--------------|
| Gender | Female | 16.6% | 15.2% | 9.7% | 10.1% | 17.1% | 15.2% | 10.6% | 3.2% | 2.3% | 217 |
| | Male | 28.1% | 17.7% | 7.2% | 7.6% | 9.0% | 12.2% | 8.0% | 7.8% | 2.2% | 498 |
| Age | Under 50 years | 19.5% | 11.4% | 6.1% | 7.3% | 11.8% | 18.7% | 11.0% | 10.2% | 4.1% | 246 |
| | 50 to 64 years | 21.2% | 17.5% | 8.1% | 9.1% | 13.5% | 13.1% | 9.4% | 6.1% | 2.0% | 297 |
| | 65 or more | 37.4% | 24.1% | 10.9% | 8.6% | 7.5% | 5.2% | 4.6% | 1.7% | 0.0% | 174 |
| What is the size of your primary practice? | Solo practice | 19.5% | 14.8% | 13.6% | 13.0% | 16.0% | 13.0% | 5.3% | 3.0% | 1.8% | 169 |
| | Partnership (2-3 physicians) | 23.1% | 17.9% | 2.6% | 9.0% | 11.5% | 17.9% | 7.7% | 7.7% | 2.6% | 78 |
| | Group practice (4 to 9 physicians) | 20.7% | 13.8% | 4.3% | 9.5% | 14.7% | 17.2% | 11.2% | 5.2% | 3.4% | 116 |
| | Group practice (10-13 physicians) | 31.2% | 12.5% | 2.1% | 8.3% | 8.3% | 16.7% | 6.2% | 8.3% | 6.2% | 48 |
| | Group practice (14-19 physicians) | 17.2% | 24.1% | 3.4% | 6.9% | 3.4% | 13.8% | 10.3% | 17.2% | 3.4% | 29 |
| | Group practice (20-29 physicians) | 29.0% | 16.1% | 3.2% | 6.5% | 19.4% | 6.5% | 9.7% | 9.7% | 0.0% | 31 |
| | Group practice (30 or more than physicians) | 20.1% | 16.9% | 11.7% | 7.1% | 9.7% | 13.6% | 11.7% | 7.8% | 1.3% | 154 |
| | Other | 44.9% | 25.6% | 7.7% | 1.3% | 2.6% | 1.3% | 10.3% | 5.1% | 1.3% | 78 |
| What is your employment status at your primary practice? | Full owner | 15.3% | 14.6% | 11.8% | 14.6% | 18.1% | 15.3% | 5.6% | 4.2% | 0.7% | 144 |
| | Part owner (or shareholder) | 16.1% | 19.5% | 8.0% | 5.7% | 13.8% | 14.9% | 11.5% | 9.2% | 1.1% | 87 |
| | Employee | 22.4% | 15.7% | 6.1% | 8.9% | 10.9% | 14.7% | 11.2% | 7.7% | 2.6% | 313 |
| | Independent contractor | 35.8% | 10.5% | 7.4% | 5.3% | 10.5% | 11.6% | 9.5% | 6.3% | 3.2% | 95 |
| | Volunteer | 33.3% | 55.6% | 11.1% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 18 |
| | Other | 49.1% | 24.6% | 10.5% | 1.8% | 0.0% | 3.5% | 1.8% | 3.5% | 5.3% | 57 |
| <i>In a typical week, how many hours do you spend in direct patient care at all of your practice locations?</i> | | <i>Not applicable</i> | <i>Less than 8 hours</i> | <i>8 to 16 hours</i> | <i>17 to 24 hours</i> | <i>25 to 32 hours</i> | <i>33 to 40 hours</i> | <i>41 to 48 hours</i> | <i>49 to 60 hours</i> | <i>More than 60 hours</i> | <i>Total</i> |
| Specialty Categories | Family/General Medicine | 24.8% | 19.8% | 9.9% | 7.9% | 17.8% | 11.9% | 5.0% | 2.0% | 1.0% | 101 |
| | Obstetrics/Gynecology | 18.5% | 29.6% | 14.8% | 7.4% | 3.7% | 11.1% | 11.1% | 0.0% | 3.7% | 27 |
| | General Internal Medicine | 24.6% | 11.5% | 11.5% | 8.5% | 10.8% | 10.0% | 13.8% | 4.6% | 4.6% | 130 |
| | General Pediatrics | 57.1% | 14.3% | 14.3% | 7.1% | 0.0% | 0.0% | 0.0% | 7.1% | 0.0% | 14 |
| | General Surgery | 33.3% | 8.3% | 4.2% | 0.0% | 12.5% | 4.2% | 16.7% | 16.7% | 4.2% | 24 |
| | Medical Subspecialty | 17.5% | 24.7% | 4.1% | 12.4% | 8.2% | 19.6% | 8.2% | 5.2% | 0.0% | 97 |
| | Pediatric Subspecialty | 60.0% | 0.0% | 20.0% | 0.0% | 0.0% | 20.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Surgical Subspecialty | 36.6% | 22.0% | 9.8% | 2.4% | 9.8% | 7.3% | 7.3% | 4.9% | 0.0% | 41 |
| | Neurological Surgery | 40.0% | 20.0% | 0.0% | 20.0% | 0.0% | 20.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Psychiatry | 16.0% | 11.7% | 5.3% | 14.9% | 18.1% | 23.4% | 7.4% | 3.2% | 0.0% | 94 |
| | Hospital-based Specialty | 26.9% | 17.3% | 5.8% | 5.1% | 9.0% | 9.6% | 8.3% | 13.5% | 4.5% | 156 |

| | | | | | | | | | | | |
|-----------|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| | Other | 11.1% | 11.1% | 5.6% | 11.1% | 16.7% | 22.2% | 11.1% | 11.1% | 0.0% | 18 |
| Region | Portland Metro | 19.3% | 13.2% | 10.1% | 10.3% | 13.8% | 14.8% | 8.5% | 7.9% | 2.1% | 378 |
| | Mid-Willamette Valley | 20.2% | 17.9% | 7.1% | 8.3% | 9.5% | 16.7% | 13.1% | 7.1% | 0.0% | 84 |
| | Northwestern | 25.0% | 12.5% | 12.5% | 0.0% | 12.5% | 12.5% | 12.5% | 0.0% | 12.5% | 8 |
| | Southern | 37.1% | 8.6% | 0.0% | 8.6% | 20.0% | 2.9% | 14.3% | 5.7% | 2.9% | 35 |
| | Eastern | 0.0% | 25.0% | 16.7% | 0.0% | 8.3% | 8.3% | 16.7% | 8.3% | 16.7% | 12 |
| | Southwestern | 0.0% | 50.0% | 16.7% | 0.0% | 0.0% | 16.7% | 16.7% | 0.0% | 0.0% | 6 |
| | Central | 25.0% | 22.5% | 10.0% | 10.0% | 7.5% | 7.5% | 12.5% | 0.0% | 5.0% | 40 |
| | Other | 39.6% | 24.7% | 3.9% | 4.5% | 6.5% | 11.0% | 3.9% | 4.5% | 1.3% | 154 |
| Statewide | | 24.5% | 17.0% | 8.1% | 8.4% | 11.4% | 13.1% | 8.8% | 6.4% | 2.2% | 717 |

Weekly hours on administrative tasks

In a typical week, how many hours do you spend doing administrative tasks associated with patient care (e.g., charting, phone calls, referrals, paperwork) at all of your practice locations

| | | Not applicable | Less than 5 hours | 5 to 9 hours | 10 to 14 hours | 15 to 20 hours | More than 20 hours | Total |
|--|---|----------------|-------------------|--------------|----------------|----------------|--------------------|-------|
| Gender | Female | 26.6% | 19.6% | 23.4% | 14.0% | 11.2% | 5.1% | 214 |
| | Male | 35.1% | 23.9% | 17.0% | 11.0% | 9.1% | 3.9% | 493 |
| Age | Under 50 years | 28.5% | 18.3% | 23.6% | 14.2% | 11.4% | 4.1% | 246 |
| | 50 to 64 years | 30.0% | 25.3% | 17.4% | 11.3% | 10.9% | 5.1% | 293 |
| | 65 or more | 42.9% | 24.1% | 15.3% | 9.4% | 5.3% | 2.9% | 170 |
| What is the size of your primary practice? | Solo practice | 25.0% | 23.2% | 22.6% | 16.7% | 8.9% | 3.6% | 168 |
| | Partnership (2-3 physicians) | 24.7% | 27.3% | 26.0% | 9.1% | 11.7% | 1.3% | 77 |
| | Group practice (4 to 9 physicians) | 25.2% | 25.2% | 20.0% | 11.3% | 12.2% | 6.1% | 115 |
| | Group practice (10-13 physicians) | 38.3% | 19.1% | 14.9% | 10.6% | 12.8% | 4.3% | 47 |
| | Group practice (14-19 physicians) | 27.6% | 24.1% | 20.7% | 17.2% | 6.9% | 3.4% | 29 |
| | Group practice (20-29 physicians) | 41.9% | 19.4% | 22.6% | 6.5% | 6.5% | 3.2% | 31 |
| | Group practice (30 or more than physicians) | 30.9% | 24.3% | 17.8% | 11.8% | 9.9% | 5.3% | 152 |
| Other | 65.8% | 13.2% | 7.9% | 5.3% | 5.3% | 2.6% | 76 | |
| What is your employment status at your primary practice? | Full owner | 20.8% | 22.2% | 25.0% | 16.0% | 11.8% | 4.2% | 144 |
| | Part owner (or shareholder) | 26.7% | 22.1% | 20.9% | 15.1% | 8.1% | 7.0% | 86 |
| | Employee | 28.5% | 24.7% | 20.2% | 10.9% | 11.9% | 3.8% | 312 |
| | Independent contractor | 42.4% | 21.7% | 17.4% | 10.9% | 5.4% | 2.2% | 92 |
| | Volunteer | 50.0% | 38.9% | 0.0% | 5.6% | 0.0% | 5.6% | 18 |
| | Other | 74.1% | 7.4% | 3.7% | 5.6% | 5.6% | 3.7% | 54 |

In a typical week, how many hours do you spend doing administrative tasks associated with patient care (e.g., charting, phone calls, referrals, paperwork) at all of your practice locations

| | | Not applicable | Less than 5 hours | 5 to 9 hours | 10 to 14 hours | 15 to 20 hours | More than 20 hours | Total |
|----------------------|---------------------------|----------------|-------------------|--------------|----------------|----------------|--------------------|-------|
| Specialty Categories | Family/General Medicine | 31.3% | 25.3% | 16.2% | 12.1% | 8.1% | 7.1% | 99 |
| | Obstetrics/Gynecology | 51.9% | 22.2% | 11.1% | 14.8% | 0.0% | 0.0% | 27 |
| | General Internal Medicine | 31.5% | 16.2% | 18.5% | 11.5% | 16.2% | 6.2% | 130 |
| | General Pediatrics | 42.9% | 14.3% | 21.4% | 0.0% | 7.1% | 14.3% | 14 |
| | General Surgery | 33.3% | 25.0% | 12.5% | 8.3% | 16.7% | 4.2% | 24 |
| | Medical Subspecialty | 31.9% | 23.4% | 26.6% | 12.8% | 4.3% | 1.1% | 94 |
| | Pediatric Subspecialty | 60.0% | 40.0% | 0.0% | 0.0% | 0.0% | 0.0% | 5 |
| | Surgical Subspecialty | 37.5% | 20.0% | 17.5% | 5.0% | 17.5% | 2.5% | 40 |
| | Neurological Surgery | 40.0% | 0.0% | 40.0% | 20.0% | 0.0% | 0.0% | 5 |
| | Psychiatry | 21.5% | 21.5% | 23.7% | 17.2% | 11.8% | 4.3% | 93 |
| | Hospital-based Specialty | 36.8% | 27.7% | 17.4% | 9.0% | 6.5% | 2.6% | 155 |
| Other | 11.1% | 22.2% | 11.1% | 33.3% | 11.1% | 11.1% | 18 | |
| Region | Portland Metro | 24.3% | 22.7% | 22.7% | 11.6% | 13.8% | 4.9% | 370 |
| | Mid-Willamette Valley | 27.4% | 22.6% | 21.4% | 14.3% | 8.3% | 6.0% | 84 |
| | Northwestern | 37.5% | 25.0% | 12.5% | 25.0% | 0.0% | 0.0% | 8 |

| | | | | | | | |
|--------------------|-------|-------|-------|-------|-------|-------|-----|
| Southern | 25.7% | 28.6% | 17.1% | 17.1% | 0.0% | 11.4% | 35 |
| Eastern | 8.3% | 50.0% | 25.0% | 8.3% | 0.0% | 8.3% | 12 |
| Southwestern | 16.7% | 33.3% | 0.0% | 33.3% | 0.0% | 16.7% | 6 |
| Central | 35.0% | 32.5% | 17.5% | 5.0% | 7.5% | 2.5% | 40 |
| Other | 58.4% | 15.6% | 10.4% | 10.4% | 5.20% | 0.00% | 154 |
| ----- Statewide | 32.6% | 22.6% | 19.0% | 11.8% | 9.7% | 4.2% | 709 |

Taking call

In a typical week, how many patients do you see in the hospital/emergency department setting (e.g., not phone consults) as a result of taking call?

| | | None (I do not take call) | 1 to 2 patients | 3 to 5 patients | 6 to 10 patients | More than 10 patients | Total |
|--|---|---------------------------|-----------------|-----------------|------------------|-----------------------|-------|
| Gender | Female | 53.3% | 17.9% | 10.5% | 6.4% | 11.9% | 1035 |
| | Male | 51.2% | 16.3% | 12.9% | 8.1% | 11.4% | 2175 |
| Age | Under 50 years | 39.9% | 19.6% | 14.3% | 9.5% | 16.7% | 1288 |
| | 50 to 64 years | 53.8% | 17.3% | 11.8% | 7.5% | 9.5% | 1404 |
| | 65 or more | 76.2% | 8.3% | 7.7% | 3.1% | 4.8% | 520 |
| What is the size of your primary practice? | Solo practice | 68.2% | 15.5% | 9.4% | 4.9% | 2.1% | 534 |
| | Partnership (2-3 physicians) | 47.4% | 23.6% | 12.3% | 9.9% | 6.8% | 424 |
| | Group practice (4 to 9 physicians) | 46.1% | 17.4% | 12.5% | 8.6% | 15.4% | 753 |
| | Group practice (10-13 physicians) | 47.0% | 19.8% | 13.8% | 4.9% | 14.5% | 283 |
| | Group practice (14-19 physicians) | 42.9% | 15.6% | 14.1% | 8.3% | 19.0% | 205 |
| | Group practice (20-29 physicians) | 45.8% | 13.3% | 11.4% | 12.0% | 17.5% | 166 |
| | Group practice (30 or more than physicians) | 50.5% | 14.5% | 13.5% | 8.0% | 13.5% | 661 |
| | Other | 68.9% | 8.8% | 9.5% | 3.4% | 9.5% | 148 |
| What is your employment status at your primary practice? | Full owner | 57.8% | 21.1% | 10.3% | 7.0% | 3.8% | 554 |
| | Part owner (or shareholder) | 40.4% | 19.6% | 16.8% | 9.8% | 13.4% | 695 |
| | Employee | 50.2% | 16.8% | 12.0% | 7.3% | 13.6% | 1544 |
| | Independent contractor | 69.0% | 4.9% | 7.7% | 6.7% | 11.6% | 284 |
| | Volunteer | 92.9% | 3.6% | 3.6% | 0.0% | 0.0% | 28 |
| | Other | 66.3% | 7.4% | 7.4% | 4.2% | 14.7% | 95 |

In a typical week, how many patients do you see in the hospital/emergency department setting (e.g., not phone consults) as a result of taking call?

| | | None (I do not take call) | 1 to 2 patients | 3 to 5 patients | 6 to 10 patients | More than 10 patients | Total |
|----------------------|---------------------------|---------------------------|-----------------|-----------------|------------------|-----------------------|-------|
| Specialty Categories | Family/General Medicine | 71.8% | 11.3% | 7.7% | 4.3% | 4.9% | 556 |
| | Obstetrics/Gynecology | 21.5% | 39.2% | 19.0% | 10.8% | 9.5% | 158 |
| | General Internal Medicine | 58.4% | 10.1% | 5.4% | 6.0% | 20.0% | 515 |
| | General Pediatrics | 43.3% | 22.4% | 15.4% | 7.5% | 11.4% | 201 |
| | General Surgery | 17.2% | 18.9% | 32.0% | 21.3% | 10.7% | 122 |
| | Medical Subspecialty | 42.2% | 26.4% | 16.4% | 7.6% | 7.4% | 512 |
| | Pediatric Subspecialty | 34.5% | 21.8% | 12.7% | 14.5% | 16.4% | 55 |
| | Surgical Subspecialty | 40.4% | 25.4% | 17.8% | 9.4% | 7.0% | 213 |
| | Neurological Surgery | 23.1% | 11.5% | 46.2% | 11.5% | 7.7% | 26 |
| | Psychiatry | 75.5% | 14.1% | 4.5% | 2.3% | 3.6% | 220 |
| | Hospital-based Specialty | 51.3% | 7.9% | 11.1% | 9.3% | 20.4% | 558 |
| Other | 58.7% | 22.2% | 7.9% | 4.8% | 6.3% | 63 | |
| Region | Portland Metro | 53.7% | 16.8% | 12.1% | 6.9% | 10.6% | 1588 |
| | Mid-Willamette Valley | 54.8% | 17.8% | 9.5% | 8.4% | 9.5% | 580 |

| | | | | | | |
|--------------------|-------|-------|-------|-------|--------|------|
| Northwestern | 55.1% | 21.8% | 11.5% | 5.1% | 6.4% | 78 |
| Southern | 45.8% | 15.0% | 12.3% | 10.3% | 16.6% | 253 |
| Eastern | 26.5% | 14.7% | 19.1% | 19.1% | 20.6% | 68 |
| Southwestern | 45.7% | 19.6% | 10.9% | 8.7% | 15.2% | 46 |
| Central | 45.6% | 13.9% | 17.1% | 8.7% | 14.7% | 252 |
| Other | 52.4% | 17.6% | 12.1% | 4.9% | 13.00% | 347 |
| ----- Statewide | 51.9% | 16.8% | 12.1% | 7.6% | 11.6% | 3212 |

Changes in hospital privileges

| <i>In the last 12 months, have you changed your hospital privileges?</i> | | Yes | No | Total |
|--|---|-------|-------|-------|
| Gender | Female | 8.4% | 91.6% | 477 |
| | Male | 9.8% | 90.2% | 1031 |
| Age | Under 50 years | 9.8% | 90.2% | 767 |
| | 50 to 64 years | 8.5% | 91.5% | 620 |
| | 65 or more | 11.4% | 88.6% | 123 |
| What is the size of your primary practice? | Solo practice | 7.7% | 92.3% | 168 |
| | Partnership (2-3 physicians) | 11.4% | 88.6% | 220 |
| | Group practice (4 to 9 physicians) | 10.6% | 89.4% | 396 |
| | Group practice (10-13 physicians) | 10.2% | 89.8% | 147 |
| | Group practice (14-19 physicians) | 10.6% | 89.4% | 113 |
| | Group practice (20-29 physicians) | 10.3% | 89.7% | 87 |
| | Group practice (30 or more than physicians) | 6.0% | 94.0% | 318 |
| What is your employment status at your primary practice? | Other | 13.0% | 87.0% | 46 |
| | Full owner | 7.4% | 92.6% | 231 |
| | Part owner (or shareholder) | 7.7% | 92.3% | 404 |
| | Employee | 8.8% | 91.2% | 750 |
| | Independent contractor | 24.7% | 75.3% | 85 |
| | Volunteer | 50.0% | 50.0% | 2 |
| Specialty Categories | Other | 19.4% | 80.6% | 31 |
| | Family/General Medicine | 9.2% | 90.8% | 153 |
| | Obstetrics/Gynecology | 9.8% | 90.2% | 123 |
| | General Internal Medicine | 11.9% | 88.1% | 210 |
| | General Pediatrics | 13.4% | 86.6% | 11 |
| | General Surgery | 6.1% | 93.9% | 98 |
| | Medical Subspecialty | 12.6% | 87.4% | 286 |
| | Pediatric Subspecialty | 14.3% | 85.7% | 35 |
| | Surgical Subspecialty | 6.5% | 93.5% | 124 |
| | Neurological Surgery | 10.0% | 90.0% | 20 |
| | Psychiatry | 5.7% | 94.3% | 53 |
| | Hospital-based Specialty | 4.2% | 95.8% | 265 |
| | Other | 15.4% | 84.6% | 26 |
| Region | Portland Metro | 8.2% | 91.8% | 717 |
| | Mid-Willamette Valley | 7.8% | 92.2% | 256 |
| | Northwestern | 11.4% | 88.6% | 35 |
| | Southern | 10.6% | 89.4% | 132 |
| | Eastern | 8.0% | 92.0% | 50 |
| | Southwestern | 4.0% | 96.0% | 25 |
| | Central | 11.3% | 88.7% | 133 |
| | Other | 15.4% | 84.6% | 162 |
| Statewide | | 9.4% | 90.6% | 1510 |

Reasons for changing hospital privileges

| <i>Reasons for changing hospital privileges</i> | | <i>Increasingly required procedures beyond the scope of my practice</i> | <i>Increasing demand for call coverage</i> | <i>Change in practice</i> | <i>Change in hospital bylaws</i> | <i>Increasing uncompensated care</i> | <i>Other</i> | <i>Total</i> |
|---|----------------|---|--|---------------------------|----------------------------------|--------------------------------------|--------------|--------------|
| Gender | Female | 7.5% | 27.5% | 62.5% | 12.5% | 12.5% | 22.5% | 40 |
| | Male | 8.2% | 27.8% | 55.7% | 5.2% | 18.6% | 16.5% | 97 |
| Age | Under 50 years | 6.8% | 31.5% | 60.3% | 4.1% | 13.7% | 19.2% | 73 |
| | 50 to 64 years | 9.8% | 25.5% | 54.9% | 11.8% | 23.5% | 17.6% | 51 |
| | 65 or more | 14.3% | 14.3% | 57.1% | 7.1% | 7.1% | 14.3% | 14 |

| | | | | | | | | |
|--|-----------------------------|---|--|---------------------------|----------------------------------|--------------------------------------|--------------|--------------|
| What is your employment status at your primary practice? | Full owner | 12.5% | 37.5% | 62.5% | 12.5% | 18.8% | 12.5% | 16 |
| | Part owner (or shareholder) | 13.3% | 50.0% | 46.7% | 20.0% | 46.7% | 3.3% | 30 |
| | Employee | 9.4% | 21.9% | 62.5% | 1.6% | 7.8% | 18.8% | 64 |
| | Independent contractor | 0.0% | 9.5% | 71.4% | 0.0% | 4.8% | 19.0% | 21 |
| | Volunteer | 0.0% | 16.7% | 16.7% | 16.7% | 0.0% | 83.3% | 1 |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 100.0% | 6 |
| Specialty Categories | Family/General Medicine | 7.7% | 15.4% | 23.1% | 0.0% | 7.7% | 46.2% | 13 |
| | Obstetrics/Gynecology | 8.3% | 25.0% | 75.0% | 8.3% | 8.3% | 8.3% | 12 |
| | General Internal Medicine | 17.4% | 21.7% | 56.5% | 0.0% | 17.4% | 21.7% | 23 |
| | General Pediatrics | 20.0% | 40.0% | 66.7% | 13.3% | 13.3% | 6.7% | 15 |
| | General Surgery | 0.0% | 33.3% | 50.0% | 0.0% | 16.7% | 16.7% | 6 |
| | Medical Subspecialty | 0.0% | 38.9% | 58.3% | 13.9% | 25.0% | 19.4% | 36 |
| | Pediatric Subspecialty | 0.0% | 0.0% | 60.0% | 0.0% | 0.0% | 40.0% | 5 |
| | Surgical Subspecialty | 14.3% | 28.6% | 71.4% | 0.0% | 14.3% | 0.0% | 7 |
| | Neurological Surgery | 0.0% | 50.0% | 50.0% | 0.0% | 0.0% | 0.0% | 2 |
| | Psychiatry | 0.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 3 |
| | Hospital-based Specialty | 9.1% | 18.2% | 63.6% | 0.0% | 18.2% | 9.1% | 11 |
| | Other | 25.0% | 25.0% | 25.0% | 50.0% | 50.0% | 25.0% | 4 |
| <i>Reasons for changing hospital privileges</i> | | <i>Increasingly required procedures beyond the scope of my practice</i> | <i>Increasing demand for call coverage</i> | <i>Change in practice</i> | <i>Change in hospital bylaws</i> | <i>Increasing uncompensated care</i> | <i>Other</i> | <i>Total</i> |
| Region | Portland Metro | 6.8% | 40.7% | 57.6% | 13.6% | 23.7% | 13.6% | 59 |
| | Mid-Willamette Valley | 11.1% | 5.6% | 72.2% | 11.1% | 5.6% | 16.7% | 18 |
| | Northwestern | 0.0% | 50.0% | 25.0% | 0.0% | 0.0% | 25.0% | 4 |
| | Southern | 15.4% | 30.8% | 53.8% | 0.0% | 23.1% | 23.1% | 13 |
| | Eastern | 25.0% | 25.0% | 75.0% | 0.0% | 50.0% | 0.0% | 4 |
| | Southwestern | 0.0% | 0.0% | 100.0% | 0.0% | 0.0% | 0.0% | 1 |
| | Central | 7.1% | 7.1% | 50.0% | 0.0% | 0.0% | 42.9% | 14 |
| | Other | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| Statewide | | 8.8% | 29.2% | 58.4% | 8.8% | 17.7% | 18.6% | 113 |

Charity care

| <i>In a typical month, about how many hours do you spend providing charity care?</i> | | <i>No charity care</i> | <i>1-10 hours</i> | <i>11-20 hours</i> | <i>21-30 hours</i> | <i>More than 40 hours</i> | <i>Don't know</i> | <i>Does not apply</i> | <i>Total</i> |
|--|---------------------------|------------------------|-------------------|--------------------|--------------------|---------------------------|-------------------|-----------------------|--------------|
| Gender | Female | 23.6% | 39.1% | 10.2% | 1.9% | 1.4% | 11.2% | 11.8% | 1037 |
| | Male | 18.3% | 42.6% | 11.3% | 2.8% | 1.9% | 10.0% | 12.2% | 2177 |
| Age | Under 50 years | 23.0% | 37.5% | 9.2% | 2.7% | 1.6% | 14.7% | 10.0% | 1289 |
| | 50 to 64 years | 16.9% | 45.6% | 13.7% | 2.6% | 2.1% | 7.3% | 11.1% | 1406 |
| | 65 or more | 20.9% | 39.7% | 8.1% | 1.7% | 1.2% | 7.9% | 19.8% | 521 |
| Specialty Categories | Family/General Medicine | 21.1% | 45.6% | 9.7% | 3.6% | 1.6% | 7.5% | 10.0% | 559 |
| | Obstetrics/Gynecology | 14.6% | 57.6% | 11.4% | 2.5% | 1.3% | 8.2% | 4.4% | 158 |
| | General Internal Medicine | 24.2% | 34.5% | 9.5% | 1.9% | 1.7% | 11.2% | 15.3% | 516 |
| | General Pediatrics | 28.0% | 43.5% | 5.5% | 1.0% | 0.5% | 12.5% | 9.0% | 200 |
| | General Surgery | 12.3% | 45.1% | 21.3% | 2.5% | 3.3% | 8.2% | 7.4% | 122 |
| | Medical Subspecialty | 17.2% | 50.9% | 9.6% | 2.7% | 0.6% | 9.2% | 9.0% | 511 |
| | Pediatric Subspecialty | 18.2% | 36.4% | 10.9% | 1.8% | 3.6% | 12.7% | 14.5% | 55 |
| | Surgical Subspecialty | 14.6% | 40.1% | 16.5% | 2.8% | 2.8% | 8.0% | 14.6% | 212 |
| | Neurological Surgery | 3.8% | 34.6% | 26.9% | 3.8% | 7.7% | 7.7% | 15.4% | 26 |
| | Psychiatry | 27.9% | 43.7% | 7.7% | 1.4% | 0.5% | 4.5% | 14.0% | 222 |
| | Hospital-based Specialty | 18.2% | 28.8% | 12.7% | 2.7% | 2.5% | 17.7% | 16.1% | 559 |
| Other | 15.9% | 44.4% | 14.3% | 1.6% | 4.8% | 4.8% | 14.3% | 63 | |
| Region | Portland Metro | 21.2% | 40.2% | 9.7% | 2.2% | 1.7% | 11.0% | 13.2% | 1594 |
| | Mid-Willamette Valley | 19.7% | 45.5% | 13.6% | 2.6% | 1.6% | 8.8% | 7.8% | 580 |
| | Northwestern | 19.5% | 37.7% | 13.0% | 5.2% | 2.6% | 9.1% | 9.1% | 77 |
| | Southern | 18.9% | 47.2% | 11.0% | 3.5% | 2.0% | 6.7% | 10.2% | 254 |
| | Eastern | 14.7% | 39.7% | 19.1% | 4.4% | 2.9% | 10.3% | 8.8% | 68 |
| | Southwestern | 19.1% | 51.1% | 14.9% | 0.0% | 2.1% | 4.3% | 8.5% | 47 |
| | Central | 13.5% | 47.2% | 9.9% | 2.4% | 2.4% | 11.5% | 11.1% | 252 |
| | Other | 22.1% | 31.7% | 10.5% | 2.3% | 1.50% | 13.40% | 18.00% | 344 |
| Statewide | 20.0% | 41.4% | 10.9% | 2.5% | 1.8% | 10.4% | 12.1% | 3216 | |

Issue importance in next 12 months

Electronic medical record adoption

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|----------------------|---------------------------|----------------------|---------------------------|-----------------------|-------------------|--------------|
| Gender | Female | 9.7% | 28.9% | 56.2% | 5.1% | 1030 |
| | Male | 10.7% | 31.5% | 51.3% | 6.5% | 2153 |
| Age | Under 50 years | 9.4% | 31.2% | 53.9% | 5.5% | 1278 |
| | 50 to 64 years | 9.9% | 31.0% | 53.5% | 5.5% | 1392 |
| | 65 or more | 14.0% | 28.2% | 48.6% | 9.1% | 514 |
| Specialty Categories | Family/General Medicine | 10.6% | 30.9% | 53.8% | 4.7% | 559 |
| | Obstetrics/Gynecology | 11.5% | 27.6% | 55.8% | 5.1% | 156 |
| | General Internal Medicine | 7.9% | 30.2% | 56.0% | 5.9% | 507 |
| | General Pediatrics | 10.1% | 28.8% | 58.1% | 3.0% | 198 |
| | General Surgery | 11.6% | 34.7% | 45.5% | 8.3% | 121 |
| | Medical Subspecialty | 12.1% | 26.6% | 56.0% | 5.4% | 504 |
| | Pediatric Subspecialty | 9.1% | 29.1% | 56.4% | 5.5% | 55 |
| | Surgical Subspecialty | 12.0% | 35.6% | 45.2% | 7.2% | 208 |
| | Neurological Surgery | 11.5% | 50.0% | 30.8% | 7.7% | 26 |
| | Psychiatry | 10.0% | 31.4% | 51.8% | 6.8% | 220 |
| | Hospital-based Specialty | 10.3% | 32.3% | 48.8% | 8.6% | 555 |
| | Other | 9.7% | 33.9% | 50.0% | 6.5% | 62 |
| Urban-Rural | Urban | 10.5% | 31.1% | 52.4% | 6.0% | 2207 |
| | Rural | 9.6% | 29.0% | 55.1% | 6.2% | 675 |
| Region | Portland Metro | 10.9% | 31.2% | 51.4% | 6.5% | 1574 |
| | Mid-Willamette Valley | 10.1% | 32.5% | 51.7% | 5.7% | 575 |
| | Northwestern | 5.3% | 19.7% | 73.7% | 1.3% | 76 |
| | Southern | 11.1% | 27.0% | 57.5% | 4.4% | 252 |
| | Eastern | 6.1% | 27.3% | 57.6% | 9.1% | 66 |
| | Southwestern | 6.5% | 30.4% | 58.7% | 4.3% | 46 |
| | Central | 9.5% | 31.2% | 52.6% | 6.7% | 253 |
| | Other | 10.8% | 30.4% | 52.3% | 6.4% | 342 |
| Statewide | | 10.4% | 30.7% | 52.9% | 6.1% | 3184 |

Medicare reimbursement

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 4.5% | 21.9% | 64.2% | 9.4% | 1033 |
| | Male | 5.5% | 20.8% | 66.2% | 7.5% | 2156 |
| Age | Under 50 years | 4.2% | 23.7% | 64.5% | 7.6% | 1283 |
| | 50 to 64 years | 6.0% | 19.4% | 67.4% | 7.2% | 1394 |
| | 65 or more | 5.5% | 19.5% | 63.2% | 11.9% | 513 |
| Specialty Categories | Family/General Medicine | 6.1% | 24.0% | 64.0% | 5.9% | 555 |
| | Obstetrics/Gynecology | 5.1% | 26.1% | 61.8% | 7.0% | 157 |
| | General Internal Medicine | 3.9% | 19.7% | 69.1% | 7.2% | 512 |
| | General Pediatrics | 10.2% | 20.8% | 42.6% | 26.4% | 197 |
| | General Surgery | 2.5% | 26.7% | 67.5% | 3.3% | 120 |
| | Medical Subspecialty | 3.5% | 18.6% | 71.4% | 6.5% | 510 |
| | Pediatric Subspecialty | 10.9% | 29.1% | 41.8% | 18.2% | 55 |
| | Surgical Subspecialty | 6.2% | 17.8% | 70.7% | 5.3% | 208 |
| | Neurological Surgery | 11.5% | 19.2% | 61.5% | 7.7% | 26 |
| | Psychiatry | 7.7% | 20.4% | 59.3% | 12.7% | 221 |
| | Hospital-based Specialty | 3.1% | 20.4% | 70.7% | 5.8% | 553 |
| Other | 9.5% | 20.6% | 60.3% | 9.5% | 63 | |
| Urban-Rural | Urban | 5.3% | 21.5% | 64.4% | 8.8% | 2213 |
| | Rural | 4.1% | 20.9% | 69.1% | 5.9% | 676 |
| Region | Portland Metro | 5.7% | 23.9% | 61.6% | 8.8% | 1577 |
| | Mid-Willamette Valley | 5.4% | 18.1% | 68.8% | 7.8% | 576 |
| | Northwestern | 3.9% | 23.7% | 68.4% | 3.9% | 76 |
| | Southern | 4.3% | 13.4% | 77.9% | 4.3% | 253 |
| | Eastern | 0.0% | 25.0% | 64.7% | 10.3% | 68 |
| | Southwestern | 2.1% | 19.1% | 74.5% | 4.3% | 47 |
| | Central | 3.6% | 20.0% | 67.2% | 9.2% | 250 |
| | Other | 5.8% | 19.2% | 66.5% | 8.5% | 343 |
| Statewide | | 5.2% | 21.2% | 65.5% | 8.1% | 3190 |

Cost of doing business

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|----------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 5.2% | 27.4% | 57.7% | 9.6% | 1031 |
| | Male | 5.3% | 26.1% | 60.4% | 8.1% | 2156 |
| Age | Under 50 years | 5.7% | 30.0% | 54.3% | 10.0% | 1282 |
| | 50 to 64 years | 4.9% | 25.7% | 62.3% | 7.1% | 1391 |
| | 65 or more | 5.4% | 20.0% | 65.4% | 9.1% | 515 |
| Specialty Categories | Family/General Medicine | 4.7% | 29.0% | 58.0% | 8.3% | 555 |
| | Obstetrics/Gynecology | 3.2% | 24.8% | 65.0% | 7.0% | 157 |
| | General Internal Medicine | 5.5% | 29.0% | 52.3% | 13.3% | 511 |
| | General Pediatrics | 5.6% | 23.2% | 64.1% | 7.1% | 198 |
| | General Surgery | 3.3% | 23.1% | 66.9% | 6.6% | 121 |
| | Medical Subspecialty | 5.5% | 21.6% | 67.2% | 5.7% | 509 |
| | Pediatric Subspecialty | 5.7% | 39.6% | 45.3% | 9.4% | 53 |
| | Surgical Subspecialty | 6.3% | 19.3% | 68.6% | 5.8% | 207 |
| | Neurological Surgery | 0.0% | 24.0% | 68.0% | 8.0% | 25 |
| | Psychiatry | 5.4% | 29.0% | 57.0% | 8.6% | 221 |
| | Hospital-based Specialty | 6.1% | 29.9% | 54.2% | 9.7% | 555 |
| | Other | 6.3% | 23.8% | 63.5% | 6.3% | 63 |
| Urban-Rural | Urban | 4.9% | 26.9% | 59.5% | 8.6% | 2214 |
| | Rural | 5.8% | 25.7% | 60.6% | 7.9% | 672 |
| Region | Portland Metro | 5.4% | 28.6% | 56.9% | 9.1% | 1575 |
| | Mid-Willamette Valley | 4.3% | 25.0% | 63.3% | 7.5% | 577 |
| | Northwestern | 10.7% | 21.3% | 61.3% | 6.7% | 75 |
| | Southern | 4.0% | 19.0% | 70.2% | 6.7% | 252 |
| | Eastern | 5.9% | 26.5% | 55.9% | 11.8% | 68 |
| | Southwestern | 4.3% | 21.7% | 69.6% | 4.3% | 46 |
| | Central | 4.4% | 29.0% | 57.1% | 9.5% | 252 |
| | Other | 4.4% | 29.0% | 57.1% | 9.5% | 343 |
| Statewide | | 5.3% | 26.5% | 59.6% | 8.6% | 3188 |

Cost of care to patients

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 2.3% | 22.9% | 70.8% | 4.0% | 1030 |
| | Male | 3.0% | 24.9% | 67.7% | 4.4% | 2154 |
| Age | Under 50 years | 2.4% | 26.8% | 66.8% | 4.0% | 1277 |
| | 50 to 64 years | 3.1% | 23.7% | 69.3% | 3.9% | 1395 |
| | 65 or more | 2.7% | 19.7% | 71.5% | 6.0% | 513 |
| Specialty Categories | Family/General Medicine | 2.3% | 20.6% | 73.1% | 4.0% | 554 |
| | Obstetrics/Gynecology | 1.3% | 22.9% | 72.6% | 3.2% | 157 |
| | General Internal Medicine | 4.1% | 22.7% | 69.5% | 3.7% | 511 |
| | General Pediatrics | 2.5% | 22.3% | 74.1% | 1.0% | 197 |
| | General Surgery | 0.8% | 28.1% | 66.9% | 4.1% | 121 |
| | Medical Subspecialty | 2.2% | 25.3% | 68.6% | 3.9% | 509 |
| | Pediatric Subspecialty | 0.0% | 27.3% | 69.1% | 3.6% | 55 |
| | Surgical Subspecialty | 3.3% | 28.7% | 64.1% | 3.8% | 209 |
| | Neurological Surgery | 8.0% | 40.0% | 48.0% | 4.0% | 25 |
| | Psychiatry | 2.3% | 19.5% | 74.2% | 4.1% | 221 |
| | Hospital-based Specialty | 3.3% | 28.3% | 61.3% | 7.1% | 551 |
| | Other | 3.2% | 21.0% | 72.6% | 3.2% | 62 |
| Urban-Rural | Urban | 2.5% | 24.8% | 68.8% | 3.9% | 2206 |
| | Rural | 3.0% | 22.9% | 69.7% | 4.4% | 677 |
| Region | Portland Metro | 2.3% | 26.2% | 67.6% | 3.9% | 1575 |
| | Mid-Willamette Valley | 2.8% | 22.8% | 70.1% | 4.3% | 575 |
| | Northwestern | 0.0% | 20.0% | 78.7% | 1.3% | 75 |
| | Southern | 3.2% | 19.9% | 73.7% | 3.2% | 251 |
| | Eastern | 0.0% | 25.0% | 70.6% | 4.4% | 68 |
| | Southwestern | 4.3% | 21.3% | 72.3% | 2.1% | 47 |
| | Central | 3.2% | 23.6% | 67.6% | 5.6% | 250 |
| | Other | 4.9% | 23.0% | 65.4% | 6.7% | 334 |
| Statewide | | 2.8% | 24.3% | 68.7% | 4.3% | 3185 |

Job-related stress and burnout

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 3.0% | 22.9% | 71.7% | 2.4% | 1036 |
| | Male | 7.8% | 31.2% | 56.3% | 4.7% | 2157 |
| Age | Under 50 years | 4.4% | 27.6% | 64.2% | 3.7% | 1284 |
| | 50 to 64 years | 5.9% | 28.2% | 62.7% | 3.1% | 1395 |
| | 65 or more | 11.7% | 31.3% | 50.3% | 6.8% | 515 |
| Specialty Categories | Family/General Medicine | 5.5% | 28.0% | 63.8% | 2.7% | 560 |
| | Obstetrics/Gynecology | 3.2% | 28.7% | 65.6% | 2.5% | 157 |
| | General Internal Medicine | 5.7% | 26.4% | 65.4% | 2.5% | 512 |
| | General Pediatrics | 5.1% | 28.3% | 62.1% | 4.5% | 198 |
| | General Surgery | 9.9% | 32.2% | 53.7% | 4.1% | 121 |
| | Medical Subspecialty | 7.9% | 31.5% | 55.7% | 4.9% | 508 |
| | Pediatric Subspecialty | 1.8% | 29.1% | 65.5% | 3.6% | 55 |
| | Surgical Subspecialty | 13.0% | 23.7% | 58.0% | 5.3% | 207 |
| | Neurological Surgery | 3.8% | 46.2% | 34.6% | 15.4% | 26 |
| | Psychiatry | 2.3% | 23.6% | 70.0% | 4.1% | 220 |
| | Hospital-based Specialty | 6.5% | 31.2% | 57.6% | 4.7% | 554 |
| Other | 4.8% | 25.4% | 65.1% | 4.8% | 63 | |
| Urban-Rural | Urban | 5.9% | 28.3% | 62.1% | 3.7% | 2216 |
| | Rural | 7.4% | 29.5% | 59.2% | 3.8% | 677 |
| Region | Portland Metro | 5.7% | 28.0% | 62.7% | 3.6% | 1577 |
| | Mid-Willamette Valley | 6.6% | 29.1% | 60.9% | 3.5% | 578 |
| | Northwestern | 7.9% | 25.0% | 64.5% | 2.6% | 76 |
| | Southern | 6.3% | 26.5% | 63.6% | 3.6% | 253 |
| | Eastern | 4.4% | 33.8% | 54.4% | 7.4% | 68 |
| | Southwestern | 6.4% | 23.4% | 63.8% | 6.4% | 47 |
| | Central | 6.0% | 34.9% | 54.8% | 4.4% | 252 |
| | Other | 8.5% | 26.8% | 58.9% | 5.8% | 343 |
| Statewide | | 6.3% | 28.5% | 61.3% | 3.9% | 3194 |

Complexity of subspecialty referral

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 11.6% | 41.1% | 30.2% | 17.1% | 1029 |
| | Male | 17.0% | 38.8% | 27.0% | 17.2% | 2148 |
| Age | Under 50 years | 14.6% | 39.4% | 28.6% | 17.4% | 1277 |
| | 50 to 64 years | 14.7% | 41.2% | 27.8% | 16.3% | 1390 |
| | 65 or more | 18.2% | 35.4% | 27.2% | 19.2% | 511 |
| Specialty Categories | Family/General Medicine | 15.3% | 49.1% | 23.7% | 11.9% | 556 |
| | Obstetrics/Gynecology | 16.0% | 42.3% | 23.7% | 17.9% | 156 |
| | General Internal Medicine | 15.7% | 39.0% | 30.2% | 15.1% | 510 |
| | General Pediatrics | 13.1% | 44.9% | 31.8% | 10.1% | 198 |
| | General Surgery | 16.5% | 35.5% | 24.8% | 23.1% | 121 |
| | Medical Subspecialty | 16.3% | 38.4% | 26.2% | 19.1% | 503 |
| | Pediatric Subspecialty | 10.9% | 40.0% | 34.5% | 14.5% | 55 |
| | Surgical Subspecialty | 16.0% | 33.5% | 30.6% | 19.9% | 206 |
| | Neurological Surgery | 23.1% | 23.1% | 26.9% | 26.9% | 26 |
| | Psychiatry | 12.8% | 39.9% | 24.8% | 22.5% | 218 |
| | Hospital-based Specialty | 14.1% | 33.5% | 31.6% | 20.8% | 553 |
| | Other | 23.8% | 33.3% | 27.0% | 15.9% | 63 |
| Urban-Rural | Urban | 15.2% | 38.8% | 27.9% | 18.0% | 2206 |
| | Rural | 15.6% | 42.9% | 28.0% | 13.5% | 674 |
| Region | Portland Metro | 13.7% | 40.1% | 29.1% | 17.0% | 1572 |
| | Mid-Willamette Valley | 18.7% | 39.2% | 21.7% | 20.5% | 577 |
| | Northwestern | 11.8% | 48.7% | 32.9% | 6.6% | 76 |
| | Southern | 14.1% | 37.8% | 33.3% | 14.9% | 249 |
| | Eastern | 11.8% | 42.6% | 33.8% | 11.8% | 68 |
| | Southwestern | 23.4% | 34.0% | 21.3% | 21.3% | 47 |
| | Central | 18.1% | 41.0% | 24.9% | 16.1% | 249 |
| | Other | 15.3% | 36.2% | 30.9% | 17.6% | 340 |
| Statewide | | 15.2% | 39.6% | 28.0% | 17.2% | 3178 |

Medical professional liability

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 6.6% | 34.3% | 52.0% | 7.1% | 1031 |
| | Male | 8.0% | 36.6% | 49.1% | 6.3% | 2156 |
| Age | Under 50 years | 6.4% | 35.3% | 51.5% | 6.9% | 1282 |
| | 50 to 64 years | 8.4% | 37.1% | 48.3% | 6.1% | 1392 |
| | 65 or more | 8.0% | 34.0% | 51.2% | 6.8% | 514 |
| Specialty Categories | Family/General Medicine | 10.8% | 39.2% | 43.4% | 6.6% | 558 |
| | Obstetrics/Gynecology | 5.1% | 26.9% | 64.1% | 3.8% | 156 |
| | General Internal Medicine | 10.0% | 38.3% | 43.2% | 8.6% | 512 |
| | General Pediatrics | 6.1% | 44.9% | 43.9% | 5.1% | 198 |
| | General Surgery | 12.5% | 25.8% | 57.5% | 4.2% | 120 |
| | Medical Subspecialty | 6.7% | 39.2% | 46.7% | 7.5% | 508 |
| | Pediatric Subspecialty | 7.3% | 40.0% | 45.5% | 7.3% | 55 |
| | Surgical Subspecialty | 7.2% | 29.5% | 58.0% | 5.3% | 207 |
| | Neurological Surgery | 3.8% | 19.2% | 73.1% | 3.8% | 26 |
| | Psychiatry | 5.0% | 39.1% | 47.7% | 8.2% | 220 |
| | Hospital-based Specialty | 4.7% | 30.1% | 60.1% | 5.1% | 552 |
| | Other | 4.8% | 38.1% | 47.6% | 9.5% | 63 |
| Urban-Rural | Urban | 8.2% | 37.2% | 47.6% | 7.1% | 2210 |
| | Rural | 5.8% | 34.9% | 55.1% | 4.3% | 677 |
| Region | Portland Metro | 9.4% | 38.4% | 44.5% | 7.7% | 1577 |
| | Mid-Willamette Valley | 5.4% | 38.7% | 51.0% | 4.9% | 574 |
| | Northwestern | 4.0% | 37.3% | 57.3% | 1.3% | 75 |
| | Southern | 3.6% | 27.4% | 65.1% | 4.0% | 252 |
| | Eastern | 4.4% | 33.8% | 52.9% | 8.8% | 68 |
| | Southwestern | 6.4% | 29.8% | 59.6% | 4.3% | 47 |
| | Central | 7.9% | 33.7% | 53.2% | 5.2% | 252 |
| | Other | 6.7% | 28.3% | 57.4% | 7.6% | 343 |
| Statewide | | 7.5% | 35.9% | 50.1% | 6.5% | 3188 |

Call coverage

| Call coverage | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|----------------------|---------------------------|----------------------|---------------------------|-----------------------|-------------------|--------------|
| Gender | Female | 13.6% | 33.1% | 42.5% | 10.8% | 1036 |
| | Male | 17.7% | 31.5% | 37.9% | 12.9% | 2153 |
| Age | Under 50 years | 12.3% | 36.0% | 41.1% | 10.5% | 1282 |
| | 50 to 64 years | 18.3% | 32.1% | 39.0% | 10.6% | 1392 |
| | 65 or more | 21.1% | 22.1% | 35.9% | 20.9% | 516 |
| Specialty Categories | Family/General Medicine | 23.9% | 34.5% | 28.5% | 13.1% | 557 |
| | Obstetrics/Gynecology | 10.2% | 28.0% | 54.8% | 7.0% | 157 |
| | General Internal Medicine | 18.8% | 34.1% | 35.7% | 11.4% | 510 |
| | General Pediatrics | 13.7% | 31.5% | 48.7% | 6.1% | 197 |
| | General Surgery | 10.1% | 28.6% | 52.1% | 9.2% | 119 |
| | Medical Subspecialty | 17.1% | 33.4% | 37.5% | 12.0% | 509 |
| | Pediatric Subspecialty | 3.8% | 41.5% | 43.4% | 11.3% | 53 |
| | Surgical Subspecialty | 13.9% | 22.5% | 52.2% | 11.5% | 209 |
| | Neurological Surgery | 11.5% | 34.6% | 46.2% | 7.7% | 26 |
| | Psychiatry | 14.9% | 40.3% | 31.7% | 13.1% | 221 |
| | Hospital-based Specialty | 13.1% | 28.2% | 42.6% | 16.0% | 556 |
| | Other | 15.9% | 30.2% | 34.9% | 19.0% | 63 |
| Urban-Rural | Urban | 17.1% | 33.0% | 38.0% | 11.9% | 2211 |
| | Rural | 13.9% | 29.1% | 44.4% | 12.7% | 678 |
| Region | Portland Metro | 16.4% | 33.5% | 38.2% | 11.8% | 1574 |
| | Mid-Willamette Valley | 18.7% | 31.7% | 36.2% | 13.3% | 577 |
| | Northwestern | 10.7% | 29.3% | 48.0% | 12.0% | 75 |
| | Southern | 14.6% | 26.1% | 49.4% | 9.9% | 253 |
| | Eastern | 8.8% | 26.5% | 51.5% | 13.2% | 68 |
| | Southwestern | 12.8% | 36.2% | 42.6% | 8.5% | 47 |
| | Central | 15.0% | 34.0% | 39.1% | 11.9% | 253 |
| | Other | 17.8% | 30.0% | 37.6% | 14.6% | 343 |
| Statewide | | 16.4% | 32.1% | 39.3% | 12.2% | 3190 |

Health care reform

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-------------------|--------------|
| Gender | Female | 1.3% | 17.6% | 77.0% | 4.2% | 1030 |
| | Male | 3.4% | 21.1% | 71.0% | 4.5% | 2161 |
| Age | Under 50 years | 2.3% | 21.8% | 71.9% | 4.0% | 1280 |
| | 50 to 64 years | 2.8% | 19.2% | 74.2% | 3.8% | 1395 |
| | 65 or more | 3.3% | 17.6% | 72.1% | 7.0% | 517 |
| Specialty Categories | Family/General Medicine | 3.2% | 19.8% | 72.7% | 4.3% | 560 |
| | Obstetrics/Gynecology | 3.8% | 18.5% | 73.9% | 3.8% | 157 |
| | General Internal Medicine | 3.1% | 23.7% | 67.9% | 5.3% | 511 |
| | General Pediatrics | 1.5% | 16.8% | 80.7% | 1.0% | 197 |
| | General Surgery | 4.1% | 15.7% | 74.4% | 5.8% | 121 |
| | Medical Subspecialty | 2.2% | 21.0% | 73.5% | 3.3% | 509 |
| | Pediatric Subspecialty | 0.0% | 23.6% | 74.5% | 1.8% | 55 |
| | Surgical Subspecialty | 2.9% | 18.3% | 74.0% | 4.8% | 208 |
| | Neurological Surgery | 3.8% | 26.9% | 65.4% | 3.8% | 26 |
| | Psychiatry | 2.7% | 18.2% | 74.5% | 4.5% | 220 |
| | Hospital-based Specialty | 2.2% | 18.8% | 73.1% | 6.0% | 553 |
| | Other | 3.2% | 21.0% | 72.6% | 3.2% | 62 |
| Urban-Rural | Urban | 2.6% | 19.9% | 73.1% | 4.3% | 2216 |
| | Rural | 2.5% | 19.0% | 75.1% | 3.4% | 675 |
| Region | Portland Metro | 3.0% | 20.3% | 72.4% | 4.4% | 1581 |
| | Mid-Willamette Valley | 1.2% | 21.2% | 73.0% | 4.5% | 575 |
| | Northwestern | 1.3% | 15.8% | 80.3% | 2.6% | 76 |
| | Southern | 2.8% | 14.7% | 79.4% | 3.2% | 252 |
| | Eastern | 1.5% | 14.7% | 79.4% | 4.4% | 68 |
| | Southwestern | 2.1% | 25.5% | 70.2% | 2.1% | 47 |
| | Central | 3.2% | 19.1% | 73.7% | 4.0% | 251 |
| | Other | 4.1% | 22.2% | 67.5% | 6.1% | 342 |
| Statewide | | 2.7% | 20.0% | 72.9% | 4.4% | 3192 |

Medicaid reimbursement

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-------------------|--------------|
| Gender | Female | 5.2% | 23.4% | 60.1% | 11.3% | 1032 |
| | Male | 7.3% | 25.8% | 56.0% | 11.0% | 2150 |
| Age | Under 50 years | 4.9% | 26.3% | 58.2% | 10.6% | 1276 |
| | 50 to 64 years | 8.2% | 23.9% | 57.5% | 10.4% | 1394 |
| | 65 or more | 6.6% | 24.8% | 54.2% | 14.4% | 513 |
| Specialty Categories | Family/General Medicine | 8.5% | 24.7% | 58.4% | 8.5% | 555 |
| | Obstetrics/Gynecology | 4.5% | 22.4% | 64.7% | 8.3% | 156 |
| | General Internal Medicine | 6.7% | 29.0% | 50.9% | 13.4% | 507 |
| | General Pediatrics | 2.5% | 16.7% | 73.7% | 7.1% | 198 |
| | General Surgery | 5.0% | 28.1% | 58.7% | 8.3% | 121 |
| | Medical Subspecialty | 5.5% | 27.9% | 54.4% | 12.2% | 509 |
| | Pediatric Subspecialty | 0.0% | 25.5% | 69.1% | 5.5% | 55 |
| | Surgical Subspecialty | 12.5% | 18.3% | 58.2% | 11.1% | 208 |
| | Neurological Surgery | 7.7% | 26.9% | 50.0% | 15.4% | 26 |
| | Psychiatry | 7.7% | 23.6% | 49.1% | 19.5% | 220 |
| | Hospital-based Specialty | 5.8% | 24.8% | 59.3% | 10.1% | 553 |
| | Other | 9.7% | 24.2% | 51.6% | 14.5% | 62 |
| Urban-Rural | Urban | 6.6% | 25.5% | 57.0% | 10.8% | 2207 |
| | Rural | 5.0% | 25.1% | 62.5% | 7.4% | 677 |
| Region | Portland Metro | 7.4% | 27.5% | 53.7% | 11.4% | 1573 |
| | Mid-Willamette Valley | 5.4% | 21.4% | 65.1% | 8.2% | 576 |
| | Northwestern | 4.0% | 26.7% | 69.3% | 0.0% | 75 |
| | Southern | 4.8% | 21.0% | 65.5% | 8.7% | 252 |
| | Eastern | 1.5% | 32.4% | 51.5% | 14.7% | 68 |
| | Southwestern | 6.4% | 25.5% | 61.7% | 6.4% | 47 |
| | Central | 4.8% | 25.8% | 60.7% | 8.7% | 252 |
| | Other | 9.4% | 20.3% | 49.7% | 20.6% | 340 |
| Statewide | | 6.6% | 25.0% | 57.3% | 11.1% | 3183 |

Recruitment and retention of qualified non-physician staff

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|----------------------|---------------------------|----------------------|---------------------------|-----------------------|-------------------|--------------|
| Gender | Female | 7.0% | 34.2% | 49.2% | 9.6% | 1031 |
| | Male | 9.6% | 36.9% | 43.2% | 10.4% | 2156 |
| Age | Under 50 years | 6.8% | 38.1% | 45.8% | 9.3% | 1281 |
| | 50 to 64 years | 10.4% | 35.8% | 44.5% | 9.3% | 1394 |
| | 65 or more | 9.0% | 31.6% | 45.0% | 14.4% | 513 |
| Specialty Categories | Family/General Medicine | 8.6% | 38.0% | 45.0% | 8.3% | 555 |
| | Obstetrics/Gynecology | 8.3% | 33.1% | 50.3% | 8.3% | 157 |
| | General Internal Medicine | 7.2% | 35.6% | 47.6% | 9.6% | 511 |
| | General Pediatrics | 5.6% | 36.5% | 51.8% | 6.1% | 197 |
| | General Surgery | 5.8% | 41.3% | 42.1% | 10.7% | 121 |
| | Medical Subspecialty | 8.5% | 37.2% | 46.6% | 7.7% | 506 |
| | Pediatric Subspecialty | 3.6% | 25.5% | 60.0% | 10.9% | 55 |
| | Surgical Subspecialty | 7.7% | 34.1% | 45.2% | 13.0% | 208 |
| | Neurological Surgery | 15.4% | 34.6% | 38.5% | 11.5% | 26 |
| | Psychiatry | 10.5% | 31.4% | 40.0% | 18.2% | 220 |
| | Hospital-based Specialty | 12.4% | 36.9% | 38.3% | 12.4% | 556 |
| | Other | 6.3% | 36.5% | 49.2% | 7.9% | 63 |
| Urban-Rural | Urban | 8.1% | 36.5% | 44.9% | 10.4% | 2211 |
| | Rural | 9.3% | 33.9% | 48.1% | 8.6% | 675 |
| Region | Portland Metro | 8.1% | 36.2% | 44.5% | 11.2% | 1577 |
| | Mid-Willamette Valley | 8.2% | 38.0% | 44.9% | 8.9% | 574 |
| | Northwestern | 1.4% | 36.5% | 60.8% | 1.4% | 74 |
| | Southern | 11.5% | 31.0% | 50.0% | 7.5% | 252 |
| | Eastern | 11.8% | 27.9% | 51.5% | 8.8% | 68 |
| | Southwestern | 10.6% | 38.3% | 48.9% | 2.1% | 47 |
| | Central | 7.9% | 36.9% | 42.5% | 12.7% | 252 |
| | Other | 11.6% | 36.3% | 41.6% | 10.5% | 344 |
| Statewide | | 8.7% | 36.0% | 45.1% | 10.1% | 3188 |

Quality and performance measurement

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 6.0% | 38.5% | 48.6% | 6.9% | 1033 |
| | Male | 9.6% | 40.4% | 43.5% | 6.5% | 2160 |
| Age | Under 50 years | 6.8% | 41.2% | 45.6% | 6.4% | 1282 |
| | 50 to 64 years | 9.3% | 40.6% | 44.7% | 5.4% | 1397 |
| | 65 or more | 10.3% | 34.0% | 45.2% | 10.5% | 515 |
| Specialty Categories | Family/General Medicine | 8.1% | 42.8% | 42.0% | 7.2% | 559 |
| | Obstetrics/Gynecology | 8.3% | 39.5% | 47.8% | 4.5% | 157 |
| | General Internal Medicine | 7.2% | 39.5% | 48.0% | 5.3% | 512 |
| | General Pediatrics | 7.1% | 34.5% | 56.3% | 2.0% | 197 |
| | General Surgery | 6.7% | 38.3% | 45.8% | 9.2% | 120 |
| | Medical Subspecialty | 12.2% | 42.1% | 39.6% | 6.1% | 508 |
| | Pediatric Subspecialty | 3.6% | 34.5% | 58.2% | 3.6% | 55 |
| | Surgical Subspecialty | 9.1% | 35.9% | 45.9% | 9.1% | 209 |
| | Neurological Surgery | 7.7% | 26.9% | 50.0% | 15.4% | 26 |
| | Psychiatry | 8.2% | 43.2% | 38.6% | 10.0% | 220 |
| | Hospital-based Specialty | 7.6% | 38.8% | 47.1% | 6.5% | 556 |
| | Other | 11.1% | 36.5% | 38.1% | 14.3% | 63 |
| Urban-Rural | Urban | 7.8% | 39.0% | 46.5% | 6.6% | 2217 |
| | Rural | 10.2% | 43.8% | 39.8% | 6.2% | 676 |
| Region | Portland Metro | 7.5% | 37.6% | 48.2% | 6.8% | 1579 |
| | Mid-Willamette Valley | 9.2% | 43.1% | 41.3% | 6.4% | 578 |
| | Northwestern | 13.5% | 43.2% | 41.9% | 1.4% | 74 |
| | Southern | 9.5% | 39.5% | 46.2% | 4.7% | 253 |
| | Eastern | 13.4% | 43.3% | 38.8% | 4.5% | 67 |
| | Southwestern | 10.6% | 48.9% | 36.2% | 4.3% | 47 |
| | Central | 7.1% | 47.8% | 35.6% | 9.5% | 253 |
| | Other | 9.6% | 35.9% | 46.9% | 7.6% | 343 |
| Statewide | | 8.5% | 39.8% | 45.1% | 6.6% | 3194 |

Recruitment of physicians

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 11.4% | 31.1% | 45.3% | 12.1% | 1032 |
| | Male | 12.6% | 32.8% | 42.8% | 11.8% | 2154 |
| Age | Under 50 years | 11.4% | 34.6% | 42.7% | 11.4% | 1284 |
| | 50 to 64 years | 12.9% | 32.3% | 44.2% | 10.6% | 1395 |
| | 65 or more | 12.4% | 26.4% | 44.5% | 16.7% | 508 |
| Specialty Categories | Family/General Medicine | 13.2% | 29.5% | 47.8% | 9.5% | 559 |
| | Obstetrics/Gynecology | 11.5% | 36.3% | 38.2% | 14.0% | 157 |
| | General Internal Medicine | 7.0% | 31.2% | 49.6% | 12.1% | 512 |
| | General Pediatrics | 7.6% | 37.4% | 46.0% | 9.1% | 198 |
| | General Surgery | 15.8% | 30.8% | 41.7% | 11.7% | 120 |
| | Medical Subspecialty | 16.3% | 31.8% | 40.0% | 11.9% | 503 |
| | Pediatric Subspecialty | 9.3% | 33.3% | 50.0% | 7.4% | 54 |
| | Surgical Subspecialty | 17.9% | 28.5% | 36.2% | 17.4% | 207 |
| | Neurological Surgery | 23.1% | 30.8% | 30.8% | 15.4% | 26 |
| | Psychiatry | 11.4% | 26.9% | 47.9% | 13.7% | 219 |
| | Hospital-based Specialty | 11.3% | 38.1% | 39.6% | 11.0% | 556 |
| | Other | 14.3% | 27.0% | 38.1% | 20.6% | 63 |
| Urban-Rural | Urban | 11.9% | 34.1% | 41.1% | 12.9% | 2209 |
| | Rural | 12.0% | 27.2% | 52.1% | 8.7% | 676 |
| Region | Portland Metro | 11.8% | 35.0% | 39.5% | 13.7% | 1573 |
| | Mid-Willamette Valley | 12.9% | 31.0% | 45.5% | 10.6% | 574 |
| | Northwestern | 9.2% | 26.3% | 53.9% | 10.5% | 76 |
| | Southern | 10.7% | 22.5% | 58.5% | 8.3% | 253 |
| | Eastern | 13.2% | 23.5% | 58.8% | 4.4% | 68 |
| | Southwestern | 10.6% | 31.9% | 51.1% | 6.4% | 47 |
| | Central | 12.3% | 33.3% | 42.5% | 11.9% | 252 |
| | Other | 14.5% | 31.7% | 42.7% | 11.0% | 344 |
| Statewide | | 12.2% | 32.3% | 43.6% | 11.9% | 3187 |

Retention of physicians

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 5.1% | 25.4% | 61.3% | 8.2% | 1030 |
| | Male | 8.9% | 28.3% | 53.9% | 8.9% | 2152 |
| Age | Under 50 years | 7.0% | 29.3% | 55.3% | 8.4% | 1280 |
| | 50 to 64 years | 7.9% | 27.5% | 57.0% | 7.6% | 1387 |
| | 65 or more | 8.7% | 22.7% | 56.4% | 12.2% | 516 |
| Specialty Categories | Family/General Medicine | 7.6% | 24.2% | 60.3% | 7.9% | 554 |
| | Obstetrics/Gynecology | 7.6% | 31.8% | 51.0% | 9.6% | 157 |
| | General Internal Medicine | 5.3% | 24.0% | 62.2% | 8.5% | 508 |
| | General Pediatrics | 6.6% | 24.2% | 63.6% | 5.6% | 198 |
| | General Surgery | 4.2% | 34.2% | 54.2% | 7.5% | 120 |
| | Medical Subspecialty | 9.0% | 30.2% | 51.8% | 9.0% | 510 |
| | Pediatric Subspecialty | 5.5% | 21.8% | 67.3% | 5.5% | 55 |
| | Surgical Subspecialty | 14.8% | 21.5% | 50.7% | 12.9% | 209 |
| | Neurological Surgery | 15.4% | 30.8% | 34.6% | 19.2% | 26 |
| | Psychiatry | 6.4% | 19.7% | 65.1% | 8.7% | 218 |
| | Hospital-based Specialty | 7.4% | 34.6% | 49.5% | 8.5% | 552 |
| | Other | 9.5% | 34.9% | 46.0% | 9.5% | 63 |
| Urban-Rural | Urban | 7.7% | 28.9% | 54.5% | 8.9% | 2205 |
| | Rural | 7.5% | 22.7% | 62.3% | 7.4% | 677 |
| Region | Portland Metro | 8.2% | 28.8% | 53.4% | 9.7% | 1567 |
| | Mid-Willamette Valley | 6.9% | 27.7% | 58.1% | 7.3% | 577 |
| | Northwestern | 3.9% | 23.7% | 68.4% | 3.9% | 76 |
| | Southern | 8.7% | 22.5% | 64.4% | 4.3% | 253 |
| | Eastern | 4.4% | 20.6% | 64.7% | 10.3% | 68 |
| | Southwestern | 0.0% | 31.9% | 63.8% | 4.3% | 47 |
| | Central | 7.9% | 28.2% | 54.0% | 9.9% | 252 |
| | Other | 8.2% | 25.4% | 56.6% | 9.9% | 343 |
| Statewide | | 7.7% | 27.4% | 56.2% | 8.7% | 3183 |

Patient safety

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|----------------------|---------------------------|----------------------|---------------------------|-----------------------|-------------------|--------------|
| Gender | Female | 1.8% | 22.5% | 71.8% | 3.8% | 1090 |
| | Male | 3.1% | 25.6% | 64.9% | 6.5% | 2154 |
| Age | Under 50 years | 2.4% | 23.4% | 69.5% | 4.7% | 1280 |
| | 50 to 64 years | 2.8% | 26.8% | 64.9% | 5.5% | 1389 |
| | 65 or more | 2.9% | 21.9% | 66.8% | 8.3% | 515 |
| Specialty Categories | Family/General Medicine | 2.9% | 29.4% | 62.4% | 5.4% | 558 |
| | Obstetrics/Gynecology | 0.0% | 25.0% | 73.1% | 1.9% | 156 |
| | General Internal Medicine | 2.9% | 27.0% | 64.2% | 5.9% | 511 |
| | General Pediatrics | 1.5% | 23.4% | 71.6% | 3.6% | 197 |
| | General Surgery | 3.3% | 23.1% | 64.5% | 9.1% | 121 |
| | Medical Subspecialty | 3.2% | 27.5% | 61.8% | 7.5% | 505 |
| | Pediatric Subspecialty | 0.0% | 24.1% | 70.4% | 5.6% | 54 |
| | Surgical Subspecialty | 2.4% | 21.5% | 68.4% | 7.7% | 209 |
| | Neurological Surgery | 7.7% | 19.2% | 61.5% | 11.5% | 26 |
| | Psychiatry | 1.4% | 16.4% | 77.3% | 5.0% | 220 |
| | Hospital-based Specialty | 3.8% | 21.2% | 70.5% | 4.5% | 553 |
| | Other | 0.0% | 21.3% | 77.0% | 1.6% | 61 |
| Urban-Rural | Urban | 2.8% | 24.2% | 67.4% | 5.6% | 2210 |
| | Rural | 2.7% | 26.4% | 65.9% | 5.1% | 671 |
| Region | Portland Metro | 2.8% | 24.7% | 67.6% | 4.9% | 1578 |
| | Mid-Willamette Valley | 3.0% | 23.6% | 67.2% | 6.3% | 573 |
| | Northwestern | 1.4% | 21.6% | 73.0% | 4.1% | 74 |
| | Southern | 2.8% | 24.2% | 65.1% | 7.9% | 252 |
| | Eastern | 1.5% | 22.1% | 70.6% | 5.9% | 68 |
| | Southwestern | 4.3% | 26.1% | 65.2% | 4.3% | 46 |
| | Central | 3.2% | 29.0% | 62.1% | 5.6% | 248 |
| | Other | 1.4% | 24.1% | 68.1% | 6.4% | 345 |
| Statewide | | 2.7% | 24.6% | 67.1% | 5.6% | 3184 |

Commercial health plan reimbursement

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 4.9% | 28.4% | 56.0% | 10.6% | 1035 |
| | Male | 5.5% | 29.0% | 56.3% | 9.3% | 2158 |
| Age | Under 50 years | 5.4% | 31.4% | 53.5% | 9.6% | 1285 |
| | 50 to 64 years | 5.1% | 27.3% | 58.1% | 9.5% | 1395 |
| | 65 or more | 5.4% | 26.3% | 57.6% | 10.7% | 514 |
| Specialty Categories | Family/General Medicine | 5.7% | 34.1% | 50.9% | 9.3% | 560 |
| | Obstetrics/Gynecology | 3.8% | 24.8% | 65.0% | 6.4% | 157 |
| | General Internal Medicine | 6.0% | 31.4% | 49.1% | 13.5% | 513 |
| | General Pediatrics | 6.6% | 25.8% | 60.1% | 7.6% | 198 |
| | General Surgery | 4.2% | 33.3% | 54.2% | 8.3% | 120 |
| | Medical Subspecialty | 4.7% | 27.9% | 58.2% | 9.2% | 509 |
| | Pediatric Subspecialty | 3.7% | 31.5% | 57.4% | 7.4% | 54 |
| | Surgical Subspecialty | 7.2% | 21.2% | 62.5% | 9.1% | 208 |
| | Neurological Surgery | 3.8% | 23.1% | 65.4% | 7.7% | 26 |
| | Psychiatry | 5.9% | 22.8% | 63.0% | 8.2% | 219 |
| | Hospital-based Specialty | 4.3% | 28.0% | 57.2% | 10.5% | 554 |
| | Other | 4.8% | 30.2% | 55.6% | 9.5% | 63 |
| Urban-Rural | Urban | 5.1% | 29.1% | 55.9% | 10.0% | 2214 |
| | Rural | 5.0% | 28.2% | 58.5% | 8.3% | 677 |
| Region | Portland Metro | 5.6% | 29.6% | 53.9% | 10.9% | 1581 |
| | Mid-Willamette Valley | 4.5% | 30.4% | 57.1% | 8.0% | 573 |
| | Northwestern | 6.8% | 29.7% | 60.8% | 2.7% | 74 |
| | Southern | 2.8% | 22.1% | 68.4% | 6.7% | 253 |
| | Eastern | 2.9% | 25.0% | 60.3% | 11.8% | 68 |
| | Southwestern | 6.4% | 25.5% | 61.7% | 6.4% | 47 |
| | Central | 4.0% | 30.8% | 56.1% | 9.1% | 253 |
| | Other | 7.8% | 26.7% | 53.9% | 11.6% | 345 |
| Statewide | | 5.3% | 28.8% | 56.2% | 9.7% | 3194 |

Commercial health plan administrative requirements

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|----------------------|---------------------------|----------------------|---------------------------|-----------------------|-------------------|--------------|
| Gender | Female | 7.0% | 37.6% | 38.2% | 17.2% | 1032 |
| | Male | 9.9% | 35.5% | 39.1% | 15.6% | 2152 |
| Age | Under 50 years | 9.0% | 40.1% | 34.1% | 16.8% | 1278 |
| | 50 to 64 years | 8.7% | 35.5% | 40.9% | 14.9% | 1392 |
| | 65 or more | 9.3% | 28.3% | 44.7% | 17.7% | 515 |
| Specialty Categories | Family/General Medicine | 10.6% | 38.6% | 37.9% | 12.9% | 559 |
| | Obstetrics/Gynecology | 9.6% | 37.8% | 40.4% | 12.2% | 156 |
| | General Internal Medicine | 8.8% | 35.6% | 35.0% | 20.5% | 511 |
| | General Pediatrics | 6.6% | 43.7% | 34.5% | 15.2% | 197 |
| | General Surgery | 10.0% | 41.7% | 31.7% | 16.7% | 120 |
| | Medical Subspecialty | 8.3% | 33.7% | 43.9% | 14.2% | 508 |
| | Pediatric Subspecialty | 3.7% | 42.6% | 35.2% | 18.5% | 54 |
| | Surgical Subspecialty | 8.7% | 30.1% | 47.1% | 14.1% | 206 |
| | Neurological Surgery | 3.8% | 38.5% | 50.0% | 7.7% | 26 |
| | Psychiatry | 9.1% | 29.7% | 48.4% | 12.8% | 219 |
| | Hospital-based Specialty | 9.4% | 36.7% | 32.4% | 21.5% | 553 |
| | Other | 6.3% | 28.6% | 52.4% | 12.7% | 63 |
| Urban-Rural | Urban | 8.3% | 36.4% | 39.0% | 16.3% | 2208 |
| | Rural | 10.2% | 36.1% | 38.4% | 15.3% | 674 |
| Region | Portland Metro | 9.2% | 35.8% | 38.3% | 16.7% | 1572 |
| | Mid-Willamette Valley | 7.7% | 37.0% | 42.1% | 13.2% | 575 |
| | Northwestern | 13.2% | 34.2% | 42.1% | 10.5% | 76 |
| | Southern | 5.6% | 38.1% | 44.0% | 12.3% | 252 |
| | Eastern | 8.8% | 32.4% | 32.4% | 26.5% | 68 |
| | Southwestern | 8.5% | 40.4% | 34.0% | 17.0% | 47 |
| | Central | 10.8% | 39.0% | 31.1% | 19.1% | 251 |
| | Other | 9.9% | 33.7% | 38.4% | 18.0% | 344 |
| Statewide | | 8.9% | 36.2% | 38.8% | 16.1% | 3185 |

ICD 10 conversion

| | | <i>Not important</i> | <i>Somewhat important</i> | <i>Very important</i> | <i>No opinion</i> | <i>Total</i> |
|-------------------------|---------------------------|--------------------------|-------------------------------|---------------------------|-----------------------|--------------|
| Gender | Female | 11.6% | 36.8% | 25.5% | 26.2% | 1028 |
| | Male | 17.1% | 31.8% | 24.5% | 26.5% | 2155 |
| Age | Under 50 years | 16.0% | 35.9% | 23.0% | 25.0% | 1280 |
| | 50 to 64 years | 13.4% | 33.9% | 27.1% | 25.6% | 1393 |
| | 65 or more | 19.0% | 26.0% | 23.1% | 31.9% | 511 |
| Specialty Categories | Family/General Medicine | 15.8% | 37.6% | 21.8% | 24.8% | 556 |
| | Obstetrics/Gynecology | 15.4% | 32.1% | 32.1% | 20.5% | 156 |
| | General Internal Medicine | 15.1% | 33.2% | 25.3% | 26.3% | 509 |
| | General Pediatrics | 15.7% | 38.6% | 22.8% | 22.8% | 197 |
| | General Surgery | 15.8% | 30.8% | 25.0% | 28.3% | 120 |
| | Medical Subspecialty | 15.6% | 34.3% | 29.5% | 20.6% | 505 |
| | Pediatric Subspecialty | 14.5% | 36.4% | 16.4% | 32.7% | 55 |
| | Surgical Subspecialty | 16.3% | 26.9% | 37.0% | 19.7% | 208 |
| | Neurological Surgery | 19.2% | 23.1% | 26.9% | 30.8% | 26 |
| | Psychiatry | 18.6% | 38.6% | 15.9% | 26.8% | 220 |
| | Hospital-based Specialty | 13.3% | 28.6% | 20.5% | 37.6% | 556 |
| | Other | 11.1% | 30.2% | 30.2% | 28.6% | 63 |
| Urban-Rural | Urban | 14.8% | 33.7% | 24.0% | 27.5% | 2209 |
| | Rural | 16.1% | 33.0% | 27.6% | 23.3% | 675 |
| Region | Portland Metro | 16.0% | 33.7% | 22.7% | 27.6% | 1578 |
| | Mid-Willamette Valley | 13.3% | 33.3% | 26.5% | 26.9% | 573 |
| | Northwestern | 16.0% | 32.0% | 36.0% | 16.0% | 75 |
| | Southern | 12.7% | 32.5% | 33.3% | 21.4% | 252 |
| | Eastern | 13.2% | 38.2% | 22.1% | 26.5% | 68 |
| | Southwestern | 17.4% | 32.6% | 28.3% | 21.7% | 46 |
| | Central | 14.4% | 34.8% | 22.8% | 28.0% | 250 |
| | Other | 18.1% | 31.9% | 24.9% | 25.1% | 342 |
| Statewide | | 15.3% | 33.4% | 24.8% | 26.4% | 3184 |

Oregon Medical Malpractice Reinsurance Program

| <i>Do you currently receive the Oregon Medical Malpractice Reinsurance Program (also known as the Medical Malpractice Insurance Subsidy?)</i> | | <i>Does not apply-not a rural practice</i> | <i>Yes</i> | <i>No</i> | <i>Don't know</i> | <i>Total</i> |
|---|---------------------------|--|------------|-----------|-------------------|--------------|
| Gender | Female | 29.0% | 5.0% | 32.1% | 33.9% | 985 |
| | Male | 29.1% | 7.1% | 38.5% | 25.3% | 2029 |
| Age | Under 50 years | 26.5% | 4.4% | 28.0% | 41.1% | 1198 |
| | 50 to 64 years | 28.7% | 7.8% | 42.0% | 21.5% | 1317 |
| | 65 or more | 36.2% | 7.4% | 42.0% | 14.4% | 500 |
| Specialty Categories | Family/General Medicine | 25.2% | 10.1% | 37.5% | 27.2% | 536 |
| | Obstetrics/Gynecology | 22.9% | 13.2% | 44.4% | 19.4% | 144 |
| | General Internal Medicine | 27.2% | 4.4% | 33.9% | 34.5% | 481 |
| | General Pediatrics | 29.3% | 9.8% | 25.0% | 35.9% | 184 |
| | General Surgery | 29.2% | 8.0% | 38.1% | 24.8% | 113 |
| | Medical Subspecialty | 30.9% | 4.1% | 36.5% | 28.5% | 463 |
| | Pediatric Subspecialty | 33.3% | 2.1% | 31.2% | 33.3% | 48 |
| | Surgical Subspecialty | 35.6% | 5.4% | 41.6% | 17.3% | 202 |
| | Neurological Surgery | 20.8% | 0.0% | 62.5% | 16.7% | 24 |
| | Psychiatry | 32.9% | 2.3% | 48.8% | 16.0% | 213 |
| | Hospital-based Specialty | 30.4% | 5.6% | 31.5% | 32.5% | 536 |
| Other | 27.1% | 10.2% | 37.3% | 25.4% | 59 | |
| If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care? | Yes | 19.0% | 15.6% | 37.1% | 28.3% | 205 |
| | No | 20.8% | 8.1% | 38.5% | 32.7% | 842 |
| Region | Portland Metro | 35.5% | 1.7% | 35.1% | 27.7% | 1500 |
| | Mid-Willamette Valley | 29.7% | 2.5% | 37.5% | 30.3% | 552 |
| | Northwestern | 2.7% | 27.0% | 29.7% | 40.5% | 74 |
| | Southern | 19.0% | 18.1% | 40.5% | 22.4% | 232 |
| | Eastern | 3.2% | 23.8% | 30.2% | 42.9% | 63 |
| | Southwestern | 4.5% | 43.2% | 25.0% | 27.3% | 44 |
| | Central | 17.7% | 18.1% | 36.2% | 28.0% | 232 |
| | Other | 28.0% | 5.0% | 42.5% | 24.5% | 318 |
| Statewide | | 29.1% | 6.4% | 36.4% | 28.1% | 3015 |

Rural Provider State Income Tax Credit Program

| <i>Do you currently participate in the Rural Provider State Income Tax Credit Program ?</i> | | <i>Does not apply-not a rural practice</i> | <i>Yes</i> | <i>No</i> | <i>Don't know</i> | <i>Total</i> |
|---|---------------------------|--|------------|-----------|-------------------|--------------|
| Gender | Female | 34.8% | 11.2% | 39.0% | 15.1% | 983 |
| | Male | 31.1% | 16.2% | 41.5% | 11.3% | 2031 |
| Age | Under 50 years | 31.6% | 13.8% | 36.8% | 17.8% | 1200 |
| | 50 to 64 years | 31.5% | 15.2% | 43.4% | 9.9% | 1317 |
| | 65 or more | 35.9% | 14.7% | 43.0% | 6.4% | 498 |
| Specialty Categories | Family/General Medicine | 26.9% | 27.1% | 37.9% | 8.0% | 535 |
| | Obstetrics/Gynecology | 28.5% | 16.0% | 45.8% | 9.7% | 144 |
| | General Internal Medicine | 32.0% | 12.4% | 41.5% | 14.1% | 482 |
| | General Pediatrics | 35.3% | 12.5% | 39.7% | 12.5% | 184 |
| | General Surgery | 35.4% | 18.6% | 34.5% | 11.5% | 113 |
| | Medical Subspecialty | 34.0% | 9.5% | 40.9% | 15.6% | 462 |
| | Pediatric Subspecialty | 34.7% | 0.0% | 46.9% | 18.4% | 49 |
| | Surgical Subspecialty | 35.7% | 12.1% | 42.7% | 9.5% | 199 |
| | Neurological Surgery | 16.7% | 4.2% | 70.8% | 8.3% | 24 |
| | Psychiatry | 35.8% | 6.0% | 49.3% | 8.8% | 215 |
| | Hospital-based Specialty | 33.1% | 14.9% | 36.1% | 15.8% | 537 |
| Other | 33.9% | 6.8% | 44.1% | 15.3% | 59 | |
| If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care? | Yes | 22.3% | 26.7% | 41.8% | 9.2% | 206 |
| | No | 23.1% | 20.1% | 43.7% | 13.1% | 840 |
| Region | Portland Metro | 39.0% | 2.9% | 46.1% | 12.0% | 1506 |
| | Mid-Willamette Valley | 33.3% | 9.3% | 42.0% | 15.5% | 550 |
| | Northwestern | 1.4% | 84.7% | 8.3% | 5.6% | 72 |
| | Southern | 20.8% | 35.5% | 36.4% | 7.4% | 231 |
| | Eastern | 4.7% | 73.4% | 9.4% | 12.5% | 64 |
| | Southwestern | 9.1% | 65.9% | 15.9% | 9.1% | 44 |
| | Central | 22.4% | 31.5% | 32.3% | 13.8% | 232 |
| | Other | 29.7% | 16.8% | 38.6% | 14.9% | 316 |
| Statewide | | 32.3% | 14.6% | 40.7% | 12.5% | 3015 |

Reaction to potential Medicare reimbursement reduction

| <i>If Medicare reimbursement for physicians declines in 2012, which of the following actions will you take?</i> | | <i>Accept all new patients</i> | <i>Limit acceptance of new patients</i> | <i>Accept no new Medicare patients</i> | <i>Drop all Medicare patients</i> | <i>Undecided</i> | <i>Not Applicable</i> | <i>Total</i> |
|---|--|--|---|--|--|------------------|-----------------------|--------------|
| Gender | Female | 15.5% | 14.7% | 7.7% | 2.0% | 15.2% | 44.9% | 1032 |
| | Male | 21.4% | 15.6% | 8.9% | 4.8% | 14.9% | 34.6% | 2167 |
| Age | Under 50 years | 16.7% | 15.7% | 6.9% | 3.6% | 18.9% | 38.2% | 1284 |
| | 50 to 64 years | 21.3% | 16.6% | 9.4% | 4.5% | 12.3% | 36.0% | 1401 |
| | 65 or more | 21.3% | 10.9% | 10.1% | 2.9% | 12.2% | 42.6% | 516 |
| What is the size of your primary practice? | Solo practice | 11.5% | 19.7% | 15.7% | 8.1% | 13.2% | 31.8% | 529 |
| | Partnership (2-3 physicians) | 20.7% | 15.9% | 9.5% | 5.9% | 18.8% | 29.2% | 421 |
| | Group practice (4 to 9 physicians) | 25.3% | 13.8% | 7.4% | 3.1% | 14.8% | 35.6% | 752 |
| | Group practice (10-13 physicians) | 23.5% | 14.2% | 6.4% | 0.7% | 15.7% | 39.5% | 281 |
| | Group practice (14-19 physicians) | 23.9% | 15.6% | 8.3% | 4.4% | 18.5% | 29.3% | 205 |
| | Group practice (20-29 physicians) | 16.9% | 16.3% | 8.4% | 3.6% | 13.9% | 41.0% | 166 |
| | Group practice (30 or more physicians) | 17.9% | 15.6% | 5.5% | 1.8% | 14.4% | 44.8% | 659 |
| | Other | 10.7% | 5.4% | 3.4% | 2.7% | 10.1% | 67.8% | 149 |
| What is your employment status at your primary practice? | Full owner | 12.0% | 24.5% | 19.0% | 9.1% | 12.6% | 22.8% | 548 |
| | Part owner (or shareholder) | 19.9% | 20.9% | 12.1% | 4.6% | 18.2% | 24.4% | 694 |
| | Employee | 23.8% | 11.7% | 4.5% | 1.8% | 15.5% | 42.7% | 1543 |
| | Independent contractor | 14.5% | 8.5% | 3.5% | 4.2% | 10.2% | 59.0% | 283 |
| | Volunteer | 7.1% | 7.1% | 3.6% | 0.0% | 3.6% | 78.6% | 28 |
| Other | 7.5% | 3.2% | 3.2% | 2.2% | 11.8% | 72.0% | 93 | |
| Specialty Categories | Family/General Medicine | 19.0% | 15.6% | 14.5% | 4.3% | 14.9% | 31.6% | 557 |
| | Obstetrics/Gynecology | 13.9% | 22.8% | 12.7% | 4.4% | 20.3% | 25.9% | 158 |
| | General Internal Medicine | 19.6% | 13.9% | 10.6% | 4.1% | 14.3% | 37.6% | 511 |
| | General Pediatrics | 8.5% | 4.5% | 2.5% | 2.0% | 6.5% | 75.9% | 199 |
| | General Surgery | 26.2% | 23.0% | 2.5% | 5.7% | 18.0% | 24.6% | 122 |
| | Medical Subspecialty | 22.9% | 24.5% | 5.9% | 3.3% | 18.2% | 25.1% | 510 |
| | Pediatric Subspecialty | 9.1% | 1.8% | 0.0% | 0.0% | 7.3% | 81.8% | 55 |
| | Surgical Subspecialty | 18.6% | 28.1% | 10.5% | 6.7% | 11.4% | 24.8% | 210 |
| | Neurological Surgery | 30.8% | 26.9% | 7.7% | 7.7% | 15.4% | 11.5% | 26 |
| | Psychiatry | 5.0% | 11.8% | 13.6% | 4.1% | 14.5% | 50.9% | 220 |
| | Hospital-based Specialty | 26.9% | 5.7% | 2.9% | 2.7% | 16.1% | 45.7% | 558 |
| Other | 21.0% | 12.9% | 12.9% | 4.8% | 12.9% | 35.5% | 62 | |
| <i>If Medicare reimbursement for physicians declines in 2012, which of the following actions will you take?</i> | | <i>Will accept all new Medicare patients</i> | <i>Will limit acceptance of new Medicare patients</i> | <i>Will not accept any new Medicare patients</i> | <i>Will drop all Medicare patients</i> | <i>Undecided</i> | <i>Not Applicable</i> | <i>Total</i> |
| Region | Portland Metro | 17.4% | 15.0% | 7.8% | 3.4% | 14.0% | 42.3% | 1584 |
| | Mid-Willamette Valley | 19.2% | 17.6% | 11.4% | 3.3% | 16.6% | 32.0% | 579 |
| | Northwestern | 32.9% | 10.5% | 6.6% | 3.9% | 9.2% | 36.8% | 76 |
| | Southern | 15.5% | 17.1% | 13.1% | 5.6% | 17.1% | 31.7% | 252 |
| | Eastern | 34.3% | 7.5% | 6.0% | 4.5% | 19.4% | 28.4% | 67 |
| | Southwestern | 23.9% | 13.0% | 15.2% | 6.5% | 19.6% | 21.7% | 46 |
| | Central | 25.8% | 15.9% | 5.6% | 5.2% | 14.7% | 32.9% | 252 |
| | Other | 21.2% | 13.6% | 5.5% | 4.3% | 15.1% | 40.3% | 345 |
| Statewide | 19.5% | 15.3% | 8.5% | 3.9% | 15.0% | 37.9% | 3201 | |

Reaction to potential Medicaid reimbursement reduction

| <i>If Medicaid reimbursement for physicians declines in 2012, which of the following actions will you take?</i> | | <i>Will accept all new Medicaid patients</i> | <i>Will limit acceptance of new Medicaid patients</i> | <i>Will not accept any new Medicaid patients</i> | <i>Will drop all Medicaid patients</i> | <i>Undecided</i> | <i>Not Applicable</i> | <i>Total</i> |
|---|---|--|---|--|--|------------------|-----------------------|--------------|
| Gender | Female | 16.4% | 17.9% | 7.0% | 3.5% | 15.5% | 39.7% | 1034 |
| | Male | 20.5% | 16.7% | 8.5% | 7.2% | 14.3% | 32.7% | 2162 |
| Age | Under 50 years | 17.4% | 17.4% | 7.1% | 6.2% | 17.7% | 34.2% | 1285 |
| | 50 to 64 years | 20.0% | 18.8% | 8.9% | 6.2% | 12.6% | 33.6% | 1397 |
| | 65 or more | 21.5% | 11.8% | 7.8% | 4.8% | 12.8% | 41.3% | 516 |
| What is the size of your primary practice? | Solo practice | 10.0% | 17.8% | 14.7% | 11.7% | 10.2% | 35.5% | 529 |
| | Partnership (2-3 physicians) | 22.7% | 15.0% | 10.5% | 9.3% | 17.7% | 24.8% | 419 |
| | Group practice (4 to 9 physicians) | 25.1% | 18.7% | 6.6% | 4.1% | 16.2% | 29.3% | 748 |
| | Group practice (10-13 physicians) | 23.3% | 17.3% | 5.3% | 3.5% | 15.5% | 35.0% | 283 |
| | Group practice (14-19 physicians) | 24.9% | 18.0% | 6.8% | 6.8% | 18.0% | 25.4% | 205 |
| | Group practice (20-29 physicians) | 18.8% | 24.8% | 6.1% | 4.8% | 12.7% | 32.7% | 165 |
| | Group practice (30 or more than physicians) | 16.0% | 17.4% | 5.6% | 3.0% | 14.5% | 43.4% | 661 |
| Other | 11.4% | 3.4% | 4.0% | 3.4% | 12.8% | 65.1% | 149 | |
| What is your employment status at your primary practice? | Full owner | 10.4% | 22.6% | 18.4% | 14.4% | 9.5% | 24.6% | 548 |
| | Part owner (or shareholder) | 16.9% | 25.3% | 11.7% | 7.8% | 17.8% | 20.4% | 691 |
| | Employee | 24.7% | 14.2% | 4.1% | 2.7% | 16.0% | 38.3% | 1544 |
| | Independent contractor | 17.1% | 8.9% | 2.8% | 3.6% | 10.3% | 57.3% | 281 |
| | Volunteer | 14.3% | 3.6% | 0.0% | 3.6% | 3.6% | 75.0% | 28 |
| | Other | 6.4% | 2.1% | 0.0% | 5.3% | 16.0% | 70.2% | 94 |
| Specialty Categories | Family/General Medicine | 17.1% | 16.7% | 11.5% | 6.5% | 15.3% | 33.0% | 557 |
| | Obstetrics/Gynecology | 16.5% | 29.7% | 8.2% | 3.2% | 14.6% | 27.8% | 158 |
| | General Internal Medicine | 16.6% | 15.2% | 9.9% | 5.3% | 13.5% | 39.6% | 513 |
| | General Pediatrics | 20.2% | 27.3% | 10.6% | 1.5% | 14.6% | 25.8% | 198 |
| | General Surgery | 26.2% | 23.0% | 3.3% | 9.8% | 13.9% | 23.8% | 122 |
| | Medical Subspecialty | 17.5% | 22.9% | 7.5% | 8.6% | 17.1% | 26.5% | 510 |
| | Pediatric Subspecialty | 43.6% | 10.9% | 0.0% | 3.6% | 20.0% | 21.8% | 55 |
| | Surgical Subspecialty | 15.5% | 26.3% | 10.3% | 13.6% | 9.4% | 24.9% | 213 |
| | Neurological Surgery | 12.5% | 33.3% | 16.7% | 8.3% | 16.7% | 12.5% | 24 |
| | Psychiatry | 9.7% | 8.8% | 7.8% | 2.3% | 13.8% | 57.6% | 217 |
| | Hospital-based Specialty | 26.6% | 6.3% | 2.3% | 3.6% | 15.8% | 45.3% | 556 |
| | Other | 24.2% | 9.7% | 11.3% | 8.1% | 9.7% | 37.1% | 62 |
| <i>If Medicaid reimbursement for physicians declines in 2012, which of the following actions will you take?</i> | | <i>Will accept all new Medicaid patients</i> | <i>Will limit acceptance of new Medicaid patients</i> | <i>Will not accept any new Medicaid patients</i> | <i>Will drop all Medicaid patients</i> | <i>Undecided</i> | <i>Not Applicable</i> | <i>Total</i> |
| Region | Portland Metro | 16.9% | 17.3% | 8.0% | 5.2% | 14.3% | 38.4% | 1582 |
| | Mid-Willamette Valley | 19.7% | 20.8% | 7.6% | 6.1% | 16.4% | 29.4% | 578 |
| | Northwestern | 35.5% | 13.2% | 5.3% | 3.9% | 10.5% | 31.6% | 76 |
| | Southern | 15.8% | 19.0% | 13.4% | 9.1% | 14.6% | 28.1% | 253 |
| | Eastern | 35.3% | 10.3% | 4.4% | 8.8% | 16.2% | 25.0% | 68 |
| | Southwestern | 27.7% | 14.9% | 12.8% | 4.3% | 21.3% | 19.1% | 47 |
| | Central | 26.2% | 14.5% | 7.3% | 7.3% | 12.9% | 31.9% | 248 |
| | Other | 18.5% | 13.0% | 5.8% | 6.4% | 14.7% | 41.6% | 346 |
| Statewide | 19.2% | 17.1% | 8.0% | 6.0% | 14.7% | 35.1% | 3198 | |

Effectiveness of system changes-rankings

| <i>Physician Payment Reform</i> | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|---------------------------------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| Gender | Female | 14.7% | 10.7% | 11.2% | 8.0% | 8.4% | 8.8% | 7.2% | 10.8% | 12.4% | 7.4% | 0.4% | 755 |
| | Male | 16.6% | 14.0% | 10.6% | 9.4% | 7.9% | 7.6% | 8.5% | 9.7% | 7.4% | 8.1% | 0.2% | 1707 |
| Age | Under 50 years | 16.3% | 13.3% | 9.6% | 9.2% | 7.2% | 7.5% | 6.3% | 9.3% | 11.9% | 9.0% | 0.3% | 1021 |
| | 50 to 64 years | 15.2% | 12.2% | 11.1% | 8.6% | 8.1% | 8.4% | 9.9% | 11.3% | 7.7% | 7.2% | 0.3% | 1066 |
| | 65 or more | 17.6% | 14.1% | 13.1% | 9.1% | 9.8% | 7.8% | 8.1% | 8.8% | 4.8% | 6.8% | 0.0% | 397 |
| Specialty Categories | Family/General Medicine | 21.9% | 14.6% | 11.2% | 10.0% | 6.6% | 5.7% | 8.7% | 10.0% | 6.4% | 4.6% | 0.2% | 438 |
| | Obstetrics/Gynecology | 14.4% | 6.4% | 14.4% | 7.2% | 11.2% | 7.2% | 5.6% | 12.0% | 17.6% | 4.0% | 0.0% | 125 |
| | General Internal Medicine | 18.0% | 13.5% | 8.9% | 9.4% | 9.6% | 7.6% | 10.1% | 8.4% | 7.4% | 7.1% | 0.0% | 406 |
| | General Pediatrics | 17.8% | 15.4% | 9.5% | 10.7% | 7.7% | 10.1% | 5.3% | 13.6% | 5.3% | 4.7% | 0.0% | 169 |
| | General Surgery | 7.8% | 12.7% | 13.7% | 8.8% | 6.9% | 4.9% | 10.8% | 12.7% | 13.7% | 7.8% | 0.0% | 102 |
| | Medical Subspecialty | 16.3% | 14.3% | 9.9% | 8.2% | 10.7% | 8.2% | 8.7% | 10.2% | 6.6% | 6.6% | 0.3% | 392 |
| | Pediatric Subspecialty | 11.4% | 11.4% | 9.1% | 20.5% | 11.4% | 2.3% | 9.1% | 4.5% | 6.8% | 13.6% | 0.0% | 44 |
| | Surgical Subspecialty | 18.0% | 10.7% | 15.3% | 7.3% | 2.7% | 12.0% | 4.7% | 6.0% | 8.7% | 13.3% | 1.3% | 150 |
| | Neurological Surgery | 16.7% | 11.1% | 16.7% | 11.1% | 5.6% | 16.7% | 5.6% | 11.1% | 5.6% | 0.0% | 0.0% | 18 |
| | Psychiatry | 16.9% | 12.5% | 7.5% | 9.4% | 5.6% | 7.5% | 10.6% | 11.2% | 10.0% | 8.1% | 0.6% | 160 |
| | Hospital-based Specialty | 9.1% | 11.0% | 10.6% | 8.2% | 7.4% | 9.8% | 7.2% | 10.3% | 13.2% | 12.9% | 0.2% | 417 |
| | Other | 17.3% | 17.3% | 17.3% | 1.9% | 9.6% | 3.8% | 3.8% | 9.6% | 9.6% | 9.6% | 0.0% | 52 |
| Urban-Rural | Urban | 15.7% | 12.6% | 10.5% | 8.9% | 8.8% | 7.9% | 7.8% | 10.2% | 8.8% | 8.5% | 0.3% | 1739 |
| | Rural | 16.5% | 14.3% | 11.8% | 7.2% | 5.9% | 7.0% | 9.7% | 10.5% | 9.5% | 7.4% | 0.2% | 526 |
| Region | Portland Metro | 15.6% | 12.9% | 11.1% | 9.2% | 8.6% | 7.9% | 8.0% | 9.3% | 9.1% | 7.9% | 0.2% | 1259 |
| | Mid-Willamette Valley | 16.8% | 12.0% | 10.8% | 7.8% | 8.0% | 8.0% | 8.0% | 12.2% | 8.0% | 8.0% | 0.2% | 435 |
| | Northwestern | 16.7% | 16.7% | 5.6% | 14.8% | 1.9% | 5.6% | 9.3% | 7.4% | 14.8% | 7.4% | 0.0% | 54 |
| | Southern | 15.6% | 15.6% | 11.5% | 5.7% | 5.2% | 8.9% | 6.2% | 12.5% | 6.8% | 11.5% | 0.5% | 192 |
| | Eastern | 20.8% | 13.2% | 3.8% | 1.9% | 9.4% | 5.7% | 11.3% | 13.2% | 11.3% | 9.4% | 0.0% | 53 |
| | Southwestern | 20.5% | 9.1% | 11.4% | 9.1% | 4.5% | 9.1% | 6.8% | 11.4% | 9.1% | 9.1% | 0.0% | 44 |
| | Central | 14.6% | 12.6% | 10.6% | 8.6% | 8.6% | 6.1% | 11.1% | 9.1% | 10.6% | 7.6% | 0.5% | 198 |
| | Other | 16.1% | 12.9% | 11.2% | 12.4% | 8.4% | 9.6% | 7.2% | 8.8% | 8.8% | 4.4% | 0.0% | 249 |
| Statewide | | 16.0% | 13.0% | 10.8% | 8.9% | 8.0% | 8.0% | 8.1% | 10.1% | 9.0% | 7.9% | 0.2% | 2484 |

Improving Care Coordination across
Settings and Disciplines

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|-------------------------|------------------------------|-------|-------|-------|-------|-------|-------|------|------|------|-------|------|-------|
| Gender | Female | 19.0% | 23.2% | 19.6% | 15.1% | 8.2% | 5.6% | 5.4% | 1.4% | 1.8% | 0.6% | 0.1% | 868 |
| | Male | 14.6% | 16.6% | 18.6% | 14.2% | 12.3% | 10.0% | 5.6% | 4.6% | 2.4% | 1.2% | 0.0% | 1799 |
| Age | Under 50 years | 16.1% | 18.1% | 17.9% | 14.9% | 11.1% | 8.2% | 6.1% | 3.8% | 2.5% | 1.1% | 0.1% | 1099 |
| | 50 to 64 years | 16.7% | 20.5% | 19.7% | 14.0% | 11.0% | 7.6% | 4.8% | 3.0% | 1.9% | 1.0% | 0.0% | 1152 |
| | 65 or more | 13.9% | 15.6% | 19.6% | 14.6% | 10.5% | 12.4% | 6.0% | 4.5% | 2.2% | 0.7% | 0.0% | 418 |
| Specialty Categories | Family/General Medicine | 17.8% | 20.6% | 18.6% | 16.5% | 11.7% | 4.4% | 4.7% | 2.3% | 2.5% | 0.8% | 0.0% | 472 |
| | Obstetrics/Gynecology | 13.3% | 12.5% | 14.8% | 17.2% | 10.9% | 8.6% | 8.6% | 7.0% | 5.5% | 1.6% | 0.0% | 128 |
| | General Internal Medicine | 14.7% | 19.5% | 18.3% | 15.2% | 10.7% | 9.3% | 6.2% | 3.3% | 2.1% | 0.7% | 0.0% | 421 |
| | General Pediatrics | 23.7% | 19.8% | 16.4% | 13.6% | 12.4% | 7.3% | 3.4% | 1.7% | 1.1% | 0.0% | 0.6% | 177 |
| | General Surgery | 11.4% | 20.0% | 27.6% | 11.4% | 9.5% | 5.7% | 7.6% | 3.8% | 2.9% | 0.0% | 0.0% | 105 |
| | Medical Subspecialty | 13.0% | 16.4% | 17.2% | 16.4% | 13.7% | 10.8% | 4.7% | 4.4% | 2.2% | 1.2% | 0.0% | 408 |
| | Pediatric Subspecialty | 25.5% | 13.7% | 17.6% | 5.9% | 15.7% | 13.7% | 2.0% | 3.9% | 2.0% | 0.0% | 0.0% | 51 |
| | Surgical Subspecialty | 13.6% | 16.9% | 16.9% | 14.3% | 13.0% | 14.3% | 3.9% | 3.2% | 3.2% | 0.6% | 0.0% | 154 |
| | Neurological Surgery | 11.1% | 38.9% | 0.0% | 11.1% | 5.6% | 11.1% | 5.6% | 5.6% | 0.0% | 11.1% | 0.0% | 18 |
| | Psychiatry | 17.3% | 20.9% | 27.0% | 11.2% | 7.1% | 7.1% | 5.1% | 3.1% | 1.0% | 0.0% | 0.0% | 196 |
| | Hospital-based Specialty | 16.8% | 18.3% | 20.6% | 12.1% | 9.1% | 8.9% | 7.0% | 4.0% | 1.7% | 1.5% | 0.0% | 471 |
| Other | 12.7% | 14.5% | 14.5% | 20.0% | 7.3% | 12.7% | 7.3% | 5.5% | 1.8% | 3.6% | 0.0% | 55 | |
| Urban- Rural | Urban | 16.0% | 20.1% | 18.7% | 14.6% | 10.2% | 8.5% | 4.9% | 3.6% | 2.1% | 1.1% | 0.1% | 1867 |
| | Rural | 16.0% | 15.5% | 18.7% | 15.7% | 11.6% | 9.0% | 6.3% | 4.0% | 2.6% | 0.5% | 0.0% | 568 |
| Region | Portland Metro | 17.1% | 18.3% | 18.4% | 14.5% | 10.4% | 8.1% | 5.3% | 4.0% | 2.7% | 1.0% | 0.1% | 1340 |
| | Mid-Willamette Valley | 13.4% | 22.9% | 19.6% | 17.6% | 9.7% | 7.6% | 4.1% | 2.1% | 1.4% | 1.4% | 0.0% | 484 |
| | Northwestern | 17.5% | 17.5% | 17.5% | 11.1% | 9.5% | 7.9% | 6.3% | 6.3% | 6.3% | 0.0% | 0.0% | 63 |
| | Southern | 14.2% | 14.2% | 20.3% | 11.7% | 13.7% | 13.2% | 6.6% | 4.1% | 1.5% | 0.5% | 0.0% | 197 |
| | Eastern | 13.3% | 15.0% | 28.3% | 8.3% | 13.3% | 6.7% | 6.7% | 3.3% | 3.3% | 1.7% | 0.0% | 60 |
| | Southwestern | 13.6% | 18.2% | 13.6% | 13.6% | 11.4% | 18.2% | 6.8% | 4.5% | 0.0% | 0.0% | 0.0% | 44 |
| | Central | 17.8% | 18.8% | 16.4% | 16.9% | 11.3% | 8.9% | 5.2% | 3.8% | 0.9% | 0.0% | 0.0% | 213 |
| | Other | 15.7% | 17.9% | 20.5% | 11.2% | 13.4% | 7.8% | 7.8% | 2.6% | 1.9% | 1.1% | 0.0% | 268 |
| Statewide | | 16.0% | 18.7% | 19.0% | 14.5% | 11.0% | 8.6% | 5.5% | 3.6% | 2.2% | 1.0% | 0.0% | 2669 |

Adoption and use of evidence-based clinical practice guidelines

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|----------------------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|------|-------|
| Gender | Female | 13.4% | 16.0% | 17.2% | 14.1% | 12.2% | 9.4% | 6.0% | 6.1% | 3.4% | 2.2% | 0.1% | 821 |
| | Male | 16.5% | 18.6% | 13.8% | 14.6% | 10.0% | 9.7% | 7.3% | 4.6% | 2.9% | 1.7% | 0.2% | 1775 |
| Age | Under 50 years | 13.9% | 16.5% | 14.3% | 15.4% | 10.7% | 10.4% | 7.8% | 5.7% | 3.4% | 1.9% | 0.1% | 1067 |
| | 50 to 64 years | 16.5% | 18.5% | 15.7% | 14.0% | 10.1% | 9.4% | 6.4% | 4.3% | 2.8% | 1.9% | 0.4% | 1127 |
| | 65 or more | 16.8% | 18.8% | 13.9% | 13.4% | 12.6% | 8.4% | 5.7% | 5.4% | 3.0% | 2.0% | 0.0% | 404 |
| Specialty Categories | Family/General Medicine | 13.2% | 15.7% | 16.6% | 13.9% | 10.7% | 12.1% | 6.9% | 7.2% | 2.2% | 1.3% | 0.2% | 447 |
| | Obstetrics/Gynecology | 19.8% | 19.1% | 17.6% | 16.8% | 9.9% | 5.3% | 3.1% | 4.6% | 1.5% | 1.5% | 0.8% | 131 |
| | General Internal Medicine | 14.0% | 16.4% | 15.7% | 17.8% | 11.6% | 10.0% | 5.2% | 3.3% | 3.3% | 2.1% | 0.5% | 421 |
| | General Pediatrics | 13.3% | 17.9% | 13.3% | 12.7% | 16.8% | 9.8% | 8.7% | 5.8% | 1.7% | 0.0% | 0.0% | 173 |
| | General Surgery | 19.0% | 19.0% | 12.4% | 17.1% | 7.6% | 10.5% | 8.6% | 4.8% | 0.0% | 1.0% | 0.0% | 105 |
| | Medical Subspecialty | 15.9% | 17.7% | 13.2% | 13.2% | 11.1% | 11.1% | 5.8% | 4.8% | 4.3% | 2.5% | 0.3% | 395 |
| | Pediatric Subspecialty | 8.5% | 17.0% | 19.1% | 14.9% | 12.8% | 6.4% | 14.9% | 4.3% | 0.0% | 2.1% | 0.0% | 47 |
| | Surgical Subspecialty | 13.2% | 24.3% | 11.2% | 13.8% | 5.9% | 8.6% | 11.2% | 5.9% | 4.6% | 1.3% | 0.0% | 152 |
| | Neurological Surgery | 22.2% | 16.7% | 5.6% | 11.1% | 16.7% | 16.7% | 0.0% | 5.6% | 5.6% | 0.0% | 0.0% | 18 |
| | Psychiatry | 9.8% | 11.0% | 14.0% | 15.2% | 12.8% | 12.8% | 7.3% | 8.5% | 5.5% | 3.0% | 0.0% | 164 |
| | Hospital-based Specialty | 20.9% | 20.7% | 15.4% | 13.4% | 9.0% | 6.3% | 7.3% | 3.1% | 2.1% | 1.9% | 0.0% | 479 |
| Other | 11.1% | 18.5% | 13.0% | 9.3% | 7.4% | 9.3% | 5.6% | 7.4% | 11.1% | 7.4% | 0.0% | 54 | |
| Urban-Rural | Urban | 15.8% | 17.0% | 14.8% | 15.1% | 10.6% | 9.6% | 7.0% | 5.0% | 3.0% | 1.9% | 0.2% | 1808 |
| | Rural | 14.6% | 19.0% | 14.4% | 12.5% | 11.6% | 10.1% | 7.4% | 6.1% | 2.5% | 1.6% | 0.2% | 554 |
| Region | Portland Metro | 15.4% | 18.2% | 15.0% | 14.4% | 10.8% | 9.3% | 6.9% | 4.7% | 3.3% | 1.8% | 0.2% | 1302 |
| | Mid-Willamette Valley | 16.6% | 15.8% | 13.8% | 14.9% | 11.2% | 10.3% | 7.2% | 5.9% | 2.2% | 2.2% | 0.0% | 457 |
| | Northwestern | 16.4% | 29.1% | 9.1% | 10.9% | 12.7% | 7.3% | 7.3% | 3.6% | 0.0% | 1.8% | 1.8% | 55 |
| | Southern | 17.2% | 14.1% | 12.1% | 18.2% | 9.6% | 8.6% | 8.6% | 7.1% | 2.0% | 2.5% | 0.0% | 198 |
| | Eastern | 15.3% | 18.6% | 20.3% | 11.9% | 16.9% | 5.1% | 6.8% | 3.4% | 1.7% | 0.0% | 0.0% | 59 |
| | Southwestern | 7.0% | 16.3% | 23.3% | 2.3% | 9.3% | 18.6% | 7.0% | 9.3% | 4.7% | 2.3% | 0.0% | 43 |
| | Central | 13.6% | 16.4% | 15.0% | 15.5% | 9.4% | 11.7% | 6.6% | 6.6% | 3.3% | 1.4% | 0.5% | 213 |
| | Other | 15.1% | 20.3% | 16.6% | 14.0% | 10.0% | 9.6% | 4.8% | 3.0% | 4.4% | 2.2% | 0.0% | 271 |
| Statewide | | 15.5% | 17.7% | 14.9% | 14.5% | 10.7% | 9.7% | 6.9% | 5.1% | 3.0% | 1.9% | 0.2% | 2598 |

Public reporting on provider
quality using standardized
measures

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|-------------------------|------------------------------|------|------|------|------|-------|-------|-------|-------|-------|-------|------|-------|
| Gender | Female | 0.4% | 1.8% | 1.8% | 2.8% | 5.2% | 7.2% | 9.6% | 16.1% | 21.8% | 31.5% | 1.9% | 679 |
| | Male | 1.0% | 1.9% | 2.7% | 4.5% | 6.1% | 7.0% | 10.7% | 16.4% | 21.7% | 26.8% | 1.3% | 1547 |
| Age | Under 50 years | 0.9% | 1.6% | 2.7% | 3.1% | 5.6% | 6.5% | 10.7% | 17.3% | 21.8% | 29.6% | 0.3% | 933 |
| | 50 to 64 years | 1.0% | 1.6% | 1.9% | 4.4% | 6.8% | 8.0% | 10.1% | 15.0% | 22.2% | 26.8% | 2.1% | 946 |
| | 65 or more | 0.6% | 3.2% | 3.2% | 4.9% | 3.7% | 6.0% | 9.7% | 17.2% | 20.3% | 28.4% | 2.9% | 349 |
| Specialty Categories | Family/General Medicine | 0.0% | 1.3% | 0.8% | 2.4% | 4.6% | 6.4% | 8.3% | 17.2% | 20.1% | 35.4% | 3.5% | 373 |
| | Obstetrics/Gynecology | 0.0% | 4.5% | 4.5% | 4.5% | 2.7% | 9.0% | 9.0% | 14.4% | 20.7% | 28.8% | 1.8% | 111 |
| | General Internal Medicine | 0.3% | 1.4% | 2.3% | 4.6% | 4.3% | 5.8% | 13.9% | 15.3% | 21.1% | 29.8% | 1.2% | 346 |
| | General Pediatrics | 0.0% | 3.8% | 2.6% | 5.1% | 3.8% | 3.2% | 10.3% | 19.9% | 23.7% | 26.3% | 1.3% | 156 |
| | General Surgery | 1.1% | 1.1% | 1.1% | 0.0% | 7.4% | 9.6% | 9.6% | 16.0% | 21.3% | 31.9% | 1.1% | 94 |
| | Medical Subspecialty | 0.6% | 1.4% | 3.2% | 4.9% | 5.2% | 7.5% | 10.1% | 15.7% | 20.9% | 29.3% | 1.2% | 345 |
| | Pediatric Subspecialty | 4.8% | 0.0% | 0.0% | 2.4% | 2.4% | 11.9% | 14.3% | 16.7% | 23.8% | 23.8% | 0.0% | 42 |
| | Surgical Subspecialty | 3.6% | 2.9% | 2.9% | 3.6% | 6.5% | 5.8% | 10.8% | 25.2% | 18.0% | 20.1% | 0.7% | 139 |
| | Neurological Surgery | 5.9% | 0.0% | 5.9% | 5.9% | 11.8% | 5.9% | 29.4% | 11.8% | 5.9% | 17.6% | 0.0% | 17 |
| | Psychiatry | 0.7% | 0.7% | 3.4% | 6.8% | 5.4% | 8.8% | 6.8% | 14.9% | 20.9% | 29.1% | 2.7% | 148 |
| | Hospital-based Specialty | 0.8% | 2.3% | 2.8% | 3.5% | 10.1% | 8.1% | 9.6% | 14.1% | 25.7% | 23.2% | 0.0% | 397 |
| | Other | 6.0% | 0.0% | 2.0% | 4.0% | 4.0% | 10.0% | 14.0% | 16.0% | 16.0% | 24.0% | 4.0% | 50 |
| Urban- Rural | Urban | 0.9% | 2.1% | 2.9% | 4.2% | 5.5% | 7.7% | 10.7% | 16.2% | 21.6% | 27.2% | 1.0% | 1568 |
| | Rural | 1.1% | 1.3% | 0.4% | 3.6% | 6.2% | 6.4% | 9.2% | 15.9% | 20.6% | 32.2% | 3.0% | 466 |
| Region | Portland Metro | 0.9% | 2.6% | 2.9% | 4.7% | 6.1% | 8.5% | 10.7% | 14.8% | 21.1% | 26.5% | 1.2% | 1132 |
| | Mid-Willamette Valley | 1.0% | 1.0% | 3.1% | 2.5% | 4.3% | 6.4% | 10.9% | 18.6% | 22.4% | 28.0% | 1.8% | 393 |
| | Northwestern | 0.0% | 0.0% | 2.2% | 2.2% | 2.2% | 8.7% | 10.9% | 8.7% | 28.3% | 37.0% | 0.0% | 46 |
| | Southern | 1.2% | 1.8% | 0.0% | 4.8% | 7.3% | 2.4% | 8.5% | 17.0% | 20.6% | 33.9% | 2.4% | 165 |
| | Eastern | 1.9% | 0.0% | 0.0% | 7.7% | 5.8% | 7.7% | 9.6% | 19.2% | 21.2% | 21.2% | 5.8% | 52 |
| | Southwestern | 0.0% | 0.0% | 0.0% | 2.6% | 2.6% | 2.6% | 12.8% | 17.9% | 33.3% | 28.2% | 0.0% | 39 |
| | Central | 1.1% | 0.6% | 0.6% | 2.8% | 5.6% | 8.4% | 8.9% | 19.6% | 17.9% | 33.5% | 1.1% | 179 |
| | Other | 0.0% | 1.8% | 3.2% | 2.7% | 7.2% | 4.1% | 9.5% | 17.1% | 24.3% | 28.8% | 1.4% | 222 |
| Statewide | | 0.9% | 1.8% | 2.4% | 3.9% | 5.8% | 7.1% | 10.3% | 16.3% | 21.7% | 28.2% | 1.5% | 2228 |

Public reporting on value, (i.e., health outcomes achieved per total dollars spent)

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|----------------------|---------------------------|-------|------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| Gender | Female | 1.8% | 3.8% | 3.9% | 6.3% | 7.0% | 10.5% | 12.6% | 16.4% | 22.5% | 14.6% | 0.6% | 714 |
| | Male | 4.2% | 3.8% | 5.2% | 6.5% | 7.7% | 10.9% | 12.9% | 16.0% | 20.2% | 12.4% | 0.3% | 1592 |
| Age | Under 50 years | 2.9% | 3.3% | 4.2% | 5.5% | 6.3% | 10.8% | 12.6% | 17.1% | 21.8% | 15.0% | 0.3% | 957 |
| | 50 to 64 years | 3.3% | 4.3% | 5.6% | 6.8% | 8.8% | 10.8% | 12.0% | 15.7% | 20.4% | 11.8% | 0.4% | 993 |
| | 65 or more | 5.3% | 3.4% | 3.9% | 7.5% | 7.0% | 10.9% | 15.6% | 14.8% | 19.6% | 11.5% | 0.6% | 358 |
| Specialty Categories | Family/General Medicine | 4.1% | 3.3% | 2.1% | 6.4% | 7.7% | 9.2% | 14.1% | 16.4% | 23.8% | 12.6% | 0.3% | 390 |
| | Obstetrics/Gynecology | 1.7% | 4.3% | 8.5% | 5.1% | 6.0% | 12.8% | 11.1% | 15.4% | 18.8% | 16.2% | 0.0% | 117 |
| | General Internal Medicine | 2.7% | 5.2% | 6.6% | 6.3% | 7.9% | 7.4% | 9.8% | 17.8% | 23.5% | 12.6% | 0.3% | 366 |
| | General Pediatrics | 2.5% | 1.9% | 5.7% | 5.7% | 4.5% | 9.6% | 14.0% | 15.3% | 22.9% | 16.6% | 1.3% | 157 |
| | General Surgery | 1.0% | 1.0% | 6.2% | 7.2% | 8.2% | 13.4% | 12.4% | 13.4% | 23.7% | 13.4% | 0.0% | 97 |
| | Medical Subspecialty | 3.6% | 4.7% | 3.6% | 5.9% | 7.0% | 13.1% | 14.0% | 16.5% | 20.1% | 11.5% | 0.0% | 358 |
| | Pediatric Subspecialty | 0.0% | 4.8% | 4.8% | 4.8% | 4.8% | 11.9% | 14.3% | 19.0% | 16.7% | 19.0% | 0.0% | 42 |
| | Surgical Subspecialty | 5.0% | 2.8% | 3.5% | 10.6% | 8.5% | 10.6% | 14.2% | 14.9% | 16.3% | 12.8% | 0.7% | 141 |
| | Neurological Surgery | 0.0% | 6.7% | 20.0% | 6.7% | 26.7% | 13.3% | 13.3% | 0.0% | 6.7% | 6.7% | 0.0% | 15 |
| | Psychiatry | 3.9% | 6.5% | 5.2% | 3.2% | 6.5% | 12.9% | 13.5% | 16.8% | 20.0% | 10.3% | 1.3% | 155 |
| | Hospital-based Specialty | 3.7% | 2.5% | 4.9% | 7.1% | 8.3% | 12.3% | 12.5% | 15.7% | 18.9% | 13.7% | 0.5% | 408 |
| | Other | 11.8% | 3.9% | 3.9% | 7.8% | 5.9% | 5.9% | 15.7% | 13.7% | 19.6% | 11.8% | 0.0% | 51 |
| Urban-Rural | Urban | 3.3% | 4.3% | 5.3% | 6.5% | 7.3% | 10.8% | 13.4% | 16.5% | 20.5% | 11.6% | 0.4% | 1614 |
| | Rural | 2.7% | 2.0% | 3.7% | 6.3% | 8.4% | 10.2% | 11.4% | 15.3% | 23.5% | 15.9% | 0.6% | 490 |
| Region | Portland Metro | 3.9% | 4.0% | 5.1% | 6.7% | 7.5% | 11.8% | 13.7% | 17.1% | 19.0% | 11.0% | 0.3% | 1166 |
| | Mid-Willamette Valley | 2.7% | 4.4% | 5.9% | 6.1% | 7.1% | 7.1% | 13.5% | 15.5% | 22.6% | 14.5% | 0.5% | 407 |
| | Northwestern | 0.0% | 0.0% | 4.2% | 4.2% | 8.3% | 20.8% | 18.8% | 16.7% | 10.4% | 14.6% | 2.1% | 48 |
| | Southern | 1.2% | 3.5% | 4.1% | 6.4% | 5.8% | 7.6% | 12.3% | 13.5% | 28.7% | 15.8% | 1.2% | 171 |
| | Eastern | 5.7% | 1.9% | 3.8% | 5.7% | 3.8% | 17.0% | 7.5% | 18.9% | 20.8% | 15.1% | 0.0% | 53 |
| | Southwestern | 5.0% | 2.5% | 0.0% | 7.5% | 12.5% | 7.5% | 17.5% | 7.5% | 25.0% | 15.0% | 0.0% | 40 |
| | Central | 2.1% | 3.2% | 4.8% | 6.3% | 9.5% | 9.5% | 7.9% | 15.9% | 26.5% | 14.3% | 0.0% | 189 |
| | Other | 5.6% | 3.4% | 3.0% | 6.0% | 7.3% | 12.4% | 10.7% | 15.8% | 18.8% | 17.1% | 0.0% | 234 |
| Statewide | | 3.5% | 3.8% | 4.8% | 6.4% | 7.5% | 10.8% | 12.8% | 16.2% | 20.9% | 13.1% | 0.4% | 2308 |

Use of electronic medical records state-wide

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|----------------------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| Gender | Female | 8.8% | 10.9% | 13.3% | 13.4% | 13.3% | 11.5% | 10.1% | 8.0% | 5.7% | 5.2% | 0.0% | 792 |
| | Male | 7.5% | 10.8% | 13.2% | 13.2% | 12.0% | 12.1% | 8.6% | 7.8% | 7.0% | 7.6% | 0.2% | 1751 |
| Age | Under 50 years | 8.4% | 12.0% | 13.9% | 13.9% | 13.1% | 12.8% | 9.1% | 7.5% | 5.0% | 4.2% | 0.1% | 1064 |
| | 50 to 64 years | 7.8% | 10.6% | 12.1% | 13.3% | 12.0% | 10.6% | 9.9% | 8.1% | 7.5% | 8.1% | 0.1% | 1076 |
| | 65 or more | 7.2% | 8.1% | 14.3% | 11.9% | 11.6% | 13.1% | 6.9% | 8.1% | 8.1% | 10.4% | 0.2% | 405 |
| Specialty Categories | Family/General Medicine | 6.5% | 9.5% | 10.7% | 13.0% | 16.7% | 13.0% | 9.5% | 6.0% | 9.8% | 5.1% | 0.0% | 430 |
| | Obstetrics/Gynecology | 8.9% | 9.8% | 10.6% | 12.2% | 8.1% | 12.2% | 8.9% | 10.6% | 6.5% | 11.4% | 0.8% | 123 |
| | General Internal Medicine | 12.0% | 11.2% | 13.9% | 13.9% | 12.7% | 10.5% | 7.1% | 7.6% | 5.1% | 5.6% | 0.2% | 409 |
| | General Pediatrics | 6.9% | 8.1% | 12.7% | 13.3% | 13.3% | 12.7% | 10.4% | 5.8% | 8.1% | 8.7% | 0.0% | 173 |
| | General Surgery | 8.8% | 6.9% | 10.8% | 15.7% | 12.7% | 10.8% | 11.8% | 10.8% | 2.9% | 8.8% | 0.0% | 102 |
| | Medical Subspecialty | 7.4% | 13.4% | 14.6% | 14.1% | 9.2% | 12.7% | 10.2% | 7.2% | 5.5% | 5.7% | 0.0% | 403 |
| | Pediatric Subspecialty | 10.2% | 18.4% | 14.3% | 8.2% | 16.3% | 12.2% | 12.2% | 4.1% | 2.0% | 2.0% | 0.0% | 49 |
| | Surgical Subspecialty | 6.6% | 9.3% | 13.9% | 8.6% | 11.9% | 11.3% | 6.6% | 10.6% | 9.9% | 10.6% | 0.7% | 151 |
| | Neurological Surgery | 5.9% | 5.9% | 11.8% | 17.6% | 11.8% | 11.8% | 5.9% | 5.9% | 17.6% | 5.9% | 0.0% | 17 |
| | Psychiatry | 6.4% | 8.7% | 16.2% | 12.1% | 14.5% | 12.1% | 8.1% | 7.5% | 8.1% | 6.4% | 0.0% | 173 |
| | Hospital-based Specialty | 6.0% | 12.5% | 13.6% | 14.3% | 10.9% | 10.0% | 9.4% | 9.8% | 5.3% | 8.2% | 0.0% | 449 |
| Other | 14.8% | 7.4% | 13.0% | 9.3% | 11.1% | 24.1% | 9.3% | 7.4% | 0.0% | 3.7% | 0.0% | 54 | |
| Urban-Rural | Urban | 8.4% | 11.2% | 13.5% | 13.3% | 11.9% | 12.5% | 8.6% | 7.5% | 6.3% | 6.6% | 0.1% | 1784 |
| | Rural | 6.9% | 9.4% | 11.6% | 12.2% | 13.9% | 10.7% | 10.5% | 8.8% | 7.7% | 8.1% | 0.2% | 533 |
| Region | Portland Metro | 8.5% | 12.0% | 12.9% | 13.8% | 11.9% | 12.8% | 7.6% | 7.6% | 6.6% | 6.2% | 0.1% | 1281 |
| | Mid-Willamette Valley | 8.6% | 7.0% | 14.1% | 11.0% | 12.3% | 14.3% | 10.5% | 7.5% | 6.8% | 7.7% | 0.2% | 455 |
| | Northwestern | 12.3% | 8.8% | 17.5% | 14.0% | 15.8% | 5.3% | 10.5% | 8.8% | 7.0% | 0.0% | 0.0% | 57 |
| | Southern | 3.1% | 14.1% | 15.2% | 12.0% | 12.0% | 9.4% | 10.5% | 7.9% | 8.4% | 7.3% | 0.0% | 191 |
| | Eastern | 7.1% | 14.3% | 8.9% | 16.1% | 7.1% | 17.9% | 8.9% | 8.9% | 0.0% | 10.7% | 0.0% | 56 |
| | Southwestern | 11.9% | 4.8% | 9.5% | 16.7% | 11.9% | 9.5% | 9.5% | 9.5% | 7.1% | 7.1% | 2.4% | 42 |
| | Central | 7.5% | 10.0% | 10.9% | 11.4% | 15.9% | 7.0% | 11.9% | 9.0% | 7.0% | 9.5% | 0.0% | 201 |
| | Other | 6.5% | 10.3% | 14.1% | 16.0% | 13.0% | 9.5% | 10.3% | 8.4% | 5.3% | 6.5% | 0.0% | 262 |
| Statewide | | 7.9% | 10.8% | 13.2% | 13.3% | 12.4% | 11.9% | 9.1% | 7.9% | 6.6% | 6.8% | 0.1% | 2545 |

Increased availability of health information

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|----------------------|---------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|------|------|-------|
| Gender | Female | 2.8% | 8.0% | 9.6% | 13.5% | 14.6% | 13.5% | 14.8% | 10.5% | 7.4% | 4.9% | 0.4% | 761 |
| | Male | 3.6% | 7.7% | 10.1% | 12.4% | 14.2% | 12.8% | 13.8% | 10.4% | 8.4% | 6.0% | 0.6% | 1658 |
| Age | Under 50 years | 3.0% | 8.5% | 10.0% | 12.9% | 14.2% | 13.1% | 15.6% | 9.4% | 6.6% | 6.1% | 0.6% | 1009 |
| | 50 to 64 years | 4.1% | 7.3% | 10.3% | 12.1% | 14.0% | 13.6% | 12.4% | 11.3% | 8.8% | 5.5% | 0.6% | 1031 |
| | 65 or more | 2.4% | 7.1% | 8.7% | 13.9% | 16.0% | 11.5% | 15.0% | 10.8% | 10.0% | 4.5% | 0.3% | 381 |
| Specialty Categories | Family/General Medicine | 2.0% | 7.9% | 9.7% | 11.6% | 13.1% | 15.1% | 15.6% | 11.6% | 8.4% | 5.0% | 0.0% | 404 |
| | Obstetrics/Gynecology | 1.7% | 5.1% | 7.6% | 7.6% | 18.6% | 18.6% | 16.9% | 7.6% | 8.5% | 7.6% | 0.0% | 118 |
| | General Internal Medicine | 3.7% | 8.4% | 8.9% | 10.7% | 14.6% | 13.8% | 14.9% | 10.2% | 8.4% | 5.7% | 0.8% | 383 |
| | General Pediatrics | 2.5% | 4.4% | 13.1% | 16.9% | 14.4% | 14.4% | 11.9% | 8.8% | 8.8% | 5.0% | 0.0% | 160 |
| | General Surgery | 2.0% | 5.0% | 11.9% | 12.9% | 9.9% | 20.8% | 13.9% | 6.9% | 9.9% | 5.0% | 2.0% | 101 |
| | Medical Subspecialty | 4.0% | 6.1% | 14.1% | 14.1% | 11.4% | 11.7% | 11.7% | 11.9% | 7.4% | 6.9% | 0.8% | 377 |
| | Pediatric Subspecialty | 2.2% | 8.7% | 10.9% | 13.0% | 8.7% | 10.9% | 10.9% | 19.6% | 8.7% | 6.5% | 0.0% | 46 |
| | Surgical Subspecialty | 3.3% | 8.7% | 8.7% | 12.0% | 16.7% | 9.3% | 17.3% | 8.0% | 9.3% | 6.0% | 0.7% | 150 |
| | Neurological Surgery | 0.0% | 0.0% | 5.3% | 21.1% | 5.3% | 21.1% | 21.1% | 5.3% | 15.8% | 5.3% | 0.0% | 19 |
| | Psychiatry | 2.9% | 9.4% | 8.8% | 14.6% | 19.3% | 8.8% | 15.2% | 8.2% | 7.6% | 4.7% | 0.6% | 171 |
| | Hospital-based Specialty | 5.1% | 10.5% | 7.9% | 12.4% | 15.9% | 11.2% | 12.4% | 11.2% | 7.0% | 5.8% | 0.7% | 429 |
| Other | 0.0% | 9.6% | 5.8% | 21.2% | 15.4% | 9.6% | 17.3% | 15.4% | 5.8% | 0.0% | 0.0% | 52 | |
| Urban-Rural | Urban | 3.4% | 7.4% | 9.9% | 12.8% | 14.4% | 12.3% | 13.8% | 10.8% | 8.4% | 6.3% | 0.6% | 1693 |
| | Rural | 3.1% | 8.6% | 10.5% | 11.9% | 16.6% | 15.4% | 14.3% | 9.0% | 7.2% | 3.1% | 0.2% | 512 |
| Region | Portland Metro | 3.2% | 7.3% | 10.7% | 12.9% | 13.5% | 11.6% | 14.0% | 11.6% | 8.3% | 6.2% | 0.6% | 1219 |
| | Mid-Willamette Valley | 2.8% | 7.7% | 6.8% | 11.9% | 18.9% | 13.1% | 13.6% | 9.1% | 8.6% | 6.8% | 0.7% | 428 |
| | Northwestern | 7.8% | 9.8% | 7.8% | 9.8% | 17.6% | 19.6% | 5.9% | 15.7% | 3.9% | 2.0% | 0.0% | 51 |
| | Southern | 4.2% | 12.7% | 10.6% | 13.2% | 15.9% | 12.2% | 14.3% | 5.8% | 6.3% | 4.8% | 0.0% | 189 |
| | Eastern | 1.9% | 5.8% | 13.5% | 13.5% | 13.5% | 9.6% | 25.0% | 3.8% | 11.5% | 1.9% | 0.0% | 52 |
| | Southwestern | 0.0% | 4.7% | 18.6% | 16.3% | 11.6% | 14.0% | 18.6% | 16.3% | 0.0% | 0.0% | 0.0% | 43 |
| | Central | 4.2% | 7.3% | 8.4% | 11.0% | 14.7% | 19.9% | 12.6% | 8.4% | 9.9% | 3.1% | 0.5% | 191 |
| | Other | 3.6% | 7.3% | 10.1% | 14.1% | 9.3% | 14.5% | 15.3% | 11.7% | 7.7% | 5.6% | 0.8% | 248 |
| Statewide | | 3.3% | 7.8% | 9.9% | 12.7% | 14.4% | 13.1% | 14.1% | 10.5% | 8.1% | 5.6% | 0.5% | 2421 |

| <i>Professional liability reform</i> | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|--------------------------------------|---------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| Gender | Female | 18.7% | 12.0% | 10.6% | 8.3% | 8.2% | 10.3% | 7.6% | 6.8% | 7.4% | 9.7% | 0.5% | 843 |
| | Male | 25.6% | 15.8% | 11.7% | 8.7% | 8.1% | 5.6% | 5.5% | 5.2% | 6.3% | 7.3% | 0.2% | 1887 |
| Age | Under 50 years | 23.1% | 13.7% | 11.3% | 7.0% | 8.2% | 7.7% | 6.4% | 6.8% | 7.0% | 8.3% | 0.4% | 1093 |
| | 50 to 64 years | 22.5% | 14.9% | 11.5% | 9.9% | 8.4% | 7.0% | 5.8% | 5.0% | 6.2% | 8.5% | 0.3% | 1202 |
| | 65 or more | 27.0% | 16.5% | 10.8% | 8.9% | 7.1% | 5.7% | 6.4% | 5.0% | 6.6% | 5.9% | 0.0% | 437 |
| Specialty Categories | Family/General Medicine | 17.1% | 12.7% | 10.2% | 7.8% | 8.0% | 9.5% | 8.2% | 6.9% | 8.0% | 11.0% | 0.6% | 463 |
| | Obstetrics/Gynecology | 33.6% | 14.0% | 9.1% | 10.5% | 9.8% | 7.0% | 4.9% | 3.5% | 1.4% | 6.3% | 0.0% | 143 |
| | General Internal Medicine | 17.0% | 15.8% | 11.7% | 7.8% | 8.0% | 8.0% | 6.6% | 8.0% | 8.3% | 8.3% | 0.7% | 412 |
| | General Pediatrics | 12.2% | 9.9% | 9.9% | 8.1% | 9.9% | 9.3% | 7.0% | 8.7% | 12.2% | 12.2% | 0.6% | 172 |
| | General Surgery | 36.6% | 20.5% | 6.2% | 6.2% | 6.2% | 5.4% | 3.6% | 5.4% | 3.6% | 6.2% | 0.0% | 112 |
| | Medical Subspecialty | 27.4% | 14.7% | 12.9% | 7.5% | 8.8% | 4.3% | 6.3% | 3.6% | 5.2% | 9.1% | 0.0% | 441 |
| | Pediatric Subspecialty | 19.1% | 10.6% | 8.5% | 8.5% | 8.5% | 8.5% | 2.1% | 4.3% | 19.1% | 10.6% | 0.0% | 47 |
| | Surgical Subspecialty | 35.2% | 13.2% | 12.6% | 11.5% | 6.0% | 4.4% | 4.4% | 4.9% | 4.4% | 3.3% | 0.0% | 182 |
| | Neurological Surgery | 50.0% | 13.6% | 13.6% | 0.0% | 13.6% | 0.0% | 0.0% | 0.0% | 4.5% | 4.5% | 0.0% | 22 |
| | Psychiatry | 9.6% | 16.4% | 7.9% | 13.0% | 8.5% | 9.0% | 10.2% | 6.2% | 7.9% | 11.3% | 0.0% | 177 |
| | Hospital-based Specialty | 30.7% | 17.4% | 13.5% | 9.1% | 6.9% | 6.7% | 3.8% | 4.6% | 3.6% | 3.4% | 0.2% | 495 |
| Other | 13.0% | 9.3% | 14.8% | 7.4% | 11.1% | 3.7% | 5.6% | 5.6% | 16.7% | 13.0% | 0.0% | 54 | |
| Urban-Rural | Urban | 21.9% | 14.4% | 11.4% | 8.2% | 8.5% | 7.0% | 6.2% | 5.9% | 7.3% | 9.1% | 0.3% | 1896 |
| | Rural | 28.0% | 15.3% | 11.2% | 10.7% | 6.5% | 6.3% | 5.9% | 5.6% | 4.6% | 5.4% | 0.5% | 589 |
| Region | Portland Metro | 19.7% | 13.4% | 10.6% | 8.3% | 8.5% | 7.5% | 6.5% | 6.8% | 8.0% | 10.4% | 0.4% | 1332 |
| | Mid-Willamette Valley | 26.5% | 16.2% | 12.1% | 8.3% | 8.7% | 5.5% | 5.9% | 4.3% | 6.5% | 5.7% | 0.2% | 506 |
| | Northwestern | 28.6% | 7.9% | 11.1% | 20.6% | 6.3% | 4.8% | 3.2% | 3.2% | 4.8% | 9.5% | 0.0% | 63 |
| | Southern | 32.0% | 16.9% | 12.9% | 7.6% | 6.7% | 8.0% | 5.3% | 4.4% | 3.6% | 2.7% | 0.0% | 225 |
| | Eastern | 25.8% | 16.1% | 12.9% | 12.9% | 8.1% | 8.1% | 4.8% | 1.6% | 4.8% | 4.8% | 0.0% | 62 |
| | Southwestern | 21.7% | 28.3% | 4.3% | 8.7% | 10.9% | 4.3% | 4.3% | 8.7% | 2.2% | 4.3% | 2.2% | 46 |
| | Central | 25.9% | 14.8% | 13.4% | 9.3% | 6.5% | 5.6% | 7.4% | 6.0% | 4.2% | 6.5% | 0.5% | 216 |
| | Other | 26.2% | 14.9% | 11.3% | 7.1% | 7.8% | 8.9% | 6.0% | 4.6% | 6.0% | 7.1% | 0.0% | 282 |
| Statewide | | 23.5% | 14.7% | 11.3% | 8.6% | 8.1% | 7.1% | 6.1% | 5.7% | 6.6% | 8.0% | 0.3% | 2732 |

*Increasing amount of time
available for direct patient care*

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|-------------------------|------------------------------|-------|-------|-------|-------|-------|------|-------|-------|------|------|------|-------|
| Gender | Female | 26.8% | 22.1% | 14.4% | 9.0% | 8.4% | 5.5% | 5.2% | 3.7% | 1.9% | 2.8% | 0.1% | 884 |
| | Male | 18.8% | 19.0% | 16.2% | 10.8% | 9.6% | 7.0% | 6.4% | 4.5% | 4.5% | 3.0% | 0.3% | 1804 |
| Age | Under 50 years | 21.7% | 19.7% | 15.9% | 10.5% | 10.0% | 6.3% | 5.9% | 4.3% | 3.3% | 2.4% | 0.2% | 1103 |
| | 50 to 64 years | 22.2% | 19.0% | 15.3% | 9.9% | 8.6% | 6.4% | 6.3% | 4.2% | 3.9% | 3.9% | 0.3% | 1154 |
| | 65 or more | 19.2% | 23.3% | 15.5% | 10.4% | 8.8% | 7.4% | 5.3% | 4.2% | 3.9% | 1.8% | 0.2% | 433 |
| Specialty Categories | Family/General Medicine | 25.4% | 21.8% | 17.9% | 10.5% | 8.6% | 5.9% | 3.4% | 2.1% | 2.5% | 1.5% | 0.4% | 476 |
| | Obstetrics/Gynecology | 14.9% | 26.1% | 13.4% | 11.2% | 8.2% | 6.7% | 6.7% | 7.5% | 0.7% | 4.5% | 0.0% | 134 |
| | General Internal Medicine | 26.5% | 18.6% | 17.0% | 8.8% | 9.1% | 4.9% | 6.3% | 3.3% | 3.0% | 2.6% | 0.0% | 430 |
| | General Pediatrics | 22.5% | 22.5% | 16.3% | 6.7% | 6.7% | 7.3% | 7.9% | 3.4% | 3.4% | 3.4% | 0.0% | 178 |
| | General Surgery | 17.1% | 17.1% | 10.5% | 11.4% | 17.1% | 6.7% | 7.6% | 3.8% | 4.8% | 2.9% | 1.0% | 105 |
| | Medical Subspecialty | 21.7% | 21.2% | 15.5% | 10.0% | 9.5% | 6.0% | 4.5% | 5.5% | 3.3% | 2.4% | 0.2% | 419 |
| | Pediatric Subspecialty | 18.8% | 18.8% | 14.6% | 12.5% | 6.2% | 8.3% | 2.1% | 6.2% | 6.2% | 6.2% | 0.0% | 48 |
| | Surgical Subspecialty | 10.6% | 21.7% | 16.8% | 9.3% | 13.7% | 6.8% | 6.8% | 2.5% | 6.8% | 4.3% | 0.6% | 161 |
| | Neurological Surgery | 5.3% | 10.5% | 21.1% | 15.8% | 10.5% | 0.0% | 5.3% | 21.1% | 5.3% | 5.3% | 0.0% | 19 |
| | Psychiatry | 35.5% | 23.0% | 11.0% | 10.0% | 4.5% | 5.0% | 5.0% | 2.5% | 2.0% | 1.5% | 0.0% | 200 |
| | Hospital-based Specialty | 13.9% | 14.8% | 15.0% | 12.6% | 9.3% | 8.8% | 9.5% | 5.9% | 5.3% | 4.8% | 0.2% | 454 |
| Other | 16.1% | 19.6% | 12.5% | 7.1% | 14.3% | 10.7% | 3.6% | 7.1% | 7.1% | 1.8% | 0.0% | 56 | |
| Urban- Rural | Urban | 22.6% | 18.9% | 14.7% | 9.8% | 9.2% | 6.7% | 6.1% | 4.5% | 3.8% | 3.3% | 0.3% | 1880 |
| | Rural | 17.5% | 22.8% | 18.2% | 11.3% | 8.7% | 6.4% | 6.2% | 3.7% | 2.8% | 2.3% | 0.0% | 565 |
| Region | Portland Metro | 22.6% | 19.0% | 14.7% | 9.8% | 9.6% | 5.8% | 6.3% | 4.9% | 3.6% | 3.5% | 0.1% | 1357 |
| | Mid-Willamette Valley | 20.6% | 20.2% | 14.6% | 10.2% | 9.0% | 9.8% | 5.0% | 4.0% | 3.5% | 2.7% | 0.4% | 480 |
| | Northwestern | 12.1% | 25.9% | 22.4% | 12.1% | 13.8% | 3.4% | 3.4% | 5.2% | 1.7% | 0.0% | 0.0% | 58 |
| | Southern | 19.7% | 21.2% | 20.2% | 10.8% | 7.4% | 5.4% | 6.9% | 3.0% | 3.4% | 1.5% | 0.5% | 203 |
| | Eastern | 17.5% | 21.1% | 12.3% | 10.5% | 10.5% | 5.3% | 10.5% | 1.8% | 3.5% | 7.0% | 0.0% | 57 |
| | Southwestern | 18.6% | 18.6% | 9.3% | 16.3% | 14.0% | 7.0% | 4.7% | 2.3% | 4.7% | 4.7% | 0.0% | 43 |
| | Central | 21.1% | 20.7% | 18.8% | 9.4% | 5.6% | 7.0% | 7.0% | 3.8% | 3.8% | 2.3% | 0.5% | 213 |
| | Other | 22.2% | 21.5% | 15.8% | 11.1% | 9.7% | 5.4% | 4.3% | 3.6% | 4.3% | 2.2% | 0.0% | 279 |
| Statewide | | 21.5% | 20.0% | 15.6% | 10.2% | 9.2% | 6.5% | 6.0% | 4.2% | 3.6% | 3.0% | 0.2% | 2690 |

Increased outreach and education by Public Health

| | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | Total |
|----------------------|---------------------------|------|-------|-------|-------|-------|-------|-------|-------|-------|-------|------|-------|
| Gender | Female | 8.2% | 6.6% | 10.5% | 12.8% | 12.4% | 11.1% | 13.2% | 11.8% | 7.1% | 6.1% | 0.1% | 772 |
| | Male | 4.3% | 4.9% | 8.5% | 9.0% | 10.4% | 12.0% | 14.2% | 13.6% | 12.2% | 10.4% | 0.4% | 1638 |
| Age | Under 50 years | 6.9% | 5.0% | 9.8% | 10.5% | 11.3% | 11.6% | 13.5% | 12.1% | 10.0% | 8.8% | 0.3% | 998 |
| | 50 to 64 years | 4.8% | 6.2% | 8.8% | 10.3% | 10.3% | 12.1% | 14.2% | 13.6% | 10.1% | 9.0% | 0.5% | 1035 |
| | 65 or more | 3.7% | 4.7% | 8.4% | 9.5% | 12.4% | 10.8% | 13.7% | 13.7% | 13.2% | 9.8% | 0.0% | 379 |
| Specialty Categories | Family/General Medicine | 6.0% | 6.9% | 12.9% | 11.0% | 10.3% | 12.7% | 12.7% | 12.0% | 7.9% | 7.4% | 0.2% | 418 |
| | Obstetrics/Gynecology | 3.3% | 6.5% | 8.1% | 10.6% | 12.2% | 9.8% | 20.3% | 10.6% | 13.0% | 5.7% | 0.0% | 123 |
| | General Internal Medicine | 6.1% | 5.6% | 9.3% | 10.3% | 9.3% | 15.6% | 11.7% | 14.1% | 9.0% | 9.0% | 0.0% | 377 |
| | General Pediatrics | 6.1% | 6.1% | 8.6% | 10.4% | 9.2% | 12.3% | 17.2% | 12.3% | 8.0% | 9.8% | 0.0% | 163 |
| | General Surgery | 6.1% | 5.1% | 7.1% | 11.2% | 11.2% | 9.2% | 9.2% | 17.3% | 12.2% | 10.2% | 1.0% | 98 |
| | Medical Subspecialty | 5.4% | 5.4% | 7.3% | 10.5% | 10.2% | 8.6% | 15.6% | 11.6% | 16.4% | 9.1% | 0.0% | 372 |
| | Pediatric Subspecialty | 9.1% | 6.8% | 11.4% | 13.6% | 11.4% | 6.8% | 11.4% | 11.4% | 9.1% | 9.1% | 0.0% | 44 |
| | Surgical Subspecialty | 4.8% | 4.1% | 8.2% | 8.8% | 10.2% | 12.2% | 13.6% | 13.6% | 12.2% | 12.2% | 0.0% | 147 |
| | Neurological Surgery | 0.0% | 11.1% | 11.1% | 5.6% | 0.0% | 0.0% | 5.6% | 22.2% | 16.7% | 22.2% | 5.6% | 18 |
| | Psychiatry | 6.0% | 5.4% | 11.9% | 7.7% | 16.1% | 11.3% | 12.5% | 13.7% | 7.1% | 7.1% | 1.2% | 168 |
| | Hospital-based Specialty | 5.2% | 3.8% | 6.9% | 9.7% | 12.6% | 12.8% | 14.0% | 14.0% | 10.7% | 9.7% | 0.7% | 422 |
| Other | 3.8% | 5.8% | 11.5% | 15.4% | 13.5% | 5.8% | 15.4% | 9.6% | 7.7% | 11.5% | 0.0% | 52 | |
| Urban-Rural | Urban | 5.7% | 5.3% | 8.8% | 9.9% | 11.8% | 11.2% | 14.6% | 12.7% | 10.6% | 9.1% | 0.4% | 1683 |
| | Rural | 5.2% | 6.0% | 10.8% | 11.4% | 8.5% | 12.5% | 11.4% | 13.5% | 11.8% | 8.9% | 0.2% | 519 |
| Region | Portland Metro | 6.1% | 5.5% | 9.2% | 9.0% | 11.1% | 11.3% | 14.5% | 12.0% | 10.8% | 9.9% | 0.5% | 1220 |
| | Mid-Willamette Valley | 5.0% | 5.9% | 9.7% | 13.5% | 10.7% | 10.7% | 13.3% | 13.5% | 9.7% | 8.1% | 0.0% | 422 |
| | Northwestern | 7.0% | 5.3% | 17.5% | 3.5% | 10.5% | 8.8% | 14.0% | 10.5% | 10.5% | 12.3% | 0.0% | 57 |
| | Southern | 4.3% | 3.8% | 7.1% | 9.8% | 11.4% | 15.2% | 12.0% | 17.4% | 13.0% | 5.4% | 0.5% | 184 |
| | Eastern | 1.9% | 5.7% | 3.8% | 15.1% | 5.7% | 11.3% | 1.9% | 20.8% | 17.0% | 17.0% | 0.0% | 53 |
| | Southwestern | 5.1% | 2.6% | 15.4% | 12.8% | 15.4% | 10.3% | 7.7% | 7.7% | 12.8% | 10.3% | 0.0% | 39 |
| | Central | 4.6% | 6.7% | 9.3% | 11.9% | 11.3% | 11.9% | 14.9% | 12.4% | 9.8% | 7.2% | 0.0% | 194 |
| | Other | 5.3% | 5.3% | 7.8% | 10.3% | 11.5% | 13.6% | 15.6% | 14.4% | 7.8% | 7.8% | 0.4% | 243 |
| Statewide | | 5.5% | 5.5% | 9.2% | 10.3% | 11.1% | 11.7% | 13.8% | 13.0% | 10.6% | 9.0% | 0.3% | 2412 |

Medical Home Recognition

Recognized

| <i>Does your practice have formal medical home/patient-centered primary care home recognition?</i> | | Yes | No | Don't know | Does not apply | Total |
|--|--|-------|-------|------------|----------------|-------|
| Gender | Female | 20.0% | 38.5% | 21.8% | 19.7% | 1039 |
| | Male | 12.4% | 45.1% | 18.3% | 24.3% | 2181 |
| Age | Under 50 years | 17.7% | 36.5% | 23.1% | 22.8% | 1291 |
| | 50 to 64 years | 13.8% | 48.9% | 16.9% | 20.4% | 1408 |
| | 65 or more | 10.7% | 42.8% | 17.0% | 29.4% | 523 |
| What is the size of your primary practice? | Solo practice | 1.3% | 64.5% | 9.5% | 24.7% | 535 |
| | Partnership (2-3 physicians) | 8.0% | 54.0% | 20.8% | 17.2% | 424 |
| | Group practice (4 to 9 physicians) | 15.1% | 47.8% | 17.2% | 20.0% | 756 |
| | Group practice (10-13 physicians) | 21.3% | 34.8% | 17.7% | 26.2% | 282 |
| | Group practice (14-19 physicians) | 15.1% | 32.7% | 23.9% | 28.3% | 205 |
| | Group practice (20-29 physicians) | 22.9% | 28.3% | 20.5% | 28.3% | 166 |
| | Group practice (30 or more physicians) | 26.2% | 25.8% | 28.6% | 19.4% | 664 |
| What is your employment status at your primary practice? | Other | 12.8% | 32.2% | 17.4% | 37.6% | 149 |
| | Full owner | 3.2% | 68.8% | 7.7% | 20.2% | 555 |
| | Part owner (or shareholder) | 16.5% | 45.1% | 13.0% | 25.4% | 696 |
| | Employee | 20.8% | 34.0% | 26.3% | 18.9% | 1549 |
| | Independent contractor | 4.9% | 41.9% | 19.0% | 34.2% | 284 |
| | Volunteer | 3.6% | 35.7% | 25.0% | 35.7% | 28 |
| Specialty Categories | Other | 7.4% | 27.4% | 20.0% | 45.3% | 95 |
| | Family/General Medicine | 29.1% | 48.3% | 12.8% | 9.8% | 561 |
| | Obstetrics/Gynecology | 6.9% | 59.7% | 23.3% | 10.1% | 159 |
| | General Internal Medicine | 21.1% | 42.1% | 19.2% | 17.6% | 516 |
| | General Pediatrics | 33.3% | 32.3% | 22.9% | 11.4% | 201 |
| | General Surgery | 9.0% | 35.2% | 29.5% | 26.2% | 122 |
| | Medical Subspecialty | 9.8% | 47.9% | 24.0% | 18.4% | 512 |
| | Pediatric Subspecialty | 9.1% | 30.9% | 14.5% | 45.5% | 55 |
| | Surgical Subspecialty | 4.2% | 43.9% | 23.1% | 28.8% | 212 |
| | Neurological Surgery | 0.0% | 53.8% | 23.1% | 23.1% | 26 |
| | Psychiatry | 8.6% | 48.2% | 18.0% | 25.2% | 222 |
| Hospital-based Specialty | Hospital-based Specialty | 4.5% | 32.0% | 17.7% | 45.9% | 560 |
| | Other | 12.7% | 49.2% | 12.7% | 25.4% | 63 |
| Urban-Rural | Urban | 16.8% | 40.2% | 19.9% | 23.1% | 2235 |
| | Rural | 10.8% | 50.5% | 17.7% | 20.9% | 683 |

| <i>Does your practice have formal medical home/patient-centered primary care home recognition?</i> | | Yes | No | Don't know | Does not apply | Total |
|--|-----------------------|-------|-------|------------|----------------|-------|
| Region | Portland Metro | 17.7% | 38.9% | 20.1% | 23.3% | 1595 |
| | Mid-Willamette Valley | 14.3% | 44.9% | 18.6% | 22.2% | 581 |
| | Northwestern | 11.5% | 47.4% | 21.8% | 19.2% | 78 |
| | Southern | 8.3% | 53.9% | 14.6% | 23.2% | 254 |
| | Eastern | 4.4% | 55.9% | 19.1% | 20.6% | 68 |
| | Southwestern | 6.4% | 61.7% | 23.4% | 8.5% | 47 |
| | Central | 17.5% | 41.3% | 19.8% | 21.4% | 252 |
| | Other | 9.2% | 45.5% | 19.6% | 25.60% | 347 |
| Statewide | | 14.8% | 43.0% | 19.4% | 22.8% | 3222 |

Seeking Recognition

| <i>Is your practice currently seeking medical home/patient-centered primary care home recognition?</i> | | Yes | No | Don't know | Total |
|--|--|-------|-------|------------|-------|
| Gender | Female | 22.1% | 41.4% | 36.5% | 614 |
| | Male | 14.1% | 54.4% | 31.5% | 1359 |
| Age | Under 50 years | 18.7% | 41.3% | 40.1% | 756 |
| | 50 to 64 years | 16.3% | 56.2% | 27.5% | 908 |
| | 65 or more | 12.6% | 55.5% | 31.9% | 310 |
| What is the size of your primary practice? | Solo practice | 6.0% | 80.4% | 13.6% | 383 |
| | Partnership (2-3 physicians) | 16.3% | 54.6% | 29.1% | 313 |
| | Group practice (4 to 9 physicians) | 21.6% | 48.5% | 29.9% | 482 |
| | Group practice (10-13 physicians) | 23.1% | 41.5% | 35.4% | 147 |
| | Group practice (14-19 physicians) | 20.7% | 37.9% | 41.4% | 116 |
| | Group practice (20-29 physicians) | 13.8% | 43.8% | 42.5% | 80 |
| | Group practice (30 or more physicians) | 20.2% | 25.8% | 54.1% | 357 |
| Other | 9.7% | 47.2% | 43.1% | 72 | |
| What is your employment status at your primary practice? | Full owner | 9.6% | 80.0% | 10.3% | 416 |
| | Part owner (or shareholder) | 17.0% | 59.8% | 23.2% | 400 |
| | Employee | 22.3% | 32.3% | 45.4% | 920 |
| | Independent contractor | 6.0% | 52.7% | 41.3% | 167 |
| | Volunteer | 5.9% | 52.9% | 41.2% | 17 |
| | Other | 6.7% | 48.9% | 44.4% | 45 |
| <i>Is your practice currently seeking medical home/patient-centered primary care home recognition?</i> | | Yes | No | Don't know | Total |
| Specialty Categories | Family/General Medicine | 36.4% | 42.4% | 21.2% | 335 |
| | Obstetrics/Gynecology | 13.0% | 58.0% | 29.0% | 131 |
| | General Internal Medicine | 27.0% | 37.6% | 35.4% | 311 |
| | General Pediatrics | 44.4% | 21.3% | 34.3% | 108 |
| | General Surgery | 3.8% | 46.2% | 50.0% | 78 |
| | Medical Subspecialty | 6.4% | 56.8% | 36.8% | 361 |
| | Pediatric Subspecialty | 16.0% | 56.0% | 28.0% | 25 |
| | Surgical Subspecialty | 0.7% | 62.9% | 36.4% | 140 |
| | Neurological Surgery | 10.0% | 75.0% | 15.0% | 20 |
| | Psychiatry | 9.9% | 60.6% | 29.6% | 142 |
| | Hospital-based Specialty | 1.5% | 59.6% | 38.9% | 275 |
| | Other | 10.3% | 59.0% | 30.8% | 39 |
| Urban-Rural | Urban | 15.8% | 50.3% | 33.9% | 1323 |
| | Rural | 19.8% | 50.8% | 29.5% | 455 |
| Region | Portland Metro | 14.9% | 49.1% | 36.1% | 929 |
| | Mid-Willamette Valley | 19.9% | 48.8% | 31.3% | 361 |
| | Northwestern | 24.5% | 37.7% | 37.7% | 53 |
| | Southern | 11.8% | 62.9% | 25.3% | 170 |
| | Eastern | 28.6% | 40.8% | 30.6% | 49 |
| | Southwestern | 23.7% | 47.4% | 28.9% | 38 |
| | Central | 19.1% | 53.9% | 27.0% | 152 |
| | Other | 0.0% | 0.0% | 0.0% | 0 |
| Statewide | | 16.8% | 50.2% | 33.0% | 1752 |

Recognition Granted By

| <i>If your practice has formal medical home/patient-centered primary care home recognition, which organizations granted recognition?</i> | | <i>National Committee for Quality Assurance: Patient-centered medical home</i> | <i>Oregon Health Authority: Patient-centered Primary Care Home</i> | <i>Don't know</i> | <i>Other</i> | <i>Total</i> |
|--|--|--|--|-------------------|--------------|--------------|
| | | | | | | |
| Gender | Female | 22.5% | 30.4% | 52.0% | 5.4% | 204 |
| | Male | 20.7% | 31.2% | 54.9% | 4.5% | 266 |
| Age | Under 50 years | 22.7% | 27.1% | 57.3% | 3.6% | 225 |
| | 50 to 64 years | 22.6% | 34.2% | 47.9% | 6.8% | 190 |
| | 65 or more | 12.7% | 34.5% | 58.2% | 3.6% | 55 |
| What is the size of your primary practice? | Solo practice | 28.6% | 42.9% | 28.6% | 14.3% | 7 |
| | Partnership (2-3 physicians) | 17.6% | 26.5% | 52.9% | 8.8% | 34 |
| | Group practice (4 to 9 physicians) | 23.2% | 40.2% | 47.3% | 4.5% | 112 |
| | Group practice (10-13 physicians) | 15.3% | 30.5% | 54.2% | 3.4% | 59 |
| | Group practice (14-19 physicians) | 12.9% | 32.3% | 64.5% | 3.2% | 31 |
| | Group practice (20-29 physicians) | 47.4% | 39.5% | 39.5% | 0.0% | 38 |
| | Group practice (30 or more physicians) | 20.6% | 24.1% | 58.8% | 5.3% | 170 |
| What is your employment status at your primary practice? | Other | 5.3% | 21.1% | 63.2% | 10.5% | 19 |
| | Full owner | 41.2% | 47.1% | 41.2% | 5.9% | 17 |
| | Part owner (or shareholder) | 22.6% | 30.4% | 55.7% | 1.7% | 115 |
| | Employee | 19.9% | 29.4% | 54.7% | 6.3% | 316 |
| | Independent contractor | 21.4% | 50.0% | 28.6% | 0.0% | 14 |
| | Volunteer | 0.0% | 100.0% | 0.0% | 0.0% | 1 |
| Specialty Categories | Other | 28.6% | 14.3% | 57.1% | 0.0% | 7 |
| | Family/General Medicine | 24.2% | 41.0% | 43.5% | 3.7% | 161 |
| | Obstetrics/Gynecology | 9.1% | 27.3% | 63.6% | 9.1% | 11 |
| | General Internal Medicine | 27.4% | 24.5% | 59.4% | 3.8% | 106 |
| | General Pediatrics | 17.9% | 46.3% | 41.8% | 6.0% | 67 |
| | General Surgery | 0.0% | 0.0% | 100.0% | 0.0% | 10 |
| | Medical Subspecialty | 24.0% | 24.0% | 60.0% | 2.0% | 50 |
| | Pediatric Subspecialty | 40.0% | 20.0% | 60.0% | 0.0% | 5 |
| | Surgical Subspecialty | 11.1% | 11.1% | 66.7% | 11.1% | 9 |
| | Neurological Surgery | 0.0% | 0.0% | 0.0% | 0.0% | 0 |
| | Psychiatry | 16.7% | 5.6% | 55.6% | 22.2% | 18 |
| Hospital-based Specialty | 8.3% | 4.2% | 79.2% | 8.3% | 24 | |
| Other | 0.0% | 37.5% | 62.5% | 0.0% | 0 | |
| <i>If your practice has formal medical home/patient-centered primary care home recognition, which organizations granted recognition?</i> | | <i>National Committee for Quality Assurance: Patient-centered medical home</i> | <i>Oregon Health Authority: Patient-centered Primary Care Home</i> | <i>Don't know</i> | <i>Other</i> | <i>Total</i> |
| | | | | | | |
| Urban-Rural | Urban | 21.0% | 28.6% | 55.3% | 5.4% | 367 |
| | Rural | 17.6% | 45.9% | 47.3% | 2.7% | 74 |
| Region | Portland Metro | 25.7% | 27.9% | 55.4% | 5.1% | 276 |
| | Mid-Willamette Valley | 12.0% | 34.9% | 53.0% | 4.8% | 83 |
| | Northwestern | 22.2% | 33.3% | 55.6% | 0.0% | 9 |
| | Southern | 14.3% | 33.3% | 47.6% | 4.8% | 21 |

| | | | | | |
|--------------------|-------|-------|-------|-------|-----|
| Eastern | 0.0% | 33.3% | 66.7% | 33.3% | 3 |
| Southwestern | 0.0% | 33.3% | 66.7% | 0.0% | 3 |
| Central | 4.7% | 46.5% | 46.5% | 4.7% | 43 |
| Other | 0.0% | 0.0% | 0.0% | 0.00% | 0 |
| ----- Statewide | 20.1% | 31.5% | 53.9% | 5.0% | 438 |

Clinical Practice Guidelines

| <i>Which of the following Clinical Practice Guidelines do you routinely use?</i> | | <i>US Preventative Task Force Guidelines</i> | <i>National Guideline Clearinghouse</i> | <i>Bright Futures (HRSA)</i> | <i>The Medical Letter</i> | <i>The Centers for Disease Control and Prevention, includes AFIX</i> | <i>Specialty recommendations, for example, AAP, ACP, ACOG</i> | <i>Oregon Health Evidence Review Commission (formerly Health Services Commission)</i> | <i>Other</i> | <i>Total</i> |
|--|--|--|---|------------------------------|---------------------------|--|---|---|--------------|--------------|
| Gender | Female | 54.3% | 8.4% | 13.0% | 13.1% | 41.5% | 79.5% | 4.6% | 13.9% | 991 |
| | Male | 40.4% | 8.2% | 5.2% | 13.3% | 29.3% | 72.2% | 4.7% | 17.4% | 1984 |
| Age | Under 50 years | 52.6% | 10.7% | 10.4% | 8.5% | 35.7% | 79.4% | 3.7% | 13.0% | 1201 |
| | 50 to 64 years | 43.5% | 7.3% | 6.7% | 16.4% | 33.8% | 73.2% | 5.4% | 16.9% | 1293 |
| | 65 or more | 30.2% | 4.6% | 4.3% | 16.8% | 26.3% | 66.9% | 5.4% | 22.6% | 483 |
| What is the size of your primary practice? | Solo practice | 33.7% | 5.3% | 4.5% | 17.3% | 30.3% | 67.0% | 4.5% | 20.0% | 469 |
| | Partnership (2-3 physicians) | 39.4% | 7.7% | 6.9% | 12.5% | 32.7% | 73.7% | 4.3% | 14.8% | 391 |
| | Group practice (4 to 9 physicians) | 49.0% | 8.5% | 9.0% | 12.3% | 37.5% | 79.4% | 3.5% | 12.0% | 714 |
| | Group practice (10-13 physicians) | 53.3% | 7.0% | 10.0% | 11.9% | 31.5% | 77.8% | 3.7% | 13.3% | 270 |
| | Group practice (14-19 physicians) | 48.4% | 12.5% | 7.8% | 13.5% | 36.5% | 81.8% | 5.7% | 17.7% | 192 |
| | Group practice (20-29 physicians) | 42.8% | 7.6% | 15.9% | 11.7% | 27.6% | 77.2% | 7.6% | 13.1% | 145 |
| | Group practice (30 or more physicians) | 49.5% | 10.3% | 6.8% | 12.4% | 32.1% | 74.4% | 5.2% | 16.5% | 620 |
| What is your employment status at your primary practice? | Other | 44.4% | 7.6% | 7.6% | 13.2% | 33.3% | 64.6% | 6.9% | 32.6% | 144 |
| | Full owner | 33.3% | 6.4% | 5.8% | 18.3% | 29.9% | 68.6% | 4.0% | 18.1% | 481 |
| | Part owner (or shareholder) | 34.6% | 5.9% | 7.3% | 12.4% | 29.3% | 77.5% | 3.1% | 16.3% | 645 |
| | Employee | 55.8% | 10.5% | 8.8% | 12.3% | 36.2% | 76.6% | 4.9% | 13.3% | 1471 |
| | Independent contractor | 33.7% | 5.4% | 7.0% | 11.2% | 32.6% | 74.4% | 6.6% | 22.5% | 258 |
| | Volunteer | 40.0% | 12.0% | 8.0% | 24.0% | 40.0% | 64.0% | 8.0% | 28.0% | 25 |
| Other | 38.6% | 5.7% | 6.8% | 8.0% | 33.0% | 55.7% | 9.1% | 35.2% | 88 | |
| <i>Which of the following Clinical Practice Guidelines do you routinely use?</i> | | <i>US Preventative Task Force Guidelines</i> | <i>National Guideline Clearinghouse</i> | <i>Bright Futures (HRSA)</i> | <i>The Medical Letter</i> | <i>The Centers for Disease Control and Prevention, includes AFIX</i> | <i>Specialty recommendations, for example, AAP, ACP, ACOG</i> | <i>Oregon Health Evidence Review Commission (formerly Health Services Commission)</i> | <i>Other</i> | <i>Total</i> |
| Specialty Categories | Family/General Medicine | 85.2% | 13.9% | 14.5% | 19.0% | 47.1% | 74.9% | 7.1% | 11.7% | 546 |
| | Obstetrics/Gynecology | 58.0% | 3.2% | 0.0% | 10.2% | 54.8% | 89.2% | 2.5% | 7.6% | 157 |
| | General Internal Medicine | 78.0% | 11.5% | 1.6% | 16.7% | 40.1% | 69.0% | 5.8% | 14.9% | 504 |
| | General Pediatrics | 26.5% | 5.1% | 58.7% | 4.6% | 38.8% | 89.3% | 1.5% | 7.1% | 196 |
| | General Surgery | 24.8% | 9.2% | 0.0% | 8.3% | 22.9% | 67.9% | 2.8% | 23.9% | 109 |
| | Medical Subspecialty | 28.9% | 4.1% | 1.5% | 12.1% | 21.6% | 74.8% | 3.9% | 17.2% | 464 |
| | Pediatric Subspecialty | 13.2% | 5.7% | 17.0% | 1.9% | 35.8% | 90.6% | 1.9% | 11.3% | 53 |
| | Surgical Subspecialty | 4.6% | 5.1% | 1.1% | 8.6% | 14.9% | 62.3% | 1.1% | 24.6% | 175 |
| | Neurological Surgery | 10.5% | 5.3% | 0.0% | 15.8% | 21.1% | 63.2% | 0.0% | 21.1% | 19 |
| | Psychiatry | 15.7% | 3.5% | 2.5% | 14.1% | 14.6% | 72.7% | 5.6% | 21.7% | 198 |

| | | | | | | | | | | |
|-------------|--------------------------|-------|-------|-------|-------|-------|-------|------|-------|------|
| | Hospital-based Specialty | 21.1% | 8.6% | 1.4% | 12.5% | 30.7% | 74.8% | 5.7% | 20.9% | 488 |
| | Other | 40.4% | 7.0% | 0.0% | 12.3% | 24.6% | 73.7% | 0.0% | 21.1% | 57 |
| Urban-Rural | Urban | 43.4% | 8.3% | 8.4% | 12.3% | 32.8% | 75.1% | 5.1% | 15.8% | 2060 |
| | Rural | 50.0% | 7.4% | 6.9% | 16.6% | 36.4% | 72.6% | 3.9% | 16.9% | 634 |
| Region | Portland Metro | 43.7% | 8.3% | 8.7% | 11.8% | 33.5% | 74.6% | 4.8% | 16.5% | 1471 |
| | Mid-Willamette Valley | 46.7% | 8.4% | 7.4% | 14.5% | 33.0% | 77.8% | 6.5% | 12.3% | 537 |
| | Northwestern | 50.0% | 8.3% | 6.9% | 23.6% | 44.4% | 72.2% | 4.2% | 15.3% | 72 |
| | Southern | 44.0% | 7.6% | 7.6% | 14.2% | 35.1% | 68.0% | 4.4% | 20.9% | 225 |
| | Eastern | 47.6% | 6.3% | 4.8% | 12.7% | 23.8% | 74.6% | 0.0% | 15.9% | 63 |
| | Southwestern | 33.3% | 13.3% | 11.1% | 15.6% | 26.7% | 71.1% | 4.4% | 22.2% | 45 |
| | Central | 49.0% | 7.1% | 7.5% | 14.9% | 35.3% | 75.5% | 3.7% | 17.0% | 241 |
| Statewide | | 44.9% | 8.2% | 8.1% | 13.2% | 33.6% | 74.6% | 4.9% | 16.1% | 2654 |

Physician Self-Identification

Primary Care Physician

| <i>Do you consider yourself a primary care physician?</i> | | <i>Yes</i> | <i>No</i> | <i>Uncertain</i> | <i>Total</i> |
|---|---|------------|-----------|------------------|--------------|
| Gender | Female | 41.8% | 56.5% | 1.7% | 952 |
| | Male | 31.5% | 66.5% | 2.0% | 1940 |
| Age | Under 50 years | 33.5% | 64.3% | 2.2% | 1194 |
| | 50 to 64 years | 36.4% | 62.2% | 1.4% | 1272 |
| | 65 years or more | 34.4% | 63.2% | 2.3% | 427 |
| Hispanic, Spanish or Latino | Yes | 34.3% | 62.9% | 2.9% | 70 |
| Race | White | 35.6% | 62.6% | 1.8% | 2462 |
| | African-American | 47.1% | 52.9% | 0.0% | 17 |
| | Asian | 30.2% | 68.3% | 1.5% | 262 |
| | Native Hawaiian or Pacific Islander | 40.0% | 60.0% | 0.0% | 10 |
| | American Indian or Alaska Native | 27.8% | 72.2% | 0.0% | 18 |
| | Other | 25.6% | 70.2% | 4.1% | 121 |
| What is the size of your primary practice? | Solo practice | 31.6% | 66.5% | 1.9% | 471 |
| | Partnership (2-3 physicians) | 33.2% | 64.2% | 2.5% | 394 |
| | Group practice (4 to 9 physicians) | 42.5% | 55.7% | 1.9% | 699 |
| | Group practice (10-13 physicians) | 41.1% | 57.4% | 1.6% | 258 |
| | Group practice (14-19 physicians) | 32.1% | 67.9% | 0.0% | 193 |
| | Group practice (20-29 physicians) | 32.9% | 66.4% | 0.7% | 149 |
| | Group practice (30 or more than physicians) | 30.2% | 67.8% | 2.0% | 596 |
| Other | 32.7% | 64.4% | 2.9% | 104 | |
| What is your employment status at your primary practice? | Full owner | 33.1% | 65.5% | 1.4% | 502 |
| | Part owner (or shareholder) | 30.6% | 67.8% | 1.7% | 661 |
| | Employee | 38.8% | 59.6% | 1.6% | 1407 |
| | Independent contractor | 32.2% | 62.7% | 5.1% | 236 |
| | Volunteer | 47.8% | 52.2% | 0.0% | 23 |
| | Other | 15.8% | 82.5% | 1.8% | 57 |
| Specialty Categories | Family/General Medicine | 89.6% | 9.4% | 1.0% | 512 |
| | Obstetrics/Gynecology | 18.1% | 79.2% | 2.7% | 149 |
| | General Internal Medicine | 60.0% | 37.4% | 2.6% | 462 |
| | General Pediatrics | 75.7% | 23.2% | 1.1% | 185 |
| | General Surgery | 2.7% | 97.3% | 0.0% | 111 |
| | Medical Subspecialty | 6.8% | 91.5% | 1.7% | 471 |
| | Pediatric Subspecialty | 6.0% | 90.0% | 4.0% | 50 |
| | Surgical Subspecialty | 1.6% | 97.9% | 0.5% | 187 |
| | Neurological Surgery | 0.0% | 100.0% | 0.0% | 22 |
| | Psychiatry | 5.0% | 89.5% | 5.5% | 200 |
| | Hospital-based Specialty | 8.2% | 90.3% | 1.5% | 476 |
| Other | 22.8% | 73.7% | 3.5% | 57 | |
| Urban-Rural | Urban | 31.3% | 66.9% | 1.8% | 2063 |
| | Rural | 47.6% | 50.2% | 2.2% | 635 |
| <i>Do you consider yourself a primary care physician?</i> | | <i>Yes</i> | <i>No</i> | <i>Uncertain</i> | <i>Total</i> |

| Region | | | | | |
|-----------|-----------------------|-------|-------|------|------|
| Region | Portland Metro | 30.1% | 68.0% | 1.9% | 1464 |
| | Mid-Willamette Valley | 40.2% | 58.5% | 1.3% | 545 |
| | Northwestern | 51.3% | 46.1% | 2.6% | 76 |
| | Southern | 35.7% | 62.2% | 2.2% | 230 |
| | Eastern | 50.8% | 47.6% | 1.6% | 63 |
| | Southwestern | 45.5% | 52.3% | 2.3% | 44 |
| | Central | 42.8% | 55.5% | 1.7% | 236 |
| | Other | 0.0% | 0.0% | 0.0% | 0 |
| Statewide | | 35.1% | 63.1% | 1.8% | 2658 |

Hospitalist

| <i>Do you work primarily as a hospitalist?</i> | | <i>Yes</i> | <i>No</i> | <i>Total</i> |
|--|--|------------|-----------|--------------|
| Gender | Female | 12.5% | 87.5% | 915 |
| | Male | 8.4% | 91.6% | 1881 |
| Age | Under 50 years | 14.0% | 86.0% | 1168 |
| | 50 to 64 years | 6.6% | 93.4% | 1228 |
| | 65 years or more | 7.2% | 92.8% | 401 |
| Hispanic, Spanish or Latino Race | Yes | 10.0% | 90.0% | 70 |
| | White | 8.9% | 91.1% | 2378 |
| | African-American | 23.5% | 76.5% | 17 |
| | Asian | 14.3% | 85.7% | 251 |
| | Native Hawaiian or Pacific Islander | 10.0% | 90.0% | 10 |
| | American Indian or Alaska Native | 16.7% | 83.3% | 18 |
| | Other | 18.3% | 81.7% | 120 |
| What is the size of your primary practice? | Solo practice | 2.2% | 97.8% | 454 |
| | Partnership (2-3 physicians) | 4.5% | 95.5% | 382 |
| | Group practice (4 to 9 physicians) | 12.5% | 87.5% | 673 |
| | Group practice (10-13 physicians) | 7.5% | 92.5% | 254 |
| | Group practice (14-19 physicians) | 17.1% | 82.9% | 187 |
| | Group practice (20-29 physicians) | 9.0% | 91.0% | 144 |
| | Group practice (30 or more than physicians) | 13.7% | 86.3% | 577 |
| | Other | 16.0% | 84.0% | 100 |
| What is your employment status at your primary practice? | Full owner | 1.7% | 98.3% | 480 |
| | Part owner (or shareholder) | 5.6% | 94.4% | 641 |
| | Employee | 14.0% | 86.0% | 1367 |
| | Independent contractor | 12.5% | 87.5% | 224 |
| | Volunteer | 0.0% | 100.0% | 22 |
| | Other | 17.9% | 82.1% | 56 |
| Specialty Categories | Family/General Medicine | 2.7% | 97.3% | 490 |
| | Obstetrics/Gynecology | 7.6% | 92.4% | 144 |
| | General Internal Medicine | 29.2% | 70.8% | 438 |
| | General Pediatrics | 12.3% | 87.7% | 179 |
| | General Surgery | 10.0% | 90.0% | 110 |
| | Medical Subspecialty | 2.9% | 97.1% | 456 |
| | Pediatric Subspecialty | 32.0% | 68.0% | 50 |
| | Surgical Subspecialty | 2.2% | 97.8% | 185 |
| | Neurological Surgery | 0.0% | 100.0% | 22 |
| | Psychiatry | 12.2% | 87.8% | 189 |
| | Hospital-based Specialty | 6.2% | 93.8% | 465 |
| | Other | 3.4% | 96.6% | 58 |
| <i>Do you work primarily as a hospitalist?</i> | | <i>Yes</i> | <i>No</i> | <i>Total</i> |
| Urban-Rural | Urban | 10.3% | 89.7% | 1996 |
| | Rural | 8.3% | 91.7% | 613 |
| Region | Portland Metro | 10.6% | 89.4% | 1414 |

| | | | |
|-----------------------|-------|-------|------|
| Mid-Willamette Valley | 8.0% | 92.0% | 525 |
| Northwestern | 5.9% | 94.1% | 68 |
| Southern | 10.6% | 89.4% | 226 |
| Eastern | 4.9% | 95.1% | 61 |
| Southwestern | 7.0% | 93.0% | 43 |
| Central | 9.1% | 90.9% | 232 |
| Other | 0.0% | 0.0% | 0 |
| ----- Statewide | 9.6% | 90.4% | 2569 |

Coordinated Care

Multi-disciplinary team

| <i>In the last 12 months, how often have you been able to work as a part of a multi-disciplinary team to care for your patients?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Does not apply</i> | <i>Total</i> |
|--|---|---------------|----------------|------------------|--------------|-----------------------|--------------|
| Gender | Female | 31.9% | 29.2% | 25.4% | 5.0% | 8.5% | 1036 |
| | Male | 29.8% | 29.1% | 25.1% | 3.9% | 12.1% | 2167 |
| Age | Under 50 years | 35.2% | 31.4% | 23.8% | 2.9% | 6.6% | 1288 |
| | 50 to 64 years | 27.7% | 29.1% | 27.9% | 5.1% | 10.3% | 1400 |
| | 65 years or more | 26.1% | 23.4% | 21.5% | 5.6% | 23.4% | 517 |
| What is the size of your primary practice? | Solo practice | 16.3% | 20.8% | 35.6% | 9.0% | 18.2% | 533 |
| | Partnership (2-3 physicians) | 23.9% | 28.7% | 30.6% | 5.9% | 10.9% | 422 |
| | Group practice (4 to 9 physicians) | 29.0% | 35.2% | 26.1% | 4.1% | 5.6% | 752 |
| | Group practice (10-13 physicians) | 29.8% | 34.0% | 26.6% | 1.4% | 8.2% | 282 |
| | Group practice (14-19 physicians) | 28.8% | 34.1% | 29.8% | 1.0% | 6.3% | 205 |
| | Group practice (20-29 physicians) | 35.8% | 30.3% | 20.0% | 3.6% | 10.3% | 165 |
| | Group practice (30 or more than physicians) | 47.9% | 28.4% | 14.8% | 2.1% | 6.8% | 662 |
| Other | 27.4% | 17.1% | 14.4% | 4.1% | 37.0% | 146 | |
| What is your employment status at your primary practice? | Full owner | 16.1% | 23.6% | 35.0% | 8.7% | 16.7% | 552 |
| | Part owner (or shareholder) | 28.1% | 30.3% | 29.1% | 3.6% | 8.9% | 694 |
| | Employee | 37.0% | 32.3% | 21.0% | 3.2% | 6.4% | 1546 |
| | Independent contractor | 28.5% | 25.6% | 23.5% | 4.3% | 18.1% | 281 |
| | Volunteer | 21.4% | 10.7% | 32.1% | 7.1% | 28.6% | 28 |
| Other | 34.0% | 17.0% | 11.7% | 0.0% | 37.2% | 94 | |
| Specialty Categories | Family/General Medicine | 19.6% | 33.8% | 32.7% | 7.7% | 6.2% | 560 |
| | Obstetrics/Gynecology | 20.3% | 29.7% | 32.3% | 8.9% | 8.9% | 158 |
| | General Internal Medicine | 35.9% | 29.7% | 21.7% | 3.7% | 9.0% | 512 |
| | General Pediatrics | 28.0% | 32.5% | 33.0% | 4.0% | 2.5% | 200 |
| | General Surgery | 35.5% | 36.4% | 21.5% | 0.8% | 5.8% | 121 |
| | Medical Subspecialty | 26.3% | 30.7% | 25.7% | 4.0% | 13.3% | 505 |
| | Pediatric Subspecialty | 60.0% | 27.3% | 7.3% | 1.8% | 3.6% | 55 |
| | Surgical Subspecialty | 19.3% | 31.6% | 29.7% | 3.8% | 15.6% | 212 |
| | Neurological Surgery | 15.4% | 23.1% | 19.2% | 11.5% | 30.8% | 26 |
| | Psychiatry | 36.2% | 19.9% | 26.7% | 3.2% | 14.0% | 221 |
| | Hospital-based Specialty | 43.2% | 21.8% | 16.8% | 1.4% | 16.8% | 560 |
| Other | 29.0% | 32.3% | 22.6% | 8.1% | 8.1% | 62 | |

| <i>In the last 12 months, how often have you been able to work as a part of a multi-disciplinary team to care for your patients?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Does not apply</i> | <i>Total</i> |
|--|-----------------------|---------------|----------------|------------------|--------------|-----------------------|--------------|
| Urban-Rural | Urban | 34.0% | 29.2% | 23.1% | 3.6% | 10.1% | 2227 |
| | Rural | 17.8% | 30.2% | 33.9% | 6.2% | 11.8% | 678 |
| Region | Portland Metro | 36.3% | 29.6% | 20.8% | 3.0% | 10.2% | 1589 |
| | Mid-Willamette Valley | 25.9% | 28.3% | 31.3% | 5.7% | 8.8% | 579 |
| | Northwestern | 21.1% | 31.6% | 34.2% | 6.6% | 6.6% | 76 |
| | Southern | 17.5% | 27.1% | 36.3% | 4.8% | 14.3% | 251 |
| | Eastern | 16.2% | 33.8% | 35.3% | 5.9% | 8.8% | 68 |
| | Southwestern | 21.3% | 17.0% | 36.2% | 10.6% | 14.9% | 47 |
| | Central | 24.9% | 33.6% | 25.7% | 4.0% | 11.9% | 253 |
| | Other | 31.0% | 26.3% | 21.3% | 5.8% | 15.5% | 342 |

| | | | | | | |
|-----------|-------|-------|-------|------|-------|------|
| Statewide | 30.5% | 29.1% | 25.2% | 4.3% | 10.9% | 3205 |
|-----------|-------|-------|-------|------|-------|------|

Social Services/Community Resources

| <i>In the last 12 months, how often have you been able to get your patients the social service or community resources they need?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Does not apply</i> | <i>Total</i> |
|--|---|---------------|----------------|------------------|--------------|-----------------------|--------------|
| Gender | Female | 6.0% | 31.6% | 47.0% | 2.7% | 12.7% | 1033 |
| | Male | 7.3% | 33.6% | 37.3% | 2.7% | 19.0% | 2162 |
| Age | Under 50 years | 7.5% | 36.0% | 40.9% | 2.8% | 12.9% | 1282 |
| | 50 to 64 years | 6.0% | 29.9% | 44.5% | 2.3% | 17.3% | 1397 |
| | 65 years or more | 7.7% | 33.6% | 28.8% | 3.7% | 26.3% | 518 |
| What is the size of your primary practice? | Solo practice | 5.8% | 28.0% | 39.5% | 5.8% | 20.9% | 532 |
| | Partnership (2-3 physicians) | 6.9% | 35.1% | 42.2% | 2.8% | 13.0% | 422 |
| | Group practice (4 to 9 physicians) | 6.5% | 35.9% | 46.3% | 2.1% | 9.1% | 749 |
| | Group practice (10-13 physicians) | 5.0% | 30.5% | 48.4% | 2.2% | 14.0% | 279 |
| | Group practice (14-19 physicians) | 8.3% | 30.7% | 42.9% | 2.4% | 15.6% | 205 |
| | Group practice (20-29 physicians) | 6.6% | 27.7% | 35.5% | 1.2% | 28.9% | 166 |
| | Group practice (30 or more than physicians) | 8.5% | 38.1% | 34.3% | 2.1% | 16.9% | 661 |
| Other | 6.8% | 17.8% | 30.8% | 0.7% | 43.8% | 146 | |

| <i>In the last 12 months, how often have you been able to get your patients the social service or community resources they need?</i> | | <i>Always</i> | <i>Usually</i> | <i>Sometimes</i> | <i>Never</i> | <i>Does not apply</i> | <i>Total</i> |
|--|-----------------------------|---------------|----------------|------------------|--------------|-----------------------|--------------|
| What is your employment status at your primary practice? | Full owner | 5.1% | 27.3% | 42.3% | 5.1% | 20.2% | 549 |
| | Part owner (or shareholder) | 4.1% | 30.9% | 41.8% | 2.3% | 21.0% | 687 |
| | Employee | 8.7% | 36.3% | 42.0% | 2.1% | 10.9% | 1548 |
| | Independent contractor | 7.5% | 32.0% | 35.2% | 3.2% | 22.1% | 281 |
| | Volunteer | 3.6% | 35.7% | 28.6% | 7.1% | 25.0% | 28 |
| | Other | 7.4% | 26.6% | 19.1% | 0.0% | 46.8% | 94 |
| Specialty Categories | Family/General Medicine | 4.1% | 34.9% | 52.7% | 2.5% | 5.7% | 558 |
| | Obstetrics/Gynecology | 9.0% | 32.1% | 44.9% | 4.5% | 9.6% | 156 |
| | General Internal Medicine | 10.5% | 40.0% | 39.6% | 1.4% | 8.6% | 519 |
| | General Pediatrics | 6.5% | 40.0% | 48.5% | 1.5% | 3.5% | 200 |
| | General Surgery | 11.7% | 53.3% | 26.7% | 0.0% | 8.3% | 120 |
| | Medical Subspecialty | 6.5% | 30.2% | 41.3% | 3.4% | 18.7% | 504 |
| | Pediatric Subspecialty | 18.5% | 44.4% | 33.3% | 0.0% | 3.7% | 54 |
| | Surgical Subspecialty | 7.1% | 34.9% | 34.9% | 3.3% | 19.8% | 212 |
| | Neurological Surgery | 3.8% | 38.5% | 11.5% | 23.1% | 23.1% | 26 |
| | Psychiatry | 6.3% | 30.3% | 48.9% | 2.3% | 12.2% | 221 |
| | Hospital-based Specialty | 4.8% | 19.6% | 27.5% | 2.9% | 45.2% | 557 |
| Other | 3.2% | 31.7% | 44.4% | 7.9% | 12.7% | 63 | |
| Urban-Rural | | 7.5% | 33.3% | 39.5% | 2.3% | 17.4% | 2222 |
| | | 4.3% | 32.3% | 45.3% | 3.9% | 14.2% | 675 |
| Region | Portland Metro | 8.3% | 33.8% | 38.8% | 2.1% | 17.0% | 1584 |
| | Mid-Willamette Valley | 5.4% | 32.2% | 44.5% | 3.3% | 14.7% | 578 |
| | Northwestern | 5.3% | 34.2% | 47.4% | 3.9% | 9.2% | 76 |
| | Southern | 3.2% | 27.8% | 46.0% | 3.6% | 19.4% | 252 |

| | | | | | | |
|--------------|------|-------|-------|------|-------|------|
| Eastern | 4.5% | 38.8% | 40.3% | 0.0% | 16.4% | 67 |
| Southwestern | 4.3% | 34.0% | 42.6% | 6.4% | 12.8% | 47 |
| Central | 5.2% | 35.1% | 39.4% | 2.8% | 17.5% | 251 |
| Other | 7.9% | 31.0% | 36.8% | 3.8% | 20.5% | 342 |
| Statewide | 6.9% | 32.9% | 40.5% | 2.7% | 17.0% | 3197 |

Effective Coordination

| | | Always | Usually | Sometimes | Never | Does not apply | Total |
|--|---|--------|---------|-----------|-------|----------------|-------|
| <i>In the last 12 months, how often have you been able to coordinate effectively with other health professionals who care for the same patients?</i> | | | | | | | |
| Gender | Female | 20.0% | 51.8% | 23.3% | 0.5% | 4.4% | 1034 |
| | Male | 23.7% | 49.8% | 18.2% | 0.4% | 7.8% | 2165 |
| Age | Under 50 years | 21.8% | 54.5% | 19.6% | 0.3% | 3.7% | 1288 |
| | 50 to 64 years | 22.3% | 50.1% | 21.4% | 0.4% | 5.9% | 1398 |
| | 65 years or more | 25.0% | 41.4% | 16.5% | 1.0% | 16.1% | 515 |
| What is the size of your primary practice? | Solo practice | 19.9% | 46.7% | 22.9% | 1.3% | 9.2% | 533 |
| | Partnership (2-3 physicians) | 19.5% | 53.7% | 22.3% | 0.0% | 4.5% | 421 |
| | Group practice (4 to 9 physicians) | 20.8% | 53.7% | 23.0% | 0.3% | 2.3% | 751 |
| | Group practice (10-13 physicians) | 17.0% | 57.2% | 20.8% | 0.0% | 4.9% | 283 |
| | Group practice (14-19 physicians) | 19.6% | 53.4% | 20.6% | 0.5% | 5.9% | 204 |
| | Group practice (20-29 physicians) | 24.4% | 49.4% | 18.3% | 0.6% | 7.3% | 164 |
| | Group practice (30 or more than physicians) | 33.0% | 47.8% | 13.9% | 0.3% | 5.0% | 663 |
| What is your employment status at your primary practice? | Other | 17.4% | 35.4% | 14.6% | 0.7% | 31.9% | 144 |
| | Full owner | 21.2% | 47.9% | 22.2% | 0.7% | 8.0% | 553 |
| | Part owner (or shareholder) | 23.1% | 51.7% | 20.9% | 0.1% | 4.2% | 694 |
| | Employee | 22.9% | 53.1% | 19.1% | 0.5% | 4.4% | 1545 |
| | Independent contractor | 22.4% | 44.0% | 22.4% | 0.0% | 11.2% | 277 |
| | Volunteer | 14.3% | 32.1% | 21.4% | 7.1% | 25.0% | 28 |
| Specialty Categories | Other | 26.6% | 34.0% | 6.4% | 0.0% | 33.0% | 94 |
| | Family/General Medicine | 13.8% | 52.5% | 29.3% | 0.5% | 3.8% | 556 |
| | Obstetrics/Gynecology | 21.5% | 50.6% | 22.2% | 0.0% | 5.7% | 158 |
| | General Internal Medicine | 25.3% | 53.1% | 15.0% | 0.8% | 5.8% | 514 |
| | General Pediatrics | 16.0% | 58.0% | 24.0% | 0.0% | 2.0% | 200 |
| | General Surgery | 35.5% | 50.4% | 9.9% | 0.0% | 4.1% | 121 |
| | Medical Subspecialty | 23.3% | 52.8% | 17.0% | 0.2% | 6.7% | 506 |
| | Pediatric Subspecialty | 32.7% | 49.1% | 14.5% | 0.0% | 3.6% | 55 |
| | Surgical Subspecialty | 23.7% | 46.0% | 18.0% | 1.4% | 10.9% | 211 |
| | Neurological Surgery | 19.2% | 38.5% | 23.1% | 0.0% | 19.2% | 26 |
| | Psychiatry | 19.0% | 50.2% | 24.4% | 0.0% | 6.3% | 221 |
| Hospital-based Specialty | Hospital-based Specialty | 28.9% | 43.3% | 16.5% | 0.2% | 11.1% | 557 |
| | Other | 14.3% | 54.0% | 23.8% | 3.2% | 4.8% | 63 |
| Urban-Rural | Urban | 24.7% | 50.0% | 18.6% | 0.3% | 6.4% | 2226 |
| | Rural | 15.3% | 54.0% | 24.3% | 0.9% | 5.5% | 674 |
| <i>In the last 12 months, how often have you been able to coordinate effectively with other health professionals who care for the same patients?</i> | | | | | | | |
| Region | Portland Metro | 26.7% | 49.2% | 17.3% | 0.4% | 6.4% | 1590 |
| | Mid-Willamette Valley | 18.9% | 52.6% | 23.0% | 0.3% | 5.2% | 578 |
| | Northwestern | 14.5% | 57.9% | 23.7% | 1.3% | 2.6% | 76 |

| | | | | | | |
|--------------|-------|-------|-------|------|-------|------|
| Southern | 14.8% | 52.8% | 25.2% | 0.8% | 6.4% | 250 |
| Eastern | 14.9% | 64.2% | 16.4% | 1.5% | 3.0% | 67 |
| Southwestern | 17.4% | 45.7% | 28.3% | 0.0% | 8.7% | 46 |
| Central | 19.1% | 51.4% | 22.3% | 0.0% | 7.2% | 251 |
| Other | 21.6% | 46.6% | 19.8% | 0.3% | 11.7% | 343 |
| Statewide | 22.6% | 50.5% | 19.9% | 0.4% | 6.7% | 3201 |

OHA-COO Awareness

The Oregon Health Authority has started working with Coordinated Care Organizations (CCOs) to provide health services for people insured by Medicaid. How much do you know about CCOs?

| | | Nothing | Some | Very little | A great deal | Total |
|--|---|---------|-------|-------------|--------------|-------|
| Gender | Female | 25.0% | 38.2% | 28.3% | 8.5% | 1033 |
| | Male | 24.4% | 38.8% | 25.4% | 11.4% | 2171 |
| Age | Under 50 years | 24.9% | 36.3% | 31.0% | 7.8% | 1282 |
| | 50 to 64 years | 21.8% | 41.6% | 24.0% | 12.6% | 1402 |
| | 65 years or more | 31.2% | 36.4% | 20.9% | 11.5% | 522 |
| What is the size of your primary practice? | Solo practice | 29.1% | 35.5% | 25.7% | 9.8% | 533 |
| | Partnership (2-3 physicians) | 23.8% | 35.6% | 29.2% | 11.4% | 421 |
| | Group practice (4 to 9 physicians) | 20.3% | 41.2% | 28.6% | 10.0% | 753 |
| | Group practice (10-13 physicians) | 22.8% | 39.5% | 28.8% | 8.9% | 281 |
| | Group practice (14-19 physicians) | 19.5% | 42.4% | 27.3% | 10.7% | 205 |
| | Group practice (20-29 physicians) | 21.2% | 38.8% | 26.1% | 13.9% | 165 |
| | Group practice (30 or more than physicians) | 27.6% | 39.7% | 23.9% | 8.8% | 660 |
| | Other | 34.2% | 34.2% | 16.8% | 14.8% | 149 |

The Oregon Health Authority has started working with Coordinated Care Organizations (CCOs) to provide health services for people insured by Medicaid. How much do you know about CCOs?

| | | Nothing | Some | Very little | A great deal | Total |
|--|-----------------------------|---------|-------|-------------|--------------|-------|
| What is your employment status at your primary practice? | Full owner | 24.8% | 37.3% | 26.3% | 11.6% | 552 |
| | Part owner (or shareholder) | 14.1% | 48.9% | 26.2% | 10.8% | 695 |
| | Employee | 25.6% | 36.4% | 27.8% | 10.3% | 1542 |
| | Independent contractor | 39.1% | 29.9% | 26.1% | 4.9% | 284 |
| | Volunteer | 32.1% | 25.0% | 10.7% | 32.1% | 28 |
| | Other | 40.9% | 36.6% | 11.8% | 10.8% | 93 |
| Specialty Categories | Family/General Medicine | 18.4% | 42.0% | 22.9% | 16.8% | 560 |
| | Obstetrics/Gynecology | 22.6% | 42.1% | 25.8% | 9.4% | 159 |
| | General Internal Medicine | 26.1% | 38.9% | 24.1% | 10.9% | 514 |
| | General Pediatrics | 17.1% | 44.7% | 26.1% | 12.1% | 199 |
| | General Surgery | 22.1% | 36.9% | 32.8% | 8.2% | 122 |
| | Medical Subspecialty | 27.0% | 38.7% | 26.0% | 8.3% | 507 |
| | Pediatric Subspecialty | 16.4% | 32.7% | 40.0% | 10.9% | 55 |
| | Surgical Subspecialty | 32.9% | 32.9% | 26.3% | 8.0% | 213 |
| | Neurological Surgery | 46.2% | 34.6% | 7.7% | 11.5% | 26 |
| | Psychiatry | 19.7% | 37.6% | 30.3% | 12.4% | 218 |

| | | | | | | |
|-------------|--------------------------|-------|-------|-------|-------|------|
| | Hospital-based Specialty | 30.1% | 35.3% | 28.3% | 6.3% | 558 |
| | Other | 21.0% | 41.9% | 25.8% | 11.3% | 62 |
| Urban-Rural | Urban | 23.2% | 39.4% | 27.7% | 9.8% | 2223 |
| | Rural | 22.9% | 39.5% | 22.6% | 15.0% | 681 |
| Region | Portland Metro | 26.5% | 36.7% | 27.8% | 8.9% | 1584 |
| | Mid-Willamette Valley | 15.0% | 46.9% | 24.8% | 13.3% | 580 |
| | Northwestern | 19.5% | 39.0% | 28.6% | 13.0% | 77 |
| | Southern | 23.0% | 35.3% | 23.4% | 18.3% | 252 |
| | Eastern | 25.0% | 42.6% | 25.0% | 7.4% | 68 |
| | Southwestern | 34.0% | 29.8% | 21.3% | 14.9% | 47 |
| | Central | 18.6% | 45.8% | 24.1% | 11.5% | 253 |
| | Other | 37.1% | 30.7% | 26.1% | 6.1% | 345 |
| Statewide | | 24.6% | 38.6% | 26.3% | 10.5% | 3206 |

OHA-COO Participation

| <i>How likely are you to participate in a Coordinated Care Organization?</i> | | <i>Very likely</i> | <i>Somewhat likely</i> | <i>Somewhat unlikely</i> | <i>Very unlikely</i> | <i>Don't know/uncertain</i> | <i>Total</i> |
|--|---|--------------------|------------------------|--------------------------|----------------------|-----------------------------|--------------|
| Gender | Female | 25.5% | 17.4% | 4.5% | 15.9% | 36.7% | 1037 |
| | Male | 26.9% | 15.9% | 4.9% | 19.3% | 33.1% | 2175 |
| Age | Under 50 years | 25.1% | 17.6% | 4.2% | 11.4% | 41.7% | 1289 |
| | 50 to 64 years | 29.2% | 16.4% | 5.3% | 20.2% | 28.9% | 1407 |
| | 65 years or more | 21.8% | 12.9% | 4.6% | 29.7% | 30.9% | 518 |
| What is the size of your primary practice? | Solo practice | 14.7% | 12.0% | 7.0% | 38.3% | 28.0% | 532 |
| | Partnership (2-3 physicians) | 25.3% | 17.0% | 6.1% | 18.0% | 33.6% | 423 |
| | Group practice (4 to 9 physicians) | 31.4% | 17.2% | 4.8% | 11.9% | 34.7% | 755 |
| | Group practice (10-13 physicians) | 27.6% | 18.4% | 6.0% | 12.0% | 36.0% | 283 |
| | Group practice (14-19 physicians) | 34.3% | 21.6% | 3.4% | 10.8% | 29.9% | 204 |
| | Group practice (20-29 physicians) | 30.9% | 22.4% | 4.8% | 14.5% | 27.3% | 165 |
| | Group practice (30 or more than physicians) | 28.3% | 15.8% | 2.7% | 11.6% | 41.7% | 665 |
| Other | 20.3% | 9.5% | 2.0% | 29.7% | 38.5% | 148 | |
| What is your employment status at your primary practice? | Full owner | 16.9% | 14.5% | 8.4% | 35.6% | 24.5% | 550 |
| | Part owner (or shareholder) | 29.6% | 22.1% | 6.5% | 14.6% | 27.3% | 697 |
| | Employee | 31.1% | 15.6% | 3.2% | 10.9% | 39.3% | 1548 |
| | Independent contractor | 14.7% | 14.0% | 3.9% | 26.0% | 41.4% | 285 |
| | Volunteer | 21.4% | 3.6% | 0.0% | 57.1% | 17.9% | 28 |
| | Other | 14.9% | 7.4% | 2.1% | 27.7% | 47.9% | 94 |
| Specialty Categories | Family/General Medicine | 37.6% | 14.5% | 4.3% | 18.6% | 25.0% | 559 |
| | Obstetrics/Gynecology | 30.2% | 18.9% | 6.3% | 15.7% | 28.9% | 159 |
| | General Internal Medicine | 23.9% | 16.7% | 2.7% | 19.3% | 37.4% | 514 |
| | General Pediatrics | 42.5% | 18.0% | 3.0% | 7.0% | 29.5% | 200 |
| | General Surgery | 27.9% | 18.9% | 3.3% | 17.2% | 32.8% | 122 |
| | Medical Subspecialty | 19.0% | 20.0% | 6.7% | 17.3% | 37.1% | 510 |
| | Pediatric Subspecialty | 36.4% | 12.7% | 1.8% | 9.1% | 40.0% | 55 |
| | Surgical Subspecialty | 16.4% | 16.4% | 6.6% | 28.2% | 32.4% | 213 |
| | Neurological Surgery | 11.5% | 23.1% | 11.5% | 19.2% | 34.6% | 26 |
| | Psychiatry | 21.5% | 8.7% | 8.2% | 33.8% | 27.9% | 219 |
| | Hospital-based Specialty | 22.6% | 16.0% | 4.1% | 13.0% | 44.2% | 561 |
| | Other | 27.0% | 14.3% | 3.2% | 20.6% | 34.9% | 63 |
| Urban-Rural | Urban | 25.6% | 16.8% | 5.2% | 18.3% | 34.1% | 2232 |
| | Rural | 33.5% | 17.4% | 3.7% | 16.1% | 29.4% | 678 |

| <i>How likely are you to participate in a Coordinated Care Organization?</i> | | <i>Very likely</i> | <i>Somewhat likely</i> | <i>Somewhat unlikely</i> | <i>Very unlikely</i> | <i>Don't know/uncertain</i> | <i>Total</i> |
|--|-----------------------|--------------------|------------------------|--------------------------|----------------------|-----------------------------|--------------|
| Region | Portland Metro | 23.6% | 16.5% | 4.6% | 19.0% | 36.4% | 1592 |
| | Mid-Willamette Valley | 36.2% | 17.8% | 5.9% | 14.3% | 25.9% | 580 |
| | Northwestern | 40.3% | 13.0% | 2.6% | 18.2% | 26.0% | 77 |
| | Southern | 24.6% | 17.5% | 6.3% | 23.4% | 28.2% | 252 |
| | Eastern | 22.1% | 23.5% | 1.5% | 13.2% | 39.7% | 68 |
| | Southwestern | 29.8% | 19.1% | 2.1% | 12.8% | 36.2% | 47 |
| | Central | 34.1% | 15.1% | 4.8% | 15.1% | 31.0% | 252 |
| | Other | 15.6% | 12.4% | 4.0% | 21.4% | 46.5% | 346 |
| Statewide | | 26.4% | 16.3% | 4.8% | 18.2% | 34.3% | 3214 |

Medicare Accountable Organizations-Knowledge

| <i>How much do you know about Medicare Accountable Care Organizations?</i> | | <i>Nothing</i> | <i>Very little</i> | <i>Some</i> | <i>A great deal</i> | <i>Total</i> |
|--|---|----------------|--------------------|-------------|---------------------|--------------|
| Gender | Female | 34.9% | 34.2% | 26.4% | 4.4% | 1025 |
| | Male | 28.2% | 33.1% | 32.0% | 6.7% | 2160 |
| Age | Under 50 years | 29.9% | 36.2% | 30.3% | 3.7% | 1276 |
| | 50 to 64 years | 28.0% | 32.3% | 31.7% | 8.0% | 1398 |
| | 65 years or more | 37.8% | 29.8% | 26.3% | 6.0% | 513 |
| What is the size of your primary practice? | Solo practice | 35.3% | 35.9% | 23.1% | 5.7% | 529 |
| | Partnership (2-3 physicians) | 31.1% | 33.3% | 30.4% | 5.3% | 418 |
| | Group practice (4 to 9 physicians) | 27.9% | 38.0% | 28.6% | 5.5% | 745 |
| | Group practice (10-13 physicians) | 27.2% | 35.1% | 33.3% | 4.3% | 279 |
| | Group practice (14-19 physicians) | 25.6% | 32.0% | 37.9% | 4.4% | 203 |
| | Group practice (20-29 physicians) | 22.3% | 33.7% | 34.3% | 9.6% | 166 |
| | Group practice (30 or more than physicians) | 31.6% | 28.4% | 33.9% | 6.1% | 661 |
| What is your employment status at your primary practice? | Other | 39.2% | 26.4% | 24.3% | 10.1% | 148 |
| | Full owner | 32.5% | 33.2% | 27.9% | 6.4% | 548 |
| | Part owner (or shareholder) | 20.3% | 30.9% | 43.0% | 5.8% | 693 |
| | Employee | 31.4% | 34.7% | 28.4% | 5.5% | 1534 |
| | Independent contractor | 39.5% | 37.7% | 18.9% | 3.9% | 281 |
| | Volunteer | 38.5% | 23.1% | 7.7% | 30.8% | 26 |
| Other | 48.4% | 24.7% | 18.3% | 8.6% | 93 | |

| <i>How much do you know about Medicare Accountable Care Organizations?</i> | | <i>Nothing</i> | <i>Very little</i> | <i>Some</i> | <i>A great deal</i> | <i>Total</i> |
|--|---------------------------|----------------|--------------------|-------------|---------------------|--------------|
| Specialty Categories | Family/General Medicine | 24.6% | 32.0% | 35.8% | 7.6% | 556 |
| | Obstetrics/Gynecology | 34.2% | 39.2% | 21.5% | 5.1% | 158 |
| | General Internal Medicine | 25.3% | 30.4% | 35.6% | 8.7% | 506 |
| | General Pediatrics | 42.1% | 30.5% | 24.9% | 2.5% | 197 |
| | General Surgery | 24.2% | 35.8% | 33.3% | 6.7% | 120 |
| | Medical Subspecialty | 27.6% | 35.1% | 30.4% | 6.9% | 507 |
| | Pediatric Subspecialty | 49.1% | 30.9% | 20.0% | 0.0% | 55 |
| | Surgical Subspecialty | 32.5% | 34.9% | 27.3% | 5.3% | 209 |

| | | | | | | |
|-------------|--------------------------|-------|-------|-------|-------|------|
| | Neurological Surgery | 40.0% | 20.0% | 32.0% | 8.0% | 25 |
| | Psychiatry | 41.2% | 36.2% | 18.6% | 4.1% | 221 |
| | Hospital-based Specialty | 32.9% | 33.9% | 29.3% | 3.9% | 557 |
| | Other | 25.4% | 34.9% | 33.3% | 6.3% | 63 |
| Urban-Rural | Urban | 30.9% | 32.9% | 30.5% | 5.7% | 2209 |
| | Rural | 26.3% | 36.4% | 31.0% | 6.4% | 674 |
| Region | Portland Metro | 34.4% | 32.3% | 28.5% | 4.8% | 1573 |
| | Mid-Willamette Valley | 23.3% | 35.7% | 33.6% | 7.5% | 575 |
| | Northwestern | 21.1% | 42.1% | 32.9% | 3.9% | 76 |
| | Southern | 26.6% | 31.7% | 31.3% | 10.3% | 252 |
| | Eastern | 19.7% | 39.4% | 37.9% | 3.0% | 66 |
| | Southwestern | 31.9% | 29.8% | 27.7% | 10.6% | 47 |
| | Central | 22.8% | 36.0% | 36.4% | 4.8% | 250 |
| | Other | 35.6% | 31.9% | 25.6% | 6.9% | 348 |
| Statewide | | 30.3% | 33.4% | 30.2% | 6.0% | 3187 |

Medicare Accountable Organizations-Participation

| <i>How likely are you to participate in a Medicare Accountable Care Organization?</i> | | <i>Very likely</i> | <i>Somewhat likely</i> | <i>Somewhat unlikely</i> | <i>Very unlikely</i> | <i>Don't know/uncertain</i> | <i>Total</i> |
|---|------------------|--------------------|------------------------|--------------------------|----------------------|-----------------------------|--------------|
| Gender | Female | 13.9% | 15.4% | 4.7% | 18.9% | 47.1% | 1031 |
| | Male | 17.4% | 17.1% | 5.9% | 22.2% | 37.4% | 2164 |
| Age | Under 50 years | 16.6% | 17.3% | 4.9% | 13.7% | 47.5% | 1281 |
| | 50 to 64 years | 17.0% | 17.1% | 6.4% | 23.3% | 36.2% | 1401 |
| | 65 years or more | 13.4% | 13.0% | 4.5% | 33.8% | 35.3% | 515 |

| <i>How likely are you to participate in a Medicare Accountable Care Organization?</i> | | <i>Very likely</i> | <i>Somewhat likely</i> | <i>Somewhat unlikely</i> | <i>Very unlikely</i> | <i>Don't know/uncertain</i> | <i>Total</i> |
|---|---|--------------------|------------------------|--------------------------|----------------------|-----------------------------|--------------|
| What is the size of your primary practice? | Solo practice | 7.7% | 10.9% | 8.1% | 39.7% | 33.5% | 531 |
| | Partnership (2-3 physicians) | 13.3% | 17.8% | 5.2% | 23.8% | 39.9% | 421 |
| | Group practice (4 to 9 physicians) | 18.3% | 18.8% | 5.1% | 17.5% | 40.4% | 750 |
| | Group practice (10-13 physicians) | 17.1% | 19.9% | 5.3% | 14.2% | 43.4% | 281 |
| | Group practice (14-19 physicians) | 24.6% | 22.2% | 3.9% | 11.8% | 37.4% | 203 |
| | Group practice (20-29 physicians) | 21.2% | 20.0% | 10.9% | 14.5% | 33.3% | 165 |
| | Group practice (30 or more than physicians) | 19.8% | 16.1% | 4.1% | 12.3% | 47.7% | 660 |
| | Other | 11.5% | 6.1% | 2.0% | 34.5% | 45.9% | 148 |
| What is your employment status at your primary practice? | Full owner | 9.9% | 13.3% | 7.7% | 39.1% | 30.1% | 548 |
| | Part owner (or shareholder) | 19.8% | 23.5% | 7.9% | 18.6% | 30.2% | 693 |
| | Employee | 18.9% | 16.5% | 3.9% | 13.7% | 47.1% | 1542 |
| | Independent contractor | 8.9% | 11.3% | 5.3% | 27.0% | 47.5% | 282 |
| | Volunteer | 14.8% | 7.4% | 0.0% | 48.1% | 29.6% | 27 |
| | Other | 7.5% | 4.3% | 2.2% | 31.2% | 54.8% | 93 |
| Specialty Categories | Family/General Medicine | 20.1% | 17.4% | 5.0% | 22.7% | 34.7% | 556 |
| | Obstetrics/Gynecology | 14.0% | 20.4% | 8.9% | 17.8% | 38.9% | 157 |

| | | | | | | | |
|-------------|---------------------------|-------|-------|------|-------|-------|------|
| | General Internal Medicine | 18.6% | 17.3% | 4.3% | 18.2% | 41.6% | 510 |
| | General Pediatrics | 11.1% | 10.6% | 5.5% | 31.2% | 41.7% | 199 |
| | General Surgery | 15.7% | 21.5% | 5.0% | 17.4% | 40.5% | 121 |
| | Medical Subspecialty | 16.3% | 17.9% | 7.7% | 17.5% | 40.7% | 509 |
| | Pediatric Subspecialty | 10.9% | 9.1% | 1.8% | 25.5% | 52.7% | 55 |
| | Surgical Subspecialty | 14.3% | 14.3% | 5.2% | 27.6% | 38.6% | 210 |
| | Neurological Surgery | 19.2% | 19.2% | 7.7% | 7.7% | 46.2% | 26 |
| | Psychiatry | 8.2% | 7.8% | 4.6% | 41.6% | 37.9% | 219 |
| | Hospital-based Specialty | 17.0% | 18.2% | 5.2% | 13.4% | 46.2% | 559 |
| | Other | 17.0% | 18.2% | 5.2% | 13.4% | 46.2% | 63 |
| Urban-Rural | Urban | 17.2% | 15.6% | 5.7% | 20.8% | 40.7% | 2217 |
| | Rural | 14.9% | 19.7% | 5.3% | 22.5% | 37.6% | 676 |
| Region | Portland Metro | 15.2% | 15.2% | 5.2% | 20.7% | 43.7% | 1581 |
| | Mid-Willamette Valley | 22.7% | 19.1% | 5.4% | 18.9% | 34.0% | 577 |
| | Northwestern | 17.1% | 15.8% | 1.3% | 25.0% | 40.8% | 76 |
| | Southern | 14.3% | 14.7% | 9.5% | 30.6% | 31.0% | 252 |
| | Eastern | 7.5% | 25.4% | 7.5% | 19.4% | 40.3% | 67 |
| | Southwestern | 19.6% | 13.0% | 8.7% | 15.2% | 43.5% | 46 |
| | Central | 17.5% | 19.1% | 5.6% | 19.9% | 37.8% | 251 |
| | Other | 12.1% | 17.0% | 4.0% | 21.0% | 45.8% | 347 |
| Statewide | | 16.3% | 16.5% | 5.5% | 21.1% | 40.6% | 3197 |

Appendix C: 2012 survey instrument

2012 Physician Workforce Survey-Survey Instrument-Reverse Engineering Draft

- 1) Is all your practice outside the state of Oregon? (S0)
- 2) Have you retired?(S0)
- 3) When do you plan to retire? (Choose one)
- 4) Are you Hispanic, Latino or Spanish?
- 5) What is your race? (Choose all that apply.)
 - a. White
 - b. Black or African American
 - c. Asian
 - d. Native Hawaiian or Pacific Islander
 - e. Other
- 6) Which of the following are part of your current professional activities? (Choose all that apply).
 - a. Clinical Practice
 - b. Administration, not related to direct patient care
 - c. Teaching
 - d. Research
 - e. Resident/Fellow
 - f. Other (please specify)
- 7) In the last 12 months, how has your satisfaction with the following aspects of your medical career changed?
 - a. Your overall income
 - b. Your relationship with patients
 - c. our relationship with co-workers
 - d. he balance between work and personal life
 - e. The amount of time you have with patients
 - f. Your ability to provide patients with the best possible care
- 8) What is the greatest source of your professional satisfaction?(Choose one)
- 9) How satisfied have you been with your medical career overall? (Choose one)
- 10) How satisfied have you been with your medical career in the last 12 months? (Choose one)
- 11) Does your professional time involve any direct patient care in Oregon?
- 12) If your primary specialty is family medicine, general medicine, or ob/gyn, do you currently provide maternity care? (Choose one)
- 13) Do you consider yourself a primary care physician?
- 14) Do you work primarily as a hospitalist?
- 15) Which of the following best describes your primary practice setting: (Choose one)
- 16) What is the zip code at your primary practice location?
- 17) How is your primary practice is organized: (Choose one)
- 18) What is the size of your primary practice? (Choose one)
- 19) What percent of your patients in your primary practice setting are children or adolescents? (Choose one)
- 20) What is your employment status at your primary practice? (Choose one)
- 21) Are you employed by ... (Choose one)
- 22) What are your future employment related plans for your career? (Choose one)

- 23) In a typical week, how many patients do you see in your primary practice setting? (Your best estimate is fine. Choose one)
- 24) In a typical week, how many **new** patients do you see in your primary practice setting? (Your best estimate is fine. Choose one)
- 25) On average, how many calendar days are normally required to schedule a non-urgent appointment for an established patient at your primary practice? (Your best estimate is fine. Choose one)
- 26) Do you determine which payers (insurers) your primary practice accepts? (Choose one)
- 27) To what extent is your primary practice accepting new Medicare patients? (Choose one)
- 28) How important was each of the following factors in your decision to limit or close your primary practice to new Medicare patients:
- Administrative requirements associated with Medicare
 - Need to balance payer sources
 - Complex needs of patients
 - Cost or availability of professional liability insurance
 - Non-compliance of patients
 - Patient load
 - Reimbursement rates
 - If Other, please specify:
- 29) To what extent is your primary practice accepting new commercial insurance patients? (Choose one)
- 30) How important was each of the following factors in your decision to limit or close your primary practice to new commercial insurance patients:
- Administrative requirements associated with commercial insurance
 - Need to balance payer sources
 - Complex needs of patients
 - Cost or availability of professional liability insurance
 - Non-compliance of patients
 - Patient load
 - Reimbursement rates
 - If Other, please specify:
- 31) To what extent is your primary practice accepting new Workers' Compensation patients? (Choose one)
- 32) How important was each of the following factors in your decision to limit or close your primary practice to new Workers' Compensation patients:
- Administrative requirements associated with Worker's Compensation insurance
 - Need to balance payer sources
 - Complex needs of patients
 - Cost or availability of professional liability insurance
 - Non-compliance of patients
 - Patient load
 - Reimbursement rates
 - If Other, please specify:
- 33) To what extent is your primary practice accepting new Medicaid/OHP patients? (Choose one)
- 34) How important was each of the following factors in your decision to limit or close your primary practice to new Workers' Compensation patients:
- Administrative requirements associated with Medicaid/OHP
 - Need to balance payer sources
 - Complex needs of patients
 - Cost or availability of professional liability insurance
 - Non-compliance of patients
 - Patient load
 - Reimbursement rates

- h. If Other, please specify:
- 35) Do you currently have Medicaid/Oregon Health Plan (OHP) patients under your care? (Choose one)
- 36) How often are you able to obtain access to the following for your Medicaid/OHP patients? (Mark one response on each row.)
- a. Referral to specialists (if you are a specialist, referral to other specialists)
 - b. Ancillary services such as physical therapy, home health, etc.
 - c. Non-emergency hospital admission
 - d. Diagnostic imaging services
 - e. Inpatient mental health
 - f. Outpatient mental health
 - g. Inpatient substance abuse
 - h. Outpatient substance abuse
 - i. Comments:
- 37) What is the current payer mix at your primary practice? (Your best estimate is fine. Total should equal 100%)
- a. Commercial insurance
 - b. Medicare
 - c. Medicaid/Oregon Health Plan
 - d. TriCare/CHAMPUS
 - e. Workers' Compensation
 - f. Uninsured/Self-Pay
- TOTAL (should equal 100%)
- 38) Please indicate whether you anticipate taking the following actions in your primary practice within the next two years? (Mark one on each row)
- a. Close or sell practice
 - b. Expand scope of practice
 - c. Reduce scope of practice
 - d. Increase referrals of complex cases
 - e. Increase diagnostic procedures performed
 - f. Stop providing all direct patient care
 - g. Stop providing services to specific groups of patients
 - h. Reduce patient care hours
 - i. Relocate practice within state
 - j. Relocate practice to another state
 - k. Retire from practice
 - l. Increase patient volume
- 39) If you indicated that you definitely would or might stop providing services to specific groups of patients, please indicate which groups below:
- 40) If you might or definitely will take another action not listed above, please specify:
- 41) Do you see patients at more than one practice/clinic location in Oregon?
- 42) What is the zip code at your second practice location?
- 43) In a typical week, how many patients do you see in your second practice setting? (Please provide your best estimate. Choose one)
- 44) In a typical week, how many hours do you spend in direct patient care at all practice locations in Oregon? (Your best estimate is fine. Choose only one)
- 45) In a typical week, how many hours do you spend in direct patient care at all practice locations in Oregon? (Your best estimate is fine. Choose only one).

- 46) In a typical week, how many hours do you spend doing administrative tasks associated with patient care (e.g., charting, phone calls, referrals, paperwork, etc.) at all practice locations in Oregon? (Your best estimate is fine. Choose only one).
- 47) In a typical week, how many patients do you see in the hospital/emergency department setting (e.g., not phone consults) as a result of taking call? (Choose one).
- 48) In the last 12 months, have you changed your hospital privileges? (Choose one)
- 49) Did the reason for changing hospital privileges include (Choose all that apply):
- Increasingly required procedures beyond the scope of my practice
 - Increasing demand for call coverage
 - Change in practice
 - Change in hospital by-laws
 - Increasing uncompensated care
 - Other (Specify)
- 50) Do you currently receive the Oregon Medical Malpractice Reinsurance Program (also known as the Medical Malpractice Insurance Subsidy)? (Choose only one)
- 51) Do you currently participate in the Rural Provider State Income Tax Credit Program?
- 52) Does your practice have formal medical home/patient-centered primary care home recognition? (Choose one)
- 53) Which organization(s) granted recognition? (Check all that apply)
- National Committee for Quality Assurance: Patient-centered medical home
 - Oregon Health Authority: Patient-centered Primary Care Home
 - Don't know
 - Other (please specify)
- 54) Which of the following Clinical Practice Guidelines do you routinely use? (Select all that apply)
- US Preventive Task Force Guidelines
 - National Guideline Clearinghouse
 - Bright Futures (HRSA)
 - The Medical Letter
 - The Centers for Disease Control and Prevention, includes AFIX
 - Specialty recommendations, for example, AAP, ACP, ACOG
 - Oregon Health Evidence Review Commission (formerly Health Services Commission)
 - Other
- 55) Are you aware of the Oregon Tobacco Quit Line?
- 56) Thinking about your primary practice, how often have you been able to:
- Work as part of a multi-disciplinary team to care for your patients?
 - Get your patients the social service or community resources they need?
 - Coordinate effectively with other health professionals who care for the same patients?
- 57) The Oregon Health Authority has started working with Coordinated Care Organizations (CCOs) to provide health services for people insured by Medicaid. How much do you know about CCOs? (Choose one)
- 58) Currently, how likely are you to participate in a Coordinated Care Organization? (Choose one)
- 59) How much do you know about Medicare Accountable Care Organizations? (Choose one)
- 60) Currently, how likely are you to participate in a Medicare Accountable Care Organization? (Choose one)
- 61) In a typical month, about how many hours do you spend providing charity care? (Your best estimate is fine. Mark only one)
- 62) In the next 12 months, how would you rate the importance of each of the following issues for physicians?
- Electronic medical/health records, adoption or upgrade
 - Medicare reimbursement
 - Cost of doing business/overhead

- d. Cost of care to patients
- e. Job-related stress and burnout
- f. Complexity of subspecialty referral
- g. Medical professional liability
- h. Call coverage
- i. Impacts of health care reform
- j. Oregon Health Plan/Medicaid reimbursement
- k. Recruitment and retention of qualified non-physician staff
- l. Quality and performance measurement
- m. Recruitment of physicians
- n. Retention of physicians
- o. Patient safety
- p. Commercial health plan reimbursement
- q. Commercial health plan administrative requirements
- r. ICD 10 conversion
- s. If Other, please specify:

63) How well do the following organizations best represents your views if you are a member?

- a. American Medical Association
- b. Oregon Medical Association
- c. County medical society
- d. National specialty society
- e. State specialty society
- f. Primary hospital medical staff
- g. Local /Regional IPA
- h. Specialty IPA
- i. My employer

64) If Medicare reimbursement for physicians declines, which of the following actions will you take? (Mark only one)

65) Please rank the strategies you think would be most effective in improving Oregon's health system performance.

- a. Physician payment reform (i.e., reimburse more for quality and health outcomes, less on a fee-for-service basis)
- b. Improving care coordination across settings and disciplines
- c. Adoption and use of evidence-based clinical practice guidelines
- d. Public reporting on provider quality using standardized measures
- e. Public reporting on value, (i.e., health outcomes achieved per total dollars spent.
- f. Use of electronic medical records state-wide
- g. Increased availability of health information
- h. Professional liability reform
- i. Increasing amount of time available for direct patient care
- j. Increased outreach and education by Public Health
- k. Other (please specify)

66) What is the greatest challenge you will face professionally in the next two years?

67) Anything else?