

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Table of Contents

<u>Indicator Category</u>	<u>Page #</u>
Chronic/Adverse Conditions by Race/Ethnicity	1
Risk Factors	7
Medical Access and Screening	11
Protective Factors	14
Substance Use	16
Stress and Safety	20
Family Planning	23
Reactions to Race	24

Chronic/Adverse Conditions by Race/Ethnicity

Results represent the percentage of respondents ever told they had the condition by a doctor, nurse, or other healthcare professional.

Angina

<u>Race/Ethnicity</u>	<u>N</u>	<u>Weighted %</u>	<u>CI</u>
White	4,964	3.6	3.0-4.4
African American	426	4.3	2.8-6.4
American Indian / Alaska Native	425	4.4	2.9-6.7
Asian (non-Pacific Islander)	607	5.1	3.4-7.5
Pacific Islander	147	4.1	2.0-8.1
Hispanic	965	1.8	0.9-3.5
MBRFSS State Total	6,561	3.4	2.8-4.0

Arthritis

<u>Race/Ethnicity</u>	<u>N</u>	<u>Weighted %</u>	<u>CI</u>
White	4,969	30.7	28.9-32.5
African American	427	22.7	19.1-26.7
American Indian / Alaska Native	424	33.6	29.2-38.3
Asian (non-Pacific Islander)	599	21.9	18.4-25.9
Pacific Islander	148	16.1	11.2-22.7
Hispanic	967	13.6	11.1-16.6
MBRFSS State Total	6,568	27.1	25.7-28.6

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Asthma (current)

Race/Ethnicity	N	Weighted %	CI
White	4,936	18.2	16.6-19.8
African American	422	17.9	14.5-21.9
American Indian / Alaska Native	426	25.1	21.1-29.6
Asian (non-Pacific Islander)	616	6.8	5.0-9.3
Pacific Islander	146	11.8	7.4-18.3
Hispanic	963	8.1	6.0-10.7
MBRFSS State Total	6,527	16.5	15.2-17.8

Cancer

Race/Ethnicity	N	Weighted %	CI
White	4,793	6.9	6.0-8.0
African American	420	3.1	1.9-5.1
American Indian / Alaska Native	414	8.0	5.8-10.9
Asian (non-Pacific Islander)	620	2.9	1.7-4.8
Pacific Islander	146	2.5	1.1-5.9
Hispanic	955	2.8	1.7-4.7
MBRFSS State Total	6,365	6.0	5.3-6.9

COPD

Race/Ethnicity	N	Weighted %	CI
White	4,979	11.0	9.9-12.2
African American	425	9.1	6.8-12.1
American Indian / Alaska Native	429	15.3	12.3-18.9
Asian (non-Pacific Islander)	613	4.3	2.8-6.5
Pacific Islander	146	6.2	3.3-11.5
Hispanic	969	4.0	2.7-5.8
MBRFSS State Total	6,582	9.8	8.9-10.8

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Depression

Race/Ethnicity	N	Weighted %	CI
White	4,965	42.2	40.2-44.2
African American	427	30.1	25.9-34.7
American Indian / Alaska Native	425	40.7	35.9-45.8
Asian (non-Pacific Islander)	609	12.9	10.4-15.8
Pacific Islander	148	18.9	13.3-26.3
Hispanic	964	20.4	17.1-24.1
MBRFSS State Total	6,558	36.8	35.2-38.5

Diabetes

Race/Ethnicity	N	Weighted %	CI
White	5,009	11.6	10.4-12.9
African American	428	14.2	11.5-17.5
American Indian / Alaska Native	429	12.5	9.8-15.8
Asian (non-Pacific Islander)	625	13.0	10.3-16.2
Pacific Islander	148	22.1	14.4-32.2
Hispanic	974	12.3	9.6-15.7

Disability

Race/Ethnicity	N	Weighted %	CI
White	4,954	45.1	43.0-47.1
African American	427	36.0	31.5-40.7
American Indian / Alaska Native	426	48.4	43.3-53.4
Asian (non-Pacific Islander)	615	23.0	19.6-26.9
Pacific Islander	145	21.0	14.9-28.6
Hispanic	962	19.4	16.2-23.0
MBRFSS State Total	6,546	39.6	37.9-41.3

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Heart attack

Race/Ethnicity	N	Weighted %	CI
White	4,974	4.6	3.9-5.5
African American	422	3.2	1.9-5.1
American Indian / Alaska Native	425	6.2	4.3-8.8
Asian (non-Pacific Islander)	610	4.3	2.7-6.6
Pacific Islander	143	5.8	3.2-10.6
Hispanic	971	2.4	1.4-4.1
MBRFSS State Total	6,578	4.2	3.6-4.9

Stroke

Race/Ethnicity	N	Weighted %	CI
White	4,995	4.0	3.3-4.9
African American	428	4.7	3.2-6.9
American Indian / Alaska Native	428	5.1	3.5-7.5
Asian (non-Pacific Islander)	612	4.9	3.2-7.3
Pacific Islander	148	2.4	1.0-5.9
Hispanic	976	1.3	0.8-2.1
MBRFSS State Total	6,606	3.8	3.2-4.5

Any chronic disease

Race/Ethnicity	N	Weighted %	CI
White	4,567	71.3	69.3-73.1
African American	399	58.2	53.0-63.3
American Indian / Alaska Native	389	71.3	66.0-76.1
Asian (non-Pacific Islander)	528	44.5	40.1-49.0
Pacific Islander	135	47.4	37.9-57.1
Hispanic	907	42.9	38.4-47.6
MBRFSS State Total	6,045	64.7	62.9-66.5

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Experience chronic pain

Race/Ethnicity	N	Weighted %	CI
White	4,988	57.7	55.7-59.7
African American	429	48.6	43.6-53.5
American Indian / Alaska Native	426	59.2	54.0-64.2
Asian (non-Pacific Islander)	615	28.9	25.2-32.9
Pacific Islander	146	30.2	22.9-38.6
Hispanic	972	30.0	26.2-34.0
MBRFSS State Total	6,600	51.8	50.0-53.6

Physical health "not good" 1 or more of last 30 days

Race/Ethnicity	N	Weighted %	CI
White	4,777	57.2	55.1-59.2
African American	397	51.5	46.3-56.6
American Indian / Alaska Native	402	57.7	52.3-62.9
Asian (non-Pacific Islander)	594	35.2	31.3-39.4
Pacific Islander	141	44.8	35.9-54.0
Hispanic	934	40.0	35.5-44.6
MBRFSS State Total	6,303	53.1	51.3-54.9

Mental health "not good" 1 or more of last 30 days

Race/Ethnicity	N	Weighted %	CI
White	4,874	54.7	52.7-56.8
African American	410	50.3	45.2-55.3
American Indian / Alaska Native	410	54.3	49.1-59.5
Asian (non-Pacific Islander)	605	29.9	26.3-33.8
Pacific Islander	139	43.3	34.4-52.7
Hispanic	943	34.2	30.0-38.7
MBRFSS State Total	6,426	50.5	48.7-52.3

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Activity limited by poor health 1+ days of last 30

Race/Ethnicity	N	Weighted %	CI
White	3,643	56.8	54.4-59.1
African American	293	56.4	50.3-62.3
American Indian / Alaska Native	319	58.4	52.4-64.1
Asian (non-Pacific Islander)	299	45.1	39.3-51.0
Pacific Islander	97	55.9	45.4-65.9
Hispanic	507	49.9	43.6-56.1
MBRFSS State Total	4,564	56.0	53.8-58.1

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Risk Factors by Race/Ethnicity

Sugar-sweetened beverages a day - 1+ daily

Race/Ethnicity	N	Weighted %	CI
White	4,882	27.2	25.5-29.1
African American	405	22.2	18.2-26.9
American Indian / Alaska Native	419	29.6	25.1-34.6
Asian (non-Pacific Islander)	611	13.0	10.6-15.8
Pacific Islander	143	22.2	15.7-30.5
Hispanic	953	27.9	23.9-32.2
MBRFSS State Total	6,450	27.2	25.6-28.8

High blood cholesterol

Race/Ethnicity	N	Weighted %	CI
White	3,341	39.1	36.7-41.5
African American	281	31.0	25.9-36.6
American Indian / Alaska Native	286	37.7	32.1-43.8
Asian (non-Pacific Islander)	360	40.6	35.3-46.0
Pacific Islander	80	38.0	27.6-49.5
Hispanic	529	35.3	29.8-41.3
MBRFSS State Total	4,256	38.4	36.2-40.5

High blood pressure

Race/Ethnicity	N	Weighted %	CI
White	5,005	30.8	29.1-32.7
African American	429	32.7	28.5-37.2
American Indian / Alaska Native	424	31.0	26.7-35.7
Asian (non-Pacific Islander)	614	29.2	25.5-33.3
Pacific Islander	145	28.1	19.8-38.3
Hispanic	967	18.3	15.2-21.9
MBRFSS State Total	6,608	28.3	26.8-29.9

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

No physical activity outside work in last 30 days

Race/Ethnicity	N	Weighted %	CI
White	5,017	26.6	24.9-28.4
African American	428	33.4	29.0-38.2
American Indian / Alaska Native	428	27.9	23.7-32.6
Asian (non-Pacific Islander)	627	33.0	29.3-37.0
Pacific Islander	147	32.5	24.9-41.2
Hispanic	973	34.7	30.5-39.2
MBRFSS State Total	6,631	28.2	26.6-29.8

Overweight or obese

Race/Ethnicity	N	Weighted %	CI
White	4,808	65.0	63.0-67.0
African American	390	68.6	63.4-73.3
American Indian / Alaska Native	411	69.3	64.2-73.8
Asian (non-Pacific Islander)	583	33.7	29.8-37.8
Pacific Islander	139	73.3	62.5-81.9
Hispanic	851	74.3	69.9-78.2
MBRFSS State Total	6,238	66.1	64.4-67.8

Obese

Race/Ethnicity	N	Weighted %	CI
White	4,808	36.4	34.5-38.4
African American	390	38.9	34.0-44.1
American Indian / Alaska Native	411	43.5	38.4-48.7
Asian (non-Pacific Islander)	583	10.2	8.0-13.0
Pacific Islander	139	46.0	36.8-55.4
Hispanic	851	39.7	35.0-44.6
MBRFSS State Total	6,238	36.2	34.5-38.0

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Morbidly obese

Race/Ethnicity	N	Weighted %	CI
White	4,808	8.8	7.7-10.0
African American	390	10.9	8.1-14.5
American Indian / Alaska Native	411	9.9	7.2-13.4
Asian (non-Pacific Islander)	583	1.6	0.8-3.0
Pacific Islander	139	12.6	7.9-19.4
Hispanic	851	6.4	4.6-8.8
MBRFSS State Total	6,238	8.3	7.4-9.4

Insufficient sleep (<7 hours for most)

Race/Ethnicity	N	Weighted %	CI
White	4,934	39.0	37.1-41.0
African American	421	49.4	44.4-54.3
American Indian / Alaska Native	417	45.0	40.0-50.2
Asian (non-Pacific Islander)	609	45.8	41.7-50.0
Pacific Islander	146	32.4	24.7-41.1
Hispanic	962	30.9	26.8-35.4
MBRFSS State Total	6,519	38.0	36.3-39.7

Pre-diabetic

Race/Ethnicity	N	Weighted %	CI
White	4,317	10.7	9.4-12.1
African American	344	9.3	6.7-12.8
American Indian / Alaska Native	358	12.5	9.5-16.4
Asian (non-Pacific Islander)	542	9.9	7.4-13.0
Pacific Islander	111	6.9	3.5-12.9
Hispanic	835	8.5	6.2-11.6
MBRFSS State Total	5,708	10.1	9.1-11.3

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Secondhand smoke exposure (1+ hours/week)

Race/Ethnicity	N	Weighted %	CI
White	4,860	26.7	25.0-28.6
African American	412	31.1	26.6-36.0
American Indian / Alaska Native	418	31.3	26.7-36.2
Asian (non-Pacific Islander)	607	15.9	13.2-19.1
Pacific Islander	145	24.9	18.1-33.3
Hispanic	955	19.7	16.2-23.8
MBRFSS State Total	6,419	25.5	24.0-27.1

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Medical Access and Screening by Race/Ethnicity

High blood sugar/diabetes test in last 3 years (45 years or older)

Race/Ethnicity	N	Weighted %	CI
White	1,996	59.7	56.5-62.8
African American	140	55.7	47.3-63.8
American Indian / Alaska Native	163	57.9	49.9-65.5
Asian (non-Pacific Islander)	226	57.2	50.3-63.8
Pacific Islander	*	*	*
Hispanic	274	66.7	58.3-74.2
MBRFSS State Total	5,496	60.1	57.3-62.9

* = results suppressed due to denominator below 30

Blood cholesterol checked within past 5 years

Race/Ethnicity	N	Weighted %	CI
White	4,522	63.5	61.4-65.5
African American	394	61.4	56.1-66.4
American Indian / Alaska Native	402	60.9	55.5-66.0
Asian (non-Pacific Islander)	577	62.0	57.9-65.9
Pacific Islander	136	49.3	39.8-58.9
Hispanic	898	48.4	43.7-53.2
MBRFSS State Total	6,005	60.3	58.4-62.1

Current on colorectal cancer screening (50-75 years old)

Race/Ethnicity	N	Weighted %	CI
White	2,014	53.3	50.1-56.5
African American	133	52.4	43.8-60.8
American Indian / Alaska Native	166	56.1	48.3-63.6
Asian (non-Pacific Islander)	156	40.1	32.2-48.5
Pacific Islander	40	58.2	34.1-78.9
Hispanic	242	28.3	20.5-37.7
MBRFSS State Total	2,477	49.8	46.9-52.8

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

FOBT during last year (50-75 years old)

Race/Ethnicity	N	Weighted %	CI
White	2,040	11.8	9.8-14.2
African American	140	12.8	8.2-19.5
American Indian / Alaska Native	172	10.2	6.5-15.8
Asian (non-Pacific Islander)	171	12.3	7.9-18.6
Pacific Islander	43	14.7	6.4-30.1
Hispanic	260	6.0	2.8-12.1
MBRFSS State Total	2,533	11.1	9.4-13.2

Mammogram in last 2 years (women age 50-74)

Race/Ethnicity	N	Weighted %	CI
White	1,209	64.8	60.8-68.5
African American	71	78.9	67.9-86.9
American Indian / Alaska Native	106	71.3	61.7-79.4
Asian (non-Pacific Islander)	102	72.8	63.0-80.8
Pacific Islander	*	*	*
Hispanic	133	73.0	62.2-81.7
MBRFSS State Total	1,476	66.0	62.4-69.3

** = results suppressed due to denominator below 30*

Pap test in last 3 years (women age 21-65 w/cervix)

Race/Ethnicity	N	Weighted %	CI
White	2,133	77.5	74.9-80.0
African American	161	80.4	73.2-86.0
American Indian / Alaska Native	163	78.1	70.4-84.3
Asian (non-Pacific Islander)	238	63.8	57.5-69.7
Pacific Islander	75	75.0	63.2-83.9
Hispanic	442	84.6	79.6-88.6
MBRFSS State Total	2,800	78.3	76.0-80.4

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Dental visit in last year

Race/Ethnicity	N	Weighted %	CI
White	4,903	51.1	49.1-53.2
African American	413	57.3	52.2-62.2
American Indian / Alaska Native	419	50.8	45.6-55.9
Asian (non-Pacific Islander)	595	58.6	54.4-62.7
Pacific Islander	147	44.8	36.0-53.9
Hispanic	959	55.5	51.0-60.0
MBRFSS State Total	6,482	51.7	50.0-53.5

HIV - ever tested

Race/Ethnicity	N	Weighted %	CI
White	4,749	51.4	49.3-53.4
African American	419	58.5	53.4-63.4
American Indian / Alaska Native	414	57.5	52.3-62.5
Asian (non-Pacific Islander)	584	25.3	21.8-29.0
Pacific Islander	142	38.6	30.2-47.7
Hispanic	935	38.5	34.1-43.1
MBRFSS State Total	6,297	49.0	47.2-50.8

Health insurance coverage continuous over past year

Race/Ethnicity	N	Weighted %	CI
White	4,826	75.0	73.2-76.8
African American	410	82.8	78.6-86.4
American Indian / Alaska Native	412	80.1	75.5-84.1
Asian (non-Pacific Islander)	608	88.0	85.3-90.4
Pacific Islander	144	80.1	72.3-86.2
Hispanic	939	72.7	68.4-76.5
MBRFSS State Total	6,376	75.6	74.1-77.1

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Protective Factors by Race/Ethnicity

Fruits and vegetables - consumed 5+ servings/day

Race/Ethnicity	N	Weighted %	CI
White	4,802	25.9	24.2-27.7
African American	392	22.2	18.2-26.7
American Indian / Alaska Native	410	25.3	21.1-30.1
Asian (non-Pacific Islander)	593	54.3	50.1-58.4
Pacific Islander	140	24.7	17.8-33.1
Hispanic	935	27.5	23.5-31.8
MBRFSS State Total	6,341	26.7	25.2-28.3

Health status rated good or better

Race/Ethnicity	N	Weighted %	CI
White	5,009	67.7	65.8-69.5
African American	425	67.5	62.9-71.8
American Indian / Alaska Native	429	61.0	56.0-65.7
Asian (non-Pacific Islander)	629	62.8	58.7-66.8
Pacific Islander	148	69.8	61.4-77.1
Hispanic	972	66.9	62.5-70.9
MBRFSS State Total	6,620	67.0	65.3-68.6

Healthy weight

Race/Ethnicity	N	Weighted %	CI
White	4,808	32.5	30.5-34.5
African American	390	29.4	24.8-34.5
American Indian / Alaska Native	411	29.6	25.1-34.6
Asian (non-Pacific Islander)	583	60.8	56.6-64.8
Pacific Islander	139	24.9	16.5-35.8
Hispanic	851	24.2	20.4-28.4
MBRFSS State Total	6,238	31.6	29.9-33.3

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

At least 150 minutes (or 75 vigorous) of physical activity/week

Race / Ethnicity	N	Unweighted %	Weighted %
White	4,775	52.3	50.2-54.3
African American	401	44.4	39.3-49.5
American Indian / Alaska Native	405	52.8	47.5-57.9
Asian (non-Pacific Islander)	595	46.2	42.1-50.5
Pacific Islander	136	51.9	42.3-61.2
Hispanic	942	43.6	39.1-48.2
MBRFSS State Total	6,315	50.5	48.7-52.3

Muscle strengthening exercises 3 times/week

Race/Ethnicity	N	Weighted %	CI
White	4,944	24.2	22.5-26.0
African American	422	28.0	23.6-32.8
American Indian / Alaska Native	426	28.0	23.6-32.9
Asian (non-Pacific Islander)	612	20.9	17.8-24.2
Pacific Islander	142	35.6	27.4-44.7
Hispanic	961	27.0	23.0-31.3
MBRFSS State Total	6,528	25.1	23.6-26.8

Met both PA and muscle strengthening recs.

Race/Ethnicity	N	Weighted %	CI
White	4,711	16.7	15.2-18.4
African American	393	19.4	15.5-24.0
American Indian / Alaska Native	401	21.1	17.0-25.9
Asian (non-Pacific Islander)	584	12.5	10.1-15.5
Pacific Islander	131	25.9	18.6-34.9
Hispanic	928	16.7	13.6-20.4
MBRFSS State Total	6,223	16.9	15.6-18.4

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Substance Use by Race/Ethnicity

Tobacco - current cigarette smoker

Race/Ethnicity	N	Weighted %	CI
White	5,001	34.3	32.4-36.2
African American	429	30.6	26.2-35.3
American Indian / Alaska Native	427	38.3	33.5-43.3
Asian (non-Pacific Islander)	626	12.9	10.5-15.8
Pacific Islander	148	28.1	21.0-36.6
Hispanic	971	9.7	7.5-12.4
MBRFSS State Total	6,606	29.3	27.8-30.9

Tobacco - current tobacco chewer

Race/Ethnicity	N	Weighted %	CI
White	5,028	4.5	3.8-5.4
African American	430	2.7	1.5-4.9
American Indian / Alaska Native	432	5.2	3.4-8.0
Asian (non-Pacific Islander)	626	2.1	1.3-3.5
Pacific Islander	148	7.3	3.8-13.5
Hispanic	976	0.7	0.3-1.3
MBRFSS State Total	6,646	3.6	3.1-4.3

Tobacco - current tobacco user (smoker or chewer)

Race/Ethnicity	N	Weighted %	CI
White	4,999	36.8	34.9-38.7
African American	429	31.1	26.7-35.8
American Indian / Alaska Native	427	41.1	36.2-46.1
Asian (non-Pacific Islander)	624	14.1	11.6-17.0
Pacific Islander	148	33.8	26.0-42.6
Hispanic	971	9.9	7.8-12.7
MBRFSS State Total	6,604	31.3	29.7-32.9

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Tobacco - ecigarette use ever

Race/Ethnicity	N	Weighted %	CI
White	5,024	37.1	35.2-39.1
African American	430	31.2	26.7-36.1
American Indian / Alaska Native	432	39.5	34.6-44.6
Asian (non-Pacific Islander)	623	10.4	8.3-13.0
Pacific Islander	148	30.7	23.2-39.4
Hispanic	970	18.4	15.1-22.4
MBRFSS State Total	6,636	33.1	31.5-34.8

Tobacco - current ecigarette use

Race/Ethnicity	N	Weighted %	CI
White	5,012	14.2	12.9-15.7
African American	428	11.1	8.3-14.8
American Indian / Alaska Native	431	13.4	10.3-17.2
Asian (non-Pacific Islander)	622	4.0	2.7-5.8
Pacific Islander	146	11.8	7.3-18.7
Hispanic	970	6.6	4.5-9.4
MBRFSS State Total	6,623	12.5	11.4-13.7

Tobacco - want to quit (smokers)

Race/Ethnicity	N	Weighted %	CI
White	1,745	76.0	73.0-78.8
African American	128	85.4	78.0-90.7
American Indian / Alaska Native	170	74.9	67.4-81.1
Asian (non-Pacific Islander)	82	80.3	70.4-87.6
Pacific Islander	40	82.6	66.3-92.0
Hispanic	110	82.5	68.8-90.9
MBRFSS State Total	2,064	76.4	73.6-79.0

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Tobacco - attempted to quit in last year (smokers)

Race/Ethnicity	N	Weighted %	CI
White	1,810	60.9	57.5-64.1
African American	131	69.0	60.2-76.6
American Indian / Alaska Native	176	61.0	53.2-68.2
Asian (non-Pacific Islander)	88	65.8	55.2-75.0
Pacific Islander	42	63.3	47.1-77.0
Hispanic	113	67.2	54.4-77.9
MBRFSS State Total	2,141	62.2	59.2-65.1

Alcohol - 1+ days of binge drinking in last 30 days

Race/Ethnicity	N	Weighted %	CI
White	4,882	12.4	11.1-13.8
African American	407	12.0	9.0-15.9
American Indian / Alaska Native	421	15.6	12.3-19.7
Asian (non-Pacific Islander)	605	4.5	3.2-6.4
Pacific Islander	138	12.7	7.7-20.1
Hispanic	934	10.1	7.7-13.3
MBRFSS State Total	6,422	12.1	10.9-13.3

Alcohol - heavy drinking over past 30 days

Race/Ethnicity	N	Weighted %	CI
White	4,928	5.4	4.6-6.4
African American	413	2.8	1.6-4.9
American Indian / Alaska Native	421	4.2	2.6-6.6
Asian (non-Pacific Islander)	610	1.5	0.9-2.8
Pacific Islander	142	2.3	0.7-6.9
Hispanic	931	3.6	2.3-5.5
MBRFSS State Total	6,477	5.0	4.3-5.8

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Drugs - current marijuana use (any)

Race/Ethnicity	N	Weighted %	CI
White	4,983	20.1	18.6-21.8
African American	427	23.0	19.0-27.6
American Indian / Alaska Native	424	23.4	19.3-27.9
Asian (non-Pacific Islander)	618	3.0	2.0-4.6
Pacific Islander	148	11.9	7.4-18.5
Hispanic	970	7.5	5.4-10.3
MBRFSS State Total	6,584	17.6	16.3-18.9

Drugs - current medical marijuana use

Race/Ethnicity	N	Weighted %	CI
White	4,993	8.4	7.4-9.5
African American	427	8.0	5.7-11.1
American Indian / Alaska Native	425	9.8	7.3-13.1
Asian (non-Pacific Islander)	611	1.1	0.5-2.2
Pacific Islander	148	4.9	2.3-9.9
Hispanic	968	3.0	1.8-4.9
MBRFSS State Total	6,591	7.2	6.4-8.1

Drugs - current meth, heroin, cocaine, or ecstasy use

Race/Ethnicity	N	Weighted %	CI
White	4,951	1.1	0.7-1.7
African American	428	1.3	0.5-3.1
American Indian / Alaska Native	428	1.5	0.7-3.4
Asian (non-Pacific Islander)	617	0.5	0.2-1.4
Pacific Islander	148	1.0	0.1-6.5
Hispanic	961	0.4	0.1-1.4
MBRFSS State Total	6,543	1.0	0.7-1.5

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Drugs - current prescription painkiller abuse

Race/Ethnicity	N	Weighted %	CI
White	4,942	1.4	1.0-2.0
African American	428	3.0	1.7-5.2
American Indian / Alaska Native	428	0.8	0.3-2.2
Asian (non-Pacific Islander)	597	2.0	1.1-3.6
Pacific Islander	148	1.3	0.4-4.4
Hispanic	956	0.7	0.3-1.4
MBRFSS State Total	6,530	1.4	1.0-1.8

Stress and Safety by Race/Ethnicity

High-stress based on 4-item scale

Race/Ethnicity	N	Weighted %	CI
White	4,823	14.7	13.3-16.2
African American	409	12.8	9.9-16.5
American Indian / Alaska Native	407	18.2	14.6-22.5
Asian (non-Pacific Islander)	588	6.7	4.8-9.3
Pacific Islander	145	8.8	5.1-14.7
Hispanic	916	7.0	5.2-9.4
MBRFSS State Total	6,340	13.1	12.0-14.4

Needed or received housing services

Race/Ethnicity	N	Weighted %	CI
White	4,910	16.8	15.3-18.4
African American	420	30.0	25.7-34.8
American Indian / Alaska Native	422	23.1	19.0-27.7
Asian (non-Pacific Islander)	571	18.9	15.7-22.6
Pacific Islander	148	19.6	13.6-27.4
Hispanic	950	11.1	8.6-14.3
MBRFSS State Total	6,474	15.9	14.6-17.2

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Food insecurity - food insecure

Race/Ethnicity	N	Weighted %	CI
White	4,842	49.6	47.6-51.7
African American	410	50.3	45.2-55.4
American Indian / Alaska Native	401	57.5	52.2-62.6
Asian (non-Pacific Islander)	560	38.0	33.9-42.2
Pacific Islander	138	52.0	42.4-61.4
Hispanic	925	42.7	38.2-47.4
MBRFSS State Total	6,345	48.6	46.8-50.4

Food insecurity - hunger

Race/Ethnicity	N	Weighted %	CI
White	4,842	23.4	21.7-25.2
African American	410	20.9	17.0-25.3
American Indian / Alaska Native	401	28.6	24.1-33.5
Asian (non-Pacific Islander)	560	14.1	11.4-17.3
Pacific Islander	138	22.2	15.8-30.4
Hispanic	925	15.4	12.3-19.1
MBRFSS State Total	6,345	22.3	20.8-23.8

Intimate partner violence past 12 months

Race/Ethnicity	N	Weighted %	CI
White	4,739	4.5	3.7-5.4
African American	386	8.5	6.0-12.0
American Indian / Alaska Native	401	5.7	3.7-8.8
Asian (non-Pacific Islander)	563	1.4	0.8-2.8
Pacific Islander	138	3.6	1.4-8.5
Hispanic	918	2.9	1.7-5.0
MBRFSS State Total	6,238	4.5	3.8-5.3

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Neighborhood rated "not at all" or "slightly" safe

Race/Ethnicity	N	Weighted %	CI
White	4,923	24.2	22.4-26.0
African American	410	35.0	30.3-39.9
American Indian / Alaska Native	422	31.5	26.9-36.5
Asian (non-Pacific Islander)	604	13.9	11.3-16.9
Pacific Islander	145	19.6	13.6-27.4
Hispanic	944	25.7	21.9-29.9
MBRFSS State Total	6,479	24.7	23.2-26.3

High Adverse Childhood Experiences based on 11 item scale

Race/Ethnicity	N	Weighted %	CI
White	4,242	38.7	36.5-40.8
African American	338	30.3	25.4-35.6
American Indian / Alaska Native	336	50.9	45.2-56.6
Asian (non-Pacific Islander)	536	7.8	5.9-10.4
Pacific Islander	127	30.5	22.8-39.6
Hispanic	857	20.2	16.6-24.3
MBRFSS State Total	5,587	34.7	32.9-36.6

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Family Planning by race/ethnicity

Effective use of contraception (women at risk of unintended pregnancy)

Race/Ethnicity	N	Weighted %	CI
White	1,134	42.9	38.9-47.1
African American	93	32.3	23.5-42.5
American Indian / Alaska Native	83	35.3	25.2-46.8
Asian (non-Pacific Islander)	143	37.7	30.0-46.0
Pacific Islander	46	35.4	23.0-50.2
Hispanic	288	37.8	30.0-46.2
MBRFSS State Total	1,554	40.3	36.8-43.8

Daily multivitamin, prenatal vitamin, or folic acid vitamin use (women at risk of pre

Race/Ethnicity	N	Weighted %	CI
White	776	32.0	27.5-36.9
African American	76	20.0	12.4-30.6
American Indian / Alaska Native	55	34.2	22.3-48.4
Asian (non-Pacific Islander)	126	19.3	13.3-27.3
Pacific Islander	38	32.2	19.3-48.5
Hispanic	233	19.6	13.5-27.4
MBRFSS State Total	1,112	28.5	24.9-32.4

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Reactions to Race by Race/Ethnicity

Difference between self-identified and generally-perceived race/ethnicity

Race/Ethnicity	N	Weighted %	CI
White	4,844	2.9	2.2-3.8
African American	393	5.5	3.5-8.5
American Indian / Alaska Native	396	51.2	45.9-56.5
Asian (non-Pacific Islander)	580	8.6	6.6-11.1
Pacific Islander	129	41.7	32.6-51.4
Hispanic	909	28.9	24.8-33.2
MBRFSS State Total	6,280	12.3	11.1-13.6

Thinking about race at least once a day

Race/Ethnicity	N	Weighted %	CI
White	4,811	7.4	6.4-8.6
African American	388	40.6	35.6-45.9
American Indian / Alaska Native	408	46.4	41.3-51.6
Asian (non-Pacific Islander)	559	16.3	13.5-19.6
Pacific Islander	139	41.2	31.9-51.1
Hispanic	904	39.6	35.1-44.3
MBRFSS State Total	6,292	15.9	14.6-17.3

Treated worse than other races when seeking health care

Race/Ethnicity	N	Weighted %	CI
White	4,024	5.9	4.9-7.0
African American	334	15.9	12.2-20.3
American Indian / Alaska Native	347	7.6	5.2-11.1
Asian (non-Pacific Islander)	500	3.8	2.4-6.1
Pacific Islander	120	8.1	4.2-15.1
Hispanic	839	7.5	5.4-10.4
MBRFSS State Total	5,346	6.4	5.5-7.4

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.

OREGON HEALTH AUTHORITY - Office of Health Analytics
2014 Medicaid Behavioral Risk Factor Surveillance System (MBRFSS) Survey
Indicators by Race/Ethnicity

Physical symptoms due to how treated based on race

Race/Ethnicity	N	Weighted %	CI
White	4,846	3.2	2.6-4.0
African American	398	21.3	17.4-25.9
American Indian / Alaska Native	401	11.8	8.8-15.6
Asian (non-Pacific Islander)	581	9.1	7.0-11.8
Pacific Islander	139	17.3	11.7-25.0
Hispanic	936	8.1	5.8-11.1
MBRFSS State Total	6,366	4.9	4.2-5.8

Emotional symptoms due to how treated based on race

Race/Ethnicity	N	Weighted %	CI
White	4,868	5.2	4.3-6.2
African American	403	29.3	24.9-34.2
American Indian / Alaska Native	403	16.5	13.0-20.7
Asian (non-Pacific Islander)	586	11.7	9.3-14.6
Pacific Islander	141	14.5	9.4-21.7
Hispanic	939	9.2	6.9-12.3
MBRFSS State Total	6,402	7.5	6.6-8.6

"N": unweighted denominator counts.

"Weighted %": the weighted estimates.

"CI": the 95% confidence interval.

"MBRFSS State Total" does not include all responders from the race/ethnicity augment.