

Health Plan Quality Metrics Committee
Aligned Measure Menu Set
Reflecting HPQMC decisions through May 25, 2021

The aligned measure menu set includes 57 health care quality measures that span six domains of health care services:

- Prevention/Early Detection
- Chronic Disease and Special Health Needs
- Acute, Episodic and Procedural Care
- System Integration and Transformation
- Patient Access and Experience
- Cost/Efficiency

Domain	Sub-Domain	Number of Measures
Prevention/ Early Detection	Physical Health Conditions	16
	Mental Health Conditions	2
	SUD Conditions	4
	Oral Health Conditions	5
	All Conditions	1
Chronic Disease and Special Health Needs	Physical Health Conditions	7
	Mental Health Conditions	4
	SUD Conditions	2
	All Conditions	2
Acute, Episodic and Procedural Care (includes maternity and hospital)		5
System Integration and Transformation		2
Patient Access and Experience		4
Cost/Efficiency		2
Total		57

As established in [ORS 413.017\(4\)](#), these measures provide the collection of quality and outcome measures that may be applied to:

- Services provided by coordinated care organizations (CCOs), or
- Health benefit plans sold through the health insurance exchange or offered by the Oregon Educators Benefit Board or the Public Employees’ Benefit Board.

For measure technical specifications, please refer to the specifications as written by the measure steward listed for each measure.

Please direct any questions to Metrics.Questions@dhsosha.state.or.us

Annual Updates Tracker

- May 10, 2018: HPQMC adopts the initial 2019 Aligned Measure Menu set with 51 measures and 3 on-deck measures.
- March 14, 2019: HPQMC adopts the 2020 Aligned Measure Menu set with no measure changes from the previous year
- March 12, 2020: HPQMC adopts the 2021 Aligned Measure Menu set with changes listed below:
 - ADDED: Depression Screening and Follow-up for Adolescents and Adults – (previous on-deck measure, committee decision on 1/9/2020)
 - REMOVED: 2020 on-deck Postpartum Follow-up and Care Coordination measure (committee decision on 1/9/2020)
 - ADDED: Optimal Asthma Control - (previous on-deck measure, committee decision on 2/13/2020)
 - ADDED: Asthma Medication Ratio - (committee decision on 2/13/2020)
 - REMOVED: Absence of Controller Therapy (committee decision on 2/13/2020)
 - ADDED: Obesity Evidence-based Multisector Interventions for Obesity Prevention and Treatment* – (committee decision on 3/12/2020)
 - ADDED: Meaningful Language Access to Culturally Responsive Health Care Services* – (committee decision on 3/12/2020)
- February 23 through May 25, 2021: HPQMC updates the Aligned Measure Menu set with changes listed below:
 - UPDATED: Well-Child Visits in the First 30 Months of Life and Child and Adolescent Well-Care Visits with changes from the measure steward (committee decision 2/23/2021)
 - ADDED: Sealant Receipt on Permanent 1st Molars and Sealant Receipt on Permanent 2nd Molars as on-deck measures (committee decision 4/26/2021)
 - ADDED: CCO System-Level Social-Emotional Health (committee decision 4/26/2021)
 - UPDATED: Childhood Immunization Status – Combo 2 replaced with Combo 3 for use starting in measurement year 2022 (committee decision 5/25/2021)

*Measure will be assessed for operational feasibility, reliability, validity and impact at 18- and 36-months following implementation by a state-funded health plan (Medicaid CCOs, OEBC, PEBB, Oregon Health Insurance Exchange).

Health Plan Quality Metrics
Last Updated May 25, 2021

Prevention/Early Detection - Physical Health Conditions

#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector						
							Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health	
1	Childhood Immunization Status (Combo 3, starting in measurement year 2022; replaces Combo 2)	0038	Percentage of children that turned 2 years old during the measurement year and had the Dtap, IPV, MMR, HiB, HepB, VZV, and PCV vaccines by their second birthday.	NCQA	Claims/Immunization registry	Prevention/Early Detection - Physical Health Conditions	Children	All			Y				Y
2	Immunizations for Adolescents (Combo 2)	1407	Percentage of adolescents that turned 13 years old during the measurement year and had the meningococcal, Tdap, and HPV vaccines by their 13th birthday.	NCQA	Claims/Immunization registry	Prevention/Early Detection - Physical Health Conditions	Adolescent	All			Y				Y
3	Well-Child Visits in the First 30 Months of Life ^^	1392	Percentage of children between 15 and 30 months old during the measurement year: Two or more well-child visits.	NCQA	Claims/Clinical Data	Prevention/Early Detection - Physical Health Conditions	Children	All			Y				
4	Child and Adolescent Well-Care Visits ^^	1516	The percentage of members 3–21 years of age who had at least one comprehensive well-care visit during the measurement year	NCQA	Claims/Clinical Data	Prevention/Early Detection - Physical Health Conditions	Children	All			Y				
5	Developmental Screening in the First Three Years of Life	1448	Percentage of children screened for risk of developmental, behavioral and social delays using a standardized screening tool in the first three years of life.	OHSU	Claims	Prevention/Early Detection - Physical Health Conditions	Children	All			Y				
6	Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents	0024	Percentage of children ages 3 to 17 that had an outpatient visit with a PCP or OB/GYN practitioner and whose weight is classified based on body mass index percentile for age and gender.	NCQA	Claims/Clinical Data (eCQM measure)	Prevention/Early Detection - Physical Health Conditions	Children, Adolescent	All			Y				
7	Obesity Evidence-based Multisector Interventions for Obesity Prevention and Treatment ^	NA	Implementation and documentation of multi-sector, community-based interventions that are evidence-based in the prevention and treatment of obesity.	OHA	Attestation	Prevention/Early Detection - Physical Health Conditions	Children, Adolescent, Adult, Older Adult	All			Y				Y
8	Chlamydia Screening	0033	Percentage of women ages 16 to 24 that were identified as sexually active and had at least one test for Chlamydia during the measurement year.	NCQA	Claims/Clinical Data (eCQM measure)	Prevention/Early Detection - Physical Health Conditions	Adolescent	Female			Y				Y

Health Plan Quality Metrics
Last Updated May 25, 2021

#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector					
							Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health
9	Colorectal Cancer Screening	0034	Percentage of adults 50-75 years of age who had appropriate screening for colorectal cancer.	NCQA	Claims/Clinical Data (eCQM measure)	Prevention/Early Detection - Physical Health Conditions	Adult, Older Adult	All			Y			
10	Breast Cancer Screening	2372	Percentage of women 50-74 years of age who had a mammogram to screen for breast cancer.	NCQA	Claims/Clinical Data (eCQM measure)	Prevention/Early Detection - Physical Health Conditions	Adult, Older Adult	Female			Y			
11	Cervical Cancer Screening	0032	Percentage of women 21-64 years of age, who received one or more Pap tests to screen for cervical cancer.	NCQA	Claims/Clinical Data (eCQM measure)	Prevention/Early Detection - Physical Health Conditions	Adult	Female			Y			
12	Effective Contraceptive Use Among Women at Risk of Unintended Pregnancy	NA	Percentage of women (ages 15-50) with evidence of one of the most effective or moderately effective contraceptive methods during the measurement year: IUD, implant, contraception injection, contraceptive pills, sterilization, patch, ring, or diaphragm.	OHA	Claims	Prevention/Early Detection - Physical Health Conditions	Adolescent, Adult	Female			Y			Y
13	Prenatal & Postpartum Care - Timeliness of Prenatal Care	1517	Percentage of deliveries of live births between October 8 of the year prior to the measurement year and October 7 of the measurement year that received a prenatal care visit as a patient of the organization in the first trimester or within 42 days of enrollment in the organization.	NCQA	Claims/Clinical Data	Prevention/Early Detection - Physical Health Conditions	Adolescent, Adult, Older Adult	Female			Y			Y
14	Prenatal & Postpartum Care - Postpartum Care	1517	Percentage of deliveries of live births between October 8 of the year prior to the measurement year and October 7 of the measurement year that had a postpartum visit on or between 7 and 84 days after delivery.	NCQA	Claims/Clinical Data	Prevention/Early Detection - Physical Health Conditions	Adolescent, Adult, Older Adult	Female			Y			Y
15	Cardiovascular Health Screening for People with Schizophrenia or Bipolar Disorder Who Are Prescribed Antipsychotic Medications	1927	Percentage of individuals 25 to 64 years of age with schizophrenia or bipolar disorder who were prescribed any antipsychotic medication and who received a cardiovascular health screening during the measurement year.	NCQA	Claims/Clinical Data	Prevention/Early Detection - Physical Health Conditions	Adult	All		Y	Y			

Health Plan Quality Metrics
Last Updated May 25, 2021

	#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector					
								Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health
Prevention/Early Detection - Mental Health Conditions	16	Diabetes Screening for People with Schizophrenia or Bipolar Disorder Who Are Using Antipsychotic Medications	1932	Percentage of patients 18 – 64 years of age with schizophrenia or bipolar disorder, who were dispensed an antipsychotic medication and had a diabetes screening test during the measurement year.	NCQA	Claims/Clinical Data	Prevention/Early Detection - Physical Health Conditions	Adult	All		Y	Y			
	17	Screening for Depression and Follow-Up Plan	0418	Percentage of patients aged 12 years and older screened for depression on the date of the encounter or up to 14 days prior to the date of the encounter using an age-appropriate standardized depression screening tool AND if positive, a follow-up plan is documented on the date of the eligible encounter.	CMS	Claims/Clinical Data (eCQM measure)	Prevention/Early Detection - Mental Health Conditions	Adolescent, Adult, Older Adult	All			Y			
	18	Depression Screening and Follow-Up for Adolescents and Adults	NA	Percentage of members 12 years of age and older who (1) were screened for clinical depression using a standardized tool and, (2) if screened positive, received follow-up care.	NCQA	Clinical Data	Prevention/Early Detection - Mental Health Conditions	Adolescent, Adult, Older Adult	All			Y			
	19	Health Aspects of Kindergarten Readiness: CCO System-Level Social-Emotional Health	N/A	This measure promotes improvements to social-emotional health service capacity and access for children birth to age 5. There are two components: (1) CCO attestation to system-level activities (Years 1-3) and, (2) Quantitative child-level social-emotional health reach metric data, assessing reach of social-emotional health assessments and services for children ages 1 to 5 (Year 4).	Oregon Pediatric Improvement Partnership (OPIP) and Children's Institute	Attestation (years 1-3)		Children	All		Y				
Prevention/Early Detection - Substance Use	20	Tobacco Use: Screening and Cessation Intervention	0028	Percentage of patients aged 18 years and older who were screened for tobacco use one or more times within 24 months AND who received cessation counseling intervention if identified as a tobacco user.	AMA-PCPI	Claims/Clinical Data (eCQM measure)	Prevention/Early Detection - Substance Use Disorder (SUD) Conditions	Adult, Older Adult	All			Y			Y
	21	Cigarette Smoking Prevalence	NA	Percentage of Medicaid members (ages 13 and older) who currently smoke cigarettes or use other tobacco products.	OHA	Clinical Data	Prevention/Early Detection - Substance Use Disorder (SUD) Conditions	Adult, Older Adult	All			Y			Y

Health Plan Quality Metrics
Last Updated May 25, 2021

	#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector						
								Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health	
Substance Use Disorder (SUD)	22	Alcohol and Drug Misuse: Screening, Brief Intervention and Referral for Treatment (SBIRT)	NA	Percentage of patients ages 12 years and older who received an age-appropriate screening and, of those with a positive full screen, percentage who received a brief intervention or referral to treatment.	OHA	Clinical Data	Prevention/Early Detection - Substance Use Disorder (SUD) Conditions	Adolescent, Adult, Older Adult	All			Y				
	23	Alcohol and Drug Misuse: Screening, Brief Intervention and Referral for Treatment (SBIRT) in the ED	NA	Percentage of patients ages 12 years and older with a qualifying ED visit during the measurement period, with one or more alcohol or drug use screenings using an age-appropriate, validated screening tool, and if screened positive, received a brief intervention.	OHA	Claims	Prevention/Early Detection - Substance Use Disorder (SUD) Conditions	Adolescent, Adult, Older Adult	All					Y		
Prevention/Early Detection - Oral Health Conditions	24	Dental Sealants on Permanent Molars for Children	NA	Percentage of children ages 6-14 who received a dental sealant during the measurement year.	OHA	Claims	Prevention/Early Detection - Oral Health Conditions	Children, Adolescent	All	Y						
	25	Sealant Receipt on Permanent 1st Molars - on deck measure	NA	Percentage of enrolled children, who have ever received sealants on permanent first molar teeth: (1) at least one sealant and (2) all four molars sealed by the 10th birthdate	DQA	Claims	Prevention/Early Detection - Oral Health Conditions	Children, Adolescent	All	Y						
	26	Sealant Receipt on Permanent 2nd Molars - on deck measure	NA	Percentage of enrolled children, who have ever received sealants on permanent second molar teeth: (1) at least one sealant and (2) all four molars sealed by the 15th birthdate	DQA	Claims	Prevention/Early Detection - Oral Health Conditions	Children, Adolescent	All	Y						
	27	Members Receiving Preventive Dental or Oral Health Services	NA	Percentage of enrolled children (ages 0-18) and adults (ages 19 and older) who received a preventive dental service during the measurement year.	OHA	Claims	Prevention/Early Detection - Oral Health Conditions	Children, Adolescent, Adult, Older Adult	All	Y						
	28	Oral Evaluation for Adults with Diabetes	NA	Percentage of adults with diabetes who received at least one oral evaluation within the reporting year.	OHA (modified from DQA/ NCQA)	Claims	Prevention/Early Detection - Oral Health Conditions	Adult, Older Adult	Adults	Y						

**Health Plan Quality Metrics
Last Updated May 25, 2021**

	#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector							
								Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health		
Prevention/Early Detection - All Conditions Chronic Disease and Special Health Needs - Physical Health Conditions	29	Mental and Physical Health and Oral Health Assessment Within 60 Days for Children in DHS Custody	NA	Percentage of children ages 0-17 who received a physical health assessment, children ages 1-17 who received a dental health assessment, and children ages 4-17 who received a mental health assessment within 60 days of the state notifying CCOs that the children were placed into custody with the Department of Human Services (foster care).	OHA	Claims/Social Service Data	Prevention/Early Detection - All Conditions	Children, Adolescent	All	Y	Y	Y					
	30	Controlling High Blood Pressure	0018	Percentage of patients 18 to 85 years of age who had a diagnosis of hypertension and whose blood pressure was adequately controlled (<140/90) during the measurement year.	NCQA	Claims/Clinical Data (eCQM measure)	Chronic Disease and Special Health Needs - Physical Health Conditions	Adult, Older Adult	All			Y	Y				
	31	Statin Therapy for Patients with Cardiovascular Disease	NA	Percentage of males 21–75 years of age and females 40–75 years of age during the measurement year, who were identified as having clinical atherosclerotic cardiovascular disease (ASCVD) who (1) were dispensed at least moderate-intensity statin therapy and who (2) remained on a at least moderate-intensity statin medication for at least 80 percent of the treatment period.	NCQA	Claims	Chronic Disease and Special Health Needs - Physical Health Conditions	Adult, Older Adult	All			Y	Y				
	32	Statin Therapy for Patients with Diabetes	NA	Percentage of members 40–75 years of age during the measurement year with diabetes who do not have clinical atherosclerotic cardiovascular disease (ASCVD) who (1) were dispensed at least one statin medication of any intensity during the measurement year and who (2) remained on a statin medication of any intensity for at least 80 percent of the treatment period.	NCQA	Claims	Chronic Disease and Special Health Needs - Physical Health Conditions	Adult, Older Adult	All			Y	Y				
	33	Comprehensive Diabetes Care: Hemoglobin A1c (HbA1c) Poor Control (>9.0%)	0059	Percentage of patients 18-75 years of age with diabetes who had hemoglobin A1c > 9.0% during the measurement period.	NCQA	Claims/Clinical Data (eCQM measure)	Chronic Disease and Special Health Needs - Physical Health Conditions	Adult, Older Adult	All			Y					

**Health Plan Quality Metrics
Last Updated May 25, 2021**

Chronic Disease and Special Health Conditions

#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector					
							Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health
34	Comprehensive Diabetes Care: Eye Exam	0055	Percentage of patients 18-75 years of age with diabetes who had a retinal or dilated eye exam by an eye care professional during the measurement period or a negative retinal exam (no evidence of retinopathy) in the 12 months prior to the measurement period.	NCQA	Claims/Clinical Data (<i>eCQM measure</i>)	Chronic Disease and Special Health Needs - Physical Health Conditions	Adult, Older Adult	All			Y	Y		
35	Optimal Asthma Control	NA	Percentage of pediatric (5-17 years of age) and adult (18-50 years of age) patients who had a diagnosis of asthma and whose asthma was optimally controlled during the measurement period as defined by achieving BOTH of the following (1) asthma well-controlled as defined by the most recent asthma control tool result available during the measurement period and (2) patient not at elevated risk of exacerbation as defined by less than two ED visits and/or hospitalizations due to asthma in the last 12 months.	MNCM	Clinical Data	Chronic Disease and Special Health Needs - Physical Health Conditions	Children, Adolescent, Adult, Older Adult	All			Y	Y		
36	Asthma Medication Ratio	1800	The percentage of patients 5–64 years of age who were identified as having persistent asthma and had a ratio of controller medications to total asthma medications of 0.50 or greater during the measurement year.	NCQA	Claims/ Clinical measure	Chronic Disease and Special Health Needs - Physical Health Conditions	Children, Adolescent, Adult, Older Adult	All			Y	Y		
37	Antidepressant Medication Management	0105	Percentage of patients 18 years of age and older who were diagnosed with major depression and treated with antidepressant medication, and who remained on antidepressant medication treatment for (1) 12 weeks and (2) 6 months.	NCQA	Claims/Clinical Data (<i>eCQM measure</i>)	Chronic Disease and Special Health Needs - Mental Health Conditions	Adult, Older Adult	All		Y	Y			
38	Utilization of the PHQ-9 to Monitor Depression Symptoms for Adolescents and Adults	NA	Percentage of members 12 years of age and older with a diagnosis of major depression or dysthymia, who have a PHQ-9 tool administered at least once during a four-month period.	NCQA	Clinical Data	Chronic Disease and Special Health Needs - Mental Health Conditions	Adolescent, Adult, Older Adult	All		Y	Y			

**Health Plan Quality Metrics
Last Updated May 25, 2021**

	#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector						
								Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health	
Mental Health	39	Follow-Up After Hospitalization for Mental Illness	0576	Percentage of discharges for members 6 years of age and older who were hospitalized for treatment of selected mental illness diagnoses and who had a follow-up visit with a mental health practitioner within (1) 30 days and (2) 7 days after discharge.	NCQA	Claims	Chronic Disease and Special Health Needs - Mental Health Conditions	Children, Adolescent, Adult, Older Adult	All		Y				Y	
	40	Follow-up After ED Visit for Mental Illness	NA	Percentage of ED visits for members 6 years of age and older with a principal diagnosis of mental illness, who had a follow-up visit for mental illness within (1) 30 days and (2) 7 days of the ED visit.	NCQA	Claims	Chronic Disease and Special Health Needs - Mental Health Conditions	Children, Adolescent, Adult, Older Adult	All		Y	Y			Y	
Chronic Disease and Special Health Needs - Substance Use Disorder (SUD) Conditions	41	Follow-up After ED Visit for Alcohol or Other Drug Abuse or Dependence	NA	Percentage of ED visits for members 13 years of age and older with a principal diagnosis of alcohol or other drug (AOD) abuse or dependence, who had a follow-up visit for AOD within (1) 30 days and (2) 7 days of the ED visit.	NCQA	Claims	Chronic Disease and Special Health Needs - Substance Use Disorder (SUD) Conditions	Adolescent, Adult, Older Adult	All		Y	Y			Y	
	42	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment	0004	Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment.	NCQA	Claims	Chronic Disease and Special Health Needs - Substance Use Disorder (SUD) Conditions	Adolescent, Adult, Older Adult	All		Y	Y			Y	
Chronic Disease and Special Health Needs - All Conditions	43	Family Experiences with Coordination of Care (FECC)	Multiple	The FECC Survey is made up of 20 separate and independent quality indicators related to care coordination for children with medical complexity. The survey address care coordination services, messaging, and care/transition plans.	Seattle Children's Hospital	Survey	Chronic Disease and Special Health Needs - All Conditions	Children, Adolescent	All			Y	Y			
	44	Pediatric Integrated Care Survey (PICS)	NA	The PICS was developed to measure integrated care from the perspective of the adult patient, capturing the notions of continuity over time and alignment of efforts by professionals, patients, and family members across settings and systems. The 5 constructs underlying the 19-item core instrument are: access, communication, family impact, care goal creation, and team functioning.	Boston Children's Hospital	Survey	Chronic Disease and Special Health Needs - All Conditions	Children, Adolescent	All			Y	Y			

Health Plan Quality Metrics
Last Updated May 25, 2021

Acute, Episodic and Procedural Care (Includes Maternity and Hospital)

#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector					
							Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health
45	Cesarean Rate for Nulliparous Singleton Vertex	0471	Percentage of nulliparous women with a term, singleton baby in a vertex position delivered by cesarean section.	TJC	Claims/Clinical Data	Acute, Episodic and Procedural Care (Includes Maternity and Hospital)	Adolescent, Adult, Older Adult	Female			Y		Y	
46	Ambulatory Care	NA	Number of ED visits and ED visits per 1,000 member months, regardless of the intensity or duration of the visit, for members of all ages.	NCQA	Claims	Acute, Episodic and Procedural Care (Includes Maternity and Hospital)	Children, Adolescent, Adult, Older Adult	All			Y		Y	
47	Standardized Healthcare-Associated Infection Ratio	NA	Hospital-reported standard infection ratios (SIR), adjusted for the proportion of members discharged from each acute care hospital, for four different healthcare-associated infections (HAI): <ul style="list-style-type: none"> • HAI-1: Central line-associated blood stream infections (CLABSI) • HAI-2: Catheter-associated urinary tract infections (CAUTI) • HAI-5: Methicillin-resistant Staphylococcus aureus (MRSA) blood laboratory-identified events (bloodstream infections) • HAI-6: Clostridium difficile laboratory-identified events (intestinal infections) 	NCQA	Clinical Data	Acute, Episodic and Procedural Care (Includes Maternity and Hospital)	Children, Adolescent, Adult, Older Adult	All					Y	
48	Avoidance of Antibiotic Treatment in Adults with Acute Bronchitis	0058	Percentage of adults 18–64 years of age with a diagnosis of acute bronchitis who were not dispensed an antibiotic prescription.	NCQA	Claims/Clinical Data	Acute, Episodic and Procedural Care (Includes Maternity and Hospital)	Adult, Older Adult	All			Y			
49	Disparity Measure: Emergency Department Utilization among Members with Mental Illness	NA	Number of ED visits per 1,000 member months for adult members enrolled within the organization who are identified as having experienced mental illness.	Homegrown CCO	Claims	Acute, Episodic and Procedural Care (Includes Maternity and Hospital)	Adult, Older Adult	All		Y	Y		Y	

Health Plan Quality Metrics
Last Updated May 25, 2021

	#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector							
								Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health		
System Integration and Transformation	50	Plan All-Cause Readmission	1768	Number of acute inpatient stays for patients 18 and older during the measurement year that were followed by an acute readmission for any diagnosis within 30 days and the predicted probability of an acute readmission.	NCQA	Claims	System Integration and Transformation	Adult, Older Adult	All							Y	
	51	Patient-Centered Primary Care Home (PCPCH) Enrollment	NA	Percentage of CCO members who were enrolled in a recognized patient-centered primary care home (PCPCH).	OHA	Plan Reporting	System Integration and Transformation	Children, Adolescent, Adult, Older Adult	All			Y					
Patient Access and Experience	52	Meaningful language access to culturally responsive health care services ^	NA	The proportion of visits with spoken and sign language interpreter needs that were provided with OHA qualified or certified interpreter services.	OHA	Plan Reporting	Patient Access and Experience	Children, Adolescent, Adult, Older Adult	All	Y	Y	Y	Y	Y			
	53	CAHPS® 5.0H	NA	The CAHPS Health Plan Survey 5.0H provides information on the experiences of commercial and Medicaid members with the health plan and gives a general indication of how well the health plan meets members' expectations. The survey includes the following composites: getting needed care, getting care quickly, how well doctors communicate, health plan customer service, and rating their health plan.	NCQA	Survey	Patient Access and Experience	Children, Adolescent, Adult, Older Adult	All			Y	Y				
	54	Dental CAHPS	NA	The CAHPS Dental Plan Survey is a standardized questionnaire with 39 questions that asks adult enrollees in dental plans to report on their experiences with care and services from a dental plan, the dentists, and their staff.	AHRQ	Survey	Patient Access and Experience	Children, Adolescent, Adult, Older Adult	All	Y							
	55	HCAHPS	0166	The HCAHPS 27-items survey instrument that asks people to report on their recent experiences with inpatient care. The adult and child versions of the survey focus on aspects of hospital care that are important to patients, including: communication with doctors and nurses, responsiveness of hospital staff, pain control, communication about medicines, cleanliness and quiet of the hospital environment, and discharge information.	CMS	Survey	Patient Access and Experience	Children, Adolescent, Adult, Older Adult	All							Y	

Health Plan Quality Metrics
Last Updated May 25, 2021

	#	ENDORSED Measures	NQF Number	Measure Description	Measure Steward	Data Source*	Domain	Population Characteristics		Sector					
								Patient Population	Sex	Dental Health	Behavioral Health	Primary Care	Specialty Physical Health**	Hospital	Public Health
Cost/Efficiency	56	Total Cost of Care Population-based PMPM Index	1604	The Total Cost Index (TCI) is a measure of a primary care provider's risk-adjusted cost effectiveness at managing the population they care for. TCI includes all costs associated with treating members including professional, facility inpatient and outpatient, pharmacy, lab, radiology, ancillary and behavioral health services.	HealthPartners	Claims	Cost/Efficiency	Children, Adolescent, Adult, Older Adult	All	Y	Y	Y	Y	Y	
	57	Total Resource Use Population-based PMPM Index	1598	The Resource Use Index (RUI) is a risk-adjusted measure of the frequency and intensity of services utilized to manage a provider group's patients. Resource use includes all resources associated with treating members including professional, facility inpatient and outpatient, pharmacy, lab, radiology, ancillary and behavioral health services.	HealthPartners	Claims	Cost/Efficiency	Children, Adolescent, Adult, Older Adult	All	Y	Y	Y	Y	Y	

* (Data Source*) Clinical data includes electronic health records, registry data, and paper medical records. Claims/clinical data includes measures that require claims and clinical data, and measures that require claims or claims and clinical data. Electronic
 ^ Consistent with selection criteria, measure will be assessed for operational feasibility, reliability, validity and impact at 18 and 36 months following implementation by a state-funded health plan (Medicaid CCOs, OEBC, PEBB, Oregon Health Insurance
 ^^ Measure technical specifications and measure name were updated to remain consistent with changes by the measure steward.

Notes

1. For the purposes of this matrix, we have classified OB/GYNs as primary care providers. Marc Overbeck (Healthcare Workforce) shared that OHA counts OB/GYNs as primary care providers when running workforce calculations. Sara Kleinschmit (Metrics and
2. The HPQMC also endorsed the Children with Complex Conditions Supplemental Item Set, found within the CAHPS 5.0H survey under the "Patient Access and Experience" domain.

Measure Steward Abbreviations

AHRQ: Agency for Healthcare Research and Quality
 AMA-PCPI: American Medical Association-convened Physician Consortium for Performance Improvement
 CMS: Centers for Medicare & Medicaid Services
 DQA: Dental Quality Alliance
 MNMCM: Minnesota Community Measurement

NCQA: National Committee for Quality Assurance
 OHA: Oregon Health Authority
 OHSU: Oregon Health & Science University
 PQA: Pharmacy Quality Alliance
 TJC: The Joint Commission