



421 SW Oak St.  
Portland, OR 97204  
Voice (503) 580-9792

February 1, 2023

The Honorable Peter Courtney  
Senate President  
Oregon State Senate  
900 Court St. NE, S-201  
Salem, OR 97301

The Honorable Dan Rayfield  
Speaker of the House  
Oregon House of Representatives  
900 Court St NE, Rm 269  
Salem, OR 97301

Dear Senator Courtney and Representative Rayfield:

The Health Evidence Review Commission (the “Commission”) of the Oregon Health Authority’s Health Policy & Analytics Division respectfully reports to you, in accordance with ORS 414.690(7), several interim modifications that have been made to the Prioritized List of Health Services (the “List”) appearing in the Commission’s May 2021 Report to the Governor and 81<sup>st</sup> Oregon Legislative Assembly. Therefore, in accordance with ORS 414.690(8), the Commission is writing to report these interim modifications.

These changes represent technical changes to the List, changes to accommodate advancements in technology and changes made due to new evidence on the effectiveness or ineffectiveness of treatments. The coding changes are detailed in Attachments A and B. They include the prioritization of new CPT and HCPCS procedure codes, the addition of previously omitted diagnosis and procedure codes, changes to more appropriately pair diagnosis and treatment codes previously appearing on the List, and removal of codes from the List that are obsolete or for which coverage should appropriately be determined by broader Oregon Administrative Rules (e.g., diagnostic, ancillary, excluded and informational codes).

Attachment C contains new practice guidelines, Attachment D contains revised guidelines, and Attachment E contains deleted guidelines. Attachment F contains the change log for the 1/1/2023 Prioritized List, which includes errata following the January 2023 interim modifications letter.

The changes described in this letter are being forwarded to the Health Systems Division (HSD) which, in consultation with the Office of Actuarial and Financial Analytics, will determine if these changes will involve a significant financial impact under the Medicaid Demonstration. If the changes are found to be within the current funding level of the List, HSD will determine the effective date for these changes, which will be no earlier than February 1, 2023, pending approval from the Centers for Medicare and Medicaid Services. In the event any of these technical changes are determined to impact the funding level of the List as defined by HSD’s legislatively authorized budget, we will send a separate notice to you prior to requesting direction from the Joint Ways & Means Committee.


Interim Modifications to the Prioritized List of Health Services

2/1/2023

Page 2

The Health Evidence Review Commission thanks you for the opportunity to continue to serve the citizens of Oregon.

Respectfully submitted,

A handwritten signature in black ink, appearing to read 'J. Gingerich', with a stylized flourish at the end.

Jason Gingerich

Director, Health Evidence Review Commission

cc: Health Evidence Review Commission  
James Schroeder, Interim Director, Oregon Health Authority  
Dana Hittle, Interim Medicaid Director, Oregon Health Authority  
Ali Hassoun, Interim Director, Health Policy & Analytics Division, Oregon Health Authority  
Dana Hargunani, Chief Medical Officer, Oregon Health Authority

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

Line: 3  
Condition: PREVENTION SERVICES WITH EVIDENCE OF EFFECTIVENESS  
Treatment: MEDICAL THERAPY

Add: 0164A Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 10 mcg/0.2 mL dosage, booster dose

Add: 0173A Immunization administration by intramuscular injection of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, third dose

Add: 91316 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, spike protein, bivalent, preservative free, 10 mcg/0.2 mL dosage, for intramuscular use

Add: 91317 Severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) (coronavirus disease [COVID-19]) vaccine, mRNA-LNP, bivalent spike protein, preservative free, 3 mcg/0.2 mL dosage, diluent reconstituted, tris-sucrose formulation, for intramuscular use

---

Line: 36  
Condition: ACQUIRED HYPOTHYROIDISM, DYSHORMONOGENIC GOITER  
Treatment: MEDICAL AND SURGICAL TREATMENT

Add: C7555 Thyroidectomy, total or complete with parathyroid autotransplantation

---

Line: 44  
Condition: COARCTATION OF THE AORTA  
Treatment: SURGICAL TREATMENT

Add: C7532 Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation

---

Line: 45  
Condition: CORONARY ARTERY ANOMALY  
Treatment: REIMPLANTATION OF CORONARY ARTERY

Add: C7533 Percutaneous transluminal coronary angioplasty, single major coronary artery or branch with transcatheter placement of radiation delivery device for subsequent coronary intravascular brachytherapy

---

Line: 55  
Condition: COMPLICATED STONES OF THE GALLBLADDER AND BILE DUCTS; CHOLECYSTITIS  
Treatment: MEDICAL AND SURGICAL TREATMENT

Add: C7541 Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

Add: C7542 Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

Add: C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

Add: C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

Add: C7545 Percutaneous exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), with removal of calculi/debris from biliary duct(s) and/or gallbladder, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, including diagnostic cholangiography(ies) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line: 59  
Condition: END STAGE RENAL DISEASE  
Treatment: MEDICAL THERAPY INCLUDING DIALYSIS

- Add: C7513 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty of central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
- Add: C7514 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with all angioplasty in the central dialysis segment, and transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
- Add: C7515 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with dialysis circuit permanent endovascular embolization or occlusion of main circuit or any accessory veins, including all required imaging, radiological supervision and interpretation, image documentation and report
- Add: C7530 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty and all angioplasty in the central dialysis segment, with transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging, radiological supervision and interpretation, documentation and report

---

Line: 69  
Condition: ACUTE AND SUBACUTE ISCHEMIC HEART DISEASE, MYOCARDIAL INFARCTION  
Treatment: MEDICAL AND SURGICAL TREATMENT

- Add: C7533 Percutaneous transluminal coronary angioplasty, single major coronary artery or branch with transcatheter placement of radiation delivery device for subsequent coronary intravascular brachytherapy
- Add: C7537 Insertion of new or replacement of permanent pacemaker with atrial transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
- Add: C7538 Insertion of new or replacement of permanent pacemaker with ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
- Add: C7539 Insertion of new or replacement of permanent pacemaker with atrial and ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
- Add: C7540 Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator, dual lead system, with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)

---

Line: 70  
Condition: CONGENITAL PULMONARY VALVE ANOMALIES  
Treatment: PULMONARY VALVE REPAIR

- Add: C7532 Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	79
Condition:	INJURY TO INTERNAL ORGANS
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7545 Percutaneous exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), with removal of calculi/debris from biliary duct(s) and/or gallbladder, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, including diagnostic cholangiography(ies) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

---

Line:	83
Condition:	DIABETES MELLITUS WITH END STAGE RENAL DISEASE
Treatment:	SIMULTANEOUS PANCREAS/KIDNEY (SPK) TRANSPLANT, PANCREAS AFTER KIDNEY (PAK) TRANSPLANT
Delete:	T86.850 Intestine transplant rejection
Delete:	T86.851 Intestine transplant failure
Delete:	T86.852 Intestine transplant infection
Delete:	T86.858 Other complications of intestine transplant
Delete:	T86.859 Unspecified complication of intestine transplant
Add:	Z94.0 Kidney transplant status

---

Line:	97
Condition:	HEART FAILURE
Treatment:	MEDICAL THERAPY
Add:	C7533 Percutaneous transluminal coronary angioplasty, single major coronary artery or branch with transcatheter placement of radiation delivery device for subsequent coronary intravascular brachytherapy
Add:	C7537 Insertion of new or replacement of permanent pacemaker with atrial transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7538 Insertion of new or replacement of permanent pacemaker with ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7539 Insertion of new or replacement of permanent pacemaker with atrial and ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7540 Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator, dual lead system, with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)

---

Line:	98
Condition:	CARDIOMYOPATHY
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7537 Insertion of new or replacement of permanent pacemaker with atrial transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7538 Insertion of new or replacement of permanent pacemaker with ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7539 Insertion of new or replacement of permanent pacemaker with atrial and ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7540 Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator, dual lead system, with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)

---

Line:	100
Condition:	CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM AND ABDOMINAL WALL EXCLUDING NECROSIS; CHRONIC INTESTINAL PSEUDO-OBSTRUCTION
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7545 Percutaneous exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), with removal of calculi/debris from biliary duct(s) and/or gallbladder, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, including diagnostic cholangiography(ies) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	105
Condition:	CONGENITAL STENOSIS AND INSUFFICIENCY OF AORTIC VALVE
Treatment:	SURGICAL VALVE REPLACEMENT/VALVULOPLASTY
Add:	C7532 Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation

---

Line:	110
Condition:	CONGENITAL HEART BLOCK; OTHER OBSTRUCTIVE ANOMALIES OF HEART
Treatment:	MEDICAL THERAPY
Add:	C7537 Insertion of new or replacement of permanent pacemaker with atrial transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7538 Insertion of new or replacement of permanent pacemaker with ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7539 Insertion of new or replacement of permanent pacemaker with atrial and ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7540 Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator, dual lead system, with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)

---

Line:	124
Condition:	THYROTOXICOSIS WITH OR WITHOUT GOITER, ENDOCRINE EXOPHTHALMOS; CHRONIC THYROIDITIS
Treatment:	MEDICAL AND SURGICAL TREATMENT WHICH INCLUDES RADIATION THERAPY
Add:	C7555 Thyroidectomy, total or complete with parathyroid autotransplantation

---

Line:	126
Condition:	ACUTE KIDNEY INJURY
Treatment:	MEDICAL THERAPY INCLUDING DIALYSIS
Add:	C7513 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty of central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
Add:	C7514 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with all angioplasty in the central dialysis segment, and transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
Add:	C7515 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with dialysis circuit permanent endovascular embolization or occlusion of main circuit or any accessory veins, including all required imaging, radiological supervision and interpretation, image documentation and report
Add:	C7530 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty and all angioplasty in the central dialysis segment, with transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging, radiological supervision and interpretation, documentation and report

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	131
Condition:	CRUSH INJURIES OTHER THAN DIGITS; COMPARTMENT SYNDROME
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)

---

Line:	156
Condition:	ACROMEGALY AND GIGANTISM
Treatment:	MEDICAL THERAPY
Add:	C7555 Thyroidectomy, total or complete with parathyroid autotransplantation

---

Line:	160
Condition:	TRAUMATIC AMPUTATION OF ARM(S), HAND(S), THUMB(S), AND FINGER(S) (COMPLETE)(PARTIAL) WITH AND WITHOUT COMPLICATION
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)

---

Line:	174
Condition:	GENERALIZED CONVULSIVE OR PARTIAL EPILEPSY WITHOUT MENTION OF IMPAIRMENT OF CONSCIOUSNESS
Treatment:	SINGLE FOCAL SURGERY
Add:	C1826 Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add:	C1827 Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line:	180
Condition:	URETERAL STRICTURE OR OBSTRUCTION; HYDRONEPHROSIS; HYDROURETER
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7546 Removal and replacement of externally accessible nephroureteral catheter (eg, external/internal stent) requiring fluoroscopic guidance, with ureteral stricture balloon dilation, including imaging guidance and all associated radiological supervision and interpretation
Add:	C7547 Convert nephrostomy catheter to nephroureteral catheter, percutaneous via pre-existing nephrostomy tract, with ureteral stricture balloon dilation, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation
Add:	C7548 Exchange nephrostomy catheter, percutaneous, with ureteral stricture balloon dilation, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation
Add:	C7549 Change of ureterostomy tube or externally accessible ureteral stent via ileal conduit with ureteral stricture balloon dilation, including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation

---

Line:	189
Condition:	CHRONIC ISCHEMIC HEART DISEASE
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7533 Percutaneous transluminal coronary angioplasty, single major coronary artery or branch with transcatheter placement of radiation delivery device for subsequent coronary intravascular brachytherapy
Add:	C7537 Insertion of new or replacement of permanent pacemaker with atrial transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7538 Insertion of new or replacement of permanent pacemaker with ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7539 Insertion of new or replacement of permanent pacemaker with atrial and ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7540 Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator, dual lead system, with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	190
Condition:	NEOPLASMS OF ISLETS OF LANGERHANS
Treatment:	EXCISION OF TUMOR
Add:	C7541 Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7542 Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

---

Line:	195
Condition:	ACUTE PANCREATITIS
Treatment:	MEDICAL THERAPY
Add:	C7541 Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7542 Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

---

Line:	205
Condition:	SUPERFICIAL ABSCESES AND CELLULITIS
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)

---

Line:	207
Condition:	DEEP OPEN WOUND, WITH OR WITHOUT TENDON OR NERVE INVOLVEMENT
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)
Add:	C7551 Excision of major peripheral nerve neuroma, except sciatic, with implantation of nerve end into bone or muscle

---

Line:	208
Condition:	CANCER OF UTERUS
Treatment:	MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
Add:	58300 Insertion of intrauterine device (IUD)

---

Line:	210
Condition:	CANCER OF THYROID
Treatment:	MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
Add:	C7555 Thyroidectomy, total or complete with parathyroid autotransplantation



## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line: 221  
Condition: DISORDERS OF FLUID, ELECTROLYTE, AND ACID-BASE BALANCE  
Treatment: MEDICAL THERAPY, DIALYSIS

- Add: C7513 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty of central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
- Add: C7514 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with all angioplasty in the central dialysis segment, and transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
- Add: C7515 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with dialysis circuit permanent endovascular embolization or occlusion of main circuit or any accessory veins, including all required imaging, radiological supervision and interpretation, image documentation and report
- Add: C7530 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty and all angioplasty in the central dialysis segment, with transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging, radiological supervision and interpretation, documentation and report

---

Line: 223  
Condition: DISEASES AND DISORDERS OF AORTIC VALVE  
Treatment: MEDICAL AND SURGICAL THERAPY

- Add: C7532 Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation

---

Line: 230  
Condition: URINARY FISTULA  
Treatment: SURGICAL TREATMENT

- Add: C7546 Removal and replacement of externally accessible nephroureteral catheter (eg, external/internal stent) requiring fluoroscopic guidance, with ureteral stricture balloon dilation, including imaging guidance and all associated radiological supervision and interpretation
- Add: C7547 Convert nephrostomy catheter to nephroureteral catheter, percutaneous via pre-existing nephrostomy tract, with ureteral stricture balloon dilation, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation
- Add: C7548 Exchange nephrostomy catheter, percutaneous, with ureteral stricture balloon dilation, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation
- Add: C7549 Change of ureterostomy tube or externally accessible ureteral stent via ileal conduit with ureteral stricture balloon dilation, including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	235
Condition:	LIMB THREATENING VASCULAR DISEASE, INFECTIONS, AND VASCULAR COMPLICATIONS
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)
Add:	C7531 Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with transluminal angioplasty with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add:	C7532 Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add:	C7534 Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with atherectomy, includes angioplasty within the same vessel, when performed with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add:	C7535 Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with transluminal stent placement(s), includes angioplasty within the same vessel, when performed, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation

---

Line:	240
Condition:	CONDITIONS REQUIRING HEART-LUNG AND LUNG TRANSPLANTATION
Treatment:	HEART-LUNG AND LUNG TRANSPLANT
Add:	E88.01 Alpha-1-antitrypsin deficiency
Add:	I27.83 Eisenmenger's syndrome
Add:	P27.0 Wilson-Mikity syndrome
Add:	P27.1 Bronchopulmonary dysplasia originating in the perinatal period
Add:	P27.8 Other chronic respiratory diseases originating in the perinatal period
Add:	P27.9 Unspecified chronic respiratory disease originating in the perinatal period
Add:	Q33.0 Congenital cystic lung
Add:	Q33.1 Accessory lobe of lung
Add:	Q33.2 Sequestration of lung
Add:	Q33.3 Agenesis of lung
Add:	Q33.4 Congenital bronchiectasis
Add:	Q33.5 Ectopic tissue in lung
Add:	Q33.6 Congenital hypoplasia and dysplasia of lung
Add:	Q33.8 Other congenital malformations of lung
Add:	Q33.9 Congenital malformation of lung, unspecified

---

Line:	249
Condition:	PARKINSON'S DISEASE
Treatment:	MEDICAL THERAPY
Add:	C1826 Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add:	C1827 Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line:	250
Condition:	CHRONIC PANCREATITIS
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7541 Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7542 Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	254
Condition:	CHRONIC OSTEOMYELITIS
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)

---

Line:	255
Condition:	MULTIPLE ENDOCRINE NEOPLASIA
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7555 Thyroidectomy, total or complete with parathyroid autotransplantation

---

Line:	276
Condition:	CANCER OF SKIN, EXCLUDING MALIGNANT MELANOMA
Treatment:	MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)

---

Line:	281
Condition:	LIFE-THREATENING CARDIAC ARRHYTHMIAS
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7537 Insertion of new or replacement of permanent pacemaker with atrial transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7538 Insertion of new or replacement of permanent pacemaker with ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7539 Insertion of new or replacement of permanent pacemaker with atrial and ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7540 Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator, dual lead system, with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)

---

Line:	285
Condition:	COMPLICATIONS OF A PROCEDURE ALWAYS REQUIRING TREATMENT
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)
Add:	C7506 Arthrodesis, interphalangeal joints, with or without internal fixation
Add:	C7513 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty of central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
Add:	C7514 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with all angioplasty in the central dialysis segment, and transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
Add:	C7515 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with dialysis circuit permanent endovascular embolization or occlusion of main circuit or any accessory veins, including all required imaging, radiological supervision and interpretation, image documentation and report

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

Add: C7530	Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty and all angioplasty in the central dialysis segment, with transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging, radiological supervision and interpretation, documentation and report
Add: C7531	Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with transluminal angioplasty with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add: C7532	Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add: C7534	Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with atherectomy, includes angioplasty within the same vessel, when performed with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add: C7535	Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with transluminal stent placement(s), includes angioplasty within the same vessel, when performed, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add: C7537	Insertion of new or replacement of permanent pacemaker with atrial transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add: C7538	Insertion of new or replacement of permanent pacemaker with ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add: C7539	Insertion of new or replacement of permanent pacemaker with atrial and ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add: C7540	Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator, dual lead system, with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add: C7541	Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add: C7542	Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add: C7543	Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add: C7544	Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

---

Line: 292  
Condition: NEUROLOGICAL DYSFUNCTION IN POSTURE AND MOVEMENT CAUSED BY CHRONIC CONDITIONS  
Treatment: MEDICAL AND SURGICAL TREATMENT (E.G., DURABLE MEDICAL EQUIPMENT AND ORTHOPEDIC PROCEDURE)

Add: C1826	Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add: C1827	Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line: 293  
Condition: ANOMALIES OF GALLBLADDER, BILE DUCTS, AND LIVER  
Treatment: MEDICAL AND SURGICAL TREATMENT

Add: C7541	Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add: C7542	Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

- Add: C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
- Add: C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
- Add: C7545 Percutaneous exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), with removal of calculi/debris from biliary duct(s) and/or gallbladder, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, including diagnostic cholangiography(ies) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

---

Line: 294  
Condition: CANCER OF BRAIN AND NERVOUS SYSTEM  
Treatment: LINEAR ACCELERATOR, MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

- Add: C7551 Excision of major peripheral nerve neuroma, except sciatic, with implantation of nerve end into bone or muscle

---

Line: 305  
Condition: DISORDERS OF ARTERIES, OTHER THAN CAROTID OR CORONARY  
Treatment: MEDICAL AND SURGICAL TREATMENT

- Add: C7532 Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation

---

Line: 307  
Condition: CIRRHOSIS OF LIVER OR BILIARY TRACT; BUDD-CHIARI SYNDROME; HEPATIC VEIN THROMBOSIS; INTRAHEPATIC VASCULAR MALFORMATIONS; CAROLI'S DISEASE  
Treatment: LIVER TRANSPLANT, LIVER-KIDNEY TRANSPLANT

- Add: K72.10 Chronic hepatic failure without coma  
Add: K72.11 Chronic hepatic failure with coma  
Add: K72.90 Hepatic failure, unspecified without coma  
Add: K72.91 Hepatic failure, unspecified with coma  
Add: K83.01 Primary sclerosing cholangitis  
Add: K83.09 Other cholangitis

---

Line: 312  
Condition: GENDER DYSPHORIA/TRANSEXUALISM  
Treatment: MEDICAL AND SURGICAL TREATMENT/PSYCHOTHERAPY

- Add: 11980 Subcutaneous hormone pellet implantation (implantation of estradiol and/or testosterone pellets beneath the skin)

---

Line: 315  
Condition: CANCER OF LIVER  
Treatment: MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY

- Add: C7541 Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
- Add: C7542 Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
- Add: C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
- Add: C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
- Add: C7545 Percutaneous exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), with removal of calculi/debris from biliary duct(s) and/or gallbladder, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, including diagnostic cholangiography(ies) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	316
Condition:	CANCER OF PANCREAS
Treatment:	MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
Add:	C7541 Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7542 Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

---

Line:	327
Condition:	FUNCTIONAL AND MECHANICAL DISORDERS OF THE GENITOURINARY SYSTEM INCLUDING BLADDER OUTLET OBSTRUCTION
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C1826 Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add:	C1827 Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line:	339
Condition:	CHRONIC KIDNEY DISEASE
Treatment:	MEDICAL THERAPY INCLUDING DIALYSIS
Add:	C7513 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty of central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
Add:	C7514 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with all angioplasty in the central dialysis segment, and transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all required imaging, radiological supervision and interpretation, image documentation and report
Add:	C7515 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with dialysis circuit permanent endovascular embolization or occlusion of main circuit or any accessory veins, including all required imaging, radiological supervision and interpretation, image documentation and report
Add:	C7530 Dialysis circuit, introduction of needle(s) and/or catheter(s), with diagnostic angiography of the dialysis circuit, including all direct puncture(s) and catheter placement(s), injection(s) of contrast, all necessary imaging from the arterial anastomosis and adjacent artery through entire venous outflow including the inferior or superior vena cava, fluoroscopic guidance, with transluminal balloon angioplasty, peripheral dialysis segment, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty and all angioplasty in the central dialysis segment, with transcatheter placement of intravascular stent(s), central dialysis segment, performed through dialysis circuit, including all imaging, radiological supervision and interpretation, documentation and report

---

Line:	342
Condition:	OTHER AND UNSPECIFIED ANTERIOR PITUITARY HYPERFUNCTION, BENIGN NEOPLASM OF THYROID GLAND AND OTHER ENDOCRINE GLANDS
Treatment:	MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES RADIATION THERAPY
Add:	C7555 Thyroidectomy, total or complete with parathyroid autotransplantation

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	346
Condition:	CONDITIONS OF THE BACK AND SPINE WITH URGENT SURGICAL INDICATIONS
Treatment:	SURGICAL THERAPY
Add:	C1826 Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add:	C1827 Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line:	347
Condition:	CARDIAC ARRHYTHMIAS
Treatment:	MEDICAL THERAPY, PACEMAKER
Add:	C7537 Insertion of new or replacement of permanent pacemaker with atrial transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7538 Insertion of new or replacement of permanent pacemaker with ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7539 Insertion of new or replacement of permanent pacemaker with atrial and ventricular transvenous electrode(s), with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)
Add:	C7540 Removal of permanent pacemaker pulse generator with replacement of pacemaker pulse generator, dual lead system, with insertion of pacing electrode, cardiac venous system, for left ventricular pacing, at time of insertion of implantable defibrillator or pacemaker pulse generator (eg, for upgrade to dual chamber system)

---

Line:	349
Condition:	NON-LIMB THREATENING PERIPHERAL VASCULAR DISEASE
Treatment:	SURGICAL TREATMENT
Add:	C7531 Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with transluminal angioplasty with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add:	C7532 Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add:	C7534 Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with atherectomy, includes angioplasty within the same vessel, when performed with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add:	C7535 Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with transluminal stent placement(s), includes angioplasty within the same vessel, when performed, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation

---

Line:	352
Condition:	URINARY SYSTEM CALCULUS
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7546 Removal and replacement of externally accessible nephroureteral catheter (eg, external/internal stent) requiring fluoroscopic guidance, with ureteral stricture balloon dilation, including imaging guidance and all associated radiological supervision and interpretation
Add:	C7547 Convert nephrostomy catheter to nephroureteral catheter, percutaneous via pre-existing nephrostomy tract, with ureteral stricture balloon dilation, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation
Add:	C7548 Exchange nephrostomy catheter, percutaneous, with ureteral stricture balloon dilation, including diagnostic nephrostogram and/or ureterogram when performed, imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation
Add:	C7549 Change of ureterostomy tube or externally accessible ureteral stent via ileal conduit with ureteral stricture balloon dilation, including imaging guidance (eg, ultrasound and/or fluoroscopy) and all associated radiological supervision and interpretation

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	356
Condition:	RHEUMATOID ARTHRITIS, OSTEOARTHRITIS, OSTEOCHONDRITIS DISSECANS, AND ASEPTIC NECROSIS OF BONE
Treatment:	ARTHROPLASTY/RECONSTRUCTION
Add:	C7506 Arthrodesis, interphalangeal joints, with or without internal fixation

---

Line:	359
Condition:	DEFORMITY/CLOSED DISLOCATION OF JOINT AND RECURRENT JOINT DISLOCATIONS
Treatment:	SURGICAL TREATMENT
Add:	C7506 Arthrodesis, interphalangeal joints, with or without internal fixation

---

Line:	379
Condition:	CHRONIC ULCER OF SKIN; VARICOSE VEINS WITH MAJOR COMPLICATIONS
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)

---

Line:	424
Condition:	COMPLICATIONS OF A PROCEDURE USUALLY REQUIRING TREATMENT
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)
Add:	C7531 Revascularization, endovascular, open or percutaneous, femoral, popliteal artery(ies), unilateral, with transluminal angioplasty with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation
Add:	C7545 Percutaneous exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), with removal of calculi/debris from biliary duct(s) and/or gallbladder, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, including diagnostic cholangiography(ies) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation

---

Line:	426
Condition:	SEVERE INFLAMMATORY SKIN DISEASE
Treatment:	MEDICAL THERAPY
Add:	L28.1 Prurigo nodularis

---

Line:	435
Condition:	CANCER OF GALLBLADDER AND OTHER BILIARY
Treatment:	MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES CHEMOTHERAPY AND RADIATION THERAPY
Add:	C7541 Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7542 Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7545 Percutaneous exchange of biliary drainage catheter (eg, external, internal-external, or conversion of internal-external to external only), with removal of calculi/debris from biliary duct(s) and/or gallbladder, including destruction of calculi by any method (eg, mechanical, electrohydraulic, lithotripsy) when performed, including diagnostic cholangiography(ies) when performed, imaging guidance (eg, fluoroscopy), and all associated radiological supervision and interpretation



## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	442
Condition:	TRIGEMINAL AND OTHER NERVE DISORDERS
Treatment:	MEDICAL AND SURGICAL TREATMENT, WHICH INCLUDES RADIATION THERAPY
Add:	C1826 Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add:	C1827 Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line:	448
Condition:	ATHEROSCLEROSIS, AORTIC AND RENAL
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7532 Transluminal balloon angioplasty (except lower extremity artery(ies) for occlusive disease, intracranial, coronary, pulmonary, or dialysis circuit), initial artery, open or percutaneous, including all imaging and radiological supervision and interpretation necessary to perform the angioplasty within the same artery, with intravascular ultrasound (initial noncoronary vessel) during diagnostic evaluation and/or therapeutic intervention, including radiological supervision and interpretation

---

Line:	457
Condition:	URINARY INCONTINENCE
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C1826 Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add:	C1827 Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line:	470
Condition:	GONADAL DYSFUNCTION, MENOPAUSAL MANAGEMENT
Treatment:	OOPHORECTOMY, ORCHIECTOMY, HORMONAL REPLACEMENT FOR PURPOSES OTHER THAN INFERTILITY
Add:	11980 Subcutaneous hormone pellet implantation (implantation of estradiol and/or testosterone pellets beneath the skin)

---

Line:	478
Condition:	CLOSED DISLOCATIONS/FRACTURES OF NON-CERVICAL VERTEBRAL COLUMN WITHOUT NEUROLOGIC INJURY OR STRUCTURAL INSTABILITY
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	C7504 Percutaneous vertebroplasties (bone biopsies included when performed), first cervicothoracic and any additional cervicothoracic or lumbosacral vertebral bodies, unilateral or bilateral injection, inclusive of all imaging guidance
Add:	C7505 Percutaneous vertebroplasties (bone biopsies included when performed), first lumbosacral and any additional cervicothoracic or lumbosacral vertebral bodies, unilateral or bilateral injection, inclusive of all imaging guidance
Add:	C7507 Percutaneous vertebral augmentations, first thoracic and any additional thoracic or lumbar vertebral bodies, including cavity creations (fracture reductions and bone biopsies included when performed) using mechanical device (eg, kyphoplasty), unilateral or bilateral cannulations, inclusive of all imaging guidance
Add:	C7508 Percutaneous vertebral augmentations, first lumbar and any additional thoracic or lumbar vertebral bodies, including cavity creations (fracture reductions and bone biopsies included when performed) using mechanical device (eg, kyphoplasty), unilateral or bilateral cannulations, inclusive of all imaging guidance

---

Line:	505
Condition:	PERIPHERAL ENTHESOPATHIES
Treatment:	SURGICAL TREATMENT
Add:	C7506 Arthrodesis, interphalangeal joints, with or without internal fixation

---

Line:	528
Condition:	DEFORMITIES OF UPPER BODY AND ALL LIMBS
Treatment:	REPAIR/REVISION/RECONSTRUCTION/RELOCATION/MEDICAL THERAPY
Add:	C7506 Arthrodesis, interphalangeal joints, with or without internal fixation

---

## ATTACHMENT A

### Coding Changes to Condition-Treatment Pairs for the February 1, 2023 Prioritized List of Health Services

---

Line:	529
Condition:	DISORDERS OF FUNCTION OF STOMACH AND OTHER FUNCTIONAL DIGESTIVE DISORDERS
Treatment:	MEDICAL AND SURGICAL THERAPY
Add:	C1826 Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add:	C1827 Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line:	530
Condition:	CONDITIONS OF THE BACK AND SPINE WITHOUT URGENT SURGICAL INDICATIONS
Treatment:	SURGICAL THERAPY
Add:	C1826 Generator, neurostimulator (implantable), includes closed feedback loop leads and all implantable components, with rechargeable battery and charging system
Add:	C1827 Generator, neurostimulator (implantable), non-rechargeable, with implantable stimulation lead and external paired stimulation controller

---

Line:	537
Condition:	PERIPHERAL NERVE DISORDERS
Treatment:	SURGICAL TREATMENT
Add:	C7551 Excision of major peripheral nerve neuroma, except sciatic, with implantation of nerve end into bone or muscle

---

Line:	555
Condition:	OTHER HYPERTROPHIC OR ATROPHIC CONDITIONS OF SKIN
Treatment:	MEDICAL THERAPY
Add:	C7500 Debridement, bone including epidermis, dermis, subcutaneous tissue, muscle and/or fascia, if performed, first 20 sq cm or less with manual preparation and insertion of deep (eg, subfacial) drug-delivery device(s)

---

Line:	625
Condition:	SEBORRHEIC KERATOSIS, DYSCHROMIA, AND VASCULAR DISORDERS, SCAR CONDITIONS, AND FIBROSIS OF SKIN
Treatment:	MEDICAL AND SURGICAL TREATMENT
Add:	15847 Excision, excessive skin and subcutaneous tissue (includes lipectomy), abdomen (eg, abdominoplasty) (includes umbilical transposition and fascial plication) (List separately in addition to code for primary procedure)

---

Line:	641
Condition:	GALLSTONES WITHOUT CHOLECYSTITIS
Treatment:	MEDICAL THERAPY, CHOLECYSTECTOMY
Add:	C7541 Diagnostic endoscopic retrograde cholangiopancreatography (ercp), including collection of specimen(s) by brushing or washing, when performed, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7542 Endoscopic retrograde cholangiopancreatography (ercp) with biopsy, single or multiple, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7543 Endoscopic retrograde cholangiopancreatography (ercp) with sphincterotomy/papillotomy, with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)
Add:	C7544 Endoscopic retrograde cholangiopancreatography (ercp) with removal of calculi/debris from biliary/pancreatic duct(s), with endoscopic cannulation of papilla with direct visualization of pancreatic/common bile ducts(s)

## ATTACHMENT B

### Coding Changes to Condition-Treatment Pairs Affecting Numerous Lines for the February 1, 2023 Prioritized List of Health Services

Add code C7516 (Catheter placement in coronary artery(s) for coronary angiography, including intraprocedural injection(s) for coronary angiography, with endoluminal imaging of initial coronary vessel or graft using intravascular ultrasound (ivus) or optical coherence tomography (oct) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report) to the following lines:  
44,45,67,69,75,76,81,84,85,88,89,97,98,104,105,110,118,128,130,131,134,172,176,186,188,189,213,223,225,253,257,264,281,284,285,325,347,357

Add code C7518 (Catheter placement in coronary artery(ies) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation, with catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) including intraprocedural injection(s) for bypass graft angiography with endoluminal imaging of initial coronary vessel or graft using intravascular ultrasound (ivus) or optical coherence tomography (oct) during diagnostic evaluation and/or therapeutic intervention including imaging, supervision, interpretation and report) to the following lines:  
44,45,67,69,75,76,81,84,85,88,89,97,98,104,105,110,118,128,130,131,134,172,176,186,188,189,213,223,225,253,257,264,281,284,285,325,347,357

Add code C7521 (Catheter placement in coronary artery(ies) for coronary angiography, including intraprocedural injection(s) for coronary angiography with right heart catheterization with endoluminal imaging of initial coronary vessel or graft using intravascular ultrasound (ivus) or optical coherence tomography (oct) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report) to the following lines:  
44,45,67,69,75,76,81,84,85,88,89,97,98,104,105,110,118,128,130,131,134,172,176,186,188,189,213,223,225,253,257,264,281,284,285,325,347,357

Add code C7523 (Catheter placement in coronary artery(ies) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation, with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, with endoluminal imaging of initial coronary vessel or graft using intravascular ultrasound (ivus) or optical coherence tomography (oct) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report) to the following lines:  
44,45,67,69,75,76,81,84,85,88,89,97,98,104,105,110,118,128,130,131,134,172,176,186,188,189,213,223,225,253,257,264,281,284,285,325,347,357

Add code C7525 (Catheter placement in coronary artery(ies) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation, with left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, catheter placement(s) in bypass graft(s) (internal mammary, free arterial, venous grafts) with bypass graft angiography with endoluminal imaging of initial coronary vessel or graft using intravascular ultrasound (ivus) or optical coherence tomography (oct) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report) to the following lines:  
44,45,67,69,75,76,81,84,85,88,89,97,98,104,105,110,118,128,130,131,134,172,176,186,188,189,213,223,225,253,257,264,281,284,285,325,347,357

Add code C7527 (Catheter placement in coronary artery(ies) for coronary angiography, including intraprocedural injection(s) for coronary angiography, imaging supervision and interpretation, with right and left heart catheterization including intraprocedural injection(s) for left ventriculography, when performed, with endoluminal imaging of initial coronary vessel or graft using intravascular ultrasound (ivus) or optical coherence tomography (oct) during diagnostic evaluation and/or therapeutic intervention including imaging supervision, interpretation and report) to the following lines:  
44,45,67,69,75,76,81,84,85,88,89,97,98,104,105,110,118,128,130,131,134,172,176,186,188,189,213,223,225,253,257,264,281,284,285,325,347,357

Add code C7900 (Service for diagnosis, evaluation, or treatment of a mental health or substance use disorder, initial 15-29 minutes, provided remotely by hospital staff who are licensed to provide mental health services under applicable state law(s), when the patient is in their home, and there is no associated professional service) to the following lines:  
1,2,4,6-52,55-120,122-164,166-192,194-202,204-210,212-217,219,221-241,244-251,253-266,268-295,298-300,302-310,313-319,322-325,327-342,345-357,359-363,366,368-372,374-383,385,386,390-401,403-410,412,413,415-417,419,421-426,430-432,434-437,439-443,448,449,452,455,457,458,460-462,464-468,470,472,473,475-478,480,481,483-491,493,495,498,500,505,506,509-515,518,519,521,524-530,532,535-537,543,544,548,549,551,553,557-559,561,563-568,571,572,574,576-580,582,583,585,586,591,593,594,599,602,611,617,620,621,623,626,630,636,638,640-644,647,648

Add code C7901 (Service for diagnosis, evaluation, or treatment of a mental health or substance use disorder, initial 30-60 minutes, provided remotely by hospital staff who are licensed to provide mental health services under applicable state law(s), when the patient is in their home, and there is no associated professional service) to the following lines:  
1,2,4,6-52,55-120,122-164,166-192,194-202,204-210,212-217,219,221-241,244-251,253-266,268-295,298-300,302-310,313-319,322-325,327-342,345-357,359-363,366,368-372,374-383,385,386,390-401,403-410,412,413,415-417,419,421-426,430-432,434-437,439-443,448,449,452,455,457,458,460-462,464-468,470,472,473,475-478,480,481,483-491,493,495,498,500,505,506,509-515,518,519,521,524-530,532,535-537,543,544,548,549,551,553,557-559,561,563-568,571,572,574,576-580,582,583,585,586,591,593,594,599,602,611,617,620,621,623,626,630,636,638,640-644,647,648

Add code C7902 (Service for diagnosis, evaluation, or treatment of a mental health or substance use disorder, each additional 15 minutes, provided remotely by hospital staff who are licensed to provide mental health services under applicable state law(s), when

## ATTACHMENT B

### Coding Changes to Condition-Treatment Pairs Affecting Numerous Lines for the February 1, 2023 Prioritized List of Health Services

the patient is in their home, and there is no associated professional service (list separately in addition to code for primary service)) to the following lines:

1,2,4,6-52,55-120,122-164,166-192,194-202,204-210,212-217,219,221-241,244-251,253-266,268-295,298-300,302-310,313-319,322-325,327-342,345-357,359-363,366,368-372,374-383,385,386,390-401,403-410,412,413,415-417,419,421-426,430-432,434-437,439-443,448,449,452,455,457,458,460-462,464-468,470,472,473,475-478,480,481,483-491,493,495,498,500,505,506,509-515,518,519,521,524-530,532,535-537,543,544,548,549,551,553,557-559,561,563-568,571,572,574,576-580,582,583,585,586,591,593,594,599,602,611,617,620,621,623,626,630,636,638,640-644,647,648

Remove code G0089 (Professional services, initial visit, for the administration of subcutaneous immunotherapy or other subcutaneous infusion drug or biological for each infusion drug administration calendar day in the individual's home, each 15 minutes) from the following lines:

1,2,4-8,10-52,55-101,103-122,124-192,194-217,219,221,223-266,268-311,314-319,322-342,345-363,365-372,374-383,385-387,389-401,403-410,412,413,415-417,419-426,429-443,445,447-452,455,457-468,470-491,493-496,498-501,503-506,508-519,521-530,532,533,535-537,539-552,554-561,563-568,570-574,576-583,585-591,593-600,602-611,613-617,620,621,623-626,629,630,632-644,647,648

Add code G0316 (Prolonged hospital inpatient or observation care evaluation and management service(s) beyond the total time for the primary service (when the primary service has been selected using time on the date of the primary service); each additional 15 minutes by the physician or qualified healthcare professional, with or without direct patient contact (list separately in addition to cpt codes 99223, 99233, and 99236 for hospital inpatient or observation care evaluation and management services). (do not report g0316 on the same date of service as other prolonged services for evaluation and management 99358, 99359, 99418, 99415, 99416). (do not report g0316 for any time unit less than 15 minutes)) to the following lines:

1,2,4,6-52,55-120,122-164,166-192,194-202,204-210,212-217,219,221-241,244-251,253-266,268-295,298-300,302-310,313-319,322-325,327-342,345-357,359-363,366,368-372,374-383,385,386,390-401,403-410,412,413,415-417,419,421-426,430-432,434-437,439-443,448,449,452,455,457,458,460-462,464-468,470,472,473,475-478,480,481,483-491,493,495,498,500,505,506,509-515,518,519,521,524-530,532,535-537,543,544,548,549,551,553,557-559,561,563-568,571,572,574,576-580,582,583,585,586,591,593,594,599,602,611,617,620,621,623,626,630,636,638,640-644,647,648

Add code G0317 (Prolonged nursing facility evaluation and management service(s) beyond the total time for the primary service (when the primary service has been selected using time on the date of the primary service); each additional 15 minutes by the physician or qualified healthcare professional, with or without direct patient contact (list separately in addition to cpt codes 99306, 99310 for nursing facility evaluation and management services). (do not report g0317 on the same date of service as other prolonged services for evaluation and management 99358, 99359, 99418). (do not report g0317 for any time unit less than 15 minutes)) to the following lines:

1,2,4,6-52,55-120,122-164,166-192,194-202,204-210,212-217,219,221-241,244-251,253-266,268-295,298-300,302-310,313-319,322-325,327-342,345-357,359-363,366,368-372,374-383,385,386,390-401,403-410,412,413,415-417,419,421-426,430-432,434-437,439-443,448,449,452,455,457,458,460-462,464-468,470,472,473,475-478,480,481,483-491,493,495,498,500,505,506,509-515,518,519,521,524-530,532,535-537,543,544,548,549,551,553,557-559,561,563-568,571,572,574,576-580,582,583,585,586,591,593,594,599,602,611,617,620,621,623,626,630,636,638,640-644,647,648

Add code G0318 (Prolonged home or residence evaluation and management service(s) beyond the total time for the primary service (when the primary service has been selected using time on the date of the primary service); each additional 15 minutes by the physician or qualified healthcare professional, with or without direct patient contact (list separately in addition to cpt codes 99345, 99350 for home or residence evaluation and management services). (do not report g0318 on the same date of service as other prolonged services for evaluation and management 99358, 99359, 99417). (do not report g0318 for any time unit less than 15 minutes)) to the following lines:

1-53,55-192,194-217,219-342,345-383,385-410,412-437,439-443,445-453,455,457-468,470-491,493-501,503-506,508-537,539-551,553-591,593-600,602-617,620-644,647-661

Add code G0323 (Care management services for behavioral health conditions, at least 20 minutes of clinical psychologist or clinical social worker time, per calendar month. (these services include the following required elements: initial assessment or follow-up monitoring, including the use of applicable validated rating scales; behavioral health care planning in relation to behavioral/psychiatric health problems, including revision for patients who are not progressing or whose status changes; facilitating and coordinating treatment such as psychotherapy, coordination with and/or referral to physicians and practitioners who are authorized by medicare to prescribe medications and furnish e/m services, counseling and/or psychiatric consultation; and continuity of care with a designated member of the care team)) to the following lines:

1-53,55-192,194-217,219-342,345-383,385-410,412-437,439-443,445-453,455,457-468,470-491,493-501,503-506,508-537,539-551,553-591,593-600,602-617,620-644,647-661

Add code G3002 (Chronic pain management and treatment, monthly bundle including, diagnosis; assessment and monitoring; administration of a validated pain rating scale or tool; the development, implementation, revision, and/or maintenance of a person-centered care plan that includes strengths, goals, clinical needs, and desired outcomes; overall treatment management; facilitation and coordination of any necessary behavioral health treatment; medication management; pain and health literacy counseling; any necessary chronic pain related crisis care; and ongoing communication and care coordination between relevant practitioners furnishing care, e.g. physical therapy and occupational therapy, complementary and integrative approaches, and community-based care, as appropriate. required initial face-to-face visit at least 30 minutes provided by a physician or other qualified health

## ATTACHMENT B

### Coding Changes to Condition-Treatment Pairs Affecting Numerous Lines for the February 1, 2023 Prioritized List of Health Services

professional; first 30 minutes personally provided by physician or other qualified health care professional, per calendar month. (when using g3002, 30 minutes must be met or exceeded.) to the following lines:  
1-53,55-192,194-217,219-342,345-383,385-410,412-437,439-443,445-453,455,457-468,470-491,493-501,503-506,508-537,539-551,553-591,593-600,602-617,620-644,647-661

Add code G3003 (Each additional 15 minutes of chronic pain management and treatment by a physician or other qualified health care professional, per calendar month. (list separately in addition to code for g3002. when using g3003, 15 minutes must be met or exceeded.)) to the following lines:  
1-53,55-192,194-217,219-342,345-383,385-410,412-437,439-443,445-453,455,457-468,470-491,493-501,503-506,508-537,539-551,553-591,593-600,602-617,620-644,647-661

# ATTACHMENT C

## NEW PRACTICE GUIDELINES

### **GUIDELINE NOTE 42, SOLID ORGAN TRANSPLANTS**

*Lines 83,99, 162,239-241,250,263,264,307,310,563*

Solid organ transplants are included on these lines only when BOTH the general criteria AND the organ specific criteria below are met:

#### GENERAL TRANSPLANT CRITERIA

- A) The patient must have irreversible end-stage organ disease or failure and must have medical therapy optimized; AND
- B) The patient is a suitable surgical candidate for transplant surgery, included by ALL of the following:
  - 1) No significant uncontrolled co-morbidities such as (not an all-inclusive list):
    - a. End-stage cardiac, renal, hepatic or other organ dysfunction unrelated to the primary indication for tran
    - b. Uncontrolled HIV infection
    - c. Multiple organ compromise secondary to infection, malignancy, or condition with no known cure
    - d. Ongoing or recurrent active infections that are not effectively treated
    - e. Psychiatric instability severe enough to jeopardize adherence to medical regimen
    - f. Active alcohol or illicit drug dependency; AND
  - 2) No tobacco smoking for at least 6 months unless the transplant is done on an emergent basis (other than for corneal transplants); AND
  - 3) Demonstrated compliance with medical treatments and ability to understand and comply with the post-transplant immunosuppressive regimen

It is the intent of the Commission that transplant should be covered if the specific ICD-10-CM code is not included on the same lines as the transplant procedure codes, if it is determined to be the medically appropriate treatment for that particular patient's clinical situation.

#### HEART TRANSPLANT

Adults must have New York Heart Association (NYHA) Class III or IV cardiac disease or malignant ventricular arrhythmias unresponsive to medical and/or surgical therapy. Children must have intractable heart failure or a congenital abnormality not amenable to surgical correction.

#### LUNG TRANSPLANT

Patients must have symptoms at rest directly related to chronic pulmonary disease and resultant severe functional limitations.

#### COMBINED HEART/LUNG TRANSPLANTATIONS

The patient must meet criteria for both heart and lung transplantation and neither a heart transplant or a lung transplant alone would be expected to improve the individual's condition and chances of survival.

#### KIDNEY TRANSPLANT

The patient must have one of the following:

- A) End-stage renal disease requiring hemodialysis or continuous ambulatory peritoneal dialysis; OR
  - B) End-stage renal disease, evidenced by a creatinine clearance below 20mL/min or development of symptoms of uremia;
- OR
- C) Chronic renal failure with anticipated deterioration to end-stage renal disease requiring dialysis

#### HEART/KIDNEY TRANSPLANTS

Patients under consideration for heart/kidney transplant must qualify for each individual type of transplant with the exception of any exclusions due to heart and/or kidney disease.

#### LIVER TRANSPLANT

The patient must have irreversible, end-stage liver damage with no other available treatment options.

#### PANCREAS TRANSPLANT

Pancreas transplant alone is not included on any transplant line. Simultaneous pancreas/kidney (SPK) transplant is only included on this line for type I diabetes mellitus with end-stage renal disease (ICD-10-CM E10.2). Pancreas after kidney (PAK) transplant is only included on this line for other type I diabetes mellitus with a secondary diagnosis of Z94.0 (Kidney transplant status).

#### ISLET CELL AUTOTRANSPLANTATION

Islet cell autotransplantation (TP-IAT) is only included on Line 250 when done with total pancreatectomy AND when the patient meets ALL of the following criteria:

- A) Has acquired intractable chronic pancreatitis
- B) Has intractable abdominal pain despite optimal medical therapy
- C) Has not responded to more conservative surgery including endoscopic pancreatic decompression or in whom such surgery is not clinically indicated
- D) Has not responded to nerve block procedures or in whom these interventions are not clinically indicated
- E) Has been assessed by the multidisciplinary team and determined to have pain of an organic nature and are thought

## ATTACHMENT C

### NEW PRACTICE GUIDELINES

- likely to achieve significant pain reduction from TP-IAT
- F) Is an appropriate candidate for major surgery
  - G) Is able to adhere to the complex medical management required following TP-IAT
  - H) Does not have type 1 diabetes, known pancreatic cancer, or any other condition that would prevent isolation of islet cells for autotransplant
  - I) Does not have a condition (e.g., portal vein thrombosis or significant parenchymal liver disease such as cirrhosis of the liver) which increases the risks associated with islet cell transplant
  - J) Does not have any other contraindications such as active alcohol abuse

#### INTESTINE TRANSPLANT

Intestine transplant is included on this line only for patients with failure of total parenteral nutrition (TPN) as indicated by one of the following, and no contraindications to transplant:

- A) Impending or overt liver failure due to TPN, indicated by elevated serum bilirubin and/or liver enzymes, splenomegaly, thrombocytopenia, gastro-esophageal varices, coagulopathy, peristomal bleeding, or hepatic fibrosis/cirrhosis;
- B) Thrombosis of  $\geq 2$  central veins, including jugular, subclavian, and femoral veins;
- C) Two or more episodes of systemic sepsis due to line infection, per year, or one episode of septic shock, acute respiratory distress syndrome, and/or line-related fungemia;
- D) Frequent episodes of dehydration despite IV fluid supplementation
- E) Other complications leading to loss of vascular access

#### **GUIDELINE NOTE 70, TWELVE-MONTH CONTRACEPTIVE DISPENSING**

*Line 6*

Twelve-month contraceptive prescription dispensing is included on this line and could include 14-month coverage for those selecting continuous use of contraceptives.

## ATTACHMENT D

### REVISED PRACTICE GUIDELINES

#### DIAGNOSTIC GUIDELINE D23, URINE DRUG TESTING

Urine drug testing (UDT) using presumptive testing is a covered diagnostic benefit when the results will affect treatment planning. Definitive testing is covered as a confirmatory test only when the result of the presumptive testing is inconsistent with the patient's history, presentation, or current prescribed medication plan, and the results would change management.

Definitive testing other than to confirm the results of a presumptive test as specified above is not covered, unless the clinician suspects use of a substance that is inadequately detected by presumptive UDT (e.g., fentanyl). Definitive testing is limited to no more than ~~seven~~fifteen drug classes per date of service.

For patients receiving treatment for a substance use disorder, presumptive testing on up to 36 dates of service and definitive testing on up to 12 dates of service per year are covered. These limits must be applied in accordance with mental health parity law.

For patients receiving chronic opioid therapy for chronic pain, frequency of testing depending on the patient's risk level (using a validated opioid risk assessment tool). Definitive testing should be conducted only for confirmatory purposes as described above and should not exceed 12 dates of service per year:

Low Risk: Random presumptive testing on up to two dates of service per year

Moderate Risk: Random presumptive testing on up to four dates of service per year

High Risk: Random presumptive testing on up to 12 dates of service per year

In patients with unexplained alteration of mental status and when knowledge of drug use is necessary for medical management (e.g., emergency department evaluation for altered mental status), UDT (presumptive and confirmatory definitive testing, if indicated) is covered in excess of the above limitations.

Urine drug testing conducted in accordance with policy of the DHS Office of Child Welfare Programs, when medically necessary, is also covered in excess of these limitations.

The development of this guideline note was informed by a HERC [coverage guidance](#). See <https://www.oregon.gov/oha/HPA/DSI-HERC/Pages/Evidence-based-Reports.aspx>

#### GUIDELINE NOTE 21, SEVERE INFLAMMATORY SKIN DISEASE

*Lines 426, 482, 504, 533, 542, 555, 656*

Inflammatory skin conditions included in this guideline are:

- A) Psoriasis
- B) Atopic dermatitis
- C) Lichen planus
- D) Darier disease
- E) Pityriasis rubra pilaris
- F) Discoid lupus
- G) Vitiligo
- H) [Prurigo nodularis](#)

The conditions above are included on Line 426 if severe, defined as having functional impairment as indicated by Dermatology Life Quality Index (DLQI)  $\geq 11$  or Children's Dermatology Life Quality Index (CDLQI)  $\geq 13$  (or severe score on other validated tool) AND one or more of the following:

- A) At least 10% of body surface area involved
- B) Hand, foot, face, or mucous membrane involvement.

Otherwise, these conditions above are included on Lines 482, 504, 533, 542, 555 and 656.

For severe psoriasis, treatments included on this line are topical agents, phototherapy, targeted immune modulator medications and other systemic medications.

For severe atopic dermatitis/eczema, treatments included on this line are topical moderate- to high- potency corticosteroids, topical calcineurin inhibitors (for example, pimecrolimus, tacrolimus), narrowband UVB, topical phosphodiesterase (PDE)-4 inhibitors, and oral immunomodulatory therapy (e.g. cyclosporine, methotrexate, or oral corticosteroids). Targeted immune modulators (for example, dupilumab) are included on this line when:

- A) Prescribed in consultation with a dermatologist or allergist or immunologist, AND
- B) The patient has failed (defined as inadequate efficacy, intolerable side effects, or side effects that pose a health risk) either
  - 1) a 4 week trial of a combination of topical moderate to high potency topical steroids and a topical non-steroidal agent OR an oral immunomodulator, OR
  - 2) 12 weeks of phototherapy.



## ATTACHMENT D

### REVISED PRACTICE GUIDELINES

JAK inhibitor (upadacitinib) therapy is included on this line when other immunomodulatory therapy has failed to adequately control disease (defined as inadequate efficacy, intolerable side effects, or side effects that pose a health risk).

ICD-10-CM Q82.8 (Other specified congenital malformations of skin) is included on Line 426 only for Darier disease.

#### GUIDELINE NOTE 31, COCHLEAR IMPLANTATION

Line 326

Patients will be considered candidates for cochlear implants if the following criteria are met:

- A) ~~Severe~~ Children who are either
  - 1) Any age with severe to profound sensorineural hearing loss in both ears (defined as ~~74 dB~~ 4-frequency PTA > 80 dB HL or 2-frequency PTA > 85), OR
  - 1)2) Aged 12 months and older with between 65 and 85 dB hearing loss ~~or greater at 500, 1000 and 2000 Hz~~ in both ears whose early aided auditory skill development and speech and language progress indicate a persistent, or widening, gap in age appropriate auditory and language skills
- B) ~~Receive~~ Adults with bilateral severe to profound sensorineural hearing impairment (defined as >71 dB hearing loss in both ears) with limited useful benefit from appropriately fitted appropriate hearing (or vibrotactile) aids, defined as a speech discrimination score of <30% on age appropriate testing for children and as Limited benefit from amplification is defined by test scores of 40% or less on sentence recognition test than or equal to 60% correct in the best-aided listening condition for adults on recorded tests of open-set sentence cognition.
- C) No medical contraindications
- D) High motivation and appropriate expectations (both patient and family, when appropriate)

Bilateral cochlear implants are included on this line. Simultaneous implantation appears to be more cost-effective than sequential implantation.

#### GUIDELINE NOTE 47, URINARY INCONTINENCE

Line 457

Surgery for genuine stress urinary incontinence may be indicated when all of the following are documented (A-G):

- A) Patient history of (1, ~~or 2, and 3~~):
  - 1) Involuntary loss of urine with exertion (for example: laughing, coughing, or sneezing)
  - 2) Identification and treatment of transient causes of urinary incontinence, if present (e.g., delirium, infection, pharmaceutical causes, psychological causes, excessive urine production, restricted mobility, and stool impaction)
- ~~B) Patient's voiding habits~~
- C) Physical or laboratory examination evidence of either (1 or 2):
  - 1) Intrinsic sphincter deficiency (closing pressure of <20 cm H2) documented on urodynamic studies)
  - 1)2) Involuntary loss of urine on ~~examination~~ examination during stress (provocative test with direct visualization of urine loss) and low or absent post void residual
- ~~B) A) Evaluation Patient's voiding habits~~
- ~~C) A) Physical or laboratory examination evidence of either (1 or 2):~~
  - 2) ~~Urethral hypermobility~~
  - 3) ~~Intrinsic sphincter deficiency~~
- D) ~~Diagnostic workup~~ to rule out urgency incontinence
- E) Negative preoperative pregnancy test result unless patient is postmenopausal or has been previously sterilized
- F) Nonmalignant cervical cytology, if cervix is present and clinically appropriate
- G) Patient required to have 3 months of alternative therapy (e.g., pessaries or physical therapy, including bladder training and/or pelvic floor exercises, as available). If limited coverage of physical therapy is available, patients should be taught pelvic floor exercises by their treating provider, physical therapist or trained staff, and have documented consistent practice of these techniques over the 3 month period.

#### GUIDELINE NOTE 172, INTERVENTIONS WITH MARGINAL CLINICAL BENEFIT OR LOW COST-EFFECTIVENESS FOR CERTAIN CONDITIONS

Line 502

The following interventions are prioritized on Line 502 CONDITIONS FOR WHICH INTERVENTIONS RESULT IN MARGINAL CLINICAL BENEFIT OR LOW COST-EFFECTIVENESS:

## ATTACHMENT D

### REVISED PRACTICE GUIDELINES

Procedure Code	Intervention Description	Rationale	Last Review
99454 <a href="#">G0322</a>	Remote monitoring of physiologic parameters, 30 days	This code does not require medical decision making nor communication with a patient.	<a href="#">November 2019</a>

**GUIDELINE NOTE 173, INTERVENTIONS THAT ARE UNPROVEN, HAVE NO CLINICALLY IMPORTANT BENEFIT OR HAVE HARMS THAT OUTWEIGH BENEFITS FOR CERTAIN CONDITIONS**

*Line 662*

The following Interventions are prioritized on Line 662 CONDITIONS FOR WHICH CERTAIN INTERVENTIONS ARE UNPROVEN, HAVE NO CLINICALLY IMPORTANT BENEFIT OR HAVE HARMS THAT OUTWEIGH BENEFITS:

Procedure Code	Intervention Description	Rationale	Last Review
<del>G0481</del> , G0482, <del>G0483</del>	Urine drug testing, definitive for > <a href="#">715</a> drug classes	No clinical benefit	<a href="#">January 2023</a> <a href="#">August, 2018</a> <a href="#">Coverage</a> <a href="#">Guidance</a>
31627 <a href="#">C7509-C7511</a>	Computer assisted bronchoscopy	Insufficient evidence of effectiveness	<a href="#">January 2021</a>
81539	Oncology (high-grade prostate cancer), biochemical assay of four proteins (Total PSA, Free PSA, Intact PSA, and human kallikrein-2[hk2]), utilizing plasma or serum, prognostic algorithm reported as a probability score	Insufficient evidence of effectiveness	<del>November, 2016</del> <a href="#">January 2023</a>
81546	Oncology (thyroid), mRNA, gene expression analysis of 10,196 genes, utilizing fine needle aspirate, algorithm reported as a categorical result (eg, benign or suspicious)	Insufficient evidence of effectiveness	<del>October, 2020</del> <a href="#">January 2023</a>
<del>93571-93572</del>	<del>Intravascular Doppler velocity and/or pressure derived coronary flow reserve measurement</del>	<del>Insufficient evidence of effectiveness</del>	<del>January 2008</del>

**GUIDELINE NOTE 206, PANNICULECTOMY**

*Line 625*

Panniculectomy (CPT 15830, [15847](#)) is included on this line when ALL of the following conditions are met:

- A) The pannus hangs at or below the level of the symphysis pubis as evidence by photographs; AND
- B) The pannus is causing persistent intertriginous dermatitis, cellulitis, or skin ulceration, which is refractory to at least three months of medical management, including topical antifungals, topical and/or systemic corticosteroids, and/or local or systemic antibiotics; AND
- C) There is documented difficulty with ambulation and/or interference with the activities of daily living due to the pannus.

If the procedure is being performed following significant weight loss, in addition to meeting the criteria noted above, there should be evidence that the individual has maintained a stable weight for at least six months. If the weight loss is the result of bariatric surgery, panniculectomy should not be performed until at least 18 months after bariatric surgery and only when weight has been stable for at least the most recent six months.

Panniculectomy is not included on this line for any other indication, including but not limited to when performed primarily for ANY of the following:

- A) Treatment of neck or back pain; OR
- B) Improving appearance (i.e., cosmesis); OR
- C) Treating psychological symptomatology or psychosocial concerns; OR
- D) When performed in conjunction with abdominal or gynecological procedures (e.g., abdominal hernia repair, hysterectomy, obesity surgery) unless criteria for panniculectomy are met separately.

## ATTACHMENT D

### REVISED PRACTICE GUIDELINES

#### **GUIDELINE NOTE 42, PANCREAS/KIDNEY TRANSPLANTS**

*Line 83*

~~Simultaneous pancreas kidney transplant (SPT) is only included on this line for type I diabetes mellitus with end stage renal disease (E10.2). Pancreas after kidney transplant (PAK) is only included on this line for other type I diabetes mellitus with secondary diagnosis of Z94.0 (Kidney transplant status).~~

#### **GUIDELINE NOTE 70, HEART-KIDNEY TRANSPLANTS**

*Line 264*

~~Patients under consideration for heart/kidney transplant must qualify for each individual type of transplant under current DMAP administrative rules and transplant center criteria with the exception of any exclusions due to heart and/or kidney disease. Qualifying renal disease is limited to Stage V or VI.~~

#### **GUIDELINE NOTE 194, TOTAL PANCREATECTOMY WITH ISLET CELL AUTOTRANSPLANT**

*Line 250*

~~Total pancreatectomy with islet cell autotransplant (TP IAT) is only included on this line when the patient meets ALL of the following criteria:~~

- ~~A) Has acquired intractable chronic pancreatitis~~
- ~~B) Has intractable abdominal pain despite optimal medical therapy~~
- ~~C) Has not responded to more conservative surgery including endoscopic pancreatic decompression or in whom such surgery is not clinically indicated~~
- ~~D) Has not responded to nerve block procedures or in whom these interventions are not clinically indicated~~
- ~~E) Has been assessed by the multidisciplinary team and determined to have pain of an organic nature and are thought likely to achieve significant pain reduction from TP IAT~~
- ~~F) Is an appropriate candidate for major surgery~~
- ~~G) Is able to adhere to the complex medical management required following TP IAT~~
- ~~H) Does not have type 1 diabetes, known pancreatic cancer or any other condition that would prevent isolation of islet cells for autotransplant~~
- ~~I) Does not have a condition (e.g. portal vein thrombosis or significant parenchymal liver disease such as cirrhosis of the liver) which increases the risks associated with islet cell transplant~~
- ~~J) Does not have any other contraindications such as active alcohol abuse~~

#### **GUIDELINE NOTE 199, INTESTINE TRANSPLANT**

*Line 239*

~~Intestine transplant is included on this line only for patients with failure of total parenteral nutrition (TPN) as indicated by one of the following, and no contraindications to transplant:~~

- ~~A) Impending or overt liver failure due to TPN, indicated by elevated serum bilirubin and/or liver enzymes, splenomegaly, thrombocytopenia, gastro-esophageal varices, coagulopathy, peristomal bleeding, or hepatic fibrosis/cirrhosis;~~
- ~~B) Thrombosis of  $\geq 2$  central veins, including jugular, subclavian, and femoral veins;~~
- ~~C) Two or more episodes of systemic sepsis due to line infection, per year, or one episode of septic shock, acute respiratory distress syndrome, and/or line related fungemia;~~
- ~~D) Frequent episodes of dehydration despite IV fluid supplementation;~~
- ~~E) Other complications leading to loss of vascular access—~~

## ATTACHMENT F

### CHANGE LOG FOR THE JANUARY 1, 2023 PRIORITIZED LIST

- 1) On December 19, 2022, the following two corrections were made:
  - a. The title of Line 202 (SLEEP APNEA, NARCOLEPSY AND REM BEHAVIORAL DISORDER) erroneously included INSOMNIA, which is a biennial review change not effective until January 1, 2024. The title was restored to its previous state.
  - b. CPT 64581 (Insertion of sacral nerve neurostimulator electrode) was incorrectly included on Guideline Note 173; this was corrected to 64582 (Insertion of hypoglossal nerve neurostimulator electrode and generator and breathing sensor electrode).
  
- 2) On December 13, 2022, the following two corrections were made:
  - a. Three obsolete CDT codes were removed from the Prioritized List:
    - i. D1550 Re-cement or re-bond space maintainer
    - ii. D1555 Removal of fixed space maintainer
    - iii. D2970 Temporary crown (fractured tooth)
  
  - b. Guideline Note 227 erroneously included CPT 43657; this was corrected to CPT code 43647.