Comparison Chart

| Oregon \ | IIBHT | IOSS | Wraparound |
|----------------------------------|--|---|---|
| Treatment vs Process | Treatment Intervention | Treatment Intervention | Planning process |
| Population Focus | Youth and families who have complex and intensive BH symptoms and can have multisystem needs; at risk of placement or returning | Youth and their families who are experiencing behavioral health symptoms requiring more frequency/intensity | Youth with complex and intensive multisystem needs and their families |
| Primary Function | Placement/higher LOC prevention and reunification; stabilization; Improved functioning | Individual and family stabilization; Improved youth and family functioning; safety; positive alternatives | Intensive care coordination; development of unique helping responses and supports |
| Licensure and Credentials | Licensed BH Professional; Team based approach | Licensed BH Professionals; and non- licensed stabilizers | No licensure required |
| Caseload Size | Ideal Caseloads: 4 to 6 | Ideal Caseloads: 8-12 | Caseloads: 15 |
| Length of Stay | LOS: 3 to 6 months | LOS: 3-9 months | LOS: 12 to 18 months |
| Intensity | 4 to 6 + hours; 2 to 5 sessions per week | Based on Mental Health acuity | Planning meetings weekly to monthly |
| SOC Principles | Adhere to SOC principles | Adhere to SOC principles | Adhere to SOC principles |
| Individual and Family Therapy | Yes: Mental Health | Yes: Mental Health | No |
| Crisis response; safety planning | Yes; 24/7 availability | Yes; 24/7 availability | Yes; 24/7 availability |
| Care Coordination | When ICC is unavailable | When ICC is unavailable | Yes |