

## Appendix E: Oregon CCO Measures Matrix

This report includes updated data for the demonstration year (July 2014 – June 2015) for claims-based CCO incentive measures and select quality and access “test” measures for which data are currently available. Data presented in this appendix were calculated by OHA and may vary slightly from data calculated by the Oregon Health Care Quality Corporation (Q Corp) presented in Appendix B as part of the quality and access “test”. Updates to this matrix from the [previous quarterly report](#) are reported in track changes.

Note: As reported in November 2015, Final CY 2014 performance has been updated for several measures due to specification changes (e.g., Alcohol or other substance misuse (SBIRT), Follow-up after hospitalization for mental illness, and mental, physical, and dental health assessments for children in DHS custody. Revised CY 2014 and DY data should **not** be compared to CY 2011 baseline or CY 2013 performance, given these specification changes. Additional information on specification changes can be found online at <http://www.oregon.gov/oha/analytics/Pages/CCO-Baseline-Data.aspx>.

Measures with an asterisk (\*) are those that are reported quarterly. All others are reported annually.

Focus Area	Measure Sets						Quality and Access ‘Test’		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access ‘Test’ Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
Improving behavioral and physical health coordination	*Alcohol or other substance misuse (SBIRT)	√	√			√	0.02%	13%  Metrics & Scoring Committee consensus	MN method	12%  Metrics & Scoring Committee consensus	State: 0.02%  High CCO: 0.22%  Low CCO: 0.0%	State: 2.0%  High CCO: 8.7%  Low CCO: 0.0%	State: <u>6.4%</u>  High CCO: <u>14.5%</u>  Low CCO: <u>0.7%</u>  <u>Measure now</u>	State: <u>8.4%</u>  High CCO: <u>15.7%</u>  Low CCO: <u>0.4%</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
													<a href="#">includes ages 12+</a>	
	* Follow-up after hospitalization for mental illness (NQF 0576)	√	√	√	√	√	65.2%	68.0% 2012 National Medicaid 90 <sup>th</sup> percentile	MN method with 3% floor.	70.0% 2014 National Medicaid 90 <sup>th</sup> percentile	State: 65.2% High CCO: 88.9% Low CCO: 57.1%	State: 67.6% High CCO: 81.0% Low CCO: 51.2%	State: <a href="#">70.7</a> High CCO: <a href="#">80.1%</a> Low CCO: <a href="#">56.5%</a> <a href="#">Measure now includes same-day FU</a>	State: <a href="#">72.6%</a> High CCO: <a href="#">77.8%</a> Low CCO: <a href="#">60.1%</a>
	Screening for clinical depression and follow-up plan (NQF 0418)	√	√	√		√	N/A	Reporting only in CY 2013.		25.0% Metrics & Scoring Committee Consensus	N/A	n/a	State: 27.9% High CCO: 68.1% Low CCO: 3.3%	<a href="#">n/a (Clinical Quality Measure: updated annually)</a>
	*Mental, physical, and dental health assessment within 60 days for	√	√				53.6%	90% Metrics & Scoring	MN method with 3% floor.	90% Metrics & Scoring	State: 53.6%	State: 63.5%	State: 27.9% High CCO: 49.3%	State: <a href="#">37.1%</a> High CCO: <a href="#">47.0%</a> Low CCO: <a href="#">Low CCO:</a>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
	children in DHS custody						Committee consensus		Committee consensus	High CCO: 67.7% Low CCO: 35.7%	High CCO: 100% Low CCO: 23.1%	Low CCO: 11.8% <i>Measure now includes dental.</i>	<a href="#">27.8%</a>	
	*Follow-up care for children prescribed ADHD meds (NQF 0108)	√			√	√	Initiation: 52.3% C&M: 61.0%	Initiation: 51% C&M: 63.0% Medicaid 2012 NCQA National 90 <sup>th</sup> percentile	MN method  n/a	Initiation: State: 52.3% High CCO: 88.9% Low CCO: 33.3% C&M: State: 61.0% High CCO: 100% Low CCO: 29.4%	Initiation: State: 53.3% High CCO: 70.8% Low CCO: 43.5% C&M: State: 61.6% This measure cannot be reported at the	Initiation: State: 57.7% High CCO: 70.3% Low CCO: 45.6% C&M: State: 60.8% This measure cannot be reported at the CCO level for 2014.	Initiation: State: <a href="#">59.5%</a> High CCO: <a href="#">80.0%</a> Low CCO: <a href="#">47.9%</a> C&M: State: <a href="#">68.3%</a> This measure cannot be reported at the CCO level for mid-year 2015.	

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
											CCO level for 2013.			
Improving perinatal and maternity care	*Prenatal and postpartum care: Timeliness of Prenatal Care (NQF 1517)	√			√	√	65.3% using admin data only.	69.4% 2012 National Medicaid 75 <sup>th</sup> percentile: (adjustment factor applied to account for difference between admin data and hybrid rates)	MN method with 3% floor.  2014 National Medicaid 75 <sup>th</sup> percentile:	90.0%	State: 65.3%  High CCO: 77.0%  Low CCO: 47.7%	State: 67.3%  High CCO: 78.3%  Low CCO: 56.0%	State: 82.9%  High CCO: 96.9%  Low CCO: 56.0%	<a href="#">OHA will report on this measure when hybrid data are available following the end of the CY 2015 measure period.</a>
	*Prenatal and postpartum care: postpartum care rate (NQF 1517)			√		√	40.0% using admin data only	43.1% 2012 National Medicaid 75 <sup>th</sup> percentile (adjustment factor applied)	n/a	n/a	State: 40.0%  High CCO: 47.1%  Low CCO: 22.6%	State: 33.4%  This measure cannot be reported at the CCO level for 2013.	State: 57.7%  High CCO: 80.2%  Low CCO: 24.5%	<a href="#">OHA will report on this measure when hybrid data are available following the end of the CY 2015 measure period.</a>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
	PC-01: Elective delivery (NQF 0469)  <i>Lower score is better.</i>	√		√		√	10.1%	5% or below.	N/A	N/A	State: 10.1% High CCO: 14.9% Low CCO: 7.2%	State: 2.6% High CCO: 4.3% Low CCO: 0.2%	State: 2.3% High CCO: 3.9% Low CCO: 0.0%	<a href="#">OHA will report on this measure when data are available following the end of the CY 2015 measure period.</a>
Reducing preventable re-hospitalizations	*Follow-up after hospitalization for mental illness (NQF 0576)	√	√	√	√	√	65.2%	68.0%  2012 National Medicaid 90 <sup>th</sup> percentile	MN method with 3% floor.	70.0%  2014 National Medicaid 90 <sup>th</sup> percentile	State: 65.2% High CCO: 88.9% Low CCO: 57.1%	State: 67.6% High CCO: 81.0% Low CCO: 51.2%	State: <a href="#">70.7</a> High CCO: <a href="#">80.1%</a> Low CCO: <a href="#">56.5%</a> <i>Measure now includes same-day FU</i>	State: <a href="#">72.6%</a> High CCO: <a href="#">77.8%</a> Low CCO: <a href="#">60.1%</a>
	*Ambulatory Care: Outpatient (OP) and	√	√		√	√	ED: 61.0/1,000mm	ED: 44.1 / 1,000mm	MN method with 3% floor.	ED: 39.4/ 1,000mm or below	ED State:	ED State:	ED State:	<a href="#">ED State:</a>

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014
Emergency Department (ED) utilization.  <i>Lower score is better for ED utilization.</i>						OP: 364.2/1,000mm	OP: 439/1,000mm  2011 National Medicaid 90 <sup>th</sup> percentile		OP: <u>467.3/1,000mm</u>  2014 National Medicaid 90 <sup>th</sup> percentile	61.0/1,000mm  High CCO: 86.2/1,000mm  Low CCO: 55.4/1,000mm  <b>OP</b> State: 364.2/1,000mm  High CCO: 412.3/1,000mm  Low CCO: 296.6/1,000mm	50.5/1,000mm  High CCO: 74.3/1,000mm  Low CCO: 31.6/1,000mm  <b>OP</b> State: 323.5/1,000mm  High CCO: 345.7/1,000mm  Low CCO: 249.2/1,000mm	47.3/1,000mm  High CCO: 64.7/1,000mm  Low CCO: 34.4/1,000mm  <b>OP</b> State: 297.5/1,000mm  High CCO: 345.7/1,000mm  Low CCO: 249.2/1,000mm	<u>47.0/1,000mm</u>  <u>High CCO: 62.4/1,000mm</u>  <u>Low CCO: 33.4/1,000mm</u>  <u>OP State: 289.9/1,000mm</u>  <u>High CCO: 358.9/1,000mm</u>  <u>Low CCO: 243.9/1,000mm</u>
*Plan all-cause		√		√	√	12.3%	10.5%  Average of Commercial	n/a	n/a	State: 12.3%	State: 11.7%	State: 11.4%	<u>State: 9.9%</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
	readmission (NQF 1768)  <i>Lower score is better.</i>						and Medicare 75 <sup>th</sup> percentiles			High CCO: 14.6%  Low CCO: 8.7%	High CCO: 13.6%  Low CCO: 6.6%	High CCO: 13.3%  Low CCO: 5.4%	<u>High CCO: 11.2%</u>  <u>Low CCO: 5.7%</u>	
Ensuring appropriate care is delivered in appropriate settings	*Ambulatory Care: Outpatient and ED utilization  <i>Lower score is better for ED utilization.</i>	√	√		√	√	ED: 61.0/1,000mm  OP: 364.2/1,000mm  2011 National Medicaid 90 <sup>th</sup> percentile	MN method with 3% floor.	ED: 39.4/1,000mm  OP: <u>467.3/1,000mm</u>  <u>2014</u> National Medicaid 90 <sup>th</sup> percentile	ED State: 61.0/1,000mm  High CCO: 86.2/1,000mm  Low CCO: 55.4/1,000mm  OP State: 364.2/1,000mm  High CCO:	ED State: 50.5/1,000mm  High CCO: 74.3/1,000mm  Low CCO: 31.6/1,000mm  OP State: 323.5/1,000mm  High CCO:	ED State: 47.3/1,000mm  High CCO: 64.7/1,000mm  Low CCO: 34.4/1,000mm  OP State: 297.5/1,000mm  High CCO:	<u>State: 47.0/1,000mm</u>  <u>High CCO: 62.4/1,000mm</u>  <u>Low CCO: 33.4/1,000mm</u>  <u>OP State: 289.9/1,000mm</u>  <u>High CCO: 358.9/1,000mm</u>	

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
										412.3/ 1,000mm  Low CCO: 296.6/ 1,000mm	345.7/1,000 0mm  Low CCO: 267.4/1,000 0mm	Low CCO: 249.2/1,000 mm	<a href="#">Low CCO: 243.9/1,000 mm</a>	
Improving primary care for all populations	Colorectal cancer screening  2011 and 2013 measure specifications modified to identify unique members receiving colorectal cancer screening in 12 month period, reported per 1,000 member months (mm).	√			√	15.8/ 1,000mm using admin data only.		n/a  3% improvement only	47.0%  Metrics & Scoring Committee consensus	State: 15.8/ 1,000 mm admin data only.  High CCO: 21.3/ 1,000 mm  Low CCO: 5.1/ 1,000 mm	State: 11.4/1,000 mm  High CCO: 15.7/1,000 mm  Low CCO: 7.2/1,000 mm	State: 46.2%  High CCO: 54.0%  Low CCO: 29.7%	<a href="#">OHA will report on this measure when hybrid data are available following the end of the CY 2015 measure period.</a>	

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
	2014 measure will use HEDIS hybrid specifications													
	Patient-Centered Primary Care Home Enrollment	√				√	51.8% (2012)	100% (Tier 3)	The % of dollars available to each CCO for this measure will be tied to the % of enrollees in PCPCH, based on formula.	The % of dollars available to each CCO for this measure will be tied to the % of enrollees in PCPCH, based on formula.	State: 51.8% (2012) High CCO: 94.4% (2012) Low CCO: 3.7% (2012)	State: 78.6% High CCO: 95.6% Low CCO: 41.8%	State: 81.0% High CCO: 99.0% Low CCO: 60.7%	State: <a href="#">83.6%</a> High CCO: <a href="#">99.4%</a> Low CCO: <a href="#">65.0%</a> <i>Data for Q3, 2015.</i>
	* Developmental screening in the first 36 months of life (NQF 1448)	√	√			√	20.9% using admin data only.	50%  Metrics & Scoring Committee consensus	MN method.	50%  Metrics & Scoring Committee consensus	State: 20.9% High CCO: 67.1%	State: 33.1% High CCO: 62.7%	State: 42.6% High CCO: 72.2% Low CCO: 23.9%	State: <a href="#">49.5%</a> High CCO: <a href="#">76.3%</a> Low CCO: <a href="#">29.3%</a>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
										Low CCO: 0.2%	Low CCO: 16.8%			
	*Well-child visits in the first 15 months of life (NQF 1392)				√	√	68.3%	77.3% 2012 National Medicaid 90 <sup>th</sup> percentile	n/a	n/a	State: 68.3% High CCO: 81.3% Low CCO: 45.0%	State: 60.9% High CCO: 75.3% Low CCO: 33.3%	State: <a href="#">61.8%</a> High CCO: <a href="#">77.4%</a> Low CCO: <a href="#">53.1%</a> <a href="#">2014 data corrected.</a>	State: <a href="#">62.3%</a> High CCO: <a href="#">77.2%</a> Low CCO: <a href="#">53.9%</a>
	*Adolescent well-care visits (NCQA)	√			√	√	27.1% (admin data only)	53.2% 2011 National Medicaid 75 <sup>th</sup> percentile (admin data only)	MN method with 3% floor.	62.0% 2014 National Medicaid 75 <sup>th</sup> percentile (admin data only)	State: 27.1% High CCO: 31.9% Low CCO: 20.7%	State: 29.2% High CCO: 43.4% Low CCO: 20.5%	State: 32.0% High CCO: 45.6% Low CCO: 19.4%	State: <a href="#">32.0%</a> High CCO: <a href="#">41.2%</a> Low CCO: <a href="#">19.5%</a>
	Childhood immunization status (NQF 0038)				√	√	66.0% (Combo 2)	82.0% 2012 National Medicaid 75 <sup>th</sup>	n/a	n/a	State: 66.0%	State: 65.3%	State: 67.8% High CCO: 78.5%	State: <a href="#">70.1%</a> High CCO: <a href="#">84.7%</a>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
							percentile (combo 2)			High CCO: 73.1% Low CCO: 58.0%	High CCO: 74.5% Low CCO: 49.0%	Low CCO: 58.2%	<a href="#">Low CCO: 54.8%</a>	
Immunization for adolescents (NQF 1407)					√	√	49.2% (Combo 1)	70.8% 2012 National Medicaid 75 <sup>th</sup> percentile (combo 1)	n/a	n/a	State: 49.2% High CCO: 57.2% Low CCO: 31.6%	State: 52.9% High CCO: 60.3% Low CCO: 29.6%	State: 55.1% High CCO: 68.8% Low CCO: 33.3%	State: <a href="#">67.0%</a> High CCO: <a href="#">83.3%</a> Low CCO: <a href="#">35.1%</a>
Appropriate testing for children with pharyngitis (NQF 0002)					√	√	73.7%	76.0% 2012 National Medicaid 75 <sup>th</sup> percentile	n/a	n/a	State: 73.7% High CCO: 90.7% Low CCO: 41.9%	State: 72.8% High CCO: 90.4% Low CCO: 36.7%	State: 74.2% High CCO: 87.2% Low CCO: 47.0%	State: <a href="#">75.7%</a> High CCO: <a href="#">87.7%</a> Low CCO: <a href="#">55.6%</a>
Medical assistance with smoking and tobacco				√		√	1: 50.0% of adult tobacco users on	2012 National Medicaid benchmark	n/a	n/a	State: 1: 50.0% 2: 24.0% 3: 22.0%	State: 1: 55.0%	State: 1: 51.4%	n/a – data will be available in

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	<a href="#">July 2014 – June 2015</a>
	use cessation (CAHPS) (NQF 0027)						Medicaid reported being advised to quit by their Dr; 2: 24.0% reported their Dr discussed or recommended medications with them; 3: 22.0% reported their Dr discussed strategies to quit smoking with them (CAHPS 2011)	90 <sup>th</sup> percentile: Component 1: 81.4% Component 2: 50.7% Component 3: 56.6%		High CCO: 1: 61% 2: 34% 3: 27% Low CCO: 1: 45% 2: 19% 3: 16%	2: 28.9% 3: 23.6% High CCO: 1: 61.5% 2: 41.9% 3: 30.1% Low CCO: 1: 43.9% 2: 16.8% 3: 17.8%	2: 27.5% 3: 23.6% High CCO: 1: 61.6% 2: 41.4% 3: 34.3% Low CCO: 1: 42.4% 2: 17.4% 3: 12.4%	<a href="#">a future report</a>	

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
Deploying care teams to improve care and reduce preventable of unnecessarily costly utilization by super users	*Ambulatory Care: Outpatient and ED utilization	√	√		√	√	ED: 61.0/1,000mm OP: 364.2/1,000mm	ED: 44.1 / 1,000mm OP: 439/1,000mm 2011 National Medicaid 90 <sup>th</sup> percentile	MN method with 3% floor.  ED: 39.4/1,000mm OP: <a href="#">467.3/1,000mm</a>  2014 National Medicaid 90 <sup>th</sup> percentile	ED State: 61.0/1,000mm High CCO: 86.2/1,000mm Low CCO: 55.4/1,000mm  OP State: 364.2/1,000mm High CCO: 412.3/1,000mm Low CCO: 296.6/1,000mm	ED State: 50.5/1,000mm High CCO: 74.3/1,000mm Low CCO: 31.6/1,000mm  OP State: 323.5/1,000mm High CCO: 345.7/1,000mm Low CCO: 249.2/1,000mm	ED State: 47.3/1,000mm High CCO: 64.7/1,000mm Low CCO: 34.4/1,000mm  OP State: 297.5/1,000mm High CCO: 345.7/1,000mm Low CCO: 249.2/1,000mm	ED State: <a href="#">47.0/1,000mm</a> High CCO: <a href="#">62.4/1,000mm</a> Low CCO: <a href="#">33.4/1,000mm</a>  OP State: <a href="#">289.9/1,000mm</a> High CCO: <a href="#">358.9/1,000mm</a> Low CCO: <a href="#">243.9/1,000mm</a>	

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
Addressing discrete health issues (such as asthma, diabetes, hypertension) within a specific geographic area by harnessing and coordinating a broad set of resources, including CHW.	Controlling high blood pressure (NQF 0018)	√		√		√	0%	Reporting only in CY 2013.		64.0%  2014 National Medicaid 75 <sup>th</sup> percentile	0%	N/A	State: 64.6%  High CCO: 72.5%  Low CCO: 52.2%	<a href="#">n/a (Clinical Quality Measure: updated annually)</a>
	*Comprehensive diabetes care: LDL-C Screening (NQF 0063)			√		√	67.2%	80%  2012 National Medicaid 75 <sup>th</sup> percentile	n/a	n/a	State: 67.2%  High CCO: 73.1%  Low CCO: 55.2%	State: 70.1%  High CCO: 74.2%  Low CCO: 61.5%	State: 67.8%  High CCO: 75.3%  Low CCO: 50.2%	<a href="#">State: 65.8%</a>  <a href="#">High CCO: 71.4%</a>  <a href="#">Low CCO: 52.8%</a>
	*Comprehensive diabetes care: Hemoglobin A1c testing (NQF 0057)			√		√	78.5%	86%  2012 National Medicaid 75 <sup>th</sup> percentile	n/a	n/a	State: 78.5%  High CCO: 86.4%  Low CCO: 63.6%	State: 79.3%  High CCO: 83.0%  Low CCO: 76.8%	State: 80.8%  High CCO: 85.0%  Low CCO: 61.0%	<a href="#">State: 81.7%</a>  <a href="#">High CCO: 85.5%</a>  <a href="#">Low CCO: 64.0%</a>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	<u>July 2014 – June 2015</u>
	Diabetes: HbA1c Poor Control (NQF 0059)	√				√	0%	Reporting only in CY 2013.		34.0% or below  2014 National Medicaid 75 <sup>th</sup> percentile	0%	N/A	State: 21.8%  High CCO: 32.9%  Low CCO: 11.5%	<u>n/a (Clinical Quality Measure: updated annually)</u>
	*PQI 01: Diabetes, short term complication admission rate (NQF 0272)  <i>Lower is better</i>		√	√		√	192.9 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 192.9  Low CCO: 109.0  High CCO: 360.8	State: 211.5  Low CCO: 16.7  High CCO: 417.3	State: 144.3  Low CCO: 46.7  High CCO: 275.7	<u>State: 133.6</u>  <u>Low CCO: 54.6</u>  <u>High CCO: 252.4</u>
	*PQI 05: Chronic obstructive pulmonary disease admission (NQF 0275)		√	√		√	454.6 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 454.6  Low CCO: 292.5  High CCO: 821.1	State: 308.1  Low CCO: 42.9  High CCO: 602.6	State: 436.6  Low CCO: 201.6  High CCO: 834.6	<u>State: 353.2</u>  <u>Low CCO: 179.1</u>  <u>High CCO: 707.4</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
	<i>Lower is better</i>													
	*PQI 08: Congestive heart failure admission rate (NQF 0277)  <i>Lower is better</i>		√	√		√	336.9 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 336.9 Low CCO: 177.2 High CCO: 611.9	State: 247.0 Low CCO: 101.4 High CCO: 411.4	State: 204.8 Low CCO: 59.2 High CCO: 343.5	State: <a href="#">198.3</a> Low CCO: <a href="#">27.3</a> High CCO: <a href="#">331.1</a>
	*PQI 15: Adult asthma admission rate (NQF 0283)  <i>Lower is better</i>		√	√		√	53.4 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 53.4 Low CCO: 16.1 High CCO: 180.3	State: 43.6 Low CCO: 0.0 High CCO: 70.2	State: 54.2 Low CCO: 13.5 High CCO: 163.1	State: <a href="#">51.5</a> Low CCO: <a href="#">0.0</a> High CCO: <a href="#">197.0</a>
Improving access to effective and timely care	CAHPS 4.0 – Adult questionnaire (including cultural competency and health	√	√	√		√	<b>Access to Care</b>  OR adult baseline: 79%	<b>Access to Care</b>  2012 National Medicaid adult	<b>Access to Care</b>  OR adult baseline: 79%	<b>Access to Care</b>  87.2%  2014 National	<b>Access to Care</b>  Adult: 79% Child: 87.1%	<b>Access to Care</b>  Adult: 80.1% Child: 87.1%	<b>Access to Care</b>  Adult: 80.1% Child: 87.1%	n/a – survey fielded annually

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	<u>July 2014 – June 2015</u>
	literacy modules).						OR child baseline 87%  OR average: 83%	75 <sup>th</sup> percentile: 83.63%  2012 National Medicaid child 75 <sup>th</sup> percentile: 90.31%  National average: 86.97%	OR child baseline 88%  OR average: 83.5%	average of Medicaid 75 <sup>th</sup> percentiles for adults and children	87% Avg: 83%  High CCO: Adult: 85% Child: 94% Avg: 90%  Low CCO: Adult: 73% Child: 81% Avg: 81%  <i>Note: OHA cannot report on all CCOs for this measure – CAHPS 2011 was sampled for old managed</i>	Avg: 83.6%  High CCO: Avg: 88.3%  Low CCO: Avg: 80.4%	87.6% Avg: 83.8%  High CCO: Avg: 90.0%  Low CCO: Avg: 79.3%	

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	<u>July 2014 – June 2015</u>
										care orgs – not current CCOs.				
	CAHPS 4.0H (child version including Medicaid and children with chronic conditions supplemental items).	√	√		√	√								
	Chlamydia screening in women ages 16-24 (NQF 0033)			√	√	√	59.9%	63.0% 2012 National Medicaid 75 <sup>th</sup> percentile	n/a	n/a	State: 59.9% High CCO: 65.8% Low CCO: 49.6%	State: 54.4% High CCO: 62.3% Low CCO: 41.5%	State: <u>45.4%</u> High CCO: <u>54.1%</u> Low CCO: <u>35.9%</u>	State: <u>47.7%</u> High CCO: <u>55.4%</u> Low CCO: <u>34.0%</u>
	*Cervical cancer screening (NQF 0032)			√		√	56.1%	74.0%	n/a	n/a	State: 56.1%	State: 53.3%	State: 43.2%	State: <u>43.4%</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
							2012 National Medicaid 75 <sup>th</sup> percentile			High CCO: 59.8% Low CCO: 47.5%	High CCO: 58.9% Low CCO: 40.5%	High CCO: 54.1% Low CCO: 35.9%	High CCO: <a href="#">48.7%</a> Low CCO: <a href="#">36.7%</a>	
	*Child and adolescent access to primary care practitioners (NCQA)				√	√	12-24 mos 97.4% 25 mos – 6 years 86.2% 7-11 yrs 88.2% 12-19 yrs 88.9% All ages 88.5%	12-24 mos 98.2% 25 mos – 6 years 91.6% 7-11 yrs 93.0% 12-19 yrs 91.7% All ages n/a 2011 National Medicaid 75 <sup>th</sup> percentile	n/a	n/a	<b>12-24 mos</b> State: 97.4% High CCO: 99.0% Low CCO: 96.2% <b>25 mos – 6 years</b> State: 86.2% High CCO: 88.8% Low CCO: 83.5% <b>7-11 yrs</b> State: 88.2%	<b>12-24 mos</b> State: 96.4% <b>25 mos-6 years</b> State: 84.3% <b>7-11 yrs</b> State: 87.2% <b>12-19 yrs</b> State: 87.6% <b>All ages</b> State: 87.0%	<b>12-24 mos</b> State: 92.5% <b>25 mos-6 years</b> State: 82.3% <b>7-11 yrs</b> State: 87.4% <b>12-19 yrs</b> State: 87.4% <b>All ages</b> State: 86.0% CCO data not	<b>12-24 mos</b> State: <a href="#">94.4%</a> High CCO: <a href="#">97.1%</a> Low CCO: <a href="#">92.7%</a> <b>25 mos-6 years</b> State: <a href="#">85.6%</a> High CCO: <a href="#">86.8%</a> Low CCO: <a href="#">83.1%</a> <b>7-11 years</b> State: <a href="#">89.0%</a> High CCO: <a href="#">90.8%</a> Low CCO: <a href="#">84.1%</a>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
										High CCO: 91.4% Low CCO: 86.0%  <b>12-19 yrs</b>  State: 88.9% High CCO: 92.3% Low CCO: 86.9%  <b>All ages</b> State: 88.5%	CCO data not available for 2013.	available for 2014.	<a href="#">12-19 years</a> <a href="#">State:89.3%</a> <a href="#">High CCO: 91.1%</a> <a href="#">Low CCO: 86.6%</a>  <a href="#">All ages</a> <a href="#">State: 88.3%</a> <a href="#">High CCO: 89.6%</a> <a href="#">Low CCO: 86.0%</a>	
	Provider Access Questions from the Physician Workforce Survey:  1) To what extent is your				√	In 2012:  86.3% of Oregon's physicians accepted new Medicaid patients with no or	TBD	n/a	n/a	In 2012:  1) 86.3%  2) 86.9%  3) 17%	N/A. OHA is fielding a physician workforce survey in 2014 to be able to report on	In 2014:  1) 94.3%  2) 88.9%  3) 23%	<a href="#">n/a – survey fielded annually</a>	

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	<u>July 2014 – June 2015</u>
	primary practice accepting new Medicaid/OHP patients? (include: completely closed, open with limitations, and no limitations). 2) Do you currently have Medicaid/OHP patients under your care? 3) What is the current payer mix at your primary practice?					some limitations  86.9% of physicians have Medicaid patients.  Medicaid/OHP represented 17% of current payer mix at primary practice.				Baseline revised to include all providers, not just PCPs.  This measure cannot be reported by CCO.	this measure.			

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
	Screening for depression and follow up plan (see above)													
	*SBIRT (see above)													
	*Mental, physical, and dental health assessment for children in DHS custody (see above)													
	*Follow-up care for children on ADHD medication (see above)													
	*Timeliness of prenatal care (see above)													
	Colorectal cancer screening (see above)													
	PCPCH enrollment (see above)													
	*Developmental screening by 36-months (see above)													
	*Adolescent well child visits (see above)													
Addressing patient satisfaction with	CAHPS 4.0 – Adult questionnaire (including cultural competency)	√	√	√		√	<b>Satisfaction with Care</b>	<b>Satisfaction with Care</b>  2012 National Medicaid adult	<b>Satisfaction with Care</b>  OR adult baseline: 76%	<b>Satisfaction with Care</b>  89.6%	Adult: 76% Child: 80% Avg: <b>78%</b>	Adult: 82.1% Child: 84.1%	Adult: 83.9% Child: 85.4%	<u>n/a – survey fielded annually</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	<u>July 2014 – June 2015</u>
health plans	and health literacy modules).						OR adult baseline: 76%	75 <sup>th</sup> percentile: 83.19%	OR child baseline: 80%	2013 National average of Medicaid 75 <sup>th</sup> percentiles for adults and children	High CCO: Adult: 81% Child: 86% Avg: 83%	Avg: 83.1%	Avg: 84.6%	
	OR child baseline: 80%	2012 National Medicaid child 75 <sup>th</sup> percentile: 84.71%	OR average: 78%	OR average: 78%	National average: 83.95%	Low CCO: Adult: 65% Child: 72% Avg: 70%	High CCO: Avg: 88.2%	Low CCO: Avg: 79.5%	High CCO: Avg: 89.2%		Low CCO: Avg: 82.1%			
	CAHPS 4.0H (child version including Medicaid and children with chronic conditions supplemental items).	√	√		√	√								

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	July 2014 – June 2015
Meaningful Use	EHR adoption See revised documentation online at <a href="http://www.oregon.gov/oha/Pages/CCO-Baseline-Data.aspx">www.oregon.gov/oha/Pages/CCO-Baseline-Data.aspx</a>	√				√	28.0%	49.2% <i>2014 Federal benchmark for Medicaid.</i>	Minnesota Method	72.0%  Metrics & Scoring Committee consensus, based on highest performing CCO in July 2013.	State: 28.0%  High CCO: 35%  Low CCO: 12%	State: 59.0%  High CCO: 77.2%  Low CCO: 46.0%  <i>As of April 2014</i>	State: 67.7%  High CCO: 100.0%  Low CCO: 57.4%	State: <a href="#">69.6%</a>  High CCO: <a href="#">100.0%</a>  Low CCO: <a href="#">62.6%</a>  <i>As of December 2015</i>

\* These measures are reported quarterly

\*\*The Minnesota Department of Health’s Quality Incentive Payment System requires participants to have had at least a 10 percent reduction in the gap between its prior year’s results and the performance target goal to qualify for incentive payments. For example, a health plan’s current rate of mental health assessments is 45% and Oregon has set the performance goal at 90%. The difference between the plan’s baseline and the performance target is 45%. The plan must reduce the gap by 10% to be eligible for payment; therefore the plan must improve their rate of mental health assessments by 4.5%, bringing their total rate to 49.5% before they are eligible for payment. In cases where the MN method results in required improvement rates of less than 3%, the health plan must achieve at least 3% improvement to be eligible for the incentive payment. Additional details on the MN method are available online at: <http://www.health.state.mn.us/healthreform/measurement/QIPSRpt051012final.pdf>