

Appendix E: Oregon Measures Matrix

NOTE: Measures with an asterisk (*) are those that are reported quarterly. All others are reported annually.

This quarterly report includes the final 2013 results for the 17 CCO incentive measures and 33 quality and access “test” measures. These final rates replace the preliminary January – December 2013 results that were provided in the last quarterly report.

Updates from last quarter’s report are indicated in track changes. Final CY 2013 data at the state and CCO level, and broken out by race and ethnicity is available online at: <http://www.oregon.gov/oha/Metrics/Pages/index.aspx>

OHA will incorporate the hospital performance measure template into this appendix in future quarterly reports.

Focus Area	Measure Sets						Quality and Access ‘Test’		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access ‘Test’ Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
Improving behavioral and physical health coordination	* Alcohol or other substance misuse (SBIRT)	√	√			√	0.02%	13% Metrics & Scoring Committee consensus	MN method	13% Metrics & Scoring Committee consensus	State: 0.02% High CCO: 0.22% Low CCO: 0.0%	State: 0.10% High CCO: 0.38% Low CCO: 0.00%	State: 0.65% High CCO: 3.97% Low CCO: 0.00%	State: <u>2.0%</u> High CCO: <u>8.7%</u> Low CCO: <u>0.0%</u>
	* Follow-up after hospitalization for mental	√	√	√	√	√	65.2%	68.0% 2012 National Medicaid 90 th percentile	MN method with 3% floor.	68.0% 2012 National Medicaid 90 th percentile	State: 65.2% High CCO: 88.9% Low CCO:	State: 64.6% High CCO: 90.9% Low CCO:	State: 66.4% High CCO: 81.3% Low CCO:	State: <u>67.6%</u> High CCO: <u>81.0%</u> Low CCO: <u>51.2%</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013	
	illness (NQF 0576)									57.1%	45.5%	48.4%			
	Screening for clinical depression and follow-up plan (NQF 0418)	√	√	√		√	0%	Reporting only in CY 2013.	Reporting only in CY 2013.	0%	n/a	n/a	n/a		
	* Mental and physical health assessment within 60 days for children in DHS custody	√	√				53.6%	90% Metrics & Scoring Committee consensus	MN method with 3% floor.	90%	State: 53.6% High CCO: 67.7% Low CCO: 35.7%	n/a	n/a	State: 63.5% High CCO: 100% Low CCO: 23.1%	
	* Follow-up care for children prescribed ADHD meds (NQF 0108)	√				√	√	Initiation : 52.3% C&M: 61.0%	Initiation: 51% C&M: 63.0% Medicaid 2012 NCQA National 90 th percentile	MN method	Initiation: 51% C&M: 63.0% Medicaid 2012 NCQA National 90 th percentile	Initiation : State: 52.3% High CCO: 88.9% Low CCO: 33.3% C&M:	Initiation : State: 49.2% High CCO: 85.7% Low CCO: 33.3%	Initiation : State: 54.1% High CCO: 73.0% Low CCO: 38.0%	Initiation: State: 53.3% High CCO: 70.8% Low CCO: 43.5% C&M: State: 61.6%

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
										State: 61.0% High CCO: 100% Low CCO: 29.4%	C&M data not available	C&M: State: 61.7% CCO data not available.	This measure cannot be reported at the CCO level for 2013.	
Improving perinatal and maternity care	* Prenatal and postpartum care: Timeliness of Prenatal Care (NQF 1517)	√			√	√	65.3% using admin data only.	69.4% 2012 National Medicaid 75 th percentile: (adjustment factor applied to account for difference between admin data and hybrid rates)	MN method with 3% floor.	69.4% 2012 National Medicaid 75 th percentile: (w/ adjustment factor)	State: 65.3% High CCO: 77.0% Low CCO: 47.7%	Data not available	State: 69.0% CCO data not available	State: 67.3% High CCO: 78.3% Low CCO: 56.0%
	* Prenatal and			√		√	40.0% using admin	43.1% 2012 National	n/a	n/a	State: 40.0% High	n/a	State: 31.6% CCO data	State: 33.4% This

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	postpartum care: postpartum care rate (NQF 1517)						data only	Medicaid 75 th percentile (adjustment factor applied)		CCO: 47.1% Low CCO: 22.6%		not available	measure cannot be reported at the CCO level for 2013.	
	PC-01: Elective delivery (NQF 0469) <i>Lower score is better.</i>	√		√		√	10.1%	5% or below.	MN method with 1% floor.	5% or below.	State: 10.1% High CCO: 14.9% Low CCO: 7.2%	n/a	n/a	State: 2.6% High CCO: 4.3% Low CCO: 0.2%
Reducing preventable re-hospitalizations	* Follow-up after hospitalization for mental illness (NQF 0576)	√	√	√	√	√	65.2%	68.0% 2012 National Medicaid 90 th percentile	MN method with 3% floor.	68.0% 2012 National Medicaid 90 th percentile	State: 65.2% High CCO: 88.9% Low CCO: 57.1%	State: 64.6% High CCO: 90.9% Low CCO: 45.5%	State: 66.4% High CCO: 81.3% Low CCO: 48.4%	State: 67.6% High CCO: 81.0% Low CCO: 51.2%
	* Ambulatory Care: Outpatient	√	√		√	√	ED: 61.0/ 1,000mm OP:	ED: 44.1 / 1,000mm OP: 439/ 1,000mm	MN method with 3% floor.	ED: 44.1 / 1,000mm OP: 439/ 1,000mm	ED State: 61.0/ 1,000mm	ED State: 55.2/ 1,000mm	ED State: 53.1/ 1,000	ED State: 50.5/1,000 mm

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	(OP) and Emergency Department (ED) utilization. <i>Lower score is better for ED utilization.</i>					364.2/1,000mm	2011 National Medicaid 90 th percentile		2011 National Medicaid 90 th percentile	High CCO: 86.2/1,000mm Low CCO: 55.4/1,000mm OP State: 364.2/1,000mm High CCO: 412.3/1,000mm Low CCO: 296.6/1,000mm	High CCO: 77.0/1,000mm Low CCO: 34.0/1,000mm OP State: 339.7/1,000mm High CCO: 394.8/1,000mm Low CCO: 292.3/1,000mm	mm High CCO: 77.3/1,000mm Low CCO: 34.0/1,000mm OP State: 334.8/1,000mm High CCO: 383.7/1,000mm Low CCO: 285.0/1,000mm	High CCO: <u>74.3/1,000mm</u> Low CCO: <u>31.6/1,000mm</u> OP State: <u>323.5/1,000mm</u> High CCO: <u>345.7/1,000mm</u> Low CCO: <u>267.4/1,000mm</u>	
	* Plan all-cause readmission (NQF 1768) <i>Lower score is better.</i>		√		√	√	12.3%	10.5%	n/a	n/a	State: 12.3% High CCO: 14.6% Low CCO: 8.7%	State: 10.8% High CCO: 13.9% Low CCO: 5.7%	State: 11.3% High CCO: 14.7% Low CCO: 5.9%	State: <u>11.7%</u> High CCO: <u>13.6%</u> Low CCO: <u>6.6%</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
Ensuring appropriate care is delivered in appropriate settings	* Ambulatory Care: Outpatient and ED utilization <i>Lower score is better for ED utilization.</i>	√	√		√	√	ED: 61.0/ 1,000mm OP: 364.2/ 1,000mm	ED: 44.1 / 1,000mm OP: 439/ 1,000mm 2011 National Medicaid 90 th percentile	MN method with 3% floor.	ED: 44.1 / 1,000mm OP: 439/ 1,000mm 2011 National Medicaid 90 th percentile	ED State: 61.0/ 1,000mm High CCO: 86.2/ 1,000mm Low CCO: 55.4/ 1,000mm OP State: 364.2/ 1,000mm High CCO: 412.3/ 1,000mm Low CCO: 296.6/ 1,000mm	ED State: 55.2/ 1,000mm High CCO: 77.0 / 1,000mm Low CCO: 34.0 / 1,000mm OP State: 339.7/ 1,000mm High CCO: 394.8/ 1,000mm Low CCO: 292.3/ 1,000mm	ED State: 53.1/ 1,000mm High CCO: 77.3 / 1,000mm Low CCO: 34.0 / 1,000mm OP State: 334.8/ 1,000mm High CCO: 383.7/ 1,000mm Low CCO: 285.0/ 1,000mm	ED State: 50.5/1,000mm High CCO: 74.3/1,000mm Low CCO: 31.6/1,000mm OP State: 323.5/1,000mm High CCO: 345.7/1,000mm Low CCO: 267.4/1,000mm
Improving primary care for	Colorectal cancer screening	√			√		15.8/ 1,000mm using	n/a 3% improvement	n/a 3% improvement	15.8/ 1,000mm	State: 10.2/ 1,000mm	State: 10.2/ 1,000mm	State: 11.4/1,000mm	

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013
all populations	Measure specifications modified to identify unique members receiving colorectal cancer screening in 12 month period, reported per 1,000 member months (mm)					admin data only.		only	nt only	admin data only. High CCO: 21.3/ 1,000 mm Low CCO: 5.1/ 1,000 mm	mm High CCO: 13.0/ 1,000 mm Low CCO: 5.6/ 1,000 mm	High CCO: 12.8/ 1,000mm Low CCO: 6.4/ 1,000 mm	High CCO: <u>15.7/1,000 mm</u> Low CCO: <u>7.2/1,000mm</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013	
	Patient-Centered Primary Care Home Enrollment	√				√	51.8% (2012)	100% (Tier 3)	The % of dollars available to each CCO for this measure will be tied to the % of enrollees in PCPCH, based on formula.	The % of dollars available to each CCO for this measure will be tied to the % of enrollees in PCPCH, based on formula.	State: 51.8% (2012) High CCO: 94.4% (2012) Low CCO: 3.7% (2012)	State: 70.8%	State: 78.1% High CCO: 92.0% Low CCO: 40.5%	State: <u>78.6%</u> High CCO: <u>95.6%</u> Low CCO: <u>41.8%</u>	
	* Developmental screening in the first 36 months of life (NQF 1448)	√	√			√	√	20.9% using admin data only.	50% Metrics & Scoring Committee consensus	MN method.	50% Metrics & Scoring Committee consensus	State: 20.9% High CCO: 67.1% Low CCO: 0.2%	State: 17.1% High CCO: 48.0% Low CCO: 3.3%	State: 31.7% High CCO: 61.9% Low CCO: 8.6%	State: <u>33.1%</u> High CCO: <u>62.7%</u> Low CCO: <u>16.8%</u>
	* Well-child visits in the first 15 months of					√	√	68.3%	77.3% 2012 National Medicaid 90 th	n/a	n/a	State: 68.3% High CCO: 81.3%	n/a	State: 48.3% High CCO: 63.7%	State: <u>60.9%</u> High CCO: <u>75.3%</u> Low CCO:

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	life (NQF 1392)						percentile			Low CCO: 45.0%		Low CCO: 18.2%	33.3%	
	* Adolescent well-care visits (NCQA)	√			√	√	27.1% (admin data only)	53.2% 2011 National Medicaid 75 th percentile (admin data only)	MN method with 3% floor.	53.2% 2011 National Medicaid 75 th percentile (admin data only)	State: 27.1% High CCO: 31.9% Low CCO: 20.7%	State: 12.3% High CCO: 17.4% Low CCO: 8.7%	State: 21.4% High CCO: 29.0% Low CCO: 15.6%	State: 29.2% High CCO: 43.4% Low CCO: 20.5%
	Childhood immunization status (NQF 0038)				√	√	66.0% (Combo 2)	82.0% 2012 National Medicaid 75 th percentile (combo 2)	n/a	n/a	State: 66.0% High CCO: 73.1% Low CCO: 58.0%	n/a	State: 68.5% CCO data not available	State: 65.3% High CCO: 74.5% Low CCO: 49.0%
	Immunization for adolescents (NQF 1407)				√	√	49.2% (Combo 1)	70.8% 2012 National Medicaid 75 th percentile (combo 1)	n/a	n/a	State: 49.2% High CCO: 57.2% Low CCO: 31.6%	n/a	State: 55.9% CCO data not available	State: 52.9% High CCO: 60.3% Low CCO: 29.6%

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	Appropriate testing for children with pharyngitis (NQF 0002)				√	√	73.7%	76.0% 2012 National Medicaid 75 th percentile	n/a	n/a	State: 73.7% High CCO: 90.7% Low CCO: 41.9%	n/a	State: 72.7% High CCO: 90.4% Low CCO: 36.7%	State: <u>72.8%</u> High CCO: <u>90.4%</u> Low CCO: <u>36.7%</u>
	Medical assistance with smoking and tobacco use cessation (CAHPS) (NQF 0027)			√		√	1: 50.0% of adult tobacco users on Medicaid reported being advised to quit by their Dr; 2: 24.0% reported their Dr discussed or recommended medications with	2012 National Medicaid benchmark 90 th percentile: Component 1: 81.4% Component 2: 50.7% Component 3: 56.6%	n/a	n/a	State: 1: 50.0% 2: 24.0% 3: 22.0% High CCO: 1: 61% 2: 34% 3: 27% Low CCO: 1: 45% 2: 19% 3: 16%	n/a	n/a	State: <u>1: 55.0%</u> <u>2: 28.9%</u> <u>3: 23.6%</u> High CCO: <u>1: 61.5%</u> <u>2: 41.9%</u> <u>3: 30.1%</u> Low CCO: <u>1: 43.9%</u> <u>2: 16.8%</u> <u>3: 17.8%</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
							them; 3: 22.0% reported their Dr discussed strategies to quit smoking with them (CAHPS 2011)							
Deploying care teams to improve care and reduce preventable of unnecessarily costly utilization by super	* Ambulatory Care: Outpatient and ED utilization	√	√		√	√	ED: 61.0/ 1,000mm OP: 364.2/ 1,000mm	ED: 44.1 / 1,000mm OP: 439/ 1,000mm 2011 National Medicaid 90 th percentile	MN method with 3% floor.	ED: 44.1 / 1,000mm OP: 439/ 1,000mm 2011 National Medicaid 90 th percentile	ED State: 61.0/ 1,000mm High CCO: 86.2/ 1,000mm Low CCO: 55.4/ 1,000mm OP State: 364.2/	ED State: 55.2/ 1,000mm High CCO: 77.0 / 1,000mm Low CCO: 34.0 / 1,000mm OP State:	ED State: 53.1/ 1,000mm High CCO: 77.3 / 1,000mm Low CCO: 34.0 / 1,000mm OP State:	ED State: 50.5/1,000mm High CCO: 74.3/1,000mm Low CCO: 31.6/1,000mm OP State: 323.5/1,000mm

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
users										1,000mm High CCO: 412.3/1,000mm Low CCO: 296.6/1,000mm	339.7/1,000mm High CCO: 394.8/1,000mm Low CCO: 292.3/1,000mm	334.8/1,000mm High CCO: 383.7/1,000mm Low CCO: 285.0/1,000mm	High CCO: 345.7/1,000mm Low CCO: 267.4/1,000mm	
Addressing discrete health issues (such as asthma, diabetes, hypertension) within a specific geographic area by harnessing and coordinating	Controlling high blood pressure (NQF 0018)	√		√		√	0%	Reporting only in CY 2013.		Reporting only in CY 2013.	0%	n/a	n/a	n/a
	* Comprehensive diabetes care: LDL-C Screening (NQF 0063)			√		√	67.2%	80% 2012 National Medicaid 75 th percentile	n/a	n/a	State: 67.2% High CCO: 73.1% Low CCO: 55.2%	n/a	State: 63.6% High CCO: 70.1% Low CCO: 48.6%	State: 70.1% High CCO: 74.2% Low CCO: 61.5%
	* Comprehensive diabetes care: Hemoglobin			√		√	78.5%	86% 2012 National Medicaid 75 th percentile	n/a	n/a	State: 78.5% High CCO: 86.4%	n/a	State: 74.9% High CCO: 80.9% Low CCO: 76.8%	State: 79.3% High CCO: 83.0% Low CCO: 76.8%

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
Using a broad set of resources, including CHW.	A1c testing (NQF 0057)									Low CCO: 63.6%		58.6%		
	Diabetes: HbA1c Poor Control (NQF 0059)	√				√	0%	Reporting only in CY 2013.		Reporting only in CY 2013.	0%	n/a	n/a	n/a
	* PQI 01: Diabetes, short term complication admission rate (NQF 0272) <i>Lower is better</i>		√	√		√	192.9 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 192.9 Low CCO: 109.0 High CCO: 360.8	State: 196.2 Low CCO: 0.0 High CCO: 414.8	State: 203.8 Low CCO: 22.1 High CCO: 373.8	State: <u>211.5</u> Low CCO: <u>16.7</u> High CCO: <u>417.3</u>
	* PQI 05: Chronic obstructive pulmonary disease admission (NQF 0275) <i>Lower is better</i>		√	√		√	454.6 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 454.6 Low CCO: 292.5 High CCO: 821.1	State: 303.9 Low CCO: 35.3 High CCO: 550.4	State: 292.7 Low CCO: 56.0 High CCO: 646.4	State: <u>308.1</u> Low CCO: <u>42.9</u> High CCO: <u>602.6</u>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	* PQI 08: Congestive heart failure admission rate (NQF 0277) <i>Lower is better</i>		√	√		√	336.9 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 336.9 Low CCO: 177.2 High CCO: 611.9	State: 219.9 Low CCO: 65.4 High CCO: 374.9	State: 229.3 Low CCO: 82.8 High CCO: 385.2	State: 247.0 Low CCO: 101.4 High CCO: 411.4
	* PQI 15: Adult asthma admission rate (NQF 0283) <i>Lower is better</i>		√	√		√	53.4 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 53.4 Low CCO: 16.1 High CCO: 180.3	State: 41.2 Low CCO: 0.0 High CCO: 71.9	State: 43.8 Low CCO: 0.0 High CCO: 59.6	State: 43.6 Low CCO: 0.0 High CCO: 70.2
Improving access to effective and timely care	CAHPS 4.0 – Adult questionnaire (including cultural competency and health literacy)	√	√	√		√	Access to Care OR adult baseline: 79% OR child baseline: 87%	Access to Care 2012 National Medicaid adult 75 th percentile: 83.63%	Access to Care OR adult baseline: 79% OR child baseline: 88% OR average:	Access to Care 2012 National Medicaid adult 75 th percentile: 83.63%	Access to Care Adult: 79% Child: 87% Avg: 83% High	n/a	n/a	Access to Care Adult: 80.1% Child: 87.1% Avg: 83.6% High CCO:

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	modules).					OR average: 83%	2012 National Medicaid child 75 th percentile: 90.31% National average: 86.97%	83.5%	2012 National Medicaid child 75 th percentile: 90.31% National average: 86.97%	CCO: Adult: 85% Child: 94% Avg: 90% Low CCO: Adult: 73% Child: 81% Avg: 81% <i>Note: OHA cannot report on all CCOs for this measure – CAHPS 2011 was sampled for old managed care orgs – not current CCOs.</i>				<u>Avg: 88.3%</u> <u>Low CCO:</u> <u>Avg: 80.4%</u>

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	CAHPS 4.0H (child version including Medicaid and children with chronic conditions supplemental items).	√	√		√	√								
	Chlamydia screening in women ages 16-24 (NQF 0033)			√	√	√	59.9%	63.0% 2012 National Medicaid 75 th percentile	n/a	n/a	State: 59.9% High CCO: 65.8% Low CCO: 49.6%	n/a	State: 54.8% High CCO: 63.2% Low CCO: 39.7%	State: <u>54.4%</u> High CCO: <u>62.3%</u> Low CCO: <u>41.5%</u>
	* Cervical cancer screening (NQF 0032)			√		√	56.1%	74.0% 2012 National Medicaid 75 th percentile	n/a	n/a	State: 56.1% High CCO: 59.8% Low CCO: 47.5%	n/a	State: 48.5% High CCO: 52.0% Low CCO: 35.7%	State: <u>53.3%</u> High CCO: <u>58.9%</u> Low CCO: <u>40.5%</u>
	* Child and				√	√	12-24 mos	12-24 mos 98.2%	n/a	n/a	12-24 mos	n/a	12-24 mos	<u>12-24 mos</u> State:

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	adolescent access to primary care practitioners (NCQA)					97.4% 25 mos – 6 years 86.2% 7-11 yrs 88.2% 12-19 yrs 88.9% All ages 88.5%	25 mos – 6 years 91.6% 7-11 yrs 93.0% 12-19 yrs 91.7% All ages n/a 2011 National Medicaid 75 th percentile			State: 97.4% High CCO: 99.0% Low CCO: 96.2% 25 mos – 6 years State: 86.2% High CCO: 88.8% Low CCO: 83.5% 7-11 yrs State: 88.2% High CCO: 91.4% Low CCO: 86.0% 12-19 yrs State:		State: 96.2% 25 mos – 6 years State: 82.7% 7-11 yrs State: 86.5% 12 – 19 yrs State: 86.8% All ages State: 86.0% CCO data not available		96.4% 25 mos-6 years State: 84.3% 7-11 yrs State: 87.2% 12-10 yrs State: 87.6% All ages State: 87.0% CCO data not available for 2013.

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
										88.9% High CCO: 92.3% Low CCO: 86.9% All ages State: 88.5%				
	Provider Access Questions from the Physician Workforce Survey: To what extent is your primary practice accepting new Medicaid/OHP patients?				v	In 2012: 85.0% of Oregon's physicians accepted new Medicaid patients with no or some limitations 81.7% of physician	TBD	n/a	n/a	85.0% 81.7% TBD OHA cannot report this measure by CCO, but may be able to report regional variation in a subseque	n/a	n/a	N/A. OHA is fielding a physician workforce survey in 2014 to be able to report on this measure.	

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	(include: completely closed, open with limitations, and no limitations). Do you currently have Medicaid/OHP patients under your care? What is the current payer mix at your primary practice?					s have Medicaid patients. TBD				nt report.				
	Screening for depression and follow													

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	up plan (see above)													
	* SBIRT (see above)													
	* Mental and physical health assessment for children in DHS custody (see above)													
	* Follow-up care for children on ADHD medication (see above)													
	* Timeliness of prenatal care (see above)													
	Colorectal													

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	cancer screening (see above)													
	PCPCH enrollment (see above)													
	* Developmental screening by 36 months (see above)													
	* Adolescent well child visits (see above)													
Addressing patient satisfaction with health plans	CAHPS 4.0 – Adult questionnaire (including cultural competency and health literacy modules).	√	√	√		√	Satisfaction with Care OR adult baseline: 76% OR child baseline: 80%	Satisfaction with Care 2012 National Medicaid adult 75 th percentile: 83.19% 2012	Satisfaction with Care OR adult baseline: 76% OR child baseline: 80% OR average:	Satisfaction with Care 2012 National Medicaid adult 75 th percentile: 83.19% 2012	Adult: 76% Child: 80% Avg: 87% High CCO: 81%	n/a	n/a	Adult: 82.1% Child: 84.1% Avg: 83.1% High CCO: 88.2% Low CCO: 79.5%

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
							OR average: 78%	National Medicaid child 75 th percentile: 84.71% National average: 83.95%	78%	National Medicaid child 75 th percentile: 84.71% National average: 83.95%	Child: 86% Avg: 83% Low CCO: Adult: 65% Child: 72% Avg: 70%			
	CAHPS 4.0H (child version including Medicaid and children with chronic conditions supplemental items).	√	√		√	√								
Meaningful Use	EHR adoption See revised documentation online at www.oregon.gov/oha/P	√				√	28.0%	49.2% 2014 <i>Federal benchmark for Medicaid.</i>	Minnesota Method	49.2%	State: 28.0% High CCO: 35% Low CCO: 12%	State: 57.0% High CCO: 72.7% Low CCO: 37.1%	State: 58.8% High CCO: 78.2% Low CCO: 41.7%	State: <u>59.0%</u> High CCO: <u>77.2%</u> Low CCO: <u>46.0%</u> <i>As of April</i>

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2013 Benchmark Target	Baseline CY 2011	Jan – June 2013	Jan – Sept 2013	Final CY 2013
	ages/CCO-Baseline-Data.aspx										As of July 2013	As of Nov 2013	2014	

* These measures are reported quarterly

**The Minnesota Department of Health’s Quality Incentive Payment System requires participants to have had at least a 10 percent reduction in the gap between its prior year’s results and the performance target goal to quality for incentive payments. For example, a health plan’s current rate of mental health assessments is 45% and Oregon has set the performance goal at 90%. The difference between the plan’s baseline and the performance target is 45%. The plan must reduce the gap by 10% to be eligible for payment; therefore the plan must improve their rate of mental health assessments by 4.5%, bringing their total rate to 49.5% before they are eligible for payment. In cases where the MN method results in required improvement rates of less than 3%, the health plan must achieve at least 3% improvement to be eligible for the incentive payment. Additional details on the MN method are available online at: <http://www.health.state.mn.us/healthreform/measurement/QIPSRpt051012final.pdf>