

Oregon CCO Measures Matrix

NOTE: Measures with an asterisk (*) are those that are reported quarterly. All others are reported annually.

This quarterly report includes final 2014 performance for the 17 CCO incentive measures and 33 quality and access test measures at the state level, as well as high and low CCO performance.

Note: Final CY 2014 performance was updated in the 2016 Q1 report for 1) *Alcohol or other substance misuse (SBIRT)*, 2) *Follow-up after hospitalization for mental illness*, and 3) *Mental, physical, and dental health assessment for children in DHS custody* due to measure specification changes (measures were re-run so that CY 2015 performance can be compared). Revised CY 2014 and rolling 2015 data should not be compared to CY 2011 baseline or CY 2013 performance, given these specification changes.

Additional information on specification changes can be found online at www.oregon.gov/oha/analytics/Pages/CCO-Baseline-Data.aspx.

Focus Area	Measures	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting			
		CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
Improving behavioral and physical health coordination	*Alcohol or other substance misuse (SBIRT)	√	√				0.02%	13%	MN method	12%	State: 0.02%	State: 2.0%	State: 6.3%	State: 12.7%
								Metrics & Scoring Committee consensus	Metrics & Scoring Committee consensus	High CCO: 0.22%	High CCO: 8.7%	High CCO: 15.4%	High CCO: 23.7%	
										Low CCO: 0.0%	Low CCO: 0.0%	Low CCO: 0.7%	Low CCO: 3.3%	
	* Follow-up after hospitalization for mental illness (NQF 0576)	√	√	√	√	√	65.2%	68.0%	MN method with 3% floor.	70.0%	State: 65.2%	State: 67.6%	State: 71.8%	State: 75.3%
								2012 National Medicaid 90th percentile	2014 National Medicaid 90th percentile	High CCO: 88.9%	High CCO: 81.0%	High CCO: 100.0%	High CCO: 87.5%	
										Low CCO: 57.1%	Low CCO: 51.2%	Low CCO: 59.8%	Low CCO: 60.0%	

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
	Screening for clinical depression and follow-up plan (NQF 0418)	√	√	√		√	N/A	Reporting only in CY 2013.		25.0%	N/A	N/A	State: 27.9%	State: 37.4%
	*Mental, physical, and dental health assessment within 60 days for children in DHS custody	√	√				53.6%	90%	MN method with 3% floor.	90%	State: 53.6%	State: 63.5%	State: 27.9%	State: 58.4%
	*Follow-up care for children prescribed ADHD meds (NQF 0108)	√				√	Initiation: 52.3%	Initiation: 51%	MN method	N/A	Initiation: State: 52.3%	Initiation: State: 53.3%	Initiation: State: 57.7%	Initiation: State: 61.6%
							C&M: 61.0%	C&M: 63.0%			High CCO: 88.9%	High CCO: 70.8%	High CCO: 70.3%	High CCO: 77.3%
								Medicaid 2012 NCQA National 90th percentile			Low CCO: 33.3%	Low CCO: 43.5%	Low CCO: 45.6%	Low CCO: 54.7%
										C&M: State: 61.0%	C&M: State: 61.6%	C&M: State: 60.8%	C&M: State: 68.9%	
										High CCO: 100%	This measure cannot be reported at the CCO	This measure cannot be reported at the CCO	This measure cannot be reported at the CCO	High CCO: 100.0%
										Low CCO: 29.4%				

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
											level for 2013.	the CCO level for 2014.	Low CCO: 53.5%	
Improving perinatal and maternity care	*Prenatal and postpartum care: Timeliness of Prenatal Care (NQF 1517)	√			√	√	65.3% using admin data only.	69.4% 2012 National Medicaid 75th percentile: (adjustment factor applied to account for difference between admin data and hybrid rates)	MN method with 3% floor.	90.0% 2014 National Medicaid 75th percentile:	State: 65.3% High CCO: 77.0% Low CCO: 47.7%	State: 67.3% High CCO: 78.3% Low CCO: 56.0%	State: 82.9% High CCO: 96.9% Low CCO: 56.0%	State: 84.7% High CCO: 92.3% Low CCO: 72.3%
	*Prenatal and postpartum care: postpartum care rate (NQF 1517)			√		√	40.0% using admin data only	43.1% 2012 National Medicaid 75th percentile (adjustment factor applied)	N/A	N/A	State: 40.0% High CCO: 47.1% Low CCO: 22.6%	State: 33.4% This measure cannot be reported at the CCO level for 2013.	State: 57.7% High CCO: 80.2% Low CCO: 24.5%	State: 51.0% High CCO: 74.8% Low CCO: 10.6%
	PC-01: Elective delivery (NQF 0469) Lower score is better.	√		√		√	10.1%	5% or below.	N/A	N/A	State: 10.1% High CCO: 14.9%	State: 2.6% High CCO: 4.3%	State: 2.3% High CCO: 3.9%	State: 1.9% High CCO: 3.1%

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting					
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015	
										Low CCO: 7.2%	Low CCO: 0.2%	Low CCO: 0.0%	Low CCO: 0.0%		
Reducing preventable re-hospitalizations	*Follow-up after hospitalization for mental illness (NQF 0576)	√	√	√	√	√	65.2%	68.0% 2012 National Medicaid 90th percentile	MN method with 3% floor.	70.0% 2014 National Medicaid 90th percentile	State: 65.2% High CCO: 88.9% Low CCO: 57.1%	State: 67.6% High CCO: 81.0% Low CCO: 51.2%	State: 71.8% High CCO: 100.0% Low CCO: 59.8%	State: 75.3% High CCO: 87.5% Low CCO: 60.0%	
	*Ambulatory Care: Outpatient (OP) and Emergency Department (ED) utilization. Lower score is better for ED utilization.	√	√			√	√	ED: 61.0/1,000mm OP: 364.2/1,000mm	ED: 44.1 / 1,000mm OP: 439/1,000mm 2011 National Medicaid 90th percentile	MN method with 3% floor.	ED: 39.4/1,000mm or below OP: n/a 2014 National Medicaid 90th percentile	ED State: 61.0/1,000mm High CCO: 86.2/1,000mm Low CCO: 55.4/1,000mm OP State: 364.2/1,000mm High CCO: 412.3/1,000mm	ED State: 50.5/1,000mm High CCO: 74.3/1,000mm Low CCO: 31.6/1,000mm OP State: 323.5/1,000mm High CCO: 345.7/1,000mm	ED State: 47.3/1,000mm High CCO: 64.7/1,000mm Low CCO: 34.4/1,000mm OP State: 297.5/1,000mm High CCO: 345.7/1,000mm	ED State: 43.1/1,000mm High CCO: 61.8/1,000mm Low CCO: 29.2/1,000mm OP State: 290.0/1,000mm High CCO: 361.5/1,000mm

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
										Low CCO: 296.6/1,000mm	Low CCO: 267.4/1,000mm	Low CCO: 249.2/1,000mm	Low CCO: 231.1/1,000mm	
	*Plan all-cause readmission (NQF 1768) Lower score is better.		√		√	√	12.3%	10.5% Average of Commercial and Medicare 75th percentiles	n/a	n/a	State: 12.3% High CCO: 14.6% Low CCO: 8.7%	State: 11.7% High CCO: 13.6% Low CCO: 6.6%	State: 11.4% High CCO: 13.3% Low CCO: 5.4%	State: 8.6% High CCO: 10.8% Low CCO: 5.5%
Ensuring appropriate care is delivered in appropriate settings	*Ambulatory Care: Outpatient and ED utilization Lower score is better for ED utilization.	√	√		√	√	ED: 61.0/1,000mm OP: 364.2/1,000mm	ED: 44.1 / 1,000mm OP: 439/1,000mm 2011 National Medicaid 90th percentile	MN method with 3% floor.	ED: 39.4/1,000mm OP: n/a National Medicaid 90th percentile	ED State: 61.0/1,000mm High CCO: 86.2/1,000mm Low CCO: 55.4/1,000mm OP State: 364.2/1,000mm High CCO: 412.3/1,000mm	ED State: 50.5/1,000mm High CCO: 74.3/1,000mm Low CCO: 31.6/1,000mm OP State: 323.5/1,000mm High CCO: 345.7/1,000mm	ED State: 47.3/1,000mm High CCO: 64.7/1,000mm Low CCO: 34.4/1,000mm OP State: 297.5/1,000mm High CCO: 345.7/1,000mm	ED State: 43.1/1,000mm High CCO: 61.8/1,000mm Low CCO: 29.2/1,000mm OP State: 290.0/1,000mm High CCO: 361.5/1,000mm

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014
										Low CCO: 296.6/1,00mm	Low CCO: 267.4/1,000mm	Low CCO: 249.2/1,000mm	Low CCO: 231.1/1,000mm
Improving primary care for all populations	Colorectal cancer screening 2011 and 2013 measure specifications modified to identify unique members receiving colorectal cancer screening in 12 month period, reported per 1,000 member months (mm). 2014 measure will use HEDIS hybrid specifications	√			√	15.8/1,000mm using admin data only.		n/a 3% improvement only	47.0% Metrics & Scoring Committee consensus	State: 15.8/1,000mm admin data only. High CCO: 21.3/1,000mm Low CCO: 5.1/1,000mm	State: 11.4/1,000mm High CCO: 15.7/1,000mm Low CCO: 7.2/1,000mm	State: 46.2% High CCO: 54.0% Low CCO: 29.7%	State: 46.6% High CCO: 52.7% Low CCO: 36.0%

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting					
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015	
	Patient-Centered Primary Care Home Enrollment	√				√	51.8% (2012)	100% (Tier 3)	The % of dollars available to each CCO for this measure will be tied to the % of enrollees in PCPCH, based on formula.	The % of dollars available to each CCO for this measure will be tied to the % of enrollees in PCPCH, based on formula.	State: 51.8% (2012) High CCO: 94.4% (2012) Low CCO: 3.7% (2012)	State: 78.6% High CCO: 95.6% Low CCO: 41.8%	State: 81.0% High CCO: 99.0% Low CCO: 60.7%	State: 87.5% High CCO: 99.9% Low CCO: 73.5%	
	* Developmental screening in the first 36 months of life (NQF 1448)	√	√			√	√	20.9% using admin data only.	50% Metrics & Scoring Committee consensus	MN method.	50% Metrics & Scoring Committee consensus	State: 20.9% High CCO: 67.1% Low CCO: 0.2%	State: 33.1% High CCO: 62.7% Low CCO: 16.8%	State: 42.6% High CCO: 72.2% Low CCO: 23.9%	State: 54.7% High CCO: 84.1% Low CCO: 36.2%
	* Well-child visits in the first 15 months of life (NQF 1392)					√	√	68.3%	77.3% 2012 National Medicaid 90th percentile	n/a	n/a	State: 68.3% High CCO: 81.3% Low CCO: 45.0%	State: 60.9% High CCO: 75.3% Low CCO: 33.3%	State: 61.8% High CCO: 77.2% Low CCO: 53.9%	State: 63.7% High CCO: 73.9% Low CCO: 52.7%

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
													Data have been corrected.	
	*Adolescent well-care visits (NCQA)	√			√	√	27.1% (admin data only)	53.2% 2011 National Medicaid 75th percentile (admin data only)	MN method with 3% floor.	62.0% 2014 National Medicaid 75th percentile (admin data only)	State: 27.1% High CCO: 31.9% Low CCO: 20.7%	State: 29.2% High CCO: 43.4% Low CCO: 20.5%	State: 32.0% High CCO: 45.6% Low CCO: 19.4%	State: 37.5% High CCO: 46.2% Low CCO: 22.3%
	Childhood immunization status (NQF 0038)				√	√	66.0% (Combo 2)	82.0% 2012 National Medicaid 75th percentile (combo 2)	n/a	n/a	State: 66.0% High CCO: 73.1% Low CCO: 58.0%	State: 65.3% High CCO: 74.5% Low CCO: 49.0%	State: 67.8% High CCO: 78.5% Low CCO: 58.2%	State: 70.7% High CCO: 63.5% Low CCO: 55.5%
	Immunization for adolescents (NQF 1407)				√	√	49.2% (Combo 1)	70.8% 2012 National Medicaid 75th percentile (combo 1)	n/a	n/a	State: 49.2% High CCO: 57.2% Low CCO: 31.6%	State: 52.9% High CCO: 60.3% Low CCO: 29.6%	State: 55.1% High CCO: 68.8% Low CCO: 33.3%	State: 64.0% High CCO: 74.6% Low CCO: 40.6%
	Appropriate testing for children with				√	√	73.7%	76.0%	n/a	n/a	State: 73.7%	State: 72.8%	State: 74.2%	State: 77.4%

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014
	pharyngitis (NQF 0002)						2012 National Medicaid 75th percentile			High CCO: 90.7%	High CCO: 90.4%	High CCO: 87.2%	High CCO: 90.5%
	Medical assistance with smoking and tobacco use cessation (CAHPS) (NQF 0027)			√	√	1: 50.0% of adult tobacco users on Medicaid reported being advised to quit by their Dr; 2: 24.0% reported their Dr discussed or recommended medications with them; 3: 22.0% reported their Dr discussed strategies to quit smoking with them	2012 National Medicaid benchmark 90th percentile: Component 1: 81.4% Component 2: 50.7% Component 3: 56.6%	n/a	n/a	State: 1: 50.0% 2: 24.0% 3: 22.0% High CCO: 1: 61% 2: 34% 3: 27% Low CCO: 1: 45% 2: 19% 3: 16%	State: 1: 55.0% 2: 28.9% 3: 23.6% High CCO: 1: 61.5% 2: 41.9% 3: 30.1% Low CCO: 1: 43.9% 2: 16.8% 3: 17.8%	State: 1: 51.4% 2: 27.5% 3: 23.6% High CCO: 1: 61.6% 2: 41.4% 3: 34.3% Low CCO: 1: 42.4% 2: 17.4% 3: 12.4%	State: 1: 49.6% 2: 26.9% 3: 23.1% High CCO: 1: 59.8% 2: 37.1% 3: 30.3% Low CCO: 1: 42.0% 2: 18.3% 3: 16.9%

Focus Area	Measure Sets						Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
						(CAHPS 2011)								
Deploying care teams to improve care and reduce preventable of unnecessarily costly utilization by super users	*Ambulatory Care: Outpatient and ED utilization	√	√		√	√	ED: 61.0/1,000mm OP: 364.2/1,000mm	ED: 44.1 / 1,000mm OP: 439/1,000mm 2011 National Medicaid 90th percentile	MN method with 3% floor.	ED: 39.4/1,000mm OP: n/a 2014 National Medicaid 90th percentile	ED State: 61.0/1,000mm High CCO: 86.2/1,000mm Low CCO: 55.4/1,000mm OP State: 364.2/1,000mm High CCO: 412.3/1,000mm Low CCO: 296.6/1,000mm	ED State: 50.5/1,000mm High CCO: 74.3/1,000mm Low CCO: 31.6/1,000mm OP State: 323.5/1,000mm High CCO: 345.7/1,000mm Low CCO: 267.4/1,000mm	ED State: 47.3/1,000mm High CCO: 64.7/1,000mm Low CCO: 34.4/1,000mm OP State: 297.5/1,000mm High CCO: 345.7/1,000mm Low CCO: 249.2/1,000mm	ED State: 43.1/1,000mm High CCO: 61.8/1,000mm Low CCO: 29.2/1,000mm OP State: 290.0/1,000mm High CCO: 361.5/1,000mm Low CCO: 231.1/1,000mm
Addressing discrete health issues (such as asthma,	Controlling high blood pressure (NQF 0018)	√		√		√	0%	Reporting only in CY 2013.		64.0% 2014 National Medicaid 75th percentile	0%	N/A	State: 64.6% High CCO: 72.5%	State: 64.7% High CCO: 71.3%

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
diabetes, hypertension) within a specific geographic area by harnessing and coordinating a broad set of resources, including CHW.												Low CCO: 52.2%	Low CCO: 59.1%	
	*Comprehensive diabetes care: LDL-C Screening (NQF 0063)			√		√	67.2%	80% 2012 National Medicaid 75th percentile	N/A	N/A	State: 67.2% High CCO: 73.1% Low CCO: 55.2%	State: 70.1% High CCO: 74.2% Low CCO: 61.5%	State: 67.8% High CCO: 75.3% Low CCO: 50.2%	State: 66.7% High CCO: 70.1% Low CCO: 58.4%
	*Comprehensive diabetes care: Hemoglobin A1c testing (NQF 0057)			√		√	78.5%	86% 2012 National Medicaid 75th percentile	N/A	N/A	State: 78.5% High CCO: 86.4% Low CCO: 63.6%	State: 79.3% High CCO: 83.0% Low CCO: 76.8%	State: 80.8% High CCO: 85.0% Low CCO: 61.0%	State: 83.2% High CCO: 86.9% Low CCO: 73.4%
	Diabetes: HbA1c Poor Control (NQF 0059)	√				√	0%	Reporting only in CY 2013.		34.0% or below 2014 National Medicaid 75th percentile	0%	N/A	State: 21.8% High CCO: 32.9% Low CCO: 11.5%	State: 26.7% High CCO: 33.9% Low CCO: 11.4%
	*PQI 01: Diabetes, short term complication		√	√		√	192.9 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 192.9 Low CCO: 109.0	State: 211.5 Low CCO: 16.7	State: 144.3 Low CCO: 46.7	State: 140.9 Low CCO: 70.1

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
	admission rate (NQF 0272) Lower is better									High CCO: 360.8	High CCO: 417.3	High CCO: 275.7	High CCO: 312.6	
	*PQI 05: Chronic obstructive pulmonary disease admission (NQF 0275) Lower is better		√	√		√	454.6 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 454.6 Low CCO: 292.5 High CCO: 821.1	State: 308.1 Low CCO: 42.9 High CCO: 602.6	State: 436.6 Low CCO: 201.6 High CCO: 834.6	State: 411.9 Low CCO: 223.6 High CCO: 739.9
	*PQI 08: Congestive heart failure admission rate (NQF 0277) Lower is better		√	√		√	336.9 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 336.9 Low CCO: 177.2 High CCO: 611.9	State: 247.0 Low CCO: 101.4 High CCO: 411.4	State: 204.8 Low CCO: 59.2 High CCO: 343.5	State: 234.0 Low CCO: 56.2 High CCO: 362.3
	*PQI 15: Adult asthma admission rate (NQF 0283) Lower is better		√	√		√	53.4 / 100,000 member years	10% reduction from baseline	n/a	n/a	State: 53.4 Low CCO: 16.1 High CCO: 180.3	State: 43.6 Low CCO: 0.0 High CCO: 70.2	State: 54.2 Low CCO: 13.5 High CCO: 163.1	State: 48.4 Low CCO: 0.0 High CCO: 141.8

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
Improving access to effective and timely care	CAHPS 4.0 – Adult questionnaire (including cultural competency and health literacy modules).	√	√	√		√	Access to Care OR adult baseline: 79% OR child baseline 87% OR average: 83%	Access to Care 2012 National Medicaid adult 75th percentile: 83.63% 2012 National Medicaid child 75th percentile: 90.31% National average: 86.97%	Access to Care OR adult baseline: 79% OR child baseline 88% OR average: 83.5%	Access to Care 87.2% 2014 National average of Medicaid 75th percentiles for adults and children	Access to Care Adult: 79% Child: 87% Avg: 83% High CCO: Adult: 85% Child: 94% Avg: 90% Low CCO: Adult: 73% Child: 81% Avg: 81% Note: OHA cannot report on all CCOs for this measure – CAHPS 2011 was sampled for old managed care orgs – not current CCOs.	Access to Care Adult: 80.1% Child: 87.1% Avg: 83.6%	Access to Care Adult: 80.1% Child: 87.6% Avg: 83.8%	Access to Care Adult: 80.6% Child: 88.7% Avg: 83.8%
	CAHPS 4.0H (child version including Medicaid and children with	√	√			√								

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting					
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015	
	chronic conditions supplemental items).														
	Chlamydia screening in women ages 16-24 (NQF 0033)			√	√	√	59.9%	63.0% 2012 National Medicaid 75th percentile	n/a	n/a	State: 59.9% High CCO: 65.8% Low CCO: 49.6%	State: 54.4% High CCO: 62.3% Low CCO: 41.5%	State: High CCO: Low CCO:	State: High CCO: Low CCO:	
	*Cervical cancer screening (NQF 0032)			√		√	56.1%	74.0% 2012 National Medicaid 75th percentile	n/a	n/a	State: 56.1% High CCO: 59.8% Low CCO: 47.5%	State: 53.3% High CCO: 58.9% Low CCO: 40.5%	State: 43.2% High CCO: 54.1% Low CCO: 35.9%	State: 47.1% High CCO: 52.8% Low CCO: 33.4%	
	*Child and adolescent access to primary care practitioners (NCQA)					√	√	12-24 mos 97.4% 25 mos – 6 years 86.2% 7-11 yrs 88.2% 12-19 yrs 88.9%	12-24 mos 98.2% 25 mos – 6 years 91.6% 7-11 yrs 93.0%	n/a	n/a	12-24 mos State: 97.4% High CCO: 99.0% Low CCO: 96.2% 25 mos – 6 years State: 86.2%	12-24 mos State: 96.4% 25 mos-6 years State: 84.3%	12-24 mos State: 92.5% 25 mos-6 years State: 82.3%	12-24 mos State: 94.6% High CCO: 97.8% Low CCO: 92.8% 25 mos-6 years State: 86.7%

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
						All ages 88.5%	12-19 yrs 91.7%			High CCO: 88.8%				High CCO: 88.1%
							All ages n/a			Low CCO: 83.5%				Low CCO: 83.6%
							2011 National Medicaid 75th percentile			7-11 yrs State: 88.2%	7-11 yrs State: 87.2%	7-11 yrs State: 87.4%	7-11 years State: 90.1%	
										High CCO: 91.4%				High CCO: 91.6%
										Low CCO: 86.0%				Low CCO: 86.1%
										12-19 yrs State: 88.9%	12-19 yrs State: 87.6%	12-19 yrs State: 87.4%	12-19 years State: 90.6%	
										High CCO: 92.3%				High CCO: 92.0%
										Low CCO: 86.9%				Low CCO: 88.1%
										All ages State: 88.5%	All ages State: 87.0%	All ages State: 86.0%	All ages State: 89.5%	
											CCO data not available for 2013.	CCO data not available for 2014.	High CCO: 90.6%	Low CCO: 87.4%
	Provider Access				√	In 2012:	TBD	n/a	n/a	In 2012:	N/A. OHA is fielding a	In 2014:	In 2014:	

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
	<p>Questions from the Physician Workforce Survey:</p> <p>To what extent is your primary practice accepting new Medicaid/OHP patients? (include: completely closed, open with limitations, and no limitations).</p> <p>Do you currently have Medicaid/OHP patients under your care?</p> <p>What is the current payer mix at your primary practice?</p>					<p>86.3% of Oregon's physicians accepted new Medicaid patients with no or some limitations</p> <p>86.9% of physicians have Medicaid patients.</p> <p>Medicaid/OHP represented 17% of current payer mix at primary practice.</p>				<p>86.3%</p> <p>86.9%</p> <p>17%</p> <p>Baseline revised to include all providers, not just PCPs.</p> <p>This measure cannot be reported by CCO.</p>	<p>physician workforce survey in 2014 to be able to report on this measure.</p>	<p>94.3%</p> <p>88.9%</p> <p>23%</p>	<p>1) 87.9%</p> <p>2) 89.0%</p> <p>3) 31.5%</p>	
	Screening for depression and													

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
	follow up plan (see above)													
	*SBIRT (see above)													
	*Mental and physical health assessment for children in DHS custody (see above)													
	*Follow-up care for children on ADHD medication (see above)													
	*Timeliness of prenatal care (see above)													
	Colorectal cancer screening (see above)													
	PCPCH enrollment (see above)													
	*Develop-													

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting				
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014	Final CY 2015
	mental screening by 36 months (see above)													
	*Adolescent well child visits (see above)													
Addressing patient satisfaction with health plans	CAHPS 4.0 – Adult questionnaire (including cultural competency and health literacy modules).	√	√	√		√	Satisfaction with Care OR adult baseline: 76% OR child baseline: 80% OR average: 78%	Satisfaction with Care 2012 National Medicaid adult 75thpercentile: 83.19% 2012 National Medicaid child 75thpercentile: 84.71% National average: 83.95%	Satisfaction with Care OR adult baseline: 76% OR child baseline: 80% OR average: 78%	Satisfaction with Care 89.6% 2013 National average of Medicaid 75th percentiles for adults and children	Adult: 76% Child: 80% Avg: 87% High CCO: Adult: 81% Child: 86% Avg: 83% Low CCO: Adult: 65% Child: 72% Avg: 70%	Adult: 82.1% Child: 84.1% Avg: 83.1% High CCO: Avg: 88.2% Low CCO: Avg: 79.5%	Adult: 83.9% Child: 85.4% Avg: 84.6 % High CCO: Avg: 89.2% Low CCO: Avg: 82.1 %	
	CAHPS 4.0H (child version including Medicaid and children with chronic conditions supplemental items).	√	√			√								

Focus Area	Measure Sets					Quality and Access 'Test'		CCO Incentive Targets		Reporting			
	Measures	CCO Incentive Measures	1115 Demonstration Core Performance Measures	CMS Medicaid Adult Core Measures	CMS CHIPRA Core Measures	Oregon Quality & Access 'Test' Measures	2011 Baseline	2013 Benchmark	Improvement from Baseline Target	2015 Benchmark Target	Baseline CY 2011	Final CY 2013	Final CY 2014
Meaningful Use	EHR adoption See revised documentation online at www.oregon.gov/oha/Pages/CO-Baseline-Data.aspx	√				28.0%	49.2% 2014 Federal benchmark for Medicaid.	Minnesota Method	72.0% Metrics & Scoring Committee consensus, based on highest performing CCO in July 2013.	State: 28.0% High CCO: 35% Low CCO: 12%	State: 59.0% High CCO: 77.2% Low CCO: 46.0% As of April 2014	State: 67.7% High CCO: 100.0% Low CCO: 57.4%	

* These measures are reported quarterly

** The Minnesota Department of Health's Quality Incentive Payment System requires participants to have had at least a 10 percent reduction in the gap between its prior year's results and the performance target goal to qualify for incentive payments. For example, a health plan's current rate of mental health assessments is 45% and Oregon has set the performance goal at 90%. The difference between the plan's baseline and the performance target is 45%. The plan must reduce the gap by 10% to be eligible for payment; therefore the plan must improve their rate of mental health assessments by 4.5%, bringing their total rate to 49.5% before they are eligible for payment. In cases where the MN method results in required improvement rates of less than 3%, the health plan must achieve at least 3% improvement to be eligible for the incentive payment. Additional details on the MN method are available online at: <http://www.health.state.mn.us/healthreform/measurement/QIPReport051012final.pdf>.