

ASAM CONTINUUM™ NARRATIVE REPORT

NOTE: This report contains an automated narrative summary of the patient's condition, derived from selected structured interview items. This instrument is not a replacement for individual provider assessment and sound clinical judgment. ASAM and FEi Systems assume no direct or indirect liability for improper care or negative outcomes that may ensue from the use of this instrument. Consider your patient's needs carefully, using this instrument as one of many clinical tools in your determination of proper care. The Criteria may not encompass all levels and types of services which may be available in a changing health care field. Therefore, the Criteria may not be wholly relevant to all levels and modalities of care.

Interviews conducted by non-medical/non-nursing personnel or via telehealth audio or video will contain more patient self-reported data. Subjective information may alter conclusions or recommendations; therefore, additional clinical assessment may be needed.

This summary is based on the patient's self-report regarding lifetime and recent Medical, Employment, Alcohol, Drug, Legal, Family/Social and Psychiatric involvement and/or problems. Included in each of these sections is the interviewer's severity rating, suggesting the client's need for treatment (or additional treatment beyond what the patient is already receiving). This is based on the information provided by the client and other sources as available at the time.

Class of Assessment:

Intake

Interview Was Conducted:

In person

ASAM CONTINUUM Assessment

IDENTIFYING INFORMATION

Preferred Name: DOB: 5/12/1971
Name: Henry W Gender Identity:
Race: Decline to Answer Pronouns:
Ethnicity: Decline to Answer

GENERAL INFORMATION SECTION

The following is a clinical summary based on an in-person interview with Henry, on 3/18/2022.

Henry is 50 years old. He states his ethnicity as Decline to Answer and his race as Decline to Answer. Henry has not spent any time in any kind of a controlled environment in the past 30 days. Therefore his ability to use alcohol, or other drugs and have interaction with his family and/or others has not been compromised for the reporting period of the past 30 days. He has lived at his current address for approximately 3 years. Neither the client nor his family owns this residence.

MEDICAL SECTION

Medical History

Henry has been hospitalized for medical problems 3 times. His most recent hospitalization was in the past month. He has a chronic medical problem and is prescribed medications for this problem. Henry specified "hypertension; diabetes" as the chronic medical problem(s). He specified "metformin" as the prescribed medication. He does not receive any financial compensation for physical disabilities.

Additional medical problems noted by interviewer:
hypertension; diabetes .

Client Perception of Severity of Medical Problems and Desire for Treatment

Henry experienced symptoms on 15 of the past 30 days.

Interviewer Impressions and Recommendations - Medical

Name: **Henry W**
Provider Patient ID:
ASAM CONTINUUM Assessment

Interviewer: **continuumdemo1@asam.org**
Assessment Start: **3/18/2022 2:22 PM EST**
Assessment End: **3/18/2022 4:10 PM EST**

It is my impression that Henry understood all of the questions, and that he did not deliberately misrepresent his medical information. Henry has a medical problem of substantial concern, and help obtaining appropriate treatment is necessary at this time.

Interviewer Comments

Patient has had immediate medical conditions stabilized in the hospital.

EMPLOYMENT SECTION

Employment History

He has been unemployed for the majority of the past three years. Henry's longest full time job lasted for 10 years. He specified "book keeper" as the usual or last occupation.

Current Financial Resources

Henry has not worked or received income from employment in the past 30 days. He has not received any income from welfare, unemployment compensation, or pensions/benefits/SSI in the past 30 days. He has received \$50.00 cash in the past month from family or friends. Henry says that he has not made any money illegally in the past month. Henry has no dependents that he supports financially. A friend or family member contributes some form of support.

Education, Training and Resources

He completed 14 years of traditional schooling obtaining a high school diploma and taking some college level courses as well as receiving 24 months of technical or vocational training. Henry has the skill base necessary to acquire a job. He does not have a valid drivers license or a car available.

Client Perception of Severity of Employment Problems and Desire for Treatment

Overall, he reports having 30 days of employment related problems in the past 30, and is extremely troubled by employment related issues. Obtaining treatment for employment difficulties is profoundly important to Henry.

Interviewer Impression and Recommendations - Employment

It is my impression that Henry understood all of the questions, and that he did not deliberately misrepresent this information. Henry has an employment problem of substantial concern, and help is necessary at this time.

Interviewer Comments

The interviewer did not have any comments for this section.

ALCOHOL & DRUG SECTION

Lifetime Alcohol Use

Henry reports alcohol use for a period of approximately 34 years during his lifetime. Henry has used alcohol to intoxication for a period of approximately 11 years in his lifetime. He maintains he has had alcohol-related delirium tremens (DTs) 5 times in his life.

Past 30-Day Alcohol Use

Henry reports alcohol use for a total of 28 day(s) of the past 30 days. Henry reports alcohol use to intoxication for a total of 27 day(s) of the past 30 days. He reports having spent \$100.00 on alcohol in the past 30 days.

Lifetime Drug Use

He has never overdosed, either intentionally or unintentionally, on drugs.

Past 30-Day Drug Use

In the past 30 days, Henry reports that he spent \$150.00 on other drugs.

Alcohol and Drug Treatment History

Henry has received treatment once, not limited to withdrawal management, for alcohol problems. Henry's last period of continuous abstinence from alcohol lasted for 14 months, ending approximately 84 months ago. He has not received any outpatient treatment, including attendance at AA, NA, or CA, for any drug or alcohol problems in the past 30 days.

Client Perception of Severity of Alcohol and Drug Problems and Desire for Treatment

Henry experienced alcohol problems on 1 of the past 30 days, and is moderately bothered by these problems. Obtaining alcohol treatment is of some importance to Henry. Henry experienced drug related problems on 1 of the past 30 days, and is moderately bothered by these problems. Obtaining drug treatment is of some importance to Henry.

Interviewer Impressions and Recommendations - Alcohol and Drugs

It is my impression that Henry understood all of the questions, and that he did not deliberately misrepresent information about his drug or alcohol use and history. Currently, alcohol is his most significant substance use problem. He has a profound alcohol problem, help obtaining appropriate treatment is absolutely necessary and should be prioritized at this time. He has a minor drug problem or concern, but treatment does not appear necessary.

Name: **Henry W**
Provider Patient ID:
ASAM CONTINUUM Assessment

Interviewer: **continuumdemo1@asam.org**
Assessment Start: **3/18/2022 2:22 PM EST**
Assessment End: **3/18/2022 4:10 PM EST**

Interviewer Comments

The interviewer did not have any comments for this section.

LEGAL SECTION

History of Charges and Arrests

In addition, he was arrested and charged with several other crimes. Henry was charged with disorderly conduct, vagrancy, or public intoxication 3 times.

Current Legal Involvement

He is not awaiting any type of charges, trial, or sentencing. He is not on probation or parole.

Client Perception of Severity of Legal Problems and Desire for Treatment

Henry reports that his legal problems are not serious, and that help obtaining counseling for legal problems is not important to him.

Interviewer Impressions and Recommendations - Legal

It is my impression that Henry understood all of the questions, and that he did not deliberately misrepresent his legal information. He appears to have no need of help obtaining legal counseling at this time.

Interviewer Comments

The interviewer did not have any comments for this section.

FAMILY/SOCIAL SECTION

Marital and Living Situation for Majority of the Past Three Years

Henry is currently divorced, and is generally dissatisfied with this situation. Henry has been divorced for about 5 years. Henry has lived alone, and in numerous places for most of the past three years, and has generally been dissatisfied with this situation. Henry has recently been in this living arrangement for about 3 years.

Recovery Environment and Social Contacts

Henry reports that in the past 4 months he has had close relationships with his other significant family. Henry states that his current living arrangement will promote treatment and recovery. Henry currently spends most of his free time alone, and appears fairly indifferent toward this situation. He reports having 2 close friends on whom he can rely.

Relationship Problems Lifetime

In his lifetime, he has had significant problems getting along with his partner. In his lifetime, he has not had or reported any serious problems getting along with either his mother or father (or this relationship is not applicable). He has not had or reported serious problems getting along with other significant family members in his lifetime (or this relationship is not applicable). He has not had or reported any significant problems getting along with either siblings or close friends (or this relationship is not applicable). He has not had or reported any serious problems getting along with either neighbors or co-workers (or this relationship is not applicable).

Relationship Problems Past Thirty Days

He has not had any significant problems with family members or friends in the past 30 days. In the past 30 days, he has not had significant problems getting along with his partner. In the past 30 days, he has not had or reported any serious problems with either his mother or father (or this relationship is not applicable). He has not had or reported significant problems getting along with either siblings or close friends (or this relationship is not applicable). He has not had or reported serious problems getting along with either neighbors or co-workers recently (or this relationship is not applicable). Henry has not experienced any recent emotional, physical, or sexual abuse.

Client Perception of Severity of Family and Social Problems and Desire for Treatment

Overall, he reports experiencing no family problems, however, he does report that family issues are moderately troublesome to him. Nonetheless, help obtaining treatment for family difficulties is slightly important to him. He reports experiencing no problems with others and is not troubled or bothered by social issues. Consequently, help obtaining treatment for social related difficulties is not important to Henry.

Name: Henry W
Provider Patient ID:
ASAM CONTINUUM Assessment

Interviewer: continuumdemo1@asam.org
Assessment Start: 3/18/2022 2:22 PM EST
Assessment End: 3/18/2022 4:10 PM EST

Interviewer Impressions and Recommendations - Family and Social

It is my impression that Henry understood all of the questions, and that he did not deliberately misrepresent this information. Henry has family or social problems of substantial concern, and help is necessary at this time.

Interviewer Comments

The interviewer did not have any comments for this section.

PSYCHIATRIC SECTION

Serious Emotional and Psychological Problems - Lifetime

Henry has a past history of psychiatric symptoms in his lifetime, including serious problems with depression and anxiety. Henry acknowledges thinking seriously about, and attempting suicide. Henry has a past history of difficulty understanding or concentrating, he does not acknowledge a history of violent behavior. Henry has been prescribed medications for psychological difficulties in his lifetime. He does not have a history of inpatient treatment for psychological or emotional problems, however, he has been treated once on an outpatient basis. He does not receive any financial compensation for a psychiatric disability.

Client Perception of Severity of Emotional and Psychological Problem and Desire for Treatment

Henry has had problems with depression in the past 30 days, and he was moderately depressed at the time of the interview. Although Henry denied experiencing any anxiety in the past 30 days, he was moderately anxious at the time of the interview. Henry has not experienced suicidal ideation in the past 30 days and did not appear to be having suicidal thoughts at the time of the interview. Henry has not attempted suicide in the past 30 days. Henry has had trouble understanding or concentrating in the past 30 days, he was not noticeably having trouble with memory/comprehension at the time of the interview. Henry was not hostile at the time of the interview. Henry did not appear to be experiencing symptoms of a thought disorder at the time of the interview. Henry has not been prescribed psychotropic medications in the past 30 days. Henry experienced psychological or emotional problems on 15 of the past 30 days, and is bothered by them. Obtaining psychological or emotional treatment is of moderate importance to him.

Interviewer Impressions and Recommendations - Psychiatric


It is my impression that Henry understood all of the questions, and that he did not deliberately misrepresent his psychological/emotional information. Henry has a psychological or emotional problem of substantial concern, and help obtaining appropriate treatment is necessary at this time.

Interviewer Comments

The interviewer did not have any comments for this section.

PATIENT PERCEPTION

The following is a graph showing the patient's perception of his problems, column A, and his desire for treatment, column B.




ADDICTION SEVERITY INDEX COMPOSITE SCORES

The ASI Composite scores rate severity in seven areas of the patient's life. Analysis of his ASI responses revealed the following composite scores:

(NOTE: The same score in different ASI Composite Subscales does not necessarily denote a similar extent of severity.)

ASI Composite Scores

Category	Value
Medical	0.167
Employment	0.000
Alcohol	0.482
Drug	0.060
Legal	0.000
Family and Social	0.350
Psychiatric	0.114



GAF SCORE

<u>Score Range</u>	<u>Patient Score</u>	<u>Description</u>
50 - 41	50	Serious symptoms (e.g., suicidal ideation, severe obsessional rituals, frequent shoplifting) OR any serious impairment in social, occupational, or school functioning (e.g., no friends, unable to keep a job).

FINAL LEVEL OF CARE RECOMMENDATIONS

Henry should be considered for each of the following services. The treatment team should consider his history carefully and provide the patient with the level of care and services that best suit his presentation.

1. The patient may require initial treatment in a Level 3.7-WM -- medically monitored inpatient withdrawal management program.

- Henry meets the criteria to be admitted to a Level 3.7 medically monitored intensive inpatient Co-Occurring Enhanced program as he appears to have active co-occurring emotional, behavioral, or cognitive needs and/or risks that may need further evaluation and treatment or treatment revision.

ACTUAL LEVEL OF CARE

Item ID	Item Statement
Rvw14	Category of primary final disposition (i.e., where the patient is actually being sent to treatment) Level 3.7 - Medically Monitored Intensive Inpatient Treatment
Rvw14a	Category of secondary or additional final disposition(s) (i.e., where the patient is actually being sent to treatment): Level 3.7-WM - Medically Monitored Inpatient Withdrawal Management
Rvw00	Reason for disagreement between your (Interviewer's) acceptable level(s) of care and ASAM CONTINUUM™ final recommended level(s) of care? Final disposition is, or is expected to be, same as recommended by ASAM Criteria
Rvw15	Sub-category of final disposition (i.e., where the patient is actually being sent to treatment) Co-Occurring Capable
Rvw16	Reason for final disposition (i.e., where the patient is actually being sent to treatment), if different from recommended Final disposition is, or is expected to be, same as recommended by ASAM Criteria
Rvw06	"Do you (patient) agree with the type of treatment you are being referred to?" [If no:] "Do you think you need less intensive, or more intensive treatment?" Patient agrees with Final LOC recommendation

REVIEW SECTION

Item ID	Item Statement
Rvw08	"Were you satisfied with the amount of time it took to complete this interview (not including waiting time)?" (Patient answer) Just about right
Rvw09	How would you rate the usefulness of this assessment? (Interviewer rating) Good

DIAGNOSTIC FINDINGS

DSM-5 DIAGNOSIS: SUBSTANCE USE DISORDER(S)

Name: **Henry W** Interviewer: **continuumdemo1@asam.org**
 Provider Patient ID: Assessment Start: **3/18/2022 2:22 PM EST**
 ASAM CONTINUUM Assessment Assessment End: **3/18/2022 4:10 PM EST**

Drug	☑ Criteria Met with severity based on 11 criteria	🕒 Last Use	⚠ Imminent Risk Of Withdrawal
Alcohol	Severe 9	2 days ago	☑
Nicotine products	Moderate 5	1 hour ago	☑

Specific Problematic Substance(s)

Alcohol	(whatever is on sale, usually vodka 1 pt a day)	
	<u>DSM-5 Criteria Met</u>	<u>DSM-5 Criteria Description</u>
	01	Often taken in larger amounts or longer than intended
	02	Persistent desire or unsuccessful efforts to cut down or control
	03	A great deal of time is spent to obtain, use, or recover
	04	Craving, or a strong desire or urge to use
	06	Continued use despite persistent or recurrent problems
	08	Recurrent use in situations in which it is physically hazardous
	09	Continued use despite causing or worsening a psychological or physical problem
	10	Tolerance (increased amounts or diminished effect)
	11	Withdrawal or use to relieve or avoid withdrawal

Nicotine products (kools or marlboro; 5-10 days)

	<u>DSM-5 Criteria Met</u>	<u>DSM-5 Criteria Description</u>
	02	Persistent desire or unsuccessful efforts to cut down or control
	04	Craving, or a strong desire or urge to use
	09	Continued use despite causing or worsening a psychological or physical problem
	10	Tolerance (increased amounts or diminished effect)
	11	Withdrawal or use to relieve or avoid withdrawal

PROBLEM LIST

ASAM DIMENSION 1 - ACUTE INTOXICATION AND/OR WITHDRAWAL POTENTIAL	
Item ID	Item Statement
ASd01-13b	Substance(s) used within the past 3 days: Alcohol, Nicotine
CIWA-Ttl	Sum of CIWA items 1-10: 13
ASd99	Is the patient experiencing significant withdrawal, or is there evidence that withdrawal is imminent? Consider substance intake, age, gender, previous withdrawal history, symptoms, physical, emotional, behavioral and cognitive conditions. Withdrawal (WD) OR evid. of imminent WD AND mod. risk of severe WD outside a program, but free of severe phys. & psych. complications AND would safely respond to several hours of meds & treatment

ASAM DIMENSION 2 - BIOMEDICAL CONDITIONS AND COMPLICATIONS	
Item ID	Item Statement
ASm03	Do you have any chronic medical problems which continue to interfere with your life? hypertension; diabetes
ASm04c	Do you have any medical problems or do you require any medication that might create difficulties during withdrawal or detox treatment? Not sure or possibly
ASm06	Medical problems in past 30 days? Cardiovascular (heart, circulation, heart attacks, or hypertension), Digestive, stomach, bowel, liver, pancreas, diabetes
ASm06i	Do you have any unsteadiness on your feet, problems with walking or balance, such that you could easily fall or have trouble getting around or using stairs? Unable to assess
ASm06j	Does the patient have any problems with ambulation or mobility that would make it difficult to attend treatment? Not sure or possibly
ASm06u	Are the patient's biomedical problems the complications of alcohol or drug use? Yes
ASm09	How would you rate the patient's need for medical treatment? Moderate problems require close outpatient follow-up (e.g. diabetes)
ASm09a	Is there a reemergence of acute symptoms that can be safely addressed only in a medically-monitored setting? Unable to assess

ASAM DIMENSION 2 - BIOMEDICAL CONDITIONS AND COMPLICATIONS	
Item ID	Item Statement
ASm12	Comments Patient has had immediate medical conditions stabilized in the hospital.

ASAM DIMENSION 3 - EMOTIONAL, BEHAVIORAL, OR COGNITIVE CONDITIONS AND COMPLICATIONS	
Item ID	Item Statement
ASp10a	Are you currently receiving the psychiatric care and services that you need? (Don't include any alcohol or drug service needs with this item) No
ASp12b	How difficult have these problems made it for you to work, take care of home, or get along with others? Moderately (some difficulty taking care of things)
ASp13	How important to you now is counseling for these psychological problems? Why? Moderately, psychological needs will require specialized psychiatric care
ASp13a	How might your emotional problems affect your efforts in recovery? Will hinder treatment/recovery participation
ASp19h	Is the patient able to safely access the community? for work, education, and other community resources? No or not applicable
ASp20a	Does the patient's current behavior seem inconsistent with reliable self-care, safety, or ability to participate in treatment? Yes
ASp20	INTERVIEWER SEVERITY RATING: How would you rate the patient's need for psychiatric/psychological treatment? Considerable problems & risk, especially if uses substances (e.g. history of impulsive suicidality, moderate dementia)

ASAM DIMENSION 4 - READINESS TO CHANGE	
Item ID	Item Statement
ASd24v	According to all available information, the patient: Is Ambivalent or unclear of plans
ASm08b	How might your physical health and function affect your ability to address your substance problems? Somewhat distracting from recovery
ASd24w	Do you have any concerns about pursuing treatment...? Would anything possibly hold you back, such as money, insurance, schedule, attending groups, having to take medicines, drug

ASAM DIMENSION 4 - READINESS TO CHANGE	
Item ID	Item Statement
	tests, or drinking or drug-using friends? Rejecting or obstructs plan with many contingencies
ASd24x	How do you think treatment will help? or, if rejects help, Why do you think treatment will not help? If entering or continuing treatment: Do you expect to be in treatment in 3 months? Over-confident or too reliant on program rather than self
ASd24y	What might cause you to relapse in the future? Admits risk possible but vague about risk factors
ASd24z	How do you plan to prevent relapses? After answer, if not mentioned, ask: How about counseling, meetings, a sponsor, or new activities or sober friends? How active have you been with any of these recently? Passive or vague
ASd23x	Given all the evidence of problems, the patient: Is ambivalent, somewhat less concerned than circumstances warrant

ASAM DIMENSION 5 - RELAPSE, CONTINUED USE OR CONTINUED PROBLEM POTENTIAL	
Item ID	Item Statement
ASd14	Which substance is the major problem? Alcohol
ASd18a	How many times in your life have you been treated for alcohol use problems? 1
ASd22e	Imagine yourself in the environment in which you previously used drugs and/or alcohol. If you were living in this environment today, what is the likelihood that you would use? Moderately
ASd22f	Rate how strong your urges are for a drug and/or alcohol when something in the environment reminds you of it. Moderately
ASd22g	How strong is your desire to use any drug right now? Moderately
ASd22i	Have your addiction symptoms increased recently? How...? (Ask about any items below not mentioned by the patient) Have you had more craving, risk behaviors, more frequent use, increased amount of substance or have you used a more rapid route of administration? Increased thoughts or craving
ASd22k	Do you feel you are likely to continue using or, if not using, that you are in danger of relapsing? How soon...? Do you feel at risk, even if you have had some treatment previously? Feels at risk within a week
ASd23a	How troubled or bothered have you been in the past 30 days by the noted alcohol problems? Moderately

ASAM DIMENSION 5 - RELAPSE, CONTINUED USE OR CONTINUED PROBLEM POTENTIAL	
Item ID	Item Statement
ASd24a	How important to you is treatment for alcohol problems? Slightly
ASd25a	How would you rate the patient's need for treatment for alcohol use problems? 9
ASd23d	How troubled or bothered have you been in the past 30 days by these drug problems? Moderately
ASd24d	How important at this time is treatment for your drug problem (if any)? Slightly
ASd25d	How would you rate the patient's need for treatment for drug use problems? 2

ASAM DIMENSION 6 - RECOVERY/LIVING ENVIRONMENT	
Item ID	Item Statement
ASf01	Marital Status: Divorced
ASf03	Are you satisfied with this situation? No
ASf04	What are your usual living arrangements (past 3 years)? Alone, No stable arrangements
ASf06	Are you satisfied with these living arrangements? No
ASe07a	Tell me about alcohol and drug use in your work (or school) How will your work (or school) affect your treatment and recovery? Not Applicable
ASe19	How many days have you experienced employment problems in the past 30 days? 30
ASe20	How troubled or bothered have you been by these employment problems in the past 30 days? Extremely
ASe21	How important to you now is counseling for these employment problems? Extremely
ASe22	How would you rate the patient's need for employment counseling? 7
ASf19g	Who is the person (or persons) with whom you have had contact during the past 4 months and who has been most important to you? Other significant family

ASAM DIMENSION 6 - RECOVERY/LIVING ENVIRONMENT	
Item ID	Item Statement
ASf19h	How much help will this person (or these persons) need to assist in your treatment and recovery and how likely is it that he/she/they will get involved in your treatment? Only needs education and will attend
ASf19l	Are you able to locate & get yourself to community resources safely? No or unknown
	How troubled or bothered have you been in the past 30 days by these:
ASf20	How troubled or bothered have you been in the past 30 days by family problems? Moderately
ASf22	How important to you now is treatment or counseling for family problems? Slightly
ASf24	How would you rate the patient's need for family and/or social counseling? 6
ASf24d	If transitioning to life in the community, does the patient need staff support to maintain recovery? Needs contact several times per week

Copyright:

**Reprinted with permission from the Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition. Copyright ©2013 American Psychiatric Association. All Rights Reserved.*

Unless authorized in writing by the APA, no part may be reproduced or used in a manner inconsistent with the APA's copyright. This prohibition applies to unauthorized uses or reproductions in any form.

The American Psychiatric Association is not affiliated with and is not endorsing this product.

**Reprinted with permission from the International Classification of Diseases, 10th Edition. World Health Organization. All Rights Reserved.*

Unless authorized in writing by the WHO, no part may be reproduced or used in a manner inconsistent with the WHO's copyright. This prohibition applies to unauthorized uses or reproductions in any form.

The World Health Organization is not affiliated with and is not endorsing this product.

Trademark:

**DSM and DSM-5 are registered trademarks of the American Psychiatric Association, and are used with permission herein. Use of these terms is prohibited without permission of the American Psychiatric Association.*

ASAM CONTINUUM™
NARRATIVE REPORT

Name: **Henry W**
Provider Patient ID:
ASAM CONTINUUM Assessment

Interviewer: **continuumdemo1@asam.org**
Assessment Start: **3/18/2022 2:22 PM EST**
Assessment End: **3/18/2022 4:10 PM EST**

Use of this trademark does not constitute endorsement of this product by the American Psychiatric Association.