

YSHCN CCO Guidance Document

| | |
|---|-----------------|
| Version date | October 1, 2024 |
| Note: This guidance document is intended to provide Coordinated Care Organizations (CCOs) with additional programmatic details and expectations for delivering services to Young Adults with Special Health Care Needs (YSHCN) Members in preparation for the January 1, 2025, launch of this eligibility group. | |



Contents

| | |
|---|----|
| Document Purpose..... | 3 |
| I. YSHCN Background and Overview..... | 4 |
| a. What is YSHCN?..... | 4 |
| b. Why YSHCN Matters..... | 4 |
| c. YSHCN Benefits..... | 4 |
| II. Timeline for YSHCN Rollout..... | 5 |
| III. Eligibility for YSHCN..... | 5 |
| a. Age..... | 6 |
| b. Clinical..... | 6 |
| c. Financial..... | 6 |
| d. Supplemental and Standalone YSHCN Members..... | 6 |
| IV. YSHCN Benefits and Care Management..... | 7 |
| YSHCN Members will access the following benefits, in addition to the OHP Plus benefit package. | 7 |
| a. EPSDT and Enhanced Vision and Dental..... | 7 |
| b. HRSN Covered Population..... | 7 |
| c. Enhanced Care Coordination and Monitoring..... | 7 |
| V. YSHCN Member Identification..... | 8 |
| Table 1. YSHCN Member Identification Pathways..... | 8 |
| VI. YSHCN Payment and Administrative Processes..... | 9 |
| VII. Resources and Links..... | 9 |
| Appendix A – List of Qualifying Behavioral Health Conditions..... | 10 |
| Appendix B – Final YSHCN Screener for OHP Application..... | 22 |
| Appendix C – YSHCN PERCs..... | 26 |

Document Purpose

The Oregon Health Authority (OHA) developed the following guidance for CCOs to support the rollout of a new Oregon Health Plan (OHP) eligibility category, Young Adults with Special Health Care Needs (YSHCN). This guidance is intended to provide CCOs with additional programmatic details and expectations for delivering services to YSHCN Members, building on the requirements detailed in the CCO Contract and Oregon Administrative Rules (OARs). OHA expects CCOs to adopt the standards detailed in this document. The document is available on the [CCO Contract Forms Website](#) and will be updated as needed. Updates to the YSHCN Guidance Document shall be considered effective ninety (90) days after OHA provides Administrative Notice thereof to CCOs.

I. YSHCN Background and Overview

a. What is YSHCN?

Beginning January 1, 2025, Oregon will offer a new Medicaid eligibility category called Young Adults with Special Health Care Needs (YSHCN), giving individuals who are part of this population access to special Oregon Health Plan (OHP) benefits. The State received approval from the Centers for Medicare & Medicaid Services (CMS) on September 28, 2022 to provide these services as part of the [Section 1115 Waiver Demonstration](#).

YSHCN-eligible individuals are aged 19 through 25, with an income up to 305% Federal Poverty Level (FPL), and have qualifying health care needs, as approved in the 1115 Medicaid waiver [Special Terms and Conditions \(STCs\)](#). This eligibility expansion will be implemented on a rolling basis by age group **starting with 19- and 20-year-olds in 2025**. The higher age cutoff will increase periodically until full implementation (See [II. Timeline for YSHCN Rollout](#) for more details), subject to funding availability. Examples of qualifying health care needs include: physical, intellectual and developmental disabilities; long-standing physical health conditions like asthma, diabetes, or spina bifida; and behavioral or mental health conditions like depression or substance use disorder.

b. Why YSHCN Matters

In Oregon, one in five children under age 18 has a special health care need.¹ As people with special health care needs age, changes in insurance coverage can disrupt their access to appropriate care. The YSHCN program aims to provide no-cost health insurance coverage that bridges pediatric and adult care, creating more consistent access to primary and specialty care for people with complex healthcare needs. People identified as YSHCN Members through the State's 1115 waiver frequently need more health care and health-related social services than others of the same age. The 2021-2022 National Survey of Children's Health shows that 72.7% of children and youth with special health care needs in Oregon did not receive services necessary to prepare for the transition to adult health care.² Additionally, more than half of children and youth with special health care needs ages 12 through 17 years in Oregon did not receive needed care coordination.³

c. YSHCN Benefits

People who qualify as YSHCN Members will receive OHP Plus benefits, Early and Periodic Screening, Diagnostic and Treatment (EPSDT) coverage, enhanced vision and dental benefits, and may qualify for some Health-Related Social Needs (HRSN)

¹ Retrieved from: <https://www.childhealthdata.org/browse/survey/results?q=10025&r=39>

² Retrieved from: <https://www.childhealthdata.org/browse/survey/results?q=10779&r=39>

³ Retrieved from: <https://www.childhealthdata.org/browse/survey/results?q=10775&r=39>

benefits. (For more information on benefits, see [IV. YSHCN Benefits and Care Management](#) below).

For some individuals, YSHCN benefits will complement their pre-existing eligibility for OHP, considered “YSHCN Supplemental Benefits” (e.g., people with incomes below 138% FPL). For others, the YSHCN program expands eligibility to those who would not otherwise qualify for OHP Plus (“YSHCN Standalone Benefits”). Information about whether a member is Standalone versus Supplemental will be communicated via Program Eligibility Resource Codes (PERC) on 834 transactions (more on this in [III. Eligibility for YSHCN](#)).

In addition, the launch of the YSHCN program coincides with the expanded rollout of HRSN services which provide housing supports, nutrition supports, and climate-related devices, to support members’ health and well-being. HRSN Services are covered benefits under OHP and must be provided by CCOs to eligible OHP members, **including YSHCN Members who meet HRSN eligibility criteria.**⁴

Important: It is crucial that YSHCN Members are screened for and receive appropriate HRSN services. **CCOs must conduct HRSN screenings for YSHCN Members every year**, per the 1/1/25 CCO contract.

II. Timeline for YSHCN Rollout

Beginning January 1, 2025, OHA will start enrolling YSHCN Members who are 19 and 20 and will expand the upper age limit as funding allows up through age 25. OHA will conduct re-assessments for YSHCN eligibility every two years per the 1115 Waiver’s continuous eligibility requirements. Once a member enrolls, they will remain a YSHCN Member until their 26th birthday, as long as their re-assessment confirms continued eligibility.

Eligibility requirements will be defined in OAR 410-200-0455, effective January 1, 2025. Continuous eligibility requirements are defined in OAR 410-200-0135.

The YSHCN age rollout and coverage in future years is subject to available funding.

III. Eligibility for YSHCN

To be eligible for YSHCN benefits, individuals must meet age, clinical, and income requirements. Eligibility requirements will be defined in OAR 410-200-0455, effective January 1, 2025. (For more details on how OHA will identify these members and share that information to CCOs, see [V. YSHCN Member Identification](#) below.)

⁴ More information about HRSN services and who is eligible can be found in the [HRSN CCO Guidance](#).

a. Age

YSHCN-eligible individuals are ages 19 through 25. In 2025, only members who are 19 and 20 will be enrolled, if eligible. In future years, additional age groups will be phased in by increasing the upper age limit of enrollees as funding allows (see [II. Timeline for YSHCN Rollout](#)).

b. Clinical

YSHCN eligible individuals live with or are at risk of having a chronic health condition or unmet health care need identified by the State (see [V. YSHCN Member Identification](#) for more information on eligibility pathways and associated data).

YSHCN eligible individuals must:

- Have a "complex chronic condition" based on the Pediatric Medical Complexity Algorithm (PMCA);
- Have a serious emotional disturbance or serious mental health issue as defined by an OHA-approved list of behavioral health diagnoses (see [Appendix A](#));
- Be eligible for long-term care services by a Community Developmental Disabilities Program (CDDP) due to an intellectual or developmental disability that started at age 16 or older; or
- Self-attest to meeting at least two of six categories represented in the YSHCN eligibility screening questionnaire in the ONE system or OHP paper application, related to the existence of chronic health conditions or unmet health care needs.

c. Financial

YSHCN eligible individuals are either:

- Eligible for a MAGI Medicaid/CHIP program defined in OAR 410-200-0015(d) or 410-200-0015(f)(A)-(E) or OSIPM program as defined in OAR 461-101-0010(18); or,
- Have MAGI-based household incomes up to 305% FPL.

d. Supplemental and Standalone YSHCN Members

As described above, most YSHCN Members may already be eligible for an OHA Medicaid or CHIP program – referred to as YSHCN “Supplemental” Members. YSHCN Members may also be eligible for OHP only as a result of the YSHCN eligibility category expansion up to 305% FPL – referred to as YSHCN “Standalone” Members.

OHA may reference “Supplemental” or “Standalone” YSHCN Members for the purpose of identifying the pathway by which someone can be eligible for YSHCN benefits. However, for the purposes of delivering benefits to YSHCN Members once they are enrolled, there is no meaningful distinction between Standalone and Supplemental Members. (For more on how OHA will identify YSHCN Members, see [V. YSHCN Member Identification](#).)

CCOs should provide the same level of services to all YSHCN Members, including all of the benefits and requirements detailed below (see [IV. YSHCN Benefits and Care Management](#)).

IV. YSHCN Benefits and Care Management

YSHCN Members will access the following benefits, in addition to the OHP Plus benefit package.

a. EPSDT and Enhanced Vision and Dental.

YSHCN Members qualify for enhanced vision and dental benefits – the dental and vision benefit package available to pregnant people or people ages 0 through 20 – and Early and Periodic Screening, Diagnostic and Treatment (EPSDT), until they turn 26. More information about EPSDT, including [EPSDT CCO Guidance](#), can be found on the [OHA EPSDT website](#).

Because YSHCN Members must meet the financial and clinical criteria noted above, most members will have been enrolled in OHP Plus in childhood and are receiving EPSDT benefits already. A goal of the YSHCN program is to help bridge the transition from pediatric to adult health care coverage for members that have complex health needs and who benefit from EPSDT coverage. The continuation of EPSDT coverage until the member’s 26th birthday is a crucial component of this bridge.

CCOs will need to have their systems ready by January 1, 2025, to support YSHCN Members’ receipt of EPSDT beyond their 21st birthday.

b. HRSN Covered Population.

As noted above, OHA’s intent is to provide young adults with the supports they often lack to manage their social needs and health care. Accordingly, YSHCN is an HRSN Covered Population that must be screened for and, if authorized, receive appropriate HRSN services such as rental assistance, nutrition supports, climate devices, and outreach and engagement services (see contract or [HRSN Guidance Document](#) for more operational details related to delivering HRSN services).

Upon a positive screening for HRSN, YSHCN Members may qualify for related services for up to 12 months. YSHCN Members must be reassessed for HRSN eligibility at least annually as stipulated in contract (see [STC 4.6](#)) – OHA will monitor whether CCOs assess YSHCN Members as required through existing data reporting (see HRSN Data Collection and Reporting, in the [CCO HRSN Guidance Document](#)).

c. Enhanced Care Coordination and Monitoring.

YSHCN is a population with “Special Health Care Needs” (to be defined in OAR 410-141-3500, effective January 1, 2025), and therefore should receive additional assessment and care coordination services (as detailed in CCO Contract and defined in OAR 410-141-3860, 410-141-3865, and 410-141-3870) aligned with the member’s specific health care needs and risk category.

(See more in [V. YSHCN Member Identification](#), regarding how the State will identify YSHCN Members and share that information with CCOs).

V. YSHCN Member Identification

OHA will identify YSHCN eligible Members via several pre-established pathways (see Table 1 below). OHA developed YSHCN-specific Program Eligibility Resource Codes (PERCs), available on the CCO’s 834 report, which will allow CCOs to identify YSHCN Members. The specific PERCs are available in [Appendix C](#).

CCOs may do preliminary work to understand their potential YSHCN caseload based on the information in the table below, but **individuals are not considered YSHCN Members (and therefore do not receive YSHCN benefits) until OHA identifies via the 834 report that the member is enrolled in the YSHCN program.**

If a CCO identifies an individual they believe is eligible for the YSHCN program but has not been enrolled, the CCO should contact their Account Representative for assistance.

Table 1. YSHCN Member Identification Pathways

| Eligibility Pathway | Definition | How Identified and Communicated to the CCOs |
|--|---|--|
| Complex Chronic Condition | Identified in the Pediatric Medical Complexity Algorithm (PMCA) as someone with a complex chronic disease (PMCA score = 3) | <ul style="list-style-type: none"> OHA will identify Members via MMIS data in the months before their 19th birthday. Members meeting these criteria will be captured in the YSHCN PERCs. <ul style="list-style-type: none"> CCOs can reference the standardized PMCA algorithm. |
| Mental Health, Substance Use Disorder, or Neurodevelopmental Condition | Serious emotional disturbance or serious mental health issue indicated by qualifying behavioral health diagnosis | <ul style="list-style-type: none"> Members will be identified by OHA based on MMIS data in the months before their 19th birthday. Members meeting these criteria will be captured in the YSHCN PERCs. <ul style="list-style-type: none"> A list of qualifying behavioral health diagnosis codes can be found in Appendix A and will be located on the YSHCN website in the future. |
| Intellectual or Developmental Disability | Be found eligible for services by a Community Developmental Disabilities Program (CDDP) due to an intellectual or developmental disability at age 16 or older | <ul style="list-style-type: none"> Members will be identified through service eligibility data in the ONE system as well as an ExPRS report from ODDS in the months before their 19th birthday. Members meeting these criteria will be captured in the YSHCN PERCs. |
| Elevated Service Need | Have an “elevated service need” or functional limitations as determined by two or more affirmative responses to a screener | <ul style="list-style-type: none"> Members must respond to a screener in the ONE system or paper OHP application (see Appendix B). <i>In 2025, OHA plans to ensure existing OHP Members aged 19 and 20 who do not automatically qualify for YSHCN receive the screener – at minimum, these members will get a</i> |

| | | |
|--|--|---|
| | | <p><i>notice in the mail with instructions. The screener will be available on paper and an electronic format.</i></p> <ul style="list-style-type: none"> Members meeting these criteria will be captured in the YSHCN PERCs. |
|--|--|---|

VI. YSHCN Payment and Administrative Processes

For YSHCN Supplemental Members, CCOs will receive the same capitation payment as their original OHP eligibility category. CCOs will receive a distinct capitation rate for YSHCN Standalone Members. As discussed above, Supplemental versus Standalone Members will be identified via PERCs. As discussed elsewhere in this guidance, CCOs should provide the same level of services to all YSHCN Members, including all the benefits and requirements detailed above (see [IV. YSHCN Benefits and Care Management](#)).

VII. Resources and Links

- [OHA YSHCN webpage](#)
- [OHA 1115 Waiver Page](#)
- [OHA 1115 Waiver, Special Terms and Conditions \(STCs\)](#)
 - See STC 4.6 regarding YSCHN, page 21
- Relevant OARs
 - Medical Assistance Programs Acronyms and Definitions: [OAR 410-120-0000](#)⁵
 - Medical Assistance Benefit Packages and Delivery System: [OAR 410-120-1210](#)⁵
 - YSHCN Eligibility: OAR 410-200-0455⁵
 - Continuous Eligibility: [OAR 410-200-0135](#)⁵
 - Oregon Health Plan Definitions: [OAR 410-141-3500](#)⁵
 - Additional assessment and care coordination: [OAR 410-141-3860](#), [OAR 410-141-3870](#) and [410-141-3865](#)
 - HRSN Services:⁶
 - [OAR 410-120-2000](#): HRSN Service Delivery
 - OAR 410-120-2005: HRSN Service Eligibility; Identifying HRSN Eligible Members; HRSN Outreach and Engagement Services
 - OAR 410-120-2010: HRSN Service Requests
 - OAR 410-120-2015: HRSN Eligibility Screening
 - OAR 410-120-2020: Authorization of HRSN Services; Referral to HRSN Service Provider
 - OAR 410-120-2025: HRSN Person-Centered Service Plan (PCSP)
 - OAR 410-120-2030: HRSN Provider Qualifications

⁵ Provisional rules, or edits to an existing rule to reflect the YSHCN program, are not effective until 1/1/25

⁶ Provisional rules, or edits to an existing rule to reflect the HRSN program, are not effective until 11/1/24

- Early and Periodic Screening, Diagnostic and Treatment (EPSDT):
 - [OAR 410-151-0000](#): Early and Periodic Screening, Diagnostic and Treatment Program
 - [OAR 410-151-0001](#):⁷ Definitions
 - [OAR 410-151-0002](#): Coverage Requirements
 - [OAR 410-151-0003](#): Utilization Management Requirements
 - [OAR 410-151-0004](#): Screening Exams
 - [OAR 410-151-0005](#): Referrals
 - [OAR 410-151-0006](#): Transportation and scheduling assistance
 - [OAR 410-151-0007](#): Notice and hearing requirements
 - [OAR 410-151-0008](#): EPSDT Beneficiary communication requirements
- [EPSDT webpage](#) and [EPSDT guidance](#)
- [HRSN guidance](#)

Appendix A – List of Qualifying Behavioral Health Conditions

| ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i> | ICD-10 Diagnosis Code Description |
|---|---|
| F70 | Mild intellectual disabilities |
| F71 | Moderate intellectual disabilities |
| F72 | Severe intellectual disabilities |
| F73 | Profound intellectual disabilities |
| F78 | Other intellectual disabilities |
| F78.A1 | SYNGAP1-related intellectual disability |
| F78.A9 | Other genetic related intellectual disability |
| F79 | Unspecified intellectual disabilities |
| F80.1 | Expressive language disorder |
| F80.2 | Mixed receptive-expressive language disorder |
| F80.4 | Speech and language development delay due to hearing loss |
| F80.81 | Childhood onset fluency disorder (stuttering) |
| F81 | Specific developmental disorders of scholastic skills |
| F81.0 | Specific reading disorder |
| F81.2 | Mathematics disorder |
| F81.8 | Other developmental disorders of scholastic skills |
| F81.81 | Disorder of written expression |

⁷ Provisional rules, or edits to an existing rule to reflect the YSHCN program, are not effective until 1/1/25.

| | |
|--------|---|
| F81.89 | Other developmental disorders of scholastic skills |
| F81.9 | Developmental disorder of scholastic skills, unspecified |
| F82 | Specific developmental disorder of motor function |
| F84.0 | Autistic disorder |
| F84.3 | Other childhood disintegrative disorder |
| F84.5 | Asperger's syndrome |
| F88 | Global developmental delay |
| F90 | Attention-deficit hyperactivity disorders |
| F90.0 | Attention-deficit hyperactivity disorder, predominantly inattentive type |
| F90.1 | Attention-deficit hyperactivity disorder, predominantly hyperactive type |
| F90.2 | Attention-deficit hyperactivity disorder, combined type |
| F90.8 | Attention-deficit hyperactivity disorder, other type |
| F90.9 | Attention-deficit hyperactivity disorder, unspecified type |
| F95.1 | Chronic motor or vocal tic disorder |
| F95.2 | Tourette's disorder |
| F06.0 | Psychotic disorder due to another medical condition (Psychotic disorder with hallucinations due to known physiological condition) |
| F06.2 | Psychotic disorder due to another medical condition (Psychotic disorder with delusions due to known physiological condition) |
| F20.0 | Paranoid schizophrenia |
| F20.1 | Disorganized schizophrenia |
| F20.2 | Catatonic schizophrenia |
| F20.3 | Undifferentiated schizophrenia |
| F20.5 | Residual schizophrenia |
| F20.8 | Other schizophrenia |
| F20.81 | Schizophreniform disorder |
| F20.89 | Other schizophrenia |
| F20.9 | Schizophrenia |
| F21 | Schizotypal disorder |
| F25 | Schizoaffective disorders |
| F25.0 | Schizoaffective disorder, bipolar type |
| F25.1 | Schizoaffective disorder, depressive type |
| F25.8 | Other schizoaffective disorders |
| F25.9 | Schizoaffective disorder, unspecified |
| F28 | Other specified schizophrenia spectrum disorder |
| F29 | Unspecified schizophrenia spectrum disorder |
| F22 | Delusional disorders |
| F23 | Brief psychotic disorder |
| F24 | Shared psychotic disorder |
| F31 | Bipolar disorder |
| F31.0 | Bipolar disorder, current episode hypomanic |

| | |
|--------|---|
| F31.1 | Bipolar disorder, current episode manic without psychotic features |
| F31.10 | Bipolar disorder, current episode manic without psychotic features, unspecified |
| F31.11 | Bipolar disorder, current episode manic without psychotic features, mild |
| F31.12 | Bipolar disorder, current episode manic without psychotic features, moderate |
| F31.13 | Bipolar disorder, current episode manic without psychotic features, severe |
| F31.2 | Bipolar disorder, current episode manic severe with psychotic features |
| F31.3 | Bipolar disorder, current episode depressed, mild or moderate severity |
| F31.30 | Bipolar disorder, current episode depressed, mild or moderate severity, unspecified |
| F31.31 | Bipolar disorder, current episode depressed, mild |
| F31.32 | Bipolar disorder, current episode depressed, moderate |
| F31.4 | Bipolar disorder, current episode depressed, severe, without psychotic features |
| F31.5 | Bipolar disorder, current episode depressed, severe, with psychotic features |
| F31.6 | Bipolar disorder, current episode mixed |
| F31.60 | Bipolar disorder, current episode mixed, unspecified |
| F31.61 | Bipolar disorder, current episode mixed, mild |
| F31.62 | Bipolar disorder, current episode mixed, moderate |
| F31.63 | Bipolar disorder, current episode mixed, severe, without psychotic features |
| F31.64 | Bipolar disorder, current episode mixed, severe, with psychotic features |
| F31.7 | Bipolar disorder, currently in remission |
| F31.71 | Bipolar disorder, in partial remission, most recent episode hypomanic |
| F31.72 | Bipolar disorder, in full remission, most recent episode hypomanic |
| F31.73 | Bipolar disorder, in partial remission, most recent episode manic |
| F31.75 | Bipolar disorder, in partial remission, most recent episode depressed |

| | |
|--------|---|
| F31.77 | Bipolar disorder, in partial remission, most recent episode mixed |
| F31.78 | Bipolar disorder, in full remission, most recent episode mixed |
| F31.8 | Other bipolar disorders |
| F31.81 | Bipolar II disorder |
| F31.89 | Other bipolar disorder |
| F31.9 | Bipolar disorder, unspecified |
| F34.0 | Cyclothymic disorder |
| F33.1 | Major depressive disorder, recurrent, moderate |
| F33.2 | Major depressive disorder, recurrent severe without psychotic features |
| F33.3 | Major depressive disorder, recurrent, severe with psychotic symptoms |
| F33.4 | Major depressive disorder, recurrent, in remission |
| F33.41 | Major depressive disorder, recurrent, in partial remission |
| F33.8 | Other recurrent depressive disorders |
| F33.9 | Major depressive disorder, recurrent, unspecified |
| F34.8 | Disruptive mood dysregulation disorder |
| F06.4 | Anxiety disorder due to another medical condition |
| F40.0 | Agoraphobia |
| F41.0 | Panic disorder |
| F41.1 | Generalized anxiety disorder |
| F41.9 | Unspecified anxiety disorder |
| F93 | Separation anxiety disorder |
| F94 | Selective mutism |
| F06.8 | Obsessive-compulsive and related disorder or other specified mental disorder due to another medical condition |
| F42 | Obsessive compulsive disorder, hoarding, and related disorders |
| F42.2 | (Mixed obsessional thoughts and acts) |
| F42.3 | (Hoarding disorder) |
| F42.4 | (Excoriation [skin-picking] disorder) |
| F42.8 | (Other obsessive-compulsive disorder) |
| F42.9 | Obsessive-compulsive disorder, unspecified |
| F45.22 | Body dysmorphic disorder |
| F63.3 | Trichotillomania (hair pulling disorder) |
| F43 | Acute stress disorder |
| F43.1 | PTSD |
| F43.12 | (PTSD, chronic) |
| F94.1 | Reactive attachment disorder |
| F44.0 | Dissociative amnesia |
| F44.81 | Dissociative identity disorder |
| F44.89 | (Other specified dissociative disorder) |
| F45.22 | Body dysmorphic disorder |

| | |
|--------|--|
| F45.8 | (Other specified somatic symptom and related disorder) |
| F48.1 | (Dissociative disorders. Depersonalization/Derealization disorder) |
| F44.4 | Conversion disorder with motor symptom or deficit |
| F44.5 | Conversion disorder with seizures or convulsions |
| F44.6 | Conversion disorder with sensory symptom or deficit |
| F44.7 | Conversion disorder with mixed symptom presentation |
| F45.21 | Hypochondriasis / (Somatic symptom and related disorders. Illness anxiety disorder) |
| F50 | Eating disorders |
| F50.0 | Anorexia nervosa |
| F50.01 | Anorexia nervosa, restricting type |
| F50.02 | Anorexia nervosa, binge eating/purging type |
| F50.2 | Bulimia nervosa |
| F50.8 | (Feeding and eating disorders. In adults) / Other eating disorders |
| F50.81 | Binge eating disorder |
| F50.89 | (Other specified feeding or eating disorder) |
| F98.3 | (Feeding and eating disorders. In children) [Pica] |
| F98.1 | Encopresis not due to a substance or known physiological condition |
| F64 | Gender dysphoria |
| F63 | Impulse disorders |
| F63.1 | Pyromania / (Disruptive, impulse control, and conduct disorders. Pyromania) |
| F63.2 | Kleptomania |
| F63.81 | Intermittent explosive disorder |
| F91.1 | Conduct disorder, childhood-onset type |
| F91.2 | Conduct disorder, adolescent-onset type |
| F91.3 | Oppositional defiant disorder |
| F91.8 | Other conduct disorders |
| F91.9 | Conduct disorder, unspecified |
| F10.2* | F10.22-.288 Now alcohol use disorder moderate, severe, alcohol intoxication with severe Sx, alcohol withdrawal with severe Sx, alcohol-induced disorders |
| F10.21 | Alcohol dependence, in remission |
| F10.9* | Alcohol induced disorders; F10.96 Alcohol use, unspecified with alcohol-induced persisting amnestic disorder |
| F10.96 | Alcohol use, unspecified with alcohol-induced persisting amnestic disorder |
| F11.1* | Opioid use disorder and intoxication, mild |
| F11.2* | Opioid use disorder and intoxication, severe |
| F11.20 | Opioid dependence, uncomplicated |
| F11.21 | Opioid dependence, in remission |

| | |
|---------|---|
| F11.9* | Opioid induced disorders |
| F12.2* | Cannabis dependence |
| F12.20 | (Substance-related and addictive disorders. Moderate, severe) |
| F13.1* | Sedative, hypnotic, or anxiolytic-related abuse |
| F13.2* | Sedative, hypnotic, or anxiolytic-related dependence |
| F13.20 | Sedative, hypnotic or anxiolytic dependence, uncomplicated |
| F13.21 | Sedative, hypnotic or anxiolytic dependence, in remission |
| F14.2* | Cocaine dependence |
| F14.20 | Cocaine dependence, uncomplicated |
| F15.2* | Other stimulant dependence |
| F15.20 | Other stimulant dependence, uncomplicated |
| F15.21 | Other stimulant dependence, in remission |
| F16.2* | Hallucinogen dependence |
| F16.20 | Hallucinogen dependence, uncomplicated |
| F16.21 | Hallucinogen dependence, in remission |
| F18.2* | Inhalant dependence |
| F18.20 | Inhalant dependence, uncomplicated |
| F18.21 | Inhalant dependence, in remission |
| F19.2* | Other psychoactive substance dependence |
| F19.20 | Other psychoactive substance dependence, uncomplicated |
| F19.21 | Other psychoactive substance dependence, in remission |
| F63.0 | Pathological gambling |
| F02.811 | Dementia in other diseases classified elsewhere, unspecified severity, with agitation |
| F02.818 | Dementia in other diseases classified elsewhere, unspecified severity, with other behavioral disturbance |
| F02.82 | Dementia in other diseases classified elsewhere, unspecified severity, with psychotic disturbance |
| F02.83 | Dementia in other diseases classified elsewhere, unspecified severity, with mood disturbance |
| F02.84 | Dementia in other diseases classified elsewhere, unspecified severity, with anxiety |
| F02.A0 | Dementia in other diseases classified elsewhere, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F02.A11 | Dementia in other diseases classified elsewhere, mild, with agitation |
| F02.A18 | Dementia in other diseases classified elsewhere, mild, with other behavioral disturbance |
| F02.A2 | Dementia in other diseases classified elsewhere, mild, with psychotic disturbance |
| F02.A3 | Dementia in other diseases classified elsewhere, mild, with mood disturbance |

| | |
|---------|---|
| F02.A4 | Dementia in other diseases classified elsewhere, mild, with anxiety |
| F02.B0 | Dementia in other diseases classified elsewhere, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F02.B11 | Dementia in other diseases classified elsewhere, moderate, with agitation |
| F02.B18 | Dementia in other diseases classified elsewhere, moderate, with other behavioral disturbance |
| F02.B2 | Dementia in other diseases classified elsewhere, moderate, with psychotic disturbance |
| F02.B3 | Dementia in other diseases classified elsewhere, moderate, with mood disturbance |
| F02.B4 | Dementia in other diseases classified elsewhere, moderate, with anxiety |
| F02.C0 | Dementia in other diseases classified elsewhere, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F02.C11 | Dementia in other diseases classified elsewhere, severe, with agitation |
| F02.C18 | Dementia in other diseases classified elsewhere, severe, with other behavioral disturbance |
| F02.C2 | Dementia in other diseases classified elsewhere, severe, with psychotic disturbance |
| F02.C3 | Dementia in other diseases classified elsewhere, severe, with mood disturbance |
| F02.C4 | Dementia in other diseases classified elsewhere, severe, with anxiety |
| F03.911 | Unspecified dementia, unspecified severity, with agitation |
| F03.918 | Unspecified dementia, unspecified severity, with other behavioral disturbance |
| F03.92 | Unspecified dementia, unspecified severity, with psychotic disturbance |
| F03.93 | Unspecified dementia, unspecified severity, with mood disturbance |
| F03.94 | Unspecified dementia, unspecified severity, with anxiety |
| F03.A0 | Unspecified dementia, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F03.A11 | Unspecified dementia, mild, with agitation |
| F03.A18 | Unspecified dementia, mild, with other behavioral disturbance |
| F03.A2 | Unspecified dementia, mild, with psychotic disturbance |
| F03.A3 | Unspecified dementia, mild, with mood disturbance |
| F03.A4 | Unspecified dementia, mild, with anxiety |

| | |
|---------|--|
| F03.B0 | Unspecified dementia, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F03.B11 | Unspecified dementia, moderate, with agitation |
| F03.B18 | Unspecified dementia, moderate, with other behavioral disturbance |
| F03.B2 | Unspecified dementia, moderate, with psychotic disturbance |
| F03.B3 | Unspecified dementia, moderate, with mood disturbance |
| F03.B4 | Unspecified dementia, moderate, with anxiety |
| F03.C0 | Unspecified dementia, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety |
| F03.C11 | Unspecified dementia, severe, with agitation |
| F03.C18 | Unspecified dementia, severe, with other behavioral disturbance |
| F03.C2 | Unspecified dementia, severe, with psychotic disturbance |
| F03.C3 | Unspecified dementia, severe, with mood disturbance |
| F03.C4 | Unspecified dementia, severe, with anxiety |
| G10 | Huntington's disease |
| F60 | Specific personality disorders |
| F60.0 | Paranoid personality disorder |
| F60.1 | Schizoid personality disorder |
| F60.2 | Antisocial personality disorder |
| F60.3 | Borderline personality disorder |
| F60.4 | Histrionic personality disorder |
| F60.5 | Obsessive-compulsive personality disorder |
| F60.6 | Avoidant personality disorder |
| F60.7 | Dependent personality disorder |
| F60.8 | Other specific personality disorders |
| F60.81 | Narcissistic personality disorder |
| F60.89 | Other specific personality disorders |
| F60.9 | Personality disorder, unspecified |
| F65* | Paraphilic disorder |
| G04 | Encephalitis, myelitis and encephalomyelitis |
| G04.0 | Acute disseminated encephalitis and encephalomyelitis (ADEM) |
| G04.3 | Acute necrotizing hemorrhagic encephalopathy |
| G04.31 | Postinfectious acute necrotizing hemorrhagic encephalopathy |
| G04.32 | Postimmunization acute necrotizing hemorrhagic encephalopathy |
| G04.8 | Other encephalitis, myelitis and encephalomyelitis |
| G04.81 | Other encephalitis and encephalomyelitis |
| G04.9 | Encephalitis, myelitis and encephalomyelitis, unspecified |
| G04.90 | Encephalitis and encephalomyelitis, unspecified |
| G05 | Encephalitis, myelitis and encephalomyelitis in disease classified elsewhere |

| | |
|--------|--|
| G05.3 | Encephalitis and encephalomyelitis in disease classified elsewhere |
| G09 | Sequelae of inflammatory diseases of central nervous system |
| G11.0 | Congenital nonprogressive ataxia |
| G11.1 | Early-onset cerebellar ataxia |
| G11.10 | Early-onset cerebellar ataxia, unspecified |
| G11.3 | Cerebellar ataxia with defective DNA repair |
| G11.8 | Other hereditary ataxias |
| G12 | Spinal muscular atrophy and related syndromes |
| G12.0 | Infantile spinal muscular atrophy, type I [Werdnig-Hoffman] |
| G12.1 | Other inherited spinal muscular atrophy |
| G12.2 | Motor neuron disease |
| G12.21 | Amyotrophic lateral sclerosis |
| G12.25 | Progressive spinal muscle atrophy |
| G12.29 | Other motor neuron disease |
| G12.8 | Other spinal muscular atrophies and related syndromes |
| G12.9 | Spinal muscular atrophy, unspecified |
| G14 | Postpolio syndrome |
| G23 | Other degenerative diseases of basal ganglia |
| G23.0 | Hallervorden-Spatz disease |
| G23.1 | Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski] |
| G23.2 | Striatonigral degeneration |
| G23.8 | Other specified degenerative diseases of basal ganglia |
| G25.82 | Stiff-man syndrome |
| G31.81 | Alpers disease |
| G31.82 | Leigh's disease |
| G31.9 | Degenerative disease of nervous system, unspecified |
| G32.0 | Subacute combined degeneration of spinal cord in diseases classified elsewhere |
| G35 | Multiple sclerosis |
| G37.2 | Central pontine myelinolysis |
| G37.5 | Concentric sclerosis [Balo] of central nervous system |
| G37.8 | Other specified demyelinating diseases of central nervous system |
| G37.9 | Demyelinating disease of central nervous system, unspecified |
| G40.0 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset |
| G40.00 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable |

| | |
|---------|--|
| G40.001 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, with status epilepticus |
| G40.009 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, without status epilepticus |
| G40.011 | Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus |
| G40.101 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, with status epilepticus |
| G40.109 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus |
| G40.11 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable |
| G40.2 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures |
| G40.209 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus |
| G40.21 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable |
| G40.219 | Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus |
| G40.3 | Generalized idiopathic epilepsy and epileptic syndromes |

| | |
|---------|--|
| G40.30 | Generalized idiopathic epilepsy and epileptic syndromes, not intractable |
| G40.301 | Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus |
| G40.309 | Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus |
| G40.31 | Generalized idiopathic epilepsy and epileptic syndromes, intractable |
| G40.311 | Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus |
| G40.319 | Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus |
| G40.4 | Other generalized epilepsy and epileptic syndromes |
| G40.40 | Other generalized epilepsy and epileptic syndromes, not intractable |
| G40.401 | Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus |
| G40.409 | Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus |
| G40.41 | Other generalized epilepsy and epileptic syndromes, intractable |
| G40.411 | Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus |
| G40.419 | Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus |
| G40.42 | Cyclin-Dependent Kinase-Like 5 Deficiency Disorder |
| G40.5 | Epileptic seizures related to external causes |
| G40.50 | Epileptic seizures related to external causes, not intractable |
| G40.501 | Epileptic seizures related to external causes, not intractable, with status epilepticus |
| G40.509 | Epileptic seizures related to external causes, not intractable, without status epilepticus |
| G40.511 | Special epileptic syndromes, intractable, with status epilepticus |
| G40.80 | Other epilepsy |
| G40.801 | Other epilepsy, not intractable, with status epilepticus |
| G40.809 | Other epilepsy, not intractable, without status epilepticus |

| | |
|--|--|
| G40.811 | Lennox-Gastaut syndrome, not intractable, with status epilepticus |
| G40.812 | Lennox-Gastaut syndrome, not intractable, without status epilepticus |
| G40.813 | Lennox-Gastaut syndrome, intractable, with status epilepticus |
| G40.814 | Lennox-Gastaut syndrome, intractable, without status epilepticus |
| G40.819 | Other epilepsy, intractable, without status epilepticus |
| G40.82 | Epileptic spasms |
| G40.821 | Epileptic spasms, not intractable, with status epilepticus |
| G40.822 | Epileptic spasms, not intractable, without status epilepticus |
| G40.823 | Epileptic spasms, intractable, with status epilepticus |
| G40.824 | Epileptic spasms, intractable, without status epilepticus |
| G40.833 | Dravet syndrome, intractable, with status epilepticus |
| G40.834 | Dravet syndrome, intractable, without status epilepticus |
| G40.9 | Epilepsy, unspecified |
| G40.90 | Epilepsy, unspecified, not intractable |
| G40.901 | Epilepsy, unspecified, not intractable, with status epilepticus |
| G40.909 | Epilepsy, unspecified, not intractable, without status epilepticus |
| G40.91 | Epilepsy, unspecified, intractable |
| I69.920 | Aphasia following unspecified cerebrovascular disease |
| I69.921 | Dysphasia following unspecified cerebrovascular disease |
| I69.922 | Dysarthria following unspecified cerebrovascular disease |
| I69.923 | Fluency disorder following unspecified cerebrovascular disease |
| B25.9 | Cytomegaloviral disease, unspecified |
| Q90.2 | Trisomy 21 |
| Q90.9 | Down syndrome, unspecified |
| Q99.2 | Fragile X chromosome |
| I169.31 | Cognitive deficits following cerebral infarction |
| * Indicates that all subcodes are included. | |

Appendix B – Final YSHCN Screener for OHP Application

The next questions will be used to screen for a program for young adults with ongoing health conditions. This program covers more services than other OHP programs for adults like extra dental and vision services and more types of specialty care. If you choose to answer these questions, [individual name/s] will be screened for this medical program.

1. Currently, do you take prescription medicine? (This excludes vitamins and birth control.)

- Yes → Go to Question 1b
- No → Go to Question 1a

1a. Do you need prescription medicine that you do not get? (This excludes vitamins and birth control.)

- Yes → Go to Question 1b
- No → Go to Question 2

1b. Is this because of any health condition? A health condition is a physical, behavioral, developmental, emotional, or mental health condition.

- Yes → Go to Question 1c
- No → Go to Question 2

1c. Has this condition lasted for at least one year, or is it expected to last for at least one year?

- Yes → Go to Question 1d
- No → Go to Question 2

1d. Did this condition begin before you turned 19 years old?

- Yes → Go to Question 2
- No → Go to Question 2
- I am younger than 19 years old. → Go to Question 2

2. Do you often use medical care, mental health, or other health services?

- Yes → Go to Question 2b
- Yes, when your condition is worse or exacerbated → Go to Question 2b
- No → Go to Question 2a

2a. Do you need medical care, mental health, or other health services that you do not get?

- Yes → Go to Question 2b
- No → Go to Question 3

2b. Is this because of any health condition? A health condition is a physical, behavioral, developmental, emotional, or mental health condition.

- Yes → Go to Question 2c
- No → Go to Question 3

2c. Has this condition lasted for at least one year, or is it expected to last for at least one year?

- Yes → Go to Question 2d
- No → Go to Question 3

2d. Did this condition begin before you turned 19 years old?

- Yes → Go to Question 3
- No → Go to Question 3
- I am younger than 19 years old → Go to Question 3

3. Do you need assistance to do your everyday activities? Examples of everyday activities include cooking, doing housework, completing paper work or school work, going to school or work or appointments, spending time with friends, and other activities. Assistance can include someone helping you or using a device or equipment to help you.

- Yes, all of the time → Go to Question 3a
- Yes, some of the time → Go to Question 3a
- No → Go to Question 4

3a. Is this because of any health condition? A health condition is a physical, behavioral, developmental, emotional, or mental health condition.

- Yes → Go to Question 3b
- No → Go to Question 4

3b. Has this condition lasted for at least one year, or is it expected to last for at least one year?

- Yes → Go to Question 3c
- No → Go to Question 4

3c. Did this condition begin before you turned 19 years old?

- Yes → Go to Question 4
- No → Go to Question 4
- I am younger than 19 years old → Go to Question 4

4. Do you get treatment or counseling for a mental health, substance use, or emotional condition? Treatment or counseling can include talk therapy, group therapy, hospitalization, inpatient or outpatient care, exposure therapy, Applied Behavior Analysis, and other treatments.

- Yes → Go to Question 4b
- Sometimes → Go to Question 4b
- No → Go to Question 4a

- 4a. Do you need treatment or counseling for a mental health, substance use, or emotional condition that you do not get?**
- Yes → Go to Question 4b
 - No → Go to Question 5
- 4b. Has this condition lasted for at least one year, or is it expected to last for at least one year?**
- Yes → Go to Question 4c
 - No → Go to Question 5
- 4c. Did this condition begin before you turned 19 years old?**
- Yes → Go to Question 5
 - No → Go to Question 5
 - I am younger than 19 years old → Go to Question 5
- 5. Do you often use medical therapies? Medical therapies can include acupuncture, dialysis, infusions, physical therapy, occupational therapy, speech therapy, respiratory therapy, therapy to manage or reduce pain, and others. Medical therapies do not include counseling or talk therapy.**
- Yes → Go to Question 5b
 - No → Go to Question 5a
- 5a. Do you often need medical therapies that you do not get?**
- Yes → Go to Question 5b
 - No → Go to Question 6
- 5b. Is this because of any health condition? A health condition is a physical, behavioral, developmental, emotional, or mental health condition.**
- Yes → Go to Question 5c
 - No → Go to Question 6
- 5c. Has this condition lasted for at least one year, or is it expected to last for at least one year?**
- Yes → Go to Question 5d
 - No → Go to Question 6
- 5d. Did this condition begin before you turned 19 years old?**
- Yes → Go to Question 6
 - No → Go to Question 6
 - I am younger than 19 years old → Go to Question 6
- 6. Do you often use medical equipment or assistive devices? Medical equipment and assistive devices include canes, communication devices,**

crutches, diabetes pumps, gastrointestinal tubes, hearing aids, nebulizers, note-taking systems, reminder systems, ventilators, vision aids, wheelchairs, and other equipment and devices.

- Yes → Go to Question 6b
- No → Go to Question 6a

6a. Do you need medical equipment or assistive devices that you do not have?

- Yes → Go to Question 6b
- No → End YSHCN Questions

6b. Is this because of any health condition? A health condition is a physical, behavioral, developmental, emotional, or mental health condition.

- Yes → Go to Question 6c
- No → End YSHCN Questions

6c. Has this condition lasted for at least one year, or is it expected to last for at least one year?

- Yes → Go to Question 6d
- No → End YSHCN Questions

6d. Did this condition begin before you turned 19 years old?

- Yes → End YSHCN Questions
- No → End YSHCN Questions
- I am younger than 19 years old → End YSHCN Questions

Appendix C – YSHCN PERCs

The newly established YSHCN PERCs are listed here and will go into effect January 1, 2025. CCOs may reference the 2025 Capitation Crosswalk (the final version will be available at <https://www.oregon.gov/oha/HSD/OHP/Pages/Encounter-Data.aspx>).

| Existing PERC | YSHCN PERC |
|---------------|------------|
| _3 | 23 |
| _4 | 24 |
| B3 | 33 |
| C5 | 25 |
| CA | 3A |
| CB | 3B |
| CC | 3C |
| CD | 3D |
| CE | 3E |
| CG | 3G |
| D4 | 34 |
| EC | 5C |
| EF | 5F |
| EI | 5I |
| EJ | 5J |
| EK | 5K |
| EL | 5L |
| EM | 5M |
| H5 | 35 |
| H6 | 36 |
| H7 | 37 |
| H9 | 39 |
| HH | 3H |
| HI | 3I |
| HJ | 3J |
| HK | 3K |
| HL | 3L |
| HM | 3M |
| HN | 3N |
| HO | 3O |
| HP | 3P |
| HQ | 3Q |
| HS | 3S |

| | |
|-----|----|
| HT | 3T |
| HU | 3U |
| HV | 3V |
| HW | 3W |
| HX | 3X |
| HY | 3Y |
| HZ | 3Z |
| KA | 6A |
| LA | 2A |
| LB | 2B |
| LC | 2C |
| LD | 2D |
| M1 | 41 |
| M2 | 42 |
| M3 | 43 |
| M4 | 44 |
| M5 | 45 |
| M6 | 46 |
| MF | 4F |
| new | 5A |
| new | 5B |