

Behavioral Health Diagnosis Codes for YSHCN Program Eligibility

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F70	Mild intellectual disabilities
F71	Moderate intellectual disabilities
F72	Severe intellectual disabilities
F73	Profound intellectual disabilities
F78	Other intellectual disabilities
F78.A1	SYNGAP1-related intellectual disability
F78.A9	Other genetic related intellectual disability
F79	Unspecified intellectual disabilities
F80.1	Expressive language disorder
F80.2	Mixed receptive-expressive language disorder
F80.4	Speech and language development delay due to hearing loss
F80.81	Childhood onset fluency disorder (stuttering)

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F81	Specific developmental disorders of scholastic skills
F81.0	Specific reading disorder
F81.2	Mathematics disorder
F81.8	Other developmental disorders of scholastic skills
F81.81	Disorder of written expression
F81.89	Other developmental disorders of scholastic skills
F81.9	Developmental disorder of scholastic skills, unspecified
F82	Specific developmental disorder of motor function
F84.0	Autistic disorder
F84.3	Other childhood disintegrative disorder
F84.5	Asperger's syndrome
F88	Global developmental delay
F90	Attention-deficit hyperactivity disorders
F90.0	Attention-deficit hyperactivity disorder, predominantly inattentive type
F90.1	Attention-deficit hyperactivity disorder, predominantly hyperactive type
F90.2	Attention-deficit hyperactivity disorder, combined type
F90.8	Attention-deficit hyperactivity disorder, other type
F90.9	Attention-deficit hyperactivity disorder, unspecified type

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F95.1	Chronic motor or vocal tic disorder
F95.2	Tourette's disorder
F06.0	Psychotic disorder due to another medical condition (Psychotic disorder with hallucinations due to known physiological condition)
F06.2	Psychotic disorder due to another medical condition (Psychotic disorder with delusions due to known physiological condition)
F20.0	Paranoid schizophrenia
F20.1	Disorganized schizophrenia
F20.2	Catatonic schizophrenia
F20.3	Undifferentiated schizophrenia
F20.5	Residual schizophrenia
F20.8	Other schizophrenia
F20.81	Schizophreniform disorder
F20.89	Other schizophrenia
F20.9	Schizophrenia
F21	Schizotypal disorder
F25	Schizoaffective disorders
F25.0	Schizoaffective disorder, bipolar type
F25.1	Schizoaffective disorder, depressive type

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F25.8	Other schizoaffective disorders
F25.9	Schizoaffective disorder, unspecified
F28	Other specified schizophrenia spectrum disorder
F29	Unspecified schizophrenia spectrum disorder
F22	Delusional disorders
F23	Brief psychotic disorder
F24	Shared psychotic disorder
F31	Bipolar disorder
F31.0	Bipolar disorder, current episode hypomanic
F31.1	Bipolar disorder, current episode manic without psychotic features
F31.10	Bipolar disorder, current episode manic without psychotic features, unspecified
F31.11	Bipolar disorder, current episode manic without psychotic features, mild
F31.12	Bipolar disorder, current episode manic without psychotic features, moderate
F31.13	Bipolar disorder, current episode manic without psychotic features, severe

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F31.2	Bipolar disorder, current episode manic severe with psychotic features
F31.3	Bipolar disorder, current episode depressed, mild or moderate severity
F31.30	Bipolar disorder, current episode depressed, mild or moderate severity, unspecified
F31.31	Bipolar disorder, current episode depressed, mild
F31.32	Bipolar disorder, current episode depressed, moderate
F31.4	Bipolar disorder, current episode depressed, severe, without psychotic features
F31.5	Bipolar disorder, current episode depressed, severe, with psychotic features
F31.6	Bipolar disorder, current episode mixed
F31.60	Bipolar disorder, current episode mixed, unspecified
F31.61	Bipolar disorder, current episode mixed, mild
F31.62	Bipolar disorder, current episode mixed, moderate
F31.63	Bipolar disorder, current episode mixed, severe, without psychotic features

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F31.64	Bipolar disorder, current episode mixed, severe, with psychotic features
F31.7	Bipolar disorder, currently in remission
F31.71	Bipolar disorder, in partial remission, most recent episode hypomanic
F31.72	Bipolar disorder, in full remission, most recent episode hypomanic
F31.73	Bipolar disorder, in partial remission, most recent episode manic
F31.75	Bipolar disorder, in partial remission, most recent episode depressed
F31.77	Bipolar disorder, in partial remission, most recent episode mixed
F31.78	Bipolar disorder, in full remission, most recent episode mixed
F31.8	Other bipolar disorders
F31.81	Bipolar II disorder
F31.89	Other bipolar disorder
F31.9	Bipolar disorder, unspecified
F34.0	Cyclothymic disorder
F33.1	Major depressive disorder, recurrent, moderate

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F33.2	Major depressive disorder, recurrent severe without psychotic features
F33.3	Major depressive disorder, recurrent, severe with psychotic symptoms
F33.4	Major depressive disorder, recurrent, in remission
F33.41	Major depressive disorder, recurrent, in partial remission
F33.8	Other recurrent depressive disorders
F33.9	Major depressive disorder, recurrent, unspecified
F34.8	Disruptive mood dysregulation disorder
F06.4	Anxiety disorder due to another medical condition
F40.0	Agoraphobia
F41.0	Panic disorder
F41.1	Generalized anxiety disorder
F41.9	Unspecified anxiety disorder
F93	Separation anxiety disorder
F94	Selective mutism
F06.8	Obsessive-compulsive and related disorder or other specified mental disorder due to another medical condition
F42	Obsessive compulsive disorder, hoarding, and related disorders
F42.2	(Mixed obsessional thoughts and acts)

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F42.3	(Hoarding disorder)
F42.4	(Excoriation [skin-picking] disorder)
F42.8	(Other obsessive-compulsive disorder)
F42.9	Obsessive-compulsive disorder, unspecified
F45.22	Body dysmorphic disorder
F63.3	Trichotillomania (hair pulling disorder)
F43	Acute stress disorder
F43.1	PTSD
F43.12	(PTSD, chronic)
F94.1	Reactive attachment disorder
F44.0	Dissociative amnesia
F44.81	Dissociative identity disorder
F44.89	(Other specified dissociative disorder)
F45.22	Body dysmorphic disorder
F45.8	(Other specified somatic symptom and related disorder)
F48.1	(Dissociative disorders. Depersonalization/Derealization disorder)
F44.4	Conversion disorder with motor symptom or deficit
F44.5	Conversion disorder with seizures or convulsions

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F44.6	Conversion disorder with sensory symptom or deficit
F44.7	Conversion disorder with mixed symptom presentation
F45.21	Hypochondriasis / (Somatic symptom and related disorders. Illness anxiety disorder)
F50	Eating disorders
F50.0	Anorexia nervosa
F50.01	Anorexia nervosa, restricting type
F50.02	Anorexia nervosa, binge eating/purging type
F50.2	Bulimia nervosa
F50.8	(Feeding and eating disorders. In adults) / Other eating disorders
F50.81	Binge eating disorder
F50.89	(Other specified feeding or eating disorder)
F98.3	(Feeding and eating disorders. In children) [Pica]
F98.1	Encopresis not due to a substance or known physiological condition
F64	Gender dysphoria
F63	Impulse disorders
F63.1	Pyromania / (Disruptive, impulse control, and conduct disorders. Pyromania)

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F63.2	Kleptomania
F63.81	Intermittent explosive disorder
F91.1	Conduct disorder, childhood-onset type
F91.2	Conduct disorder, adolescent-onset type
F91.3	Oppositional defiant disorder
F91.8	Other conduct disorders
F91.9	Conduct disorder, unspecified
F10.2*	F10.22-.288 Now alcohol use disorder moderate, severe, alcohol intoxication with severe Sx, alcohol withdrawal with severe Sx, alcohol-induced disorders
F10.21	Alcohol dependence, in remission
F10.9*	Alcohol induced disorders; F10.96 Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F10.96	Alcohol use, unspecified with alcohol-induced persisting amnestic disorder
F11.1*	Opioid use disorder and intoxication, mild
F11.2*	Opioid use disorder and intoxication, severe
F11.20	Opioid dependence, uncomplicated
F11.21	Opioid dependence, in remission
F11.9*	Opioid induced disorders

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F12.2*	Cannabis dependence
F12.20	(Substance-related and addictive disorders. Moderate, severe)
F13.1*	Sedative, hypnotic, or anxiolytic-related abuse
F13.2*	Sedative, hypnotic, or anxiolytic-related dependence
F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated
F13.21	Sedative, hypnotic or anxiolytic dependence, in remission
F14.2*	Cocaine dependence
F14.20	Cocaine dependence, uncomplicated
F15.2*	Other stimulant dependence
F15.20	Other stimulant dependence, uncomplicated
F15.21	Other stimulant dependence, in remission
F16.2*	Hallucinogen dependence
F16.20	Hallucinogen dependence, uncomplicated
F16.21	Hallucinogen dependence, in remission
F18.2*	Inhalant dependence
F18.20	Inhalant dependence, uncomplicated
F18.21	Inhalant dependence, in remission
F19.2*	Other psychoactive substance dependence

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F19.20	Other psychoactive substance dependence, uncomplicated
F19.21	Other psychoactive substance dependence, in remission
F63.0	Pathological gambling
F02.811	Dementia in other diseases classified elsewhere, unspecified severity, with agitation
F02.818	Dementia in other diseases classified elsewhere, unspecified severity, with other behavioral disturbance
F02.82	Dementia in other diseases classified elsewhere, unspecified severity, with psychotic disturbance
F02.83	Dementia in other diseases classified elsewhere, unspecified severity, with mood disturbance
F02.84	Dementia in other diseases classified elsewhere, unspecified severity, with anxiety
F02.A0	Dementia in other diseases classified elsewhere, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety
F02.A11	Dementia in other diseases classified elsewhere, mild, with agitation
F02.A18	Dementia in other diseases classified elsewhere, mild, with other behavioral disturbance
F02.A2	Dementia in other diseases classified elsewhere, mild, with psychotic disturbance
F02.A3	Dementia in other diseases classified elsewhere, mild, with mood disturbance

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F02.A4	Dementia in other diseases classified elsewhere, mild, with anxiety
F02.B0	Dementia in other diseases classified elsewhere, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety
F02.B11	Dementia in other diseases classified elsewhere, moderate, with agitation
F02.B18	Dementia in other diseases classified elsewhere, moderate, with other behavioral disturbance
F02.B2	Dementia in other diseases classified elsewhere, moderate, with psychotic disturbance
F02.B3	Dementia in other diseases classified elsewhere, moderate, with mood disturbance
F02.B4	Dementia in other diseases classified elsewhere, moderate, with anxiety
F02.C0	Dementia in other diseases classified elsewhere, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety
F02.C11	Dementia in other diseases classified elsewhere, severe, with agitation
F02.C18	Dementia in other diseases classified elsewhere, severe, with other behavioral disturbance
F02.C2	Dementia in other diseases classified elsewhere, severe, with psychotic disturbance

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F02.C3	Dementia in other diseases classified elsewhere, severe, with mood disturbance
F02.C4	Dementia in other diseases classified elsewhere, severe, with anxiety
F03.911	Unspecified dementia, unspecified severity, with agitation
F03.918	Unspecified dementia, unspecified severity, with other behavioral disturbance
F03.92	Unspecified dementia, unspecified severity, with psychotic disturbance
F03.93	Unspecified dementia, unspecified severity, with mood disturbance
F03.94	Unspecified dementia, unspecified severity, with anxiety
F03.A0	Unspecified dementia, mild, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety
F03.A11	Unspecified dementia, mild, with agitation
F03.A18	Unspecified dementia, mild, with other behavioral disturbance
F03.A2	Unspecified dementia, mild, with psychotic disturbance
F03.A3	Unspecified dementia, mild, with mood disturbance
F03.A4	Unspecified dementia, mild, with anxiety
F03.B0	Unspecified dementia, moderate, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F03.B11	Unspecified dementia, moderate, with agitation
F03.B18	Unspecified dementia, moderate, with other behavioral disturbance
F03.B2	Unspecified dementia, moderate, with psychotic disturbance
F03.B3	Unspecified dementia, moderate, with mood disturbance
F03.B4	Unspecified dementia, moderate, with anxiety
F03.C0	Unspecified dementia, severe, without behavioral disturbance, psychotic disturbance, mood disturbance, and anxiety
F03.C11	Unspecified dementia, severe, with agitation
F03.C18	Unspecified dementia, severe, with other behavioral disturbance
F03.C2	Unspecified dementia, severe, with psychotic disturbance
F03.C3	Unspecified dementia, severe, with mood disturbance
F03.C4	Unspecified dementia, severe, with anxiety
G10	Huntington's disease
F60	Specific personality disorders
F60.0	Paranoid personality disorder
F60.1	Schizoid personality disorder

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
F60.2	Antisocial personality disorder
F60.3	Borderline personality disorder
F60.4	Histrionic personality disorder
F60.5	Obsessive-compulsive personality disorder
F60.6	Avoidant personality disorder
F60.7	Dependent personality disorder
F60.8	Other specific personality disorders
F60.81	Narcissistic personality disorder
F60.89	Other specific personality disorders
F60.9	Personality disorder, unspecified
F65*	Paraphilic disorder
G04	Encephalitis, myelitis and encephalomyelitis
G04.0	Acute disseminated encephalitis and encephalomyelitis (ADEM)
G04.3	Acute necrotizing hemorrhagic encephalopathy
G04.31	Postinfectious acute necrotizing hemorrhagic encephalopathy
G04.32	Postimmunization acute necrotizing hemorrhagic encephalopathy
G04.8	Other encephalitis, myelitis and encephalomyelitis

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
G04.81	Other encephalitis and encephalomyelitis
G04.9	Encephalitis, myelitis and encephalomyelitis, unspecified
G04.90	Encephalitis and encephalomyelitis, unspecified
G05	Encephalitis, myelitis and encephalomyelitis in disease classified elsewhere
G05.3	Encephalitis and encephalomyelitis in disease classified elsewhere
G09	Sequelae of inflammatory diseases of central nervous system
G11.0	Congenital nonprogressive ataxia
G11.1	Early-onset cerebellar ataxia
G11.10	Early-onset cerebellar ataxia, unspecified
G11.3	Cerebellar ataxia with defective DNA repair
G11.8	Other hereditary ataxias
G12	Spinal muscular atrophy and related syndromes
G12.0	Infantile spinal muscular atrophy, type I [Werdnig-Hoffman]
G12.1	Other inherited spinal muscular atrophy
G12.2	Motor neuron disease
G12.21	Amyotrophic lateral sclerosis
G12.25	Progressive spinal muscle atrophy

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
G12.29	Other motor neuron disease
G12.8	Other spinal muscular atrophies and related syndromes
G12.9	Spinal muscular atrophy, unspecified
G14	Postpolio syndrome
G23	Other degenerative diseases of basal ganglia
G23.0	Hallervorden-Spatz disease
G23.1	Progressive supranuclear ophthalmoplegia [Steele-Richardson-Olszewski]
G23.2	Striatonigral degeneration
G23.8	Other specified degenerative diseases of basal ganglia
G25.82	Stiff-man syndrome
G31.81	Alpers disease
G31.82	Leigh's disease
G31.9	Degenerative disease of nervous system, unspecified
G32.0	Subacute combined degeneration of spinal cord in diseases classified elsewhere
G35	Multiple sclerosis
G37.2	Central pontine myelinolysis

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
G37.5	Concentric sclerosis [Balo] of central nervous system
G37.8	Other specified demyelinating diseases of central nervous system
G37.9	Demyelinating disease of central nervous system, unspecified
G40.0	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset
G40.00	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable
G40.001	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, with status epilepticus
G40.009	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, not intractable, without status epilepticus
G40.011	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
G40.101	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, with status epilepticus
G40.109	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus
G40.11	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable
G40.2	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures
G40.209	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus
G40.21	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable
G40.219	Localization-related (focal) (partial) symptomatic epilepsy and epileptic

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
	syndromes with complex partial seizures, intractable, without status epilepticus
G40.3	Generalized idiopathic epilepsy and epileptic syndromes
G40.30	Generalized idiopathic epilepsy and epileptic syndromes, not intractable
G40.301	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.309	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.31	Generalized idiopathic epilepsy and epileptic syndromes, intractable
G40.311	Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus
G40.319	Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.4	Other generalized epilepsy and epileptic syndromes

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
G40.40	Other generalized epilepsy and epileptic syndromes, not intractable
G40.401	Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus
G40.409	Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus
G40.41	Other generalized epilepsy and epileptic syndromes, intractable
G40.411	Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus
G40.419	Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus
G40.42	Cyclin-Dependent Kinase-Like 5 Deficiency Disorder
G40.5	Epileptic seizures related to external causes
G40.50	Epileptic seizures related to external causes, not intractable
G40.501	Epileptic seizures related to external causes, not intractable, with status epilepticus

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
G40.509	Epileptic seizures related to external causes, not intractable, without status epilepticus
G40.511	Special epileptic syndromes, intractable, with status epilepticus
G40.80	Other epilepsy
G40.801	Other epilepsy, not intractable, with status epilepticus
G40.809	Other epilepsy, not intractable, without status epilepticus
G40.811	Lennox-Gastaut syndrome, not intractable, with status epilepticus
G40.812	Lennox-Gastaut syndrome, not intractable, without status epilepticus
G40.813	Lennox-Gastaut syndrome, intractable, with status epilepticus
G40.814	Lennox-Gastaut syndrome, intractable, without status epilepticus
G40.819	Other epilepsy, intractable, without status epilepticus
G40.82	Epileptic spasms
G40.821	Epileptic spasms, not intractable, with status epilepticus
G40.822	Epileptic spasms, not intractable, without status epilepticus
G40.823	Epileptic spasms, intractable, with status epilepticus
G40.824	Epileptic spasms, intractable, without status epilepticus

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
G40.833	Dravet syndrome, intractable, with status epilepticus
G40.834	Dravet syndrome, intractable, without status epilepticus
G40.9	Epilepsy, unspecified
G40.90	Epilepsy, unspecified, not intractable
G40.901	Epilepsy, unspecified, not intractable, with status epilepticus
G40.909	Epilepsy, unspecified, not intractable, without status epilepticus
G40.91	Epilepsy, unspecified, intractable
I69.920	Aphasia following unspecified cerebrovascular disease
I69.921	Dysphasia following unspecified cerebrovascular disease
I69.922	Dysarthria following unspecified cerebrovascular disease
I69.923	Fluency disorder following unspecified cerebrovascular disease
B25.9	Cytomegaloviral disease, unspecified
Q90.2	Trisomy 21
Q90.9	Down syndrome, unspecified
Q99.2	Fragile X chromosome
I169.31	Cognitive deficits following cerebral infarction

ICD-10 Diagnosis Code <i>The condition is challenging, chronic and complicated, regardless of individual characteristics and circumstances. A young adult with the condition should automatically be eligible for the Medicaid benefits.</i>	ICD-10 Diagnosis Code Description
* Indicates that all subcodes are included.	

You can get this document in other languages, large print, braille or a format you prefer free of charge. Contact the Children & Families programs at yshcn.info@oha.oregon.gov or 503-945-5772. We accept all relay calls.

Medicaid Division
 Children & Families Programs
 500 Summer Street, NE
 Salem, OR 97301-1097
 503-945-5772
Oregon.gov/yshcn

