


Adults with any exposure to secondhand smoke by county, Oregon, 2010–2013

Percent of adults (age-adjusted)



**Adults with any exposure to secondhand smoke by county,
Oregon, 2010–2013**

County	Percent of adults (age-adjusted)	Number of respondents (N)
Baker	19.2%†	107
Benton	18.1%	392
Clackamas	16.8%	1,408
Clatsop	22.3%	163
Columbia	20.5%	244
Coos	26.6%	351
Crook	28.0%	108
Curry	23.0%	134
Deschutes	16.1%	609
Douglas	28.0%	486
Gilliam / Sherman / Wasco	21.7%	131
Grant	*	51
Harney	20.5%†	43
Hood River	*	79
Jackson	21.8%	879
Jefferson	30.0%†	82
Josephine	22.8%	385
Klamath	24.8%	290
Lake	29.1%†	60
Lane	20.7%	1,526
Lincoln	35.2%	284
Linn	29.3%	513
Malheur	29.5%	103
Marion	21.9%	1,076
Morrow	*	51
Multnomah	18.8%	2,506
Polk	19.9%	302
Tillamook	16.6%	140
Umatilla	31.3%	249
Union	26.0%	115
Wallowa	*	53
Washington	15.1%	1,713
Wheeler	*	18
Yamhill	25.9%	387
Frontier ZIP codes	16.7%	487
Rural ZIP codes	23.0%	5,647
Urban ZIP codes	18.8%	8,623
<i>Oregon State</i>	<i>20.2%</i>	<i>15,038</i>

† Rates with a relative standard error (RSE) ≥ 30 are considered unreliable.

* Rates based on a count < 3 or a denominator < 30 or with a relative standard error (RSE) ≥ 50 are not reported.

About the Data

Data Source: Oregon Behavioral Risk Factor Surveillance System (BRFSS)

Data Notes:

Adults = age 18+

Number of respondents (N) is unweighted; percentages are weighted

Age-Adjusted to standard U.S. 2000 population - 3 groups (18-34, 35-54, 55+)

Includes respondents who are exposed to secondhand smoke for 1 or more hours per week.

Date: March 30, 2018