

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you ever been told by a doctor that you have diabetes?
 If YES AND FEMALE, "Was this only when you were pregnant?"
 (Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		5.2	.6	.9	2.9	5.0	7.3	13.4
Yes, but female told only during pregnancy		.7	.7	1.1	1.5	.2	.1	.4
No		94.1	98.7	97.9	95.7	94.8	92.6	86.2
Male	Yes	5.1	.7	1.3	3.0	5.0	6.9	14.4
	No	94.9	99.3	98.7	97.0	95.0	93.1	85.6
Female	Yes	5.2	.4	.6	2.7	5.0	7.8	12.7
	Yes, but female told only during pregnancy	1.4	1.5	2.3	2.9	.4	.2	.6
	No	93.4	98.0	97.1	94.4	94.6	92.0	86.7
Denominator is: All survey respondents.								

Have you ever been told by a doctor that you have diabetes?
 If YES AND FEMALE, "Was this only when you were pregnant?"
 (Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		5,403	506	1,006	1,218	1,049	690	934
Yes		263	5	10	35	50	48	115
Yes, but female told only during pregnancy		50	5	12	24	4	1	4
No		5,087	496	984	1,159	995	641	812
Don't know/Not sure		3						3
Male	Total	2,267	227	466	492	455	296	331
	Yes	112	3	6	13	22	19	49
	No	2,155	224	460	479	433	277	282
Female	Total	3,134	279	540	725	594	394	602
	Yes	151	2	4	22	28	29	66
	Yes, but female told only during pregnancy	48	5	12	23	4	1	3
	No	2,932	272	524	680	562	364	530
	Don't know/Not sure	3						3
Denominator is: All survey respondents.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How concerned are you about the long term complications of diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Very concerned		49.0	23.2	72.8	45.7	58.8	65.3	39.8
Somewhat concerned		27.6	45.0	10.5	42.1	29.4	19.8	26.6
A little concerned, or		12.7		16.7	10.9	4.3	12.7	16.2
Not concerned at all?		10.8	31.8		1.4	7.4	2.3	17.4
Male	Very concerned	55.1	25.0	83.3	50.0	68.0	66.7	45.7
	Somewhat concerned	27.8	25.0		50.0	27.0	16.7	28.4
	A little concerned, or	10.1		16.7		4.9	13.9	13.6
	Not concerned at all?	7.0	50.0				2.8	12.3
Female	Very concerned	43.3	20.0	50.0	41.1	49.5	64.1	35.0
	Somewhat concerned	27.4	80.0	33.3	33.6	31.8	22.3	25.1
	A little concerned, or	15.0		16.7	22.4	3.7	11.7	18.4
	Not concerned at all?	14.3			2.8	15.0	1.9	21.5

Denominator is: All survey respondents who were told by their doctor that they had diabetes

How concerned are you about the long term complications of diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Very concerned		126	2	7	15	29	30	43
Somewhat concerned		71	2	1	15	14	10	29
A little concerned, or		37		2	4	3	6	22
Not concerned at all?		28	1		1	4	2	20
Don?t know/Not sure		1						1
Male	Total	112	3	6	13	22	19	49
	Very concerned	60	1	5	6	15	12	21
	Somewhat concerned	29	1		7	5	3	13
	A little concerned, or	14		1		2	3	8
	Not concerned at all?	9	1				1	7
Female	Total	151	2	4	22	28	29	66
	Very concerned	66	1	2	9	14	18	22
	Somewhat concerned	42	1	1	8	9	7	16
	A little concerned, or	23		1	4	1	3	14
	Not concerned at all?	19			1	4	1	13
	Don?t know/Not sure	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Do you agree or disagree with the following statement:
 The long term complications of diabetes are preventable?
 (Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Strongly agree, or		43.8	92.7	48.7	43.8	50.7	71.9	28.9
Somewhat agree?		40.7	7.3	34.2	45.2	32.8	18.3	52.2
Neither agree nor disagree		1.8				2.6		2.9
Strongly disagree, or		5.9			5.5	11.7	1.4	6.0
Somewhat disagree?		7.7		17.1	5.5	2.3	8.4	9.8
Male	Strongly agree, or	39.7	100.0	25.0	34.6	50.8	73.5	22.9
	Somewhat agree?	46.1		50.0	65.4	34.4	17.6	57.1
	Neither agree nor disagree	1.6				4.9		1.4
	Strongly disagree, or	4.4				7.4	2.9	5.7
	Somewhat disagree?	8.2		25.0		2.5	5.9	12.9
Female	Strongly agree, or	47.8	80.0	100.0	53.8	50.5	70.5	34.0
	Somewhat agree?	35.5	20.0		23.1	30.9	18.9	48.2
	Neither agree nor disagree	2.1						4.2
	Strongly disagree, or	7.3			11.5	16.5		6.3
	Somewhat disagree?	7.3			11.5	2.1	10.5	7.3
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Do you agree or disagree with the following statement:
The long term complications of diabetes are preventable?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	
Total		263	5	10	35	50	48	115
Strongly agree, or		107	4	6	15	22	30	30
Somewhat agree?		93	1	3	14	16	10	49
Neither agree nor disagree		4				1		3
Strongly disagree, or		14			2	6	1	5
Somewhat disagree?		20		1	3	2	4	10
Don?t know/Not sure		22			1	3	3	15
Refused		3						3
Male	Total	112	3	6	13	22	19	49
	Strongly agree, or	45	3	2	4	11	13	12
	Somewhat agree?	44		3	9	7	3	22
	Neither agree nor disagree	2				1		1
	Strongly disagree, or	5				2	1	2
	Somewhat disagree?	8		1		1	1	5
	Don?t know/Not sure	7					1	6
	Refused	1						1
Female	Total	151	2	4	22	28	29	66
	Strongly agree, or	62	1	4	11	11	17	18
	Somewhat agree?	49	1		5	9	7	27
	Neither agree nor disagree	2						2
	Strongly disagree, or	9			2	4		3
	Somewhat disagree?	12			3	1	3	5
	Don?t know/Not sure	15			1	3	2	9
	Refused	2						2
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How serious is your diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Extremely serious		4.0		17.1	9.6	1.0	11.8	
Very serious		11.4	29.1	21.9	13.1	12.2	11.3	9.6
Moderately serious		39.5	70.9	38.1	49.8	59.8	28.7	32.4
Slightly serious or		31.5			19.3	12.8	34.5	43.6
Not at all serious		13.6		22.8	8.3	14.3	13.7	14.4
Male	Extremely serious	3.4		25.0	15.4			
	Very serious	10.2		16.7	11.5	5.2	8.3	12.2
	Moderately serious	45.5	100.0	25.0	50.0	74.1	19.4	41.9
	Slightly serious or	33.6			15.4	18.1	61.1	40.5
	Not at all serious	7.4		33.3	7.7	2.6	11.1	5.4
Female	Extremely serious	4.5			3.0	1.9	21.8	
	Very serious	12.6	80.0	33.3	14.9	19.0	13.9	7.5
	Moderately serious	34.1	20.0	66.7	49.5	45.7	36.6	24.9
	Slightly serious or	29.6			23.8	7.6	11.9	46.0
	Not at all serious	19.2			8.9	25.7	15.8	21.6

Denominator is: All survey respondents who were told by their doctor that they had diabetes

How serious is your diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Extremely serious		9		1	3	1	4	
Very serious		32	1	3	5	7	6	10
Moderately serious		103	4	4	16	26	17	36
Slightly serious or		71			7	7	14	43
Not at all serious		37		2	3	7	6	19
Don?t know/Not sure		7				1	1	5
Refused		4			1	1		2
Male	Total	112	3	6	13	22	19	49
	Extremely serious	3		1	2			
	Very serious	11		1	2	1	2	5
	Moderately serious	51	3	2	6	15	5	20
	Slightly serious or	33			2	4	10	17
	Not at all serious	10		2	1	1	2	4
	Don?t know/Not sure	3				1		2
	Refused	1						1

Female	Total	151	2	4	22	28	29	66
	Extremely serious	6			1	1	4	
	Very serious	21	1	2	3	6	4	5
	Moderately serious	52	1	2	10	11	12	16
	Slightly serious or	38			5	3	4	26
	Not at all serious	27			2	6	4	15
	Don?t know/Not sure	4					1	3
	Refused	3			1	1		1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

here

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How important is following your self-management recommendations such as diet, exercise, and glucose testing for controlling your diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Extremely important		40.2	36.4	44.3	47.5	51.9	50.7	30.3
Very important		39.9	15.9	32.9	34.2	24.9	32.5	50.4
Moderately important		13.4	15.9	11.4	13.6	16.7	11.0	13.0
Slightly important or		3.9		11.4	4.8	3.7	2.6	3.8
Not at all important		2.7	31.8			2.8	3.2	2.6
Male	Extremely important	39.9		41.7	46.2	53.3	48.6	30.8
	Very important	39.1	25.0	25.0	34.6	24.6	34.3	50.0
	Moderately important	15.1	25.0	16.7	15.4	22.1	11.4	12.8
	Slightly important or	4.5		16.7	3.8		5.7	5.1
	Not at all important	1.4	50.0					1.3
Female	Extremely important	40.5	100.0	50.0	49.0	50.5	52.4	29.9
	Very important	40.6		50.0	33.7	25.2	31.1	50.7
	Moderately important	11.8			11.5	11.2	10.7	13.1
	Slightly important or	3.3			5.8	7.5		2.7
	Not at all important	3.8				5.6	5.8	3.6
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

How important is following your self-management recommendations such as diet, exercise, and glucose testing for controlling your diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Extremely important		103	2	4	14	27	22	34
Very important		99	1	4	14	11	17	52
Moderately important		36	1	1	4	7	6	17
Slightly important or		11		1	2	3	1	4
Not at all important		8	1			2	1	4
Don?t know/Not sure		5			1		1	3
Refused		1						1
Male	Total	112	3	6	13	22	19	49
	Extremely important	44		2	5	13	9	15
	Very important	41	1	2	5	5	6	22
	Moderately important	17	1	1	2	4	2	7
	Slightly important or	5		1	1		1	2
	Not at all important	2	1					1
			3				1	2

	Don?t know/Not sure							
Female	Total	151	2	4	22	28	29	66
	Extremely important	59	2	2	9	14	13	19
	Very important	58		2	9	6	11	30
	Moderately important	19			2	3	4	10
	Slightly important or	6			1	3		2
	Not at all important	6				2	1	3
	Don?t know/Not sure	2			1			1
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How much has your doctor or health care provider helped you set clear,
specific goals for managing your diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Very helpful		68.8	68.2	66.7	60.3	64.1	71.5	71.9
Somewhat helpful		21.8		21.9	32.1	25.4	22.8	18.2
Not very helpful		5.5			7.6	9.2	2.1	5.3
Not helpful at all		3.9	31.8	11.4		1.3	3.6	4.6
Male	Very helpful	69.4	50.0	66.7	53.8	63.9	72.2	76.3
	Somewhat helpful	21.6		16.7	38.5	28.7	22.2	15.0
	Not very helpful	4.8			7.7	4.9		6.2
	Not helpful at all	4.1	50.0	16.7		2.5	5.6	2.5
Female	Very helpful	68.3	100.0	66.7	67.3	64.4	70.9	68.3
	Somewhat helpful	22.0		33.3	25.2	21.8	23.3	20.8
	Not very helpful	6.1			7.5	13.9	3.9	4.5
	Not helpful at all	3.6					1.9	6.3

Denominator is: All survey respondents who were told by their doctor that they had diabetes

How much has your doctor or health care provider helped you set clear,
specific goals for managing your diabetes?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Very helpful		176	4	7	21	31	32	81
Somewhat helpful		55		2	10	12	13	18
Not very helpful		17			4	4	1	8
Not helpful at all		10	1	1		1	2	5
Don?t know/Not sure		4				2		2
Refused		1						1
Male	Total	112	3	6	13	22	19	49
	Very helpful	76	2	4	7	14	13	36
	Somewhat helpful	24		1	5	6	5	7
	Not very helpful	6			1	1		4
	Not helpful at all	5	1	1		1	1	1
	Don?t know/Not sure	1						1
Female	Total	151	2	4	22	28	29	66
	Very helpful	100	2	3	14	17	19	45
	Somewhat helpful	31		1	5	6	8	11
	Not very helpful	11			3	3	1	4
		5					1	4

Not helpful at all							
Don't know/Not sure	3				2		1
Refused	1						1
Denominator is: All survey respondents who were told by their doctor that they had diabetes							

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How worried are you about developing complications of diabetes, like eye problems, foot ulcers, or heart attacks?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Extremely worried		12.1		11.4	11.7	19.5	26.9	4.8
Very worried		13.9	45.0	32.9	4.1	22.5	11.8	11.8
Moderately worried		30.3	23.2	17.1	37.4	31.4	23.6	31.5
Slightly worried or		20.9		33.3	26.1	12.1	13.3	25.1
Not at all worried		22.9	31.8	5.3	20.8	14.5	24.5	26.9
Male	Extremely worried	10.0		16.7	7.7	14.8	19.4	5.1
	Very worried	15.6	25.0	25.0		26.2	16.7	14.1
	Moderately worried	30.4	25.0	25.0	46.2	39.3	11.1	29.5
	Slightly worried or	28.4		33.3	26.9	14.8	22.2	37.2
	Not at all worried	15.7	50.0		19.2	4.9	30.6	14.1
Female	Extremely worried	14.0			15.9	24.3	33.0	4.5
	Very worried	12.3	80.0	50.0	8.4	18.7	7.8	10.0
	Moderately worried	30.2	20.0		28.0	23.4	34.0	33.0
	Slightly worried or	14.0		33.3	25.2	9.3	5.8	15.4
	Not at all worried	29.4		16.7	22.4	24.3	19.4	37.1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

How worried are you about developing complications of diabetes, like eye problems, foot ulcers, or heart attacks?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Extremely worried		32		1	5	9	11	6
Very worried		36	2	3	2	11	7	11
Moderately worried		78	2	2	12	17	12	33
Slightly worried or		53		3	9	5	7	29
Not at all worried		60	1	1	7	8	11	32
Don't know/Not sure		2						2
Refused		2						2
Male	Total	112	3	6	13	22	19	49
	Extremely worried	10		1	1	3	3	2
	Very worried	16	1	1		6	3	5
	Moderately worried	35	1	2	6	9	2	15
	Slightly worried or	31		2	4	3	5	17
	Not at all worried	18	1		2	1	6	8
			1					

	Don?t know/Not sure							
	Refused	1						1
Female	Total	151	2	4	22	28	29	66
	Extremely worried	22			4	6	8	4
	Very worried	20	1	2	2	5	4	6
	Moderately worried	43	1		6	8	10	18
	Slightly worried or	22		1	5	2	2	12
	Not at all worried	42		1	5	7	5	24
	Don?t know/Not sure	1						1
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

In the past 12 months, did you cut down on things you usually do, such as going to work or working around the house, because of illness or injury?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		28.8	47.7	5.3	40.1	19.8	29.6	29.9
No		71.2	52.3	94.7	59.9	80.2	70.4	70.1
Male	Yes	19.7	75.0		46.2	17.2	5.6	17.7
	No	80.3	25.0	100.0	53.8	82.8	94.4	82.3
Female	Yes	37.1		16.7	33.6	22.4	49.5	39.8
	No	62.9	100.0	83.3	66.4	77.6	50.5	60.2

Denominator is: All survey respondents who were told by their doctor that they had diabetes

In the past 12 months, did you cut down on things you usually do, such as going to work or working around the house, because of illness or injury?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		78	2	1	13	11	16	35
No		182	3	9	22	39	32	77
Don't know/not sure		2						2
Unknown		1						1
Male	Total	112	3	6	13	22	19	49
	Yes	22	2		6	4	1	9
	No	89	1	6	7	18	18	39
	Don't know/not sure	1						1
Female	Total	151	2	4	22	28	29	66
	Yes	56		1	7	7	15	26
	No	93	2	3	15	21	14	38
	Don't know/not sure	1						1
	Unknown	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How many days did you cut down on the things you usually do because of illness or injury?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		3.3	33.3					5.4
2		8.5				12.5	13.1	9.8
3		3.4				4.7	8.7	2.7
4		3.0				4.7	13.1	
5		5.0				12.5		7.1
6		2.1						4.7
7		6.8			18.5	9.4	4.4	2.4
12		1.8	66.7					
14		5.1			11.3	12.5		2.4
15		2.7					8.7	2.7
21		1.5					8.7	
30		14.7		100.0	18.5	23.4	6.6	12.8
45		5.2						11.8
60		1.8					4.4	2.4
90		3.2				9.4	4.4	2.4
120		6.8			29.5			2.4
180		2.8			3.8			4.7
190		.8					4.4	
200		.8					4.4	
240		2.4						5.4
270		1.5					8.7	
360		2.1			11.0			
365		14.4			7.5	10.9	10.4	21.2
Male	1	9.7	33.3					20.0
	2	9.2				28.6		10.0
	3	3.5						10.0
	5	5.6				28.6		
	7	6.3			20.0			
	12	5.2	66.7					
	14	5.6				28.6		
	15	3.5						10.0
	30	17.0			20.0			30.0
	120	12.7			40.0			
	240	7.1						20.0
360	6.3			20.0				

	365	8.2				14.3	100.0	
Female	2	8.2					14.6	9.7
	3	3.4				8.3	9.8	
	4	4.5				8.3	14.6	
	5	4.8						9.7
	6	3.2						6.5
	7	7.1			16.7	16.7	4.9	3.2
	14	4.9			25.0			3.2
	15	2.3					9.8	
	21	2.3					9.8	
	30	13.6		100.0	16.7	41.7	7.3	6.5
	45	7.9						16.1
	60	2.7					4.9	3.2
	90	4.9				16.7	4.9	3.2
	120	3.8			16.7			3.2
	180	4.3			8.3			6.5
	190	1.2					4.9	
	200	1.2					4.9	
	270	2.3					9.8	
	365	17.5			16.7	8.3		29.0

Denominator is: All survey respondents who were told by their doctor that they had diabetes and who cut down on their usual activities because of illness or injury

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How many days did you cut down on the things you usually do because of illness or injury?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		78	2	1	13	11	16	35
1		2	1					1
2		5				1	1	3
3		3				1	1	1
4		2				1	1	
5		3				1		2
6		1						1
7		5			2	1	1	1
12		1	1					
14		4			2	1		1
15		3					2	1
21		1					1	
30		9		1	2	2	1	3
45		2						2
60		2					1	1
90		3				1	1	1
120		4			3			1
180		2			1			1
190		1					1	
200		1					1	
240		1						1
270		1					1	
360		1			1			
365		8			1	2	1	4
Don't know/Not sure		13			1		2	10
Male	Total	22	2		6	4	1	9
	1	2	1					1
	2	2				1		1
	3	1						1
	5	1				1		
	7	1			1			
	12	1	1					
	14	1				1		
	15	1						1
	30	3			1			2

	120	2		2			
	240	1					1
	360	1		1			
	365	2			1	1	
	Don't know/Not sure	3		1			2
Female	Total	56	1	7	7	15	26
	2	3				1	2
	3	2			1	1	
	4	2			1	1	
	5	2					2
	6	1					1
	7	4		1	1	1	1
	14	3		2			1
	15	2				2	
	21	1				1	
	30	6	1	1	2	1	1
	45	2					2
	60	2				1	1
	90	3			1	1	1
	120	2		1			1
	180	2		1			1
	190	1				1	
	200	1				1	
	270	1				1	
	365	6		1	1		4
	Don't know/Not sure	10				2	8
Denominator is: All survey respondents who were told by their doctor that they had diabetes and who cut down on their usual activities because of illness or injury							

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

In the past 12 months, did you ever stay in bed because of an illness or injury?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		33.9	52.3	33.8	58.5	43.2	36.1	23.3
No		66.1	47.7	66.2	41.5	56.8	63.9	76.7
Male	Yes	26.7	25.0	41.7	53.8	43.4	22.2	12.3
	No	73.3	75.0	58.3	46.2	56.6	77.8	87.7
Female	Yes	40.6	100.0	16.7	63.6	43.0	47.6	32.3
	No	59.4		83.3	36.4	57.0	52.4	67.7

Denominator is: All survey respondents who were told by their doctor that they had diabetes

In the past 12 months, did you ever stay in bed because of an illness or injury?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		89	3	4	22	21	15	24
No		173	2	6	13	29	33	90
Refused		1						1
Male	Total	112	3	6	13	22	19	49
	Yes	30	1	3	7	10	3	6
	No	82	2	3	6	12	16	43
Female	Total	151	2	4	22	28	29	66
	Yes	59	2	1	15	11	12	18
	No	91		3	7	17	17	47
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How many days did you stay in bed because of illness or injury?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
1	13.9	30.4	50.7	15.6	17.2	17.6	4.2
2	16.4	55.7	15.6	21.2	23.6	8.8	10.6
3	13.5			14.1	13.6	25.2	9.0
4	2.7				1.9		6.6
5	1.9	13.9					4.8
6	7.3				4.3	10.5	13.2
7	9.4			4.7	5.7	7.0	17.5
10	.8					4.4	
11	1.0				4.3		
12	.7						2.1
14	2.9		33.8			5.9	2.1
15	1.9			6.9	2.1		
16	2.4			4.7			4.2
18	.8						2.4
20	1.9					2.9	4.2
23	2.1						6.3
24	2.9			6.9	6.4		
30	7.4			13.9	12.9	8.8	
36	1.0			4.7			
45	1.3				5.7		
60	.5				2.1		
90	5.3					5.9	12.7
120	1.0			4.7			
150	.5					2.9	
180	.5			2.4			
Male	1	14.8	100.0	60.0	14.3	17.0	
	2	14.0			14.3	34.0	
	3	19.8			14.3	22.6	37.5
	4	3.3				3.8	10.0
	5	4.3					20.0
	6	9.2					37.5
	7	10.9				11.3	25.0
	14	2.9		40.0			
	15	3.8			14.3		
	18	2.1					10.0

	24	3.8			14.3			
	30	7.7			28.6			
	45	3.4				11.3		
Female	1	13.4			16.9	17.4	24.5	5.6
	2	17.9	80.0	100.0	27.7	13.0	12.2	13.9
	3	9.7			13.8	4.3	20.4	5.6
	4	2.3						5.6
	5	.4	20.0					
	6	6.1				8.7		11.1
	7	8.5			9.2			16.7
	10	1.3					6.1	
	11	1.6				8.7		
	12	1.1						2.8
	14	2.8					8.2	2.8
	15	.8				4.3		
	16	3.9			9.2			5.6
	20	3.1					4.1	5.6
	23	3.4						8.3
	24	2.3					13.0	
	30	7.2					26.1	12.2
	36	1.6			9.2			
	60	.8					4.3	
	90	8.6						8.2
120	1.6			9.2				
150	.8						4.1	
180	.8			4.6				

Denominator is: All survey respondents who were told by their doctor that they had diabetes and stayed in bed because of an illness or injury

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How many days did you stay in bed because of illness or injury?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	89	3	4	22	21	15	24	
1	16	1	2	4	4	3	2	
2	15	1	1	5	4	2	2	
3	10			3	3	2	2	
4	3				1		2	
5	2	1					1	
6	5				1	1	3	
7	6			1	1	1	3	
10	1					1		
11	1				1			
12	1						1	
14	3		1			1	1	
15	2			1	1			
16	2			1			1	
18	1						1	
20	2					1	1	
23	2						2	
24	2			1	1			
30	5			2	2	1		
36	1			1				
45	1				1			
60	1				1			
90	3					1	2	
120	1			1				
150	1					1		
180	1			1				
Don't know/Not sure	1			1				
Male	Total	30	1	3	7	10	3	6
	1	6	1	2	1	2		
	2	4			1	3		
	3	5			1	2	1	1
	4	2				1		1
	5	1						1
	6	2					1	1
	7	3				1	1	1

	14	1		1				
	15	1			1			
	18	1						1
	24	1			1			
	30	2			2			
	45	1				1		
Female	Total	59	2	1	15	11	12	18
	1	10			3	2	3	2
	2	11	1	1	4	1	2	2
	3	5			2	1	1	1
	4	1						1
	5	1	1					
	6	3				1		2
	7	3			1			2
	10	1					1	
	11	1				1		
	12	1						1
	14	2					1	1
	15	1				1		
	16	2			1			1
	20	2					1	1
	23	2						2
	24	1				1		
	30	3				2	1	
	36	1			1			
	60	1				1		
	90	3					1	2
	120	1			1			
	150	1					1	
180	1			1				
	Don't know/Not sure	1			1			

Denominator is: All survey respondents who were told by their doctor that they had diabetes and stayed in bed because of an illness or injury

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How old were you when you were told you have diabetes?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
4	.5			4.0			
5	.6		17.1				
6	.2			1.4			
7	.8	15.9					1.2
8	1.0		21.0	2.7			
9	.2						.5
10	.6	7.3					1.0
12	.2	15.9					
13	.5			4.0			
15	.4					2.1	
16	.5		5.7	2.7			
18	.7				3.7		
19	.4		11.4				
20	.8	60.9					
21	.8			6.7			
22	.3			2.7			
23	.5		5.3	2.7			
25	1.1					3.2	1.2
26	.8		11.4		2.5		
27	.6				.9	2.5	
28	1.3		11.4		2.5		1.0
29	1.3		11.4	4.0	2.5		
30	1.0			4.0	1.9	1.3	
31	.5			4.0			
33	2.2			8.8	5.3	1.1	
34	1.2		5.3	8.0			
35	1.3			2.7	2.5		1.2
37	.2			1.4			
38	1.6			6.3	1.9	2.5	
39	.6				3.1		
40	4.6			9.4	10.3	6.4	1.2
41	.3			2.7			
42	4.4			10.7	7.8	2.1	2.8
43	.9			4.0		2.1	

44		3.2			7.3	6.2	3.8	1.2
45		5.1				8.4	8.9	4.4
46		1.4				3.7	1.3	1.0
47		2.0				7.5	3.8	
48		1.2				1.4	2.5	1.2
49		1.5				8.3		
50		4.1				5.6	6.1	4.3
51		1.1				6.2		
52		2.3				4.4	4.6	1.6
53		1.4				1.9	3.2	1.0
54		1.0				1.2	4.6	
55		2.1					2.3	3.5
56		2.3					10.1	1.2
57		1.4					5.2	1.2
58		1.0						2.2
59		1.4					5.3	1.1
60		5.4					8.6	8.1
61		.8					2.1	1.0
62		1.8					3.2	2.5
63		2.1						4.4
64		2.0					1.1	3.7
65		2.0						4.2
66		1.0						2.2
67		3.8						7.9
68		.7						1.5
69		.7						1.5
70		3.7						7.6
71		1.0						2.2
72		2.3						4.8
73		1.4						2.9
74		.2						.5
75		2.0						4.2
76 years of age or older		3.3						6.8
	4	1.0			7.7			
	5	1.2		25.0				
	7	1.6	25.0					2.6
	12	.4	25.0					
	13	1.0			7.7			
	16	.4		8.3				
	18	1.4				7.4		

Male

19	.8		16.7			
20	.9	50.0				
21	1.0			7.7		
25	1.2					2.6
26	1.7		16.7		4.9	
27	.9					5.6
28	1.7		16.7		4.9	
29	2.8		16.7	7.7	4.9	
30	1.5			7.7		2.8
31	1.0			7.7		
33	1.4			3.8	4.9	
34	1.0			7.7		
35	2.1				4.9	2.6
38	.9					5.6
39	.5				2.5	
40	3.6			7.7	7.4	2.6
42	6.3			15.4	9.8	5.2
43	1.0			7.7		
44	6.4			11.5	12.3	8.3
45	5.2				7.4	5.6
46	.4					2.8
47	2.7				7.4	8.3
48	2.1					5.6
49	1.7				9.0	
50	3.5					11.1
51	.9				4.9	
52	2.4				4.9	5.6
54	1.4				2.5	5.6
55	4.0					2.8
56	2.5					8.3
57	2.1					5.6
58	1.2					2.6
59	.6					1.3
60	6.8					16.7
63	2.3					5.2
64	1.2					2.6
65	1.2					2.6
66	1.2					2.6
67	2.3					5.2
70	4.1					9.1
71	1.2					2.6

	72	1.8						3.9
	73	1.2						2.6
	75	1.2						2.6
	76 years of age or older	1.2						2.6
Female	6	.3			2.8			
	8	2.0		66.7	5.6			
	9	.5						.9
	10	1.1	20.0					1.8
	15	.7					3.9	
	16	.7			5.6			
	20	.7	80.0					
	21	.7			5.6			
	22	.7			5.6			
	23	1.0		16.7	5.6			
	25	1.0					5.8	
	27	.3				1.9		
	28	.9						1.8
	30	.6				3.8		
	33	2.9			14.0	5.7	1.9	
	34	1.3		16.7	8.4			
	35	.7			5.6			
	37	.3			2.8			
	38	2.2			13.1	3.8		
	39	.6				3.8		
	40	5.6			11.2	13.3	11.7	
	41	.7			5.6			
	42	2.8			5.6	5.7	3.9	.9
	43	.7					3.9	
	44	.3			2.8			
	45	5.1				9.5	11.7	2.8
	46	2.2				7.6		1.8
	47	1.3				7.6		
	48	.5				2.9		
	49	1.3				7.6		
50	4.6				11.4	1.9	4.6	
51	1.3				7.6			
52	2.3				3.8	3.9	1.8	
53	2.6				3.8	5.8	1.8	
54	.7					3.9		
55	.3					1.9		
56	2.1					11.7		

57	.9					4.9	
58	.9						1.8
59	2.2					9.7	.9
60	4.1					1.9	7.4
61	1.6					3.9	1.8
62	3.4					5.8	4.6
63	1.9						3.7
64	2.7					1.9	4.6
65	2.8						5.5
66	.9						1.8
67	5.2						10.1
68	1.4						2.8
69	1.4						2.8
70	3.3						6.5
71	.9						1.8
72	2.8						5.5
73	1.6						3.2
74	.5						.9
75	2.8						5.5
76 years of age or older	5.2						10.1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

How old were you when you were told you have diabetes?
(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	263	5	10	35	50	48	115
4	1			1			
5	1		1				
6	1			1			
7	2	1					1
8	3		2	1			
9	1						1
10	2	1					1
12	1	1					
13	1			1			
15	1					1	
16	2		1	1			
18	2				2		
19	1		1				
20	2	2					
21	2			2			
22	1			1			
23	2		1	1			
25	2					1	1
26	2		1		1		
27	2				1	1	
28	3		1		1		1
29	3		1	1	1		
30	4			1	2	1	
31	1			1			
33	8			5	2	1	
34	4		1	3			
35	3			1	1		1
37	1			1			
38	6			3	2	1	
39	2				2		
40	11			3	4	3	1
41	1			1			
42	11			3	4	2	2

43		2			1		1	
44		6			2	2	1	1
45		11				4	3	4
46		4				2	1	1
47		5				4	1	
48		3				1	1	1
49		4				4		
50		12				3	3	6
51		2				2		
52		6				2	2	2
53		4				1	2	1
54		3				1	2	
55		5					2	3
56		6					5	1
57		5					3	2
58		2						2
59		5					3	2
60		12					4	8
61		3					1	2
62		3					1	2
63		6						6
64		6					1	5
65		6						6
66		3						3
67		6						6
68		2						2
69		2						2
70		8						8
71		2						2
72		4						4
73		3						3
74		1						1
75		5						5
76 years of age or older		9						9
Don't know/Not sure		5						5
Refused		2				1		1
	Total	112	3	6	13	22	19	49
	4	1			1			
	5	1		1				
	7	2	1					1

Male

12	1	1					
13	1			1			
16	1		1				
18	2				2		
19	1		1				
20	1	1					
21	1			1			
25	1						1
26	2		1		1		
27	1					1	
28	2		1		1		
29	3		1	1	1		
30	2			1		1	
31	1			1			
33	2			1	1		
34	1			1			
35	2				1		1
38	1					1	
39	1				1		
40	3			1	1		1
42	5			2	2		1
43	1			1			
44	5			1	2	1	1
45	6				2	1	3
46	1					1	
47	3				2	1	
48	2					1	1
49	2				2		
50	5					2	3
51	1				1		
52	3				1	1	1
54	2				1	1	
55	4					1	3
56	3					2	1
57	3					1	2
58	1						1
59	1						1
60	7					3	4
63	2						2
64	1						1
65	2						2

	66	2						2
	67	2						2
	70	5						5
	71	1						1
	72	1						1
	73	1						1
	75	1						1
	76 years of age or older	2						2
	Don't know/Not sure	3						3
	Total	151	2	4	22	28	29	66
Female	6	1			1			
	8	3		2	1			
	9	1						1
	10	2	1					1
	15	1					1	
	16	1			1			
	20	1	1					
	21	1			1			
	22	1			1			
	23	2		1	1			
	25	1						1
	27	1				1		
	28	1						1
	30	2				2		
	33	6			4	1	1	
	34	3		1	2			
	35	1			1			
	37	1			1			
	38	5			3	2		
	39	1				1		
	40	8			2	3	3	
	41	1			1			
	42	6			1	2	2	1
	43	1						1
	44	1			1			
	45	5				2	2	1
46	3				2		1	
47	2				2			
48	1				1			
49	2				2			
50	7				3	1	3	

51	1				1		
52	3				1	1	1
53	4				1	2	1
54	1					1	
55	1					1	
56	3					3	
57	2					2	
58	1						1
59	4					3	1
60	5					1	4
61	3					1	2
62	3					1	2
63	4						4
64	5					1	4
65	4						4
66	1						1
67	4						4
68	2						2
69	2						2
70	3						3
71	1						1
72	3						3
73	2						2
74	1						1
75	4						4
76 years of age or older	7						7
Don't know/Not sure	2						2
Refused	2				1		1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Are you now taking insulin?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		26.0	68.2	54.8	28.7	36.5	25.9	18.5
No		74.0	31.8	45.2	71.3	63.5	74.1	81.5
Male	Yes	28.4	50.0	41.7	34.6	44.3	16.7	22.2
	No	71.6	50.0	58.3	65.4	55.7	83.3	77.8
Female	Yes	23.8	100.0	83.3	22.4	28.6	33.7	15.3
	No	76.2		16.7	77.6	71.4	66.3	84.7

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Are you now taking insulin?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		72	4	5	10	19	14	20
No		187	1	5	25	30	33	93
Don?t know/Not sure		2					1	1
Refused		2				1		1
Male	Total	112	3	6	13	22	19	49
	Yes	32	2	2	5	10	4	9
	No	80	1	4	8	12	15	40
Female	Total	151	2	4	22	28	29	66
	Yes	40	2	3	5	9	10	11
	No	107		1	17	18	18	53
	Don?t know/Not sure	2					1	1
	Refused	2				1		1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

During an office visit, has a doctor, nurse, or other health professional ever watched you test your blood sugar?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		38.5	68.2	65.8	30.7	49.8	41.0	33.1
No		61.5	31.8	34.2	69.3	50.2	59.0	66.9
Male	Yes	44.2	50.0	50.0	38.5	56.6	38.9	42.0
	No	55.8	50.0	50.0	61.5	43.4	61.1	58.0
Female	Yes	33.3	100.0	100.0	22.4	43.0	42.7	25.8
	No	66.7			77.6	57.0	57.3	74.2

Denominator is: All survey respondents who were told by their doctor that they had diabetes

During an office visit, has a doctor, nurse, or other health professional ever watched you test your blood sugar?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		100	4	7	9	24	20	36
No		163	1	3	26	26	28	79
Male	Total	112	3	6	13	22	19	49
	Yes	49	2	3	5	12	8	19
	No	63	1	3	8	10	11	30
Female	Total	151	2	4	22	28	29	66
	Yes	51	2	4	4	12	12	17
	No	100			18	16	17	49

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Does your health insurance coverage pay for all or part of the cost of test strips for home glucose monitoring?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		67.7	76.7	82.9	77.0	87.4	60.3	59.6
No		32.3	23.3	17.1	23.0	12.6	39.7	40.4
Male	Yes	72.2	50.0	75.0	84.6	89.5	60.9	64.5
	No	27.8	50.0	25.0	15.4	10.5	39.1	35.5
Female	Yes	63.0	100.0	100.0	66.2	84.8	60.0	54.8
	No	37.0			33.8	15.2	40.0	45.2

Denominator is: All survey respondents who were told by their doctor that they had diabetes and had health insurance

Does your health insurance coverage pay for all or part of the cost of test strips for home glucose monitoring?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		246	4	7	31	44	45	115
Yes		149	3	6	23	35	22	60
No		68	1	1	7	7	15	37
Don't know/Not sure		28			1	2	8	17
Refused		1						1
Male	Total	106	2	4	13	21	17	49
	Yes	69	1	3	11	17	8	29
	No	27	1	1	2	3	4	16
	Don't know/Not sure	10				1	5	4
Female	Total	140	2	3	18	23	28	66
	Yes	80	2	3	12	18	14	31
	No	41			5	4	11	21
	Don't know/Not sure	18			1	1	3	13
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes and had health insurance

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year have you seen a doctor, nurse,
or other health professional for your diabetes?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		12.1		11.4	15.2	22.0	14.9	7.0
2		14.4		21.9	13.2	15.3	9.1	15.9
3		11.7	86.1	10.5	7.2	11.8	7.8	13.4
4		22.7	13.9	22.4	13.8	18.1	33.8	23.0
5		2.8		5.3	11.7	2.5	2.5	.6
6		6.3		5.7	3.9	4.8	1.1	9.5
7		1.3			.9	1.3	2.5	1.0
8		2.2			6.6	.8	2.5	1.5
10		2.2			3.9	1.0	3.2	2.0
12		5.1			7.9	3.8	2.1	6.3
14		.2			1.3			
15		.6						1.2
19		.6						1.2
20		.4					2.5	
24		.7				1.4		1.0
26		.3			2.7			
40		.5			3.9			
48		.3						.6
50		.8				1.0	1.1	1.0
52		.2				1.0		
None		14.5		22.8	8.0	15.3	16.8	14.8
Male	1	11.3		16.7	11.1	22.1	8.3	7.6
	2	15.3		16.7	7.4	14.8	8.3	20.3
	3	11.4	100.0		11.1	17.2	5.6	11.4
	4	22.4		25.0	11.1	22.1	27.8	24.1
	5	5.5			22.2	4.9	5.6	1.3
	6	9.8		8.3	7.4	7.4		15.2
	7	1.4				2.5	5.6	
	8	2.2			7.4	1.6	5.6	
	10	1.0			7.4			
	12	2.8			7.4			3.8
	15	1.2						2.5
	19	1.2						2.5
	20	.9					5.6	

	40	1.0			7.4			
	48	.6						1.3
	None	12.1		33.3		7.4	27.8	10.1
Female	1	12.9			19.6	21.8	20.4	6.6
	2	13.5		33.3	19.6	15.8	9.7	12.2
	3	12.1	80.0	33.3	2.8	5.9	9.7	15.0
	4	23.0	20.0	16.7	16.8	13.9	38.8	22.1
	5	.3		16.7				
	6	3.1				2.0	1.9	4.7
	7	1.2			1.9			1.9
	8	2.1			5.6			2.8
	10	3.3				2.0	5.8	3.8
	12	7.3			8.4	7.9	3.9	8.5
	14	.3			2.8			
	24	1.4				3.0		1.9
	26	.7			5.6			
	50	1.6				2.0	1.9	1.9
	52	.3				2.0		
		None	16.8			16.8	23.8	7.8

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year have you seen a doctor, nurse,
or other health professional for your diabetes?
(Unweighted Frequencies)

		Total	Age Groups						
			18-24	25-34	35-44	45-54	55-64	65+	
Total		263	4	10	36	50	48	115	
1		28		1	6	7	8	6	
2		33		2	5	8	3	15	
3		29	2	1	3	6	5	12	
4		57	1	2	4	7	15	28	
5		7		1	3	1	1	1	
6		15		1	1	2	1	10	
7		4			1	1	1	1	
8		6			2	1	1	2	
10		4			1	1	1	1	
12		16			4	2	2	8	
14		1			1				
15		1						1	
19		1						1	
20		1					1		
24		3				1		2	
26		1			1				
40		1			1				
48		1						1	
50		3				1	1	1	
52		1				1			
Don?t know/Not sure		7	1			2		4	
None		43		2	3	9	8	21	
Male	Total	112	2	6	14	22	19	49	
	1	11		1	2	4	1	3	
	2	16		1	1	4	1	9	
	3	14	1		2	4	2	5	
	4	23		1	1	4	5	12	
	5	6			3	1	1	1	
	6	9		1	1	1		6	
	7	2				1	1		
	8	3			1	1	1		
	10	1			1				
	12	3			1			2	
			1						1

	15							
	19	1						1
	20	1					1	
	40	1			1			
	48	1						1
	Don?t know/Not sure	2	1					1
	None	17		2		2	6	7
Female	Total	151	2	4	22	28	29	66
	1	17			4	3	7	3
	2	17		1	4	4	2	6
	3	15	1	1	1	2	3	7
	4	34	1	1	3	3	10	16
	5	1		1				
	6	6				1	1	4
	7	2			1			1
	8	3			1			2
	10	3				1	1	1
	12	13			3	2	2	6
	14	1			1			
	24	3				1		2
	26	1			1			
	50	3				1	1	1
	52	1				1		
	Don?t know/Not sure	5				2		3
	None	26			3	7	2	14
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you ever heard of glycosylated hemoglobin (pronounced: gli-KOS-il-i-a-ted he-mo-glo-bin) or hemoglobin (A one C)?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		33.9	68.2	49.0	59.9	45.4	31.8	22.0
No		66.1	31.8	51.0	40.1	54.6	68.2	78.0
Male	Yes	44.3	50.0	30.0	76.9	60.7	35.3	31.6
	No	55.7	50.0	70.0	23.1	39.3	64.7	68.4
Female	Yes	24.6	100.0	83.3	40.6	29.9	28.9	14.5
	No	75.4		16.7	59.4	70.1	71.1	85.5

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Have you ever heard of glycosylated hemoglobin (pronounced: gli-KOS-il-i-a-ted he-mo-glo-bin) or hemoglobin (A one C)?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		91	4	5	18	22	15	27
No		163	1	4	15	28	31	84
Don't know/Not sure		8		1	2		2	3
Refused		1						1
Male	Total	112	3	6	13	22	19	49
	Yes	47	2	2	9	13	7	14
	No	61	1	3	4	9	11	33
	Don't know/Not sure	4		1			1	2
Female	Total	151	2	4	22	28	29	66
	Yes	44	2	3	9	9	8	13
	No	102		1	11	19	20	51
	Don't know/Not sure	4			2		1	1
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a doctor, nurse, or other health professional checked you for glycosylated hemoglobin or hemoglobin (A one C)?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	
1		26.0	30.4	23.5	23.3	50.1	4.7	19.3
2		28.3	13.9	21.6	18.2	24.6	34.9	38.2
3		17.3	55.7	21.6	28.7	20.4	22.5	
4		16.9		22.5	13.0	2.3	33.1	24.3
6		6.1			16.8	2.6	4.7	2.9
12		.9						2.9
None		4.4		10.8				12.4
Male	1	32.1	100.0	66.7	22.2	48.5		26.3
	2	26.9			11.1	22.1	33.3	47.4
	3	23.3			38.9	26.5	66.7	
	4	9.9		33.3	11.1	2.9		15.8
	6	4.4			16.7			
	None	3.3						10.5
Female	1	16.5			25.7	55.6	7.1	7.7
	2	30.4	20.0	33.3	34.3	33.3	35.7	23.1
	3	7.8	80.0	33.3	5.7			
	4	28.0		16.7	17.1		50.0	38.5
	6	8.7			17.1	11.1	7.1	7.7
	12	2.3						7.7
	None	6.2		16.7				15.4
Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes and have ever heard of glycosylated hemoglobin								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a doctor, nurse, or other health professional checked you for glycosylated hemoglobin or hemoglobin (A one C)?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		84	3	6	18	18	14	25
1		17	1	1	4	6	1	4
2		21	1	1	3	5	3	8
3		12	1	1	4	3	3	
4		13		2	2	1	4	4
6		5			2	1	1	1
12		1						1
Don?t know/Not sure		11			3	2	2	4
None		4		1				3
Male	Total	43	1	2	9	12	6	13
	1	11	1	1	2	4		3
	2	10			1	3	1	5
	3	9			3	3	3	
	4	5		1	1	1		2
	6	1			1			
	Don?t know/Not sure	6			1	1	2	2
	None	1						1
Female	Total	41	2	4	9	6	8	12
	1	6			2	2	1	1
	2	11	1	1	2	2	2	3
	3	3	1	1	1			
	4	8		1	1		4	2
	6	4			1	1	1	1
	12	1						1
	Don?t know/Not sure	5			2	1		2
	None	3		1				2

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes and have ever heard of glycosylated hemoglobin

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you ever heard of a fructosamine [frook-TOE-sah-mean] determination or fructosamine test?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		15.7		12.0	28.0	23.5	14.7	11.0
No		84.3	100.0	88.0	72.0	76.5	85.3	89.0
Male	Yes	21.6		16.7	29.2	31.8	9.4	20.8
	No	78.4	100.0	83.3	70.8	68.2	90.6	79.2
Female	Yes	10.5			26.7	15.5	18.9	3.7
	No	89.5	100.0	100.0	73.3	84.5	81.1	96.3

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Have you ever heard of a fructosamine [frook-TOE-sah-mean] determination or fructosamine test?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		249	5	9	32	47	46	110
Yes		39		1	8	10	9	11
No		201	5	8	22	36	35	95
Don't know/Not sure		8			2	1	2	3
Refused		1						1
Male	Total	104	3	6	12	19	18	46
	Yes	22		1	3	7	3	8
	No	78	3	5	9	12	14	35
	Don't know/Not sure	4					1	3
Female	Total	145	2	3	20	28	28	64
	Yes	17			5	3	6	3
	No	123	2	3	13	24	21	60
	Don't know/Not sure	4			2	1	1	
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a doctor, nurse, or other health professional checked you for fructosamine?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		28.8			23.2	27.0	45.6	27.6
2		13.0				16.0	10.9	21.1
3		12.4				33.0		7.3
4		17.8			17.0		32.6	29.3
5		6.2			25.5			
6		1.5					10.9	
22		3.7				12.0		
None		16.6			34.4	12.0		14.7
Male	1	10.4					100.0	18.2
	2	15.5				25.0		18.2
	3	15.7				37.5		9.1
	4	21.9			28.6			36.4
	5	10.1			42.9			
	22	6.0				18.8		
	None	20.3			28.6	18.8		18.2
Female	1	57.7			57.1	75.0	37.5	66.7
	2	9.0					12.5	33.3
	3	7.1				25.0		
	4	11.5					37.5	
	6	3.8					12.5	
	None	10.9			42.9			
	Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes and have ever heard of fructosamine							

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a doctor, nurse, or other health professional checked you for fructosamine?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		34			8	9	7	10
1		8			2	2	2	2
2		6				2	1	3
3		4				3		1
4		4			1		2	1
5		1			1			
6		1					1	
22		1				1		
Don?t know/Not sure		4			1		1	2
None		5			3	1		1
Male	Total	18			3	6	1	8
	1	2					1	1
	2	4				2		2
	3	3				2		1
	4	2			1			1
	5	1			1			
	22	1				1		
	Don?t know/Not sure	2						2
	None	3			1	1		1
Female	Total	16			5	3	6	2
	1	6			2	2	1	1
	2	2					1	1
	3	1				1		
	4	2					2	
	6	1					1	
	Don?t know/Not sure	2			1		1	
	None	2			2			

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes and have ever heard of fructosamine

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a health professional asked you about numbness or tingling in your feet?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		20.4	18.9	13.6	35.0	28.3	17.5	15.0
2		17.4	34.6	20.4	7.3	16.7	17.5	19.8
3		8.6			11.6	11.1	13.4	6.0
4		11.2	8.7	22.2	7.3	2.9	13.3	14.1
5		2.1			2.2	2.9	3.0	1.8
6		3.9			10.8	1.1	1.3	4.2
7		.3				1.4		
8		.7			1.5	2.9		
10		1.8					3.8	2.3
12		3.3		7.4	4.3	3.2	2.5	3.2
15		1.0						2.0
19		.6						1.3
20		.7				1.1	1.3	.6
26		.4			3.0			
40		.6			4.3			
50		.6						1.2
None		26.5	37.8	36.4	12.8	28.5	26.5	28.6
Male	1	19.7	33.3		30.8	25.9	18.5	15.1
	2	20.9			7.7	22.4	18.5	27.4
	3	8.6			15.4	10.3	22.2	2.7
	4	12.1		37.5	7.7	5.2	11.1	15.1
	5	2.6			3.8	5.2	7.4	
	6	3.5			19.2			1.4
	7	.5				2.6		
	8	1.0				5.2		
	12	3.5		12.5	7.7			4.1
	15	1.9						4.1
	19	1.3						2.7
	40	1.2			7.7			
	None	23.1	66.7	50.0		23.3	22.2	27.4
		1	21.1		33.3	40.4	31.3	16.8
2		13.9	80.0	50.0	6.7	9.6	16.8	12.6
3		8.7			6.7	12.0	7.4	9.1
4		10.4	20.0		6.7		14.7	13.1
5		1.7						3.4

Female	6	4.2				2.4	2.1	6.9
	8	.4			3.4			
	10	3.5					6.3	4.6
	12	3.1				7.2	4.2	2.3
	20	1.4				2.4	2.1	1.1
	26	.8			6.7			
	50	1.1						2.3
	None	29.8		16.7	29.2	34.9	29.5	29.7

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a health professional asked you about numbness or tingling in your feet?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		225	4	8	33	42	42	96
1		42	1	1	10	11	6	13
2		37	1	2	3	8	6	17
3		20			3	4	7	6
4		22	1	1	2	1	6	11
5		5			1	1	1	2
6		9			2	1	1	5
7		1				1		
8		2			1	1		
10		2					1	1
12		8		1	1	1	2	3
15		2						2
19		1						1
20		3				1	1	1
26		1			1			
40		1			1			
50		1						1
Don?t know/Not sure		7			2		1	4
None		61	1	3	6	12	10	29
Male	Total	98	2	4	13	21	15	43
	1	18	1		4	4	2	7
	2	20			1	6	2	11
	3	10			2	2	4	2
	4	10		1	1	1	2	5
	5	3			1	1	1	
	6	3			2			1
	7	1				1		
	8	1				1		
	12	4		1	1			2
	15	2						2
	19	1						1
	40	1			1			
	Don?t know/Not sure	1					1	
	None	23	1	2		5	3	12
	Total		127	2	4	20	21	27

Female	1	24		1	6	7	4	6
	2	17	1	2	2	2	4	6
	3	10			1	2	3	4
	4	12	1		1		4	6
	5	2						2
	6	6				1	1	4
	8	1			1			
	10	2					1	1
	12	4				1	2	1
	20	3				1	1	1
	26	1			1			
	50	1						1
	Don?t know/Not sure	6			2			4
	None	38		1	6	7	7	17

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a health professional asked you about your foot care such as trimming your toenails or checking for infections?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		18.9		13.6	12.0	32.2	30.3	12.9
2		14.6	43.3	6.8	21.1	9.0	9.5	16.3
3		4.6				9.3	7.5	3.6
4		9.3		22.2	8.5	5.7	12.3	9.3
5		1.9	18.9			2.9		2.3
6		3.3			10.5		1.3	3.6
8		1.3				2.9		1.7
10		2.0			1.4			3.6
12		1.4		7.4			1.3	2.0
19		.6						1.3
20		.7				3.9		
26		.4			2.9			
40		.6			4.2			
50		.2					1.3	
None		40.3	37.8	50.0	39.4	34.1	36.7	43.5
Male	1	16.6			11.5	31.0	22.2	12.3
	2	17.8			30.8	10.3	11.1	20.5
	3	4.1				5.2	18.5	1.4
	4	13.6		37.5	7.7	10.3	14.8	15.1
	5	1.5	33.3			5.2		
	6	3.5			19.2			1.4
	8	1.0				5.2		
	10	1.3						2.7
	12	2.4		12.5				4.1
	19	1.3						2.7
	20	1.0				5.2		
	40	1.2			7.7			
	None	34.7	66.7	50.0	23.1	27.6	33.3	39.7
	1	21.1		33.3	12.6	33.7	35.8	13.4
	2	11.5	100.0	16.7	9.5	7.2	8.4	12.3
	3	5.0				14.5		5.6
	4	5.1			9.5		10.5	3.9
	5	2.2						4.5
	6	3.2					2.1	5.6

Female	8	1.7						3.4
	10	2.6			3.2			4.5
	12	.4					2.1	
	20	.4				2.4		
	26	.8			6.3			
	50	.4					2.1	
	None	45.7		50.0	58.9	42.2	38.9	46.9

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a health professional asked you about your foot care such as trimming your toenails or checking for infections?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		225	4	8	33	42	42	96
1		39		1	4	13	10	11
2		32	2	1	6	4	3	16
3		10				4	3	3
4		20		1	3	2	6	8
5		4	1			1		2
6		8			2		1	5
8		3				1		2
10		3			1			2
12		4		1			1	2
19		1						1
20		2				2		
26		1			1			
40		1			1			
50		1					1	
Don?t know/Not sure		4					1	3
None		92	1	4	15	15	16	41
Male	Total	98	2	4	13	21	15	43
	1	14			2	5	2	5
	2	17			4	3	1	9
	3	5				1	3	1
	4	12		1	1	2	3	5
	5	2	1			1		
	6	3			2			1
	8	1				1		
	10	1						1
	12	3		1				2
	19	1						1
	20	1				1		
	40	1			1			
	Don?t know/Not sure	1						1
	None	36	1	2	3	7	5	18
Total		127	2	4	20	21	27	53
1		25		1	2	8	8	6
		15	2	1	2	1	2	7

Female	2							
	3	5			3		2	
	4	8		2		3	3	
	5	2					2	
	6	5				1	4	
	8	2					2	
	10	2		1			1	
	12	1				1		
	20	1			1			
	26	1		1				
	50	1				1		
	Don?t know/Not sure	3					3	
	None	56		2	12	8	11	23

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a health professional checked your feet without your shoes and socks on?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		29.2	34.6	35.2	29.7	34.7	21.7	29.2
2		13.2	8.7		5.6	12.9	15.0	15.6
3		5.4	18.9	7.4		9.0	11.6	3.0
4		13.0		22.2	9.9	12.2	19.2	11.8
5		3.1			2.1	2.9		4.7
6		4.3			8.4		1.2	6.1
7		.2					1.2	
8		1.5				2.9	1.2	1.7
10		2.3					3.7	3.6
12		1.7			4.3	3.2	1.2	.6
18		.6						1.1
19		.6						1.3
20		1.2			6.3	2.2		
40		.6			4.2			
50		.2					1.2	
None		23.0	37.8	35.2	29.4	20.1	22.7	21.3
Male	1	22.7		25.0	30.8	25.9	13.8	21.9
	2	16.5			7.7	15.5	24.1	19.2
	3	8.1	33.3	12.5		10.3	27.6	2.7
	4	15.6		37.5	7.7	18.1	13.8	16.4
	5	2.9			3.8	5.2		2.7
	6	5.5			15.4			6.8
	8	1.0				5.2		
	10	1.3						2.7
	12	.6						1.4
	19	1.3						2.7
	20	1.7			11.5			
	40	1.1			7.7			
	None	21.7	66.7	25.0	15.4	19.8	20.7	23.3
	1	35.6	80.0	50.0	28.4	45.8	27.4	35.7
	2	9.9	20.0		3.2	9.6	8.4	12.4
	3	2.7				7.2		3.2
	4	10.4			12.6	4.8	23.2	7.6
	5	3.3						6.5
	6	3.1					2.1	5.4

Female	7	.4					2.1	
	8	2.0					2.1	3.2
	10	3.4					6.3	4.3
	12	2.6			9.5	7.2	2.1	
	18	1.1						2.2
	20	.7				4.8		
	50	.4					2.1	
	None	24.2		50.0	46.3	20.5	24.2	19.5

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how many times in the last year has a health professional checked your feet without your shoes and socks on?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		225	4	8	33	42	42	96
1		60	1	3	9	13	9	25
2		29	1		2	6	5	15
3		14	1	1		4	4	4
4		29		1	3	5	9	11
5		6			1	1		4
6		10			2		1	7
7		1					1	
8		4				1	1	2
10		3					1	2
12		5			2	1	1	1
18		1						1
19		1						1
20		3			1	2		
40		1			1			
50		1					1	
Don?t know/Not sure		1						1
None		56	1	3	12	9	9	22
Male	Total	98	2	4	13	21	15	43
	1	19		1	4	4	2	8
	2	17			1	4	3	9
	3	10	1	1		2	4	2
	4	15		1	1	4	3	6
	5	3			1	1		1
	6	5			2			3
	8	1				1		
	10	1						1
	12	1						1
	19	1						1
	20	1			1			
	40	1			1			
	None	23	1	1	2	5	3	11
	Total		127	2	4	20	21	27
1		41	1	2	5	9	7	17
2		12	1		1	2	2	6

Female	3	4			2		2
	4	14			2	1	6
	5	3					3
	6	5					1
	7	1					1
	8	3					1
	10	2					1
	12	4			2	1	1
	18	1					1
	20	2				2	
	50	1					1
	Don?t know/Not sure	1					1
	None	33		2	10	4	6

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have seen a health professional in the past twelve months about diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

When, if ever, was the most recent time that a health professional tested the feeling in your feet or legs by touching you with something and asking if you could feel it?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past 6 months		52.4	60.9	27.6	55.9	41.6	46.1	58.7
Within the past year (6 - 12 months ago)		16.9		27.6	8.0	30.6	18.7	13.6
Within the past 2 years (1 - 2 years ago)		7.2		21.9	13.6	4.5	11.0	4.5
2 or more years ago		4.5			4.1	1.0	11.2	4.2
Never		18.9	39.1	22.8	18.4	22.4	13.0	19.0
Male	Within the past 6 months	52.8	50.0	25.0	84.6	36.1	26.5	61.7
	Within the past year (6 - 12 months ago)	20.6		25.0	7.7	44.3	29.4	12.3
	Within the past 2 years (1 - 2 years ago)	4.5		16.7		4.9	14.7	1.2
	2 or more years ago	4.4					17.6	3.7
	Never	17.7	50.0	33.3	7.7	14.8	11.8	21.0
Female	Within the past 6 months	51.9	80.0	33.3	25.2	47.5	62.0	56.2
	Within the past year (6 - 12 months ago)	13.5		33.3	8.4	15.8	10.0	14.6
	Within the past 2 years (1 - 2 years ago)	9.8		33.3	28.0	4.0	8.0	7.3
	2 or more years ago	4.7			8.4	2.0	6.0	4.6
	Never	20.1	20.0		29.9	30.7	14.0	17.4
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

When, if ever, was the most recent time that a health professional tested the feeling in your feet or legs by touching you with something and asking if you could feel it?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Within the past 6 months		133	3	4	16	22	22	66
Within the past year (6 - 12 months ago)		38		2	3	13	8	12
Within the past 2 years (1 - 2 years ago)		20		2	6	2	4	6
2 or more years ago		13			2	1	5	5
Don?t know/Not sure		5				1	2	2
Never		52	2	2	8	10	7	23
Refused		2				1		1
Male	Total	112	3	6	13	22	19	49
	Within the past 6 months	59	2	2	11	9	5	30
	Within the past year (6 - 12 months ago)	21		1	1	9	5	5
	Within the past 2 years (1 - 2 years ago)	5		1		1	2	1
	2 or more years ago	5					3	2
	Don?t know/Not sure	1					1	
	Never	21	1	2	1	3	3	11
Female	Total	151	2	4	22	28	29	66
	Within the past 6 months	74	1	2	5	13	17	36
	Within the past year (6 - 12 months ago)	17		1	2	4	3	7
	Within the past 2 years (1 - 2 years ago)	15		1	6	1	2	5
	2 or more years ago	8			2	1	2	3
	Don?t know/Not sure	4				1	1	2
	Never	31	1		7	7	4	12
	Refused	2				1		1
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

When was the last time you had an eye exam in which the pupils were dilated?
 This would have made you temporarily sensitive to bright light.
 (Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past month (0 to 1 month ago)		20.1	15.9		25.2	10.6	15.2	25.3
Within the past year (1 to 12 months ago)		50.9	55.0	49.1	39.9	63.1	59.3	46.5
Within the past 2 years (1 - 2 years ago)		13.6		22.8	17.3	12.9	10.1	13.8
2 or more years ago		11.9		11.4	14.8	10.0	14.3	11.4
Never		3.5	29.1	16.7	2.7	3.4	1.1	3.1
Male	Within the past month (0 to 1 month ago)	17.1	25.0		46.2	2.5	5.6	20.0
	Within the past year (1 to 12 months ago)	55.9	75.0	33.3	23.1	68.9	72.2	56.3
	Within the past 2 years (1 - 2 years ago)	15.0		33.3	23.1	11.5	8.3	15.0
	2 or more years ago	9.7		16.7	7.7	12.3	13.9	7.5
	Never	2.3		16.7		4.9		1.2
Female	Within the past month (0 to 1 month ago)	22.8			2.8	19.0	23.3	29.7
	Within the past year (1 to 12 months ago)	46.3	20.0	83.3	57.9	57.1	48.5	38.4
	Within the past 2 years (1 - 2 years ago)	12.3			11.2	14.3	11.7	12.8
	2 or more years ago	13.9			22.4	7.6	14.6	14.6
	Never	4.7	80.0	16.7	5.6	1.9	1.9	4.6
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

When was the last time you had an eye exam in which the pupils were dilated?
 This would have made you temporarily sensitive to bright light.
 (Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Within the past month (0 to 1 month ago)		45	1		6	6	6	26
Within the past year (1 to 12 months ago)		136	3	5	17	31	27	53
Within the past 2 years (1 - 2 years ago)		35		2	6	7	7	13
2 or more years ago		31		1	5	3	7	15
Don?t know/Not sure		3						3
Never		11	1	2	1	2	1	4
Refused		2				1		1
Male	Total	112	3	6	13	22	19	49
	Within the past month (0 to 1 month ago)	17	1		5	1	1	9
	Within the past year (1 to 12 months ago)	62	2	2	4	14	13	27
	Within the past 2 years (1 - 2 years ago)	17		2	3	4	2	6
	2 or more years ago	12		1	1	2	3	5
	Don?t know/Not sure	1						1
	Never	3		1		1		1
Female	Total	151	2	4	22	28	29	66
	Within the past month (0 to 1 month ago)	28			1	5	5	17
	Within the past year (1 to 12 months ago)	74	1	3	13	17	14	26
	Within the past 2 years (1 - 2 years ago)	18			3	3	5	7
	2 or more years ago	19			4	1	4	10
	Don?t know/Not sure	2						2
	Never	8	1	1	1	1	1	3
	Refused	2				1		1
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you ever attended any formal diabetes education programs, such as a class or one-on-one training with a diabetes educator?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		58.7	68.2	54.8	71.2	68.1	61.9	51.1
No		41.3	31.8	45.2	28.8	31.9	38.1	48.9
Male	Yes	66.1	50.0	41.7	73.1	78.7	63.9	63.0
	No	33.9	50.0	58.3	26.9	21.3	36.1	37.0
Female	Yes	51.7	100.0	83.3	69.2	57.1	60.2	41.2
	No	48.3		16.7	30.8	42.9	39.8	58.8

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Have you ever attended any formal diabetes education programs, such as a class or one-on-one training with a diabetes educator?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		151	4	6	25	31	29	56
No		109	1	4	10	18	19	57
Don't know/Not sure		1						1
Refused		2				1		1
Male	Total	112	3	6	13	22	19	49
	Yes	72	2	3	9	16	12	30
	No	40	1	3	4	6	7	19
Female	Total	151	2	4	22	28	29	66
	Yes	79	2	3	16	15	17	26
	No	69		1	6	12	12	38
	Don't know/Not sure	1						1
	Refused	2				1		1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

When was the last time you took a diabetes education class or training?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months)		32.6	76.7	10.4	45.9	23.4	8.9	42.3
Within the past 3 years (1 to 3 years)		27.1	23.3	20.8	12.6	34.9	30.0	28.0
Within the past 5 years (3 to 5 years)		19.1		9.6	18.8	21.1	31.8	14.3
Within the past 10 years (5 to 10 years)		11.6		20.8	11.4	8.7	16.3	10.8
10 or more years ago		9.6		38.4	11.3	11.9	13.0	4.5
Male	Within the past year (1 to 12 months)	30.3	50.0	20.0	57.9	18.7	4.3	36.0
	Within the past 3 years (1 to 3 years)	26.1	50.0	40.0	10.5	31.2	34.8	24.0
	Within the past 5 years (3 to 5 years)	18.7			21.1	21.9	13.0	20.0
	Within the past 10 years (5 to 10 years)	14.5		40.0		12.5	34.8	12.0
	10 or more years ago	10.5			10.5	15.6	13.0	8.0
Female	Within the past year (1 to 12 months)	35.3	100.0		32.4	30.0	12.9	50.6
	Within the past 3 years (1 to 3 years)	28.4			14.9	40.0	25.8	33.3
	Within the past 5 years (3 to 5 years)	19.7		20.0	16.2	20.0	48.4	6.9
	Within the past 10 years (5 to 10 years)	8.1			24.3	3.3		9.2
	10 or more years ago	8.4		80.0	12.2	6.7	12.9	
Denominator is: All survey respondents who were told by their doctor that they had diabetes and have attended a diabetes class								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

When was the last time you took a diabetes education class or training?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		151	4	6	25	31	29	56
Within the past year (1 to 12 months)		51	3	1	11	9	4	23
Within the past 3 years (1 to 3 years)		40	1	1	4	9	9	16
Within the past 5 years (3 to 5 years)		25		1	4	6	7	7
Within the past 10 years (5 to 10 years)		16		1	3	3	4	5
10 or more years ago		17		2	3	4	5	3
Don?t know/Not sure		2						2
Male	Total	72	2	3	9	16	12	30
	Within the past year (1 to 12 months)	20	1	1	5	3	1	9
	Within the past 3 years (1 to 3 years)	20	1	1	1	5	4	8
	Within the past 5 years (3 to 5 years)	11			2	3	1	5
	Within the past 10 years (5 to 10 years)	11		1		2	4	4
	10 or more years ago	9			1	3	2	3
	Don?t know/Not sure	1						1
Female	Total	79	2	3	16	15	17	26
	Within the past year (1 to 12 months)	31	2		6	6	3	14
	Within the past 3 years (1 to 3 years)	20			3	4	5	8
	Within the past 5 years (3 to 5 years)	14		1	2	3	6	2
	Within the past 10 years (5 to 10 years)	5			3	1		1
	10 or more years ago	8		2	2	1	3	
	Don?t know/Not sure	1						1
Denominator is: All survey respondents who were told by their doctor that they had diabetes and have attended a diabetes class								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Does your current health insurance coverage pay for all or part of the cost of diabetes education programs?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		69.0	100.0	28.9	70.6	73.7	82.3	63.6
No		31.0		71.1	29.4	26.3	17.7	36.4
Male	Yes	71.2	100.0	12.5	81.0	78.6	72.2	69.4
	No	28.8		87.5	19.0	21.4	27.8	30.6
Female	Yes	66.3	100.0	100.0	53.6	66.7	89.7	56.5
	No	33.7			46.4	33.3	10.3	43.5

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have attended a diabetes class and have health insurance

Does your current health insurance coverage pay for all or part of the cost of diabetes education programs?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		246	4	7	31	44	45	115
Yes		105	3	3	15	24	22	38
No		45		3	7	10	5	20
Don't know/Not sure		95	1	1	9	10	18	56
Refused		1						1
Male	Total	106	2	4	13	21	17	49
	Yes	51	1	1	8	13	7	21
	No	20		3	2	4	2	9
	Don't know/Not sure	35	1		3	4	8	19
Female	Total	140	2	3	18	23	28	66
	Yes	54	2	2	7	11	15	17
	No	25			5	6	3	11
	Don't know/Not sure	60		1	6	6	10	37
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes and have attended a diabetes class and have health insurance

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Are you taking aspirin daily or every other day in order to reduce your risk of heart disease or other disease?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		43.0	31.8		27.4	34.7	44.7	52.5
No		57.0	68.2	100.0	72.6	65.3	55.3	47.5
Male	Yes	44.4	50.0		34.6	23.8	38.9	62.0
	No	55.6	50.0	100.0	65.4	76.2	61.1	38.0
Female	Yes	41.6			19.6	45.8	49.5	44.8
	No	58.4	100.0	100.0	80.4	54.2	50.5	55.2

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Are you taking aspirin daily or every other day in order to reduce your risk of heart disease or other disease?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		108	1		8	20	20	59
No		153	4	10	27	30	28	54
Refused		2						2
Male	Total	112	3	6	13	22	19	49
	Yes	49	1		4	7	7	30
	No	62	2	6	9	15	12	18
	Refused	1						1
Female	Total	151	2	4	22	28	29	66
	Yes	59			4	13	13	29
	No	91	2	4	18	15	16	36
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you ever been told by a doctor, nurse, or other health professional that you have high blood pressure?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		60.7	31.8	5.3	53.0	53.4	71.2	66.1
No		39.3	68.2	94.7	47.0	46.6	28.8	33.9
Male	Yes	53.4	50.0		61.5	53.4	61.1	53.8
	No	46.6	50.0	100.0	38.5	46.6	38.9	46.2
Female	Yes	67.2		16.7	43.9	53.3	79.6	75.8
	No	32.8	100.0	83.3	56.1	46.7	20.4	24.2

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Have you ever been told by a doctor, nurse, or other health professional that you have high blood pressure?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		158	1	1	19	25	34	78
No		101	4	9	16	24	14	34
Don't know/Not sure		2				1		1
Refused		2						2
Male	Total	112	3	6	13	22	19	49
	Yes	60	1		8	11	12	28
	No	49	2	6	5	10	7	19
	Don't know/Not sure	2				1		1
	Refused	1						1
Female	Total	151	2	4	22	28	29	66
	Yes	98		1	11	14	22	50
	No	52	2	3	11	14	7	15
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Blood cholesterol is a fatty substance found in the blood. Have you ever had your blood cholesterol checked?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		92.3	39.1	77.2	90.2	89.5	95.8	95.1
No		7.7	60.9	22.8	9.8	10.5	4.2	4.9
Male	Yes	92.3	50.0	66.7	91.7	90.2	100.0	94.9
	No	7.7	50.0	33.3	8.3	9.8		5.1
Female	Yes	92.3	20.0	100.0	88.8	88.8	92.2	95.3
	No	7.7	80.0		11.2	11.2	7.8	4.7

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Blood cholesterol is a fatty substance found in the blood. Have you ever had your blood cholesterol checked?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Yes		236	3	8	30	46	46	103
No		21	2	2	4	4	2	7
Don't know/Not sure		5			1			4
Refused		1						1
Male	Total	112	3	6	13	22	19	49
	Yes	100	2	4	11	20	19	44
	No	9	1	2	1	2		3
	Don't know/Not sure	3			1			2
Female	Total	151	2	4	22	28	29	66
	Yes	136	1	4	19	26	27	59
	No	12	1		3	2	2	4
	Don't know/Not sure	2						2
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how long has it been since you last had your blood cholesterol checked?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		79.0	100.0	71.6	64.9	67.8	83.5	85.0
Within the past 2 years (1 to 2 years ago)		13.3		28.4	18.6	22.1	8.7	9.8
Within the past 5 years (2 to 5 years ago)		3.8			3.1	5.2	2.5	4.1
5 or more years ago		4.0			13.5	4.8	5.3	1.1
Male	Within the past year (1 to 12 months ago)	81.4	100.0	75.0	72.7	67.3	74.3	91.9
	Within the past 2 years (1 to 2 years ago)	14.0		25.0	18.2	27.3	11.4	8.1
	Within the past 5 years (2 to 5 years ago)	.5					2.9	
	5 or more years ago	4.1			9.1	5.5	11.4	
Female	Within the past year (1 to 12 months ago)	76.7	100.0	66.7	56.8	68.4	91.6	79.0
	Within the past 2 years (1 to 2 years ago)	12.7		33.3	18.9	16.8	6.3	11.3
	Within the past 5 years (2 to 5 years ago)	6.8			6.3	10.5	2.1	7.7
	5 or more years ago	3.8			17.9	4.2		2.1

Denominator is: All survey respondents who were told by their doctor that they had diabetes and who have ever had their blood cholesterol checked

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how long has it been since you last had your blood cholesterol checked?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		236	3	8	30	46	46	103
Within the past year (1 to 12 months ago)		182	3	6	19	32	37	85
Within the past 2 years (1 to 2 years ago)		30		2	5	9	4	10
Within the past 5 years (2 to 5 years ago)		9			1	2	2	4
5 or more years ago		11			5	3	2	1
Don?t know/Not sure		4					1	3
Male	Total	100	2	4	11	20	19	44
	Within the past year (1 to 12 months ago)	80	2	3	8	14	13	40
	Within the past 2 years (1 to 2 years ago)	14		1	2	5	2	4
	Within the past 5 years (2 to 5 years ago)	1					1	
	5 or more years ago	4			1	1	2	
	Don?t know/Not sure	1					1	
Female	Total	136	1	4	19	26	27	59
	Within the past year (1 to 12 months ago)	102	1	3	11	18	24	45
	Within the past 2 years (1 to 2 years ago)	16		1	3	4	2	6
	Within the past 5 years (2 to 5 years ago)	8			1	2	1	4
	5 or more years ago	7			4	2		1
	Don?t know/Not sure	3						3
Denominator is: All survey respondents who were told by their doctor that they had diabetes and who have ever had their blood cholesterol checked								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Have you ever been told by a doctor or other health professional that your blood cholesterol is high?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		48.7		37.0	30.7	52.3	48.9	52.9
No		51.3	100.0	63.0	69.3	47.7	51.1	47.1
Male	Yes	45.2		62.5	45.5	34.5	38.9	51.4
	No	54.8	100.0	37.5	54.5	65.5	61.1	48.6
Female	Yes	52.0			15.8	70.5	58.2	54.3
	No	48.0	100.0	100.0	84.2	29.5	41.8	45.7

Denominator is: All survey respondents who were told by their doctor that they had diabetes and who have ever had their blood cholesterol checked

Have you ever been told by a doctor or other health professional that your blood cholesterol is high?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		236	3	8	30	46	46	103
Yes		111		2	8	26	23	52
No		123	3	6	22	20	22	50
Don't know/Not sure		2					1	1
Male	Total	100	2	4	11	20	19	44
	Yes	47		2	5	8	9	23
	No	53	2	2	6	12	10	21
Female	Total	136	1	4	19	26	27	59
	Yes	64			3	18	14	29
	No	70	1	4	16	8	12	29
	Don't know/Not sure	2					1	1

Denominator is: All survey respondents who were told by their doctor that they had diabetes and who have ever had their blood cholesterol checked

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how long has it been since you last visited a dentist or hygienist?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		57.6	92.7	50.0	79.1	58.8	47.3	54.8
Within the past 2 years (1 to 2 years ago)		10.5	7.3	27.2	4.1	20.4	14.5	6.1
Within the past 3 years (2 to 3 years ago)		5.2		11.4	7.9	2.5	5.9	4.9
Within the past 5 years (3 to 5 years ago)		8.1		11.4		12.7	14.5	6.3
5 or more years ago		18.6			8.8	5.6	17.9	27.9
Male	Within the past year (1 to 12 months ago)	56.9	100.0	50.0	69.2	60.7	38.2	57.0
	Within the past 2 years (1 to 2 years ago)	11.3		16.7		14.8	20.6	10.1
	Within the past 3 years (2 to 3 years ago)	8.2		16.7	15.4	4.9	5.9	7.6
	Within the past 5 years (3 to 5 years ago)	8.5		16.7		12.3	20.6	5.1
	5 or more years ago	15.0			15.4	7.4	14.7	20.3
Female	Within the past year (1 to 12 months ago)	58.3	80.0	50.0	89.7	57.0	54.4	53.0
	Within the past 2 years (1 to 2 years ago)	9.7	20.0	50.0	8.4	26.2	9.7	2.7
	Within the past 3 years (2 to 3 years ago)	2.4					5.8	2.7
	Within the past 5 years (3 to 5 years ago)	7.6				13.1	9.7	7.3
	5 or more years ago	21.9			1.9	3.7	20.4	34.2
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

About how long has it been since you last visited a dentist or hygienist?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		263	5	10	35	50	48	115
Within the past year (1 to 12 months ago)		154	4	5	28	31	26	60
Within the past 2 years (1 to 2 years ago)		26	1	3	2	8	6	6
Within the past 3 years (2 to 3 years ago)		11		1	2	1	2	5
Within the past 5 years (3 to 5 years ago)		16		1		6	4	5
5 or more years ago		52			3	4	9	36
Don?t know/Not sure		2					1	1
Refused		2						2
Male	Total	112	3	6	13	22	19	49
	Within the past year (1 to 12 months ago)	63	3	3	9	13	7	28
	Within the past 2 years (1 to 2 years ago)	11		1		3	3	4
	Within the past 3 years (2 to 3 years ago)	8		1	2	1	1	3
	Within the past 5 years (3 to 5 years ago)	9		1		3	3	2
	5 or more years ago	19			2	2	4	11
	Don?t know/Not sure	1					1	
	Refused	1						1
Female	Total	151	2	4	22	28	29	66
	Within the past year (1 to 12 months ago)	91	1	2	19	18	19	32
	Within the past 2 years (1 to 2 years ago)	15	1	2	2	5	3	2
	Within the past 3 years (2 to 3 years ago)	3					1	2
	Within the past 5 years (3 to 5 years ago)	7				3	1	3
	5 or more years ago	33			1	2	5	25
	Don?t know/Not sure	1						1
	Refused	1						1
Denominator is: All survey respondents who were told by their doctor that they had diabetes								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

As far as you know, does your health care coverage pay for the total cost of a flu shot?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		89.8	76.7	24.3	69.3	84.1	81.7	91.5
No		10.2	23.3	75.7	30.7	15.9	18.3	8.5
Male	Yes	86.2	50.0	12.5	65.2	89.7	80.0	88.2
	No	13.8	50.0	87.5	34.8	10.3	20.0	11.8
Female	Yes	92.5	100.0	50.0	76.3	77.0	82.9	93.8
	No	7.5		50.0	23.7	23.0	17.1	6.2

Denominator is: All survey respondents who were told by their doctor that they had diabetes or are over 65 years old and have health care coverage

As far as you know, does your health care coverage pay for the total cost of a flu shot?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1059	4	7	31	44	45	928
Yes		802	3	2	17	24	28	728
No		89	1	5	7	6	7	63
Don't know/Not sure		167			7	14	10	136
Refused		1						1
Male	Total	386	2	4	13	21	17	329
	Yes	282	1	1	7	13	11	249
	No	43	1	3	4	2	2	31
	Don't know/Not sure	61			2	6	4	49
Female	Total	673	2	3	18	23	28	599
	Yes	520	2	1	10	11	17	479
	No	46		2	3	4	5	32
	Don't know/Not sure	106			5	8	6	87
	Refused	1						1

Denominator is: All survey respondents who were told by their doctor that they had diabetes or are over 65 years old and have health care coverage