

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Do you currently use any smokeless tobacco products such as chewing tobacco and snuff?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, chewing tobacco		2.4	4.9	3.9	3.0	1.3	.9	.5
Yes, snuff		1.1	1.3	1.2	1.5	1.5	.7	.4
Yes, both		.0					.2	
No, neither		96.5	93.8	94.9	95.5	97.2	98.1	99.0
Male	Yes, chewing tobacco	4.7	9.6	7.4	5.8	2.6	1.9	1.2
	Yes, snuff	2.2	1.6	2.4	3.0	2.9	1.5	1.1
	Yes, both	.0					.4	
	No, neither	93.0	88.8	90.2	91.2	94.4	96.2	97.7
Female	Yes, chewing tobacco	.1		.3	.3			
	Yes, snuff	.1	1.0					
	No, neither	99.8	99.0	99.7	99.7	100.0	100.0	100.0
Denominator is: All survey respondents								

Do you currently use any smokeless tobacco products such as chewing tobacco and snuff?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		5403	506	1006	1218	1049	690	934
Yes, chewing tobacco		111	18	39	30	13	6	5
Yes, snuff		55	6	13	16	12	4	4
Yes, both		1					1	
No, neither		5234	482	954	1172	1024	678	924
Refused		2					1	1
Male	Total	2269	227	466	493	455	296	332
	Yes, chewing tobacco	107	18	37	28	13	6	5
	Yes, snuff	53	4	13	16	12	4	4
	Yes, both	1					1	
	No, neither	2108	205	416	449	430	285	323
Female	Total	3134	279	540	725	594	394	602
	Yes, chewing tobacco	4		2	2			
	Yes, snuff	2	2					
	No, neither	3126	277	538	723	594	393	601
	Refused	2					1	1
Denominator is: All survey respondents								

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

On how many of the past 30 days did you use smokeless tobacco products?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		3.9	12.6		2.5	4.4		
2		1.1			3.8			
3		2.1		2.1		6.6	10.0	
4		.9	4.4					
5		2.3	8.8	2.1				
6		.8		3.1				
7		.4						7.7
10		5.6	10.0	3.1	7.6		10.0	
12		.5		2.1				
15		4.0		6.3	6.4		10.0	
20		4.5	10.2	1.0	7.6			
21		.7			2.5			
26		.5		2.1				
28		.3				2.2		
29		1.3		2.1	2.5			
30		66.3	49.6	71.8	59.4	86.8	60.0	92.3
None		4.7	4.4	4.2	7.6		10.0	
Male	1	2.9	7.9		2.6	4.4		
	2	1.1			3.9			
	3	2.2		2.2		6.6	10.0	
	4	.9	4.8					
	5	2.4	9.5	2.2				
	6	.8		3.2				
	7	.4						7.7
	10	5.2	7.9	3.2	7.9		10.0	
	12	.6		2.2				
	15	4.2		6.5	6.6		10.0	
	20	4.6	11.1	1.1	7.9			
	21	.7			2.6			
	26	.6		2.2				
	28	.3				2.2		
	29	1.3		2.2	2.6			
	30	66.8	54.0	71.0	57.9	86.8	60.0	92.3
	None		4.9	4.8	4.3	7.9		10.0
1		32.3	66.7					

<b>Female</b>	<b>10</b>	16.1	33.3				
	<b>30</b>	51.6		100.0	100.0		
Denominator is: All survey respondents who use smokeless tobacco products							

Oregon Public Health Division - [healthoregon.org/brfss](http://healthoregon.org/brfss)

# Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

On how many of the past 30 days did you use smokeless tobacco products?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		167	24	52	46	25	11	9
<b>1</b>		4	2		1	1		
<b>2</b>		2			2			
<b>3</b>		3		1		1	1	
<b>4</b>		1	1					
<b>5</b>		3	2	1				
<b>6</b>		2		2				
<b>7</b>		1						1
<b>10</b>		10	3	2	4		1	
<b>12</b>		2		2				
<b>15</b>		7		3	3		1	
<b>20</b>		7	2	1	4			
<b>21</b>		2			2			
<b>26</b>		1		1				
<b>28</b>		1				1		
<b>29</b>		2		1	1			
<b>30</b>		113	13	36	27	22	7	8
<b>None</b>		6	1	2	2		1	
<b>Male</b>	<b>Total</b>	161	22	50	44	25	11	9
	<b>1</b>	3	1		1	1		
	<b>2</b>	2			2			
	<b>3</b>	3		1		1	1	
	<b>4</b>	1	1					
	<b>5</b>	3	2	1				
	<b>6</b>	2		2				
	<b>7</b>	1						1
	<b>10</b>	9	2	2	4		1	
	<b>12</b>	2		2				
	<b>15</b>	7		3	3		1	
	<b>20</b>	7	2	1	4			
	<b>21</b>	2			2			
	<b>26</b>	1		1				
	<b>28</b>	1					1	
	<b>29</b>	2		1	1			
	<b>30</b>	109	13	34	25	22	7	8

	<b>None</b>	6	1	2	2		1	
<b>Female</b>	<b>Total</b>	6	2	2	2			
	<b>1</b>	1	1					
	<b>10</b>	1	1					
	<b>30</b>	4		2	2			

Denominator is: All survey respondents who use smokeless tobacco products

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Are you seriously considering stopping the use of smokeless tobacco within the next 6 months?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		57.3	69.6	60.5	56.8	33.3	68.4	45.5
<b>No</b>		42.7	30.4	39.5	43.2	66.7	31.6	54.5
<b>Male</b>	<b>Yes</b>	56.3	69.8	59.3	55.3	33.3	68.4	45.5
	<b>No</b>	43.7	30.2	40.7	44.7	66.7	31.6	54.5
<b>Female</b>	<b>Yes</b>	83.9	66.7	100.0	100.0			
	<b>No</b>	16.1	33.3					

Denominator is: All survey respondents who use smokeless tobacco products

Are you seriously considering stopping the use of smokeless tobacco within the next 6 months?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		167	24	52	46	25	11	9
<b>Yes</b>		97	15	34	28	10	7	3
<b>No</b>		66	9	17	18	14	3	5
<b>Don't know/Not sure</b>		4		1		1	1	1
<b>Male</b>	<b>Total</b>	161	22	50	44	25	11	9
	<b>Yes</b>	92	14	32	26	10	7	3
	<b>No</b>	65	8	17	18	14	3	5
	<b>Don't know/Not sure</b>	4		1		1	1	1
<b>Female</b>	<b>Total</b>	6	2	2	2			
	<b>Yes</b>	5	1	2	2			
	<b>No</b>	1	1					

Denominator is: All survey respondents who use smokeless tobacco products

## Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1998

Are you planning to stop within the next 30 days?  
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Yes</b>		58.7	70.1	51.9	60.8	36.4	58.3	71.4
<b>No</b>		41.3	29.9	48.1	39.2	63.6	41.7	28.6
<b>Male</b>	<b>Yes</b>	59.9	76.2	52.8	59.5	36.4	58.3	71.4
	<b>No</b>	40.1	23.8	47.2	40.5	63.6	41.7	28.6
<b>Female</b>	<b>Yes</b>	31.8		33.3	100.0			
	<b>No</b>	68.2	100.0	66.7				

Denominator is: All survey respondents who use smokeless tobacco products and are considering stopping within the next 6 months

Are you planning to stop within the next 30 days?  
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
<b>Total</b>		101	15	35	28	11	8	4
<b>Yes</b>		53	10	16	16	4	4	3
<b>No</b>		43	4	17	11	7	3	1
<b>Don't know/not sure</b>		5	1	2	1		1	
<b>Male</b>	<b>Total</b>	96	14	33	26	11	8	4
	<b>Yes</b>	51	10	15	15	4	4	3
	<b>No</b>	41	3	16	11	7	3	1
	<b>Don't know/not sure</b>	4	1	2			1	
<b>Female</b>	<b>Total</b>	5	1	2	2			
	<b>Yes</b>	2		1	1			
	<b>No</b>	2	1	1				
	<b>Don't know/not sure</b>	1			1			

Denominator is: All survey respondents who use smokeless tobacco products and are considering stopping within the next 6 months