

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past month, have you had at least one drink of any alcoholic beverage such as beer, wine, wine coolers, or liquor?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		57.4	63.1	62.5	62.9	58.3	52.6	44.7
No		42.6	36.9	37.5	37.1	41.7	47.4	55.3
Male	Yes	63.2	70.3	66.6	66.6	63.7	57.9	52.7
	No	36.8	29.7	33.4	33.4	36.3	42.1	47.3
Female	Yes	51.9	55.5	58.3	59.3	52.9	47.6	39.0
	No	48.1	44.5	41.7	40.7	47.1	52.4	61.0

Denominator is: All survey respondents.

During the past month, have you had at least one drink of any alcoholic beverage such as beer, wine, wine coolers, or liquor?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		5,346	478	1,039	1,075	1,134	639	981
Yes		3,092	305	673	684	671	338	421
No		2,247	173	366	389	462	299	558
Don't know/not sure		3			1	1	1	
Refused		4			1		1	2
Male	Total	2,273	223	469	474	500	272	335
	Yes	1,478	161	323	323	332	162	177
	No	791	62	146	150	168	109	156
	Refused	4			1		1	2
Female	Total	3,073	255	570	601	634	367	646
	Yes	1,614	144	350	361	339	176	244
	No	1,456	111	220	239	294	190	402
	Don't know/not sure	3			1	1	1	

Denominator is: All survey respondents.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

A drink is one can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. On the days when you drank, about how many drinks did you drink on the average?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		44.5	30.0	33.8	35.7	48.3	58.4	70.7
2		30.3	24.0	31.0	36.8	33.1	30.0	20.7
3		13.3	20.5	16.5	15.9	9.8	8.1	6.7
4		4.6	6.1	7.0	5.6	4.2	2.2	1.1
5		2.3	6.8	3.2	2.2	1.5	.5	
6		2.5	5.7	4.1	1.9	2.0	.6	.5
7		.5	1.0	1.4	.2	.1	.2	
8		.6	1.1	.7	1.1	.1		
9		.2	.9	.6				
10		.6	2.2	.5	.5	.4		
11		.0		.2				
12		.1		.3		.1		.2
13		.0		.2				
15		.2	.3	.5	.1	.4		
20		.1	.4					
30		.1	.7		.0			
48		.0	.3					
Male	1	35.5	23.8	24.9	27.3	34.6	51.7	64.7
	2	31.5	22.0	29.9	37.3	38.1	33.0	22.1
	3	16.2	22.1	17.9	20.4	12.7	10.9	10.0
	4	6.0	7.1	8.6	6.6	6.8	2.6	1.7
	5	3.2	7.7	4.5	3.2	2.4	.4	
	6	3.7	7.3	7.0	1.9	3.4	1.1	1.0
	7	.9	1.7	2.6	.4	.2	.4	
	8	.9	1.2	1.2	1.9	.2		
	9	.3	.9	1.0				
	10	.9	3.8	.5	.8	.7		
	11	.0		.2				
	12	.2		.5		.2		.3
	13	.1		.3				
	15	.4	.6	.9	.2	.7		
	30	.2	1.2		.1			
	48	.1	.6					
	1	54.9	38.4	44.2	44.9	65.1	66.3	76.7
		29.0	26.6	32.2	36.2	27.0	26.4	19.3

Female	2							
	3	9.8	18.1	14.9	10.9	6.3	4.8	3.4
	4	3.1	4.7	5.1	4.5	1.0	1.7	.6
	5	1.4	5.7	1.8	1.1	.3	.7	
	6	1.0	3.5	.7	1.9	.2		
	8	.2	1.0	.2	.3			
	9	.1	1.0	.2				
	10	.1		.5	.2			
	11	.1		.3				
	20	.1	1.0					

Denominator is: All survey respondents who had at least one drink of any alcoholic beverage during the past month.

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

A drink is one can or bottle of beer, 1 glass of wine, 1 can or bottle of wine cooler, 1 cocktail, or 1 shot of liquor. On the days when you drank, about how many drinks did you drink on the average?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3,050	302	666	675	664	334	409
1		1,379	91	227	246	329	195	291
2		938	76	214	255	213	98	82
3		390	61	112	101	63	28	25
4		144	19	48	38	27	7	5
5		62	18	18	13	10	3	
6		66	14	23	11	14	2	2
7		9	2	4	1	1	1	
8		13	5	3	4	1		
9		6	2	4				
10		13	5	3	3	2		
11		2		2				
12		4		2		1		1
13		1		1				
15		6	1	2	1	2		
20		1	1					
30		2	1		1			
48		1	1					
Don't know/not sure		13	5	3	1	1		3
Male	Total	1,463	159	318	318	330	162	176
	1	508	37	79	88	113	78	113
	2	478	37	101	122	123	57	38
	3	235	37	58	63	41	19	17
	4	90	11	27	22	23	4	3
	5	42	10	13	9	9	1	
	6	54	10	21	6	13	2	2
	7	9	2	4	1	1	1	
	8	9	3	2	3	1		
	9	4	1	3				
	10	11	5	2	2	2		
	11	1		1				
	12	4		2		1		1
	13	1		1				
	15	6	1	2	1	2		
			2	1		1		

	30							
	48	1	1					
	Don't know/not sure	8	3	2		1		2
Female	Total	1,587	143	348	357	334	172	233
	1	871	54	148	158	216	117	178
	2	460	39	113	133	90	41	44
	3	155	24	54	38	22	9	8
	4	54	8	21	16	4	3	2
	5	20	8	5	4	1	2	
	6	12	4	2	5	1		
	8	4	2	1	1			
	9	2	1	1				
	10	2		1	1			
	11	1		1				
	20	1	1					
	Don't know/not sure	5	2	1	1			1
	Denominator is: All survey respondents who had at least one drink of any alcoholic beverage during the past month							

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Considering all types of alcoholic beverages, how many times during the past month did you have 5 or more drinks on an occasion?
(Weighted Column Percents)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
1	9.0	10.8	16.2	9.5	6.7	6.3	1.8	
2	5.3	9.6	8.6	5.2	3.9	1.1	1.9	
3	2.2	3.6	2.9	3.0	.9	1.5	1.0	
4	2.2	6.9	2.2	2.2	1.7	.7		
5	1.1	2.3	1.4	1.0	.8	.4	.5	
6	.4	.9	.5	.4	.5	.3	.1	
7	.3	.8	.7	.2	.3			
8	.6	.6	.9	.7	1.0	.4		
9	.0		.1		.0			
10	.6	2.3	.7	.2	.5	.7	.2	
12	.2	.5	.4		.1			
14	.2	.9		.2				
15	.2	.3	.5	.1	.3			
18	.0				.1			
20	.3	.3	.6	.6	.1	.2		
21	.0	.3						
25	.0						.2	
28	.1	.4						
30	.4	.5	.3	.7	.2	.2	.3	
31	.1			.1	.1		.2	
None	76.7	59.0	64.0	76.0	82.6	88.3	93.8	
Male	1	11.5	10.7	17.8	14.4	9.4	8.9	3.1
	2	7.6	12.7	12.4	7.8	5.8	1.1	2.8
	3	3.2	5.4	4.2	4.2	1.3	1.9	1.4
	4	3.5	10.8	3.6	3.1	2.9	.4	
	5	1.7	3.7	1.7	1.9	1.1	.7	1.0
	6	.6	.9	.8	.8	.9		
	7	.5	1.4	1.2	.2	.4		
	8	1.0	.6	1.7	.6	1.9	.7	
	9	.1		.2		.1		
	10	1.0	4.0	.7	.4	.9	.4	.3
	12	.3	.9	.7		.2		
	14	.2	.9		.4			
	15	.3		1.0	.2	.4		
	18	.0				.2		

	20	.5	.6	1.2	.4	.2	.4		
	21	.1	.6						
	25	.0						.3	
	30	.8	.9	.5	1.4	.4	.4	.7	
	31	.1			.2	.2		.3	
	None	67.0	46.0	52.4	64.2	74.0	85.2	90.0	
Female	1	6.1	10.9	14.3	4.2	3.5	3.4	.5	
	2	2.6	5.6	4.1	2.5	1.7	1.0	1.1	
	3	1.1	1.2	1.3	1.6	.5	1.0	.5	
	4	.8	1.9	.5	1.3	.3	1.0		
	5	.3	.5	1.0		.5			
	6	.2	.9				.7	.3	
	7	.1		.2	.2	.3			
	8	.3	.6		.8				
	10	.2		.7			1.0		
	14	.1	.9						
	15	.1	.6			.2			
	20	.2			.8				
	28	.1	.9						
	30	.0		.2					
		None	87.6	75.8	77.8	88.6	92.9	91.9	97.6

Denominator is: All survey respondents who had at least one drink of any alcoholic beverage during the past month.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Considering all types of alcoholic beverages, how many times during the past month did you have 5 or more drinks on an occasion?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	3,092	305	673	684	671	338	421	
1	278	41	106	66	41	17	7	
2	152	27	51	36	26	4	8	
3	62	12	19	17	5	5	4	
4	63	21	13	15	11	3		
5	27	5	7	7	5	1	2	
6	13	2	3	2	4	1	1	
7	11	2	4	2	3			
8	20	2	6	4	6	2		
9	2		1		1			
10	18	5	4	1	4	3	1	
12	4	1	2		1			
14	3	2		1				
15	7	1	3	1	2			
18	1				1			
20	9	1	3	3	1	1		
21	1	1						
25	1						1	
28	1	1						
30	12	1	3	4	2	1	1	
31	3			1	1		1	
Don't know/not sure	19	4	1	3	5	2	4	
None	2,381	176	447	519	551	298	390	
Refused	4			2	1		1	
	Total	1,478	161	323	323	332	162	177
	1	175	22	60	47	28	13	5
	2	108	18	36	27	20	2	5
	3	43	9	14	11	4	3	2
	4	52	19	12	10	10	1	
	5	21	4	4	7	3	1	2
	6	10	1	3	2	4		
	7	8	2	3	1	2		
	8	17	1	6	2	6	2	
	9	2		1		1		
	10	14	5	2	1	4	1	1

Male	12	4	1	2		1		
	14	2	1		1			
	15	5		3	1	1		
	18	1				1		
	20	7	1	3	1	1	1	
	21	1	1					
	25	1						1
	30	11	1	2	4	2	1	1
	31	3			1	1		1
	Don't know/not sure	13	4	1	2	3	1	2
	None	977	71	171	204	239	136	156
	Refused	3			1	1		1
	Female	Total	1,614	144	350	361	339	176
1		103	19	46	19	13	4	2
2		44	9	15	9	6	2	3
3		19	3	5	6	1	2	2
4		11	2	1	5	1	2	
5		6	1	3		2		
6		3	1				1	1
7		3		1	1	1		
8		3	1		2			
10		4		2			2	
14		1	1					
15		2	1			1		
20		2			2			
28		1	1					
30		1		1				
Don't know/not sure		6			1	2	1	2
None		1,404	105	276	315	312	162	234
Refused		1			1			

Denominator is: All survey respondents who had at least one drink of any alcoholic beverage during the past month.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past month, how many times have you driven when you've had perhaps too much to drink?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
1		2.0	2.7	3.0	2.4	1.9	.2	.8
2		.4	.6	.5	.4	.5	.5	
3		.1		.1	.3	.2		
4		.1	.3		.3	.1		
5		.1		.4				
8		.1			.4	.1	.2	
28		.1	.4					
None		97.1	96.0	96.0	96.2	97.2	99.1	99.2
Male	1	2.7	4.2	3.5	2.6	2.6	.4	1.7
	2	.7	.8	.8	.8	1.0	.4	
	3	.2		.2	.6	.4		
	4	.2	.6		.6	.2		
	5	.1		.7				
	8	.1				.2	.4	
	None	96.0	94.4	94.8	95.5	95.7	98.9	98.3
Female	1	1.3	.6	2.5	2.2	1.0		
	2	.1	.3	.2			.7	
	8	.2			.8			
	28	.1	.9					
	None	98.3	98.1	97.4	97.0	99.0	99.3	100.0
Denominator is: All survey respondents who had at least one drink of any alcoholic beverage during the past month.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

During the past month, how many times have you driven when you've had perhaps too much to drink?
(Unweighted Frequencies)

		Total	Age Groups					65+
			18-24	25-34	35-44	45-54	55-64	
Total		3,092	305	673	684	671	338	421
1		62	7	24	18	10	1	2
2		13	2	4	2	3	2	
3		4		1	2	1		
4		3	1		1	1		
5		2		2				
8		4			2	1	1	
28		1	1					
Don't know/not sure		1			1			
None		3,000	294	642	657	654	334	419
Refused		2			1	1		
Male	Total	1,478	161	323	323	332	162	177
	1	40	6	14	10	7	1	2
	2	10	1	3	2	3	1	
	3	4		1	2	1		
	4	3	1		1	1		
	5	2		2				
	8	2				1	1	
	Don't know/not sure	1			1			
	None	1,415	153	303	307	318	159	175
	Refused	1				1		
Female	Total	1,614	144	350	361	339	176	244
	1	22	1	10	8	3		
	2	3	1	1			1	
	8	2			2			
	28	1	1					
	None	1,585	141	339	350	336	175	244
	Refused	1			1			
Denominator is: All survey respondents who had at least one drink of any alcoholic beverage during the past month								