

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Do you currently use any smokeless tobacco products
such as chewing tobacco and snuff?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes, chewing tobacco		2.5	4.2	4.2	3.4	1.6	1.0	.4
Yes, snuff		.9	.4	1.6	.7	1.1	1.0	.5
Yes, both		.1	.3	.2	.2	.0		.1
No, neither		96.5	95.1	94.0	95.8	97.3	97.9	99.0
Male	Yes, chewing tobacco	5.0	8.1	8.0	6.8	3.2	2.2	.9
	Yes, snuff	1.8	.8	3.0	1.4	2.2	2.2	1.3
	Yes, both	.3	.6	.3	.4	.1		.1
	No, neither	92.9	90.5	88.6	91.5	94.5	95.7	97.6
Female	Yes, chewing tobacco	.1		.2	.1			
	Yes, snuff	.0		.1				
	No, neither	99.9	100.0	99.6	99.9	100.0	100.0	100.0

Denominator is: All survey respondents.

Do you currently use any smokeless tobacco products
such as chewing tobacco and snuff?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		7,196	639	1,385	1,484	1,486	892	1,310
Yes, chewing tobacco		151	23	54	43	20	6	5
Yes, snuff		58	4	19	9	12	7	7
Yes, both		7	1	2	2	1		1
No, neither		6,976	611	1,309	1,430	1,453	878	1,295
Don't know/Not sure		3		1			1	1
Refused		1						1
Male	Total	3,039	293	618	648	654	372	454
	Yes, chewing tobacco	148	23	52	42	20	6	5
	Yes, snuff	57	4	18	9	12	7	7
	Yes, both	7	1	2	2	1		1
	No, neither	2,825	265	546	595	621	358	440
	Don't know/Not sure	1					1	
	Refused	1						1
Female	Total	4,157	346	767	836	832	520	856
	Yes, chewing tobacco	3		2	1			
	Yes, snuff	1		1				
	No, neither	4,151	346	763	835	832	520	855

Don't know/Not sure	2	1				1
Denominator is: All survey respondents.						

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

On how many of the past 30 days did you use smokeless tobacco products?
(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
1	2.0		5.8		1.6		
2	5.5	11.2	5.5	7.4			
3	.7	4.7					
4	2.0		1.4	3.2	4.7		
5	3.6	9.3	1.4	5.3		3.6	
7	.4				3.1		
8	.3	.4		1.1			
10	3.9	3.1	9.4		1.6		5.9
12	.9	3.1	1.4				
13	1.0	6.2					
14	.2		.7				
15	4.0	3.1	2.9	6.3	6.2		
20	3.2	3.1	3.6	4.2		7.1	
23	.6			2.1			
25	.7		.7			7.1	
27	.5	3.1					
28	1.6		4.3				5.9
29	1.8	4.7	1.4	2.1			
30	65.6	48.1	60.6	67.3	82.8	82.1	70.6
None	1.4		.7	1.1			17.6
Male	1	2.0		5.9		1.6	
	2	5.2	11.2	4.5	7.4		
	3	.8	4.7				
	4	2.0		1.5	3.2	4.7	
	5	3.7	9.3	1.5	5.3		3.6
	7	.5				3.1	
	8	.4	.4		1.1		
	10	3.9	3.1	9.7		1.6	5.9
	12	.9	3.1	1.5			
	13	1.0	6.2				
	14	.2		.7			
	15	4.0	3.1	3.0	6.4	6.2	
	20	3.3	3.1	3.7	4.3		7.1
	23	.6			2.1		
		.7		.7			7.1

	25							
	27	.5	3.1					
	28	1.6		4.5				5.9
	29	1.8	4.7	1.5	2.1			
	30	65.6	48.1	60.6	67.0	82.8	82.1	70.6
	None	1.4		.7	1.1			17.6
Female	2	32.1		40.0				
	30	67.9		60.0	100.0			
Denominator is: All survey respondents who use smokeless tobacco products.								

Oregon Public Health Division - healthoregon.org/brfss

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

On how many of the past 30 days did you
use smokeless tobacco products?
(Unweighted Frequencies)

	Total	Age Groups						
		18-24	25-34	35-44	45-54	55-64	65+	
Total	216	28	75	54	33	13	13	
1	5		4		1			
2	12	3	5	4				
3	1	1						
4	5		1	2	2			
5	7	2	1	3		1		
7	1				1			
8	2	1		1				
10	10	1	7		1		1	
12	2	1	1					
13	1	1						
14	1		1					
15	8	1	2	3	2			
20	7	1	3	2		1		
23	1			1				
25	2		1			1		
27	1	1						
28	4		3				1	
29	3	1	1	1				
30	138	14	44	36	26	10	8	
None	4		1	1			2	
Refused	1						1	
Male	Total	212	28	72	53	33	13	13
	1	5		4		1		
	2	11	3	4	4			
	3	1	1					
	4	5		1	2	2		
	5	7	2	1	3		1	
	7	1				1		
	8	2	1		1			
	10	10	1	7		1		1
	12	2	1	1				
	13	1	1					
	14	1		1				
		8	1	2	3	2		

	15							
	20	7	1	3	2		1	
	23	1			1			
	25	2		1			1	
	27	1	1					
	28	4		3				1
	29	3	1	1	1			
	30	135	14	42	35	26	10	8
	None	4		1	1			2
	Refused	1						1
Female	Total	4		3	1			
	2	1		1				
	30	3		2	1			

Denominator is: All survey respondents who use smokeless tobacco products.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you seriously considering stopping the use
of smokeless tobacco within the next 6 months?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		59.1	68.5	57.9	61.4	54.2	73.1	7.7
No		40.9	31.5	42.1	38.6	45.8	26.9	92.3
Male	Yes	59.6	68.5	59.7	61.1	54.2	73.1	7.7
	No	40.4	31.5	40.3	38.9	45.8	26.9	92.3
Female	Yes	19.6			100.0			
	No	80.4		100.0				

Denominator is: All survey respondents who use smokeless tobacco products.

Are you seriously considering stopping the use
of smokeless tobacco within the next 6 months?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		216	28	75	54	33	13	13
Yes		117	19	41	32	16	8	1
No		85	8	30	20	15	4	8
Don't know/Not sure		13	1	4	2	2	1	3
Refused		1						1
Male	Total	212	28	72	53	33	13	13
	Yes	116	19	41	31	16	8	1
	No	82	8	27	20	15	4	8
	Don't know/Not sure	13	1	4	2	2	1	3
	Refused	1						1
Female	Total	4		3	1			
	Yes	1			1			
	No	3		3				

Denominator is: All survey respondents who use smokeless tobacco products.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 1999

Are you planning to stop within the next 30 days?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		57.2	59.5	65.6	48.9	45.5	82.4	25.0
No		42.8	40.5	34.4	51.1	54.5	17.6	75.0
Male	Yes	57.1	59.5	65.6	48.1	45.5	82.4	25.0
	No	42.9	40.5	34.4	51.9	54.5	17.6	75.0
Female	Yes	100.0			100.0			

Denominator is: All survey respondents who use smokeless tobacco products and are considering stopping within the next six months.

Are you planning to stop within the next 30 days?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		127	20	43	34	18	8	4
Yes		65	10	25	16	7	6	1
No		47	7	12	16	9	1	2
Don't know/Not sure		14	3	6	2	2	1	
Refused		1						1
Male	Total	126	20	43	33	18	8	4
	Yes	64	10	25	15	7	6	1
	No	47	7	12	16	9	1	2
	Don't know/Not sure	14	3	6	2	2	1	
	Refused	1						1
Female	Total	1			1			
	Yes	1			1			

Denominator is: All survey respondents who use smokeless tobacco products and are considering stopping within the next six months.