

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you been pregnant in the last five years?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		32.8	37.4	51.6	16.5			
No		67.2	62.6	48.4	83.5			
Female	Yes	32.8	37.4	51.6	16.5			
	No	67.2	62.6	48.4	83.5			

Denominator is: All female respondents under the age of 45 who are not currently pregnant.

Have you been pregnant in the last five years?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,081	199	379	503			
Yes		355	85	185	85			
No		719	112	192	415			
Don't know/Not sure		1	1					
Refused		6	1	2	3			
Female	Total	1,081	199	379	503			
	Yes	355	85	185	85			
	No	719	112	192	415			
	Don't know/Not sure	1	1					
	Refused	6	1	2	3			

Denominator is: All female respondents under the age of 45 who are not currently pregnant.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Thinking back to your last pregnancy, just before you got pregnant, how did you feel about becoming pregnant?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
You wanted to be pregnant sooner		8.0	7.1	7.8	9.5			
You wanted to be pregnant later		22.7	46.2	18.6	8.7			
You wanted to be pregnant then		56.0	36.4	60.6	64.5			
Didn't want to be pregnant then or anytime		13.3	10.3	12.9	17.3			
Female	You wanted to be pregnant sooner	8.0	7.1	7.8	9.5			
	You wanted to be pregnant later	22.7	46.2	18.6	8.7			
	You wanted to be pregnant then	56.0	36.4	60.6	64.5			
	Didn't want to be pregnant then or anytime	13.3	10.3	12.9	17.3			

Denominator is: All female respondents under the age of 45 who are not currently pregnant and who have been pregnant in the last five years.

Thinking back to your last pregnancy, just before you got pregnant, how did you feel about becoming pregnant?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		355	85	185	85			
You wanted to be pregnant sooner		25	5	13	7			
You wanted to be pregnant later		74	34	34	6			
You wanted to be pregnant then		172	26	100	46			
Didn't want to be pregnant then or anytime		49	7	27	15			
Don't know/Not sure		34	13	10	11			
Refused		1		1				
Female	Total	355	85	185	85			
	You wanted to be pregnant sooner	25	5	13	7			
	You wanted to be pregnant later	74	34	34	6			
	You wanted to be pregnant then	172	26	100	46			
	Didn't want to be pregnant then or anytime	49	7	27	15			
	Don't know/Not sure	34	13	10	11			
	Refused	1		1				

Denominator is: All female respondents under the age of 45 who are not currently pregnant and who have been pregnant in the last five years.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you or your husband or partner using any kind of birth control now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		81.0	80.9	82.9	79.4			
No		17.5	16.4	16.0	19.2			
Not sexually active		1.5	2.7	1.0	1.4			
Female	Yes	81.0	80.9	82.9	79.4			
	No	17.5	16.4	16.0	19.2			
	Not sexually active	1.5	2.7	1.0	1.4			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, and are sexually active.

Are you or your husband or partner using any kind of birth control now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		885	166	340	379			
Yes		706	132	276	298			
No		151	27	54	70			
Not sexually active		15	6	4	5			
Refused		13	1	6	6			
Female	Total	885	166	340	379			
	Yes	706	132	276	298			
	No	151	27	54	70			
	Not sexually active	15	6	4	5			
	Refused	13	1	6	6			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, and are sexually active.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What kinds of birth control are you or your husband or partner using now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Tubes tied (sterilization)		17.5	1.1	12.8	30.1			
Vasectomy (sterilization)		19.9	1.1	12.0	36.7			
Pill		31.9	53.5	43.1	10.7			
Condoms		16.4	22.0	17.7	12.3			
Foam, jelly, cream		.6		1.0	.6			
Diaphragm		1.7	.4	1.5	2.7			
Norplant		1.3	2.6	1.3	.6			
Shots (depo-provera)		4.2	9.8	4.0	1.6			
Withdrawal		.8	2.3	.4	.4			
Other		5.7	7.2	6.3	4.5			
Female	Tubes tied (sterilization)	17.5	1.1	12.8	30.1			
	Vasectomy (sterilization)	19.9	1.1	12.0	36.7			
	Pill	31.9	53.5	43.1	10.7			
	Condoms	16.4	22.0	17.7	12.3			
	Foam, jelly, cream	.6		1.0	.6			
	Diaphragm	1.7	.4	1.5	2.7			
	Norplant	1.3	2.6	1.3	.6			
	Shots (depo-provera)	4.2	9.8	4.0	1.6			
	Withdrawal	.8	2.3	.4	.4			
	Other	5.7	7.2	6.3	4.5			

Denominator is: All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, and are using birth control now.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What kinds of birth control are you or your husband or partner using now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		706	132	276	298			
Tubes tied (sterilization)		131	2	37	92			
Vasectomy (sterilization)		133	2	33	98			
Pill		212	67	112	33			
Condoms		110	27	47	36			
Foam, jelly, cream		5		3	2			
Diaphragm		11	1	4	6			
Norplant		6	3	2	1			
Shots (depo-provera)		33	16	12	5			
Withdrawal		4	2	1	1			
Don't know/Not sure		1			1			
Other		43	10	18	15			
Refused		17	2	7	8			
Female	Total	706	132	276	298			
	Tubes tied (sterilization)	131	2	37	92			
	Vasectomy (sterilization)	133	2	33	98			
	Pill	212	67	112	33			
	Condoms	110	27	47	36			
	Foam, jelly, cream	5		3	2			
	Diaphragm	11	1	4	6			
	Norplant	6	3	2	1			
	Shots (depo-provera)	33	16	12	5			
	Withdrawal	4	2	1	1			
	Don't know/Not sure	1			1			
	Other	43	10	18	15			
Refused	17	2	7	8				

Denominator is: All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, and are using birth control now.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When you have intercourse, how often do you use a method to prevent pregnancy?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Some of the time		8.6	7.6	8.3	10.5		
Most of the time		10.3	13.7	7.2	11.4		
Every time		81.1	78.6	84.5	78.1		
Female	Some of the time	8.6	7.6	8.3	10.5		
	Most of the time	10.3	13.7	7.2	11.4		
	Every time	81.1	78.6	84.5	78.1		

Denominator is: All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, are using birth control now, were not sterilized or had tubal ligation.

When you have intercourse, how often do you use a method to prevent pregnancy?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		424	126	199	99		
Some of the time		33	9	13	11		
Most of the time		43	16	15	12		
Every time		340	99	166	75		
Don't know/Not sure		2	1	1			
Refused		6	1	4	1		
Female	Total	424	126	199	99		
	Some of the time	33	9	13	11		
	Most of the time	43	16	15	12		
	Every time	340	99	166	75		
	Don't know/Not sure	2	1	1			
	Refused	6	1	4	1		

Denominator is: All female respondents under the age of 45 who have not had had hysterectomies, are not pregnant, are sexually active, are using birth control now, were not sterilized or had tubal ligation.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How long have you been using a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
More than six months		85.0	74.9	88.5	92.7			
6 months or less		15.0	25.1	11.5	7.3			
Female	More than six months	85.0	74.9	88.5	92.7			
	6 months or less	15.0	25.1	11.5	7.3			

Denominator is: All female respondents under the age of 45 who are sexually active, are using birth control now, but were not sterilized or had tubal ligation, and who use this method every time.

How long have you been using a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		340	99	166	75			
More than six months		292	76	146	70			
6 months or less		48	23	20	5			
Female	Total	340	99	166	75			
	More than six months	292	76	146	70			
	6 months or less	48	23	20	5			

Denominator is: All female respondents under the age of 45 who are sexually active, are using birth control now, but were not sterilized or had tubal ligation, and who use this method every time.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		72.0	86.4	74.3	54.3			
No		28.0	13.6	25.7	45.7			
Female	Yes	72.0	86.4	74.3	54.3			
	No	28.0	13.6	25.7	45.7			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, are not using birth control or are using birth control other than sterilization or tubal ligation.

In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		594	155	260	179			
Yes		420	129	193	98			
No		162	22	63	77			
Don't know/Not sure		7	3	2	2			
Refused		5	1	2	2			
Female	Total	594	155	260	179			
	Yes	420	129	193	98			
	No	162	22	63	77			
	Don't know/Not sure	7	3	2	2			
	Refused	5	1	2	2			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, are not using birth control or are using birth control other than sterilization or tubal ligation.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		97.9	97.8	97.4	99.4		
No		2.1	2.2	2.6	.6		
Female	Yes	97.9	97.8	97.4	99.4		
	No	2.1	2.2	2.6	.6		

Denominator is: All female respondents under the age of 45 with no hysterectomies, are not pregnant, are sexually active, are not using birth control or using birth control other than sterilization or tubal ligation, and planning to use birth control every time within six months.

In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		420	129	193	98		
Yes		410	127	187	96		
No		9	2	6	1		
Don't know/Not sure		1			1		
Female	Total	420	129	193	98		
	Yes	410	127	187	96		
	No	9	2	6	1		
	Don't know/Not sure	1			1		

Denominator is: All female respondents under the age of 45 with no hysterectomies, are not pregnant, are sexually active, are not using birth control or using birth control other than sterilization or tubal ligation, and planning to use birth control every time within six months.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

From your understanding, would you say the emergency birth control can be used . . . ?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
To prevent a pregnancy up to 3 days after unprotected sex		61.5	59.3	59.5	65.6			
To end a pregnancy several weeks after it has begun		2.8	2.7	3.2	2.3			
Both of the above		15.1	14.7	15.3	15.1			
Neither of the above		20.7	23.4	22.0	17.0			
Female	To prevent a pregnancy up to 3 days after unprotected sex	61.5	59.3	59.5	65.6			
	To end a pregnancy several weeks after it has begun	2.8	2.7	3.2	2.3			
	Both of the above	15.1	14.7	15.3	15.1			
	Neither of the above	20.7	23.4	22.0	17.0			

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

From your understanding, would you say the emergency birth control can be used . . . ?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		726	157	293	276			
To prevent a pregnancy up to 3 days after unprotected sex		340	79	138	123			
To end a pregnancy several weeks after it has begun		13	3	6	4			
Both of the above		83	17	37	29			
Neither of the above		110	27	49	34			
Don't know/Not sure		157	25	56	76			
Refused		23	6	7	10			
Female	Total	726	157	293	276			
	To prevent a pregnancy up to 3 days after unprotected sex	340	79	138	123			
	To end a pregnancy several weeks after it has begun	13	3	6	4			
	Both of the above	83	17	37	29			
	Neither of the above	110	27	49	34			
	Don't know/Not sure	157	25	56	76			
	Refused	23	6	7	10			

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the past 5 years, have you used emergency birth control pills?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		3.8	9.2	2.7	1.6			
No		96.2	90.8	97.3	98.4			
Female	Yes	3.8	9.2	2.7	1.6			
	No	96.2	90.8	97.3	98.4			
Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.								

In the past 5 years, have you used emergency birth control pills?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		726	157	293	276			
Yes		26	13	8	5			
No		682	139	279	264			
Refused		18	5	6	7			
Female	Total	726	157	293	276			
	Yes	26	13	8	5			
	No	682	139	279	264			
	Refused	18	5	6	7			
Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the last year, have you used emergency birth control pills?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		46.3	70.5	7.1	25.0		
No		53.7	29.5	92.9	75.0		
Female	Yes	46.3	70.5	7.1	25.0		
	No	53.7	29.5	92.9	75.0		

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization, and have used emergency birth control pills in the last 5 years.

In the last year, have you used emergency birth control pills?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		26	13	8	5		
Yes		12	9	1	2		
No		14	4	7	3		
Female	Total	26	13	8	5		
	Yes	12	9	1	2		
	No	14	4	7	3		

Denominator is: All female respondents under the age of 45 who are not using birth control or using birth control other than sterilization, and have used emergency birth control pills in the last 5 years.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What are your reasons for not using any birth control now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
I am not having sex		6.4	10.9	4.6	5.7			
I want to get pregnant		24.0	25.7	37.9	13.1			
I don't want to use birth control		6.9		17.2	2.5			
My husband partner doesn't want to use birth control		.4			.8			
I dont' think I can get pregnant		6.6	2.0	4.6	10.1			
I can't pay for birth control		3.5	11.9		2.5			
Other		52.2	49.5	35.6	65.3			
Female	I am not having sex	6.4	10.9	4.6	5.7			
	I want to get pregnant	24.0	25.7	37.9	13.1			
	I don't want to use birth control	6.9		17.2	2.5			
	My husband partner doesn't want to use birth control	.4			.8			
	I dont' think I can get pregnant	6.6	2.0	4.6	10.1			
	I can't pay for birth control	3.5	11.9		2.5			
	Other	52.2	49.5	35.6	65.3			

Denominator is: All female respondents under the age of 45 who are sexually active, are using birth control now, but were not sterilized or had tubal ligation, and who use this method every time.

What are your reasons for not using any birth control now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		151	27	54	70			
I am not having sex		11	3	3	5			
I want to get pregnant		34	6	19	9			
I don't want to use birth control		9		7	2			
My husband partner doesn't want to use birth control		1			1			
I dont' think I can get pregnant		12	1	2	9			
I can't pay for birth control		3	2		1			
Don't know/Not sure		9	2	3	4			
Other		68	12	18	38			
Refused		4	1	2	1			
Female	Total	151	27	54	70			
	I am not having sex	11	3	3	5			
	I want to get pregnant	34	6	19	9			
	I don't want to use birth control	9		7	2			
	My husband partner doesn't want to use birth control	1			1			
	I dont' think I can get pregnant	12	1	2	9			
	I can't pay for birth control	3	2		1			
	Don't know/Not sure	9	2	3	4			

Other	68	12	18	38			
Refused	4	1	2	1			

Denominator is: All female respondents under the age of 45 who are sexually active, are using birth control now, but were not sterilized or had tubal ligation, and who use this method every time.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What is your usual source of services for female health concerns, such as family planning, annual exams, breast exams, tests for sexually transmitted diseases, and other female health concerns?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Family planning clinic		8.8	15.3	11.3	3.5			
Health Department clinic		7.7	10.7	6.5	7.0			
A community health center		3.2	4.3	3.8	2.2			
A private gynecologist		37.1	27.4	41.1	38.9			
A general or family physician		39.6	37.8	32.9	45.7			
Some other kind of place		3.7	4.4	4.4	2.7			
Female	Family planning clinic	8.8	15.3	11.3	3.5			
	Health Department clinic	7.7	10.7	6.5	7.0			
	A community health center	3.2	4.3	3.8	2.2			
	A private gynecologist	37.1	27.4	41.1	38.9			
	A general or family physician	39.6	37.8	32.9	45.7			
	Some other kind of place	3.7	4.4	4.4	2.7			

Denominator is: All female respondents under the age of 45.

What is your usual source of services for female health concerns, such as family planning, annual exams, breast exams, tests for sexually transmitted diseases, and other female health concerns?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,119	212	400	507			
Family planning clinic		91	31	40	20			
Health Department clinic		78	22	24	32			
A community health center		31	9	12	10			
A private gynecologist		412	60	164	188			
A general or family physician		441	70	136	235			
Don't know/Not sure		17	9	4	4			
Some other kind of place		42	9	18	15			
Refused		7	2	2	3			
Female	Total	1,119	212	400	507			
	Family planning clinic	91	31	40	20			
	Health Department clinic	78	22	24	32			
	A community health center	31	9	12	10			
	A private gynecologist	412	60	164	188			
	A general or family physician	441	70	136	235			
	Don't know/Not sure	17	9	4	4			
	Some other kind of place	42	9	18	15			
	Refused	7	2	2	3			

Denominator is: All female respondents under the age of 45.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you ever used the services at a family planning clinic?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		36.6	25.0	41.2	38.6			
No		63.4	75.0	58.8	61.4			
Female	Yes	36.6	25.0	41.2	38.6			
	No	63.4	75.0	58.8	61.4			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic.

Have you ever used the services at a family planning clinic?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,028	181	360	487			
Yes		399	52	152	195			
No		620	126	207	287			
Don't know/Not sure		7	3		4			
Refused		2		1	1			
Female	Total	1,028	181	360	487			
	Yes	399	52	152	195			
	No	620	126	207	287			
	Don't know/Not sure	7	3		4			
	Refused	2		1	1			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How long has it been since you used the services at a family planning clinic?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		21.0	46.1	22.0	8.4			
Within the past 2 years (1 to 2 years ago)		6.7	10.5	9.0	2.8			
Within the past 3 years (2 to 3 years ago)		4.6	9.9	5.1	1.7			
Within the past 5 years (3 to 5 years ago)		7.9	14.8	9.2	3.4			
5 or more years ago		59.9	18.6	54.7	83.7			
Female	Within the past year (1 to 12 months ago)	21.0	46.1	22.0	8.4			
	Within the past 2 years (1 to 2 years ago)	6.7	10.5	9.0	2.8			
	Within the past 3 years (2 to 3 years ago)	4.6	9.9	5.1	1.7			
	Within the past 5 years (3 to 5 years ago)	7.9	14.8	9.2	3.4			
	5 or more years ago	59.9	18.6	54.7	83.7			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic and who have used a family planning clinic.

How long has it been since you used the services at a family planning clinic?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		490	83	192	215			
Within the past year (1 to 12 months ago)		90	35	37	18			
Within the past 2 years (1 to 2 years ago)		32	9	17	6			
Within the past 3 years (2 to 3 years ago)		23	9	11	3			
Within the past 5 years (3 to 5 years ago)		45	15	20	10			
5 or more years ago		296	13	106	177			
Don't know/Not sure		4	2	1	1			
Female	Total	490	83	192	215			
	Within the past year (1 to 12 months ago)	90	35	37	18			
	Within the past 2 years (1 to 2 years ago)	32	9	17	6			
	Within the past 3 years (2 to 3 years ago)	23	9	11	3			
	Within the past 5 years (3 to 5 years ago)	45	15	20	10			
	5 or more years ago	296	13	106	177			
	Don't know/Not sure	4	2	1	1			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a family planning clinic and who have used a family planning clinic.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you ever used a health department clinic for female health concerns?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		22.0	20.9	25.2	19.9		
No		78.0	79.1	74.8	80.1		
Female	Yes	22.0	20.9	25.2	19.9		
	No	78.0	79.1	74.8	80.1		

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic.

Have you ever used a health department clinic for female health concerns?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		1,041	190	376	475		
Yes		237	39	99	99		
No		786	145	271	370		
Don't know/Not sure		16	6	5	5		
Refused		2		1	1		
Female	Total	1,041	190	376	475		
	Yes	237	39	99	99		
	No	786	145	271	370		
	Don't know/Not sure	16	6	5	5		
	Refused	2		1	1		

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How long has it been since you used a health department clinic for female health concerns?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		16.5	33.9	12.4	11.5			
Within the past 2 years (1 to 2 years ago)		5.8	10.9	7.6	1.2			
Within the past 3 years (2 to 3 years ago)		8.3	21.2	6.2	3.7			
Within the past 5 years (2 to 3 years ago)		14.2	30.3	15.8	4.0			
5 or more years ago		55.2	3.6	58.1	79.5			
Female	Within the past year (1 to 12 months ago)	16.5	33.9	12.4	11.5			
	Within the past 2 years (1 to 2 years ago)	5.8	10.9	7.6	1.2			
	Within the past 3 years (2 to 3 years ago)	8.3	21.2	6.2	3.7			
	Within the past 5 years (2 to 3 years ago)	14.2	30.3	15.8	4.0			
	5 or more years ago	55.2	3.6	58.1	79.5			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

How long has it been since you used a health department clinic for female health concerns?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		237	39	99	99			
Within the past year (1 to 12 months ago)		38	15	12	11			
Within the past 2 years (1 to 2 years ago)		13	3	9	1			
Within the past 3 years (2 to 3 years ago)		21	9	7	5			
Within the past 5 years (2 to 3 years ago)		28	9	16	3			
5 or more years ago		133	2	54	77			
Don't know/Not sure		4	1	1	2			
Female	Total	237	39	99	99			
	Within the past year (1 to 12 months ago)	38	15	12	11			
	Within the past 2 years (1 to 2 years ago)	13	3	9	1			
	Within the past 3 years (2 to 3 years ago)	21	9	7	5			
	Within the past 5 years (2 to 3 years ago)	28	9	16	3			
	5 or more years ago	133	2	54	77			
	Don't know/Not sure	4	1	1	2			

Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Earlier you said that you went to a health department clinic for female health concerns. How long has it been since you've used a health department clinic for those services?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Within the past year (1 to 12 months ago)		61.6	75.6	75.6	40.2			
Within the past 2 years (1 to 2 years ago)		16.7	24.4	11.1	15.0			
Within the past 3 years (2 to 3 years ago)		5.3		2.2	11.6			
Within the past 5 years (3 to 5 years ago)		3.3			8.3			
5 or more years ago		13.2		11.1	24.9			
Female	Within the past year (1 to 12 months ago)	61.6	75.6	75.6	40.2			
	Within the past 2 years (1 to 2 years ago)	16.7	24.4	11.1	15.0			
	Within the past 3 years (2 to 3 years ago)	5.3		2.2	11.6			
	Within the past 5 years (3 to 5 years ago)	3.3			8.3			
	5 or more years ago	13.2		11.1	24.9			
Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.								

Earlier you said that you went to a health department clinic for female health concerns. How long has it been since you've used a health department clinic for those services?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		78	22	24	32			
Within the past year (1 to 12 months ago)		48	17	17	14			
Within the past 2 years (1 to 2 years ago)		12	4	3	5			
Within the past 3 years (2 to 3 years ago)		5		1	4			
Within the past 5 years (3 to 5 years ago)		2			2			
5 or more years ago		9		3	6			
Don't know/Not sure		2	1		1			
Female	Total	78	22	24	32			
	Within the past year (1 to 12 months ago)	48	17	17	14			
	Within the past 2 years (1 to 2 years ago)	12	4	3	5			
	Within the past 3 years (2 to 3 years ago)	5		1	4			
	Within the past 5 years (3 to 5 years ago)	2			2			
	5 or more years ago	9		3	6			
	Don't know/Not sure	2	1		1			
Denominator is: All female respondents under the age of 45 whose main source of services for female health concerns is not a health department or clinic and who have been to a health department clinic for female health concerns.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Does your health insurance cover at least some birth control methods?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		76.3	80.0	72.1	78.1			
No		23.7	20.0	27.9	21.9			
Female	Yes	76.3	80.0	72.1	78.1			
	No	23.7	20.0	27.9	21.9			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are sexually active, and have medical coverage.

Does your health insurance cover at least some birth control methods?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		974	171	342	461			
Yes		542	109	210	223			
No		175	28	74	73			
Don't know/Not sure		254	34	57	163			
Refused		3		1	2			
Female	Total	974	171	342	461			
	Yes	542	109	210	223			
	No	175	28	74	73			
	Don't know/Not sure	254	34	57	163			
	Refused	3		1	2			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are sexually active, and have medical coverage.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Does your health insurance pay for the birth control method you use?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		61.5	61.1	54.9	67.3			
No		38.5	38.9	45.1	32.7			
Female	Yes	61.5	61.1	54.9	67.3			
	No	38.5	38.9	45.1	32.7			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, and using birth control.

Does your health insurance pay for the birth control method you use?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		618	112	233	273			
Yes		341	61	120	160			
No		217	42	97	78			
Don't know/Not sure		59	9	16	34			
Refused		1			1			
Female	Total	618	112	233	273			
	Yes	341	61	120	160			
	No	217	42	97	78			
	Don't know/Not sure	59	9	16	34			
	Refused	1			1			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, are not pregnant, are sexually active, and using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Did you know there is free or low cost birth control at health departments and clinics?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		79.0	74.1	80.1	81.0			
No		21.0	25.9	19.9	19.0			
Female	Yes	79.0	74.1	80.1	81.0			
	No	21.0	25.9	19.9	19.0			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, not pregnant, are sexually active, not using birth control or using birth control other than tubal ligation.

Did you know there is free or low cost birth control at health departments and clinics?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		726	157	293	276			
Yes		552	114	227	211			
No		153	39	59	55			
Don't know/Not sure		4		1	3			
Refused		17	4	6	7			
Female	Total	726	157	293	276			
	Yes	552	114	227	211			
	No	153	39	59	55			
	Don't know/Not sure	4		1	3			
	Refused	17	4	6	7			

Denominator is: All female respondents under the age of 45 who have not had hysterectomies, not pregnant, are sexually active, not using birth control or using birth control other than tubal ligation.