

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Have you had sexual intercourse that resulted in pregnancy in the last 5 years?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		27.8	20.6	39.4	22.2			
No		72.2	79.4	60.6	77.8			
Male	Yes	27.8	20.6	39.4	22.2			
	No	72.2	79.4	60.6	77.8			

Denominator is: All male respondents under the age of 45.

Have you had sexual intercourse that resulted in pregnancy in the last 5 years?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		803	149	314	340			
Yes		216	34	113	69			
No		577	114	196	267			
Don't know/Not sure		1	1					
Refused		9		5	4			
Male	Total	803	149	314	340			
	Yes	216	34	113	69			
	No	577	114	196	267			
	Don't know/Not sure	1	1					
	Refused	9		5	4			

Denominator is: All male respondents under the age of 45.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Thinking back to just before she got pregnant how did you feel about her becoming pregnant?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
You wanted her to be pregnant sooner		13.8	10.9	13.1	16.6			
You wanted her to be pregnant later		13.9	31.3	12.2	7.0			
You wanted her to be pregnant then		59.5	36.7	63.8	65.6			
You didn't want her to be pregnant		12.7	21.1	10.9	10.9			
Male	You wanted her to be pregnant sooner	13.8	10.9	13.1	16.6			
	You wanted her to be pregnant later	13.9	31.3	12.2	7.0			
	You wanted her to be pregnant then	59.5	36.7	63.8	65.6			
	You didn't want her to be pregnant	12.7	21.1	10.9	10.9			

Denominator is: All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

Thinking back to just before she got pregnant how did you feel about her becoming pregnant?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		216	34	113	69			
You wanted her to be pregnant sooner		28	3	13	12			
You wanted her to be pregnant later		29	11	14	4			
You wanted her to be pregnant then		124	12	69	43			
You didn't want her to be pregnant		25	7	11	7			
Don't know/Not sure		5		3	2			
Refused		5	1	3	1			
Male	Total	216	34	113	69			
	You wanted her to be pregnant sooner	28	3	13	12			
	You wanted her to be pregnant later	29	11	14	4			
	You wanted her to be pregnant then	124	12	69	43			
	You didn't want her to be pregnant	25	7	11	7			
	Don't know/Not sure	5		3	2			
	Refused	5	1	3	1			

Denominator is: All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Are you or your wife or partner using any kind of birth control now?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		76.0	79.5	73.3	76.5		
No		19.6	12.1	20.8	22.1		
Not sexually active		4.4	8.4	5.9	1.4		
Male	Yes	76.0	79.5	73.3	76.5		
	No	19.6	12.1	20.8	22.1		
	Not sexually active	4.4	8.4	5.9	1.4		

Denominator is: All male respondents under the age of 45 who are sexually active and whose sexpartners are not pregnant.

Are you or your wife or partner using any kind of birth control now?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		703	118	277	308		
Yes		520	90	197	233		
No		131	13	55	63		
Not sexually active		32	11	15	6		
Refused		20	4	10	6		
Male	Total	703	118	277	308		
	Yes	520	90	197	233		
	No	131	13	55	63		
	Not sexually active	32	11	15	6		
	Refused	20	4	10	6		

Denominator is: All male respondents under the age of 45 who are sexually active and whose sexpartners are not pregnant.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What kinds of birth control are you or your wife or partner using now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Tubes tied (sterilization)		17.0	1.4	12.8	27.7			
Vasectomy		15.8		11.2	26.9			
Pill		28.4	45.2	34.8	15.5			
Condoms		27.1	36.5	31.4	19.4			
Foam, jelly, cream		.2			.5			
Diaphragm		.7		1.8	.1			
Norplant		.7	.7	1.0	.5			
Shots (Depo-Provera)		3.3	8.6	1.9	1.9			
Withdrawal		1.2	1.0	1.8	.9			
Other		5.4	6.7	3.1	6.6			
Male	Tubes tied (sterilization)	17.0	1.4	12.8	27.7			
	Vasectomy	15.8		11.2	26.9			
	Pill	28.4	45.2	34.8	15.5			
	Condoms	27.1	36.5	31.4	19.4			
	Foam, jelly, cream	.2			.5			
	Diaphragm	.7		1.8	.1			
	Norplant	.7	.7	1.0	.5			
	Shots (Depo-Provera)	3.3	8.6	1.9	1.9			
	Withdrawal	1.2	1.0	1.8	.9			
	Other	5.4	6.7	3.1	6.6			
Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What kinds of birth control are you or your wife or partner using now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		520	90	197	233			
Tubes tied (sterilization)		82	2	23	57			
Vasectomy		80		16	64			
Pill		142	36	71	35			
Condoms		150	36	65	49			
Foam, jelly, cream		1			1			
Diaphragm		4		3	1			
Norplant		4	1	2	1			
Shots (Depo-Provera)		17	8	5	4			
Withdrawal		6	1	3	2			
Don't know/Not sure		5	1	2	2			
Other		23	3	6	14			
Refused		6	2	1	3			
Male	Total	520	90	197	233			
	Tubes tied (sterilization)	82	2	23	57			
	Vasectomy	80		16	64			
	Pill	142	36	71	35			
	Condoms	150	36	65	49			
	Foam, jelly, cream	1			1			
	Diaphragm	4		3	1			
	Norplant	4	1	2	1			
	Shots (Depo-Provera)	17	8	5	4			
	Withdrawal	6	1	3	2			
	Don't know/Not sure	5	1	2	2			
	Other	23	3	6	14			
	Refused	6	2	1	3			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What are your reasons for not using any birth control now?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
I am not having sex		8.7	22.2	12.9	3.5			
I want my wife or partner to get pregnant		23.5	27.8	39.0	11.4			
I don't want to use birth control		13.3	16.7	10.9	14.6			
My wife or partner doesn't want to use birth control		1.7		2.0	1.7			
I don't think my wife or partner can get pregnant		14.8	11.1	6.0	22.0			
I can't pay for birth control		1.2			2.2			
Other		36.8	22.2	29.3	44.6			
Male	I am not having sex	8.7	22.2	12.9	3.5			
	I want my wife or partner to get pregnant	23.5	27.8	39.0	11.4			
	I don't want to use birth control	13.3	16.7	10.9	14.6			
	My wife or partner doesn't want to use birth control	1.7		2.0	1.7			
	I don't think my wife or partner can get pregnant	14.8	11.1	6.0	22.0			
	I can't pay for birth control	1.2			2.2			
	Other	36.8	22.2	29.3	44.6			
Denominator is: All male respondents under the age of 45 are sexually active, whose sex partners are not pregnant, and are not currently using birth control with their partners.								

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

What are your reasons for not using any birth control now?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		131	13	55	63			
I am not having sex		12	2	7	3			
I want my wife or partner to get pregnant		25	2	17	6			
I don't want to use birth control		16	1	6	9			
My wife or partner doesn't want to use birth control		2		1	1			
I don't think my wife or partner can get pregnant		20	1	3	16			
I can't pay for birth control		1			1			
Don't know/Not sure		9	3	4	2			
Other		40	2	16	22			
Refused		6	2	1	3			
Male	Total	131	13	55	63			
	I am not having sex	12	2	7	3			
	I want my wife or partner to get pregnant	25	2	17	6			
	I don't want to use birth control	16	1	6	9			
	My wife or partner doesn't want to use birth control	2		1	1			
	I don't think my wife or partner can get pregnant	20	1	3	16			
	I can't pay for birth control	1			1			
	Don't know/Not sure	9	3	4	2			
	Other	40	2	16	22			
	Refused	6	2	1	3			

Denominator is: All male respondents under the age of 45 are sexually active, whose sex partners are not pregnant, and are not currently using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the last year, have you gone to a health care provider for birth control or family planning services including condoms or vasectomy?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		11.8	21.5	10.9	7.0			
No		88.2	78.5	89.1	93.0			
Male	Yes	11.8	21.5	10.9	7.0			
	No	88.2	78.5	89.1	93.0			

Denominator is: All male respondents under the age of 45.

In the last year, have you gone to a health care provider for birth control or family planning services including condoms or vasectomy?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		804	149	315	340			
Yes		82	28	33	21			
No		710	119	276	315			
Don't know/Not sure		1		1				
Refused		11	2	5	4			
Male	Total	804	149	315	340			
	Yes	82	28	33	21			
	No	710	119	276	315			
	Don't know/Not sure	1		1				
	Refused	11	2	5	4			

Denominator is: All male respondents under the age of 45.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When you went for birth control or family planning services in the last year, did you go to either a Planned Parenthood clinic or a health department clinic?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		66.4	81.1	54.5	58.1			
No		33.6	18.9	45.5	41.9			
Male	Yes	66.4	81.1	54.5	58.1			
	No	33.6	18.9	45.5	41.9			

Denominator is: All male respondents under the age of 45 who went someplace for birth control or family planning services.

When you went for birth control or family planning services in the last year, did you go to either a Planned Parenthood clinic or a health department clinic?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		82	28	33	21			
Yes		47	19	18	10			
No		32	6	15	11			
Don't know/Not sure		3	3					
Male	Total	82	28	33	21			
	Yes	47	19	18	10			
	No	32	6	15	11			
	Don't know/Not sure	3	3					

Denominator is: All male respondents under the age of 45 who went someplace for birth control or family planning services.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When you have intercourse, how often do you use a method to prevent pregnancy? Would you say some of the time, most of the time, or every time?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Some of the time		8.0	6.8	8.3	9.1		
Most of the time		14.4	17.5	11.1	15.5		
Every time		77.5	75.7	80.6	75.4		
Male	Some of the time	8.0	6.8	8.3	9.1		
	Most of the time	14.4	17.5	11.1	15.5		
	Every time	77.5	75.7	80.6	75.4		

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

When you have intercourse, how often do you use a method to prevent pregnancy? Would you say some of the time, most of the time, or every time?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		347	85	155	107		
Some of the time		27	5	11	11		
Most of the time		49	15	17	17		
Every time		268	65	127	76		
Don't know/Not sure		2			2		
Refused		1			1		
Male	Total	347	85	155	107		
	Some of the time	27	5	11	11		
	Most of the time	49	15	17	17		
	Every time	268	65	127	76		
	Don't know/Not sure	2			2		
	Refused	1			1		

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

How long have you been using a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
More than 6 months		86.4	79.1	86.6	93.9			
6 months		13.6	20.9	13.4	6.1			
Male	More than 6 months	86.4	79.1	86.6	93.9			
	6 months	13.6	20.9	13.4	6.1			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

How long have you been using a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		268	65	127	76			
More than 6 months		230	50	111	69			
6 months		35	14	15	6			
Don't know/Not sure		2	1		1			
Refused		1		1				
Male	Total	268	65	127	76			
	More than 6 months	230	50	111	69			
	6 months	35	14	15	6			
	Don't know/Not sure	2	1		1			
	Refused	1		1				

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		68.3	79.5	73.0	55.2			
No		31.7	20.5	27.0	44.8			
Male	Yes	68.3	79.5	73.0	55.2			
	No	31.7	20.5	27.0	44.8			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

In the next six months, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		489	101	213	175			
Yes		336	79	158	99			
No		143	19	53	71			
Don't know/Not sure		7	1	2	4			
Refused		3	2		1			
Male	Total	489	101	213	175			
	Yes	336	79	158	99			
	No	143	19	53	71			
	Don't know/Not sure	7	1	2	4			
	Refused	3	2		1			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		98.8	98.4	98.6	99.4		
No		1.2	1.6	1.4	.6		
Male	Yes	98.8	98.4	98.6	99.4		
	No	1.2	1.6	1.4	.6		

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

In the next 30 days, do you intend to use a method to prevent pregnancy every time you have intercourse?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		336	79	158	99		
Yes		325	77	152	96		
No		5	2	2	1		
Don't know/Not sure		2		1	1		
Refused		4		3	1		
Male	Total	336	79	158	99		
	Yes	325	77	152	96		
	No	5	2	2	1		
	Don't know/Not sure	2		1	1		
	Refused	4		3	1		

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control with their partners other than sterilization or vasectomy or are not using birth control with their partners.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Does your health insurance coverage pay for at least some of the cost of a vasectomy?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		71.7	43.5	74.9	78.7			
No		28.3	56.5	25.1	21.3			
Male	Yes	71.7	43.5	74.9	78.7			
	No	28.3	56.5	25.1	21.3			

Denominator is: All male respondents under the age of 45 who have health insurance.

Does your health insurance coverage pay for at least some of the cost of a vasectomy?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		666	107	254	305			
Yes		191	14	69	108			
No		75	18	29	28			
Don't know/Not sure		395	74	155	166			
Refused		5	1	1	3			
Male	Total	666	107	254	305			
	Yes	191	14	69	108			
	No	75	18	29	28			
	Don't know/Not sure	395	74	155	166			
	Refused	5	1	1	3			

Denominator is: All male respondents under the age of 45 who have health insurance.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		76.3	79.9	72.1	78.1			
No		23.7	20.1	27.9	21.9			
Male	Yes	76.3	79.9	72.1	78.1			
	No	23.7	20.1	27.9	21.9			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		572	103	237	232			
Yes		426	78	173	175			
No		138	23	62	53			
Don't know/Not sure		6		2	4			
Refused		2	2					
Male	Total	572	103	237	232			
	Yes	426	78	173	175			
	No	138	23	62	53			
	Don't know/Not sure	6		2	4			
	Refused	2	2					

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

From your understanding, would you say the emergency birth control can be used . . . ?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
To prevent pregnancy up to three days after unprotected sex		50.2	48.4	47.2	54.3			
To end a pregnancy several weeks after it has begun		2.9	1.6	3.9	2.7			
Both of the above		17.8	16.3	18.6	17.9			
Neither of the above		29.1	33.7	30.3	25.1			
Male	To prevent pregnancy up to three days after unprotected sex	50.2	48.4	47.2	54.3			
	To end a pregnancy several weeks after it has begun	2.9	1.6	3.9	2.7			
	Both of the above	17.8	16.3	18.6	17.9			
	Neither of the above	29.1	33.7	30.3	25.1			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

From your understanding, would you say the emergency birth control can be used . . . ?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		572	103	237	232			
To prevent pregnancy up to three days after unprotected sex		207	38	88	81			
To end a pregnancy several weeks after it has begun		13	1	8	4			
Both of the above		75	13	33	29			
Neither of the above		117	26	52	39			
Don't know/Not sure		153	23	54	76			
Refused		7	2	2	3			
Male	Total	572	103	237	232			
	To prevent pregnancy up to three days after unprotected sex	207	38	88	81			
	To end a pregnancy several weeks after it has begun	13	1	8	4			
	Both of the above	75	13	33	29			
	Neither of the above	117	26	52	39			
	Don't know/Not sure	153	23	54	76			
	Refused	7	2	2	3			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the last five years, did a partner of yours use emergency birth control pills?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Yes		5.4	16.0	3.4	1.6		
No		94.6	84.0	96.6	98.4		
Male	Yes	5.4	16.0	3.4	1.6		
	No	94.6	84.0	96.6	98.4		

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

In the last five years, did a partner of yours use emergency birth control pills?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		572	103	237	232		
Yes		26	13	9	4		
No		530	84	223	223		
Don't know/Not sure		14	4	5	5		
Refused		2	2				
Male	Total	572	103	237	232		
	Yes	26	13	9	4		
	No	530	84	223	223		
	Don't know/Not sure	14	4	5	5		
	Refused	2	2				

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, and are using birth control with their partners other than vasectomy or who are not using birth control.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

In the last year, did a partner of yours use emergency birth control pills?
(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		47.1	54.1	53.3				
No		52.9	45.9	46.7	100.0			
Male	Yes	47.1	54.1	53.3				
	No	52.9	45.9	46.7	100.0			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control other than vasectomy or are not using birth control, and have had a partner use emergency birth control in the last five years.

In the last year, did a partner of yours use emergency birth control pills?
(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		26	13	9	4			
Yes		11	7	4				
No		15	6	5	4			
Male	Total	26	13	9	4			
	Yes	11	7	4				
	No	15	6	5	4			

Denominator is: All male respondents under the age of 45 who are sexually active, whose sex partners are not pregnant, are using birth control other than vasectomy or are not using birth control, and have had a partner use emergency birth control in the last five years.

Oregon Behavioral Risk Factor Surveillance System (BRFSS), 2000

When was the last time a sex partner became pregnant by you?
(Weighted Column Percents)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
She is currently pregnant		12.5	26.5	12.0	5.8		
Pregnant within the past year		24.1	24.5	32.0	12.4		
Within the past 5 years		63.3	49.0	56.0	81.7		
Male	She is currently pregnant	12.5	26.5	12.0	5.8		
	Pregnant within the past year	24.1	24.5	32.0	12.4		
	Within the past 5 years	63.3	49.0	56.0	81.7		

Denominator is: All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.

When was the last time a sex partner became pregnant by you?
(Unweighted Frequencies)

		Total	Age Groups				
			18-24	25-34	35-44	45-54	55-64
Total		216	34	113	69		
She is currently pregnant		26	8	14	4		
Pregnant within the past year		54	9	36	9		
Within the past 5 years		135	17	62	56		
Don't know/Not sure		1		1			
Male	Total	216	34	113	69		
	She is currently pregnant	26	8	14	4		
	Pregnant within the past year	54	9	36	9		
	Within the past 5 years	135	17	62	56		
	Don't know/Not sure	1		1			

Denominator is: All male respondents under the age of 45 who have had sexual intercourse that resulted in pregnancy in the last 5 years.