

**Oregon BRFSS 2002 Family Planning Module - Females**

**Are you and your husband or partner doing anything now to keep from getting pregnant?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Yes	70.4	67.5	76.0	67.6
No	17.6	12.6	15.4	22.7
No partner/Not sexually active	11.3	19.6	7.8	8.9
Same sex partner	.7	.3	.8	.8

Denominator is:  
All female respondents who are younger than 45 and not currently pregnant.

**Are you and your husband or partner doing anything now to keep from getting pregnant?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	1,195	226	422	547
Yes	812	153	308	351
No	207	29	64	114
No partner/Not sexually active	149	39	45	65
Same sex partner	8	1	2	5
Don't know/Not sure	2	1		1
Refused	17	3	3	11

Denominator is:  
All female respondents who are younger than 45 and not currently pregnant.

**Oregon BRFSS 2002 Family Planning Module - Females**

**What are you or your husband or partner doing now to keep from getting pregnant?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Tubes tied (sterilization)	19.5	3.3	20.9	28.7
Vasectomy (sterilization)	18.9	2.8	8.4	39.4
Pill	31.9	54.0	36.8	12.8
Condoms	15.5	16.8	19.9	10.4
Foam, jelly, cream	.3			.7
Diaphragm	.6	1.3	.3	.6
Norplant	.1		.3	
IUD	2.3	1.5	4.1	1.0
Shots (Depo-Provera)	4.9	10.1	5.6	.9
Withdrawal	.1			.3
Not having sex at certain times (rhythm)	2.3	3.4	1.4	2.4
No partner/Not sexually active	2.2	4.8	1.2	1.4
Other methods	1.5	2.0	1.2	1.5

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, and use birth control.

**What are you or your husband or partner doing now to keep from getting pregnant?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	812	153	308	351
Tubes tied (sterilization)	172	5	64	103
Vasectomy (sterilization)	154	4	26	124
Pill	243	78	114	51
Condoms	120	28	59	33
Foam, jelly, cream	2			2
Diaphragm	5	2	1	2
Norplant	1		1	
IUD	17	3	11	3
Shots (Depo-Provera)	34	13	17	4
Withdrawal	1			1
Not having sex at certain times (rhythm)	19	6	5	8
No partner/Not sexually active	17	8	4	5
Other methods	13	4	4	5
Don't know/Not sure	2	1		1
Refused	12	1	2	9

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, and use birth control.

**Oregon BRFSS 2002 Family Planning Module - Females**

**What other method are you also using to prevent pregnancy?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Tubes tied (sterilization)	.6	.8		1.6
Vasectomy (sterilization)	.3		.2	.9
Pill	1.9	2.6	1.6	1.1
Condoms	15.2	27.1	9.9	4.3
Foam, jelly, cream	.6	.9	.7	
Diaphragm	.5		.4	1.8
Norplant	.3			1.4
Shots (Depo-Provera)	.4	1.1		
Withdrawal	.2		.4	
Not having sex at certain times (rhythm)	3.0	.3	5.3	3.0
No partner/Not sexually active	1.4	2.8	.3	.9
Other methods	2.9	1.8	3.4	3.9
No other methods	72.7	62.7	77.6	81.1

Denominator is:

All female respondents younger than 45, who are sexually active, use birth control, and are not sterile.

**What other method are you also using to prevent pregnancy?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	455	134	212	109
Tubes tied (sterilization)	3	1		2
Vasectomy (sterilization)	2		1	1
Pill	8	4	2	2
Condoms	62	34	22	6
Foam, jelly, cream	3	1	2	
Diaphragm	3		1	2
Norplant	1			1
Shots (Depo-Provera)	1	1		
Withdrawal	1		1	
Not having sex at certain times (rhythm)	15	1	10	4
No partner/Not sexually active	8	5	1	2
Other methods	15	4	7	4
No other methods	330	83	162	85
Refused	3		3	

Denominator is:

All female respondents younger than 45, who are sexually active, use birth control, and are not sterile.

**Oregon BRFSS 2002 Family Planning Module - Females**

**What is your main reason for not doing anything to keep you from getting pregnant?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Not sexually active/No partner	12.5	41.1	4.1	6.4
Didn't think was going to have sex/No regular partner	.8	2.1	1.3	
You want a pregnancy	16.3	29.2	25.1	6.8
You or your partner don't want to use birth control	2.1		2.5	2.7
You/your partner don't like birth control/Fear side effects	.5		1.6	
You can't pay for birth control	.8	4.1		
Don't think you or your partner can get pregnant	4.9	4.2	1.6	6.8
You or your partner had tubes tied (sterilization)	6.7		5.9	9.7
You or your partner had a vasectomy (sterilization)	6.4		3.8	10.2
You or your partner had a hysterectomy (sterilization)	19.1		18.1	26.8
You or your partner are too old	.5			.9
You or your partner are currently breast-feeding	.8	4.1		
You or your partner just had a baby/postpartum	1.3	4.2		.9
Other reason	16.3	2.7	16.6	21.1
Don't care if get pregnant	10.0	8.3	15.4	7.8
Same sex partner	1.1		3.9	

Denominator is:

All female respondents who are younger than 45, not currently pregnant and do not use birth control.

**Oregon BRFSS 2002 Family Planning Module - Females**

**What is your main reason for not doing anything to keep you from getting pregnant?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	207	29	64	114
Not sexually active/No partner	26	11	5	10
Didn't think was going to have sex/No regular partner	2	1	1	
You want a pregnancy	28	8	12	8
You or your partner don't want to use birth control	2		1	1
You/your partner don't like birth control/Fear side effects	1		1	
You can't pay for birth control	1	1		
Don't think you or your partner can get pregnant	10	1	1	8
You or your partner had tubes tied (sterilization)	15		4	11
You or your partner had a vasectomy (sterilization)	11		2	9
You or your partner had a hysterectomy (sterilization)	39		9	30
You or your partner are too old	1			1
You or your partner are currently breast-feeding	1	1		
You or your partner just had a baby/postpartum	2	1		1
Other reason	29	1	9	19
Don't care if get pregnant	19	2	9	8
Same sex partner	3		3	
Don't know/Not sure	11	2	4	5
Refused	6		3	3

Denominator is:

All female respondents who are younger than 45, not currently pregnant and do not use birth control.

**Have you been pregnant in the last five years?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Yes	34.1	33.1	51.4	20.2
No	65.9	66.9	48.6	79.8

Denominator is:

All female respondents who are younger than 45 and not currently pregnant.

**Oregon BRFSS 2002 Family Planning Module - Females**

**Have you been pregnant in the last five years?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	1,176	225	413	538
Yes	398	77	210	111
No	770	146	201	423
Don't know/Not sure	1		1	
Refused	7	2	1	4

Denominator is:

All female respondents who are younger than 45 and not currently pregnant.

**Thinking back to just before you got pregnant with your current pregnancy, how did you feel about becoming pregnant?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
You wanted to be pregnant sooner	13.7		16.0	23.5
You wanted to be pregnant later	15.0	12.6	14.1	19.6
You wanted to be pregnant then	49.3	46.5	62.0	23.5
You didn't want to be pregnant then or in the future	13.4	6.5	7.9	33.5
Don't know/Not sure	8.6	34.4		

Denominator is:

All female respondents younger than 45 who are not currently pregnant.

**Thinking back to just before you got pregnant with your current pregnancy, how did you feel about becoming pregnant?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	48	10	27	11
You wanted to be pregnant sooner	7		4	3
You wanted to be pregnant later	8	2	4	2
You wanted to be pregnant then	23	5	15	3
You didn't want to be pregnant then or in the future	7	1	3	3
Don't know/Not sure	2	2		
Refused	1		1	

Denominator is:

All female respondents younger than 45 who are not currently pregnant.

**Oregon BRFSS 2002 Family Planning Module - Females**

**Thinking back to the most recent pregnancy, just before you got pregnant, ,  
how did you feel about becoming pregnant?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
You wanted to be pregnant sooner	8.4	3.0	9.5	11.6
You wanted to be pregnant later	23.4	44.0	21.6	5.5
You wanted to be pregnant then	57.6	43.8	58.9	69.5
You didn't want to be pregnant then or in the future	10.6	9.3	10.0	13.4

Denominator is:

All female respondents who are younger than 45, not currently pregnant, but have been pregnant in the last five years.

**Thinking back to the most recent pregnancy, just before you got pregnant,  
how did you feel about becoming pregnant?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	398	77	210	111
You wanted to be pregnant sooner	34	3	17	14
You wanted to be pregnant later	81	31	44	6
You wanted to be pregnant then	227	33	122	72
You didn't want to be pregnant then or in the future	49	8	23	18
Don't know/Not sure	6	2	3	1
Refused	1		1	

Denominator is:

All female respondents who are younger than 45, not currently pregnant, but have been pregnant in the last five years.

**Does your health insurance cover the cost of birth control?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Yes (covers all/part of cost of some birth control methods)	67.4	78.3	64.1	57.8
No, (does not cover any birth control methods)	32.6	21.7	35.9	42.2

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, are not sterile, and have medical coverage.

**Oregon BRFSS 2002 Family Planning Module - Females**

**Does your health insurance cover the cost of birth control?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	456	115	204	137
Yes (covers all/part of cost of some birth control methods)	246	76	115	55
No, (does not cover any birth control methods)	122	22	62	38
Don't know/Not sure	75	14	22	39
Refused	13	3	5	5

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, are not sterile, and have medical coverage.

**Would you use a different birth control method if you had insurance that paid for it?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Yes	37.0	30.9	43.9	33.8
No	63.0	69.1	56.1	66.2

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

**Would you use a different birth control method if you had insurance that paid for it?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	432	128	202	102
Yes	118	33	59	26
No	196	68	84	44
Don't know/Not sure	12	1	8	3
Refused	106	26	51	29

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

**Oregon BRFSS 2002 Family Planning Module - Females**

**Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Yes	85.9	86.4	85.2	86.5
No	14.1	13.6	14.8	13.5

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

**Did you know there is free or low cost birth control at health departments and Planned Parenthood clinics?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	573	157	251	165
Yes	486	136	211	139
No	73	20	34	19
Don't know/Not sure	5		3	2
Refused	9	1	3	5

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

**Where are you or your partner/husband getting your birth control method(s)? Would you say at . . .**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
A family planning clinic	11.5	20.5	7.2	2.5
A health department clinic	8.7	11.8	6.5	7.3
A community health center	9.2	13.5	8.5	1.7
A private gynecologist	15.4	10.3	17.0	22.0
A general or family physician	19.3	18.5	20.7	17.8
A drug store or other store	30.9	18.2	37.2	42.5
Some other kind of place	5.1	7.2	2.9	6.2

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

**Oregon BRFSS 2002 Family Planning Module - Females**

**Where are you or your partner/husband getting your birth control method(s)? Would you say at . . .**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	398	121	187	90
A family planning clinic	39	22	14	3
A health department clinic	32	14	12	6
A community health center	20	9	10	1
A private gynecologist	66	14	33	19
A general or family physician	87	26	41	20
A drug store or other store	125	24	67	34
Some other kind of place	21	10	7	4
Don't know/Not sure	5	1	2	2
Refused	3	1	1	1

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

**When you have intercourse, how often do you and your husband or partner use a method to prevent pregnancy? Would you say . . .**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Some of the time	4.2	5.5	4.4	1.0
Most of the time	10.9	8.5	14.5	7.2
Every time	84.9	85.9	81.1	91.8

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, are not sterile, and who have medical coverage.

**When you have intercourse, how often do you and your husband or partner use a method to prevent pregnancy? Would you say . . .**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	434	128	203	103
Some of the time	16	7	8	1
Most of the time	46	13	25	8
Every time	355	102	165	88
Don't know/Not sure	10	2	4	4
Refused	7	4	1	2

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, are not sterile, and who have medical coverage.

**Oregon BRFSS 2002 Family Planning Module - Females**

**From your understanding, how would you say the emergency birth control can be used . . .**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
To prevent a pregnancy up to 3 days after unprotected sex	51.4	53.9	53.5	44.1
To end a pregnancy several weeks after it has begun	.6	.7	.9	
Both of the above	11.1	11.5	10.9	10.7
Neither of the above	20.0	20.4	19.0	21.1
Don't know/Not sure	16.9	13.5	15.7	24.1

Denominator is:

All female respondents younger than 45, who are not using birth control or using birth control other than sterilization.

**From your understanding, how would you say the emergency birth control can be used . . .**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	568	156	248	164
To prevent a pregnancy up to 3 days after unprotected sex	287	84	127	76
To end a pregnancy several weeks after it has begun	4	1	3	
Both of the above	61	17	29	15
Neither of the above	107	31	46	30
Don't know/Not sure	100	22	40	38
Refused	9	1	3	5

Denominator is:

All female respondents younger than 45, who are not using birth control or using birth control other than sterilization.

**During the past 5 years, have you used emergency birth control pills?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Yes	8.4	12.5	8.5	2.2
No	91.6	87.5	91.5	97.8

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

**Oregon BRFSS 2002 Family Planning Module - Females**

**During the past 5 years, have you used emergency birth control pills?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	567	156	248	163
Yes	46	20	22	4
No	512	135	224	153
Don't know/Not sure	2			2
Refused	7	1	2	4

Denominator is:

All female respondents who are younger than 45, not currently pregnant, are sexually active, use birth control, and are not sterile.

**In the last year, have you used emergency birth control pills?**

(Weighted Column Percents)

	Total	Age Groups		
		18-24	25-34	35-44
Female	100.0	100.0	100.0	100.0
Yes	45.2	60.0	19.4	85.9
No	54.8	40.0	80.6	14.1

Denominator is:

All female respondents who are younger than 45, not currently pregnant, and used emergency birth control pills during the last year.

**In the last year, have you used emergency birth control pills?**

(Unweighted Frequencies)

	Total	Age Groups		
		18-24	25-34	35-44
Female	46	20	22	4
Yes	18	11	4	3
No	27	9	17	1
Don't know/Not sure	1		1	

Denominator is:

All female respondents who are younger than 45, not currently pregnant, and used emergency birth control pills during the last year.