

Oregon BRFSS 2002

During the past 12 months, have you had a flu shot?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Yes		30.3	17.9	11.9	15.4	28.8	43.6	68.0
No		69.7	82.1	88.1	84.6	71.2	56.4	32.0
Male	Yes	28.4	21.9	12.1	13.9	24.6	44.9	65.9
	No	71.6	78.1	87.9	86.1	75.4	55.1	34.1
Female	Yes	32.1	13.7	11.7	17.0	32.9	42.5	69.6
	No	67.9	86.3	88.3	83.0	67.1	57.5	30.4

Denominator is:
All survey respondents.

During the past 12 months, have you had a flu shot?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		3,054	224	492	590	639	488	621
Yes		1,012	35	64	95	189	213	416
No		2,035	187	427	495	448	274	204
Don't know		7	2	1	2	1	1	1
Male	Total	1,220	85	216	234	265	207	213
	Yes	366	17	26	31	65	89	138
	No	850	66	189	203	200	117	75
	Don't know	4	2	1	2	1	1	1
Female	Total	1,834	139	276	356	374	281	408
	Yes	646	18	38	64	124	124	278
	No	1,185	121	238	292	248	157	129
	Don't know	3			2			1

Denominator is:
All survey respondents.

Oregon BRFSS 2002

At what kind of place did you get your last flu shot?

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
A doctor's office		38.9	33.4	9.5	24.6	27.6	44.8	52.1
A health department		4.7	13.0	8.6	1.1	3.9	4.3	3.8
Another type of clinic or health center		16.4	21.8	25.5	10.0	9.8	15.6	19.0
A senior, recreation, or community center		2.3		1.7	.4		2.4	4.4
A store (Examples: supermarket, drug store)		9.6	4.8	5.6	16.2	7.0	13.3	9.0
A hospital or emergency room		2.4		6.4	.9	2.3	1.9	2.8
Workplace		19.3	13.1	40.1	35.7	45.3	13.9	1.9
Some other kind of place		6.5	13.9	2.7	11.1	4.2	3.9	7.0
Male	A doctor's office	37.1	21.7	5.7	22.3	32.4	46.7	50.4
	A health department	6.0	20.9	12.7		1.5	5.9	3.9
	Another type of clinic or health center	14.7	25.9	26.5	8.9	7.2	14.8	14.0
	A senior, recreation, or community center	1.9		3.2			1.2	4.1
	A store (Examples: supermarket, drug store)	8.7		1.6	17.3	6.2	12.0	9.8
	A hospital or emergency room	2.4		5.7		2.7	1.2	3.5
	Workplace	20.2	14.9	44.6	32.9	45.4	14.2	2.8
	Some other kind of place	9.1	16.7		18.7	4.6	4.1	11.4
Female	A doctor's office	40.4	52.6	13.6	26.5	24.0	42.8	53.2
	A health department	3.6		4.2	2.0	5.7	2.8	3.7
	Another type of clinic or health center	17.8	15.0	24.4	10.8	11.6	16.4	22.4
	A senior, recreation, or community center	2.6			.8		3.7	4.5
	A store (Examples: supermarket, drug store)	10.3	12.6	10.0	15.4	7.6	14.6	8.4
	A hospital or emergency room	2.4		7.2	1.6	2.0	2.6	2.4
	Workplace	18.6	10.3	35.2	38.1	45.2	13.5	1.4
	Some other kind of place	4.4	9.5	5.6	4.9	3.8	3.6	4.0

Denominator is:

All survey respondents who said they had gotten a flu shot in the past 12 months.

Oregon BRFSS 2002

At what kind of place did you get your last flu shot?

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,012	35	64	95	189	213	416
A doctor's office		404	14	8	24	51	92	215
A health department		38	3	3	2	7	9	14
Another type of clinic or health center		161	9	15	8	18	32	79
A senior, recreation, or community center		27		1	1		6	19
A store (Examples: supermarket, drug store)		105	1	5	15	17	26	41
A hospital or emergency room		25		4	1	5	4	11
Workplace		183	5	26	34	80	30	8
Some other kind of place		61	3	2	9	10	10	27
Don't know/Not sure		3					1	2
Refused		5			1	1	3	
Male	Total	366	17	26	31	65	89	138
	A doctor's office	140	4	2	8	17	40	69
	A health department	15	3	1	1	5	5	5
	Another type of clinic or health center	52	5	7	2	6	11	21
	A senior, recreation, or community center	9		1			2	6
	A store (Examples: supermarket, drug store)	36		1	6	6	10	13
	A hospital or emergency room	10		2		2	1	5
	Workplace	68	3	12	9	28	13	3
	Some other kind of place	31	2		6	4	4	15
	Don't know/Not sure	1						1
	Refused	4				1	3	
Female	Total	646	18	38	64	124	124	278
	A doctor's office	264	10	6	16	34	52	146
	A health department	23		2	2	6	4	9
	Another type of clinic or health center	109	4	8	6	12	21	58
	A senior, recreation, or community center	18			1		4	13
	A store (Examples: supermarket, drug store)	69	1	4	9	11	16	28
	A hospital or emergency room	15		2	1	3	3	6
	Workplace	115	2	14	25	52	17	5
	Some other kind of place	30	1	2	3	6	6	12
	Don't know/Not sure	2					1	1
	Refused	1			1			

Denominator is:

All survey respondents who said they had gotten a flu shot in the past 12 months.

Oregon BRFSS 2002

What is the most important reason you had for not getting a flu shot? (First response of two probes)

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Doctor/nurse never suggested it	1.0	2.3	1.4	.6	.8	.3	.3
I haven't thought about it	8.7	11.8	11.8	6.9	6.8	7.2	6.6
I'm in good health/not at risk/don't need it	37.1	35.1	33.2	40.8	41.8	38.4	26.3
It might make me sick/might be side effects/reactions	18.3	11.7	14.4	15.3	22.7	27.1	27.4
Vaccine is not effective/doesn't work/wouldn't help	4.2	2.8	6.8	4.6	3.6	2.2	2.7
Inconvenient: time/transportation/location	8.3	9.3	9.7	8.6	7.9	3.6	8.3
No shots were available	6.1	2.9	4.4	8.5	6.6	8.6	5.3
Tried to get a flu shot; doctor said I didn't need one	.7	.5	.6	.6	.7	2.0	.6
Other 1 (Specify)	12.3	18.5	13.7	12.4	6.8	8.7	16.8
Other 2 (Specify)	.2	.3		.5		.3	
Don't know/Not sure	2.0	2.9	3.8	.9	1.2	.7	1.8
None/No other	1.0	2.1	.2	.3	1.2	1.0	3.8
Male							
Doctor/nurse never suggested it	1.2	3.4	1.5	1.0	.5		
I haven't thought about it	9.0	6.8	12.9	7.5	8.2	10.0	6.6
I'm in good health/not at risk/don't need it	39.6	37.4	35.4	44.7	42.0	44.5	25.6
It might make me sick/might be side effects/reactions	16.2	8.8	12.1	14.8	21.1	23.4	23.3
Vaccine is not effective/doesn't work/wouldn't help	5.1	5.5	8.3	3.7	3.8	4.3	4.1
Inconvenient: time/transportation/location	7.3	6.6	8.3	7.1	8.0	2.6	11.0
No shots were available	5.5	3.6	4.9	7.0	5.8	6.5	3.2
Tried to get a flu shot; doctor said I didn't need one	.6		.5	.5	1.3	1.3	
Other 1 (Specify)	11.5	18.5	12.9	11.0	6.4	6.6	18.8
Other 2 (Specify)	.2			1.0			
Don't know/Not sure	2.2	5.3	3.3	1.5	1.0		1.6
None/No other	1.5	4.1		.2	1.9	1.0	5.7

Denominator is:

All survey respondents who said they did not get a flu shot in the past 12 months.

Oregon BRFSS 2002

What is the most important reason you had for not getting a flu shot? (First response of two probes)

(Weighted Column Percents)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Female	Doctor/nurse never suggested it	.9	1.3	1.3	.3	1.2	.6	.6
	I haven't thought about it	8.4	16.0	10.7	6.3	5.2	4.8	6.6
	I'm in good health/not at risk/don't need it	34.6	33.0	30.9	36.9	41.5	33.0	26.8
	It might make me sick/might be side effects/reactions	20.3	14.2	16.9	15.8	24.4	30.4	30.8
	Vaccine is not effective/doesn't work/wouldn't help	3.4	.5	5.1	5.5	3.4	.3	1.7
	Inconvenient: time/transportation/location	9.2	11.6	11.1	10.1	7.8	4.5	6.2
	No shots were available	6.8	2.2	4.0	9.9	7.5	10.5	7.0
	Tried to get a flu shot; doctor said I didn't need one	.8	.9	.8	.7		2.6	1.1
	Other 1 (Specify)	13.1	18.4	14.5	13.8	7.2	10.5	15.1
	Other 2 (Specify)	.2	.5				.6	
	Don't know/Not sure	1.7	1.0	4.3	.3	1.3	1.3	2.0
	None/No other	.6	.3	.4	.3	.4	1.0	2.2

Denominator is:

All survey respondents who said they did not get a flu shot in the past 12 months.

What is the most important reason you had for not getting a flu shot? (First response of two probes)

(Unweighted Frequencies)

		Total	Age Groups					
			18-24	25-34	35-44	45-54	55-64	65+
Total		1,954	181	406	475	433	266	193
	Doctor/nurse never suggested it	15	3	3	4	3	1	1
	I haven't thought about it	167	23	50	34	28	20	12
	I'm in good health/not at risk/don't need it	726	61	138	193	179	103	52
	It might make me sick/might be side effects/reactions	374	24	63	73	94	67	53
	Vaccine is not effective/doesn't work/wouldn't help	78	3	25	22	17	5	6
	Inconvenient: time/transportation/location	151	19	33	38	36	11	14
	No shots were available	123	5	17	38	30	23	10
	Tried to get a flu shot; doctor said I didn't need one	17	2	3	3	2	6	1
	Other 1 (Specify)	239	31	59	60	34	23	32
	Other 2 (Specify)	3	1		1		1	

Denominator is:

All survey respondents who said they did not get a flu shot in the past 12 months.

Oregon BRFSS 2002

What is the most important reason you had for not getting a flu shot? (First response of two probes)

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Don't know/Not sure	29	4	12	2	4	3	4
None/No other	18	3	1	2	5	2	5
Refused	14	2	2	5	1	1	3
Male							
Total	812	62	179	196	193	112	70
Doctor/nurse never suggested it	6	2	1	2	1		
I haven't thought about it	76	5	23	17	14	12	5
I'm in good health/not at risk/don't need it	329	25	69	85	81	50	19
It might make me sick/might be side effects/reactions	134	6	22	26	39	25	16
Vaccine is not effective/doesn't work/wouldn't help	37	2	13	7	8	4	3
Inconvenient: time/transportation/location	59	4	13	16	16	3	7
No shots were available	45	2	9	13	12	7	2
Tried to get a flu shot; doctor said I didn't need one	6		1	1	2	2	
Other 1 (Specify)	89	10	23	21	15	7	13
Other 2 (Specify)	1			1			
Don't know/Not sure	11	3	5	1	1		1
None/No other	11	2		1	4	1	3
Refused	8	1		5		1	1
Female							
Total	1,142	119	227	279	240	154	123
Doctor/nurse never suggested it	9	1	2	2	2	1	1
I haven't thought about it	91	18	27	17	14	8	7
I'm in good health/not at risk/don't need it	397	36	69	108	98	53	33
It might make me sick/might be side effects/reactions	240	18	41	47	55	42	37
Vaccine is not effective/doesn't work/wouldn't help	41	1	12	15	9	1	3
Inconvenient: time/transportation/location	92	15	20	22	20	8	7
No shots were available	78	3	8	25	18	16	8
Tried to get a flu shot; doctor said I didn't need one	11	2	2	2		4	1
Other 1 (Specify)	150	21	36	39	19	16	19
Other 2 (Specify)	2	1				1	
Don't know/Not sure	18	1	7	1	3	3	3
None/No other	7	1	1	1	1	1	2
Refused	6	1	2		1		2

Denominator is:

All survey respondents who said they did not get a flu shot in the past 12 months.

Oregon BRFSS 2002

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal [new-mo-COCK-uh] vaccine.

(Weighted Column Percents)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Yes	25.2	27.2	12.7	9.2	13.4	26.3	65.0
No	74.8	72.8	87.3	90.8	86.6	73.7	35.0
Male Yes	25.3	36.6	17.8	10.0	11.5	25.5	60.5
Male No	74.7	63.4	82.2	90.0	88.5	74.5	39.5
Female Yes	25.1	16.6	7.5	8.4	15.1	27.0	68.1
Female No	74.9	83.4	92.5	91.6	84.9	73.0	31.9

Denominator is:
All survey respondents.

Have you ever had a pneumonia shot? This shot is usually given only once or twice in a person's lifetime and is different from the flu shot. It is also called the pneumococcal [new-mo-COCK-uh] vaccine.

(Unweighted Frequencies)

	Total	Age Groups					
		18-24	25-34	35-44	45-54	55-64	65+
Total	3,054	224	492	590	639	488	621
Yes	746	38	50	49	83	129	397
No	2,030	131	364	486	510	331	208
Don't know/Not sure	278	55	78	55	46	28	16
Male Total	1,220	85	216	234	265	207	213
Male Yes	272	23	31	21	27	48	122
Male No	783	43	142	179	199	140	80
Male Don't know/Not sure	165	19	43	34	39	19	11
Female Total	1,834	139	276	356	374	281	408
Female Yes	474	15	19	28	56	81	275
Female No	1,247	88	222	307	311	191	128
Female Don't know/Not sure	113	36	35	21	7	9	5

Denominator is:
All survey respondents.