

Are you/your spouse/partner doing anything now to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Yes	64.5	59.1	68.9	71.7	56.8	47.5
No	21.0	9.5	19.5	20.3	30.5	41.1
No partner/Not sexually active	12.8	29.8	10.1	6.3	11.0	10.1
Same sex partner	1.6	1.6	1.5	1.7	1.7	1.3
MALE Yes	60.7	59.3	62.1	70.1	56.8	47.5
No	24.8	9.9	23.8	22.0	30.5	41.1
No partner/Not sexually active	12.9	28.8	12.7	6.1	11.0	10.1
Same sex partner	1.7	2.1	1.4	1.8	1.7	1.3
FEMALE Yes	70.9	58.9	76.6	73.3		
No	14.8	9.0	14.8	18.6		
No partner/Not sexually active	12.8	30.9	7.1	6.4		
Same sex partner	1.5	1.2	1.6	1.6		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant.

Are you/your spouse/partner doing anything now to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		1,343	98	247	475	295	228
Yes		796	58	171	322	149	96
No		312	10	44	89	87	82
No partner/Not sexually active		170	26	23	42	43	36
Same sex partner		19	2	3	7	4	3
Don't know/Not sure		6	1	1		1	3
Refused		40	1	5	15	11	8
MALE	Total	859	44	90	202	295	228
	Yes	455	24	55	131	149	96
	No	240	5	21	45	87	82
	No partner/Not sexually active	119	13	11	16	43	36
	Same sex partner	12	1	1	3	4	3
	Don't know/Not sure	4				1	3
	Refused	29	1	2	7	11	8
FEMALE	Total	484	54	157	273		
	Yes	341	34	116	191		
	No	72	5	23	44		
	No partner/Not sexually active	51	13	12	26		
	Same sex partner	7	1	2	4		
	Don't know/Not sure	2	1	1			
	Refused	11		3	8		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant.

What are you/your spouse/partner doing now to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Tubes tied (female sterilization)	15.0	3.1	11.1	24.9	13.8	20.8
Hysterectomy (female sterilization)	4.0		1.4	5.4	9.6	10.1
Vasectomy (male sterilization)	24.0	2.0	11.6	31.5	52.4	52.3
Pill, all kinds (Seasonale, etc.)	21.5	41.8	26.8	13.1	9.8	3.5
Condoms (male or female)	14.5	20.6	19.0	12.4	4.9	5.5
Contraceptive implants (Jadelle or Implanon)	2.0	7.3	1.8		.6	.5
Shots (Depo-Provera)	1.9	6.5	1.5	.9		
Contraceptive Ring (Nuvaring or others)	1.0	.5	1.5	.8	.9	
Contraceptive Patch	.2				1.4	
Diaphragm, cervical ring, or cap	1.0		.7	.9	2.4	3.3
IUD (including Mirena)	9.7	13.6	17.7	4.9	.9	1.1
Emergency contraception (EC)						
Withdrawal	.7		2.0		.3	.8
Not having sex at certain times (rhythm)	2.9	4.7	1.1	4.2	2.3	.5
Other method (foam, jelly, cream, etc.)	1.6		3.7	.9	.6	1.5
MALE Tubes tied (female sterilization)	13.6	6.0	6.8	22.0	13.8	20.8
Hysterectomy (female sterilization)	4.7		2.3	3.5	9.6	10.1
Vasectomy (male sterilization)	28.6	2.4	9.9	32.9	52.4	52.3
Pill, all kinds (Seasonale, etc.)	19.9	43.7	27.4	13.3	9.8	3.5
Condoms (male or female)	16.9	33.5	23.6	15.4	4.9	5.5
Contraceptive implants (Jadelle or Implanon)	1.1	3.6	1.5		.6	.5
Shots (Depo-Provera)	.3			1.0		
Contraceptive Ring (Nuvaring or others)	.4			.7	.9	
Contraceptive Patch	.3				1.4	
Diaphragm, cervical ring, or cap	1.2		1.5		2.4	3.3
IUD (including Mirena)	7.4	3.6	19.4	5.9	.9	1.1
Emergency contraception (EC)						
Withdrawal	.7		2.3		.3	.8
Not having sex at certain times (rhythm)	2.6	7.2		3.5	2.3	.5
Other method (foam, jelly, cream, etc.)	2.1		5.3	1.7	.6	1.5

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

What are you/your spouse/partner doing now to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Tubes tied (female sterilization)	16.9		15.0	27.6		
	Hysterectomy (female sterilization)	3.1		.6	7.3		
	Vasectomy (male sterilization)	17.5	1.5	13.1	30.2		
	Pill, all kinds (Seasonale, etc.)	23.8	39.8	26.3	12.9		
	Condoms (male or female)	11.1	7.1	14.8	9.6		
	Contraceptive implants (Jadelle or Implanon)	3.2	11.2	2.1			
	Shots (Depo-Provera)	4.2	13.3	3.0	.7		
	Contraceptive Ring (Nuvaring or others)	1.8	1.0	3.0	1.0		
	Contraceptive Patch						
	Diaphragm, cervical ring, or cap	.7			1.7		
	IUD (including Mirena)	12.9	24.0	16.1	3.9		
	Emergency contraception (EC)						
	Withdrawal	.7		1.7			
	Not having sex at certain times (rhythm)	3.2	2.0	2.1	4.9		
	Other method (foam, jelly, cream, etc.)	.8		2.1			

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

What are you/your spouse/partner doing now to keep from getting pregnant?

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	796	58	171	322	149	96
Tubes tied (female sterilization)	133	1	22	74	20	16
Hysterectomy (female sterilization)	42		2	17	15	8
Vasectomy (male sterilization)	239	2	20	100	68	49
Pill, all kinds (Seasonale, etc.)	125	23	43	40	15	4
Condoms (male or female)	91	10	27	37	11	6
Contraceptive implants (Jadelle or Implanon)	9	4	3		1	1
Shots (Depo-Provera)	10	4	3	3		
Contraceptive Ring (Nuvaring or others)	8	1	3	3	1	
Contraceptive Patch	1				1	
Diaphragm, cervical ring, or cap	8		1	3	3	1
IUD (including Mirena)	53	9	29	13	1	1
Emergency contraception (EC)						
Withdrawal	5		3		1	1
Not having sex at certain times (rhythm)	20	2	2	11	4	1
Other method (foam, jelly, cream, etc.)	12		6	2	2	2
Don't know/Not sure	7	1	1	1	1	3
Refused	33	1	6	18	5	3
MALE Total	455	24	55	131	149	96
Tubes tied (female sterilization)	65	1	4	24	20	16
Hysterectomy (female sterilization)	29		1	5	15	8
Vasectomy (male sterilization)	165	1	5	42	68	49
Pill, all kinds (Seasonale, etc.)	60	10	15	16	15	4
Condoms (male or female)	57	8	11	21	11	6
Contraceptive implants (Jadelle or Implanon)	4	1	1		1	1
Shots (Depo-Provera)	1			1		
Contraceptive Ring (Nuvaring or others)	2			1	1	
Contraceptive Patch	1				1	
Diaphragm, cervical ring, or cap	5		1		3	1
IUD (including Mirena)	20	1	11	6	1	1
Emergency contraception (EC)						
Withdrawal	3		1		1	1
Not having sex at certain times (rhythm)	10	1		4	4	1
Other method (foam, jelly, cream, etc.)	9		3	2	2	2
Don't know/Not sure	6	1	1		1	3
Refused	18		1	9	5	3

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

What are you/your spouse/partner doing now to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Total	341	34	116	191		
	Tubes tied (female sterilization)	68		18	50		
	Hysterectomy (female sterilization)	13		1	12		
	Vasectomy (male sterilization)	74	1	15	58		
	Pill, all kinds (Seasonale, etc.)	65	13	28	24		
	Condoms (male or female)	34	2	16	16		
	Contraceptive implants (Jadelle or Implanon)	5	3	2			
	Shots (Depo-Provera)	9	4	3	2		
	Contraceptive Ring (Nuvaring or others)	6	1	3	2		
	Contraceptive Patch						
	Diaphragm, cervical ring, or cap	3			3		
	IUD (including Mirena)	33	8	18	7		
	Emergency contraception (EC)						
	Withdrawal	2		2			
	Not having sex at certain times (rhythm)	10	1	2	7		
	Other method (foam, jelly, cream, etc.)	3		3			
	Don't know/Not sure	1			1		
	Refused	15	1	5	9		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

When you have intercourse, how often do you/your spouse/partner use a method to prevent pregnancy?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Some of the time		4.7		8.6	5.1	2.2	
Most of the time		11.7	9.9	11.3	15.8	8.6	
Or every time		83.6	90.1	80.1	79.2	89.2	100.0
MALE	Some of the time	5.7		9.4	9.3	2.2	
	Most of the time	9.3		11.9	17.8	8.6	
	Or every time	85.1	100.0	78.8	72.9	89.2	100.0
FEMALE	Some of the time	3.4		7.7			
	Most of the time	15.0	23.1	10.8	13.3		
	Or every time	81.6	76.9	81.5	86.7		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and who use birth control other than contraceptive implants or IUDs.

When you have intercourse, how often do you/your spouse/partner use a method to prevent pregnancy?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		320	42	95	118	44	21
Some of the time		12		7	4	1	
Most of the time		34	4	10	16	4	
Or every time		246	37	74	89	32	14
Don't know/Not sure		14	1	1	2	5	5
Refused		14		3	7	2	2
MALE Total		172	20	33	54	44	21
Some of the time		7		2	4	1	
Most of the time		16		4	8	4	
Or every time		131	19	26	40	32	14
Don't know/Not sure		11	1			5	5
Refused		7		1	2	2	2
FEMALE Total		148	22	62	64		
Some of the time		5		5			
Most of the time		18	4	6	8		
Or every time		115	18	48	49		
Don't know/Not sure		3		1	2		
Refused		7		2	5		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, are not sterile, and who use birth control other than contraceptive implants or IUDs.

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Weighted Column Percents)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Didn't think you were going to have sex/No regular partner	4.2	16.6	4.0	5.5	1.5	
You want a pregnancy	16.8	35.3	38.1	11.6	2.4	
Your or your partner don't want to use birth control	1.1			1.9	2.4	
You or your partner don't like birth control/side effects	.5			1.9		
You can't pay for birth control	.5		.8	.9		
Lapse in use of a method						
Don't think you or your partner can get pregnant	5.4		6.4	3.7	4.1	11.9
You or your partner had tubes tied (sterilization)	2.4			.9	5.9	5.5
You or your partner had a vasectomy (sterilization)	6.3			5.0	15.9	8.5
You or your partner had a hysterectomy	19.0		9.6	29.0	22.1	21.3
You or your partner are too old	8.1			1.8	18.9	23.1
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum						
Other reason (Specify)	23.4	48.1	12.0	25.8	24.2	28.0
Don't care if get pregnant	5.9		10.5	8.8	.9	1.8
Partner is pregnant now	6.4		18.6	3.1	1.8	

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
MALE	Didn't think you were going to have sex/No regular partner	3.3		6.3	6.4	1.5	
	You want a pregnancy	10.2		27.4	14.0	2.4	
	You or your partner don't want to use birth control	1.1			1.8	2.4	
	You or your partner don't like birth control/side effects	.7			3.5		
	You can't pay for birth control						
	Lapse in use of a method						
	Don't think you or your partner can get pregnant	5.0		6.3		4.1	11.9
	You or your partner had tubes tied (sterilization)	2.9				5.9	5.5
	You or your partner had a vasectomy (sterilization)	8.7			9.4	15.9	8.5
	You or your partner had a hysterectomy	19.3		12.6	25.1	22.1	21.3
	You or your partner are too old	10.4				18.9	23.1
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum						
	Other reason (Specify)	24.6	100.0	6.3	26.9	24.2	28.0
	Don't care if get pregnant	4.9		11.6	7.0	.9	1.8
	Partner is pregnant now	8.8		29.5	5.8	1.8	

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Didn't think you were going to have sex/No regular partner	6.4	32.0		4.4		
	You want a pregnancy	34.6	68.0	56.5	8.9		
	Your or your partner don't want to use birth control	1.0			2.0		
	You or your partner don't like birth control/side effects						
	You can't pay for birth control	1.8		2.2	2.0		
	Lapse in use of a method						
	Don't think you or your partner can get pregnant	6.3		6.5	7.9		
	You or your partner had tubes tied (sterilization)	1.0			2.0		
	You or your partner had a vasectomy (sterilization)						
	You or your partner had a hysterectomy	18.1		4.4	33.5		
	You or your partner are too old	1.9			3.9		
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum						
	Other reason (Specify)	20.3		21.7	24.6		
	Don't care if get pregnant	8.6		8.7	10.8		
	Partner is pregnant now						

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Unweighted Frequencies)

	Age Groups					
	Total	18-24	25-34	35-44	45-54	55-64
Total	311	10	44	88	87	82
Didn't think you were going to have sex/No regular partner	8	1	1	4	2	
You want a pregnancy	32	3	18	9	2	
Your or your partner don't want to use birth control	3			2	1	
You or your partner don't like birth control/side effects	1			1		
You can't pay for birth control	2		1	1		
Lapse in use of a method						
Don't think you or your partner can get pregnant	17		2	3	3	9
You or your partner had tubes tied (sterilization)	11			1	5	5
You or your partner had a vasectomy (sterilization)	23			4	13	6
You or your partner had a hysterectomy	56		4	21	16	15
You or your partner are too old	32			2	12	18
You or your partner are currently breast-feeding						
You or your partner just had a baby/postpartum						
Other reason (Specify)	77	3	5	24	21	24
Don't care if get pregnant	15		5	7	1	2
Partner is pregnant now	8		5	2	1	
Don't know/Not sure	14	3	2	4	4	1
Refused	12		1	3	6	2

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
MALE	Total	239	5	21	44	87	82
	Didn't think you were going to have sex/No regular partner	5		1	2	2	
	You want a pregnancy	13		6	5	2	
	Your or your partner don't want to use birth control	2			1	1	
	You or your partner don't like birth control/side effects	1			1		
	You can't pay for birth control						
	Lapse in use of a method						
	Don't think you or your partner can get pregnant	13		1		3	9
	You or your partner had tubes tied (sterilization)	10				5	5
	You or your partner had a vasectomy (sterilization)	23			4	13	6
	You or your partner had a hysterectomy	43		2	10	16	15
	You or your partner are too old	30				12	18
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum						
	Other reason (Specify)	61	3	1	12	21	24
	Don't care if get pregnant	9		3	3	1	2
	Partner is pregnant now	8		5	2	1	
	Don't know/Not sure	11	2	2	2	4	1
	Refused	10			2	6	2

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your/your spouse's/partner's main reason for not doing anything to keep you/your spouse/partner from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
FEMALE	Total	72	5	23	44		
	Didn't think you were going to have sex/No regular partner	3	1		2		
	You want a pregnancy	19	3	12	4		
	Your or your partner don't want to use birth control	1			1		
	You or your partner don't like birth control/side effects						
	You can't pay for birth control	2		1	1		
	Lapse in use of a method						
	Don't think you or your partner can get pregnant	4		1	3		
	You or your partner had tubes tied (sterilization)	1			1		
	You or your partner had a vasectomy (sterilization)						
	You or your partner had a hysterectomy	13		2	11		
	You or your partner are too old	2			2		
	You or your partner are currently breast-feeding						
	You or your partner just had a baby/postpartum						
	Other reason (Specify)	16		4	12		
	Don't care if get pregnant	6		2	4		
	Partner is pregnant now						
	Don't know/Not sure	3	1		2		
	Refused	2		1	1		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

From your understanding, would you say emergency birth control pills can be used . . . ?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
	To prevent pregnancy up to three days after unprotected sex	64.6	82.5	59.9	61.0	50.9	51.2
	To end a pregnancy several weeks after it has begun	1.2		1.4	1.8	2.1	1.7
	Both of the above	13.1	3.6	14.7	16.3	17.6	26.0
	Neither of the above	21.1	13.9	24.0	21.0	29.4	21.2
MALE	To prevent pregnancy up to three days after unprotected sex	61.1	84.0	56.1	59.4	50.9	51.2
	To end a pregnancy several weeks after it has begun	1.6		1.6	2.5	2.1	1.7
	Both of the above	14.6	1.4	17.2	16.1	17.6	26.0
	Neither of the above	22.7	14.6	25.0	22.0	29.4	21.2
FEMALE	To prevent pregnancy up to three days after unprotected sex	69.1	81.3	63.8	62.7		
	To end a pregnancy several weeks after it has begun	.8		1.2	1.0		
	Both of the above	11.0	5.4	12.0	16.4		
	Neither of the above	19.1	13.4	23.0	19.8		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

From your understanding, would you say emergency birth control pills can be used . . . ?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		592	65	161	191	96	79
To prevent pregnancy up to three days after unprotected sex		302	45	87	103	39	28
To end a pregnancy several weeks after it has begun		6		2	2	1	1
Both of the above		72	3	20	23	11	15
Neither of the above		101	10	28	30	18	15
Don't know/Not sure		99	7	23	31	22	16
Refused		12		1	2	5	4
MALE	Total	349	27	59	88	96	79
	To prevent pregnancy up to three days after unprotected sex	158	16	29	46	39	28
	To end a pregnancy several weeks after it has begun	4		1	1	1	1
	Both of the above	47	1	9	11	11	15
	Neither of the above	63	4	11	15	18	15
	Don't know/Not sure	68	6	9	15	22	16
	Refused	9				5	4
FEMALE	Total	243	38	102	103		
	To prevent pregnancy up to three days after unprotected sex	144	29	58	57		
	To end a pregnancy several weeks after it has begun	2		1	1		
	Both of the above	25	2	11	12		
	Neither of the above	38	6	17	15		
	Don't know/Not sure	31	1	14	16		
	Refused	3		1	2		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

In the last year, have you/your spouse/partner used emergency birth control pills?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		6.4	16.1	5.7	1.5		.7
No		93.6	83.9	94.3	98.5	100.0	99.3
MALE	Yes	3.8	8.6	4.7	2.1		.7
	No	96.2	91.4	95.3	97.9	100.0	99.3
FEMALE	Yes	10.0	23.5	6.7	.9		
	No	90.0	76.5	93.3	99.1		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.

In the last year, have you/your spouse/partner used emergency birth control pills?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		590	65	161	190	96	78
Yes		23	11	9	2		1
No		554	53	150	185	91	75
Don't know/Not sure		5	1		1	3	
Refused		8		2	2	2	2
MALE	Total	347	27	59	87	96	78
	Yes	7	3	2	1		1
	No	329	23	56	84	91	75
	Don't know/Not sure	5	1		1	3	
	Refused	6		1	1	2	2
FEMALE	Total	243	38	102	103		
	Yes	16	8	7	1		
	No	225	30	94	101		
	Don't know/Not sure						
	Refused	2		1	1		

Denominator is:

All female respondents less than 45 and all male respondents less than 60 who/whose spouses or partners are not currently pregnant, not doing anything to prevent pregnancy, are sexually active with same sex partner, and are not sterile.