

Are you or your partner doing anything currently now to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		59.6	56.1	64.9	66.3	51.5	42.2
No		22.8	11.8	21.9	22.6	31.0	38.7
No Partner/Not Sexually Active		16.1	29.8	12.0	9.6	16.4	18.3
Same Sex Partner		1.4	2.2	1.2	1.5	1.0	.7
No, Hysterectomy							
Male	Yes	53.6	50.4	55.8	62.8	51.5	42.2
	No	26.1	13.3	25.0	23.6	31.0	38.7
	No Partner/Not Sexually Active	19.0	33.3	18.5	11.7	16.4	18.3
	Same Sex Partner	1.4	3.1	.6	1.9	1.0	.7
No, Hysterectomy							
Female	Yes	69.3	62.1	74.1	69.5		
	No	17.7	10.4	18.7	21.7		
	No Partner/Not Sexually Active	11.6	26.3	5.4	7.7		
	Same Sex Partner	1.4	1.3	1.8	1.1		
No, Hysterectomy							

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant.

Are you or your partner doing anything currently now to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		1,688	206	391	499	352	240
Yes		933	106	241	336	161	89
No		416	25	84	104	107	96
No Partner/Not Sexually Active		263	64	49	46	62	42
Same Sex Partner		24	5	6	5	6	2
Don't know/Not Sure		6		1		1	4
Refused		46	6	10	8	15	7
No, Hysterectomy							
Male	Total	1,101	97	186	226	352	240
	Yes	536	45	102	139	161	89
	No	305	11	40	51	107	96
	No Partner/Not Sexually Active	201	36	35	26	62	42
	Same Sex Partner	15	2	1	4	6	2
	Don't know/Not Sure	6		1		1	4
	Refused	38	3	7	6	15	7
	No, Hysterectomy						
Female	Total	587	109	205	273		
	Yes	397	61	139	197		
	No	111	14	44	53		
	No Partner/Not Sexually Active	62	28	14	20		
	Same Sex Partner	9	3	5	1		
	Don't know/Not Sure						
	Refused	8	3	3	2		
	No, Hysterectomy						

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant.

What are you, or your partner, doing NOW to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Tubes tied		15.7		14.6	23.4	23.9	12.6
Vasectomy		19.7		11.0	23.5	39.9	62.7
Birth control pills		23.6	39.1	30.8	16.2	10.9	4.0
Male condoms		15.0	30.4	11.4	11.4	12.5	8.9
Female condoms		.2	.4	.5			
Contractive implants		1.1	3.1	1.4	.3	.3	
Shots		2.5	3.1	.7	5.3		
Contraceptive ring		1.7	2.4	3.0	1.2		
Contraceptive patch		.1		.3			
Diaphragm, cervical cap, sponge		.5		1.7			
Foam, Jelly, or cream							
IUD		11.5	13.1	15.0	12.2	4.3	.4
Emergency contraceptive							
Withdrawal		3.2	4.6	3.6	3.7	.2	.6
Other method		3.6	3.8	5.1	1.7	5.5	2.6
Hysterectomy		1.4		.9	1.2	2.5	8.2
Male	Tubes tied	15.0		7.8	23.3	23.9	12.6
	Vasectomy	25.4		10.7	25.9	39.9	62.7
	Birth control pills	20.9	35.1	36.1	14.7	10.9	4.0
	Male condoms	16.9	40.9	14.1	12.1	12.5	8.9
	Female condoms	.4	.9	1.1			
	Contractive implants	.1			.3	.3	
	Shots	2.3	4.1	1.4	4.9		
	Contraceptive ring	2.0		5.5	2.7		
	Contraceptive patch						
	Diaphragm, cervical cap, sponge						
	Foam, Jelly, or cream						
	IUD	8.5	11.1	12.0	10.6	4.3	.4
	Emergency contraceptive						
	Withdrawal	3.1	2.2	6.1	4.5	.2	.6
	Other method	3.7	5.8	4.4	.9	5.5	2.6
	Hysterectomy	1.6		.7		2.5	8.2
Female	Tubes tied	16.7		19.7	23.4		
	Vasectomy	12.7		11.2	21.5		
	Birth control pills	26.8	42.6	26.9	17.4		
	Male condoms	12.6	21.3	9.4	10.7		
	Female condoms						
	Contractive implants	2.4	5.9	2.4	.3		
	Shots	2.7	2.3	.1	5.6		
	Contraceptive ring	1.4	4.5	1.0			
	Contraceptive patch	.2		.6			
	Diaphragm, cervical cap, sponge	1.2		3.0			
	Foam, Jelly, or cream						
	IUD	15.3	14.8	17.3	13.6		
	Emergency contraceptive						
	Withdrawal	3.3	6.7	1.6	3.0		
	Other method	3.5	2.0	5.6	2.3		
	Hysterectomy	1.2		1.1	2.1		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

What are you, or your partner, doing NOW to keep from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		933	106	241	336	161	89
Tubes tied		135		33	64	29	9
Vasectomy		232		26	93	61	52
Birth control pills		198	44	74	54	20	6
Male condoms		123	26	29	41	16	11
Female condoms		3	1	2			
Contractive implants		10	4	3	2	1	
Shots		17	4	2	11		
Contraceptive ring		9	3	4	2		
Contraceptive patch		1		1			
Diaphragm, cervical cap, sponge		1		1			
Foam, Jelly, or cream							
IUD		104	13	38	43	9	1
Emergency contraceptive							
Withdrawal		18	3	5	8	1	1
Other method		41	4	12	8	13	4
Don't know/Not sure		4		3		1	
Hysterectomy		17		2	6	5	4
Refused		20	4	6	4	5	1
Male	Total	536	45	102	139	161	89
	Tubes tied	72		10	24	29	9
	Vasectomy	168		11	44	61	52
	Birth control pills	96	17	34	19	20	6
	Male condoms	79	15	15	22	16	11
	Female condoms	3	1	2			
	Contractive implants	2			1	1	
	Shots	7	2	1	4		
	Contraceptive ring	4		2	2		
	Contraceptive patch						
	Diaphragm, cervical cap, sponge						
	Foam, Jelly, or cream						
	IUD	43	6	11	16	9	1
	Emergency contraceptive						
	Withdrawal	10	1	3	4	1	1
	Other method	28	2	7	2	13	4
	Don't know/Not sure	3		2		1	
	Hysterectomy	10		1		5	4
	Refused	11	1	3	1	5	1
Female	Total	397	61	139	197		
	Tubes tied	63		23	40		
	Vasectomy	64		15	49		
	Birth control pills	102	27	40	35		
	Male condoms	44	11	14	19		
	Female condoms						
	Contractive implants	8	4	3	1		
	Shots	10	2	1	7		
	Contraceptive ring	5	3	2			
	Contraceptive patch	1		1			
	Diaphragm, cervical cap, sponge	1		1			
	Foam, Jelly, or cream						
	IUD	61	7	27	27		
	Emergency contraceptive						
	Withdrawal	8	2	2	4		
	Other method	13	2	5	6		
	Don't know/Not sure	1		1			
	Hysterectomy	7		1	6		
	Refused	9	3	3	3		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and use birth control.

What is your main reason for not doing anything to keep you/her from getting pregnant?

(Weighted Column Percents)

		Age Groups						
		Total	18-24	25-34	35-44	45-54	55-64	
Didn't think were going to have sex/No regular partner		4.6	17.5	2.9	6.6	.9	1.0	
You want a pregnancy		21.6	33.9	40.8	23.7	1.7		
You or partner don't want to use birth control		1.5		4.1	1.4			
You or partner don't like birth control/fear side effect								
Can't pay for birth control		.8	3.1	1.9				
Religious reasons		.6		.5	.6	1.0	.6	
Lapse in use of method		.4	4.2					
Don't think you or partner can get pregnant		21.4		10.1	21.2	33.5	41.1	
You or partner had tubes tied (sterilization)		2.0		1.8	.3	2.3	6.9	
You or partner had a vasectomy		1.3				2.9	5.1	
You or partner had a hysterectomy		13.2		6.5	10.3	30.5	15.2	
You or partner are too old		4.1			.7	5.5	20.4	
You or partner are currently breastfeeding								
You or partner just had a baby/postpartum		.9		3.0				
Other reason		20.6	37.7	20.7	21.7	20.6	6.4	
Don't care if get pregnant		3.8	3.7	3.3	6.6	1.0	3.3	
Partner is pregnant now		3.1		4.4	6.9			
Male	Didn't think were going to have sex/No regular partner	2.7	19.2		4.5	.9	1.0	
	You want a pregnancy	17.5	30.8	45.6	20.6	1.7		
	You or partner don't want to use birth control	2.2		7.0	3.0			
	You or partner don't like birth control/fear side effect							
	Can't pay for birth control							
	Religious reasons	.4				1.0	.6	
	Lapse in use of method							
	Don't think you or partner can get pregnant	22.6		1.2	21.7	33.5	41.1	
	You or partner had tubes tied (sterilization)	2.9		3.1	.7	2.3	6.9	
	You or partner had a vasectomy	1.9				2.9	5.1	
	You or partner had a hysterectomy	13.8		2.6	4.5	30.5	15.2	
	You or partner are too old	5.7				5.5	20.4	
	You or partner are currently breastfeeding							
	You or partner just had a baby/postpartum	1.0		4.2				
	Other reason	19.7	43.3	23.0	18.6	20.6	6.4	
	Don't care if get pregnant	5.0	6.8	5.6	11.9	1.0	3.3	
	Partner is pregnant now	4.5		7.5	14.6			
	Female	Didn't think were going to have sex/No regular partner	8.8	15.4	7.0	8.4		
		You want a pregnancy	31.0	37.8	34.0	26.6		
		You or partner don't want to use birth control						
You or partner don't like birth control/fear side effect								
Can't pay for birth control		2.7	6.8	4.5				
Religious reasons		1.0		1.2	1.1			
Lapse in use of method		1.3	9.2					
Don't think you or partner can get pregnant		18.5		22.5	20.7			
You or partner had tubes tied (sterilization)								
You or partner had a vasectomy								
You or partner had a hysterectomy		12.0		12.0	15.4			
You or partner are too old		.7			1.4			
You or partner are currently breastfeeding								
You or partner just had a baby/postpartum		.5		1.4				
Other reason		22.7	30.9	17.4	24.5			
Don't care if get pregnant		.9			2.0			
Partner is pregnant now								

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

What is your main reason for not doing anything to keep you/her from getting pregnant?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		415	25	84	104	106	96
Didn't think were going to have sex/No regular partner		13	3	2	6	1	1
You want a pregnancy		67	8	39	18	2	
You or partner don't want to use birth control		3		2	1		
You or partner don't like birth control/fear side effect							
Can't pay for birth control		2	1	1			
Religious reasons		4		1	1	1	1
Lapse in use of method		1	1				
Don't think you or partner can get pregnant		90		8	18	33	31
You or partner had tubes tied (sterilization)		12		1	1	3	7
You or partner had a vasectomy		6				3	3
You or partner had a hysterectomy		59		6	15	24	14
You or partner are too old		28			1	7	20
You or partner are currently breastfeeding							
You or partner just had a baby/postpartum		2		2			
Other reason		74	8	13	22	23	8
Don't care if get pregnant		13	1	2	7	1	2
Partner is pregnant now		11		4	7		
Don't know/Not sure		11	1	2	3	3	2
Refused		19	2	1	4	5	7
Male	Total	304	11	40	51	106	96
	Didn't think were going to have sex/No regular partner	6	1		3	1	1
	You want a pregnancy	31	3	19	7	2	
	You or partner don't want to use birth control	3		2	1		
	You or partner don't like birth control/fear side effect						
	Can't pay for birth control						
	Religious reasons	2				1	1
	Lapse in use of method						
	Don't think you or partner can get pregnant	72		1	7	33	31
	You or partner had tubes tied (sterilization)	12		1	1	3	7
	You or partner had a vasectomy	6				3	3
	You or partner had a hysterectomy	42		1	3	24	14
	You or partner are too old	27				7	20
	You or partner are currently breastfeeding						
	You or partner just had a baby/postpartum	1		1			
	Other reason	55	4	8	12	23	8
	Don't care if get pregnant	11	1	2	5	1	2
	Partner is pregnant now	11		4	7		
	Don't know/Not sure	6			1	3	2
	Refused	19	2	1	4	5	7
Female	Total	111	14	44	53		
	Didn't think were going to have sex/No regular partner	7	2	2	3		
	You want a pregnancy	36	5	20	11		
	You or partner don't want to use birth control						
	You or partner don't like birth control/fear side effect						
	Can't pay for birth control	2	1	1			
	Religious reasons	2		1	1		
	Lapse in use of method	1	1				
	Don't think you or partner can get pregnant	18		7	11		
	You or partner had tubes tied (sterilization)						
	You or partner had a vasectomy						
	You or partner had a hysterectomy	17		5	12		
	You or partner are too old	1			1		
	You or partner are currently breastfeeding						
	You or partner just had a baby/postpartum	1		1			
	Other reason	19	4	5	10		
	Don't care if get pregnant	2			2		
	Partner is pregnant now						
	Don't know/Not sure	5	1	2	2		
	Refused						

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant, are sexually active, and do NOT use birth control.

When you have intercourse, how often do you and your partner use a method to prevent pregnancy? Would you say . . .

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Some of the time		5.7	7.9	4.9	5.8	1.5	
Most of the time		7.6	6.1	10.0	8.3	1.7	
Or every time		86.7	86.0	85.1	86.0	96.7	100.0
Male	Some of the time	5.8	11.7	3.3	6.1	1.5	
	Most of the time	8.1	8.5	9.1	11.3	1.7	
	Or every time	86.0	79.8	87.7	82.6	96.7	100.0
Female	Some of the time	5.6	4.6	6.5	5.5		
	Most of the time	7.1	4.0	11.0	5.7		
	Or every time	87.4	91.4	82.5	88.8		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant and are doing something to prevent pregnancy.

When you have intercourse, how often do you and your partner use a method to prevent pregnancy? Would you say . . .

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		536	102	176	169	65	24
Some of the time		27	6	7	12	2	
Most of the time		39	8	15	14	2	
Or every time		437	84	143	137	52	21
Don't know/Not sure		18	1	5	4	6	2
Refused		15	3	6	2	3	1
Male	Total	284	45	80	70	65	24
	Some of the time	14	3	4	5	2	
	Most of the time	22	5	7	8	2	
	Or every time	229	35	66	55	52	21
	Don't know/Not sure	13		3	2	6	2
	Refused	6	2			3	1
Female	Total	252	57	96	99		
	Some of the time	13	3	3	7		
	Most of the time	17	3	8	6		
	Or every time	208	49	77	82		
	Don't know/Not sure	5	1	2	2		
	Refused	9	1	6	2		

Denominator is:

All female respondents less than 45 without a hysterectomy and all male respondents less than 60 whose spouses or partners are not currently pregnant and are doing something to prevent pregnancy.

How do you feel about having a child now or sometime in the future? Would you say. . .

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Don't want to have one		42.7	8.6	25.2	66.5	95.2	98.0
Do want to have one, less than 12 months from now		11.0	7.7	15.9	14.3	.9	
Do want to have one, between 12 months to 2 yrs		12.0	8.9	23.8	6.0	1.1	1.2
Do want to have one, between 2 years to 5 yrs		15.9	22.4	23.9	7.8	1.8	.2
Do want to have one, 5 or more years from now		18.5	52.4	11.3	5.3	1.0	.6
Male	Don't want to have one	47.6	10.9	20.7	58.5	95.2	98.0
	Do want to have one, less than 12 months from now	11.0	10.7	20.6	11.4	.9	
	Do want to have one, between 12 months to 2 yrs	9.7	2.7	24.3	7.4	1.1	1.2
	Do want to have one, between 2 years to 5 yrs	13.3	19.8	18.6	15.0	1.8	.2
	Do want to have one, 5 or more years from now	18.4	55.8	15.7	7.7	1.0	.6
Female	Don't want to have one	36.3	6.5	29.6	73.6		
	Do want to have one, less than 12 months from now	11.1	4.9	11.1	17.0		
	Do want to have one, between 12 months to 2 yrs	14.9	14.6	23.2	4.8		
	Do want to have one, between 2 years to 5 yrs	19.2	24.7	29.0	1.5		
	Do want to have one, 5 or more years from now	18.5	49.3	7.0	3.1		

Denominator is: All female respondents less than 45 without a hysterectomy or tubes tied, and all male respondents less than 60 without a vasectomy and whose spouses or partners are not currently pregnant and have not had a hysterectomy or tubes tied.

How do you feel about having a child now or sometime in the future? Would you say. . .

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		868	131	251	250	141	95
Don't want to have one		437	12	62	159	121	83
Do want to have one, less than 12 months from now		77	10	38	27	2	
Do want to have one, between 12 months to 2 yrs		88	12	58	15	2	1
Do want to have one, between 2 years to 5 yrs		106	32	55	16	2	1
Do want to have one, 5 or more years from now		96	60	25	8	2	1
Don't know/Not sure		46	4	12	17	8	5
Refused		18	1	1	8	4	4
Male	Total	514	56	113	109	141	95
	Don't want to have one	295	6	22	63	121	83
	Do want to have one, less than 12 months from now	34	5	18	9	2	
	Do want to have one, between 12 months to 2 yrs	42	3	27	9	2	1
	Do want to have one, between 2 years to 5 yrs	50	11	24	12	2	1
	Do want to have one, 5 or more years from now	53	29	17	4	2	1
	Don't know/Not sure	27	2	5	7	8	5
	Refused	13			5	4	4
Female	Total	354	75	138	141		
	Don't want to have one	142	6	40	96		
	Do want to have one, less than 12 months from now	43	5	20	18		
	Do want to have one, between 12 months to 2 yrs	46	9	31	6		
	Do want to have one, between 2 years to 5 yrs	56	21	31	4		
	Do want to have one, 5 or more years from now	43	31	8	4		
	Don't know/Not sure	19	2	7	10		
	Refused	5	1	1	3		

Denominator is:

All female respondents less than 45 without a hysterectomy, tubes tied, contraceptive implants or emergency contraception, and all male respondents without a vasectomy, less than 60 whose spouses or partners are not currently pregnant.

Has a doctor, nurse, or other health care worker ever talked with you about ways to prepare for a healthy pregnancy and baby?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Yes		42.6	23.1	42.2	63.4		
No		53.3	74.7	55.4	34.8		
Never had routine health care visit		4.1	2.3	2.4	1.8	100.0	100.0
Male	Yes						
	No						
	Never had routine health care visit	100.0	100.0	100.0	100.0		
Female	Yes	42.8	23.2	42.4	64.0		
	No	53.7	75.2	55.6	35.1		
	Never had routine health care visit	3.5	1.5	2.0	.8	100.0	100.0

Denominator is:

All female respondents less than 45 without a hysterectomy, tubes tied, contraceptive implants or emergency contraception, and all male respondents without a vasectomy, less than 60 whose spouses or partners are not currently pregnant.

Has a doctor, nurse, or other health care worker ever talked with you about ways to prepare for a healthy pregnancy and baby?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		370	75	141	142	4	8
Yes		160	16	56	88		
No		183	55	79	49		
Never had routine health care visit		25	4	5	4	4	8
Don't know/Not sure		2		1	1		
Refused							
Male	Total	4	1	2	1		
	Yes						
	No						
	Never had routine health care visit	4	1	2	1		
	Don't know/Not sure						
Female	Total	366	74	139	141	4	8
	Yes	160	16	56	88		
	No	183	55	79	49		
	Never had routine health care visit	21	3	3	3	4	8
	Don't know/Not sure	2		1	1		
Refused							

Denominator is:

All female respondents less than 45 without a hysterectomy, tubes tied, contraceptive implants or emergency contraception, and all male respondents without a vasectomy, less than 60 whose spouses or partners are not currently pregnant.

How many times a week do you currently take a multi-vitamin, a pre-natal vitamin or a folic acid vitamin?

(Weighted Column Percents)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
0 times a week		49.3	54.7	48.1	45.7		
1 to 3 times a week		8.4	4.7	14.7	4.1		
4 to 6 times a week		7.5	6.3	6.9	9.3		
Every day of the week		34.9	34.3	30.3	40.9		
Male	0 times a week						
	1 to 3 times a week						
	4 to 6 times a week						
	Every day of the week						
Female	0 times a week	49.3	54.7	48.1	45.7		
	1 to 3 times a week	8.4	4.7	14.7	4.1		
	4 to 6 times a week	7.5	6.3	6.9	9.3		
	Every day of the week	34.9	34.3	30.3	40.9		

Denominator is:

All female respondents less than 45 without a hysterectomy, tubes tied, contraceptive implants or emergency contraception, and all male respondents without a vasectomy, less than 60 whose spouses or partners are not currently pregnant.

How many times a week do you currently take a multi-vitamin, a pre-natal vitamin or a folic acid vitamin?

(Unweighted Frequencies)

		Age Groups					
		Total	18-24	25-34	35-44	45-54	55-64
Total		349	73	136	140		
0 times a week		156	39	63	54		
1 to 3 times a week		29	5	15	9		
4 to 6 times a week		30	5	11	14		
Every day of the week		124	21	44	59		
Don't know/Not sure		7	2	2	3		
Refused		3	1	1	1		
Male	Total						
	0 times a week						
	1 to 3 times a week						
	4 to 6 times a week						
	Every day of the week						
	Don't know/Not sure						
Female	Total	349	73	136	140		
	0 times a week	156	39	63	54		
	1 to 3 times a week	29	5	15	9		
	4 to 6 times a week	30	5	11	14		
	Every day of the week	124	21	44	59		
	Don't know/Not sure	7	2	2	3		
Refused		3	1	1	1		

Denominator is:

All female respondents less than 45 without a hysterectomy, tubes tied, contraceptive implants or emergency contraception, and all male respondents without a vasectomy, less than 60 whose spouses or partners are not currently pregnant.