

Oregon 2016 BRFSS
Family Planning

In the last year, has a doctor, nurse, or other health care worker asked you if you want to become pregnant in the future?

(Weighted Column Percents)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
Yes	19.5	24.1	31.5	21.8	21.7	8.7	.7
No	80.5	75.9	68.5	78.2	78.3	91.3	99.3

Denominator is: Female respondents under 50 without a hysterectomy.

Did you or your husband/wife/or partner do anything the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups								
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Yes		62.4	63.7	68.8	68.2	65.0	71.2	63.6	36.6	39.6
No		29.2	18.0	23.6	24.1	30.2	27.6	32.1	54.8	50.3
No partner/Not sexually active		7.3	16.4	5.6	7.7	3.0	1.2	2.9	8.6	9.3
Same sex partner		1.1	2.0	2.0		1.8		1.4		.8
Male	Yes	56.0	60.0	58.7	62.6	67.1	61.9	62.2	36.6	39.6
	No	34.4	18.7	31.5	26.6	27.3	37.2	34.0	54.8	50.3
	No partner/Not sexually active	8.7	19.1	8.0	10.9	2.7	.9	3.8	8.6	9.3
	Same sex partner	1.0	2.1	1.8		2.9				.8
Female	Yes	71.5	67.4	81.6	72.9	63.0	80.9	65.8		
	No	21.8	17.2	13.7	22.1	33.0	17.6	29.3		
	No partner/Not sexually active	5.5	13.5	2.4	5.0	3.3	1.4	1.4		
	Same sex partner	1.3	1.9	2.3		.7		3.5		

Female respondents under 50 without a hysterectomy, not currently pregnant and doing something to keep from getting pregnant.
Male respondents under 60 who are doing something to prevent pregnancy.

Oregon 2016 BRFSS
Family Planning

What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

		Age Groups									
		Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	
	Female sterilization (ex: Tubal ligation, Essure, Adiana)	9.6	2.3	3.4	13.9	11.4	16.4	10.6	7.8	20.4	
	Male sterilization (vasectomy)	18.4		1.8	4.9	17.7	38.8	43.7	46.2	50.3	
	Contractive implant (ex: Implanon, Nexplanon)	3.6	1.7	8.7	6.2	4.6		.5	7.3		
	Hormonal IUD (ex: Mirena, Skyla)	5.4	5.8	5.8	8.3	7.1	4.9	2.8			
	Copper-bearing IUD (ex: ParaGard)	2.6	2.6	2.2	.8	4.3	6.7		2.8		
	IUD, type unknown	9.0	5.9	17.1	15.9	12.0	2.6	3.6	3.5	2.8	
	Shots (ex: Depo-Provera)	1.2	2.2	1.2		1.7		.9	6.1		
	Birth control pills, any kind	19.8	34.5	31.8	18.1	13.9	14.5	7.3	1.4	3.9	
	Contraceptive patch (ex: Ortho Evra)	.1				1.0					
	Contraceptive ring (ex: Nuvaring)	.8	.4	1.3	2.3	.8		.7			
	Male condoms	19.8	38.0	17.5	17.4	14.1	11.7	13.8	13.7	14.0	
	Female condoms	.7	1.8		1.2	.6		.4			
	Not having sex at certain times (rhythm or natural family planning)	.6	.6		.6	.6	1.6	.6			
	Withdrawal (or pulling out)	3.2	2.0	3.6	3.4	2.2		9.6	5.7		
	Other method	4.7	2.2	5.7	6.9	6.4	2.8	4.6	3.9	6.6	
	Hysterectomy	.5				1.5		1.0	1.5	2.1	
Male	Female sterilization (ex: Tubal ligation, Essure, Adiana)	7.6		1.0	8.4	9.5	15.2	7.4	7.8	20.4	
	Male sterilization (vasectomy)	21.8		2.7	3.2	23.0	40.0	38.9	46.2	50.3	
	Contractive implant (ex: Implanon, Nexplanon)	3.5	1.5	6.3	12.0	1.1		.8	7.3		
	Hormonal IUD (ex: Mirena, Skyla)	.9	.7	1.4	2.6			2.0			
	Copper-bearing IUD (ex: ParaGard)	1.7		4.6		4.0	3.2		2.8		
	IUD, type unknown	8.3	8.8	16.5	11.4	14.9		4.3	3.5	2.8	
	Shots (ex: Depo-Provera)	.9	1.4					.9	6.1		
	Birth control pills, any kind	19.2	28.2	32.3	27.7	18.4	23.1	3.7	1.4	3.9	
	Contraceptive patch (ex: Ortho Evra)	.3				1.9					
	Contraceptive ring (ex: Nuvaring)	.3		1.1				1.1			
	Male condoms	25.8	50.5	30.1	26.6	14.6	15.2	21.4	13.7	14.0	
	Female condoms	1.0	3.9			1.2		.7			
	Not having sex at certain times (rhythm or natural family planning)	.2				1.3					
	Withdrawal (or pulling out)	3.3	4.1	1.6				13.5	5.7		
	Other method	4.2	1.0	2.3	8.1	7.1	3.3	3.7	3.9	6.6	
	Hysterectomy	.9				3.0		1.6	1.5	2.1	
	Female	Female sterilization (ex: Tubal ligation, Essure, Adiana)	11.8	4.4	5.5	17.9	13.4	17.4	15.2		
		Male sterilization (vasectomy)	14.5		.9	6.2	12.2	37.9	50.7		
Contractive implant (ex: Implanon, Nexplanon)		3.7	1.8	10.9	2.0	8.1					
Hormonal IUD (ex: Mirena, Skyla)		10.4	10.4	9.8	12.5	14.5	8.9	3.9			
Copper-bearing IUD (ex: ParaGard)		3.6	4.9		1.5	4.8	9.5				

Oregon 2016 BRFSS
Family Planning

What did you or your husband/wife/or partner do the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups								
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
IUD, type unknown	9.8	3.3	17.8	19.2	9.0	4.8	2.7		
Shots (ex: Depo-Provera)	1.6	3.0	2.2		3.6		.8		
Birth control pills, any kind	20.4	40.3	31.3	11.1	9.1	7.5	12.5		
Contraceptive ring (ex: Nuvaring)	1.5	.8	1.4	4.0	1.6				
Male condoms	12.9	26.6	6.1	10.8	13.6	8.8	2.8		
Female condoms	.4			2.0					
Not having sex at certain times (rhythm or natural family planning)	1.1	1.2		1.0		2.9	1.6		
Withdrawal (or pulling out)	3.1		5.3	5.8	4.5		3.9		
Other method	5.2	3.2	8.8	6.1	5.6	2.4	6.0		

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant and doing something to keep from getting pregnant. Male respondents under 60 whose spouses or partners are sexually active, and are doing something to prevent pregnancy.

Oregon 2016 BRFSS
Family Planning

What was your main reason for not doing anything the last time you had sex to keep from getting pregnant?

(Weighted Column Percents)

	Age Groups								
	Total	18-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59
Didn't think you were going to have sex	4.3	18.5			1.8	9.4	6.1		3.1
You want a pregnancy	8.2	9.0	10.8	24.2	16.8	2.9	2.0		
You don't mind if you get pregnant	13.1	7.2	19.2	25.5	25.0	14.2	7.1	6.1	
Same sex partner	1.1	2.9				2.4	3.0		1.1
You or your partner are pregnant now	2.9		2.7	5.9	3.6		2.3	5.8	1.4
You didn't think you would get pregnant that time	7.4	6.9	9.0	12.9	4.2	8.3	3.8	3.9	10.1
Other reason	36.6	41.3	37.6	26.2	30.6	42.1	51.9	32.9	34.5
You or your partner don't want to use birth control/side effects	.4						2.8		.3
Religious reasons/ it doesn't fit in with your beliefs	.3								1.9
You or your partner can't get pregnant (too old or infertile)	14.9	14.2	20.8	5.3	3.8	1.7	15.0	32.3	24.7
You or your partner have been sterilized	6.4				7.3	12.7	6.0	8.1	14.1
You or your partner had a hysterectomy	4.5				6.9	6.4		10.9	8.7

Denominator is: Female respondents under 50 without a hysterectomy, not currently pregnant, who are sexually active and not doing something to keep from getting pregnant. Male respondents under 60 who are not doing something to prevent pregnancy.

Oregon 2016 BRFSS
Family Planning

How do you feel about becoming pregnant now or sometime in the future? Would you say. . .

(Weighted Column Percents)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
You don't want a future pregnancy	36.6	16.9	24.1	34.4	45.2	73.6	72.5
You are trying to get pregnant now	4.5	2.1	3.0	6.0	10.7		3.3
You're not trying now but want to get pregnant in the future	28.9	55.7	39.7	21.3	14.8		
You aren't sure if you want to become pregnant in the future	15.4	18.3	19.8	16.1	14.6	10.7	
You're ok with getting pregnant or not getting pregnant	13.6	6.9	13.4	19.9	13.8	15.7	17.9
Other	1.1			2.4	.9		6.3

Denominator is: All female respondents under 50 with reproductive capacity who are not currently pregnant.

How many times a week do you currently take a multi-vitamin, a pre-natal vitamin or a folic acid vitamin?

(Weighted Column Percents)

	Age Groups						
	Total	18-24	25-29	30-34	35-39	40-44	45-49
0 times a week	51.2	62.4	52.0	41.8	52.9	45.9	38.3
1 to 3 times a week	7.8	5.9	6.6	11.4	2.0	19.1	5.5
4 to 6 times a week	6.2	5.0	7.6	7.7	5.5	5.6	5.3
Every day of the week	34.8	26.8	33.8	39.1	39.6	29.4	50.9

Denominator is: All female respondents under 50 with reproductive capacity who are not currently pregnant.