

Oregon 2002 -2005 BRFSS Data - Behavior Risk Survey Topics by County

Binge Drinking, Adult Males, Oregon, 2002-2005 (Age Adjusted)						
Binge drinking: Binge drinking: Have had five or more drinks of alcohol on one occasion within the past 30 days.						
			95% Confidence			
Males	PERCENT		Interval		Small	Interviews
18 years & older	weighted %	S.S. *	L. limit %	U. limit %	#	unweighted N
STATEWIDE	21.8		20.6	23.0		1,778
BAKER	26.8		15.7	41.9		18
BENTON	20.5		14.8	27.7		44
CLACKAMAS	22.9		19.0	27.2		155
CLATSOP	34.0	s+	23.8	45.9		28
COLUMBIA	20.9		13.0	31.7		26
COOS	26.0		17.2	37.2		37
CROOK	17.8		8.0	35.2	**	11
CURRY	34.0		19.5	52.3	**	20
DESCHUTES	23.3		17.7	30.0		78
DOUGLAS	17.7		11.6	26.1		41
GILLIAM/WHEELER	22.4				**	2
GRANT	13.2		5.0	30.8	**	5
HARNEY	26.7		9.4	56.3	**	6
HOOD RIVER	16.6		6.3	37.0	**	8
JACKSON	20.5		15.9	26.0		89
JEFFERSON	20.2		11.1	33.8	**	13
JOSEPHINE	24.0		15.4	35.3		32
KLAMATH	24.3		16.9	33.7		35
LAKE	15.5		6.4	33.1	**	6
LANE	23.9		20.4	27.9		181
LINCOLN	27.2		18.3	38.4		27
LINN	22.2		16.0	30.0		55
MALHEUR	11.5		5.4	22.8		14
MARION	20.3		16.4	25.0		118
MORROW	25.4		8.9	54.4	**	6
MULTNOMAH	22.7		20.1	25.4		356
POLK	17.8		10.9	27.6		25
TILLAMOOK	20.9		9.8	39.0	**	16
UMATILLA	23.0		16.2	31.6		41
UNION	25.5		15.1	39.8		15
WALLOWA	34.2		18.1	54.9	**	8
WASCO/SHERMAN	22.4		12.9	36.1		15
WASHINGTON	16.9	s-	14.3	20.0		200
YAMHILL	24.7		17.7	33.3		47

\* S.S. = Statistical Significance: s+ indicates that the county estimate is greater than the statewide rate; s-, less than the statewide rate; a blank, not different from the statewide rate.

\*\* % based on less than 50 respondents total or less than 12 in any one of the three age groups may not accurately reflect behavior of the entire county.

NOTE: Age-adjustment is based on three age groups:18-34; 35-54; and 55+, per the U.S. Standard Million Population.

Source: Oregon Behavioral Risk Factor Surveillance System - [healthoregon.org/brfss](http://healthoregon.org/brfss)