

Oregon 2002 -2005 BRFSS Data - Behavior Risk Survey Topics by County

Alcohol Consumption, Adult Females, Oregon, 2002-2005 (Non-age adjusted)						
Alcohol Consumption: Have had at least one drink of alcohol within the past 30 days.						
		95% Confidence				
Females	PERCENT	Interval		Small	Number	Interviews
18 years & older	<i>weighted %</i>	<i>L.limit %</i>	<i>U.limit %</i>	#	<i>unweighted N</i>	<i>unweighted N</i>
STATEWIDE	53.1	52.0	54.2		7571	14643
BAKER	43.7	32.1	56.1		43	101
BENTON	52.0	45.0	58.9		186	358
CLACKAMAS	54.7	51.1	58.2		781	1405
CLATSOP	47.7	38.5	57.0		93	192
COLUMBIA	40.4	32.2	49.2		91	202
COOS	44.3	37.3	51.5		137	325
CROOK	54.0	38.9	68.4		43	87
CURRY	43.8	32.4	55.8		50	102
DESCHUTES	59.1	53.5	64.4		318	535
DOUGLAS	42.9	37.3	48.7		215	527
GILLIAM/WHEELER	24.8	9.6	50.5	**	8	19
GRANT	31.0	16.6	50.5	**	18	43
HARNEY	50.4	31.6	69.0	**	19	43
HOOD RIVER	50.4	36.3	64.5		38	81
JACKSON	53.9	49.3	58.5		443	849
JEFFERSON	33.6	22.3	47.1		31	89
JOSEPHINE	52.5	45.2	59.8		182	371
KLAMATH	42.2	35.0	49.7		133	306
LAKE	46.4	29.5	64.2	**	25	49
LANE	53.4	49.8	56.9		726	1455
LINCOLN	57.2	48.3	65.7		109	216
LINN	45.5	39.6	51.6		216	477
MALHEUR	28.5	20.1	38.7		45	138
MARION	50.5	46.5	54.6		508	1070
MORROW	28.1	16.1	44.4		18	51
MULTNOMAH	60.6	58.0	63.2		1518	2548
POLK	41.6	34.1	49.6		130	290
TILLAMOOK	58.3	46.5	69.2		72	130
UMATILLA	41.3	34.2	48.7		119	291
UNION	53.3	42.9	63.4		81	148
WALLOWA	44.0	27.6	61.8	**	18	40
WASCO/SHERMAN	44.8	33.7	56.5		50	128
WASHINGTON	57.5	54.2	60.8		946	1627
YAMHILL	46.6	39.9	53.4		161	350

** % based on less than 50 respondents may not accurately reflect behavior of the entire county. Data are not reported for counties with less than 10 respondents

Source: Oregon Behavioral Risk Factor Surveillance System - healthoregon.org/brfss