

Oregon 2002 -2005 BRFSS Data - Behavior Risk Survey Topics by County

Heavy Drinking, Adult Females, Oregon, 2002-2005 (Age Adjusted)						
Heavy drinking among females: Had 30 or more drinks of alcohol in the past 30 days.						
			95% Confidence			
Females		PERCENT	Interval		Small	Number
18 years & older	weighted %	S.S. *	L. limit %	U. limit %	#	unweighted N
STATEWIDE	6.0		5.4	6.6		839
BAKER	7.8		3.2	17.5	**	8
BENTON	7.6		4.8	11.8		24
CLACKAMAS	5.6		4.0	7.7		84
CLATSOP	5.5		2.4	12.1		12
COLUMBIA	6.9		3.3	13.9		11
COOS	6.2		2.9	12.5		16
CROOK	1.5		0.4	5.1	**	3
CURRY	4.6		2.0	10.0	**	10
DESCHUTES	6.7		4.2	10.3		38
DOUGLAS	5.3		3.3	8.4		33
GILLIAM/WHEELER	3.9		0.8	18.2	**	2
GRANT	4.6		1.3	14.6	**	4
HARNEY	2.7		0.3	18.0	**	1
HOOD RIVER	2.6		0.5	13.3		2
JACKSON	6.1		4.2	8.6		49
JEFFERSON	1.8		0.3	9.4		2
JOSEPHINE	8.3		4.0	16.6		18
KLAMATH	5.6		2.8	11.1		18
LAKE	2.0		0.3	13.7	**	1
LANE	6.3		4.6	8.7		68
LINCOLN	6.1		3.3	11.1		18
LINN	3.9		2.3	6.3		24
MALHEUR	0.9	s-	0.2	3.7		2
MARION	3.4	s-	2.2	5.2		37
MORROW	5.5		1.7	16.1		4
MULTNOMAH	8.6	s+	7.1	10.3		202
POLK	2.5	s-	1.2	4.8		11
TILLAMOOK	9.9		5.0	18.7		12
UMATILLA	3.1		1.5	6.1		11
UNION	5.3		2.5	10.7		8
WALLOWA	5.6		1.6	17.8	**	3
WASCO/SHERMAN	3.0		0.7	12.3		3
WASHINGTON	5.1		3.9	6.6		88
YAMHILL	5.2		2.8	9.6		12

* S.S. = Statistical Significance: s+ indicates that the county estimate is greater than the statewide rate; s-, less than the statewide rate; a blank, not different from the statewide rate.

** % based on less than 50 respondents total or less than 12 in any of the three age groups may not accurately reflect behavior of the entire county.

NOTE: Age-adjustment is based on three age groups:18-34; 35-54; and 55+, per the U.S. Standard Million Population.

Source: Oregon Behavioral Risk Factor Surveillance System - healthoregon.org/brfss