

Oregon 2004 -2007 BRFSS Data - Behavior Risk Survey Topics by County

Binge Drinking, Adult Males, Oregon, 2004-2007 (Non-age adjusted)						
Binge drinking among adult males: Had 5+ drinks of alcohol on one occasion in the past 30 days.***						
Source: Oregon Behavioral Risk Factor Surveillance System						
		95% Confidence				
Males	PERCENT	Interval		Small	Number	Interviews
18 years & older	weighted %	L. limit %	U. limit %	#	unweighted N	unweighted N
STATEWIDE	19.5	18.5	20.5		1747	10290
BAKER	18.7	10.8	30.4		16	80
BENTON	17.3	11.5	25.0		33	284
CLACKAMAS	20.3	17.1	24.0		163	913
CLATSOP	19.6	12.5	29.4		23	141
COLUMBIA	19.6	11.8	30.8		24	158
COOS	23.2	16.5	31.5		39	221
CROOK	18.7	8.8	35.4		11	69
CURRY	22.5	13.9	34.4		22	102
DESCHUTES	18.8	14.7	23.7		76	451
DOUGLAS	13.0	9.3	17.9		41	338
GILLIAM/WHEELER	**	**	**	**	3	17
GRANT	13.8	4.5	35.4	**	5	36
HARNEY	16.9	7.0	35.5	**	7	35
HOOD RIVER	27.8	15.0	45.6		12	59
JACKSON	16.4	12.8	20.7		86	571
JEFFERSON	23.7	13.7	37.8		15	67
JOSEPHINE	19.1	12.3	28.5		35	279
KLAMATH	17.0	11.4	24.5		36	243
LAKE	15.7	7.1	31.2	**	7	41
LANE	22.5	19.2	26.2		187	1038
LINCOLN	16.0	10.1	24.3		25	166
LINN	21.3	15.3	29.0		52	323
MALHEUR	13.2	7.2	22.9		14	87
MARION	15.4	12.2	19.3		101	703
MORROW	17.0	7.2	35.0	**	6	32
MULTNOMAH	22.8	20.4	25.5		362	1730
POLK	15.2	8.7	25.4		23	194
TILLAMOOK	20.2	10.7	34.9		16	87
UMATILLA	15.2	10.2	21.9		34	206
UNION	20.0	9.8	36.3		11	85
WALLOWA	21.2	10.3	38.5		8	51
WASCO/SHERMAN	19.6	11.0	32.3		15	103
WASHINGTON	17.1	14.6	19.9		189	1141
YAMHILL	26.7	19.5	35.3		50	239

** % based on less than 50 respondents may not accurately reflect behavior of the entire county. Data are not reported for counties with less than 10 respondents.

***In 2005, the definition of binge drinking for women changed from 5+ drinks of alcohol to 4+ drinks of alcohol on one occasion. Prior to 2005, the binge drinking definition was 5+ drinks of alcohol on one occasion for both genders. The 2004 binge drinking data, based upon 5+ drinks of alcohol on one occasion for both genders, has been combined with 2005-2007 data, so we can include 2004 data, even though the drinks on one occasion changed for women in

2005.

Source: Oregon Behavioral Risk Factor Surveillance System - healthoregon.org/brfss