

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.Summary. During the past 30 days, did you get alcohol (beer, wine, or hard liquor)?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Yes, got alcohol	21.1	21.8	20.2	26.6
Didn't get alcohol from survey choices	15.2	12.1	18.4	19.9
No, did not get alcohol at all	63.6	66.1	61.4	53.5

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.Summary. During the past 30 days, did you get alcohol (beer, wine, or hard liquor)?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped question	753	340	391	22
Yes, got alcohol	1,151	622	506	23
Didn't get alcohol from survey choices	866	344	503	19
No, did not get alcohol at all	3,692	1,924	1,712	56

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.a. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from grocery stores?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	93.6	94.1	93.2	90.1
1 time	2.0	1.9	2.1	3.9
2 times	1.5	1.4	1.4	6.0
3 times	.6	.7	.5	
4 times	.7	1.0	.4	
5-9 times	.3	.2	.4	
10-14 times	.2	.0	.3	
15 or more times	1.1	.6	1.7	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.a. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from grocery stores?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,396	2,243	2,075	78
0 times	1,931	934	960	37
1 time	44	16	26	2
2 times	30	11	16	3
3 times	18	10	8	
4 times	10	6	4	
5-9 times	7	3	4	
10-14 times	6	1	5	
15 or more times	20	6	14	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.b. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from convenience stores (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	93.0	93.0	93.0	93.0
1 time	2.8	3.4	2.3	2.0
2 times	.8	.5	1.0	
3 times	1.0	1.5	.5	2.6
4 times	.5	.4	.5	2.4
5-9 times	.4	.2	.6	
10-14 times	.3		.6	
15 or more times	1.2	1.0	1.5	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.b. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from convenience stores (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,405	2,242	2,085	78
0 times	1,909	919	952	38
1 time	61	32	27	2
2 times	22	7	15	
3 times	18	11	6	1
4 times	11	7	3	1
5-9 times	9	4	5	
10-14 times	4		4	
15 or more times	23	8	15	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.c. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from drug stores?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	95.7	97.0	94.4	97.4
1 time	1.0	1.0	1.0	
2 times	1.2	.8	1.5	2.6
3 times	.6	.2	1.1	
4 times	.2	.2	.2	
5-9 times	.2		.4	
10-14 times	.2	.4	.1	
15 or more times	.8	.4	1.3	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.c. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from drug stores?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,418	2,252	2,088	78
0 times	1,958	950	967	41
1 time	24	11	13	
2 times	20	4	15	1
3 times	11	3	8	
4 times	7	4	3	
5-9 times	6		6	
10-14 times	3	2	1	
15 or more times	15	4	11	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.d. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from gas stations?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	93.5	95.5	91.4	97.3
1 time	2.2	1.5	2.9	
2 times	.8	.9	.8	
3 times	1.1	.6	1.6	
4 times	.3	.5	.1	2.7
5-9 times	.5	.2	.8	
10-14 times	.3	.0	.5	
15 or more times	1.3	.7	1.9	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.d. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from gas stations?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,430	2,258	2,093	79
0 times	1,906	929	937	40
1 time	40	15	25	
2 times	20	9	11	
3 times	21	5	16	
4 times	7	4	2	1
5-9 times	9	3	6	
10-14 times	6	1	5	
15 or more times	23	6	17	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.e. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	68.6	65.0	71.8	74.5
1 time	8.6	9.8	7.5	9.0
2 times	8.1	8.7	7.8	2.3
3 times	3.9	4.4	3.4	2.4
4 times	2.9	3.5	2.6	
5-9 times	2.9	3.8	2.0	
10-14 times	1.4	1.3	1.4	5.4
15 or more times	3.5	3.4	3.5	6.5

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.e. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,414	2,249	2,086	79
0 times	1,410	639	742	29
1 time	196	103	88	5
2 times	141	75	65	1
3 times	90	48	41	1
4 times	59	34	25	
5-9 times	57	38	19	
10-14 times	25	14	9	2
15 or more times	70	30	37	3

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.f. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	63.5	59.0	67.6	62.3
1 time	13.1	15.6	11.1	7.7
2 times	6.8	7.7	6.1	3.4
3 times	5.9	6.9	4.7	12.1
4 times	3.9	3.9	3.9	2.8
5-9 times	2.8	3.9	1.6	5.3
10-14 times	1.2	.9	1.6	
15 or more times	2.8	2.1	3.3	6.5

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.f. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,406	2,247	2,082	77
0 times	1,324	579	715	30
1 time	260	148	109	3
2 times	151	87	62	2
3 times	104	55	47	2
4 times	70	39	30	1
5-9 times	65	41	22	2
10-14 times	24	11	13	
15 or more times	58	23	32	3

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.g. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from taking it from home without permission?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	74.7	71.3	77.7	78.4
1 time	11.0	12.9	9.4	7.2
2 times	3.9	5.0	2.8	6.7
3 times	2.9	2.9	3.0	1.1
4 times	1.8	2.7	1.1	
5-9 times	2.0	1.9	1.9	5.5
10-14 times	.8	.8	.8	
15 or more times	2.8	2.5	3.2	1.3

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.g. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from taking it from home without permission?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,410	2,245	2,087	78
0 times	1,525	693	801	31
1 time	222	132	86	4
2 times	90	48	39	3
3 times	62	35	26	1
4 times	37	23	14	
5-9 times	40	18	20	2
10-14 times	18	9	9	
15 or more times	58	27	30	1

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.h. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	76.0	72.3	79.2	80.0
1 time	10.8	11.9	9.9	6.8
2 times	4.4	5.9	3.1	3.8
3 times	2.6	3.5	1.8	3.4
4 times	1.7	1.3	2.2	
5-9 times	1.7	1.8	1.7	
10-14 times	.5	.8	.1	2.6
15 or more times	2.3	2.5	2.1	3.4

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.h. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,403	2,245	2,080	78
0 times	1,590	737	820	33
1 time	214	110	101	3
2 times	93	54	37	2
3 times	57	31	24	2
4 times	27	11	16	
5-9 times	33	18	15	
10-14 times	9	6	2	1
15 or more times	36	18	17	1

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.i. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	83.2	81.3	85.0	84.0
1 time	6.2	6.9	5.7	3.9
2 times	3.7	3.3	4.0	3.0
3 times	2.2	3.7	.7	2.3
4 times	1.1	1.9	.3	2.8
5-9 times	.9	.8	1.0	
10-14 times	.7	.6	.8	2.6
15 or more times	2.0	1.5	2.4	1.3

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.i. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,418	2,254	2,086	78
0 times	1,703	794	875	34
1 time	122	64	56	2
2 times	76	37	37	2
3 times	42	31	10	1
4 times	24	18	5	1
5-9 times	22	11	11	
10-14 times	15	6	8	1
15 or more times	40	15	24	1

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E9.j. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from the Internet?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	97.3	98.2	96.5	97.4
1 time	.7	.9	.5	
2 times	.4	.1	.5	2.6
3 times	.3	.1	.4	
4 times	.3	.0	.5	
5-9 times	.2	.2	.1	
10-14 times	.2	.1	.2	
15 or more times	.8	.4	1.2	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.j. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) from the Internet?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,419	2,249	2,092	78
0 times	1,985	967	977	41
1 time	11	3	8	
2 times	10	2	7	1
3 times	8	2	6	
4 times	5	1	4	
5-9 times	3	1	2	
10-14 times	4	1	3	
15 or more times	17	4	13	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.k. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) by using fake I.D.?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
0 times	94.9	96.2	93.6	94.5
1 time	1.0	.9	.9	5.5
2 times	.8	.3	1.3	
3 times	.6	.5	.6	
4 times	.6	.9	.3	
5-9 times	.6	.5	.6	
10-14 times	.3	.1	.5	
15 or more times	1.3	.4	2.2	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E9.k. During the past 30 days, how many times did you get alcohol (beer, wine, or hard liquor) by using fake I.D.?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	4,417	2,250	2,089	78
0 times	1,943	948	955	40
1 time	28	10	16	2
2 times	17	4	13	
3 times	12	6	6	
4 times	8	3	5	
5-9 times	9	3	6	
10-14 times	5	2	3	
15 or more times	23	4	19	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E10. During the past 30 days, how many times has any store or gas station refused to sell you alcohol (beer, wine, or hard liquor)?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
I did not try to buy alcohol	97.1	98.2	96.0	96.1
None (I was able to buy alcohol each time I tried)	1.3	.7	1.9	2.4
1 time	.7	.7	.8	
2 times	.2	.1	.4	
3 times	.2	.1	.2	1.0
4 times	.0	.0	.0	.5
5 times	.1	.0	.2	
6 or more times	.3	.1	.5	

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E10. During the past 30 days, how many times has any store or gas station refused to sell you alcohol (beer, wine, or hard liquor)?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	700	293	386	21
I did not try to buy alcohol	5,608	2,886	2,627	95
None (I was able to buy alcohol each time I tried)	64	22	40	2
1 time	35	14	21	
2 times	15	5	10	
3 times	14	4	9	1
4 times	4	2	1	1
5 times	6	1	5	
6 or more times	16	3	13	

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E11.a. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a grocery store?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	6.1	3.9	8.2	9.0
Sort of easy	9.7	9.2	10.5	4.9
Sort of hard	24.6	26.6	22.3	28.0
Very hard	59.6	60.2	59.0	58.1

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E11.a. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a grocery store?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	747	313	413	21
Very easy	346	111	225	10
Sort of easy	525	268	251	6
Sort of hard	1,361	759	578	24
Very hard	3,483	1,779	1,645	59

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E11.b. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a convenience store (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	7.3	5.1	9.5	11.9
Sort of easy	14.6	15.2	14.0	13.1
Sort of hard	28.2	30.4	25.6	31.8
Very hard	50.0	49.3	50.9	43.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E11.b. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a convenience store (such as 7-Eleven)?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	766	316	428	22
Very easy	409	156	241	12
Sort of easy	777	439	327	11
Sort of hard	1,585	871	688	26
Very hard	2,925	1,448	1,428	49

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.c. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	35.1	36.6	33.6	33.8
Sort of easy	24.1	25.3	22.9	25.3
Sort of hard	16.1	16.0	16.1	16.3
Very hard	24.7	22.2	27.4	24.5

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.c. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a friends 21 or older?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	786	335	428	23
Very easy	1,969	1,046	884	39
Sort of easy	1,334	712	602	20
Sort of hard	913	467	430	16
Very hard	1,460	670	768	22

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.d. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	28.8	29.0	28.7	28.2
Sort of easy	24.5	26.4	22.4	26.4
Sort of hard	19.1	20.1	17.9	22.7
Very hard	27.6	24.5	31.0	22.8

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.d. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from friends under 21?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	777	329	425	23
Very easy	1,614	842	746	26
Sort of easy	1,345	724	596	25
Sort of hard	1,120	595	503	22
Very hard	1,606	740	842	24

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.e. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	11.3	12.1	10.6	6.4
Sort of easy	11.8	13.3	10.4	7.5
Sort of hard	16.1	16.3	15.9	15.7
Very hard	60.8	58.3	63.1	70.4

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.e. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a parent?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	767	318	428	21
Very easy	612	315	289	8
Sort of easy	649	369	271	9
Sort of hard	942	486	440	16
Very hard	3,492	1,742	1,684	66

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.f. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	13.2	12.6	13.8	14.1
Sort of easy	14.5	16.5	12.6	8.2
Sort of hard	16.4	17.4	15.3	16.5
Very hard	55.9	53.5	58.3	61.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.f. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) from a brother or sister?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	800	340	439	21
Very easy	750	375	359	16
Sort of easy	798	463	324	11
Sort of hard	913	511	386	16
Very hard	3,201	1,541	1,604	56

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
E11.g. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) through the Internet?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	16.9	14.2	19.7	21.1
Sort of easy	13.7	16.1	11.2	13.4
Sort of hard	18.8	21.4	16.1	17.2
Very hard	50.6	48.3	53.0	48.4

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E11.g. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) through the Internet?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	814	345	447	22
Very easy	980	431	533	16
Sort of easy	771	460	297	14
Sort of hard	1,058	611	426	21
Very hard	2,839	1,383	1,409	47

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E11.h. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) just taking it at home without permission?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	34.3	33.9	34.7	35.3
Sort of easy	15.2	17.3	13.2	10.3
Sort of hard	12.5	12.8	12.2	16.2
Very hard	38.0	36.1	40.0	38.2

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade

E11.h. How hard or easy do you think it would be to get alcohol (beer, wine, or hard liquor) just taking it at home without permission?

	Total	Female	Male	Gender Unknown
Total	6,462	3,230	3,112	120
Missing: Skipped Q	780	331	427	22
Very easy	1,918	988	895	35
Sort of easy	859	481	370	8
Sort of hard	723	383	326	14
Very hard	2,182	1,047	1,094	41

Unweighted counts.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A23. If you wanted to get some marijuana, how easy would it be for you to get some?

	Total	Female	Male	Gender Unknown
Total	100.0	100.0	100.0	100.0
Very easy	26.9	26.1	27.7	30.4
Sort of easy	21.3	22.0	20.6	23.1
Sort of hard	15.3	15.3	15.4	13.7
Very hard	36.5	36.7	36.3	32.8

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2002, Data Summary, 8th Grade
A24. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?

	Total	Female	Male	Gender Unknown
Total	6,527	3,300	3,120	107
Missing: Skipped Q	854	384	447	23
Very easy	420	209	200	11
Sort of easy	765	452	300	13
Sort of hard	1,264	682	566	16
Very hard	3,224	1,573	1,607	44

Unweighted counts.