### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

A18.a. On how many occasions (if any) have you sniffed glue, breathed the contents of aerosol spray cans, inhaled any paints or sprays to get high during the past 30 days?

|       |                      | Total | Female | Male  | Gender<br>Unknown |
|-------|----------------------|-------|--------|-------|-------------------|
| Total |                      | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 occasions          | 97.1  | 96.8   | 97.4  | 100.0             |
|       | 1-2 occasions        | 2.2   | 2.5    | 1.9   |                   |
|       | 3-5 occasions        | .3    | .6     |       |                   |
|       | 6-9 occasions        | .3    |        | .6    |                   |
|       | 10 or more occasions | .1    | .1     | .1    |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

A18.a. On how many occasions (if any) have you sniffed glue, breathed the contents of aerosol spray cans, inhaled any paints or sprays to get high during the past 30 days?

|       |                      | Total | Female | Male | Gender<br>Unknown |
|-------|----------------------|-------|--------|------|-------------------|
| Total |                      | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q   | 13    | 7      | 5    | 1                 |
|       | 0 occasions          | 1,437 | 709    | 722  | 6                 |
|       | 1-2 occasions        | 41    | 26     | 15   |                   |
|       | 3-5 occasions        | 7     | 7      |      |                   |
|       | 6-9 occasions        | 4     |        | 4    |                   |
|       | 10 or more occasions | 2     | 1      | 1    |                   |

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A18.b. On how many occasions (if any) have you used prescription drugs (without a doctor's order) to get high during the past 30 days?

|       |                      | Total | Female | Male  | Gender<br>Unknown |
|-------|----------------------|-------|--------|-------|-------------------|
| Total |                      | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 occasions          | 94.0  | 94.5   | 93.5  | 100.0             |
|       | 1-2 occasions        | 3.2   | 3.6    | 2.9   |                   |
|       | 3-5 occasions        | 1.7   | 1.3    | 2.2   |                   |
|       | 6-9 occasions        | .5    | .5     | .6    |                   |
|       | 10 or more occasions | .5    | .2     | .8    |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A18.b. On how many occasions (if any) have you used prescription drugs (without a doctor's order) to get high during the past 30 days?

|       |                      | Total | Female | Male | Gender<br>Unknown |
|-------|----------------------|-------|--------|------|-------------------|
| Total |                      | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q   | 18    | 10     | 7    | 1                 |
|       | 0 occasions          | 1,395 | 695    | 694  | 6                 |
|       | 1-2 occasions        | 50    | 29     | 21   |                   |
|       | 3-5 occasions        | 26    | 10     | 16   |                   |
|       | 6-9 occasions        | 11    | 5      | 6    |                   |
|       | 10 or more occasions | 4     | 1      | 3    |                   |

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A18.c. On how many occasions (if any) have you used stimulants (amphetamines, meth, crystal, speed, crank) during the past 30 days?

|       |                      | Total | Female | Male  | Gender<br>Unknown |
|-------|----------------------|-------|--------|-------|-------------------|
| Total |                      | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 occasions          | 97.4  | 97.4   | 97.4  | 100.0             |
|       | 1-2 occasions        | 1.6   | 2.0    | 1.2   |                   |
|       | 3-5 occasions        | .7    | .4     | 1.1   |                   |
|       | 6-9 occasions        | .1    | .1     |       |                   |
|       | 10 or more occasions | .3    | .2     | .4    |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A18.c. On how many occasions (if any) have you used stimulants (amphetamines, meth, crystal, speed, crank) during the past 30 days?

|       |                      | Total | Female | Male | Gender<br>Unknown |
|-------|----------------------|-------|--------|------|-------------------|
| Total |                      | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q   | 13    | 7      | 5    | 1                 |
|       | 0 occasions          | 1,454 | 721    | 727  | 6                 |
|       | 1-2 occasions        | 22    | 16     | 6    |                   |
|       | 3-5 occasions        | 11    | 4      | 7    |                   |
|       | 6-9 occasions        | 1     | 1      |      |                   |
|       | 10 or more occasions | 3     | 1      | 2    |                   |

# 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12) A18.d. On how many occasions (if any) have you used cocaine or 'crack' cocaine during the past 30 days?

|       |                      | Total | Female | Male  | Gender<br>Unknown |
|-------|----------------------|-------|--------|-------|-------------------|
| Total |                      | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 occasions          | 97.8  | 98.2   | 97.8  | 67.6              |
|       | 1-2 occasions        | 1.2   | 1.0    | 1.0   | 32.4              |
|       | 3-5 occasions        | .7    | .3     | 1.1   |                   |
|       | 6-9 occasions        | .3    | .5     |       |                   |
|       | 10 or more occasions | .0    |        | .1    |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

# 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12) A18.d. On how many occasions (if any) have you used cocaine or 'crack' cocaine during the past 30 days?

|       |                      | Total | Female | Male | Gender<br>Unknown |
|-------|----------------------|-------|--------|------|-------------------|
| Total |                      | 1,503 | 750    | 746  | 7                 |
|       | Missing: skipped Q   | 16    | 8      | 7    | 1                 |
|       | 0 occasions          | 1,460 | 731    | 724  | 5                 |
|       | 1-2 occasions        | 18    | 8      | 9    | 1                 |
|       | 3-5 occasions        | 6     | 2      | 4    |                   |
|       | 6-9 occasions        | 1     | 1      |      |                   |
|       | 10 or more occasions | 2     |        | 2    |                   |

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A18.e. On how many occasions (if any) have you used heroin or other opiates or narcotics during the past 30 days?

|       |                      | Total | Female | Male  | Gender<br>Unknown |
|-------|----------------------|-------|--------|-------|-------------------|
| Total |                      | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 occasions          | 99.0  | 99.5   | 98.5  | 100.0             |
|       | 1-2 occasions        | .5    | .4     | .7    |                   |
|       | 3-5 occasions        | .1    | .1     |       |                   |
|       | 6-9 occasions        | .0    |        | .1    |                   |
|       | 10 or more occasions | .4    |        | .8    |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A18.e. On how many occasions (if any) have you used heroin or other opiates or narcotics during the past 30 days?

|       |                      | Total | Female | Male | Gender<br>Unknown |
|-------|----------------------|-------|--------|------|-------------------|
| Total |                      | 1,498 | 746    | 745  | 7                 |
|       | Missing: skipped Q   | 21    | 11     | 9    | 1                 |
|       | 0 occasions          | 1,466 | 730    | 730  | 6                 |
|       | 1-2 occasions        | 6     | 3      | 3    |                   |
|       | 3-5 occasions        | 2     | 2      |      |                   |
|       | 6-9 occasions        | 1     |        | 1    |                   |
|       | 10 or more occasions | 2     |        | 2    |                   |

# 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12) A18.f. On how many occasions (if any) have you used Ecstasy or MDMA during the past 30 days?

|       |                      | Total | Female | Male  | Gender<br>Unknown |
|-------|----------------------|-------|--------|-------|-------------------|
| Total |                      | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 occasions          | 97.8  | 98.6   | 97.0  | 100.0             |
|       | 1-2 occasions        | 1.1   | .9     | 1.3   |                   |
|       | 3-5 occasions        | .2    | .3     |       |                   |
|       | 6-9 occasions        | .1    |        | .2    |                   |
|       | 10 or more occasions | .8    | .1     | 1.5   |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

2003 Oregon Healthy Teens, Data Summary,
High School (Grades 9-12)
A18.f. On how many occasions (if any) have you used Ecstasy or MDMA during the past 30 days?

|       |                      | Total | Female | Male | Gender<br>Unknown |
|-------|----------------------|-------|--------|------|-------------------|
| Total |                      | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q   | 16    | 7      | 8    | 1                 |
|       | 0 occasions          | 1,461 | 732    | 723  | 6                 |
|       | 1-2 occasions        | 15    | 6      | 9    |                   |
|       | 3-5 occasions        | 4     | 4      |      |                   |
|       | 6-9 occasions        | 2     |        | 2    |                   |
|       | 10 or more occasions | 6     | 1      | 5    |                   |

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

A18cg. On how many occasions (if any) have you used illicit drugs during the past 30 days? (Does not include inhalants or prescription drugs)

|       |                     | Total | Female | Male  | Gender<br>Unknown |
|-------|---------------------|-------|--------|-------|-------------------|
| Total |                     | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 Occasions         | 94.2  | 95.0   | 93.7  | 67.6              |
|       | 1 or more Occasions | 5.8   | 5.0    | 6.3   | 32.4              |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

A18cg. On how many occasions (if any) have you used illicit drugs during the past 30 days? (Does not include inhalants or prescription drugs)

|       |                           | Total | Female | Male | Gender<br>Unknown |
|-------|---------------------------|-------|--------|------|-------------------|
| Total |                           | 1,504 | 750    | 747  | 7                 |
|       | Missing: Skipped question | 25    | 11     | 13   | 1                 |
|       | 0 Occasions               | 1,399 | 703    | 691  | 5                 |
|       | 1 or more Occasions       | 80    | 36     | 43   | 1                 |

## 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A19. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

|                  | Total | Female | Male  | Gender<br>Unknown |
|------------------|-------|--------|-------|-------------------|
| Total            | 100.0 | 100.0  | 100.0 | 100.0             |
| 0 times          | 93.5  | 93.4   | 93.9  | 67.6              |
| 1 or 2 times     | 2.7   | 2.6    | 2.9   |                   |
| 3 to 9 times     | 1.7   | 2.0    | 1.5   |                   |
| 10 to 19 times   | .2    | .3     | .2    |                   |
| 20 to 39 times   | 1.1   | 1.1    | .8    | 32.4              |
| 40 or more times | .7    | .7     | .8    |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A19. During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?

|       |                    | Total | Female | Male | Gender<br>Unknown |
|-------|--------------------|-------|--------|------|-------------------|
| Total |                    | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q | 9     | 4      | 4    | 1                 |
|       | 0 times            | 1,405 | 697    | 703  | 5                 |
|       | 1 or 2 times       | 41    | 24     | 17   |                   |
|       | 3 to 9 times       | 26    | 15     | 11   |                   |
|       | 10 to 19 times     | 4     | 2      | 2    |                   |
|       | 20 to 39 times     | 9     | 4      | 4    | 1                 |
|       | 40 or more times   | 10    | 4      | 6    |                   |

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A20. During your life, how many times have you used any form of heroin (also called smack, junk, or China White)?

|       |                  | Total | Female | Male  | Gender<br>Unknown |
|-------|------------------|-------|--------|-------|-------------------|
| Total |                  | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 times          | 98.5  | 99.3   | 98.1  | 66.2              |
|       | 1 or 2 times     | .5    | .5     | .5    |                   |
|       | 3 to 9 times     | .6    | .1     | .7    | 33.8              |
|       | 10 to 19 times   | .1    | .1     | .2    |                   |
|       | 40 or more times | .3    |        | .5    |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A20. During your life, how many times have you used any form of heroin (also called smack, junk, or China White)?

|       |                    | Total | Female | Male | Gender<br>Unknown |
|-------|--------------------|-------|--------|------|-------------------|
| Total |                    | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q | 11    | 6      | 3    | 2                 |
|       | 0 times            | 1,471 | 735    | 732  | 4                 |
|       | 1 or 2 times       | 9     | 5      | 4    |                   |
|       | 3 to 9 times       | 7     | 2      | 4    | 1                 |
|       | 10 to 19 times     | 4     | 2      | 2    |                   |
|       | 40 or more times   | 2     |        | 2    |                   |

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A21. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

|       |                  | Total | Female | Male  | Gender<br>Unknown |
|-------|------------------|-------|--------|-------|-------------------|
| Total |                  | 100.0 | 100.0  | 100.0 | 100.0             |
|       | 0 times          | 94.1  | 94.0   | 94.5  | 67.6              |
|       | 1 or 2 times     | 2.7   | 3.0    | 2.5   |                   |
|       | 3 to 9 times     | 1.2   | 1.1    | 1.3   |                   |
|       | 10 to 19 times   | .6    | .8     | .5    |                   |
|       | 20 to 39 times   | .4    | .1     | .2    | 32.4              |
|       | 40 or more times | 1.0   | 1.0    | 1.0   |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A21. During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?

|       |                    | Total | Female | Male | Gender<br>Unknown |
|-------|--------------------|-------|--------|------|-------------------|
| Total |                    | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q | 14    | 4      | 9    | 1                 |
|       | 0 times            | 1,405 | 696    | 704  | 5                 |
|       | 1 or 2 times       | 43    | 26     | 17   |                   |
|       | 3 to 9 times       | 18    | 11     | 7    |                   |
|       | 10 to 19 times     | 8     | 6      | 2    |                   |
|       | 20 to 39 times     | 6     | 2      | 3    | 1                 |
|       | 40 or more times   | 10    | 5      | 5    |                   |

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A22. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

|                  | Total | Female | Male  | Gender<br>Unknown |
|------------------|-------|--------|-------|-------------------|
| Total            | 100.0 | 100.0  | 100.0 | 100.0             |
| 0 times          | 96.7  | 97.0   | 96.4  | 100.0             |
| 1 or 2 times     | 1.4   | 1.8    | 1.0   |                   |
| 3 to 9 times     | .9    | .7     | 1.2   |                   |
| 10 to 19 times   | .2    | .2     | .2    |                   |
| 20 to 39 times   | .3    | .2     | .4    |                   |
| 40 or more times | .4    | .1     | .7    |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A22. During your life, how many times have you taken steroid pills or shots without a doctor's prescription?

|       |                    | Total | Female | Male | Gender<br>Unknown |
|-------|--------------------|-------|--------|------|-------------------|
| Total |                    | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q | 7     | 3      | 3    | 1                 |
|       | 0 times            | 1,451 | 724    | 721  | 6                 |
|       | 1 or 2 times       | 22    | 12     | 10   |                   |
|       | 3 to 9 times       | 13    | 7      | 6    |                   |
|       | 10 to 19 times     | 4     | 1      | 3    |                   |
|       | 20 to 39 times     | 3     | 2      | 1    |                   |
|       | 40 or more times   | 4     | 1      | 3    |                   |

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A23. During your life, how many times have you used a needle to inject any illegal drug into your body?

|                 | Total | Female | Male  | Gender<br>Unknown |
|-----------------|-------|--------|-------|-------------------|
| Total           | 100.0 | 100.0  | 100.0 | 100.0             |
| 0 times         | 98.2  | 98.8   | 97.6  | 100.0             |
| 1 time          | .8    | .5     | 1.0   |                   |
| 2 or more times | 1.0   | .7     | 1.3   |                   |

Weighted percentages and unweighted counts exclude missing and/or refused answers.

### 2003 Oregon Healthy Teens, Data Summary, High School (Grades 9-12)

## A23. During your life, how many times have you used a needle to inject any illegal drug into your body?

|       |                    | Total | Female | Male | Gender<br>Unknown |
|-------|--------------------|-------|--------|------|-------------------|
| Total |                    | 1,504 | 750    | 747  | 7                 |
|       | Missing: skipped Q | 9     | 4      | 4    | 1                 |
|       | 0 times            | 1,473 | 737    | 730  | 6                 |
|       | 1 time             | 10    | 5      | 5    |                   |
|       | 2 or more times    | 12    | 4      | 8    |                   |