Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from grocery stores? (Q86a)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 96.3 | 96.5 | 96.2 |
| 1 time | 1.2 | 1.1 | 1.3 |
| 2 times | .5 | .7 | .4 |
| 3 times | .3 | .4 | .2 |
| 4 times | .5 | .5 | .4 |
| 5-9 times | .4 | .6 | .2 |
| 10-14 times | .1 | .0 | .3 |
| 15 or more times | .6 | .2 | 1.1 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from grocery stores? (Q86a)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,544 | 2,369 | 2,175 |
| None | 4,389 | 2,293 | 2,096 |
| 1 time | 51 | 22 | 29 |
| 2 times | 26 | 16 | 10 |
| 3 times | 18 | 11 | 7 |
| 4 times | 13 | 5 | 8 |
| 5-9 times | 18 | 13 | 5 |
| 10-14 times | 4 | 1 | 3 |
| 15 or more times | 25 | 8 | 17 |

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from vending machines? (Q86b)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 98.0 | 98.1 | 97.9 |
| 1 time | .6 | .5 | .7 |
| 2 times | .3 | .2 | .5 |
| 3 times | .2 | .3 | .0 |
| 4 times | .3 | .2 | .3 |
| 5-9 times | .3 | .5 | .1 |
| 10-14 times | .2 | .1 | .3 |
| 15 or more times | .2 | .2 | .2 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from vending machines? (Q86b)

| | | Total | Female | Male |
|-------|------------------|-------|--------|-------|
| Total | | 4,343 | 2,266 | 2,077 |
| | None | 4,268 | 2,231 | 2,037 |
| | 1 time | 24 | 11 | 13 |
| | 2 times | 14 | 6 | 8 |
| | 3 times | 6 | 5 | 1 |
| | 4 times | 7 | 3 | 4 |
| | 5-9 times | 5 | 2 | 3 |
| | 10-14 times | 6 | 2 | 4 |
| | 15 or more times | 13 | 6 | 7 |

Unweighted counts.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from convenience stores (such as 7-Eleven)? (Q86c)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 95.7 | 95.5 | 95.9 |
| 1 time | 1.6 | 1.8 | 1.5 |
| 2 times | .6 | .6 | .6 |
| 3 times | .5 | .5 | .6 |
| 4 times | .5 | .6 | .4 |
| 5-9 times | .3 | .5 | .1 |
| 10-14 times | .2 | .0 | .4 |
| 15 or more times | .4 | .5 | .4 |

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from convenience stores (such as 7-Eleven)? (Q86c)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,332 | 2,262 | 2,070 |
| None | 4,166 | 2,172 | 1,994 |
| 1 time | 58 | 31 | 27 |
| 2 times | 26 | 14 | 12 |
| 3 times | 23 | 14 | 9 |
| 4 times | 12 | 6 | 6 |
| 5-9 times | 17 | 12 | 5 |
| 10-14 times | 5 | 2 | 3 |
| 15 or more times | 25 | 11 | 14 |

Unweighted counts.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from drug stores? (Q86d)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 97.3 | 97.5 | 97.2 |
| 1 time | .7 | 1.1 | .4 |
| 2 times | .6 | .5 | .7 |
| 3 times | .3 | .4 | .2 |
| 4 times | .1 | .2 | .1 |
| 5-9 times | .1 | .1 | .0 |
| 10-14 times | .4 | .0 | .8 |
| 15 or more times | .4 | .2 | .6 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from drug stores? (Q86d)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,237 | 2,203 | 2,034 |
| None | 4,133 | 2,152 | 1,981 |
| 1 time | 32 | 18 | 14 |
| 2 times | 20 | 9 | 11 |
| 3 times | 13 | 6 | 7 |
| 4 times | 7 | 4 | 3 |
| 5-9 times | 5 | 4 | 1 |
| 10-14 times | 6 | 1 | 5 |
| 15 or more times | 21 | 9 | 12 |

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from gas stations? (Q86e)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 95.8 | 95.8 | 95.8 |
| 1 time | 1.3 | 1.6 | 1.0 |
| 2 times | .9 | .8 | 1.0 |
| 3 times | .3 | .4 | .2 |
| 4 times | .3 | .2 | .4 |
| 5-9 times | .4 | .2 | .6 |
| 10-14 times | .3 | .4 | .3 |
| 15 or more times | .7 | .7 | .7 |

Weighted percentages exclude missing and/or refused answers.

| Oregon Healthy Teens 2004, 8th Grade State Summary |
|--|
| During the past 30 days, how many times did you get tobacco |
| (cigarettes, chew, snuff, or cigars) from gas stations? (Q86e) |

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,235 | 2,206 | 2,029 |
| None | 4,073 | 2,124 | 1,949 |
| 1 time | 58 | 32 | 26 |
| 2 times | 29 | 14 | 15 |
| 3 times | 16 | 9 | 7 |
| 4 times | 15 | 6 | 9 |
| 5-9 times | 9 | 4 | 5 |
| 10-14 times | 8 | 4 | 4 |
| 15 or more times | 27 | 13 | 14 |

Unweighted counts.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from friends older than 18? (Q86f)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 90.3 | 88.9 | 91.8 |
| 1 time | 2.5 | 2.8 | 2.2 |
| 2 times | 1.9 | 2.6 | 1.2 |
| 3 times | 1.0 | .9 | 1.1 |
| 4 times | 1.0 | 1.1 | .9 |
| 5-9 times | 1.0 | 1.3 | .7 |
| 10-14 times | .5 | .6 | .4 |
| 15 or more times | 1.8 | 1.9 | 1.7 |

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from friends older than 18? (Q86f)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,237 | 2,204 | 2,033 |
| None | 3,818 | 1,960 | 1,858 |
| 1 time | 119 | 67 | 52 |
| 2 times | 85 | 54 | 31 |
| 3 times | 44 | 23 | 21 |
| 4 times | 39 | 23 | 16 |
| 5-9 times | 42 | 26 | 16 |
| 10-14 times | 19 | 12 | 7 |
| 15 or more times | 71 | 39 | 32 |

Unweighted counts.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from friends under 18? (Q86g)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 89.5 | 88.0 | 91.2 |
| 1 time | 3.3 | 3.6 | 2.9 |
| 2 times | 1.9 | 2.4 | 1.3 |
| 3 times | 1.5 | 1.4 | 1.7 |
| 4 times | .8 | 1.0 | .6 |
| 5-9 times | .9 | 1.0 | .8 |
| 10-14 times | .9 | 1.0 | .7 |
| 15 or more times | 1.2 | 1.5 | .8 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from friends under 18? (Q86g)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,225 | 2,209 | 2,016 |
| None | 3,755 | 1,932 | 1,823 |
| 1 time | 143 | 73 | 70 |
| 2 times | 86 | 55 | 31 |
| 3 times | 66 | 38 | 28 |
| 4 times | 42 | 27 | 15 |
| 5-9 times | 43 | 28 | 15 |
| 10-14 times | 37 | 23 | 14 |
| 15 or more times | 53 | 33 | 20 |

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) by taking them from home without permission? (Q86h)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 93.1 | 92.4 | 93.9 |
| 1 time | 2.0 | 2.3 | 1.5 |
| 2 times | 1.2 | 1.3 | 1.1 |
| 3 times | .8 | .9 | .7 |
| 4 times | .7 | .8 | .5 |
| 5-9 times | .7 | .6 | .8 |
| 10-14 times | .3 | .3 | .3 |
| 15 or more times | 1.2 | 1.3 | 1.1 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) by taking them from home without permission? (Q86h)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,228 | 2,220 | 2,008 |
| None | 3,935 | 2,043 | 1,892 |
| 1 time | 96 | 56 | 40 |
| 2 times | 48 | 31 | 17 |
| 3 times | 32 | 22 | 10 |
| 4 times | 28 | 20 | 8 |
| 5-9 times | 26 | 15 | 11 |
| 10-14 times | 14 | 8 | 6 |
| 15 or more times | 49 | 25 | 24 |

Unweighted counts.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from a parent? (Q86i)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 96.0 | 96.2 | 95.8 |
| 1 time | 1.1 | 1.4 | .9 |
| 2 times | .6 | .4 | .8 |
| 3 times | .6 | .6 | .5 |
| 4 times | .2 | .3 | .1 |
| 5-9 times | .3 | .4 | .2 |
| 10-14 times | .4 | .1 | .8 |
| 15 or more times | .8 | .6 | .9 |

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from a parent? (Q86i)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,212 | 2,193 | 2,019 |
| None | 4,051 | 2,110 | 1,941 |
| 1 time | 53 | 29 | 24 |
| 2 times | 22 | 12 | 10 |
| 3 times | 18 | 8 | 10 |
| 4 times | 12 | 8 | 4 |
| 5-9 times | 14 | 9 | 5 |
| 10-14 times | 11 | 3 | 8 |
| 15 or more times | 31 | 14 | 17 |

Unweighted counts.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from a brother or sister? (Q86j)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 95.5 | 95.6 | 95.4 |
| 1 time | 1.7 | 1.7 | 1.7 |
| 2 times | .8 | .8 | .9 |
| 3 times | .5 | .2 | .8 |
| 4 times | .2 | .2 | .1 |
| 5-9 times | .3 | .3 | .4 |
| 10-14 times | .3 | .4 | .3 |
| 15 or more times | .6 | .7 | .4 |

Weighted percentages exclude missing and/or refused answers.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from a brother or sister? (Q86j)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,125 | 2,161 | 1,964 |
| None | 3,938 | 2,060 | 1,878 |
| 1 time | 74 | 41 | 33 |
| 2 times | 30 | 13 | 17 |
| 3 times | 16 | 7 | 9 |
| 4 times | 11 | 7 | 4 |
| 5-9 times | 14 | 8 | 6 |
| 10-14 times | 13 | 9 | 4 |
| 15 or more times | 29 | 16 | 13 |

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from the Internet? (Q86k)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 98.3 | 98.7 | 97.9 |
| 1 time | .3 | .4 | .2 |
| 2 times | .3 | .4 | .3 |
| 3 times | .2 | .1 | .3 |
| 4 times | .1 | | .3 |
| 5-9 times | .3 | .3 | .3 |
| 10-14 times | .2 | .1 | .5 |
| 15 or more times | .1 | .0 | .3 |

Weighted percentages exclude missing and/or refused answers.

| Oregon Healthy Teens 2004, 8th Grade State Summary |
|--|
| During the past 30 days, how many times did you get tobacco |
| (cigarettes, chew, snuff, or cigars) from the Internet? (Q86k) |

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,150 | 2,156 | 1,994 |
| None | 4,100 | 2,135 | 1,965 |
| 1 time | 17 | 10 | 7 |
| 2 times | 10 | 4 | 6 |
| 3 times | 5 | 2 | 3 |
| 4 times | 1 | | 1 |
| 5-9 times | 4 | 2 | 2 |
| 10-14 times | 4 | 2 | 2 |
| 15 or more times | 9 | 1 | 8 |

Unweighted counts.

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from people selling tobacco on the street? (Q86I)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 100.0 | 100.0 | 100.0 |
| None | 97.1 | 97.7 | 96.3 |
| 1 time | .7 | .3 | 1.1 |
| 2 times | .3 | .1 | .5 |
| 3 times | .4 | .2 | .5 |
| 4 times | .4 | .3 | .4 |
| 5-9 times | .3 | .4 | .2 |
| 10-14 times | .2 | .1 | .3 |
| 15 or more times | .7 | .8 | .7 |

Oregon Healthy Teens 2004, 8th Grade State Summary During the past 30 days, how many times did you get tobacco (cigarettes, chew, snuff, or cigars) from people selling tobacco on the street? (Q86I)

| | Total | Female | Male |
|------------------|-------|--------|-------|
| Total | 4,119 | 2,152 | 1,967 |
| None | 4,009 | 2,105 | 1,904 |
| 1 time | 32 | 12 | 20 |
| 2 times | 16 | 4 | 12 |
| 3 times | 13 | 6 | 7 |
| 4 times | 9 | 5 | 4 |
| 5-9 times | 8 | 5 | 3 |
| 10-14 times | 6 | 2 | 4 |
| 15 or more times | 26 | 13 | 13 |