

Oregon Youth Risk Behavior Survey (YRBS) 1997 High School

Q46. During the past 30 days, on how many days
 did you use chewing tobacco or snuff?
 Weighted Column Percents

	Total	Grade			
		9th	10th	11th	12th
0 days	88.2	90.7	88.2	86.9	86.1
1 or 2 days	4.6	4.0	4.9	5.1	4.4
3 to 5 days	1.6	1.4	1.5	1.6	2.2
6 to 9 days	1.1	1.0	1.4	1.2	1.0
10 to 19 days	1.2	.9	1.2	1.3	1.3
20 to 29 days	1.0	.7	1.0	1.1	1.7
All 30 days	2.2	1.2	1.9	2.8	3.3
Female					
0 days	95.3	96.2	94.6	95.1	95.2
1 or 2 days	2.9	2.6	3.4	2.8	3.0
3 to 5 days	.8	.6	.9	.9	.8
6 to 9 days	.3	.3	.4	.3	.3
10 to 19 days	.2	.2	.3	.4	.1
20 to 29 days	.2	.1	.1	.3	.3
All 30 days	.2	.0	.3	.2	.3
Male					
0 days	81.0	85.1	81.8	78.3	76.9
1 or 2 days	6.3	5.5	6.4	7.6	5.9
3 to 5 days	2.5	2.2	2.1	2.3	3.7
6 to 9 days	2.0	1.8	2.3	2.2	1.7
10 to 19 days	2.1	1.7	2.1	2.3	2.6
20 to 29 days	1.9	1.3	1.8	1.9	3.0
All 30 days	4.2	2.5	3.5	5.5	6.3

Total N =
 31,763

Source: Oregon 1997 Youth Risk Behavior Surveillance System (YRBSS)

Q46. During the past 30 days, on how many days
did you use chewing tobacco or snuff?

Unweighted Frequencies

	Total	Grade			
		9th	10th	11th	12th
0 days	27,890	8,571	7,689	6,295	5,335
1 or 2 days	1,474	396	434	378	266
3 to 5 days	558	147	147	134	130
6 to 9 days	361	103	119	86	53
10 to 19 days	387	98	106	100	83
20 to 29 days	336	74	88	76	98
All 30 days	757	122	188	217	230
Female					
0 days	15,403	4,628	4,175	3,572	3,028
1 or 2 days	472	133	145	110	84
3 to 5 days	145	38	44	40	23
6 to 9 days	57	18	19	12	8
10 to 19 days	37	11	11	13	2
20 to 29 days	31	7	5	10	9
All 30 days	26	2	9	7	8
Male					
0 days	12,487	3,943	3,514	2,723	2,307
1 or 2 days	1,002	263	289	268	182
3 to 5 days	413	109	103	94	107
6 to 9 days	304	85	100	74	45
10 to 19 days	350	87	95	87	81
20 to 29 days	305	67	83	66	89
All 30 days	731	120	179	210	222
Total N =					
31,763					

Source: Oregon 1997 Youth Risk Behavior Surveillance System (YRBSS)