

TABLE 3-1. Number, Rate, and Percent Change for Pregnancies, Births, and Abortions to 15- to 44-year-olds, Oregon, 1980-2008

Year	Pregnancies ¹			Births ²			Abortions ³				
	No.	Rate	% Change in Rate from Previous Year	No.	Rate	% Change in Rate from Previous Year	No.	Rate	% Change in Rate from Previous Year	% of Pregnancies Ending in Abortion	% Change in Percent from Previous Year
1980	58,592	94.4	1.6	43,007	69.3	0.3	15,585	25.1	5.3	26.6	3.7
1985	51,287	81.1	-2.9	39,364	62.2	-1.0	11,923	18.8	-9.1	23.2	-6.5
1990	56,315	85.8	1.3	42,741	65.2	3.0	13,754	20.7	-3.0	24.1	-4.4
1995	56,521	82.8	2.7	42,568	62.4	2.1	13,953	20.4	4.6	24.7	2.1
1996	57,175	83.1	0.4	43,515	63.2	1.3	13,660	19.9	-2.5	24.4	-1.2
1997	58,106	84.0	3.1	43,619	63.0	-0.3	14,487	20.9	5.0	24.9	2.0
1998	59,284	84.5	0.6	45,075	64.2	1.9	14,209	20.3	-2.9	24.0	-3.6
1999	59,067	84.2	-0.4	45,039	64.2	0.0	14,028	20.0	-1.5	23.7	-1.3
2000	59,758	82.4	-2.1	45,654	62.9	-2.0	14,104	19.4	-3.0	23.6	-0.4
2001	59,348	81.0	-1.7	45,177	61.6	-2.1	14,171	19.3	-0.5	23.9	1.3
2002	58,172	78.6	-3.0	45,071	60.9	-1.1	13,101	17.7	-8.3	22.5	-5.9
2003	58,337	77.9	-0.9	45,799	61.2	0.5	12,538	16.7	-5.6	21.5	-4.4
2004	56,865	74.9	-3.9	45,508	60.0	-2.0	11,357	15.0	-10.2	20.0	-7.0
2005	57,271	77.9	4.0	45,776	62.2	3.7	11,495	15.6	4.0	20.1	0.5
2006	60,678	81.9	5.1	48,539	65.5	5.3	12,139	16.4	5.1	20.0	-0.5
2007	60,885	81.7	-0.2	49,211	66.0	0.8	11,674	15.7	-4.3	19.2	-4.2
2008	59,496	78.4	-4.0	48,999	64.6	-2.2	10,497	13.8	-11.6	17.6	-8.0
Change 1998 - 2008	212	-6.1		3,924	0.4		-3,712	-6.5		-6.0	
% Change 1998 - 2008	0.4%	-7.2%		8.7%	0.6%		-26.1%	-31.8%		-26.5%	

1 Pregnancies include resident births and occurrence abortions, but exclude fetal deaths and spontaneous abortions.

2 Oregon residence figures for births (includes 15-44 year-old females only).

3 Oregon occurrence figures for abortions (includes 15-44 and unknown age females).

Note: ORS 435.496 was implemented in 1984, requiring all providers of abortion to file a report of induced termination of pregnancy for each abortion performed. Rates per 1,000 females 15-44 years of age. 2008 population estimate: 758,505.

**Table 3-2. Live Births and Induced Abortions
Occurring in Oregon, 1970-2008**

Year	Births	Induced Abortions	
		Number	Ratio
1970	36,031	7,187	199.5
1975	34,312	10,641	310.1
1976	35,612	12,590	353.5
1977	38,448	13,163	342.4
1978	40,015	13,605	340.0
1979	42,874	14,501	338.2
1980	44,223	*15,735	355.8
1981	44,150	14,799	335.2
1982	42,093	12,807	304.3
1983	41,047	12,064	293.9
1984	40,841	**13,133	321.6
1985	40,778	12,056	295.6
1986	40,093	11,217	279.8
1987	39,996	11,147	278.7
1988	41,345	13,309	321.9
1989	42,710	13,928	326.1
1990	44,464	13,658	307.2
1991	44,007	14,310	325.2
1992	43,627	12,685	290.8
1993	43,272	12,961	299.5
1994	43,591	13,392	307.2
1995	44,609	14,079	315.6
1996	45,677	13,767	301.4
1997	45,117	14,612	323.9
1998	46,277	14,344	310.0
1999	46,106	14,145	306.8
2000	46,790	14,194	303.4
2001	46,200	14,272	308.9
2002	46,053	13,172	286.0
2003	46,844	12,622	269.4
2004	46,453	11,443	246.3
2005	46,715	11,602	248.4
2006	49,089	12,246	249.5
2007	49,373	11,883	240.7
2008	49,492	10,610	214.4

* The increase in the 1980 figure reflects improved reporting rather than an increase in the number of abortions performed. Approximately 1,000-1,400 of the abortions were performed by providers who did not participate in the voluntary abortion reporting system prior to 1980 even though they were performing abortions in previous years.

**The increase in the 1984 figure is probably a consequence of the implementation of ORS 435.496, which requires that an induced termination of pregnancy report be filed by abortion providers whenever an induced abortion is performed.

NOTE: Induced abortion ratio is the number of abortions per 1,000 live births.

TABLE 3-3. Induced Abortions by Race/Ethnicity, Marital Status and Age, Oregon Occurrence, 2008

Race/Ethnicity and Marital Status	Total	<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.
Total	10,610	30	1,812	3,213	2,563	1,609	985	315	34	49
White	8,857	25	1,532	2,706	2,150	1,301	829	256	21	37
African American	741	5	160	239	187	94	38	11	3	4
American Indian	265	1	56	100	60	29	17	2	—	—
Chinese	99	—	9	14	28	26	11	9	2	—
Japanese	39	—	5	9	10	9	4	2	—	—
Hawaiian	59	—	12	17	12	11	4	3	—	—
Filipino	56	—	7	11	16	9	11	1	—	1
Other Asian/Pacific Islander ...	154	—	20	41	33	31	19	9	1	—
Other Non-white	17	—	4	2	5	3	3	—	—	—
Unknown	135	—	24	44	26	24	9	5	—	3
Hispanic	1,247	3	239	394	280	202	92	28	2	7
White	1,026	3	197	326	239	156	77	24	1	3
African American	40	—	13	10	5	7	4	—	—	1
American Indian	47	—	8	16	12	7	3	1	—	—
Chinese	11	—	3	2	2	4	—	—	—	—
Japanese	12	—	1	3	4	4	—	—	—	—
Hawaiian	5	—	1	1	1	2	—	—	—	—
Filipino	4	—	—	1	—	1	2	—	—	—
Other Asian/Pacific Islander	21	—	3	6	5	4	2	1	—	—
Other Non-white	9	—	2	2	2	2	1	—	—	—
Unknown	60	—	12	20	12	13	2	—	—	1
Non-Hispanic	9,306	27	1,567	2,802	2,270	1,393	889	287	32	39
White	7,804	22	1,331	2,371	1,906	1,138	750	232	20	34
African American	694	5	146	228	179	85	34	11	3	3
American Indian	216	1	47	83	48	22	14	1	—	—
Chinese	87	—	6	12	26	21	11	9	2	—
Japanese	27	—	4	6	6	5	4	2	—	—
Hawaiian	54	—	11	16	11	9	4	3	—	—
Filipino	52	—	7	10	16	8	9	1	—	1
Other Asian/Pacific Islander	131	—	17	35	27	26	17	8	1	—
Other Non-white	8	—	2	—	3	1	2	—	—	—
Unknown	62	—	10	20	11	10	6	5	—	—
Ethnicity Unknown	45	0	6	13	9	10	4	0	0	3
Marital Status										
Never Married	7,353	29	1,711	2,696	1,764	731	318	68	6	30
Now Married	1,574	—	30	232	389	435	346	121	14	7
Widowed	37	—	—	2	15	12	4	2	2	—
Divorced	880	—	2	97	188	269	218	97	8	1
Separated	395	—	12	82	131	89	63	15	2	1
Unknown	371	1	57	104	76	73	36	12	2	10

— Quantity is zero.

NOTE: Persons may report multiple races, therefore the subsets may not add to the category totals.

TABLE 3-4. Abortions in Relation to Length of Gestation by Method, Complications, and Age of Patient, Oregon Occurrence, 2008

Method, Complications and Age of Patient	Total	Weeks Gestation						
		< 9	9-12	13-16	17-20	21-22	23+	Unk.
Total	10,610	6,714	2,540	686	323	90	78	179
Suction Curette	5,259	3,082	1,814	246	18	–	3	96
Medical (Non-surgical)	2,069	1,941	67	11	4	2	2	42
Dilation & Evacuation	3,228	1,668	653	423	296	86	68	34
Intra-uterine Instillation	4	3	1	–	–	–	–	–
Vaginal Prostaglandin	9	2	1	2	2	1	1	–
Sharp Curettage	4	2	–	1	–	–	1	–
Other	14	7	–	2	1	1	2	1
Unknown	23	9	4	1	2	–	1	6
Complications								
None	9,147	5,548	2,362	632	303	81	68	153
Hemorrhage	11	7	2	–	1	1	–	–
Infection	36	23	8	2	–	–	2	1
Cervical Laceration	1	–	1	–	–	–	–	–
Retained Products	83	58	15	4	4	–	–	2
Failure of First Method	38	36	–	–	–	–	–	2
Other	38	28	7	2	–	–	1	–
Multiple Complications	23	16	6	1	–	–	–	–
Age Groups								
< 15	30	13	9	6	1	–	–	1
15-19	1,812	1,006	531	157	56	13	20	29
20-24	3,213	1,965	816	223	108	24	23	54
25-29	2,563	1,657	592	147	71	27	19	50
30-34	1,609	1,092	338	90	46	13	6	24
35-39	985	690	183	51	28	10	9	14
40-44	315	226	63	7	12	2	1	4
45+	34	30	1	1	–	1	–	1
N.S.	49	35	7	4	1	–	–	2

– Quantity is zero.

TABLE 3-5. Contraceptive Use, Number of Previous Abortions, and Number of Living Children by Age of Patient, Oregon Occurrence, 2008

Contraceptive Used, Previous Abortions, and Number of Living Children	Total	Age Groups								N.S.
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	
Total	10,610	30	1,812	3,213	2,563	1,609	985	315	34	49
None Used	7,011	26	1,316	2,131	1,599	1,039	619	220	24	37
No Previous Abortion	4,067	26	1,100	1,306	759	458	278	101	15	24
One	1,640	-	163	525	437	278	171	56	4	6
Two	679	-	31	177	213	147	74	31	4	2
Three	326	-	9	67	100	83	52	13	1	1
Four or More	227	-	-	40	75	58	36	15	-	3
Pills Used	1,189	1	171	414	350	160	75	14	2	2
No Previous Abortion	659	1	132	243	166	70	35	9	2	1
One	306	-	30	107	95	46	25	2	-	1
Two	123	-	6	43	46	17	9	2	-	-
Three	51	-	2	13	20	12	3	1	-	-
Four or More	37	-	-	3	20	12	2	-	-	-
Condoms Used	1,809	3	286	514	441	290	202	60	5	8
No Previous Abortion	994	3	245	319	203	122	72	23	1	6
One	448	-	24	123	126	85	66	19	3	2
Two	205	-	8	51	64	37	31	14	-	-
Three	83	-	5	14	16	25	20	2	1	-
Four or More	61	-	1	2	28	16	12	2	-	-
Other Contraceptive	702	-	55	186	200	135	97	23	3	3
No Previous Abortion	338	-	47	92	90	51	45	8	2	3
One	187	-	4	50	59	45	22	6	1	-
Two	105	-	3	30	32	21	15	4	-	-
Three	36	-	1	8	8	8	8	3	-	-
Four or More	29	-	-	3	8	9	7	2	-	-
Contraceptive Use Unknown	22	-	2	4	7	5	-	3	-	1
No Previous Abortion	12	-	2	2	3	3	-	1	-	1
One	3	-	-	-	3	-	-	-	-	-
Two	3	-	-	-	-	1	-	2	-	-
Three	-	-	-	-	-	-	-	-	-	-
Four or More	1	-	-	-	1	-	-	-	-	-
Previous Abortions Unknown ...	31	-	7	6	8	3	5	1	-	1
Number of Living Children										
No Children	5,103	29	1,504	1,814	999	453	213	59	4	28
Total with Children	5,460	1	302	1,383	1,549	1,153	769	253	30	20
One	2,472	1	258	881	631	376	251	60	8	6
Two	1,827	-	39	389	584	409	282	100	15	9
Three	788	-	4	92	253	241	134	57	4	3
Four	257	-	1	19	59	84	73	17	2	2
Five or More	116	-	-	2	22	43	29	19	1	-

- Quantity is zero.

NOTE: Contraceptive totals include abortions where the number of previous abortions is unknown. Multiple contraceptive methods may be reported for a single patient.

**TABLE 3-6. Induced Terminations of Pregnancy by Residence
and Age Group of Patient, Oregon Occurrence, 2008**

Place of Residence	Total	Age Groups								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.
Total	10,610	30	1,812	3,213	2,563	1,609	985	315	34	49
Baker	2	*	*	*	*	*	*	*	*	*
Benton	124	—	20	58	25	12	6	1	—	2
Clackamas	895	—	178	244	186	141	102	37	3	4
Clatsop	70	2	14	18	17	8	7	4	—	—
Columbia	86	1	22	27	20	10	3	3	—	—
Coos	37	—	6	16	5	5	3	1	1	—
Crook	19	—	6	3	5	2	—	3	—	—
Curry	5	*	*	*	*	*	*	*	*	*
Deschutes	359	1	55	98	81	63	46	14	1	—
Douglas	59	—	13	14	13	12	6	—	1	—
Gilliam	2	*	*	*	*	*	*	*	*	*
Grant	2	*	*	*	*	*	*	*	*	*
Harney	6	*	*	*	*	*	*	*	*	*
Hood River	41	—	5	8	12	7	5	4	—	—
Jackson	439	—	102	132	108	51	25	15	3	3
Jefferson	37	2	4	13	9	4	4	1	—	—
Josephine	117	—	23	30	19	26	16	3	—	—
Klamath	96	—	32	29	20	7	5	3	—	—
Lake	4	*	*	*	*	*	*	*	*	*
Lane	517	2	103	178	106	54	48	22	—	4
Lincoln	83	1	11	21	21	18	9	1	1	—
Linn	153	1	45	48	28	21	7	3	—	—
Malheur	2	*	*	*	*	*	*	*	*	*
Marion	852	4	196	294	183	106	47	17	2	3
Morrow	4	*	*	*	*	*	*	*	*	*
Multnomah	3,599	5	505	1,049	983	600	338	89	13	17
Polk	91	—	18	40	25	6	1	1	—	—
Sherman	1	*	*	*	*	*	*	*	*	*
Tillamook	37	—	6	8	9	9	4	—	—	1
Umatilla	19	—	5	4	4	1	4	1	—	—
Union	13	—	3	3	6	1	—	—	—	—
Wallowa	—	—	—	—	—	—	—	—	—	—
Wasco	39	2	8	9	10	3	4	2	1	—
Washington	1,358	4	180	425	324	217	151	46	4	7
Wheeler	2	*	*	*	*	*	*	*	*	*
Yamhill	180	1	19	63	47	23	19	6	—	2
Out of State	1,244	4	222	370	286	196	121	36	4	5
Not Stated	16	—	2	4	6	2	1	1	—	—

— Quantity is zero.

* Detailed reporting of small numbers may breach confidentiality.

TABLE 3-7. Induced Terminations of Pregnancy by County of Residence and County of Occurrence, Oregon, 2008

County of Residence	Total	County of Occurrence							
		Benton	Deschutes	Jackson	Lane	Marion	Multnomah	Washington	Yamhill
Total	10,610	22	403	623	513	718	7,491	677	157
Baker	2	*	*	*	*	*	*	*	*
Benton	124	9	—	1	9	54	37	5	9
Clackamas ..	895	—	—	—	3	8	830	50	3
Clatsop	70	—	—	—	1	—	63	5	1
Columbia	86	—	—	1	—	1	76	8	—
Coos	37	—	—	—	14	—	22	1	—
Crook	19	—	17	1	—	—	1	—	—
Curry	5	*	*	*	*	*	*	*	*
Deschutes ...	359	—	322	1	1	—	34	1	—
Douglas	59	—	1	2	32	—	24	—	—
Gilliam	2	*	*	*	*	*	*	*	*
Grant	2	*	*	*	*	*	*	*	*
Harney	6	*	*	*	*	*	*	*	*
Hood River ..	41	—	—	—	—	1	39	1	—
Jackson	439	—	2	408	14	—	15	—	—
Jefferson	37	—	23	6	—	1	7	—	—
Josephine ...	117	—	—	108	4	—	5	—	—
Klamath	96	—	12	67	8	1	6	1	—
Lake	4	*	*	*	*	*	*	*	*
Lane	517	—	2	1	395	19	85	8	6
Lincoln	83	1	1	—	6	23	35	5	12
Linn	153	8	—	—	7	62	68	4	4
Malheur	2	*	*	*	*	*	*	*	*
Marion	852	1	1	—	1	454	303	34	58
Morrow	4	*	*	*	*	*	*	*	*
Multnomah ..	3,599	—	2	1	5	8	3,449	120	11
Polk	91	2	—	—	1	49	26	1	12
Sherman	1	*	*	*	*	*	*	*	*
Tillamook	37	—	—	—	1	—	33	3	—
Umatilla	19	—	1	—	—	—	18	—	—
Union	13	—	—	—	—	—	12	1	—
Wallowa	—	—	—	—	—	—	—	—	—
Wasco	39	—	1	—	1	—	34	3	—
Washington	1,358	—	—	—	7	5	956	384	6
Wheeler	2	*	*	*	*	*	*	*	*
Yamhill	180	—	—	—	—	26	98	23	33
Out of State	1,244	1	7	22	—	3	1,193	16	2

— Quantity is zero.

* Detailed reporting of small numbers may breach confidentiality.