

TABLE 3-1. Number, Rate, and Percent Change for Pregnancies, Births, and Abortions to 15- to 44-year-olds, Oregon, 1980-2010

Year	Pregnancies ¹			Births ²			Abortions ³				
	No.	Rate	% Change in Rate from Previous Year	No.	Rate	% Change in Rate from Previous Year	No.	Rate	% Change in Rate from Previous Year	% of Pregnancies Ending in Abortion	% Change in Percent from Previous Year
1980	58,592	94.4	1.6	43,007	69.3	0.3	15,585	25.1	5.3	26.6	3.7
1985	51,287	81.1	-2.9	39,364	62.2	-1.0	11,923	18.8	-9.1	23.2	-6.5
1990	56,315	85.8	1.3	42,741	65.2	3.0	13,754	20.7	-3.0	24.1	-4.4
1995	56,521	82.8	2.7	42,568	62.4	2.1	13,953	20.4	4.6	24.7	2.1
1996	57,175	83.1	0.4	43,515	63.2	1.3	13,660	19.9	-2.5	24.4	-1.2
1997	58,106	84.0	3.1	43,619	63.0	-0.3	14,487	20.9	5.0	24.9	2.0
1998	59,284	84.5	0.6	45,075	64.2	1.9	14,209	20.3	-2.9	24.0	-3.6
1999	59,067	84.2	-0.4	45,039	64.2	0.0	14,028	20.0	-1.5	23.7	-1.3
2000	59,758	82.4	-2.1	45,654	62.9	-2.0	14,104	19.4	-3.0	23.6	-0.4
2001	59,348	81.0	-1.7	45,177	61.6	-2.1	14,171	19.3	-0.5	23.9	1.3
2002	58,172	78.6	-3.0	45,071	60.9	-1.1	13,101	17.7	-8.3	22.5	-5.9
2003	58,337	77.9	-0.9	45,799	61.2	0.5	12,538	16.7	-5.6	21.5	-4.4
2004	56,865	74.9	-3.9	45,508	60.0	-2.0	11,357	15.0	-10.2	20.0	-7.0
2005	57,271	77.9	4.0	45,776	62.2	3.7	11,495	15.6	4.0	20.1	0.5
2006	60,678	81.9	5.1	48,539	65.5	5.3	12,139	16.4	5.1	20.0	-0.5
2007	60,885	81.7	-0.2	49,211	66.0	0.8	11,674	15.7	-4.3	19.2	-4.2
2008	59,496	78.4	-4.0	48,999	64.6	-2.2	10,497	13.8	-11.6	17.6	-8.0
2009	57,804	76.1	-2.9	47,070	62.0	-4.0	10,734	14.1	2.2	18.6	5.3
2010	55,395	73.1	-4.0	45,479	60.0	-3.2	9,916	13.1	-7.5	17.9	-3.6

¹ Pregnancies include resident births and occurrence abortions, but exclude fetal deaths and spontaneous abortions.

² Oregon residence, figures for births (includes 15-44 year-old females only).

³ Oregon occurrence, figures for abortions (includes 15-44 and unknown age females).

Note: ORS 435.496 was implemented in 1984, requiring all providers of abortion to file a report of induced termination of pregnancy for each abortion performed. Rates per 1,000 females 15-44 years of age. 2010 population estimate: 757,905.

**Table 3-2. Live Births and Induced Abortions
Occurring in Oregon, 1970-2010**

Year	Births	Induced Abortions	
		Number	Ratio
1970	36,031	7,187	199.5
1975	34,312	10,641	310.1
1976	35,612	12,590	353.5
1977	38,448	13,163	342.4
1978	40,015	13,605	340.0
1979	42,874	14,501	338.2
1980	44,223	*15,735	355.8
1981	44,150	14,799	335.2
1982	42,093	12,807	304.3
1983	41,047	12,064	293.9
1984	40,841	**13,133	321.6
1985	40,778	12,056	295.6
1986	40,093	11,217	279.8
1987	39,996	11,147	278.7
1988	41,345	13,309	321.9
1989	42,710	13,928	326.1
1990	44,464	13,658	307.2
1991	44,007	14,310	325.2
1992	43,627	12,685	290.8
1993	43,272	12,961	299.5
1994	43,591	13,392	307.2
1995	44,609	14,079	315.6
1996	45,677	13,767	301.4
1997	45,117	14,612	323.9
1998	46,277	14,344	310.0
1999	46,106	14,145	306.8
2000	46,790	14,194	303.4
2001	46,200	14,272	308.9
2002	46,053	13,172	286.0
2003	46,844	12,622	269.4
2004	46,453	11,443	246.3
2005	46,715	11,602	248.4
2006	49,089	12,246	249.5
2007	49,373	11,883	240.7
2008	49,492	10,610	214.4
2009	47,685	10,801	226.5
2010	45,904	9,990	217.6

* The increase in the 1980 total reflects improved reporting rather than an increase in the number of abortions performed. Approximately 1,000-1,400 of the abortions were performed by providers who did not participate in the voluntary abortion reporting system prior to 1980 even though they performed abortions in previous years.

**The increase in the 1984 total is probably a consequence of the implementation of ORS 435.496, which requires that an induced termination of pregnancy report be filed by abortion providers whenever an induced abortion is performed.

NOTE: Induced abortion ratio is the number of abortions per 1,000 live births.

TABLE 3-3. Induced Abortions by Race/Ethnicity, Marital Status and Age, Oregon Occurrence, 2010

Race/Ethnicity and Marital Status	Total	Age Groups								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.
Total	9,990	34	1,436	3,200	2,460	1,544	913	314	40	49
White	8,295	27	1,192	2,654	2,038	1,288	756	268	32	40
African American	626	6	100	218	181	73	41	4	1	2
American Indian	275	1	42	102	56	49	14	9	1	1
Chinese	117	—	9	32	30	18	18	9	—	1
Japanese	25	—	2	9	9	3	2	—	—	—
Hawaiian	28	—	3	10	9	3	2	—	1	—
Filipino	51	—	4	18	13	9	4	2	—	1
Other Asian/Pacific Islander ...	301	—	36	76	75	61	40	12	1	—
Other Non-white	12	—	2	6	2	—	2	—	—	—
Unknown	355	2	65	116	76	52	27	9	3	5
Hispanic	1,118	3	205	350	239	185	88	32	6	10
White	873	2	164	270	190	143	68	25	4	7
African American	25	—	3	7	10	1	3	1	—	—
American Indian	42	—	6	15	8	8	5	—	—	—
Chinese	7	—	—	6	—	—	1	—	—	—
Japanese	1	—	—	—	1	—	—	—	—	—
Hawaiian	4	—	—	—	1	1	1	—	1	—
Filipino	4	—	1	1	—	1	1	—	—	—
Other Asian/Pacific Islander	10	—	—	2	2	5	—	1	—	—
Other Non-white	3	—	1	2	—	—	—	—	—	—
Unknown	163	1	29	53	31	28	12	5	1	3
Non-Hispanic	8,778	30	1,218	2,824	2,196	1,342	817	280	33	38
White	7,371	24	1,019	2,371	1,836	1,134	686	241	27	33
African American	591	6	97	209	166	71	36	3	1	2
American Indian	230	1	36	85	48	40	9	9	1	1
Chinese	108	—	9	25	30	17	17	9	—	1
Japanese	24	—	2	9	8	3	2	—	—	—
Hawaiian	24	—	3	10	8	2	1	—	—	—
Filipino	46	—	3	17	12	8	3	2	—	1
Other Asian/Pacific Islander	289	—	36	74	72	56	39	11	1	—
Other Non-white	9	—	1	4	2	—	2	—	—	—
Unknown	169	1	32	55	39	22	13	4	2	1
Ethnicity Unknown	94	1	13	26	25	17	8	2	1	1
Marital Status										
Never Married	6,632	34	1,310	2,622	1,587	686	296	62	8	27
Now Married	1,420	—	31	194	393	393	272	119	14	4
Widowed	24	—	—	2	6	10	5	1	—	—
Divorced	757	—	2	46	154	235	219	89	9	3
Separated	397	—	3	76	120	116	52	27	3	—
Unknown	760	—	90	260	200	104	69	16	6	15

— Quantity is zero.

NOTE: Persons may report multiple races, therefore the subsets may not add to the category totals.

TABLE 3-4. Abortions in Relation to Length of Gestation by Method, Complications, and Age of Patient, Oregon Occurrence, 2010

Method, Complications and Age of Patient	Total	Weeks Gestation						
		< 9	9-12	13-16	17-20	21-22	23+	Unk.
Total	9,990	6,348	2,195	707	300	88	64	288
Suction Curette	5,236	3,115	1,592	323	14	4	1	187
Medical (Non-surgical)	1,971	1,845	50	5	7	3	4	57
Dilation & Evacuation	2,686	1,325	547	372	271	78	56	37
Intra-uterine Instillation	5	3	–	–	1	1	–	–
Vaginal Prostaglandin	8	1	1	–	3	2	1	–
Sharp Curettage	6	4	–	1	–	–	–	1
Other	55	44	1	3	4	–	2	1
Unknown	23	11	4	3	–	–	–	5
Complications								
None	7,395	4,229	1,930	630	262	78	54	212
Hemorrhage	7	5	2	–	–	–	–	–
Infection	16	12	4	–	–	–	–	–
Uterine Perforation	1	1	–	–	–	–	–	–
Retained Products	88	68	11	2	2	–	–	5
Failure of First Method	41	35	3	–	–	–	–	3
Other	74	48	19	2	1	–	–	4
Multiple Complications	13	12	1	–	–	–	–	–
Age Groups								
< 15	34	15	13	4	2	–	–	–
15-19	1,436	851	353	111	52	14	9	46
20-24	3,200	1,939	760	255	85	28	29	104
25-29	2,460	1,576	543	160	86	24	13	58
30-34	1,544	1,069	272	92	45	13	6	47
35-39	913	621	179	61	20	7	6	19
40-44	314	221	55	20	9	2	1	6
45+	40	26	10	2	–	–	–	2
N.S.	49	30	10	2	1	–	–	6

– Quantity is zero.

TABLE 3-5. Contraceptive Use, Number of Previous Abortions, and Number of Living Children by Age of Patient, Oregon Occurrence, 2010

Contraceptive Used, Previous Abortions, and Number of Living Children	Total	Age Groups								
		< 15	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.
Total	9,990	34	1,436	3,200	2,460	1,544	913	314	40	49
None Used	6,710	30	1,034	2,174	1,612	991	586	215	29	39
No Previous Abortion	3,839	29	870	1,314	792	448	252	100	13	21
One	1,614	—	129	557	412	267	180	55	10	4
Two	695	—	22	191	226	141	69	34	3	9
Three	252	—	3	56	93	49	33	16	1	1
Four or More	236	—	3	32	75	73	43	8	1	1
Pills Used	1,026	1	143	377	260	151	73	17	2	2
No Previous Abortion	595	1	117	242	130	60	37	7	—	1
One	233	—	19	84	70	40	13	5	2	—
Two	100	—	2	30	31	23	11	2	—	1
Three	43	—	2	10	9	15	6	1	—	—
Four or More	41	—	—	3	20	10	6	2	—	—
Condoms Used	1,646	3	210	499	414	305	158	44	7	6
No Previous Abortion	862	3	171	304	196	110	49	23	3	3
One	422	—	35	128	103	92	52	9	2	1
Two	200	—	3	44	66	48	31	5	2	1
Three	82	—	1	11	29	25	12	4	—	—
Four or More	72	—	—	9	19	27	14	3	—	—
Other Contraceptive	720	—	59	187	211	115	102	41	3	2
No Previous Abortion	346	—	46	104	92	44	36	23	1	—
One	209	—	9	55	59	34	39	10	1	2
Two	91	—	2	18	33	21	13	3	1	—
Three	41	—	1	5	16	8	7	4	—	—
Four or More	24	—	—	4	7	6	6	1	—	—
Contraceptive Use Unknown	32	—	2	9	10	6	2	1	1	1
No Previous Abortion	15	—	1	6	3	4	—	1	—	—
One	6	—	—	2	3	1	—	—	—	—
Two	3	—	1	—	2	—	—	—	—	—
Three	2	—	—	—	1	—	1	—	—	—
Four or More	—	—	—	—	—	—	—	—	—	—
Previous Abortions Unknown ...	—	—	—	—	—	—	—	—	—	—
Number of Living Children										
No Children	4,780	33	1,176	1,852	1,024	402	217	51	6	19
Total with Children	5,147	—	251	1,328	1,422	1,132	691	261	34	28
One	2,314	—	229	849	595	376	190	55	9	11
Two	1,742	—	22	370	520	410	275	121	13	11
Three	734	—	—	96	214	237	130	47	7	3
Four	243	—	—	13	69	71	62	23	3	2
Five or More	114	—	—	—	24	38	34	15	2	1

— Quantity is zero.

NOTE: Contraceptive totals include abortions where the number of previous abortions is unknown. Multiple contraceptive methods may be reported for a single patient.

TABLE 3-6. Induced Terminations of Pregnancy by Residence and Age Group of Patient, Oregon Occurrence, 2010

Place of Residence	Total	Age Groups								
		<15	15-19	20-24	25-29	30-34	35-39	40-44	45+	N.S.
Total	9,990	34	1,436	3,200	2,460	1,544	913	314	40	49
Baker	3	*	*	*	*	*	*	*	*	*
Benton	187	—	18	83	40	19	15	11	—	1
Clackamas	752	4	111	231	173	111	89	29	4	—
Clatsop	83	1	9	24	27	10	6	4	1	1
Columbia	85	1	19	28	19	8	7	3	—	—
Coos	106	1	22	34	22	20	5	2	—	—
Crook	24	—	4	10	2	5	3	—	—	—
Curry	14	—	3	3	1	3	1	2	—	1
Deschutes	287	1	51	88	61	38	29	17	2	—
Douglas	181	1	45	48	46	28	8	4	1	—
Gilliam	1	*	*	*	*	*	*	*	*	*
Grant	4	*	*	*	*	*	*	*	*	*
Harney	4	*	*	*	*	*	*	*	*	*
Hood River	34	—	7	13	8	3	3	—	—	—
Jackson	520	1	68	195	113	78	42	16	2	5
Jefferson	29	—	9	8	5	4	2	1	—	—
Josephine	136	—	36	36	23	21	13	6	—	1
Klamath	99	1	17	38	19	12	9	3	—	—
Lake	4	*	*	*	*	*	*	*	*	*
Lane	929	—	113	343	216	156	65	27	5	4
Lincoln	92	—	10	28	26	13	7	6	2	—
Linn	183	1	40	64	44	17	13	2	1	1
Malheur	5	*	*	*	*	*	*	*	*	*
Marion	676	1	124	224	148	98	54	14	5	8
Morrow	7	*	*	*	*	*	*	*	*	*
Multnomah	2,905	10	332	918	803	472	268	84	7	11
Polk	112	—	26	40	22	15	7	2	—	—
Sherman	2	*	*	*	*	*	*	*	*	*
Tillamook	39	—	7	9	7	9	4	2	—	1
Umatilla	24	1	3	6	5	4	5	—	—	—
Union	9	*	*	*	*	*	*	*	*	*
Wallowa	—	—	—	—	—	—	—	—	—	—
Wasco	33	—	4	14	4	4	6	1	—	—
Washington	1,202	2	157	354	310	201	125	42	4	7
Wheeler	1	*	*	*	*	*	*	*	*	*
Yamhill	149	2	26	49	35	20	11	4	2	—
Out of State	1,050	6	164	298	266	164	112	32	3	5
Not Stated	19	—	1	5	5	3	2	—	—	3

— Quantity is zero.

* Detailed reporting of small numbers may breach confidentiality.

TABLE 3-7. Induced Terminations of Pregnancy by County of Residence and County of Occurrence, Oregon, 2010

County of Residence	Total	County of Occurrence							
		Benton	Deschutes	Jackson	Lane	Marion	Multnomah	Washington	Yamhill
Total	9,990	24	323	647	1,443	642	6,231	575	98
Baker	3	*	*	*	*	*	*	*	*
Benton	187	19	—	—	51	63	40	7	7
Clackamas ..	752	—	—	—	1	7	699	41	3
Clatsop	83	—	—	—	3	—	70	10	—
Columbia	85	—	—	—	—	—	77	8	—
Coos	106	—	—	2	86	—	18	—	—
Crook	24	—	16	1	3	1	3	—	—
Curry	14	—	—	4	9	—	1	—	—
Deschutes ...	287	—	255	1	8	1	22	—	—
Douglas	181	—	1	4	156	1	18	1	—
Gilliam	1	*	*	*	*	*	*	*	*
Grant	4	*	*	*	*	*	*	*	*
Harney	4	*	*	*	*	*	*	*	*
Hood River ..	34	—	—	—	—	—	32	2	—
Jackson	520	—	1	444	60	1	13	1	—
Jefferson	29	—	15	3	2	—	9	—	—
Josephine ...	136	—	2	100	28	1	4	1	—
Klamath	99	—	13	65	15	—	5	1	—
Lake	4	*	*	*	*	*	*	*	*
Lane	929	—	1	3	857	7	51	6	4
Lincoln	92	1	—	—	20	30	32	4	5
Linn	183	2	—	1	62	63	47	3	5
Malheur	5	*	*	*	*	*	*	*	*
Marion	676	—	—	—	10	372	246	15	33
Morrow	7	*	*	*	*	*	*	*	*
Multnomah ..	2,905	—	—	1	10	6	2,804	79	2
Polk	112	1	—	—	4	57	41	5	4
Sherman	2	*	*	*	*	*	*	*	*
Tillamook	39	—	—	—	4	2	29	3	1
Umatilla	24	—	—	—	—	—	24	—	—
Union	9	*	*	*	*	*	*	*	*
Wallowa	—	—	—	—	—	—	—	—	—
Wasco	33	—	1	—	1	—	30	1	—
Washington	1,202	1	—	—	33	4	805	353	4
Wheeler	1	*	*	*	*	*	*	*	*
Yamhill	149	—	—	—	—	23	83	15	28
Out of State	1,050	—	7	18	17	2	988	16	1
Not Stated ...	19	—	—	—	2	—	14	2	1

— Quantity is zero.

* Detailed reporting of small numbers may breach confidentiality.