

**TABLE 6-6.  
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996**

ICD* 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
<b>ALL CAUSES</b>		28,900	244	69	109	379	565	1,058	1,550	2,606	5,605	4,096	12,619
	MALE	14,694	136	42	55	290	417	734	968	1,544	3,261	2,168	5,079
	FEMALE	14,206	108	27	54	89	148	324	582	1,062	2,344	1,928	7,540
<b>I. INFECTIVE &amp; PARASITIC DISEASE</b>		473	5	3	6	6	73	130	53	39	49	33	76
	MALE	333		2	3	5	65	115	48	26	27	19	23
	FEMALE	140	5	1	3	1	8	15	5	13	22	14	53
010-018, 137	TUBERCULOSIS, ALL FORMS	14	-	-	-	1	-	-	1	2	5	-	5
	MALE	7	-	-	-	1	-	-	1	1	2	-	2
	FEMALE	7	-	-	-	-	-	-	-	1	3	-	3
038	SEPTICEMIA	106	-	1	1	1	3	5	3	9	14	21	48
	MALE	47	-	1	-	1	2	2	1	5	9	13	13
	FEMALE	59	-	-	1	-	1	3	2	4	5	8	35
042-044	AIDS	223	-	-	-	1	64	107	35	13	3	-	-
	MALE	212	-	-	-	1	59	101	35	13	3	-	-
	FEMALE	11	-	-	-	-	5	6	-	-	-	-	-
070	VIRAL HEPATITIS	50	-	-	-	-	2	14	8	7	13	3	3
	MALE	30	-	-	-	-	1	9	7	5	6	1	1
	FEMALE	20	-	-	-	-	1	5	1	2	7	2	2
RESIDUAL OF 001-139	OTHER INFECTIVE & PARASITIC DISEASES	80	5	2	5	3	4	4	6	8	14	9	20
	MALE	37	-	1	3	2	3	3	4	2	7	5	7
	FEMALE	43	5	1	2	1	1	1	2	6	7	4	13
<b>II. NEOPLASMS</b>		6,865	-	4	5	31	62	195	523	1,046	1,966	1,110	1,923
	MALE	3,628	-	3	2	16	36	90	263	565	1,126	600	927
	FEMALE	3,237	-	1	3	15	26	105	260	481	840	510	996
140-208	MALIGNANT NEOPLASMS	6,784	-	4	5	29	62	191	519	1,035	1,955	1,096	1,888
	MALE	3,596	-	3	2	14	36	87	260	558	1,121	596	919
	FEMALE	3,188	-	1	3	15	26	104	259	477	834	500	969
140-149	BUCCAL CAVITY & PHARYNX	86	-	-	-	1	-	3	8	14	24	11	25
	MALE	49	-	-	-	1	-	2	7	7	15	9	8
	FEMALE	37	-	-	-	-	-	1	1	7	9	2	17
150-159	DIGESTIVE ORGANS & PERITONEUM	1,499	-	-	1	3	11	35	116	215	430	243	445
	MALE	805	-	-	1	1	6	22	67	143	259	117	189
	FEMALE	694	-	-	-	2	5	13	49	72	171	126	256

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.**  
**NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
150	ESOPHAGUS	144	-	-	-	-	-	2	15	30	50	24	23
	MALE	101	-	-	-	-	-	2	14	23	34	16	12
	FEMALE	43	-	-	-	-	-	1	7	16	8	11	
151	STOMACH	145	-	-	-	-	3	4	11	20	35	23	49
	MALE	94	-	-	-	-	2	2	8	14	24	13	31
	FEMALE	51	-	-	-	-	1	2	3	6	11	10	18
153	LARGE INTESTINE (EXC. RECTUM)	556	-	-	-	-	3	13	44	73	150	88	185
	MALE	277	-	-	-	-	2	7	19	48	89	41	71
	FEMALE	279	-	-	-	-	1	6	25	25	61	47	114
154	RECTUM	112	-	-	-	2	2	3	8	20	22	15	40
	MALE	57	-	-	-	1	1	1	3	14	17	5	15
	FEMALE	55	-	-	-	1	1	2	5	6	5	10	25
157	PANCREAS	354	-	-	-	-	1	4	23	46	121	60	99
	MALE	167	-	-	-	-	-	1	12	30	61	26	37
	FEMALE	187	-	-	-	-	1	3	11	16	60	34	62
160-165	RESPIRATORY/INTRATHORACIC ORGANS	2,070	-	-	-	-	5	25	133	410	727	337	433
	MALE	1,210	-	-	-	-	5	17	74	231	434	201	248
	FEMALE	860	-	-	-	-	-	8	59	179	293	136	185
162.2-.9	BRONCHUS & LUNG	2,000	-	-	-	-	4	21	125	401	702	326	421
	MALE	1,161	-	-	-	-	4	13	69	224	418	192	241
	FEMALE	839	-	-	-	-	-	8	56	177	284	134	180
170-175	BONE, CONNECTIVE TISSUE, SKIN, & BREAST	720	-	-	1	4	16	58	105	119	156	81	180
	MALE	131	-	-	-	3	7	12	21	22	31	15	20
	FEMALE	589	-	-	1	1	9	46	84	97	125	66	160
172	MALIGNANT MELANOMA	103	-	-	-	-	6	10	19	17	21	12	18
	MALE	67	-	-	-	-	4	5	10	13	15	9	11
	FEMALE	36	-	-	-	-	2	5	9	4	6	3	7
173	OTHER SKIN	31	-	-	-	-	1	-	5	2	5	5	13
	MALE	21	-	-	-	-	1	-	4	1	5	3	7
	FEMALE	10	-	-	-	-	-	-	1	1	-	2	6
174-175	BREAST	518	-	-	-	-	4	40	71	89	114	60	140
	MALE	1	-	-	-	-	-	-	-	1	-	-	-
	FEMALE	517	-	-	-	-	4	40	71	88	114	60	140

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.  
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
179-187	GENITAL ORGANS	818	-	-	-	1	8	20	40	71	189	155	334
	MALE	513	-	-	-	-	3	1	9	25	121	110	244
	FEMALE	305	-	-	-	1	5	19	31	46	68	45	90
179-182	CERVIX & UTERUS	127	-	-	-	-	3	14	13	18	30	14	35
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	127	-	-	-	-	3	14	13	18	30	14	35
180	CERVIX UTERI	47	-	-	-	-	3	12	7	5	8	2	10
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	47	-	-	-	-	3	12	7	5	8	2	10
182	UTERUS	54	-	-	-	-	-	2	4	5	19	8	16
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	54	-	-	-	-	-	2	4	5	19	8	16
183.0	OVARY	160	-	-	-	1	2	4	15	25	34	27	52
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	160	-	-	-	1	2	4	15	25	34	27	52
185	PROSTATE	505	-	-	-	-	-	-	8	25	120	109	243
	MALE	505	-	-	-	-	-	-	8	25	120	109	243
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
188-189	URINARY ORGANS	300	-	-	-	1	2	3	20	40	89	49	96
	MALE	198	-	-	-	-	1	3	15	34	58	31	56
	FEMALE	102	-	-	-	1	1	-	5	6	31	18	40
188	BLADDER	145	-	-	-	-	-	2	3	18	40	26	56
	MALE	100	-	-	-	-	-	2	3	15	30	18	32
	FEMALE	45	-	-	-	-	-	-	-	3	10	8	24
190-199	OTHER & UNSPECIFIED SITES	575	-	2	2	7	6	20	52	89	149	92	156
	MALE	289	-	2	1	4	4	13	32	48	85	42	58
	FEMALE	286	-	-	1	3	2	7	20	41	64	50	98
191	BRAIN	186	-	1	2	7	5	10	30	43	41	21	26
	MALE	107	-	1	1	4	4	8	22	21	24	11	11
	FEMALE	79	-	-	1	3	1	2	8	22	17	10	15
200-208	LYMPHATIC & HEMATOPOIETIC TISSUES	716	-	2	1	12	14	27	45	77	191	128	219
	MALE	401	-	1	-	5	10	17	35	48	118	71	96
	FEMALE	315	-	1	1	7	4	10	10	29	73	57	123
202	LYMPHOMA	258	-	1	-	2	3	19	20	30	69	49	65
	MALE	137	-	-	-	-	3	11	15	19	39	22	28
	FEMALE	121	-	1	-	2	-	8	5	11	30	27	37

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.  
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
203.0	MULTIPLE MYELOMA	133	-	-	-	-	1	-	1	16	41	25	49
	MALE	75	-	-	-	-	-	-	-	9	27	17	22
	FEMALE	58	-	-	-	-	1	-	1	7	14	8	27
204-208	LEUKEMIA	281	-	1	1	8	8	6	19	29	69	50	90
	MALE	166	-	1	-	4	6	5	16	18	47	30	39
	FEMALE	115	-	-	1	4	2	1	3	11	22	20	51
204	LYMPHATIC LEUKEMIA	92	-	-	1	4	4	1	4	8	21	14	35
	MALE	44	-	-	-	1	3	1	4	7	11	6	11
	FEMALE	48	-	-	1	3	1	-	-	1	10	8	24
205	MYELOID LEUKEMIA	138	-	-	-	3	3	5	11	16	31	26	43
	MALE	90	-	-	-	2	3	4	8	8	23	19	23
	FEMALE	48	-	-	-	1	-	1	3	8	8	7	20
210-229	BENIGN NEOPLASMS	22	-	-	-	-	-	1	1	3	3	3	11
	MALE	9	-	-	-	-	-	-	1	2	2	2	2
	FEMALE	13	-	-	-	-	-	1	-	1	1	1	9
230-239	IN SITU, UNCERTAIN BEHAVIOR, & UNSPECIFIED NATURE NEOPLASMS	59	-	-	-	2	-	3	3	8	8	11	24
	MALE	23	-	-	-	2	-	3	2	5	3	2	6
	FEMALE	36	-	-	-	-	-	-	1	3	5	9	18
<b>III.</b>	<b>ENDOCRINE, NUTRITIONAL, &amp; METABOLIC DISEASES</b>	963	2	-	5	6	15	26	59	118	210	149	373
	MALE	437	2	-	2	6	10	18	33	61	98	81	126
	FEMALE	526	-	-	3	-	5	8	26	57	112	68	247
250	DIABETES MELLITUS	739	-	-	-	1	11	20	45	91	175	116	280
	MALE	338	-	-	-	1	7	17	26	44	80	64	99
	FEMALE	401	-	-	-	-	4	3	19	47	95	52	181
RESIDUAL OF 240-279	OTHER ENDOCRINE, NUTRITIONAL, & METABOLIC DISEASES	224	2	-	5	5	4	6	14	27	35	33	93
	MALE	99	2	-	2	5	3	1	7	17	18	17	27
	FEMALE	125	-	-	3	-	1	5	7	10	17	16	66
<b>IV.</b>	<b>DISEASES OF THE BLOOD-FORMING ORGANS</b>	122	1	1	1	-	1	2	6	5	20	12	73
	MALE	63	-	-	1	-	-	1	1	3	12	7	38
	FEMALE	59	1	1	-	-	1	1	5	2	8	5	35

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.**  
**NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
280-285	ANEMIAS	52	1	1	-	-	-	2	4	1	3	4	36
	MALE	21	-	-	-	-	-	1	-	1	1	1	17
	FEMALE	31	1	1	-	-	-	1	4	-	2	3	19
RESIDUAL OF 280-289	OTHER DISEASES OF THE BLOOD & BLOOD-FORMING ORGANS	70	-	-	1	-	1	-	2	4	17	8	37
	MALE	42	-	-	1	-	-	-	1	2	11	6	21
	FEMALE	28	-	-	-	-	1	-	1	2	6	2	16
	<b>V. MENTAL DISORDERS</b>	1030	-	-	1	3	21	34	33	36	95	90	717
	MALE	427	-	-	-	3	13	22	28	28	61	43	229
	FEMALE	603	-	-	1	-	8	12	5	8	34	47	488
290.1	ALZHEIMER'S DEMENTIA	311	-	-	-	-	-	-	-	-	20	42	249
	MALE	105	-	-	-	-	-	-	-	-	10	20	75
	FEMALE	206	-	-	-	-	-	-	-	-	10	22	174
291	ALCOHOLIC PSYCHOSIS	11	-	-	-	-	-	-	-	3	1	4	3
	MALE	7	-	-	-	-	-	-	-	1	1	3	2
	FEMALE	4	-	-	-	-	-	-	-	2	-	1	1
303	ALCOHOLISM	108	-	-	-	-	4	12	21	28	28	7	8
	MALE	85	-	-	-	-	2	8	19	24	21	5	6
	FEMALE	23	-	-	-	-	2	4	2	4	7	2	2
304	DRUG DEPENDENCE	26	-	-	-	-	9	11	5	1	-	-	-
	MALE	19	-	-	-	-	6	8	4	1	-	-	-
	FEMALE	7	-	-	-	-	3	3	1	-	-	-	-
305	NON-DEPENDENT DRUG ABUSE	33	-	-	-	2	5	8	4	1	9	2	2
	MALE	20	-	-	-	2	3	4	3	1	6	1	-
	FEMALE	13	-	-	-	-	2	4	1	-	3	1	2
RESIDUAL OF 290-319	OTHER MENTAL DISORDERS	541	-	-	1	1	3	3	3	3	37	35	455
	MALE	191	-	-	-	1	2	2	2	1	23	14	146
	FEMALE	350	-	-	1	-	1	1	1	2	14	21	309
	<b>VI. DISEASES OF THE NERVOUS SYSTEM &amp; SENSE ORGANS</b>	924	5	4	4	3	6	12	34	45	123	140	548
	MALE	405	2	1	2	2	5	11	19	25	60	68	210
	FEMALE	519	3	3	2	1	1	1	15	20	63	72	338

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.**  
**NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
320-322	MENINGITIS	5	1	-	1	-	1	-	1	1	-	-	-
	MALE	4	1	-	-	-	1	-	1	1	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-
331.0	ALZHEIMER'S DISEASE	429	-	-	-	-	-	-	2	5	37	56	329
	MALE	138	-	-	-	-	-	-	1	2	14	19	102
	FEMALE	291	-	-	-	-	-	-	1	3	23	37	227
332	PARKINSON'S DISEASE	236	-	-	-	-	-	-	1	4	30	47	154
	MALE	147	-	-	-	-	-	-	1	3	24	36	83
	FEMALE	89	-	-	-	-	-	-	-	1	6	11	71
345	EPILEPSY	12	-	-	1	1	4	4	1	-	-	-	1
	MALE	8	-	-	1	-	3	3	-	-	-	-	1
	FEMALE	4	-	-	-	1	1	1	1	-	-	-	-
RESIDUAL OF 320-389	OTHER DISEASES OF THE NERVOUS SYSTEM & SENSE ORGANS	242	4	4	2	2	1	8	29	35	56	37	64
	MALE	108	1	1	1	2	1	8	16	19	22	13	24
	FEMALE	134	3	3	1	-	-	-	13	16	34	24	40
<b>VII.</b>	<b>DISEASES OF THE CIRCULATORY SYSTEM</b>	11,173	11	2	4	7	28	158	386	764	1,964	1,662	6,187
	MALE	5,420	7	2	2	5	20	113	270	510	1,215	904	2,372
	FEMALE	5,753	4	-	2	2	8	45	116	254	749	758	3,815
390-448	MAJOR CARDIOVASCULAR DISEASES	11,142	11	2	4	7	27	157	384	761	1,959	1,656	6,174
	MALE	5,405	7	2	2	5	19	112	269	508	1,212	902	2,367
	FEMALE	5,737	4	-	2	2	8	45	115	253	747	754	3,807
390-398, 402, 404-429	DISEASES OF THE HEART	7,688	10	2	3	5	19	128	310	610	1,416	1,119	4,066
	MALE	3,989	6	2	1	3	12	97	232	432	914	646	1,644
	FEMALE	3,699	4	-	2	2	7	31	78	178	502	473	2,422
390-398	RHEUMATIC FEVER & CHRONIC RHEUMATIC HEART DISEASE	88	-	-	-	-	2	1	4	4	9	18	50
	MALE	31	-	-	-	-	1	1	2	1	3	5	18
	FEMALE	57	-	-	-	-	1	-	2	3	6	13	32
402, 404	HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE	245	-	-	-	-	-	2	12	17	30	24	160
	MALE	80	-	-	-	-	-	2	4	10	16	10	38
	FEMALE	165	-	-	-	-	-	-	8	7	14	14	122

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.  
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
410-414	ISCHEMIC HEART DISEASE	5,201	1	-	-	1	7	93	222	466	1,082	817	2,512
	MALE	2,893	1	-	-	-	6	73	179	346	704	490	1,094
	FEMALE	2,308	-	-	-	1	1	20	43	120	378	327	1,418
410	MYOCARDIAL INFARCTION	2,067	1	-	-	1	2	29	76	194	485	349	930
	MALE	1,161	1	-	-	-	2	22	60	145	311	201	419
	FEMALE	906	-	-	-	1	-	7	16	49	174	148	511
411	OTHER ACUTE & SUBACUTE ISCHEMIC HEART DISEASE	11	-	-	-	-	-	-	1	2	-	2	6
	MALE	5	-	-	-	-	-	-	1	1	-	1	2
	FEMALE	6	-	-	-	-	-	-	-	1	-	1	4
412-414	CHRONIC ISCHEMIC HEART DISEASE	3,123	-	-	-	-	5	64	145	270	597	466	1,576
	MALE	1,727	-	-	-	-	4	51	118	200	393	288	673
	FEMALE	1,396	-	-	-	-	1	13	27	70	204	178	903
415-429	ALL OTHER FORMS	2,154	9	2	3	4	10	32	72	123	295	260	1,344
	MALE	985	5	2	1	3	5	21	47	75	191	141	494
	FEMALE	1,169	4	-	2	1	5	11	25	48	104	119	850
401, 403	HYPERTENSION	194	-	-	-	-	1	1	7	4	41	26	114
	MALE	70	-	-	-	-	1	1	6	1	24	10	27
	FEMALE	124	-	-	-	-	-	-	1	3	17	16	87
430-438	CEREBROVASCULAR DISEASE	2,632	1	-	1	1	6	24	51	107	375	402	1,664
	MALE	1,013	1	-	1	1	5	12	22	48	194	181	548
	FEMALE	1,619	-	-	-	-	1	12	29	59	181	221	1,116
430	SUBARACHNOID HEMORRHAGE	102	-	-	-	1	1	7	22	18	24	11	18
	MALE	32	-	-	-	1	1	4	6	6	9	1	4
	FEMALE	70	-	-	-	-	-	3	16	12	15	10	14
431-432	INTRACEREBRAL & INTRACRANIAL HEMORRHAGES	325	-	-	1	-	4	13	12	32	76	56	131
	MALE	149	-	-	1	-	3	6	6	14	40	29	50
	FEMALE	176	-	-	-	-	1	7	6	18	36	27	81
434	CEREBRAL THROMBOSIS & EMBOLISM	312	-	-	-	-	-	2	3	6	31	45	225
	MALE	110	-	-	-	-	-	1	1	1	18	19	70
	FEMALE	202	-	-	-	-	-	1	2	5	13	26	155
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	1,506	-	-	-	-	1	1	9	35	192	236	1,032
	MALE	560	-	-	-	-	1	1	5	20	103	105	325
	FEMALE	946	-	-	-	-	-	-	4	15	89	131	707

- Quantity is zero.

Note: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.**  
**NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
437	GENERALIZED ISCHEMIC CEREBROVASCULAR DISEASE	185	1	-	-	-	-	-	1	8	22	25	128
	MALE	66	1	-	-	-	-	-	1	3	9	11	41
	FEMALE	119	-	-	-	-	-	-	-	5	13	14	87
440	ARTERIOSCLEROSIS	256	-	-	-	-	-	-	2	7	27	35	185
	MALE	118	-	-	-	-	-	-	2	7	13	20	76
	FEMALE	138	-	-	-	-	-	-	-	-	14	15	109
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, & CAPILLARIES	372	-	-	-	1	1	4	14	33	100	74	145
	MALE	215	-	-	-	1	1	2	7	20	67	45	72
	FEMALE	157	-	-	-	-	-	2	7	13	33	29	73
441	AORTIC ANEURYSM	226	-	-	-	1	-	2	6	20	65	48	84
	MALE	155	-	-	-	1	-	1	6	14	52	35	46
	FEMALE	71	-	-	-	-	-	1	-	6	13	13	38
451-453	VENOUS THROMBOSIS & EMBOLISM	13	-	-	-	-	1	1	2	1	2	2	4
	MALE	6	-	-	-	-	1	1	1	1	1	-	1
	FEMALE	7	-	-	-	-	-	-	1	-	1	2	3
RESIDUAL OF 390-459	OTHER DISEASES OF THE CIRCULATORY SYSTEM	18	-	-	-	-	-	-	-	2	3	4	9
	MALE	9	-	-	-	-	-	-	-	1	2	2	4
	FEMALE	9	-	-	-	-	-	-	-	1	1	2	5
<b>VIII.</b>	<b>DISEASES OF THE RESPIRATORY SYSTEM</b>	2,933	4	1	1	4	9	23	58	206	658	525	1,444
	MALE	1,447	3	1	1	3	4	15	33	104	351	276	656
	FEMALE	1,486	1	-	-	1	5	8	25	102	307	249	788
480-487	PNEUMONIA & INFLUENZA	946	3	-	1	1	2	12	21	30	105	107	664
	MALE	431	2	-	1	1	2	9	12	17	65	59	263
	FEMALE	515	1	-	-	-	-	3	9	13	40	48	401
480-486	PNEUMONIA	936	3	-	1	1	2	11	21	29	105	104	659
	MALE	426	2	-	1	1	2	8	12	16	65	58	261
	FEMALE	510	1	-	-	-	-	3	9	13	40	46	398
487	INFLUENZA	10	-	-	-	-	-	1	-	1	-	3	5
	MALE	5	-	-	-	-	-	1	-	1	-	1	2
	FEMALE	5	-	-	-	-	-	-	-	-	-	2	3

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.



**TABLE 6-6.  
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE & ALLIED CONDITIONS	1,676	-	-	-	2	4	9	31	158	493	354	625
	MALE	851	-	-	-	1	1	4	19	77	251	178	320
	FEMALE	825	-	-	-	1	3	5	12	81	242	176	305
490-491	CHRONIC & UNSPECIFIED BRONCHITIS	51	-	-	-	-	-	1	-	9	12	7	22
	MALE	36	-	-	-	-	-	-	-	6	10	4	16
	FEMALE	15	-	-	-	-	-	1	-	3	2	3	6
492	EMPHYSEMA	406	-	-	-	-	-	2	14	45	138	81	126
	MALE	213	-	-	-	-	-	2	11	23	70	33	74
	FEMALE	193	-	-	-	-	-	-	3	22	68	48	52
493	ASTHMA	89	-	-	-	2	4	5	4	7	14	17	36
	MALE	38	-	-	-	1	1	1	2	3	9	9	12
	FEMALE	51	-	-	-	1	3	4	2	4	5	8	24
494	BRONCHIECTASIS	26	-	-	-	-	-	-	1	2	4	4	15
	MALE	6	-	-	-	-	-	-	-	1	-	2	3
	FEMALE	20	-	-	-	-	-	-	1	1	4	2	12
496	CHRONIC AIRWAY OBSTRUCTION NOT ELSEWHERE CLASSIFIED (COPD)	1,104	-	-	-	-	-	1	12	95	325	245	426
	MALE	558	-	-	-	-	-	1	6	44	162	130	215
	FEMALE	546	-	-	-	-	-	-	6	51	163	115	211
RESIDUAL OF 460-519	OTHER DISEASES OF THE RESPIRATORY SYSTEM	311	1	1	-	1	3	2	6	18	60	64	155
	MALE	165	1	1	-	1	1	2	2	10	35	39	73
	FEMALE	146	-	-	-	-	2	-	4	8	25	25	82
<b>IX.</b>	<b>DISEASES OF THE DIGESTIVE SYSTEM</b>	1,013	1	2	5	4	7	70	97	115	186	139	387
	MALE	491	1	2	1	2	5	44	61	72	108	53	142
	FEMALE	522	-	-	4	2	2	26	36	43	78	86	245
531	ULCER OF THE STOMACH	12	-	-	-	-	1	-	1	-	1	3	6
	MALE	4	-	-	-	-	-	-	1	-	1	1	1
	FEMALE	8	-	-	-	-	1	-	-	-	-	2	5
532	ULCER OF THE DUODENUM	17	-	-	-	1	-	-	-	2	2	3	9
	MALE	7	-	-	-	-	-	-	-	2	1	-	4
	FEMALE	10	-	-	-	1	-	-	-	-	1	3	5

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.**  
**NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS												
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
533	PEPTIC ULCER	20	-	-	-	-	-	-	-	-	-	1	6	13
	MALE	8	-	-	-	-	-	-	-	-	-	-	4	4
	FEMALE	12	-	-	-	-	-	-	-	-	-	1	2	9
550-553, 560	HERNIA & INTESTINAL OBSTRUCTION	83	-	-	2	-	1	1	4	3	11	10	51	
	MALE	38	-	-	1	-	-	1	2	1	5	4	24	
	FEMALE	45	-	-	1	-	1	-	2	2	6	6	27	
571	CIRRHOSIS OF THE LIVER	328	-	-	-	-	4	55	68	80	68	28	25	
	MALE	198	-	-	-	-	4	33	46	49	43	11	12	
	FEMALE	130	-	-	-	-	-	22	22	31	25	17	13	
571.0-.3	ALCOHOLIC CIRRHOSIS OF THE LIVER	276	-	-	-	-	4	54	65	72	52	15	14	
	MALE	183	-	-	-	-	4	33	43	48	38	7	10	
	FEMALE	93	-	-	-	-	-	21	22	24	14	8	4	
574-576	DISEASES OF THE GALLBLADDER	57	-	1	-	-	-	1	2	1	9	10	33	
	MALE	28	-	1	-	-	-	1	2	1	6	3	14	
	FEMALE	29	-	-	-	-	-	-	-	-	3	7	19	
577	DISEASES OF THE PANCREAS	31	-	-	-	-	-	5	2	5	7	3	9	
	MALE	18	-	-	-	-	-	4	-	5	4	1	4	
	FEMALE	13	-	-	-	-	-	1	2	-	3	2	5	
RESIDUAL OF 520-579	OTHER DISEASES OF THE DIGESTIVE SYSTEM	465	1	1	3	3	1	8	20	24	87	76	241	
	MALE	190	1	1	-	2	1	5	10	14	48	29	79	
	FEMALE	275	-	-	3	1	-	3	10	10	39	47	162	
<b>X.</b>	<b>DISEASES OF THE GENITOURINARY SYSTEM</b>	360	-	-	-	1	1	7	8	16	44	59	224	
	MALE	149	-	-	-	1	-	4	6	6	18	24	90	
	FEMALE	211	-	-	-	-	1	3	2	10	26	35	134	
580-589	NEPHRITIS & NEPHROSIS	153	-	-	-	-	1	3	6	8	24	30	81	
	MALE	63	-	-	-	-	-	2	5	3	11	12	30	
	FEMALE	90	-	-	-	-	1	1	1	5	13	18	51	
590	INFECTIONS OF THE KIDNEY	14	-	-	-	1	-	-	1	1	1	3	7	
	MALE	3	-	-	-	1	-	-	-	-	-	-	2	
	FEMALE	11	-	-	-	-	-	-	1	1	1	3	5	
599.0	URINARY TRACT INFECTION	141	-	-	-	-	-	2	1	4	13	17	104	
	MALE	48	-	-	-	-	-	1	1	2	3	7	34	
	FEMALE	93	-	-	-	-	-	1	-	2	10	10	70	

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.  
NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
600-608	DISEASES OF MALE GENITAL ORGANS	18	-	-	-	-	-	-	-	-	1	3	14
	MALE	18	-	-	-	-	-	-	-	-	1	3	14
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-
614-629	DISEASES OF THE UTERUS & OTHER FEMALE GENITAL ORGANS	4	-	-	-	-	-	1	-	1	1	1	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	4	-	-	-	-	-	1	-	1	1	1	-
RESIDUAL OF 580-629	OTHER DISEASES OF THE GENITOURINARY SYSTEM	30	-	-	-	-	-	1	-	2	4	5	18
	MALE	17	-	-	-	-	-	1	-	1	3	2	10
	FEMALE	13	-	-	-	-	-	-	-	1	1	3	8
630-676	<b>XI. COMPLICATIONS OF PREGNANCY, CHILD BIRTH &amp; THE PUERPERIUM</b>	2	-	-	-	-	-	2	-	-	-	-	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	2	-	-	-	-	-	2	-	-	-	-	-
680-709	<b>XII. DISEASES OF THE SKIN &amp; SUBCUTANEOUS TISSUE</b>	35	-	-	-	-	-	-	1	3	10	4	17
	MALE	17	-	-	-	-	-	-	1	1	6	2	7
	FEMALE	18	-	-	-	-	-	-	-	2	4	2	10
710-739	<b>XIII. MUSCULOSKELETAL SYSTEM &amp; CONNECTIVE TISSUE DISEASES</b>	164	-	-	2	1	2	-	14	5	28	24	88
	MALE	41	-	-	-	1	-	-	4	1	9	9	17
	FEMALE	123	-	-	2	-	2	-	10	4	19	15	71
745-746	<b>XIV. CONGENITAL ANOMALIES</b>	143	52	9	4	7	13	9	2	7	10	6	24
	MALE	68	24	5	3	5	8	5	-	3	2	4	9
	FEMALE	75	28	4	1	2	5	4	2	4	8	2	15
745-746	CONGENITAL ANOMALIES OF THE HEART	48	18	5	-	4	9	2	1	2	2	-	5
	MALE	24	9	4	-	3	6	1	-	1	-	-	-
	FEMALE	24	9	1	-	1	3	1	1	1	2	-	5
RESIDUAL OF 740-759	OTHER CONGENITAL ANOMALIES	95	34	4	4	3	4	7	1	5	8	6	19
	MALE	44	15	1	3	2	2	4	-	2	2	4	9
	FEMALE	51	19	3	1	1	2	3	1	3	6	2	10

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.**  
**NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
760-779	<b>XV. PERINATAL CONDITIONS</b>	95	90	4	1	-	-	-	-	-	-	-	-
	MALE	57	55	2	-	-	-	-	-	-	-	-	-
	FEMALE	38	35	2	1	-	-	-	-	-	-	-	-
	<b>XVI. SYMPTOMS &amp; ILL-DEFINED CONDITIONS</b>	552	48	2	2	4	2	10	31	52	87	64	250
	MALE	276	24	1	2	1	1	9	26	36	59	29	88
	FEMALE	276	24	1	-	3	1	1	5	16	28	35	162
797	SENILITY	33	-	-	-	-	-	-	-	-	1	-	32
	MALE	8	-	-	-	-	-	-	-	-	-	-	8
	FEMALE	25	-	-	-	-	-	-	-	-	1	-	24
798.0	SUDDEN INFANT DEATH SYNDROME	47	47	-	-	-	-	-	-	-	-	-	-
	MALE	23	23	-	-	-	-	-	-	-	-	-	-
	FEMALE	24	24	-	-	-	-	-	-	-	-	-	-
RESIDUAL OF 780-799	OTHER SYMPTOMS & ILL-DEFINED CONDITIONS	472	1	2	2	4	2	10	31	52	86	64	218
	MALE	245	1	1	2	1	1	9	26	36	59	29	80
	FEMALE	227	-	1	-	3	1	1	5	16	27	35	138
	<b>XVII. ACCIDENTS, POISONING, &amp; VIOLENCE</b>	2,053	25	37	68	302	325	380	245	149	155	79	288
	MALE	1,435	18	23	36	240	250	287	175	103	109	49	145
	FEMALE	618	7	14	32	62	75	93	70	46	46	30	143
800-949	ACCIDENTS	1,295	8	28	50	193	186	214	145	83	98	55	235
	MALE	848	6	16	24	146	142	162	106	51	62	32	101
	FEMALE	447	2	12	26	47	44	52	39	32	36	23	134
810-825	MOTOR VEHICLE ACCIDENTS	531	4	9	26	139	96	79	58	27	43	18	32
	MALE	347	3	3	14	98	68	51	40	13	26	10	21
	FEMALE	184	1	6	12	41	28	28	18	14	17	8	11
830-838	WATER TRANSPORT ACCIDENTS	12	-	1	1	1	-	4	4	1	-	-	-
	MALE	11	-	1	-	1	-	4	4	1	-	-	-
	FEMALE	1	-	-	1	-	-	-	-	-	-	-	-
840-845	AIR TRANSPORT ACCIDENTS	24	-	-	-	1	8	5	9	1	-	-	-
	MALE	22	-	-	-	1	8	5	7	1	-	-	-
	FEMALE	2	-	-	-	-	-	-	2	-	-	-	-
850-869	POISONING ACCIDENTS	180	-	-	1	10	44	82	33	6	1	1	2
	MALE	140	-	-	1	8	32	69	25	5	-	-	-
	FEMALE	40	-	-	-	2	12	13	8	1	1	1	2

- Quantity is zero.

NOTE: ICD is the acronym for the "International Classification of Diseases," a nosological manual published by the World Health Organization.

**TABLE 6-6.**  
**NUMBER OF DEATHS FROM SELECTED CAUSES BY AGE AND SEX, OREGON RESIDENTS, 1996 (CONTINUED)**

ICD 9TH REV.	CAUSE OF DEATH	AGE GROUPS											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
880-888	ACCIDENTAL FALLS	260	-	-	1	4	6	8	12	17	17	23	172
	MALE	124	-	-	1	3	6	5	9	11	10	12	67
	FEMALE	136	-	-	-	1	-	3	3	6	7	11	105
890-899	FIRE & FLAME ACCIDENTS	41	-	7	5	8	-	5	5	5	5	-	1
	MALE	23	-	4	3	6	-	4	2	1	2	-	1
	FEMALE	18	-	3	2	2	-	1	3	4	3	-	-
910	DROWNING & SUBMERSION	47	-	5	11	12	5	6	4	3	1	-	-
	MALE	36	-	5	4	12	5	5	4	1	-	-	-
	FEMALE	11	-	-	7	-	-	1	-	2	1	-	-
950-959	SUICIDES	533	-	-	10	69	87	119	78	51	53	22	44
	MALE	435	-	-	9	61	73	91	56	43	44	17	41
	FEMALE	98	-	-	1	8	14	28	22	8	9	5	3
960-978	HOMICIDES	152	6	9	7	34	40	23	12	11	1	1	8
	MALE	101	5	7	2	27	27	18	5	8	-	-	2
	FEMALE	51	1	2	5	7	13	5	7	3	1	1	6
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLECTED	73	11	-	1	6	12	24	10	4	3	1	1
	MALE	51	7	-	1	6	8	16	8	1	3	-	1
	FEMALE	22	4	-	-	-	4	8	2	3	-	1	-
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	-	-	-	-	-	-	-	-	-	-	-	-
	MALE	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE	-	-	-	-	-	-	-	-	-	-	-	-

- Quantity is zero.

\* ICD-9 is an acronym for "International Classification of Disease, 9th Revision" as established by the World Health Organization and published in the *Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death, 9th Revision*, World Health Organization, 1977, Geneva Switzerland.