TABLE 7-17.

Neonatal, Postneonatal and Infant Death Rates by Mother's Risk Factors, Oregon Residents, Birth Cohort 1996

Risk Factor	Neonatal ¹		Postneonatal ²		Infant ³	
	Deaths		Deaths		Deaths	
	Number	Rate	Number	Rate	Number	Rate
Total	141	3.2	99	2.3	240	5.5
Marital Status						
Married	46	1.5	49	1.6	95	3.1
Unmarried	95	7.3	50	3.9	145	11.2
Age of Mother						
15-19	24	4.2	26	4.6	50	8.8
20-24	30	2.7	23	2.0	53	4.7
25-29	38	3.1	18	1.5	56	4.6
30-34	30	3.3	20	2.2	50	5.4
35-39	13	3.1	7	1.7	20	4.7
40-44	3	-	4	-	7	8.3
45+	2	-	-	-	2	-
Mother's Ethnicity/Race*						
White (non-Hispanic)	101	2.9	76	2.2	177	5.1
Hispanic (all races)	26	4.8	11	2.0	37	6.8
African American	4	-	8	9.2	12	13.8
Indian	2	_	2	-	4	
Other non-white	8	4.9	2	-	10	6.1
Mother's Education						
8th grade or less	9	3.3	7	2.6	16	6.0
Some HS	26	4.0	21	3.2	47	7.2
HS diploma/GED	50	3.4	35	2.4	85	5.7
More than HS	49	2.6	33	1.8	82	4.4
Start of Prenatal Care						
1st trimester	114	3.3	66	1.9	180	5.2
2nd trimester	21	3.0	31	4.4	52	7.4
3rd trimester	3	-	2	-	5	3.6
no care	3	-	-	-	3	-
Tobacco Use						
Yes	25	3.2	32	4.1	57	7.4
No	111	3.2 3.1	67	1.9	178	5.0
Alcohol Use						
Yes	3		4		7	7.0
No	131	3.1	4 94	- 2.2	225	7.0 5.4
Multiple Birth						
Yes	26	23.7	3	_	29	26.4
No	115	23.7	96	2.3	29	5.0
		2.7	90	2.5	211	5.0

*Unless specified, racial categories do not include Hispanic ethnicity.

NOTE: Because of unreported items, the sum of all categories may not equal the total.

- Quantity is zero, or rate is based on less than 5 events.

¹ Neonatal deaths, include infant deaths at 28 or fewer days of age.

 $^{\rm 2}\,$ Postneonatal Deaths, include infant deaths after 28 days, but before age 1.

³ Infant deaths, include neonatal and postneonatal deaths up to age 1.