

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998

ICD* 9TH Rev.	Cause of Death	Age Groups											
		TOTAL	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
All Causes	Male	898.1	543.9	22.2	20.2	84.9	110.0	193.9	369.7	974.0	2,351.5	4,614.4	11,138.1
	Female	905.0	587.0	27.1	23.3	121.4	153.9	257.3	454.4	1,192.7	2,910.0	5,556.6	12,262.0
		891.4	498.7	17.0	17.0	46.1	65.8	129.5	284.6	770.0	1,878.1	3,893.3	10,503.3
I. Infective and Parasitic Disease	Male	12.7	4.4	0.5	0.2	1.1	4.8	10.5	14.5	16.8	28.5	38.3	97.7
	Female	15.3	4.3	-	-	1.7	6.8	16.8	22.3	25.0	36.3	29.5	111.6
		10.1	4.5	0.9	0.4	0.5	2.8	4.1	6.6	9.2	21.9	45.1	89.8
010-018, 137	Male	0.4	-	-	-	-	-	0.4	0.2	0.4	-	3.2	4.3
	Female	0.4	-	-	-	-	-	0.7	-	-	-	-	11.9
		0.3	-	-	-	-	-	-	0.4	0.7	-	5.6	-
038	Male	5.0	2.2	-	-	0.5	0.7	0.7	2.6	5.5	15.8	19.2	61.7
	Female	5.2	-	-	-	0.9	0.9	1.1	3.5	9.1	23.9	14.7	61.7
		4.8	4.5	-	-	-	0.5	0.4	1.8	2.1	8.9	22.6	61.7
042-44	Male	2.2	-	-	-	0.5	3.0	5.9	3.5	2.6	0.4	-	-
	Female	4.1	-	-	-	0.9	5.5	10.6	7.0	5.3	1.0	-	-
		0.2	-	-	-	-	0.5	1.1	-	-	-	-	-
070	Male	2.3	-	-	-	-	-	3.1	6.6	3.7	3.9	5.3	4.3
	Female	3.3	-	-	-	-	-	3.7	10.9	6.8	3.8	4.9	7.1
		1.4	-	-	-	-	-	2.6	2.2	0.7	4.0	5.6	2.7
Residual of 001-139	Male	2.8	2.2	0.5	0.2	0.2	1.1	0.4	1.5	4.8	8.3	10.6	27.4
	Female	2.2	4.3	-	-	-	0.5	0.7	0.9	3.8	7.6	9.8	30.9
		3.4	-	0.9	0.4	0.5	1.8	-	2.2	5.7	8.9	11.3	25.5
II. Neoplasms	Male	216.7	4.4	3.2	2.4	6.1	10.8	38.7	122.9	385.5	869.7	1,280.1	1,693.1
	Female	224.7	-	3.6	2.1	7.0	11.4	35.5	118.4	422.1	1,018.1	1,577.1	2,253.0
		208.9	9.1	2.8	2.7	5.1	10.1	41.9	127.4	351.4	743.9	1,052.8	1,376.9
140-208	Male	214.4	2.2	3.2	2.4	6.1	10.5	38.7	121.1	384.4	862.3	1,268.3	1,664.0
	Female	222.6	-	3.6	2.1	7.0	11.0	35.5	117.1	422.1	1,003.8	1,564.8	2,229.2
		206.4	4.5	2.8	2.7	5.1	10.1	41.9	125.2	349.3	742.3	1,041.5	1,344.8
140-149	Male	3.7	-	-	0.2	-	0.2	0.7	2.4	8.8	16.6	18.1	20.6
	Female	3.7	-	-	-	-	0.5	1.1	3.5	10.6	19.1	17.2	14.2
		3.7	-	-	0.4	-	-	0.4	1.3	7.1	14.6	18.8	24.1

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7. Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
150-159	Digestive Organs & Peritoneum	Male	46.0	2.2	0.9	-	0.2	7.0	23.2	79.4	185.3	267.3	390.7
		Female	48.8	-	0.9	-	-	8.4	27.5	94.0	229.2	358.7	441.6
150	Esophagus	Male	43.2	4.5	0.9	-	0.5	5.6	18.9	65.8	148.1	197.4	362.0
		Female	5.0	-	-	-	-	0.2	3.7	11.3	20.2	36.2	30.0
151	Stomach	Male	7.5	-	-	-	-	0.4	5.2	21.2	31.5	59.0	54.6
		Female	2.6	-	-	-	-	-	2.2	2.1	10.5	18.8	16.1
153	Large Intestine (Exc. Rectum)	Male	4.2	-	-	-	-	1.3	2.6	5.1	14.9	25.6	36.8
		Female	4.8	-	-	-	-	1.8	2.2	4.5	19.1	41.8	57.0
154	Rectum	Male	3.5	-	-	-	-	0.7	3.1	5.7	11.3	13.2	25.5
		Female	17.4	-	-	-	0.2	2.0	6.1	28.5	68.8	95.8	174.8
157	Pancreas	Male	17.6	-	-	-	-	2.2	6.1	36.4	87.9	127.7	168.6
		Female	17.3	-	-	-	0.5	1.9	6.1	21.2	52.6	71.4	178.3
160-165	Respiratory/Intrathoracic Organs	Male	2.9	-	-	-	-	0.7	1.1	4.8	10.5	12.8	31.7
		Female	3.1	-	-	-	-	0.4	1.7	5.3	13.4	19.7	35.6
162.2-9	Bronchus & Lung	Male	2.8	-	-	-	-	1.1	0.4	4.2	8.1	7.5	29.5
		Female	11.0	-	-	-	-	1.3	5.3	16.5	52.6	74.5	80.5
170-175	Bone, Connective Tissue, Skin & Breast	Male	10.1	-	-	-	-	1.5	7.4	11.4	56.3	83.5	80.7
		Female	11.9	-	-	-	-	1.1	3.1	21.2	49.4	67.7	80.4
172	Malignant Melanoma	Male	64.9	-	-	-	0.2	7.9	27.8	138.6	313.7	442.0	376.2
		Female	73.8	-	-	-	-	9.1	31.9	170.5	387.7	565.0	553.2
173	Other Skin	Male	56.2	-	-	-	-	6.7	23.7	108.9	251.0	347.8	276.2
		Female	63.2	-	-	-	-	7.2	26.7	134.6	309.8	427.0	365.9
174-175	Breast	Male	71.3	-	-	-	-	8.1	30.6	163.7	382.0	540.4	531.8
		Female	55.2	-	-	-	-	6.3	22.8	107.5	248.5	340.3	272.2
175	Breast	Male	22.2	-	-	-	0.9	10.0	26.3	43.9	71.4	80.9	153.4
		Female	7.5	-	-	-	1.3	4.4	9.2	14.4	28.7	29.5	52.2
176	Breast	Male	36.6	-	-	-	0.5	15.6	43.5	71.4	107.7	120.3	210.5
		Female	3.2	-	-	-	0.2	1.8	5.3	5.5	13.6	9.6	12.0
177	Breast	Male	4.5	-	-	-	0.4	1.8	7.9	9.1	18.1	17.2	19.0
		Female	2.1	-	-	-	-	1.9	2.6	2.1	9.7	3.8	8.0
178	Breast	Male	0.6	-	-	-	-	0.2	0.7	-	3.5	4.3	4.3
		Female	0.8	-	-	-	-	0.4	0.9	-	5.7	4.9	4.7
179	Breast	Male	0.5	-	-	-	-	-	0.4	-	1.6	3.8	4.0
		Female	16.3	-	-	-	-	6.4	19.3	34.7	47.8	60.7	122.5
180	Breast	Male	0.4	-	-	-	-	-	-	0.8	-	-	11.9
		Female	31.8	-	-	-	-	13.0	38.7	66.5	88.2	107.2	185.0

WARNING: Rates based on less than 5 events are unreliable.
 - Quantity is zero.
 Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7. Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups												
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
179-187	Genital Organs	Male	24.9	-	-	-	0.2	2.1	3.7	9.4	31.8	83.2	147.0	278.5
		Female	29.0	-	-	-	0.5	0.9	0.7	3.1	21.2	94.5	218.6	572.1
179-182	Cervix & Uterus	Male	4.1	-	-	-	0.9	1.1	2.4	7.3	15.8	18.1	33.4	
		Female	8.1	-	-	-	1.8	2.2	4.8	14.1	29.1	32.0	52.3	
180	Cervix Uteri	Male	1.0	-	-	-	0.9	0.9	1.3	1.8	3.1	2.1	4.3	
		Female	2.1	-	-	-	1.8	1.9	2.6	3.5	5.7	3.8	6.7	
182	Uterus	Male	1.9	-	-	-	-	-	0.7	4.0	8.3	7.5	18.0	
		Female	3.7	-	-	-	-	-	1.3	7.8	15.4	13.2	28.2	
183	Ovary	Male	6.0	-	-	-	0.7	2.0	5.3	13.5	21.5	33.0	35.1	
		Female	11.9	-	-	-	0.5	4.1	10.5	26.2	39.7	58.3	55.0	
185	Prostate	Male	14.1	-	-	-	-	-	1.5	10.2	42.9	92.6	206.5	
		Female	28.5	-	-	-	-	-	3.1	21.2	93.6	213.7	572.1	
188-189	Urinary Organs	Male	10.1	-	-	-	-	0.6	4.4	15.7	32.4	74.5	102.8	
		Female	13.7	-	-	-	-	0.7	7.4	21.2	51.6	110.5	178.1	
188	Bladder	Male	6.6	-	-	-	-	0.4	1.3	10.6	16.2	47.0	60.3	
		Female	4.9	-	-	-	-	0.2	0.7	5.9	12.7	38.3	64.3	
190-199	Other & Unspecified Sites	Male	20.2	-	1.4	1.3	1.6	1.8	16.2	35.8	81.9	117.1	118.2	
		Female	21.9	-	0.9	0.8	3.1	1.8	20.5	49.3	91.7	127.7	147.2	
191	Brain	Male	18.5	-	1.9	1.8	-	4.1	11.9	23.3	73.7	109.0	101.9	
		Female	6.8	-	0.5	1.1	0.9	4.1	8.8	12.8	25.4	37.3	15.4	
200-208	Lymphatic & Hematopoietic Tissues	Male	7.7	-	-	0.4	1.7	0.9	4.8	18.2	27.7	46.7	19.0	
		Female	5.9	-	0.9	1.8	-	3.3	6.6	7.8	23.5	30.1	13.4	
202.8	Lymphoma	Male	22.5	-	0.9	0.9	2.9	2.3	11.4	30.4	77.6	121.4	223.6	
		Female	24.3	-	1.8	1.3	2.6	3.2	14.0	40.9	101.2	137.6	270.6	
		Male	20.8	-	-	0.4	3.3	1.4	8.8	20.5	57.5	109.0	197.1	
		Female	9.3	-	-	-	0.7	1.1	0.2	12.4	30.7	52.2	98.5	
		Male	9.9	-	-	-	0.9	1.4	0.4	15.2	39.2	46.7	125.8	
		Female	8.8	-	-	-	0.5	0.9	3.1	9.9	23.5	56.4	83.1	

WARNING: Rates based on less than 5 events are unreliable.
 - Quantity is zero.
 Rates per 100,000 population.
 * ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7. Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
203.0	Multiple Myeloma	4.1	-	-	-	-	-	0.4	2.2	5.9	13.1	27.7	42.8
	Male	3.8	-	-	-	-	0.7	1.3	7.6	11.5	31.9	52.2	
	Female	4.4	-	-	-	-	-	3.1	4.2	14.6	24.4	37.5	
204-208	Leukemia	7.7	-	0.9	0.7	1.8	0.2	2.0	1.3	11.7	32.0	73.7	
	Male	9.3	-	1.8	0.8	1.3	0.5	2.2	1.3	17.4	48.7	92.6	
	Female	6.2	-	-	0.4	2.3	-	1.9	1.3	6.4	17.8	63.0	
204	Lymphatic Leukemia	2.7	-	-	0.7	0.9	-	0.2	0.4	4.0	7.4	33.4	
	Male	3.5	-	-	0.8	0.9	-	-	0.4	5.3	13.4	49.9	
	Female	1.9	-	-	0.4	0.9	-	0.4	0.4	2.8	2.4	24.1	
205	Myeloid Leukemia	3.6	-	0.5	-	0.7	0.2	1.3	0.9	5.1	19.3	28.3	
	Male	4.1	-	0.9	-	-	0.5	1.5	0.9	7.6	27.7	33.2	
	Female	3.2	-	-	-	1.4	-	1.1	0.9	2.8	12.1	25.5	
210-229	Benign Neoplasms	0.5	2.2	-	-	-	-	-	0.9	-	1.3	5.1	
	Male	0.4	-	-	-	-	-	-	0.4	-	2.9	4.7	
	Female	0.6	4.5	-	-	-	-	-	1.3	-	-	5.4	
230-239	In Situ, Uncertain Behavior & Unspecified Nature Neoplasms	1.8	-	-	-	-	0.2	-	0.9	1.1	6.1	24.0	
	Male	1.7	-	-	-	-	0.5	-	0.9	-	11.5	19.0	
	Female	1.9	-	-	-	-	-	-	0.9	2.1	1.6	26.8	
III. Endocrine, Nutritional, and Metabolic Diseases		35.1	13.3	0.5	0.9	1.8	3.0	6.4	15.8	46.8	103.4	371.0	
	Male	30.7	12.9	-	1.3	2.2	1.8	7.0	19.2	50.8	107.0	341.9	
	Female	39.4	13.6	0.9	0.4	1.4	4.1	5.9	12.3	43.1	100.4	387.5	
250	Diabetes Mellitus	26.6	-	-	0.4	0.5	2.3	4.1	12.0	38.4	83.7	261.3	
	Male	23.6	-	-	0.8	0.4	1.4	4.4	15.3	43.2	86.0	239.8	
	Female	29.6	-	-	-	0.5	3.2	3.7	8.8	33.9	81.8	273.5	
Residual of 240-279	Other Endocrine, Nutritional, & Metabolic Diseases	8.5	13.3	0.5	0.4	1.4	0.7	2.4	3.7	8.4	19.7	109.7	
	Male	7.1	12.9	-	0.4	1.7	0.5	2.6	3.9	7.6	21.0	102.1	
	Female	9.9	13.6	0.9	0.4	0.9	0.9	2.2	3.5	9.2	18.6	114.0	
IV. Diseases of the Blood-forming Organs		3.9	4.4	0.5	0.2	-	0.7	0.7	1.1	1.1	11.4	59.1	
	Male	4.5	8.6	0.9	0.4	-	0.5	0.7	1.3	1.5	14.3	85.5	
	Female	3.5	-	-	-	-	0.9	0.7	0.9	0.7	8.9	44.2	

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rate per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7. Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
280-285	Anemias	1.5	-	-	0.2	-	0.2	0.2	0.7	0.4	2.6	3.2	29.1
	Male	1.5	-	-	0.4	-	-	0.4	0.9	0.8	1.9	4.9	38.0
	Female	1.5	-	-	-	-	0.5	-	0.4	-	3.2	1.9	24.1
Residual of 280-289	Other Diseases of the Blood-forming Organs	2.4	4.4	0.5	-	-	0.5	0.6	0.4	0.7	8.8	12.8	30.0
	Male	2.9	8.6	0.9	-	-	0.5	0.4	0.4	0.8	12.4	17.2	47.5
	Female	1.9	-	-	-	-	0.5	0.7	0.4	0.7	5.7	9.4	20.1
V.	Mental Disorders	35.4	-	-	-	0.7	5.0	7.4	10.5	12.4	40.7	116.1	691.5
290.1	Alzheimer's Dementia	26.4	-	-	-	0.9	6.8	9.1	14.9	16.7	43.0	113.0	562.7
	Male	44.2	-	-	-	0.5	3.2	5.6	6.1	8.5	38.9	118.4	764.2
	Female	12.1	-	-	-	-	-	-	-	0.7	11.4	50.1	274.2
	Male	7.6	-	-	-	-	-	-	-	0.8	12.4	44.2	216.0
	Female	16.5	-	-	-	-	-	-	-	0.7	10.5	54.5	307.0
291	Alcoholic Psychosis	0.3	-	-	-	-	-	0.2	0.4	0.4	1.8	-	2.6
	Male	0.4	-	-	-	-	-	0.4	0.9	-	1.9	-	4.7
	Female	0.2	-	-	-	-	-	-	-	0.7	1.6	-	1.3
303	Alcoholism	2.9	-	-	-	-	0.7	3.5	6.1	6.2	9.2	4.3	1.7
	Male	3.5	-	-	-	-	1.4	4.0	7.9	6.8	10.5	9.8	2.4
	Female	2.2	-	-	-	-	-	3.0	4.4	5.7	8.1	-	1.3
304	Drug Dependence	0.6	-	-	-	-	1.4	1.1	1.5	-	-	-	0.9
	Male	1.1	-	-	-	-	1.8	2.2	2.6	-	-	-	2.4
	Female	0.2	-	-	-	-	0.9	-	0.4	-	-	-	-
305	Non-dependent Drug Abuse	1.6	-	-	-	0.7	2.5	1.8	2.2	3.7	1.3	2.1	1.7
	Male	2.1	-	-	-	0.9	3.2	1.8	3.1	7.6	1.9	2.5	-
	Female	1.0	-	-	-	0.5	1.8	1.9	1.3	-	0.8	1.9	2.7
Residual of 290-319	Other Mental Disorders	17.9	-	-	-	-	0.5	0.7	0.2	1.5	17.1	59.6	410.4
	Male	11.6	-	-	-	-	0.5	0.7	0.4	1.5	16.2	56.5	337.1
	Female	24.0	-	-	-	-	0.5	0.7	-	1.4	17.8	62.0	451.8
IV.	Diseases of the Nervous System & Sense Organs	30.8	11.1	2.8	2	1.4	1.6	3.3	7.9	19.4	57.4	173.6	489.3
	Male	28.0	21.6	3.6	2.5	0.9	1.4	4.0	7.4	16.7	74.5	206.3	524.7
	Female	33.4	-	1.9	1.3	1.9	1.8	2.6	8.3	21.9	42.9	148.5	469.3

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rate per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7. Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups												
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+	
320-322	Meningitis	0.2	2.2	1.4	0.2	-	-	-	-	-	-	-	1.1	1.7
		0.4	4.3	1.8	0.4	-	-	-	-	-	-	-	2.5	2.4
331.0	Alzheimer's Disease	0.1	-	0.9	-	-	-	-	-	-	-	-	-	1.3
		12.6	-	-	-	-	-	-	0.2	1.1	12.7	60.7	60.7	275.0
332	Parkinson's Disease	8.3	-	-	-	-	-	-	-	-	-	-	-	223.2
		16.8	-	-	-	-	-	-	0.4	0.7	15.3	54.0	65.8	304.3
345	Epilepsy	8.4	-	-	-	-	-	-	-	-	-	-	-	152.5
		10.1	-	-	-	-	-	-	0.4	0.8	22.9	100.7	230.3	108.6
Residual of 320-389	Other Disease of the Nervous System & Sense Organs	6.7	-	-	-	-	-	-	-	-	-	-	-	152.5
		0.5	2.2	-	0.2	0.5	0.9	0.4	0.2	0.7	0.9	-	-	0.9
390-448	Major Cardiovascular Diseases	0.4	4.3	-	-	-	1.4	0.4	-	-	-	-	-	-
		0.6	-	-	0.4	0.9	0.5	0.4	0.4	0.7	1.6	-	-	1.3
VII. Diseases of the Circulatory System	Diseases of the Heart	9.0	6.6	1.4	1.5	0.9	0.7	2.9	7.0	17.2	29.4	46.9	59.1	
		8.8	12.9	1.8	2.1	0.9	-	3.7	7.0	13.6	36.3	49.1	68.8	
390-398	Rheumatic Fever & Chronic Rheumatic Heart Disease	9.2	-	0.9	0.9	0.9	1.4	2.2	7.0	20.5	23.5	45.1	53.6	
		330.4	22.1	0.9	0.7	2.7	6.4	28.2	87.0	285.3	758.0	1,703.9	5,211.3	
402,404-429	Hypertensive Heart Disease With or Without Renal Disease	319.5	12.9	0.9	0.8	4.4	9.1	41.0	121.5	396.3	1,031.4	2,090.5	5,422.3	
		341.1	31.7	0.9	0.4	0.9	3.7	15.2	52.3	181.7	526.2	1,408.1	5,092.1	
390-398	Rheumatic Fever & Chronic Rheumatic Heart Disease	329.0	22.1	0.9	0.7	2.7	6.4	27.8	86.1	282.7	754.5	1,699.6	5,193.3	
		318.1	12.9	0.9	0.8	4.4	9.1	40.3	120.1	392.5	1,027.6	2,085.6	5,408.1	
402,404-429	Diseases of the Heart	339.7	31.7	0.9	0.4	0.9	3.7	15.2	51.8	180.3	522.9	1,404.3	5,072.0	
		223.2	17.7	0.9	0.4	2.3	4.6	22.1	69.4	222.4	551.2	1,151.2	3,312.5	
390-398	Rheumatic Fever & Chronic Rheumatic Heart Disease	230.2	8.6	0.9	0.8	3.5	7.3	34.0	102.2	323.6	770.7	1,518.1	3,591.9	
		216.3	27.2	0.9	-	0.9	1.8	10.0	36.5	128.0	365.1	870.4	3,154.7	
402,404	Hypertensive Heart Disease With or Without Renal Disease	2.6	-	-	-	-	-	0.9	0.2	2.9	7.0	11.7	36.8	
		1.6	-	-	-	-	-	1.1	0.4	3.8	3.8	9.8	21.4	
402,404	Hypertensive Heart Disease With or Without Renal Disease	3.5	-	-	-	-	-	0.7	-	2.1	9.7	13.2	45.6	
		7.5	-	-	-	-	0.2	0.6	3.3	4.8	14.0	27.7	133.7	
402,404	Hypertensive Heart Disease With or Without Renal Disease	4.9	-	-	-	-	-	1.1	6.8	7.6	24.6	30.1	92.6	
		10.1	-	-	-	-	0.5	-	2.2	2.8	19.4	30.1	156.9	

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
410-414	Ischemic Heart Disease	143.4	-	-	-	0.5	1.4	13.8	48.2	161.7	397.0	788.1	1,965.6
	Male	160.9	-	-	-	0.9	2.7	22.0	76.9	245.5	580.7	1,110.3	2,310.0
	Female	126.2	-	-	-	-	-	5.6	19.3	83.4	241.2	541.4	1,771.1
410	Myocardial Infarction	55.7	-	-	-	0.2	0.5	4.4	17.1	73.2	161.2	336.5	711.2
	Male	61.3	-	-	-	0.4	0.9	6.6	23.6	110.6	231.1	447.1	819.0
	Female	50.2	-	-	-	-	-	2.2	10.5	38.2	102.0	251.9	650.3
411	Other Acute & Subacute Ischemic Heart Disease	0.0	-	-	-	-	-	-	-	-	-	-	0.9
	Male	-	-	-	-	-	-	-	-	-	-	-	-
	Female	0.1	-	-	-	-	-	-	-	-	-	-	1.3
412-414	Chronic Ischemic Heart Disease	87.7	-	-	-	0.2	0.9	9.4	31.1	88.5	235.7	451.5	1,253.6
	Male	99.7	-	-	-	0.4	1.8	15.4	53.3	134.9	349.5	663.3	1,490.9
	Female	75.9	-	-	-	-	-	3.3	8.8	45.3	139.2	289.5	1,119.5
415-429	All Other Forms	69.7	17.7	0.9	0.4	1.8	3.0	6.8	17.7	53.0	133.2	323.7	1,176.4
	Male	62.8	8.6	0.9	0.8	2.6	4.6	9.9	20.5	67.4	178.6	373.4	1,168.0
	Female	76.4	27.2	0.9	-	0.9	1.4	3.7	14.9	39.6	94.7	285.7	1,181.2
401,403	Hypertension	6.2	-	-	-	-	-	-	0.7	4.8	13.1	39.4	101.1
	Male	4.7	-	-	-	-	-	-	0.9	7.6	11.5	44.2	80.7
	Female	7.6	-	-	-	-	-	-	0.4	2.1	14.6	35.7	112.6
430-438	Cerebrovascular Disease	80.7	4.4	-	0.2	0.5	1.6	4.4	12.5	42.8	145.5	386.6	1,483.2
	Male	63.4	4.3	-	-	0.9	1.4	4.0	12.7	46.2	171.9	370.9	1,391.2
	Female	97.6	4.5	-	0.4	-	1.8	4.8	12.3	39.6	123.0	398.5	1,535.1
430	Subarachnoid Hemorrhage	2.4	-	-	-	0.2	0.7	2.0	2.4	6.9	6.6	4.3	13.7
	Male	1.8	-	-	-	0.4	0.5	0.7	3.1	6.8	3.8	2.5	9.5
	Female	3.1	-	-	-	-	0.9	3.3	1.8	7.1	8.9	5.6	16.1
431-432	Intracerebral & Intracranial Hemorrhages	10.3	2.2	-	0.2	-	0.9	1.5	5.3	9.9	34.6	60.7	116.5
	Male	9.3	-	-	-	-	0.9	2.2	4.4	11.4	42.0	54.0	121.1
	Female	11.3	4.5	-	0.4	-	0.9	0.7	6.1	8.5	28.3	65.8	114.0
434	Cerebral Thrombosis & Embolism	10.1	-	-	-	-	-	-	0.4	4.0	14.9	42.6	208.2
	Male	7.7	-	-	-	-	-	-	-	4.5	18.1	54.0	182.8
	Female	12.5	-	-	-	-	-	-	0.9	3.5	12.1	33.8	222.6
436	Acute but Ill-defined Cerebrovascular Disease	45.0	-	-	-	-	-	0.6	3.1	16.1	69.7	214.1	898.8
	Male	34.4	-	-	-	-	-	0.7	4.4	15.9	87.9	179.3	849.9
	Female	55.4	-	-	-	-	-	0.4	1.8	16.3	54.2	240.6	926.4

WARNING: Rates based on less than 5 events are unreliable.
- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
437	Generalized Ischemic Cerebrovascular Disease	7.1	2.2	-	-	0.2	-	0.2	0.9	2.2	11.0	36.2	137.1
		5.8	4.3	-	-	0.4	-	-	0.9	2.3	10.5	46.7	135.3
	Female	8.4	-	-	-	-	-	0.4	0.9	2.1	11.3	28.2	138.1
440	Arteriosclerosis	7.0	-	-	-	-	-	0.2	0.7	5.5	11.4	36.2	127.7
		5.9	-	-	-	-	-	0.4	0.9	8.3	19.1	41.8	104.5
	Female	8.1	-	-	-	-	-	-	0.4	2.8	4.9	32.0	140.8
441-448	Other Diseases of the Arteries, Arterioles, and Capillaries	12.1	-	-	-	-	0.2	1.1	2.8	7.3	33.3	86.3	168.8
		14.0	-	-	-	-	0.5	1.8	3.5	6.8	54.4	110.5	239.8
	Female	10.2	-	-	-	-	-	0.4	2.2	7.8	15.4	67.7	128.7
441	Aortic Aneurysm	7.6	-	-	-	-	0.2	0.6	2.2	4.4	24.1	59.6	95.1
		9.5	-	-	-	-	0.5	1.1	3.5	4.5	38.2	73.7	154.3
	Female	5.8	-	-	-	-	-	-	0.9	4.2	12.1	48.9	61.7
451-453	Venous Thrombosis & Embolism	0.6	-	-	-	-	-	0.4	-	1.5	0.9	1.1	7.7
		0.6	-	-	-	-	-	0.7	-	2.3	1.0	-	7.1
	Female	0.5	-	-	-	-	-	-	-	0.7	0.8	1.9	8.0
Residual of 390-459	Other Diseases of the Circulatory System	0.9	-	-	-	-	-	-	0.9	1.1	2.6	3.2	10.3
		0.8	-	-	-	-	-	-	1.3	1.5	2.9	4.9	7.1
	Female	0.9	-	-	-	-	-	-	0.4	0.7	2.4	1.9	12.1
VIII.	Disease of the Respiratory System	92.8	6.6	0.5	0.7	0.9	1.6	4.8	14.7	74.6	263.8	639.0	1,298.1
		92.3	8.6	0.9	1.3	0.9	2.7	6.2	17.0	78.8	309.4	754.2	1,628.6
	Female	93.3	4.5	-	-	0.9	0.5	3.3	12.3	70.7	225.0	550.8	1,111.5
480-487	Pneumonia & Influenza	30.9	-	-	0.2	0.2	0.9	2.6	5.3	14.6	38.6	154.4	593.8
		28.5	-	-	0.4	-	1.4	2.6	5.7	17.4	39.2	186.7	702.7
	Female	33.3	-	-	-	0.5	0.5	2.6	4.8	12.0	38.0	129.7	532.3
480-486	Pneumonia	30.7	-	-	0.2	0.2	0.9	2.4	5.3	14.6	38.6	153.4	590.4
		28.3	-	-	0.4	-	1.4	2.6	5.7	17.4	39.2	184.2	698.0
	Female	33.1	-	-	-	0.5	0.5	2.2	4.8	12.0	38.0	129.7	529.6
487	Influenza	0.2	-	-	-	-	-	0.2	-	-	-	1.1	3.4
		0.2	-	-	-	-	-	-	-	-	-	2.5	4.7
	Female	0.2	-	-	-	-	-	0.4	-	-	-	-	2.7

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7. Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups										
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79
490-496	Chronic Obstructive Pulmonary Disease & Allied Conditions	Male	-	-	0.2	0.2	1.3	7.2	51.2	195.8	407.9	535.5
		Female	-	-	0.4	0.5	2.2	7.9	50.8	231.1	444.6	719.3
490-491	Chronic & Unspecified Bronchitis	Male	-	-	-	-	-	0.2	0.7	7.5	18.0	
		Female	-	-	-	-	-	0.4	0.7	2.4	9.4	20.1
492	Emphysema	Male	-	-	-	-	0.2	2.2	12.8	43.8	93.7	78.0
		Female	-	-	-	-	0.4	2.6	13.6	52.5	90.9	121.1
493	Asthma	Male	-	-	0.2	0.2	0.4	1.1	4.4	6.1	14.9	39.4
		Female	-	-	0.4	0.5	0.4	0.4	1.5	4.8	9.8	38.0
494	Bronchiectasis	Male	-	-	-	-	-	-	0.4	1.8	18.8	40.2
		Female	-	-	-	-	-	-	-	1.6	13.2	9.4
496	Chronic Airway Obstruction Not Elsewhere Classified (COPD)	Male	-	-	-	-	0.6	3.7	32.9	140.2	280.1	390.7
		Female	-	-	-	-	1.1	4.8	34.1	166.2	329.2	536.5
Residual of 460-519	Other Diseases of the Respiratory System	Male	6.6	0.5	0.2	0.5	0.9	2.2	8.8	29.4	76.7	169.7
		Female	8.6	0.9	0.4	0.9	1.5	3.5	10.6	39.2	122.8	208.9
IX. Diseases of the Digestive System	Ulcer of the Stomach	Male	4.5	-	-	-	0.4	0.9	7.1	21.0	41.4	147.5
		Female	4.4	0.9	0.2	0.5	10.9	23.2	43.9	73.2	134.2	346.2
531	Ulcer of the Duodenum	Male	8.6	0.9	0.4	0.4	12.4	29.7	58.3	87.9	132.7	344.2
		Female	31.2	0.9	-	-	9.3	16.7	30.4	60.7	135.4	347.3
532	Ulcer of the Duodenum	Male	0.4	-	-	-	0.2	0.4	0.4	0.9	3.2	3.4
		Female	0.3	-	-	-	0.5	-	-	1.0	-	4.7
		Male	0.5	-	-	-	-	0.9	0.7	0.8	5.6	2.7
		Female	0.3	-	-	-	-	-	0.4	0.4	1.3	5.1
		Male	0.3	-	-	-	-	-	-	1.9	4.7	
		Female	0.4	-	-	-	-	-	0.7	0.8	5.4	

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Total	Age Groups													
			< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+			
533	Peptic Ulcer	0.6	-	-	-	-	-	-	-	-	-	-	0.4	1.3	5.3	8.6
	Female	0.4	-	-	-	-	-	-	-	-	-	-	-	1.0	7.4	4.7
550-553, 560	Hernia & Intestinal Obstruction	2.4	2.2	-	-	-	-	-	-	-	-	0.2	1.8	4.8	7.5	46.3
	Female	2.1	4.3	-	-	-	-	-	-	-	-	0.4	3.0	3.8	9.8	49.9
571	Cirrhosis of the Liver	2.7	-	-	-	-	-	-	-	-	-	0.4	0.7	5.7	5.6	44.2
	Female	9.9	-	-	-	-	-	-	-	-	-	1.1	26.0	28.0	38.3	29.1
571.0-3	Alcoholic Cirrhosis of the Liver	12.4	-	-	-	-	-	-	-	-	-	1.4	36.4	43.0	31.9	45.1
	Female	7.5	-	-	-	-	-	-	-	-	-	0.9	16.3	15.4	43.2	20.1
574-576	Diseases of the Gallbladder	7.5	-	-	-	-	-	-	-	-	-	0.7	20.5	19.7	20.2	14.6
	Female	10.3	-	-	-	-	-	-	-	-	-	0.9	32.6	33.4	22.1	26.1
577	Diseases of the Pancreas	4.7	-	-	-	-	-	-	-	-	-	0.5	9.2	8.1	18.8	8.0
	Female	1.7	-	-	-	-	-	-	-	-	-	0.2	2.2	3.9	6.4	28.3
577	Diseases of the Pancreas	1.4	-	-	-	-	-	-	-	-	-	0.5	2.3	3.8	4.9	26.1
	Female	2.1	-	-	-	-	-	-	-	-	-	0.4	2.1	4.0	7.5	29.5
577	Diseases of the Pancreas	1.0	-	-	-	-	-	-	-	-	-	0.9	0.7	2.6	3.2	8.6
	Female	1.2	-	-	-	-	-	-	-	-	-	1.1	0.8	3.8	2.5	14.2
Residual of 520-579	Other Diseases of the Digestive System	0.8	-	-	-	-	-	-	-	-	-	0.7	0.7	1.6	3.8	5.4
	Female	14.1	2.2	0.9	0.2	0.5	0.2	0.2	0.5	0.6	2.4	4.6	12.1	30.2	69.2	216.8
X. 580-589	Diseases of the Genitourinary System	11.8	4.3	0.9	0.4	0.4	0.4	0.5	0.5	3.3	5.2	5.2	15.9	29.6	73.7	194.7
	Female	16.4	-	-	-	-	-	-	-	1.5	4.0	4.0	8.5	30.8	65.8	229.3
580-589	Nephritis & Nephrosis	11.8	-	-	-	-	-	-	-	-	-	1.5	5.1	22.8	52.2	219.4
	Female	11.8	-	-	-	-	-	-	-	0.4	2.2	4.5	27.7	268.3	78.6	268.3
590	Infections of the Kidney	11.8	-	-	-	-	-	-	-	-	-	0.9	5.7	18.6	32.0	191.7
	Female	5.4	-	-	-	-	-	-	-	0.2	0.9	2.2	11.0	100.3	25.6	100.3
590	Infections of the Kidney	6.1	-	-	-	-	-	-	-	0.4	1.7	0.8	15.3	137.7	41.8	137.7
	Female	4.8	-	-	-	-	-	-	-	-	-	3.5	7.3	13.2	79.1	79.1
599.0	Urinary Tract Infection	0.2	-	-	-	-	-	-	-	-	-	0.4	0.4	-	1.1	5.1
	Female	0.1	-	-	-	-	-	-	-	-	-	-	-	-	2.5	2.4
599.0	Urinary Tract Infection	0.4	-	-	-	-	-	-	-	-	-	0.7	0.7	-	-	6.7
	Female	4.3	-	-	-	-	-	-	-	0.2	0.2	0.7	7.4	87.4	17.0	87.4
599.0	Urinary Tract Infection	3.3	-	-	-	-	-	-	-	0.4	0.4	0.8	8.6	73.6	24.6	73.6
	Female	5.2	-	-	-	-	-	-	-	-	-	0.7	6.5	95.2	11.3	95.2

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7. Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups															
		Total	< 1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+				
XV. 760-779	Perinatal Conditions	2.4	172.5	0.5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Male	2.7	181.3	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2.2	163.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XVI. 780-799	Symptoms & Ill-defined Conditions	19.8	106.1	-	0.4	0.9	1.4	3.1	7.9	23.0	41.2	67.1	268.2				
	Male	19.7	120.8	-	0.4	0.9	2.3	4.4	12.7	32.6	54.4	88.4	249.3				
	Female	19.9	90.7	-	0.4	0.9	0.5	1.9	3.1	14.1	30.0	50.8	278.9				
797	Senility	1.4	-	-	-	-	-	-	-	-	0.9	1.1	36.0				
	Male	1.0	-	-	-	-	-	-	-	-	-	-	38.0				
	Female	1.8	-	-	-	-	-	-	-	-	1.6	1.9	34.9				
798	Sudden Infant Death Syndrome	1.4	99.5	-	-	-	-	-	-	-	-	-	-				
	Male	1.7	116.5	-	-	-	-	-	-	-	-	-	-				
	Female	1.1	81.6	-	-	-	-	-	-	-	-	-	-				
Residual of 780-799	Other Symptoms & Ill-defined Conditions	17.0	6.6	-	0.4	0.9	1.4	3.1	7.9	23.0	40.3	66.0	232.2				
	Male	17.0	4.3	-	0.4	0.9	2.3	4.4	12.7	32.6	54.4	88.4	211.3				
	Female	17.0	9.1	-	0.4	0.9	0.5	1.9	3.1	14.1	28.3	48.9	244.0				
XVII. 800-999	Accidents, Poisoning, & Violence	64.4	19.9	9.7	11.5	67.1	71.5	75.9	60.2	53.4	64.0	136.3	259.6				
	Male	91.1	21.6	12.7	12.7	100.4	106.8	116.4	85.6	84.1	94.5	199.0	368.0				
	Female	38.2	18.1	6.6	10.3	31.6	35.9	34.9	34.7	24.7	38.0	88.4	198.4				
800-949	Accidents	40.9	15.5	7.9	8.5	44.6	38.7	44.0	32.2	27.1	43.4	101.2	216.8				
	Male	55.2	12.9	10.8	8.5	63.3	58.9	68.1	48.9	40.9	60.2	125.3	277.8				
	Female	26.9	18.1	4.7	8.5	24.7	18.4	19.7	15.4	14.1	29.1	82.7	182.3				
810-825	Motor Vehicle Accidents	16.7	2.2	4.2	3.9	33.8	16.0	17.5	12.7	10.2	23.7	34.1	25.7				
	Male	22.3	4.3	4.5	3.8	46.7	21.9	22.7	17.5	15.9	35.3	39.3	35.6				
	Female	11.1	-	3.8	4.0	20.0	10.1	12.2	7.9	4.9	13.8	30.1	20.1				
830-838	Water Transport Accidents	0.5	-	0.5	0.2	0.7	0.5	0.6	0.7	0.7	0.4	-	0.9				
	Male	1.1	-	0.9	0.4	1.3	0.9	1.1	1.3	1.5	1.0	-	2.4				
	Female	-	-	-	-	-	-	-	-	-	-	-	-				
840-845	Air Transport Accidents	0.5	-	-	0.2	0.2	0.2	0.7	1.1	0.4	0.4	1.1	-				
	Male	0.7	-	-	-	0.4	0.5	1.5	1.3	0.8	1.0	2.5	-				
	Female	0.2	-	-	0.4	-	-	-	0.9	-	-	-	-				
850-869	Poisoning Accidents	6.5	-	-	-	3.4	13.8	15.1	9.0	4.0	0.9	2.1	0.9				
	Male	10.8	-	-	-	4.8	22.4	26.0	14.4	6.8	-	2.5	-				
	Female	2.4	-	-	-	1.9	5.1	4.1	3.5	1.4	1.6	1.9	1.3				

WARNING: Rates based on less than 5 events are unreliable.
 - Quantity is zero.
 Rates per 100,000 population.
 * ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.

TABLE 6-7.
Death Rates for Selected Causes by Age and Sex, Oregon Residents, 1998 (Continued)

ICD* 9TH Rev.	Cause of Death	Age Groups											
		Total	<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-79	80+
880-888	Accidental Falls	8.5	-	-	-	1.4	1.1	2.2	1.5	3.3	8.3	42.6	154.2
	Male	8.5	-	-	-	1.7	2.3	3.3	2.6	4.5	5.7	54.0	189.9
	Female	8.5	-	-	-	0.9	-	1.1	0.4	2.1	10.5	33.8	134.1
890-899	Fire & Flame Accidents	0.8	2.2	0.9	0.9	-	0.5	0.4	0.7	0.4	0.9	4.3	4.3
	Male	0.9	4.3	1.8	0.4	-	0.5	0.7	0.9	-	1.9	2.5	4.7
	Female	0.7	-	-	1.3	-	0.5	-	0.4	0.7	-	5.6	4.0
910	Drowning & Submersion	1.9	-	0.5	1.1	3.8	2.5	1.7	1.5	1.8	0.9	2.1	1.7
	Male	3.0	-	0.9	1.3	6.1	3.2	2.9	2.6	2.3	1.9	4.9	4.7
	Female	0.8	-	-	0.9	1.4	1.8	0.4	0.4	1.4	-	-	-
950-959	Suicides	17.4	-	-	1.7	14.4	22.0	22.8	22.6	20.5	18.0	34.1	38.6
	Male	28.0	-	-	2.5	24.9	33.3	36.6	30.6	35.6	33.4	73.7	83.1
	Female	7.0	-	-	0.9	3.3	10.6	8.9	14.5	6.4	4.9	3.8	13.4
960-978	Homicides	4.3	2.2	0.9	1.1	7.2	8.9	6.4	1.8	4.0	2.2	1.1	2.6
	Male	6.0	4.3	0.9	1.3	10.9	12.3	8.1	2.6	6.8	1.0	-	4.7
	Female	2.7	-	0.9	0.9	3.3	5.5	4.8	0.9	1.4	3.2	1.9	1.3
980-989	Injuries Undetermined Whether Accidentally or Purposely Inflicted	1.7	2.2	0.9	0.2	0.9	1.8	2.4	3.7	1.8	0.4	-	1.7
	Male	1.9	4.3	0.9	0.4	1.3	2.3	3.7	3.5	0.8	-	-	2.4
	Female	1.4	-	0.9	-	0.5	1.4	1.1	4.0	2.8	0.8	-	1.3
990-999	Injury Resulting From Operations of War	-	-	-	-	-	-	-	-	-	-	-	-
	Male	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-

WARNING: Rates based on less than 5 events are unreliable.

- Quantity is zero.

Rates per 100,000 population.

* ICD is the acronym for "International Classification of Diseases," published by the World Health Organization, 1977, Geneva, Switzerland.